
































Saratoga County Fishing Waters

 General Population	 Follow the Statewide Advisory for waters in blue	 Sensitive Population
4 meals a month	*Best Choice Fish*  Brook trout  Brown trout less than 20"  Rainbow trout  Bluegill  Pumpkinseed/Sunfish  White sucker  Yellow perch less than 10"	4 meals a month
4 meals a month	Good Choice  Black crappie  Brown trout greater than 20"  Bullhead  Chain pickerel less than 20"  Carp  Lake trout  Largemouth bass less than 15"  Northern pike less than 26"  Rock bass  Walleye less than 19"  Yellow perch greater than 10"  any fish not listed	1 meal a month
1 meal a month	Eat Less  Chain pickerel greater than 20"  Channel catfish  Freshwater drum  Largemouth bass greater than 15"  Smallmouth bass less than 15"  White perch	1 meal a month
1 meal a month	 Northern pike greater than 26"  Smallmouth bass greater than 15"  Walleye greater than 19"	0 DON'T EAT


Follow these specific advisories for waters in purple


Waterbody	Fish	General Population	Sensitive Population
Ballston Lake	Yellow perch	Greater than 10", up to 1 meal/month; Less than 10", up to 4 meals/month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Hudson River Corinth Dam (Palmer Falls Dam) to South Glens Dam at Route 9 Bridge	Carp, Channel catfish	DON'T EAT	DON'T EAT
	All other fish	See Adirondack Regional Advice	
Mohawk River	Carp	DON'T EAT	DON'T EAT
	Yellow perch	Up to 4 meals/month	Up to 1 meal/month
	Brook trout, Brown trout, Rainbow trout, Pumpkinseed/sunfish, White sucker	Up to 4 meals/month	Up to 1 meal/month
	All other fish	See Statewide Advice	
Moreau Lake	Yellow perch	Up to 4 meals/month	Up to 1 meal/month
	All other fish	See Statewide Advice	

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15. The General Population refers to everyone else.





For waters in red, check advisories at www.health.ny.gov/fish

Saratoga County Fishing Waters

























 Adirondack Regional Advisory Applies
 The Adirondack region has been more affected by mercury. Fish from these waters are still a good choice.

 See back for fish advice.

-  Dam Location
-  Waterfall
-  Stream Flow
-  Connected Tributary, Advisory Applies

 **Department of Health**
www.health.ny.gov/fish
HRFA@health.ny.gov
 Map data © 2017 Google
 4/17/24

Saratoga County Fishing Waters

 General Population	 Follow the Adirondack Region Advisory for waters in green	 Sensitive Population
<p>4 meals a month</p>	<p style="text-align: center;">*Best Choice Fish*</p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;"> Black crappie</div> <div style="text-align: center;"> Bluegill</div> <div style="text-align: center;"> Brook trout</div> <div style="text-align: center;"> Brown trout</div> <div style="text-align: center;"> Bullhead</div> <div style="text-align: center;"> Freshwater drum</div> <div style="text-align: center;"> Rainbow trout</div> <div style="text-align: center;"> Sunfish/ Pumpkinseed</div> <div style="text-align: center;"> White perch</div> <div style="text-align: center;"> White sucker</div> <div style="text-align: center;"> Yellow perch less than 10"</div> </div> <p style="text-align: center;">And all other fish</p>	<p>1 meal a month</p>
<p>1 meal a month</p>	<p style="text-align: center;">Eat Less</p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;"> Chain pickerel</div> <div style="text-align: center;"> Lake trout</div> <div style="text-align: center;"> Largemouth bass</div> <div style="text-align: center;"> Rock bass</div> <div style="text-align: center;"> Smallmouth bass</div> <div style="text-align: center;"> Walleye less than 19"</div> <div style="text-align: center;"> Yellow perch greater than 10"</div> </div>	<p>0 DON'T EAT</p>
<p>0 DON'T EAT</p>	<div style="text-align: center;"> Walleye greater than 19"</div>	<p>0 DON'T EAT</p>

The Sensitive Population refers to people who can become pregnant (under age 50) and children under 15. The General Population refers to everyone else.

Visit www.health.ny.gov/fish for a listing of all fish advisories.