



Section 2 : Community Need Index Tables and Maps

New York City Region



Community Need Index 2006, Bronx County, NY



Community Need Index by ZIP Code
New York City CNI Statistical Area

| | |
|-----------------------------------|------|
| High (80th Percentile & Above) | (12) |
| Moderate (60th - 79th Percentile) | (6) |
| Low (Below 60th Percentile) | (7) |

Bronx County

Table 2.1. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 10457 | H | 98 | 69,048 | 39.6 | 2,461 | 4,504 | 1,854 | 1.55 | 2,627 | 1,636 | 208 | 183 |
| 10456 | H | 98 | 76,656 | 43.0 | 2,437 | 3,586 | 2,055 | 1.67 | 2,439 | 1,303 | 184 | 175 |
| 10459 | H | 95 | 39,080 | 37.6 | 1,675 | 2,745 | 1,539 | 1.32 | 1,984 | 1,206 | 218 | 157 |
| 10454 | H | 95 | 34,976 | 43.4 | 1,938 | 3,245 | 1,856 | 1.10 | 1,200 | 996 | 174 | 147 |
| 10452 | H | 93 | 72,138 | 36.1 | 1,397 | 1,843 | 1,530 | 1.30 | 1,773 | 1,181 | 173 | 127 |
| 10451 | H | 93 | 40,961 | 33.4 | 1,764 | 2,441 | 2,031 | 1.41 | 1,500 | 747 | 175 | 121 |
| 10474 | H | 92 | 11,354 | 33.5 | 1,914 | 2,775 | 1,518 | 0.78 | 1,426 | 764 | 197 | 184 |
| 10455 | H | 91 | 37,465 | 37.0 | 1,719 | 2,917 | 1,522 | 1.36 | 866 | 645 | 143 | 163 |
| 10458 | H | 87 | 77,840 | 35.4 | 1,319 | 2,381 | 1,207 | 1.02 | 1,361 | 741 | 134 | 115 |
| 10460 | H | 86 | 53,707 | 35.8 | 1,304 | 2,309 | 1,439 | 1.01 | 1,154 | 754 | 141 | 108 |
| 10453 | H | 84 | 76,775 | 36.8 | 1,210 | 1,614 | 1,673 | 0.91 | 1,115 | 759 | 131 | 109 |
| 10468 | H | 80 | 78,309 | 28.2 | 953 | 1,540 | 1,145 | 0.71 | 1,055 | 742 | 105 | 83 |
| 10472 | M | 79 | 64,867 | 34.0 | 994 | 1,668 | 1,152 | 0.71 | 866 | 581 | 108 | 102 |
| 10467 | M | 78 | 94,342 | 30.9 | 868 | 1,089 | 1,224 | 0.83 | 741 | 535 | 96 | 78 |
| 10473 | M | 74 | 56,166 | 30.1 | 861 | 1,245 | 1,056 | 0.79 | 606 | 537 | 93 | 57 |
| 10466 | M | 71 | 68,787 | 30.8 | 589 | 613 | 1,454 | 1.22 | 441 | 289 | 73 | 59 |
| 10462 | M | 67 | 72,077 | 22.3 | 649 | 980 | 760 | 0.54 | 565 | 585 | 98 | 60 |
| 10469 | M | 61 | 63,345 | 23.0 | 419 | 593 | 1,159 | 0.58 | 420 | 299 | 70 | 46 |
| 10461 | L | 55 | 49,808 | 23.5 | 662 | 1,070 | 432 | 0.40 | 270 | 223 | 61 | 31 |
| 10470 | L | 53 | 15,780 | 17.4 | 389 | 468 | 741 | 0.77 | 245 | 167 | 61 | 33 |
| 10463 | L | 52 | 65,576 | 22.1 | 459 | 726 | 575 | 0.24 | 498 | 247 | 57 | 29 |
| 10464 | L | 51 | 4,634 | 17.8 | 610 | 1,147 | 473 | * | 424 | 125 | 84 | * |
| 10475 | L | 49 | 38,086 | 19.3 | 399 | 521 | 720 | 0.28 | 303 | 115 | 66 | 32 |
| 10465 | L | 47 | 42,500 | 14.0 | 442 | 792 | 359 | 0.29 | 237 | 147 | 66 | * |
| 10471 | L | 9 | 23,413 | 3.4 | 172 | 320 | 230 | * | 85 | 53 | 11 | 15 |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 32.2 | 1,144 | 1,772 | 1,281 | 0.97 | 1,054 | 685 | 121 | 97 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |


Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

Community Need Index 2006, Kings County, NY



Community Need Index by ZIP Code
New York City CNI Statistical Area

- High (80th Percentile & Above) (8)
- Moderate (60th - 79th Percentile) (11)
- Low (Below 60th Percentile) (18)

Kings County

Table 2.2. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 11233 | H | 91 | 61,955 | 39.9 | 1,437 | 1,541 | 2,286 | 1.63 | 877 | 742 | 192 | 132 |
| 11221 | H | 89 | 76,363 | 37.6 | 1,466 | 1,659 | 1,884 | 1.38 | 976 | 709 | 157 | 121 |
| 11212 | H | 88 | 85,161 | 35.0 | 950 | 1,093 | 2,656 | 1.03 | 1,124 | 654 | 177 | 111 |
| 11216 | H | 87 | 55,775 | 35.0 | 1,347 | 1,434 | 2,045 | 1.23 | 1,113 | 457 | 153 | 141 |
| 11206 | H | 86 | 69,032 | 31.8 | 1,746 | 2,776 | 1,805 | 0.66 | 834 | 728 | 131 | 99 |
| 11207 | H | 83 | 86,551 | 33.7 | 953 | 1,270 | 2,052 | 1.12 | 676 | 609 | 148 | 101 |
| 11213 | H | 82 | 65,440 | 32.4 | 1,119 | 1,291 | 2,103 | 0.89 | 767 | 680 | 140 | 84 |
| 11238 | H | 81 | 48,965 | 33.9 | 923 | 1,110 | 1,306 | 1.06 | 589 | 537 | 156 | 98 |
| 11205 | M | 78 | 35,622 | 34.4 | 853 | 1,154 | 1,418 | 1.24 | 670 | 322 | 117 | 82 |
| 11226 | M | 77 | 106,154 | 29.1 | 386 | 386 | 2,019 | 1.01 | 608 | 402 | 118 | 75 |
| 11224 | M | 76 | 51,205 | 29.1 | 846 | 1,376 | 1,006 | 1.22 | 466 | 484 | 72 | 63 |
| 11208 | M | 72 | 87,165 | 30.7 | 684 | 931 | 1,455 | 0.86 | 537 | 369 | 85 | 64 |
| 11237 | M | 69 | 48,910 | 34.2 | 745 | 1,817 | 1,132 | 0.34 | 473 | 428 | 73 | 48 |
| 11225 | M | 66 | 63,774 | 28.1 | 403 | 368 | 1,643 | 0.62 | 575 | 258 | 95 | 69 |
| 11203 | M | 65 | 84,498 | 27.1 | 592 | 489 | 1,815 | 0.59 | 355 | 178 | 95 | 60 |
| 11217 | M | 64 | 35,353 | 25.6 | 625 | 1,011 | 765 | 0.68 | 506 | 200 | 109 | 72 |
| 11239 | M | 61 | 14,620 | 18.5 | 401 | 596 | 921 | 0.70 | 504 | 183 | 76 | 65 |
| 11231 | M | 60 | 32,974 | 28.7 | 488 | 1,094 | 537 | 0.37 | 501 | 197 | 95 | 41 |
| 11201 | M | 60 | 47,746 | 24.2 | 710 | 902 | 777 | 0.32 | 385 | 179 | 73 | 63 |
| 11236 | L | 58 | 96,301 | 19.0 | 249 | 364 | 1,253 | 0.77 | 210 | 165 | 57 | 42 |
| 11211 | L | 50 | 85,089 | 11.6 | 514 | 996 | 506 | 0.15 | 344 | 192 | 55 | 45 |
| 11232 | L | 44 | 27,723 | 30.3 | 237 | 849 | 426 | 0.13 | 154 | 195 | 50 | 35 |
| 11210 | L | 41 | 62,308 | 13.8 | 188 | 239 | 971 | 0.25 | 269 | 119 | 54 | 36 |
| 11220 | L | 38 | 92,718 | 21.1 | 230 | 938 | 358 | 0.16 | 215 | 105 | 36 | 15 |
| 11215 | L | 36 | 63,001 | 16.4 | 240 | 615 | 402 | 0.16 | 209 | 91 | 51 | 26 |
| 11222 | L | 31 | 39,360 | 12.1 | 336 | 734 | 301 | * | 217 | 82 | 31 | 27 |
| 11234 | L | 30 | 86,898 | 12.4 | 163 | 288 | 514 | 0.27 | 114 | 123 | 27 | 23 |
| 11223 | L | 27 | 77,691 | 12.8 | 291 | 518 | 278 | 0.09 | 174 | 97 | 33 | 10 |
| 11235 | L | 26 | 77,451 | 12.2 | 371 | 800 | 256 | 0.04 | 139 | 35 | 26 | 11 |
| 11218 | L | 25 | 74,611 | 13.6 | 152 | 373 | 322 | 0.11 | 130 | 68 | 31 | 18 |
| 11209 | L | 21 | 69,840 | 8.2 | 150 | 519 | 151 | 0.19 | 112 | 42 | 22 | 17 |
| 11230 | L | 20 | 88,933 | 6.6 | 156 | 291 | 445 | 0.09 | 96 | 49 | 22 | 17 |
| 11214 | L | 16 | 83,546 | 9.6 | 156 | 553 | 178 | 0.07 | 91 | 36 | 13 | 11 |
| 11229 | L | 15 | 80,554 | 9.7 | 165 | 385 | 240 | * | 62 | 63 | 16 | 9 |
| 11219 | L | 8 | 85,987 | 4.4 | 103 | 378 | 148 | 0.05 | 87 | 51 | 16 | 9 |
| 11228 | L | 8 | 41,172 | 6.0 | 125 | 411 | 120 | 0.15 | 17 | 33 | 10 | 7 |
| 11204 | L | 6 | 74,880 | 4.8 | 134 | 386 | 133 | 0.12 | 64 | 25 | 9 | 4 |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 22.4 | 537 | 823 | 1,047 | 0.52 | 387 | 274 | 77 | 53 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |


Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

Community Need Index 2006, New York County, NY



New York County

Table 2.3. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 10001 | H | 99 | 17,310 | 24.8 | 6,069 | 5,500 | 1,171 | 0.70 | 2,112 | 591 | 239 | 302 |
| 10030 | H | 97 | 25,847 | 43.3 | 2,965 | 1,959 | 2,341 | 1.79 | 1,632 | 1,214 | 268 | 216 |
| 10035 | H | 97 | 32,702 | 38.7 | 3,766 | 3,343 | 2,001 | 0.81 | 1,539 | 992 | 219 | 272 |
| 10026 | H | 96 | 30,377 | 37.1 | 1,979 | 1,532 | 2,080 | 2.10 | 1,323 | 957 | 226 | 204 |
| 10039 | H | 94 | 21,737 | 39.8 | 2,023 | 1,297 | 2,240 | 1.76 | 1,294 | 784 | 177 | 186 |
| 10037 | H | 94 | 16,984 | 33.9 | 2,765 | 1,436 | 2,053 | 1.36 | 1,652 | 580 | 201 | 170 |
| 10018 | H | 90 | 4,255 | 33.3 | 1,378 | 1,801 | 991 | * | 2,310 | 678 | 198 | 234 |
| 10036 | H | 90 | 18,751 | 22.6 | 1,180 | 1,293 | 1,299 | 0.96 | 1,332 | 492 | 262 | 228 |
| 10029 | H | 89 | 75,390 | 38.5 | 1,598 | 2,066 | 1,475 | 0.93 | 1,476 | 783 | 149 | 110 |
| 10004 | H | 85 | 1,225 | * | 3,222 | 2,349 | 964 | * | 1,546 | * | 271 | 151 |
| 10027 | H | 84 | 56,168 | 36.3 | 1,589 | 1,084 | 1,463 | 0.89 | 1,011 | 651 | 161 | 135 |
| 10005 | H | 83 | 884 | * | 900 | 1,643 | 469 | * | 845 | * | * | 235 |
| 10031 | H | 80 | 60,221 | 34.4 | 1,246 | 708 | 1,456 | 0.89 | 772 | 490 | 138 | 108 |
| 10011 | M | 79 | 46,669 | 39.6 | 351 | 415 | 945 | 0.57 | 1,084 | 258 | 206 | 191 |
| 10006 | M | 76 | 1,447 | * | 817 | 941 | 2,229 | * | 868 | 370 | 173 | 99 |
| 10032 | M | 75 | 63,842 | 31.6 | 1,285 | 689 | 1,167 | 0.40 | 888 | 346 | 112 | 89 |
| 10007 | M | 73 | 5,096 | * | 2,361 | 1,749 | 1,308 | * | 629 | 245 | 86 | 86 |
| 10044 | M | 73 | 9,520 | 9.1 | 175 | 701 | 396 | * | 3,268 | 653 | 95 | 30 |
| 10019 | M | 72 | 36,012 | 20.2 | 1,552 | 1,929 | 606 | 0.08 | 1,051 | 158 | 108 | 92 |
| 10016 | M | 71 | 51,217 | 14.4 | 1,499 | 1,294 | 1,237 | 0.28 | 865 | 250 | 91 | 81 |
| 10025 | M | 68 | 97,086 | 20.4 | 793 | 774 | 562 | 0.54 | 1,112 | 406 | 99 | 73 |
| 10009 | M | 65 | 58,595 | 23.1 | 905 | 1,476 | 649 | 0.36 | 839 | 267 | 80 | 71 |
| 10038 | M | 62 | 15,574 | 19.4 | 618 | 1,008 | 609 | 0.59 | 452 | 249 | 83 | 62 |
| 10002 | L | 59 | 84,870 | 16.6 | 483 | 911 | 625 | 0.13 | 816 | 456 | 44 | 49 |
| 10014 | L | 57 | 32,667 | 8.1 | 219 | 211 | 556 | * | 703 | 73 | 119 | 139 |
| 10010 | L | 57 | 26,408 | 9.2 | 577 | 746 | 432 | * | 755 | 175 | * | 84 |
| 10034 | L | 56 | 41,756 | 28.5 | 572 | 311 | 1,065 | 0.27 | 454 | 126 | 60 | 42 |
| 10003 | L | 53 | 53,673 | 12.1 | 579 | 891 | 479 | 0.08 | 545 | 143 | 79 | 69 |
| 10040 | L | 46 | 46,599 | 23.0 | 393 | 262 | 821 | 0.27 | 211 | 147 | 50 | 46 |
| 10033 | L | 46 | 58,259 | 23.3 | 476 | 325 | 731 | 0.20 | 240 | 164 | 52 | 40 |
| 10012 | L | 43 | 26,000 | 14.1 | 582 | 485 | 491 | 0.16 | 395 | 63 | 69 | 51 |
| 10013 | L | 42 | 25,042 | 5.7 | 285 | 333 | 656 | 0.10 | 443 | 45 | 93 | 56 |
| 10017 | L | 41 | 16,210 | * | 585 | 536 | 263 | 0.49 | 417 | 72 | 42 | 49 |
| 10028 | L | 34 | 44,987 | 24.9 | 225 | 361 | 285 | 0.11 | 266 | 58 | 40 | 29 |
| 10022 | L | 34 | 30,642 | * | 190 | 242 | 208 | 0.28 | 350 | 81 | 63 | 47 |
| 10023 | L | 32 | 63,609 | 13.9 | 170 | 247 | 327 | 0.09 | 319 | 52 | 51 | 41 |
| 10024 | L | 30 | 61,414 | 8.9 | 235 | 299 | 294 | * | 317 | 74 | 42 | 45 |
| 10280 | L | 23 | 6,669 | * | 79 | 79 | 327 | * | 96 | * | 30 | 55 |
| 10021 | L | 14 | 103,804 | 3.8 | 175 | 207 | 202 | 0.02 | 135 | 31 | 31 | 22 |
| 10128 | L | 11 | 59,856 | 6.0 | 110 | 148 | 210 | 0.05 | 104 | 36 | 23 | 20 |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 25.4 | 938 | 905 | 847 | 0.46 | 764 | 304 | 109 | 90 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |


Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

Community Need Index 2006, Queens County, NY



Queens County

Table 2.4. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 11430 | H | 100 | 229 | * | 3,672 | 4,802 | 13,277 | * | * | * | 3,672 | 3,107 |
| 11692 | M | 75 | 15,893 | 34.6 | 671 | 756 | 1,593 | 1.12 | 573 | 304 | 82 | 72 |
| 11436 | M | 70 | 18,148 | 31.4 | 518 | 593 | 1,359 | 1.22 | 460 | 363 | 89 | 35 |
| 11433 | M | 69 | 28,435 | 30.2 | 720 | 697 | 1,561 | 0.42 | 516 | 342 | 109 | 54 |
| 11101 | M | 68 | 25,595 | 27.7 | 685 | 815 | 1,988 | 0.20 | 425 | 316 | 97 | 55 |
| 11691 | M | 67 | 56,184 | 25.9 | 1,142 | 1,824 | 1,134 | 0.45 | 352 | 205 | 76 | 48 |
| 11434 | M | 64 | 59,142 | 27.8 | 580 | 633 | 1,436 | 0.51 | 456 | 245 | 89 | 59 |
| 11370 | M | 63 | 43,142 | 8.5 | 462 | 695 | 379 | 0.31 | 1,297 | 22 | 175 | 88 |
| 11412 | M | 63 | 37,452 | 29.4 | 450 | 375 | 1,527 | 0.80 | 315 | 200 | 82 | 42 |
| 11693 | L | 58 | 11,157 | 21.9 | 746 | 1,135 | 702 | 0.26 | 304 | 264 | 71 | 40 |
| 11429 | L | 52 | 27,647 | 18.9 | 289 | 193 | 1,089 | 0.52 | 188 | 105 | 55 | 43 |
| 11423 | L | 50 | 31,240 | 18.0 | 245 | 237 | 823 | 0.62 | 291 | 174 | 49 | 32 |
| 11435 | L | 49 | 53,877 | 21.5 | 391 | 391 | 734 | 0.25 | 224 | 178 | 58 | 41 |
| 11411 | L | 48 | 21,282 | 17.8 | 279 | 233 | 958 | 0.61 | 332 | 108 | 38 | 29 |
| 11432 | L | 47 | 57,045 | 20.3 | 376 | 339 | 687 | 0.22 | 444 | 139 | 60 | 36 |
| 11413 | L | 45 | 39,827 | 20.3 | 246 | 194 | 1,117 | 0.22 | 184 | 170 | 62 | 31 |
| 11420 | L | 43 | 45,498 | 15.0 | 221 | 346 | 681 | 0.64 | 255 | 87 | 41 | 35 |
| 11422 | L | 42 | 30,449 | 16.0 | 138 | 156 | 1,102 | 0.60 | 102 | 89 | 32 | 32 |
| 11102 | L | 39 | 36,291 | 23.6 | 235 | 300 | 464 | 0.28 | 131 | 108 | 39 | 42 |
| 11369 | L | 39 | 36,110 | 23.8 | 205 | 218 | 543 | 0.22 | 237 | 89 | 51 | 27 |
| 11106 | L | 38 | 43,130 | 21.0 | 195 | 299 | 437 | 0.19 | 172 | 98 | 47 | 49 |
| 11372 | L | 37 | 71,308 | 21.8 | 109 | 141 | 344 | 0.23 | 282 | 43 | 57 | 47 |
| 11368 | L | 36 | 98,841 | 26.1 | 158 | 212 | 516 | 0.20 | 221 | 53 | 38 | 30 |
| 11694 | L | 35 | 19,278 | 10.1 | 204 | 565 | 165 | 0.66 | 213 | 148 | 27 | 16 |
| 11418 | L | 35 | 36,571 | 16.3 | 237 | 401 | 507 | 0.11 | 168 | 123 | 33 | 39 |
| 11005 | L | 33 | 2,195 | * | * | 531 | * | * | * | * | * | * |
| 11385 | L | 32 | 97,524 | 17.2 | 202 | 525 | 332 | 0.23 | 147 | 98 | 31 | 24 |
| 11416 | L | 31 | 23,668 | 19.9 | 145 | 444 | 448 | 0.10 | 149 | 51 | 32 | 24 |
| 11415 | L | 29 | 20,956 | 12.2 | 122 | 262 | 383 | 0.11 | 175 | * | 50 | 38 |
| 11356 | L | 28 | 20,444 | 15.7 | 293 | 429 | 228 | 0.36 | 117 | 41 | 14 | 18 |
| 11421 | L | 28 | 37,664 | 17.3 | 184 | 481 | 441 | 0.06 | 157 | 64 | 30 | 9 |
| 11417 | L | 27 | 28,607 | 17.2 | 200 | 347 | 316 | 0.26 | 94 | 62 | 18 | 17 |
| 11428 | L | 26 | 21,023 | 15.6 | 230 | 133 | 509 | * | 95 | 118 | 15 | 33 |
| 11419 | L | 24 | 48,867 | 17.7 | 166 | 222 | 450 | 0.09 | 108 | 46 | 25 | 17 |
| 11104 | L | 24 | 29,506 | 12.7 | 115 | 175 | 244 | 0.09 | 158 | 50 | 44 | 27 |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 16.5 | 246 | 354 | 516 | 0.22 | 197 | 90 | 40 | 29 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |

Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

Continued on Next Page

Queens County

Table 2.4. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 11427 | L | 23 | 23,014 | 10.1 | 174 | 162 | 332 | 0.25 | 75 | 28 | 29 | 29 |
| 11377 | L | 22 | 88,339 | 14.6 | 135 | 179 | 304 | 0.05 | 120 | 68 | 28 | 18 |
| 11373 | L | 21 | 105,723 | 13.7 | 97 | 130 | 280 | 0.06 | 128 | 13 | 31 | 28 |
| 11103 | L | 20 | 44,321 | 8.9 | 90 | 210 | 251 | 0.13 | 141 | 54 | 27 | 24 |
| 11367 | L | 19 | 38,216 | 8.6 | 115 | 220 | 294 | 0.10 | 61 | 77 | 22 | 28 |
| 11414 | L | 19 | 28,121 | 6.6 | * | 561 | 128 | 0.13 | 178 | 52 | 22 | 11 |
| 11375 | L | 18 | 70,204 | 5.5 | 184 | 383 | 175 | 0.17 | 146 | 30 | 23 | 19 |
| 11355 | L | 17 | 83,281 | 9.3 | 252 | 299 | 242 | 0.14 | 66 | 33 | 19 | 13 |
| 11378 | L | 17 | 34,053 | 8.7 | 186 | 362 | * | 0.17 | 122 | 42 | 14 | 14 |
| 11105 | L | 15 | 42,117 | 8.5 | 120 | 272 | 212 | * | 55 | 81 | 17 | 22 |
| 11374 | L | 13 | 44,189 | 5.8 | 102 | 360 | 187 | * | 63 | 37 | 30 | 22 |
| 11379 | L | 13 | 28,984 | 4.9 | 125 | 348 | 127 | 0.11 | 104 | 53 | 22 | 15 |
| 11354 | L | 12 | 54,329 | 10.0 | 136 | 206 | 211 | 0.06 | 129 | 24 | 10 | 17 |
| 11365 | L | 10 | 41,566 | 6.7 | 158 | 247 | 229 | * | 113 | 66 | 8 | 13 |
| 11366 | L | 10 | 13,366 | 6.0 | 174 | 188 | 224 | * | 111 | * | 25 | * |
| 11361 | L | 9 | 29,206 | 7.2 | 178 | 307 | 124 | 0.11 | 85 | * | 8 | 15 |
| 11426 | L | 5 | 18,727 | 5.4 | 108 | 167 | 149 | 0.18 | 51 | * | 8 | * |
| 11363 | L | 5 | 6,917 | * | 109 | 123 | 102 | * | 140 | * | 20 | * |
| 11357 | L | 3 | 39,491 | 4.7 | 109 | 196 | 59 | * | 40 | 63 | 17 | 5 |
| 11358 | L | 2 | 38,647 | 7.0 | 89 | 166 | 125 | * | 57 | 24 | 7 | 7 |
| 11697 | L | 2 | 4,226 | * | 227 | 151 | 328 | * | * | * | * | * |
| 11360 | L | 1 | 19,350 | 3.2 | 93 | 176 | 80 | * | 85 | * | 11 | 11 |
| 11364 | L | 1 | 34,539 | 3.5 | 107 | 286 | 127 | * | * | * | 11 | * |
| 11004 | L | 0 | 14,682 | 5.2 | 120 | 154 | 182 | * | * | * | * | * |
| 11362 | L | 0 | 17,502 | 3.8 | 71 | 97 | 80 | * | * | * | 17 | * |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 16.5 | 246 | 354 | 516 | 0.22 | 197 | 90 | 40 | 29 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |


Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

Community Need Index 2006, Richmond County, NY



Community Need Index by ZIP Code
New York City CNI Statistical Area

- High (80th Percentile & Above) (1)
- Low (Below 60th Percentile) (11)

Richmond County

Table 2.5. CNI, Risk Indicator Rates, and HIV/AIDS Indicator Rates^a by ZIP Code

| ZIP Code | CNI Letter Score ^b | CNI Region Percentile Rank | Total Population | Teen Pregnancy | Cocaine Discharges | Opioid Discharges | Sexually Transmitted Diseases | Maternal Sero-prevalence | Male HIV Discharges | Female HIV Discharges | AIDS Cases | HIV Cases |
|--|-------------------------------|----------------------------|------------------|------------------------------------|---|---|---|--------------------------------|------------------------------------|--------------------------------------|---|---|
| | | | | <i>per 1,000 Females Age 10-17</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100 Tested Newborns</i> | <i>per 100,000 Males Age 13-64</i> | <i>per 100,000 Females Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> | <i>per 100,000 Population Age 13-64</i> |
| 10304 | H | 82 | 38,972 | 26.1 | 1,909 | 3,128 | 624 | 0.48 | 1,263 | 677 | 87 | 44 |
| 10301 | L | 56 | 38,805 | 23.1 | 556 | 708 | 511 | 0.50 | 462 | 236 | 49 | 43 |
| 10302 | L | 54 | 16,406 | 37.9 | 486 | 704 | 707 | 0.13 | 467 | 211 | 45 | 24 |
| 10303 | L | 54 | 23,530 | 28.8 | 469 | 620 | 664 | 0.29 | 419 | 287 | 44 | 29 |
| 10310 | L | 45 | 22,852 | 21.0 | 357 | 533 | 431 | 0.48 | 275 | 221 | 45 | 24 |
| 10305 | L | 40 | 38,450 | 11.2 | 934 | 1,016 | 290 | 0.14 | 292 | 84 | 19 | 22 |
| 10309 | L | 16 | 27,207 | 3.8 | 423 | 748 | 88 | * | 225 | 21 | 11 | 9 |
| 10306 | L | 12 | 55,698 | 8.4 | 175 | 420 | 118 | 0.12 | 53 | 56 | 11 | 9 |
| 10307 | L | 7 | 11,669 | 3.0 | 114 | 514 | 90 | * | * | 116 | * | 12 |
| 10314 | L | 6 | 84,821 | 8.1 | 124 | 333 | 117 | 0.04 | * | 48 | * | * |
| 10312 | L | 4 | 58,867 | 5.4 | 81 | 332 | 68 | 0.11 | 65 | 37 | 7 | * |
| 10308 | L | 4 | 26,451 | 5.6 | 87 | 292 | 68 | * | 69 | 63 | 5 | 11 |
| County References | | | | | | | | | | | | |
| County Rate ^c | | | | 13.8 | 443 | 736 | 270 | 0.19 | 275 | 150 | 27 | 17 |
| CNI Statistical Area References | | | | | | | | | | | | |
| 50th Percentile (Median) | | | | 19.1 | 392 | 545 | 559 | 0.26 | 318 | 148 | 57 | 42 |
| 80th Percentile | | | | 32.0 | 1,044 | 1,295 | 1,445 | 0.82 | 867 | 509 | 124 | 98 |

Notes: ^a Rates are calculated using 2001, 2002, and 2003 data, except Teen Pregnancy which uses 2000, 2001, and 2002 data. Refer to Table 1.2 for variable definitions and for additional information on rate calculations.

^b H, M, and L designate high, moderate, and low CNI letter scores respectively. Refer to Section 1 for details.

^c County rates do not correspond to the average of the aggregated ZIP code total because ZIP codes do not follow county boundaries.

* Data have been suppressed. Refer to Appendix A for suppression criteria.

