

**New York State HIV/AIDS Surveillance
Semiannual Report**

**For Cases Diagnosed
through December 2004
(Revised)**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

Revised December 2006

About this Revised Report

The tables in this revised version of the Semiannual Report for December 2004 are based on data collected through November 2006. The original report used data collected through February 2006. The differences between the two versions are due mainly to the greater completeness of the later data set. Counts of prisoners and pediatric diagnoses in this report may differ from the original report due to minor changes in processing the input data files. In general, the differences between the case counts in the original and revised reports are small.

Notice to Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The HIV/AIDS case data used in this Semiannual Report has undergone both inter- and intra-state deduplication.

In 2004 the Centers for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimated that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that were reported to CDC over the history of the epidemic through 2002.

The percent of AIDS cases that were removed from the New York State (NYS) registry through this process was approximately 3%. Please note that this "loss" of AIDS cases will most likely not affect New York's Ryan White funding or other funding based on the AIDS case count because New York's estimated 3% decrease in AIDS cases was less than the average loss of cases for the nation, which was a little less than 5%. The data presented in this report series since June 2004 reflect this change in the AIDS case count for NYS. The December 2003, 2002 and 2001 reports were also updated to reflect this change. The interstate deduplication of cases is now conducted on an ongoing basis.

The Semiannual Report case data has also been deduplicated between New York City (NYC) and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's Bureau of HIV/AIDS Epidemiology (BHAE). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health's HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. CDC deduplicates the data between the two jurisdictions for its own use. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal

funding to NYS. The data used in this report have been deduplicated by BHAЕ following the algorithm used by CDC.

Counts of prisoners and pediatric diagnoses in this report may be slightly higher than in previous reports due to minor changes in processing the input data files.

More finely delineated breakouts or tables based on data that has not been deduplicated may be obtained through our data request unit by calling 518-474-4284.

To familiarize yourself with the report's format and the definitions used please read the following section, **Technical Notes on HIV/AIDS Surveillance Data.**

Technical Notes on HIV/AIDS Surveillance Data

Introduction

This is the HIV/AIDS Surveillance Semiannual Report, which is produced by the BHAЕ at the New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

Information presented in this report is generated from data collected and maintained by BHAЕ and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Until June 2005 laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests.

Laboratories conducting HIV-related testing must report directly to the NYSDOH either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 8/05. Copies can be obtained by calling 518-474-4284.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

* Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Case: Case refers to a report for which confirmatory clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) have been obtained. Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

In June 2006, NYSDOH's HIV surveillance system was modified to implement CDC's National Data Processing Initiative (NDPI). NDPI rules for counting HIV and AIDS cases are stricter than those previously in effect. A small number of cases in upstate New York that were countable for reporting purposes under old rules lacked required data elements and were no longer countable. BHA/E is working to acquire the information needed to restore these cases. New York City cases are still reported using pre-NDPI rules. (See **Record Updates** below).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- **Living HIV Cases** - This category includes all reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- **Newly Diagnosed HIV Cases** - This is the subset of all living HIV cases that have been reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and have *not* been reported with AIDS through the end of the reported time period. Please note that HIV reporting began in 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as newly diagnosed.
- **Living AIDS Cases** - This category includes all reported individuals living with AIDS.
- **Newly Diagnosed AIDS Cases** - This is the subset of all living AIDS cases that are diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- **Cumulative AIDS Cases** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. In cases of HIV infection diagnosed before June 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and is obtained from review of the patient's medical records. An individual may potentially have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this). Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Adult with undetermined mode of exposure

Children:

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is

likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: In this report, **age** designates **age at time of diagnosis**. This refers to the individual's age at the earliest, documented diagnosis of the condition in question. The CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while

incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS, excluding NYC, include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:

STATEWIDE

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 11
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 17

NYS Excluding NYC – COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 18-19
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 20-21

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 29

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 31

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 32
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 33

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region	Pages 34-35
Table 11 - A,B	Binghamton Ryan White Region	Pages 36-37
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 38-39
Table 13 - A,B	Lower Hudson Ryan White Region	Pages 40-41
Table 14 - A,B	Mid Hudson Ryan White Region	Pages 42-43
Table 15 - A,B	Nassau/Suffolk Ryan White Region	Pages 44-45
Table 16 - A,B	Rochester Ryan White Region	Pages 46-47
Table 17 - A,B	Syracuse Ryan White Region	Pages 48-49

NYC – Boroughs

Table 18A	HIV/AIDS Cases Diagnosed through June 2004.....	Page 50
Table 18B	Newly Diagnosed HIV/AIDS Cases, Diagnosed July 2003-June 2004.....	Page 51

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 52-53
Table 20 - A,B	Brooklyn	Pages 54-55
Table 21 - A,B	Manhattan	Pages 56-57
Table 22 - A,B	Queens	Pages 58-59
Table 23 - A,B	Staten Island	Pages 60-61

STATEWIDE: Includes all 62 Counties

Table 1
New York State AIDS Cases* by Region and Year of Diagnosis

Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	148	7	155
1982	491	33	524
1983	1,046	124	1,170
1984	1,764	249	2,013
1985	2,715	450	3,165
1986	3,903	704	4,607
1987	4,880	1,023	5,903
1988	6,036	1,289	7,325
1989	6,366	1,575	7,941
1990	7,231	1,746	8,977
1991	8,335	2,132	10,467
1992	10,037	2,612	12,649
1993	11,544	2,831	14,375
1994	11,412	2,616	14,028
1995	10,196	2,674	12,870
1996	8,440	2,206	10,646
1997	6,736	1,564	8,300
1998	5,089	1,293	6,382
1999	4,837	1,226	6,063
2000	5,804	1,391	7,195
2001	4,891	1,321	6,212
2002	4,073	1,191	5,264
2003	4,740	1,228	5,968
2004	3,800	1,095	4,895
<i>Total</i>	<i>134,563</i>	<i>32,580</i>	<i>167,143</i>

***Cases reported and confirmed through November 2006**

STATEWIDE: Includes all 62 Counties

Table 2A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	26,300	64.5	45,946	70.5	124,662	74.6
	Female	14,229	34.9	19,261	29.5	42,479	25.4
	Unk	219	0.5	2	0.0	2	0.0
	<i>Total</i>	<i>40,748</i>	<i>100.0</i>	<i>65,209</i>	<i>100.0</i>	<i>167,143</i>	<i>100.0</i>
Age Group	12 & under	1,768	4.3	833	1.3	2,355	1.4
	13-19	1,004	2.5	612	0.9	878	0.5
	20-24	2,936	7.2	1,962	3.0	4,098	2.5
	25-29	4,894	12.0	6,191	9.5	16,000	9.6
	30-49	25,300	62.1	47,320	72.6	120,744	72.2
	50+	4,743	11.6	8,291	12.7	23,068	13.8
	Unk	103	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>40,748</i>	<i>100.0</i>	<i>65,209</i>	<i>100.0</i>	<i>167,143</i>	<i>100.0</i>
Race/Ethnicity	White	9,541	23.4	14,092	21.6	42,740	25.6
	Black	18,015	44.2	29,649	45.5	73,356	43.9
	Hispanic	11,607	28.5	20,225	31.0	49,122	29.4
	Asian/PI	430	1.1	619	0.9	1,173	0.7
	Native Am	63	0.2	71	0.1	114	0.1
	Multi Race	256	0.6	307	0.5	331	0.2
	Other/Unk	836	2.1	246	0.4	307	0.2
	<i>Total</i>	<i>40,748</i>	<i>100.0</i>	<i>65,209</i>	<i>100.0</i>	<i>167,143</i>	<i>100.0</i>
Risk	MSM	11,211	27.5	16,449	25.2	47,259	28.3
	IDU	5,928	14.5	18,468	28.3	64,561	38.6
	MSM/IDU	607	1.5	1,632	2.5	5,127	3.1
	Heterosexual	6,693	16.4	10,209	15.7	18,697	11.2
	Blood Prod.	120	0.3	371	0.6	1,319	0.8
	Pediatric Risk	1,817	4.5	1,068	1.6	2,632	1.6
	Other/Unk	14,372	35.3	17,012	26.1	27,548	16.5
	<i>Total</i>	<i>40,748</i>	<i>100.0</i>	<i>65,209</i>	<i>100.0</i>	<i>167,143</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

STATEWIDE: Includes all 62 Counties

Table 2B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	1,987	67.5	3,274	66.9
	Female	957	32.5	1,622	33.1
	<i>Total</i>	<i>2,944</i>	<i>100.0</i>	<i>4,896</i>	<i>100.0</i>
Age Group	12 & under	24	0.8	10	0.2
	13-19	125	4.2	73	1.5
	20-24	313	10.6	171	3.5
	25-29	392	13.3	345	7.0
	30-49	1,707	58.0	3,225	65.9
	50+	383	13.0	1,072	21.9
	<i>Total</i>	<i>2,944</i>	<i>100.0</i>	<i>4,896</i>	<i>100.0</i>
	Race/Ethnicity	White	530	18.0	915
	Black	1,494	50.7	2,448	50.0
	Hispanic	779	26.5	1,402	28.6
	Asian/PI	49	1.7	68	1.4
	Native Am	8	0.3	8	0.2
	Multi Race	74	2.5	42	0.9
	Other/Unk	10	0.3	13	0.3
	<i>Total</i>	<i>2,944</i>	<i>100.0</i>	<i>4,896</i>	<i>100.0</i>
Risk	MSM	1,060	36.0	1,253	25.6
	IDU	269	9.1	837	17.1
	MSM/IDU	41	1.4	102	2.1
	Heterosexual	499	16.9	856	17.5
	Blood Prod.	10	0.3	22	0.4
	Pediatric Risk	22	0.7	51	1.0
	Other/Unk	1,043	35.4	1,775	36.3
	<i>Total</i>	<i>2,944</i>	<i>100.0</i>	<i>4,896</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK CITY - TOTAL

Table 3A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	20,109	64.0	34,884	69.6	99,363	73.8
	Female	11,073	35.3	15,211	30.4	35,200	26.2
	Unk	217	0.7	0	0.0	0	0.0
	<i>Total</i>	<i>31,399</i>	<i>100.0</i>	<i>50,095</i>	<i>100.0</i>	<i>134,563</i>	<i>100.0</i>
Age Group	12 & under	1,513	4.8	723	1.4	2,041	1.5
	13-19	762	2.4	461	0.9	658	0.5
	20-24	2,252	7.2	1,531	3.1	3,234	2.4
	25-29	3,707	11.8	4,682	9.3	12,479	9.3
	30-49	19,394	61.8	36,025	71.9	96,771	71.9
	50+	3,754	12.0	6,673	13.3	19,380	14.4
	Unk	17	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>31,399</i>	<i>100.0</i>	<i>50,095</i>	<i>100.0</i>	<i>134,563</i>	<i>100.0</i>
Race/Ethnicity	White	6,618	21.1	9,405	18.8	30,351	22.6
	Black	14,165	45.1	23,074	46.1	60,140	44.7
	Hispanic	9,347	29.8	16,745	33.4	42,600	31.7
	Asian/PI	393	1.3	573	1.1	1,091	0.8
	Native Am	38	0.1	36	0.1	61	0.0
	Multi Race	21	0.1	35	0.1	50	0.0
	Other/Unk	817	2.6	227	0.5	270	0.2
	<i>Total</i>	<i>31,399</i>	<i>100.0</i>	<i>50,095</i>	<i>100.0</i>	<i>134,563</i>	<i>100.0</i>
Risk	MSM	9,200	29.3	13,116	26.2	38,941	28.9
	IDU	3,432	10.9	13,484	26.9	51,388	38.2
	MSM/IDU	413	1.3	1,099	2.2	3,776	2.8
	Heterosexual	4,884	15.6	7,748	15.5	14,795	11.0
	Blood Prod.	79	0.3	237	0.5	834	0.6
	Pediatric Risk	1,546	4.9	895	1.8	2,234	1.7
	Other/Unk	11,845	37.7	13,516	27.0	22,595	16.8
	<i>Total</i>	<i>31,399</i>	<i>100.0</i>	<i>50,095</i>	<i>100.0</i>	<i>134,563</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

NEW YORK CITY - TOTAL

Table 3B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	1,606	67.5	2,516	66.2
	Female	772	32.5	1,285	33.8
	<i>Total</i>	<i>2,378</i>	<i>100.0</i>	<i>3,801</i>	<i>100.0</i>
Age Group	12 & under	21	0.9	9	0.2
	13-19	105	4.4	54	1.4
	20-24	252	10.6	137	3.6
	25-29	315	13.2	270	7.1
	30-49	1,386	58.3	2,487	65.4
	50+	299	12.6	844	22.2
	<i>Total</i>	<i>2,378</i>	<i>100.0</i>	<i>3,801</i>	<i>100.0</i>
	Race/Ethnicity	White	372	15.6	577
	Black	1,250	52.6	1,953	51.4
	Hispanic	690	29.0	1,186	31.2
	Asian/PI	47	2.0	65	1.7
	Native Am	7	0.3	2	0.1
	Multi Race	3	0.1	5	0.1
	Other/Unk	9	0.4	13	0.3
	<i>Total</i>	<i>2,378</i>	<i>100.0</i>	<i>3,801</i>	<i>100.0</i>
Risk	MSM	900	37.8	991	26.1
	IDU	209	8.8	596	15.7
	MSM/IDU	29	1.2	77	2.0
	Heterosexual	374	15.7	642	16.9
	Blood Prod.	4	0.2	11	0.3
	Pediatric Risk	19	0.8	36	0.9
	Other/Unk	843	35.4	1,448	38.1
	<i>Total</i>	<i>2,378</i>	<i>100.0</i>	<i>3,801</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	6,191	66.2	11,062	73.2	25,299	77.7
	Female	3,156	33.8	4,050	26.8	7,279	22.3
	Unk	2	0.0	2	0.0	2	0.0
	<i>Total</i>	<i>9,349</i>	<i>100.0</i>	<i>15,114</i>	<i>100.0</i>	<i>32,580</i>	<i>100.0</i>
Age Group	12 & under	255	2.7	110	0.7	314	1.0
	13-19	242	2.6	151	1.0	220	0.7
	20-24	684	7.3	431	2.9	864	2.7
	25-29	1,187	12.7	1,509	10.0	3,521	10.8
	30-49	5,906	63.2	11,295	74.7	23,973	73.6
	50+	989	10.6	1,618	10.7	3,688	11.3
	Unk	86	0.9	0	0.0	0	0.0
	<i>Total</i>	<i>9,349</i>	<i>100.0</i>	<i>15,114</i>	<i>100.0</i>	<i>32,580</i>	<i>100.0</i>
Race/Ethnicity	White	2,923	31.3	4,687	31.0	12,389	38.0
	Black	3,850	41.2	6,575	43.5	13,216	40.6
	Hispanic	2,260	24.2	3,480	23.0	6,522	20.0
	Asian/PI	37	0.4	46	0.3	82	0.3
	Native Am	25	0.3	35	0.2	53	0.2
	Multi Race	235	2.5	272	1.8	281	0.9
	Other/Unk	19	0.2	19	0.1	37	0.1
	<i>Total</i>	<i>9,349</i>	<i>100.0</i>	<i>15,114</i>	<i>100.0</i>	<i>32,580</i>	<i>100.0</i>
Risk	MSM	2,011	21.5	3,333	22.1	8,318	25.5
	IDU	2,496	26.7	4,984	33.0	13,173	40.4
	MSM/IDU	194	2.1	533	3.5	1,351	4.1
	Heterosexual	1,809	19.3	2,461	16.3	3,902	12.0
	Blood Prod.	41	0.4	134	0.9	485	1.5
	Pediatric Risk	271	2.9	173	1.1	398	1.2
	Other/Unk	2,527	27.0	3,496	23.1	4,953	15.2
	<i>Total</i>	<i>9,349</i>	<i>100.0</i>	<i>15,114</i>	<i>100.0</i>	<i>32,580</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	381	67.3	758	69.2
	Female	185	32.7	337	30.8
	<i>Total</i>	<i>566</i>	<i>100.0</i>	<i>1,095</i>	<i>100.0</i>
Age Group	12 & under	3	0.5	1	0.1
	13-19	20	3.5	19	1.7
	20-24	61	10.8	34	3.1
	25-29	77	13.6	75	6.8
	30-49	321	56.7	738	67.4
	50+	84	14.8	228	20.8
	<i>Total</i>	<i>566</i>	<i>100.0</i>	<i>1,095</i>	<i>100.0</i>
	Race/Ethnicity	White	158	27.9	338
	Black	244	43.1	495	45.2
	Hispanic	89	15.7	216	19.7
	Asian/PI	2	0.4	3	0.3
	Native Am	1	0.2	6	0.5
	Multi Race	71	12.5	37	3.4
	Other/Unk	1	0.2	0	0.0
	<i>Total</i>	<i>566</i>	<i>100.0</i>	<i>1,095</i>	<i>100.0</i>
Risk	MSM	160	28.3	262	23.9
	IDU	60	10.6	241	22.0
	MSM/IDU	12	2.1	25	2.3
	Heterosexual	125	22.1	214	19.5
	Blood Prod.	6	1.1	11	1.0
	Pediatric Risk	3	0.5	15	1.4
	Other/Unk	200	35.3	327	29.9
	<i>Total</i>	<i>566</i>	<i>100.0</i>	<i>1,095</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through December 2004**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	365	413	507	545	1,050	1,097
Allegany	5	5	9	10	20	21
Broome	119	120	137	142	277	282
Cattaraugus	17	41	20	48	44	77
Cayuga	24	89	43	147	78	299
Chautauqua	59	108	62	86	114	143
Chemung	44	115	38	101	120	257
Chenango	14	18	29	38	44	60
Clinton	31	115	30	231	61	467
Columbia	38	76	33	62	84	138
Cortland	7	7	9	9	22	22
Delaware	22	22	21	23	41	43
Dutchess	200	454	377	720	906	1,601
Erie	572	660	842	953	1,878	2,084
Essex	10	53	10	81	32	180
Franklin	13	220	20	242	36	388
Fulton	20	21	23	26	43	47
Genessee	17	17	22	25	44	47
Greene	24	66	42	125	73	218
Hamilton	1	1	1	1	2	2
Herkimer	15	15	14	14	32	32
Jefferson	26	190	31	166	66	277
Lewis	21	21	6	6	12	12
Livingston	20	97	30	109	65	207
Madison	13	16	16	28	35	51
Monroe	696	740	1,030	1,078	2,124	2,188
Montgomery	25	27	33	34	75	76
Nassau	761	785	1,565	1,600	3,860	3,920
Niagara	53	57	85	90	220	225
Oneida	106	325	168	517	357	963
Onondaga	286	307	481	494	1,068	1,087
Ontario	28	28	35	37	57	59
Orange	226	321	472	616	1,114	1,358

***All cases reported and confirmed from June 2000 - November 2006**

****All cases reported and confirmed from 1983 - November 2006**

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through December 2004**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Orleans	15	210	31	259	48	382
Oswego	23	23	42	42	84	84
Otsego	23	23	32	33	67	68
Putnam	31	32	73	74	169	170
Rensselaer	80	89	133	138	263	269
Rockland	167	173	401	463	873	937
Saratoga	48	94	81	141	181	301
Schenectady	155	168	178	195	389	407
Schoharie	15	20	8	13	33	38
Schuyler	2	5	2	4	12	14
Seneca	19	82	10	63	22	82
St Lawrence	30	132	45	214	76	326
Steuben	29	30	28	29	74	76
Suffolk	785	831	1,546	1,592	3,784	3,865
Sullivan	122	183	185	262	485	640
Tioga	13	13	11	11	27	27
Tompkins	28	29	61	65	120	124
Ulster	121	280	255	468	597	950
Warren	23	23	33	33	63	63
Washington	14	86	19	123	45	300
Wayne	40	54	37	49	84	101
Westchester	804	1,103	1,963	2,262	4,567	5,079
Wyoming	7	109	13	174	24	338
Yates	7	7	3	3	10	10
Unk	0	0	0	0	1	1
<i>Total</i>	<i>6,479</i>	<i>9,349</i>	<i>11,431</i>	<i>15,114</i>	<i>26,152</i>	<i>32,580</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2004 - December 2004

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	29	30	48	53
Allegany	1	1	1	1
Broome	10	10	16	16
Cattaraugus	1	1	3	5
Cayuga	0	0	3	10
Chautauqua	6	6	6	9
Chemung	5	6	2	7
Chenango	0	0	2	2
Clinton	1	3	4	12
Columbia	3	3	4	6
Cortland	0	0	3	3
Delaware	0	0	1	1
Dutchess	8	13	36	64
Erie	45	47	68	73
Essex	1	1	0	1
Franklin	0	1	3	14
Fulton	2	2	3	4
Greene	2	4	3	7
Hamilton	0	0	0	0
Herkimer	1	1	1	1
Jefferson	1	3	0	2
Lewis	0	0	0	0
Livingston	1	1	1	5
Madison	0	0	2	2
Monroe	53	53	78	84
Montgomery	1	1	4	4
Nassau	58	59	116	121
Niagara	8	8	6	6
Oneida	7	9	15	26
Onondaga	21	24	32	32
Ontario	0	0	2	2
Orange	17	17	45	54
Orleans	0	2	2	9
Oswego	2	2	4	4
Otsego	0	0	2	2

***Cases reported and confirmed through November 2006**

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2004 - December 2004

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Putnam	2	2	3	3
Rensselaer	12	13	16	16
Rockland	20	20	33	33
Saratoga	4	5	12	12
Schenectady	16	16	20	21
Schoharie	1	1	1	2
Seneca	3	4	2	7
St Lawrence	2	2	4	12
Steuben	2	2	2	2
Suffolk	68	70	110	114
Sullivan	10	13	15	17
Tioga	2	2	1	1
Tompkins	1	1	3	3
Ulster	10	11	18	26
Warren	3	3	4	4
Washington	1	1	2	3
Wayne	2	2	3	3
Westchester	86	90	142	165
Wyoming	0	0	0	8
Yates	0	0	1	1
Unk	0	0	0	0
<i>Total</i>	<i>529</i>	<i>566</i>	<i>908</i>	<i>1,095</i>

**Cases reported and confirmed through November 2006*

NEW YORK CITY - Males

Table 6A

**Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	736	3.7	363	1.0
	13-19	404	2.0	235	0.7
	20-24	1,367	6.8	914	2.6
	25-29	2,377	11.8	3,027	8.7
	30-49	12,717	63.2	25,363	72.7
	50+	2,496	12.4	4,982	14.3
	Unk	12	0.1	0	0.0
	<i>Total</i>	<i>20,109</i>	<i>100.0</i>	<i>34,884</i>	<i>100.0</i>
Race/Ethnicity	White	5,790	28.8	8,047	23.1
	Black	7,532	37.5	14,351	41.1
	Hispanic	6,025	30.0	11,787	33.8
	Asian/PI	295	1.5	476	1.4
	Native Am	24	0.1	29	0.1
	Multi Race	16	0.1	24	0.1
	Other/Unk	427	2.1	170	0.5
	<i>Total</i>	<i>20,109</i>	<i>100.0</i>	<i>34,884</i>	<i>100.0</i>
Risk	MSM	9,200	45.8	13,116	37.6
	IDU	2,117	10.5	9,164	26.3
	MSM/IDU	413	2.1	1,099	3.2
	Heterosexual	1,480	7.4	2,550	7.3
	Blood Prod.	29	0.1	103	0.3
	Pediatric Risk	751	3.7	454	1.3
	Other/Unk	6,119	30.4	8,398	24.1
	<i>Total</i>	<i>20,109</i>	<i>100.0</i>	<i>34,884</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK CITY - Males

Table 6B

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	15	0.9	4	0.2
	13-19	71	4.4	33	1.3
	20-24	178	11.1	100	4.0
	25-29	231	14.4	175	7.0
	30-49	926	57.7	1,623	64.5
	50+	185	11.5	581	23.1
	<i>Total</i>	<i>1,606</i>	<i>100.0</i>	<i>2,516</i>	<i>100.0</i>
Race/Ethnicity	White	332	20.7	493	19.6
	Black	726	45.2	1,135	45.1
	Hispanic	506	31.5	823	32.7
	Asian/PI	32	2.0	51	2.0
	Native Am	3	0.2	2	0.1
	Multi Race	1	0.1	3	0.1
	Other/Unk	6	0.4	9	0.4
	<i>Total</i>	<i>1,606</i>	<i>100.0</i>	<i>2,516</i>	<i>100.0</i>
Risk	MSM	900	56.0	991	39.4
	IDU	121	7.5	377	15.0
	MSM/IDU	29	1.8	77	3.1
	Heterosexual	139	8.7	234	9.3
	Blood Prod.	2	0.1	4	0.2
	Pediatric Risk	14	0.9	20	0.8
	Other/Unk	401	25.0	813	32.3
	<i>Total</i>	<i>1,606</i>	<i>100.0</i>	<i>2,516</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK CITY - Females

Table 6C

Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk Diagnosed through December 2004*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	755	6.8	360	2.4
	13-19	358	3.2	226	1.5
	20-24	881	8.0	617	4.1
	25-29	1,319	11.9	1,655	10.9
	30-49	6,529	59.0	10,662	70.1
	50+	1,226	11.1	1,691	11.1
	Unk	5	0.0	0	0.0
	<i>Total</i>	<i>11,073</i>	<i>100.0</i>	<i>15,211</i>	<i>100.0</i>
Race/Ethnicity	White	828	7.5	1,358	8.9
	Black	6,633	59.9	8,723	57.3
	Hispanic	3,321	30.0	4,958	32.6
	Asian/PI	98	0.9	97	0.6
	Native Am	14	0.1	7	0.0
	Multi Race	5	0.0	11	0.1
	Other/Unk	174	1.6	57	0.4
	<i>Total</i>	<i>11,073</i>	<i>100.0</i>	<i>15,211</i>	<i>100.0</i>
Risk	IDU	1,315	11.9	4,320	28.4
	Heterosexual	3,404	30.7	5,198	34.2
	Blood Prod.	50	0.5	134	0.9
	Pediatric Risk	773	7.0	441	2.9
	Other/Unk	5,531	50.0	5,118	33.6
	<i>Total</i>	<i>11,073</i>	<i>100.0</i>	<i>15,211</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK CITY - Females

Table 6D

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	6	0.8	5	0.4
	13-19	34	4.4	21	1.6
	20-24	74	9.6	37	2.9
	25-29	84	10.9	95	7.4
	30-49	460	59.6	864	67.2
	50+	114	14.8	263	20.5
	<i>Total</i>	<i>772</i>	<i>100.0</i>	<i>1,285</i>	<i>100.0</i>
Race/Ethnicity	White	40	5.2	84	6.5
	Black	524	67.9	818	63.7
	Hispanic	184	23.8	363	28.2
	Asian/PI	15	1.9	14	1.1
	Native Am	4	0.5	0	0.0
	Multi Race	2	0.3	2	0.2
	Other/Unk	3	0.4	4	0.3
	<i>Total</i>	<i>772</i>	<i>100.0</i>	<i>1,285</i>	<i>100.0</i>
Risk	IDU	88	11.4	219	17.0
	Heterosexual	235	30.4	408	31.8
	Blood Prod.	2	0.3	7	0.5
	Pediatric Risk	5	0.6	16	1.2
	Other/Unk	442	57.3	635	49.4
	<i>Total</i>	<i>772</i>	<i>100.0</i>	<i>1,285</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7A

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2004***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	120	3.0	57	0.7
	13-19	93	2.3	77	1.0
	20-24	283	7.1	190	2.4
	25-29	467	11.8	668	8.5
	30-49	2,472	62.4	5,854	74.4
	50+	476	12.0	1,022	13.0
	Unk	52	1.3	0	0.0
	<i>Total</i>	<i>3,963</i>	<i>100.0</i>	<i>7,868</i>	<i>100.0</i>
Race/Ethnicity	White	1,891	47.7	3,368	42.8
	Black	1,298	32.8	2,977	37.8
	Hispanic	613	15.5	1,306	16.6
	Asian/PI	21	0.5	32	0.4
	Native Am	9	0.2	16	0.2
	Multi Race	118	3.0	156	2.0
	Other/Unk	13	0.3	13	0.2
	<i>Total</i>	<i>3,963</i>	<i>100.0</i>	<i>7,868</i>	<i>100.0</i>
Risk	MSM	1,886	47.6	3,185	40.5
	IDU	687	17.3	2,204	28.0
	MSM/IDU	142	3.6	435	5.5
	Heterosexual	385	9.7	653	8.3
	Blood Prod.	28	0.7	90	1.1
	Pediatric Risk	131	3.3	95	1.2
	Other/Unk	704	17.8	1,206	15.3
	<i>Total</i>	<i>3,963</i>	<i>100.0</i>	<i>7,868</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7B

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	1	0.3	1	0.2
	13-19	8	2.3	14	2.3
	20-24	36	10.2	18	3.0
	25-29	43	12.1	39	6.4
	30-49	210	59.3	398	65.7
	50+	56	15.8	136	22.4
	<i>Total</i>	<i>354</i>	<i>100.0</i>	<i>606</i>	<i>100.0</i>
Race/Ethnicity	White	123	34.7	235	38.8
	Black	133	37.6	241	39.8
	Hispanic	52	14.7	112	18.5
	Asian/PI	0	0.0	1	0.2
	Native Am	1	0.3	2	0.3
	Multi Race	45	12.7	15	2.5
	<i>Total</i>	<i>354</i>	<i>100.0</i>	<i>606</i>	<i>100.0</i>
Risk	MSM	156	44.1	244	40.3
	IDU	33	9.3	103	17.0
	MSM/IDU	12	3.4	19	3.1
	Heterosexual	38	10.7	68	11.2
	Blood Prod.	4	1.1	5	0.8
	Pediatric Risk	1	0.3	12	2.0
	Other/Unk	110	31.1	155	25.6
	<i>Total</i>	<i>354</i>	<i>100.0</i>	<i>606</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7C

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2004***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	132	5.3	52	1.5
	13-19	120	4.8	63	1.8
	20-24	250	9.9	142	4.0
	25-29	360	14.3	442	12.4
	30-49	1,390	55.3	2,519	70.7
	50+	237	9.4	343	9.6
	Unk	25	1.0	0	0.0
	<i>Total</i>	<i>2,514</i>	<i>100.0</i>	<i>3,561</i>	<i>100.0</i>
Race/Ethnicity	White	779	31.0	1,032	29.0
	Black	1,231	49.0	1,827	51.3
	Hispanic	406	16.1	601	16.9
	Asian/PI	12	0.5	10	0.3
	Native Am	7	0.3	12	0.3
	Multi Race	73	2.9	76	2.1
	Other/Unk	6	0.2	3	0.1
	<i>Total</i>	<i>2,514</i>	<i>100.0</i>	<i>3,561</i>	<i>100.0</i>
Risk	IDU	456	18.1	1,032	29.0
	Heterosexual	1,232	49.0	1,647	46.3
	Blood Prod.	12	0.5	38	1.1
	Pediatric Risk	138	5.5	76	2.1
	Other/Unk	676	26.9	768	21.6
	<i>Total</i>	<i>2,514</i>	<i>100.0</i>	<i>3,561</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7D

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	2	1.1	0	0.0
	13-19	12	6.9	4	1.3
	20-24	22	12.6	10	3.3
	25-29	29	16.6	24	7.9
	30-49	84	48.0	203	67.2
	50+	26	14.9	61	20.2
	<i>Total</i>	<i>175</i>	<i>100.0</i>	<i>302</i>	<i>100.0</i>
Race/Ethnicity	White	33	18.9	89	29.5
	Black	92	52.6	152	50.3
	Hispanic	29	16.6	41	13.6
	Asian/PI	1	0.6	2	0.7
	Native Am	0	0.0	4	1.3
	Multi Race	19	10.9	14	4.6
	Other/Unk	1	0.6	0	0.0
	<i>Total</i>	<i>175</i>	<i>100.0</i>	<i>302</i>	<i>100.0</i>
Risk	IDU	12	6.9	55	18.2
	Heterosexual	79	45.1	133	44.0
	Blood Prod.	2	1.1	5	1.7
	Pediatric Risk	2	1.1	3	1.0
	Other/Unk	80	45.7	106	35.1
	<i>Total</i>	<i>175</i>	<i>100.0</i>	<i>302</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) -PRISONERS

**Table 8A
Living HIV/AIDS Cases*
Diagnosed through December 2004***

			HIV		AIDS	
			Number	Percent	Number	Percent
MALES	Age Group	12 & under	2	0.1	0	0.0
		13-19	22	1.0	9	0.3
		20-24	112	5.0	85	2.7
		25-29	280	12.6	328	10.3
		30-49	1,580	70.9	2,542	79.6
		50+	225	10.1	230	7.2
		Unk	7	0.3	0	0.0
		<i>Total</i>	2,228	100.0	3,194	100.0
	Race/Ethnicity	White	179	8.0	242	7.6
		Black	1,004	45.1	1,501	47.0
		Hispanic	998	44.8	1,401	43.9
		Asian/PI	4	0.2	4	0.1
		Native Am	6	0.3	6	0.2
		Multi Race	37	1.7	38	1.2
Other/Unk		0	0.0	2	0.1	
	<i>Total</i>	2,228	100.0	3,194	100.0	
FEMALES	Age Group	12 & under	1	0.2	0	0.0
		13-19	7	1.1	2	0.4
		20-24	39	6.1	14	2.9
		25-29	80	12.5	70	14.3
		30-49	464	72.3	380	77.7
		50+	49	7.6	23	4.7
		Unk	2	0.3	0	0.0
		<i>Total</i>	642	100.0	489	100.0
	Race/Ethnicity	White	73	11.4	44	9.0
		Black	316	49.2	269	55.0
		Hispanic	243	37.9	172	35.2
		Native Am	3	0.5	1	0.2
		Multi Race	7	1.1	2	0.4
		Other/Unk	0	0.0	1	0.2
		<i>Total</i>	642	100.0	489	100.0

**Cases reported and confirmed through November 2006*

NEW YORK STATE (Excluding NYC) -PRISONERS

Table 8B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, and Race/Ethnicity
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	27	73.0	152	81.3
	Female	10	27.0	35	18.7
	<i>Total</i>	<i>37</i>	<i>100.0</i>	<i>187</i>	<i>100.0</i>
Age Group	13-19	0	0.0	1	0.5
	20-24	3	8.1	6	3.2
	25-29	5	13.5	12	6.4
	30-49	27	73.0	137	73.3
	50+	2	5.4	31	16.6
	<i>Total</i>	<i>37</i>	<i>100.0</i>	<i>187</i>	<i>100.0</i>
Race/Ethnicity	White	2	5.4	14	7.5
	Black	19	51.4	102	54.5
	Hispanic	8	21.6	63	33.7
	Asian/PI	1	2.7	0	0.0
	Multi Race	7	18.9	8	4.3
	<i>Total</i>	<i>37</i>	<i>100.0</i>	<i>187</i>	<i>100.0</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9A

Living HIV/AIDS Cases* Diagnosed through December 2004

	Ryan White Region	Living HIV	Living AIDS	Cumulative AIDS
INCLUDES PRISONERS	Albany	1,517	2,046	4,102
	Binghamton	151	191	369
	Buffalo	1,207	1,645	3,317
	Lower Hudson	1,308	2,799	6,186
	Mid Hudson	1,238	2,066	4,549
	Nassau/Suffolk	1,616	3,192	7,785
	Rochester	1,158	1,473	2,994
	Syracuse	1,154	1,702	3,277
	Unk	0	0	1
	<i>Total</i>	<i>9,349</i>	<i>15,114</i>	<i>32,580</i>
EXCLUDES PRISONERS	Albany	907	1,204	2,538
	Binghamton	146	177	348
	Buffalo	745	1,084	2,392
	Lower Hudson	1,002	2,437	5,609
	Mid Hudson	669	1,289	3,102
	Nassau/Suffolk	1,546	3,111	7,644
	Rochester	885	1,213	2,568
	Syracuse	579	916	1,950
	Unk	0	0	1
	<i>Total</i>	<i>6,479</i>	<i>11,431</i>	<i>26,152</i>

***Cases reported and confirmed through November 2006**

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9B

**Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2004 - December 2004**

	Ryan White Region	Initial HIV	Initial AIDS
INCLUDES PRISONERS	Albany	84	162
	Binghamton	12	19
	Buffalo	65	111
	Lower Hudson	112	201
	Mid Hudson	54	161
	Nassau/Suffolk	129	235
	Rochester	68	111
	Syracuse	42	95
	<i>Total</i>	566	1,095
EXCLUDES PRISONERS	Albany	76	127
	Binghamton	12	19
	Buffalo	61	86
	Lower Hudson	108	178
	Mid Hudson	45	114
	Nassau/Suffolk	126	226
	Rochester	66	91
	Syracuse	35	67
	<i>Total</i>	529	908

***Cases reported and confirmed through November 2006**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	561	61.9	845	70.2	1,936	76.3
	Female	345	38.0	358	29.7	601	23.7
	Unk	1	0.1	1	0.1	1	0.0
	<i>Total</i>	<i>907</i>	<i>100.0</i>	<i>1,204</i>	<i>100.0</i>	<i>2,538</i>	<i>100.0</i>
Age Group	12 & under	32	3.5	13	1.1	29	1.1
	13-19	28	3.1	12	1.0	18	0.7
	20-24	104	11.5	33	2.7	77	3.0
	25-29	148	16.3	142	11.8	318	12.5
	30-49	507	55.9	876	72.8	1,818	71.6
	50+	84	9.3	128	10.6	278	11.0
	Unk	4	0.4	0	0.0	0	0.0
	<i>Total</i>	<i>907</i>	<i>100.0</i>	<i>1,204</i>	<i>100.0</i>	<i>2,538</i>	<i>100.0</i>
Race/Ethnicity	White	455	50.2	586	48.7	1,395	55.0
	Black	304	33.5	426	35.4	788	31.0
	Hispanic	108	11.9	158	13.1	314	12.4
	Asian/PI	6	0.7	5	0.4	7	0.3
	Native Am	3	0.3	3	0.2	5	0.2
	Multi Race	29	3.2	24	2.0	25	1.0
	Other/Unk	2	0.2	2	0.2	4	0.2
	<i>Total</i>	<i>907</i>	<i>100.0</i>	<i>1,204</i>	<i>100.0</i>	<i>2,538</i>	<i>100.0</i>
Risk	MSM	314	34.6	396	32.9	935	36.8
	IDU	136	15.0	296	24.6	724	28.5
	MSM/IDU	24	2.6	39	3.2	105	4.1
	Heterosexual	203	22.4	202	16.8	311	12.3
	Blood Prod.	6	0.7	13	1.1	60	2.4
	Pediatric Risk	32	3.5	19	1.6	36	1.4
	Other/Unk	192	21.2	239	19.9	367	14.5
	<i>Total</i>	<i>907</i>	<i>100.0</i>	<i>1,204</i>	<i>100.0</i>	<i>2,538</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	47	61.8	88	69.3
	Female	29	38.2	39	30.7
	<i>Total</i>	76	100.0	127	100.0
Age Group	13-19	2	2.6	1	0.8
	20-24	10	13.2	4	3.1
	25-29	10	13.2	10	7.9
	30-49	41	53.9	87	68.5
	50+	13	17.1	25	19.7
	<i>Total</i>	76	100.0	127	100.0
	Race/Ethnicity	White	32	42.1	61
	Black	24	31.6	41	32.3
	Hispanic	9	11.8	18	14.2
	Native Am	0	0.0	1	0.8
	Multi Race	11	14.5	6	4.7
	<i>Total</i>	76	100.0	127	100.0
Risk	MSM	25	32.9	43	33.9
	IDU	5	6.6	23	18.1
	MSM/IDU	1	1.3	5	3.9
	Heterosexual	23	30.3	27	21.3
	Blood Prod.	0	0.0	1	0.8
	Pediatric Risk	0	0.0	1	0.8
	Other/Unk	22	28.9	27	21.3
	<i>Total</i>	76	100.0	127	100.0

***Excludes Prisoners**

Cases reported and confirmed through November 2006

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11A

**HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
 Diagnosed through December 2004**

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	90	61.6	120	67.8	260	74.7
	Female	56	38.4	57	32.2	88	25.3
	<i>Total</i>	<i>146</i>	<i>100.0</i>	<i>177</i>	<i>100.0</i>	<i>348</i>	<i>100.0</i>
Age Group	12 & under	7	4.8	0	0.0	1	0.3
	13-19	2	1.4	2	1.1	4	1.1
	20-24	15	10.3	7	4.0	14	4.0
	25-29	24	16.4	13	7.3	39	11.2
	30-49	86	58.9	137	77.4	255	73.3
	50+	12	8.2	18	10.2	35	10.1
	<i>Total</i>	<i>146</i>	<i>100.0</i>	<i>177</i>	<i>100.0</i>	<i>348</i>	<i>100.0</i>
	Race/Ethnicity	White	78	53.4	102	57.6	231
Black		43	29.5	51	28.8	81	23.3
Hispanic		20	13.7	21	11.9	33	9.5
Native Am		0	0.0	1	0.6	1	0.3
Multi Race		5	3.4	2	1.1	2	0.6
<i>Total</i>		<i>146</i>	<i>100.0</i>	<i>177</i>	<i>100.0</i>	<i>348</i>	<i>100.0</i>
Risk	MSM	32	21.9	66	37.3	147	42.2
	IDU	34	23.3	39	22.0	81	23.3
	MSM/IDU	6	4.1	7	4.0	21	6.0
	Heterosexual	25	17.1	23	13.0	39	11.2
	Blood Prod.	0	0.0	1	0.6	3	0.9
	Pediatric Risk	7	4.8	1	0.6	4	1.1
	Other/Unk	42	28.8	40	22.6	53	15.2
	<i>Total</i>	<i>146</i>	<i>100.0</i>	<i>177</i>	<i>100.0</i>	<i>348</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	8	66.7	13	68.4
	Female	4	33.3	6	31.6
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>19</i>	<i>100.0</i>
Age Group	20-24	2	16.7	1	5.3
	25-29	3	25.0	3	15.8
	30-49	4	33.3	12	63.2
	50+	3	25.0	3	15.8
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>19</i>	<i>100.0</i>
Race/Ethnicity	White	4	33.3	7	36.8
	Black	2	16.7	8	42.1
	Hispanic	1	8.3	3	15.8
	Multi Race	5	41.7	1	5.3
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>19</i>	<i>100.0</i>
Risk	MSM	2	16.7	5	26.3
	IDU	2	16.7	3	15.8
	MSM/IDU	2	16.7	1	5.3
	Heterosexual	0	0.0	4	21.1
	Other/Unk	6	50.0	6	31.6
	<i>Total</i>	<i>12</i>	<i>100.0</i>	<i>19</i>	<i>100.0</i>

***Excludes Prisoners**
Cases reported and confirmed through November 2006

RYAN WHITE REGION: BUFFALO

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	471	63.2	790	72.9	1,852	77.4
	Female	274	36.8	294	27.1	540	22.6
	<i>Total</i>	<i>745</i>	<i>100.0</i>	<i>1,084</i>	<i>100.0</i>	<i>2,392</i>	<i>100.0</i>
Age Group	12 & under	16	2.1	7	0.6	20	0.8
	13-19	39	5.2	16	1.5	23	1.0
	20-24	90	12.1	41	3.8	93	3.9
	25-29	120	16.1	109	10.1	283	11.8
	30-49	423	56.8	777	71.7	1,650	69.0
	50+	56	7.5	134	12.4	323	13.5
	Unk	1	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>745</i>	<i>100.0</i>	<i>1,084</i>	<i>100.0</i>	<i>2,392</i>	<i>100.0</i>
Race/Ethnicity	White	284	38.1	426	39.3	1,035	43.3
	Black	315	42.3	482	44.5	1,043	43.6
	Hispanic	114	15.3	141	13.0	268	11.2
	Asian/PI	4	0.5	7	0.6	10	0.4
	Native Am	1	0.1	8	0.7	11	0.5
	Multi Race	26	3.5	18	1.7	18	0.8
	Other/Unk	1	0.1	2	0.2	7	0.3
		<i>Total</i>	<i>745</i>	<i>100.0</i>	<i>1,084</i>	<i>100.0</i>	<i>2,392</i>
Risk	MSM	267	35.8	443	40.9	1,040	43.5
	IDU	138	18.5	240	22.1	661	27.6
	MSM/IDU	23	3.1	48	4.4	106	4.4
	Heterosexual	224	30.1	259	23.9	408	17.1
	Blood Prod.	5	0.7	11	1.0	36	1.5
	Pediatric Risk	18	2.4	13	1.2	27	1.1
	Other/Unk	70	9.4	70	6.5	114	4.8
		<i>Total</i>	<i>745</i>	<i>100.0</i>	<i>1,084</i>	<i>100.0</i>	<i>2,392</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Table 12B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	43	70.5	63	73.3
	Female	18	29.5	23	26.7
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
Age Group	13-19	3	4.9	1	1.2
	20-24	10	16.4	2	2.3
	25-29	6	9.8	5	5.8
	30-49	35	57.4	65	75.6
	50+	7	11.5	13	15.1
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
Race/Ethnicity	White	18	29.5	32	37.2
	Black	24	39.3	43	50.0
	Hispanic	3	4.9	9	10.5
	Asian/PI	1	1.6	0	0.0
	Multi Race	15	24.6	2	2.3
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
Risk	MSM	25	41.0	35	40.7
	IDU	4	6.6	13	15.1
	MSM/IDU	3	4.9	3	3.5
	Heterosexual	13	21.3	20	23.3
	Blood Prod.	1	1.6	1	1.2
	Pediatric Risk	0	0.0	1	1.2
	Other/Unk	15	24.6	13	15.1
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>
	<i>Total</i>	<i>61</i>	<i>100.0</i>	<i>86</i>	<i>100.0</i>

****Excludes Prisoners******Cases reported and confirmed through November 2006***

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	585	58.4	1,596	65.5	4,018	71.6
	Female	416	41.5	841	34.5	1,591	28.4
	Unk	1	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>1,002</i>	<i>100.0</i>	<i>2,437</i>	<i>100.0</i>	<i>5,609</i>	<i>100.0</i>
Age Group	12 & under	39	3.9	28	1.1	83	1.5
	13-19	28	2.8	33	1.4	44	0.8
	20-24	76	7.6	55	2.3	123	2.2
	25-29	93	9.3	198	8.1	488	8.7
	30-49	589	58.8	1,807	74.1	4,061	72.4
	50+	150	15.0	316	13.0	810	14.4
	Unk	27	2.7	0	0.0	0	0.0
	<i>Total</i>	<i>1,002</i>	<i>100.0</i>	<i>2,437</i>	<i>100.0</i>	<i>5,609</i>	<i>100.0</i>
Race/Ethnicity	White	268	26.7	600	24.6	1,815	32.4
	Black	482	48.1	1,242	51.0	2,728	48.6
	Hispanic	213	21.3	533	21.9	988	17.6
	Asian/PI	4	0.4	3	0.1	14	0.2
	Native Am	0	0.0	3	0.1	5	0.1
	Multi Race	33	3.3	50	2.1	52	0.9
	Other/Unk	2	0.2	6	0.2	7	0.1
	<i>Total</i>	<i>1,002</i>	<i>100.0</i>	<i>2,437</i>	<i>100.0</i>	<i>5,609</i>	<i>100.0</i>
Risk	MSM	210	21.0	489	20.1	1,352	24.1
	IDU	198	19.8	875	35.9	2,391	42.6
	MSM/IDU	10	1.0	87	3.6	205	3.7
	Heterosexual	340	33.9	653	26.8	1,023	18.2
	Blood Prod.	5	0.5	18	0.7	71	1.3
	Pediatric Risk	44	4.4	35	1.4	96	1.7
	Other/Unk	195	19.5	280	11.5	471	8.4
	<i>Total</i>	<i>1,002</i>	<i>100.0</i>	<i>2,437</i>	<i>100.0</i>	<i>5,609</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	69	63.9	113	63.5
	Female	39	36.1	65	36.5
	<i>Total</i>	<i>108</i>	<i>100.0</i>	<i>178</i>	<i>100.0</i>
Age Group	13-19	7	6.5	6	3.4
	20-24	11	10.2	10	5.6
	25-29	15	13.9	6	3.4
	30-49	53	49.1	111	62.4
	50+	22	20.4	45	25.3
	<i>Total</i>	<i>108</i>	<i>100.0</i>	<i>178</i>	<i>100.0</i>
	<i>Total</i>	<i>108</i>	<i>100.0</i>	<i>178</i>	<i>100.0</i>
Race/Ethnicity	White	20	18.5	40	22.5
	Black	58	53.7	91	51.1
	Hispanic	21	19.4	41	23.0
	Native Am	0	0.0	1	0.6
	Multi Race	9	8.3	5	2.8
	<i>Total</i>	<i>108</i>	<i>100.0</i>	<i>178</i>	<i>100.0</i>
Risk	MSM	26	24.1	35	19.7
	IDU	12	11.1	40	22.5
	MSM/IDU	0	0.0	3	1.7
	Heterosexual	29	26.9	57	32.0
	Blood Prod.	1	0.9	1	0.6
	Pediatric Risk	0	0.0	5	2.8
	Other/Unk	40	37.0	37	20.8
	<i>Total</i>	<i>108</i>	<i>100.0</i>	<i>178</i>	<i>100.0</i>

***Excludes Prisoners**
Cases reported and confirmed through November 2006

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	394	58.9	887	68.8	2,349	75.7
	Female	275	41.1	402	31.2	753	24.3
	<i>Total</i>	<i>669</i>	<i>100.0</i>	<i>1,289</i>	<i>100.0</i>	<i>3,102</i>	<i>100.0</i>
Age Group	12 & under	25	3.7	14	1.1	38	1.2
	13-19	16	2.4	15	1.2	21	0.7
	20-24	40	6.0	32	2.5	64	2.1
	25-29	53	7.9	108	8.4	272	8.8
	30-49	432	64.6	953	73.9	2,311	74.5
	50+	81	12.1	167	13.0	396	12.8
	Unk	22	3.3	0	0.0	0	0.0
	<i>Total</i>	<i>669</i>	<i>100.0</i>	<i>1,289</i>	<i>100.0</i>	<i>3,102</i>	<i>100.0</i>
Race/Ethnicity	White	266	39.8	465	36.1	1,213	39.1
	Black	236	35.3	495	38.4	1,138	36.7
	Hispanic	122	18.2	281	21.8	695	22.4
	Asian/PI	3	0.4	0	0.0	4	0.1
	Native Am	3	0.4	2	0.2	4	0.1
	Multi Race	39	5.8	44	3.4	45	1.5
	Other/Unk	0	0.0	2	0.2	3	0.1
	<i>Total</i>	<i>669</i>	<i>100.0</i>	<i>1,289</i>	<i>100.0</i>	<i>3,102</i>	<i>100.0</i>
	Risk	MSM	136	20.3	246	19.1	664
IDU		191	28.6	490	38.0	1,464	47.2
MSM/IDU		17	2.5	51	4.0	116	3.7
Heterosexual		200	29.9	311	24.1	477	15.4
Blood Prod.		4	0.6	12	0.9	48	1.5
Pediatric Risk		26	3.9	19	1.5	43	1.4
Other/Unk		95	14.2	160	12.4	290	9.3
<i>Total</i>		<i>669</i>	<i>100.0</i>	<i>1,289</i>	<i>100.0</i>	<i>3,102</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	30	66.7	74	64.9
	Female	15	33.3	40	35.1
	<i>Total</i>	<i>45</i>	<i>100.0</i>	<i>114</i>	<i>100.0</i>
Age Group	13-19	1	2.2	2	1.8
	20-24	4	8.9	0	0.0
	25-29	5	11.1	8	7.0
	30-49	26	57.8	71	62.3
	50+	9	20.0	33	28.9
	<i>Total</i>	<i>45</i>	<i>100.0</i>	<i>114</i>	<i>100.0</i>
	<i>Total</i>	<i>45</i>	<i>100.0</i>	<i>114</i>	<i>100.0</i>
Race/Ethnicity	White	8	17.8	52	45.6
	Black	15	33.3	42	36.8
	Hispanic	16	35.6	17	14.9
	Native Am	1	2.2	0	0.0
	Multi Race	5	11.1	3	2.6
	<i>Total</i>	<i>45</i>	<i>100.0</i>	<i>114</i>	<i>100.0</i>
Risk	MSM	7	15.6	30	26.3
	IDU	4	8.9	20	17.5
	MSM/IDU	0	0.0	1	0.9
	Heterosexual	14	31.1	38	33.3
	Blood Prod.	1	2.2	0	0.0
	Other/Unk	19	42.2	25	21.9
	<i>Total</i>	<i>45</i>	<i>100.0</i>	<i>114</i>	<i>100.0</i>

***Excludes Prisoners**
Cases reported and confirmed through November 2006

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	902	58.3	2,135	68.6	5,659	74.0
	Female	644	41.7	976	31.4	1,985	26.0
	<i>Total</i>	<i>1,546</i>	<i>100.0</i>	<i>3,111</i>	<i>100.0</i>	<i>7,644</i>	<i>100.0</i>
Age Group	12 & under	103	6.7	37	1.2	112	1.5
	13-19	49	3.2	44	1.4	62	0.8
	20-24	93	6.0	89	2.9	183	2.4
	25-29	176	11.4	275	8.8	738	9.7
	30-49	935	60.5	2,272	73.0	5,554	72.7
	50+	169	10.9	394	12.7	995	13.0
	Unk	21	1.4	0	0.0	0	0.0
	<i>Total</i>	<i>1,546</i>	<i>100.0</i>	<i>3,111</i>	<i>100.0</i>	<i>7,644</i>	<i>100.0</i>
Race/Ethnicity	White	631	40.8	1,238	39.8	3,668	48.0
	Black	605	39.1	1,263	40.6	2,908	38.0
	Hispanic	257	16.6	524	16.8	956	12.5
	Asian/PI	13	0.8	19	0.6	33	0.4
	Native Am	4	0.3	5	0.2	10	0.1
	Multi Race	26	1.7	59	1.9	60	0.8
	Other/Unk	10	0.6	3	0.1	9	0.1
	<i>Total</i>	<i>1,546</i>	<i>100.0</i>	<i>3,111</i>	<i>100.0</i>	<i>7,644</i>	<i>100.0</i>
Risk	MSM	410	26.5	832	26.7	2,216	29.0
	IDU	210	13.6	805	25.9	2,692	35.2
	MSM/IDU	30	1.9	125	4.0	342	4.5
	Heterosexual	328	21.2	497	16.0	898	11.7
	Blood Prod.	15	1.0	39	1.3	147	1.9
	Pediatric Risk	110	7.1	62	2.0	143	1.9
	Other/Unk	443	28.7	751	24.1	1,206	15.8
	<i>Total</i>	<i>1,546</i>	<i>100.0</i>	<i>3,111</i>	<i>100.0</i>	<i>7,644</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	87	69.0	152	67.3
	Female	39	31.0	74	32.7
	<i>Total</i>	<i>126</i>	<i>100.0</i>	<i>226</i>	<i>100.0</i>
Age Group	12 & under	2	1.6	1	0.4
	13-19	4	3.2	5	2.2
	20-24	10	7.9	6	2.7
	25-29	17	13.5	19	8.4
	30-49	75	59.5	147	65.0
	50+	18	14.3	48	21.2
	<i>Total</i>	<i>126</i>	<i>100.0</i>	<i>226</i>	<i>100.0</i>
	Race/Ethnicity	White	44	34.9	74
	Black	58	46.0	97	42.9
	Hispanic	22	17.5	46	20.4
	Asian/PI	0	0.0	3	1.3
	Native Am	0	0.0	1	0.4
	Multi Race	1	0.8	5	2.2
	Other/Unk	1	0.8	0	0.0
	<i>Total</i>	<i>126</i>	<i>100.0</i>	<i>226</i>	<i>100.0</i>
Risk	MSM	40	31.7	55	24.3
	IDU	9	7.1	29	12.8
	MSM/IDU	4	3.2	2	0.9
	Heterosexual	17	13.5	29	12.8
	Blood Prod.	2	1.6	6	2.7
	Pediatric Risk	2	1.6	5	2.2
	Other/Unk	52	41.3	100	44.2
	<i>Total</i>	<i>126</i>	<i>100.0</i>	<i>226</i>	<i>100.0</i>

***Excludes Prisoners**
Cases reported and confirmed through November 2006

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	598	67.6	839	69.2	1,926	75.0
	Female	287	32.4	374	30.8	642	25.0
	<i>Total</i>	885	100.0	1,213	100.0	2,568	100.0
Age Group	12 & under	12	1.4	7	0.6	19	0.7
	13-19	25	2.8	7	0.6	14	0.5
	20-24	67	7.6	24	2.0	65	2.5
	25-29	133	15.0	159	13.1	317	12.3
	30-49	528	59.7	894	73.7	1,875	73.0
	50+	120	13.6	122	10.1	278	10.8
	<i>Total</i>	885	100.0	1,213	100.0	2,568	100.0
	Race/Ethnicity	White	380	42.9	503	41.5	1,252
Black		357	40.3	519	42.8	986	38.4
Hispanic		124	14.0	167	13.8	300	11.7
Asian/PI		0	0.0	3	0.2	5	0.2
Native Am		3	0.3	1	0.1	3	0.1
Multi Race		19	2.1	19	1.6	20	0.8
Other/Unk		2	0.2	1	0.1	2	0.1
<i>Total</i>		885	100.0	1,213	100.0	2,568	100.0
Risk	MSM	322	36.4	374	30.8	936	36.4
	IDU	146	16.5	316	26.1	778	30.3
	MSM/IDU	19	2.1	40	3.3	106	4.1
	Heterosexual	138	15.6	158	13.0	247	9.6
	Blood Prod.	1	0.1	13	1.1	38	1.5
	Pediatric Risk	14	1.6	13	1.1	26	1.0
	Other/Unk	245	27.7	299	24.6	437	17.0
	<i>Total</i>	885	100.0	1,213	100.0	2,568	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)***Table 16B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	48	72.7	59	64.8
	Female	18	27.3	32	35.2
	<i>Total</i>	<i>66</i>	<i>100.0</i>	<i>91</i>	<i>100.0</i>
Age Group	12 & under	1	1.5	0	0.0
	13-19	1	1.5	2	2.2
	20-24	7	10.6	3	3.3
	25-29	7	10.6	7	7.7
	30-49	44	66.7	59	64.8
	50+	6	9.1	20	22.0
	<i>Total</i>	<i>66</i>	<i>100.0</i>	<i>91</i>	<i>100.0</i>
	Race/Ethnicity	White	17	25.8	29
	Black	30	45.5	45	49.5
	Hispanic	5	7.6	14	15.4
	Multi Race	14	21.2	3	3.3
	<i>Total</i>	<i>66</i>	<i>100.0</i>	<i>91</i>	<i>100.0</i>
Risk	MSM	21	31.8	19	20.9
	IDU	5	7.6	22	24.2
	MSM/IDU	1	1.5	2	2.2
	Heterosexual	10	15.2	9	9.9
	Pediatric Risk	1	1.5	2	2.2
	Other/Unk	28	42.4	37	40.7
	<i>Total</i>	<i>66</i>	<i>100.0</i>	<i>91</i>	<i>100.0</i>

****Excludes Prisoners******Cases reported and confirmed through November 2006***

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	362	62.5	656	71.6	1,515	77.7
	Female	217	37.5	259	28.3	434	22.3
	Unk	0	0.0	1	0.1	1	0.1
	<i>Total</i>	<i>579</i>	<i>100.0</i>	<i>916</i>	<i>100.0</i>	<i>1,950</i>	<i>100.0</i>
Age Group	12 & under	18	3.1	4	0.4	12	0.6
	13-19	26	4.5	11	1.2	23	1.2
	20-24	48	8.3	51	5.6	85	4.4
	25-29	80	13.8	107	11.7	251	12.9
	30-49	362	62.5	657	71.7	1,392	71.4
	50+	43	7.4	86	9.4	187	9.6
	Unk	2	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>579</i>	<i>100.0</i>	<i>916</i>	<i>100.0</i>	<i>1,950</i>	<i>100.0</i>
Race/Ethnicity	White	309	53.4	481	52.5	1,147	58.8
	Black	188	32.5	327	35.7	609	31.2
	Hispanic	61	10.5	82	9.0	166	8.5
	Asian/PI	3	0.5	5	0.5	5	0.3
	Native Am	2	0.3	5	0.5	6	0.3
	Multi Race	14	2.4	16	1.7	17	0.9
	Other/Unk	2	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>579</i>	<i>100.0</i>	<i>916</i>	<i>100.0</i>	<i>1,950</i>	<i>100.0</i>
Risk	MSM	195	33.7	339	37.0	802	41.1
	IDU	91	15.7	175	19.1	450	23.1
	MSM/IDU	13	2.2	38	4.1	105	5.4
	Heterosexual	160	27.6	197	21.5	300	15.4
	Blood Prod.	4	0.7	21	2.3	57	2.9
	Pediatric Risk	18	3.1	10	1.1	22	1.1
	Other/Unk	98	16.9	136	14.8	214	11.0
	<i>Total</i>	<i>579</i>	<i>100.0</i>	<i>916</i>	<i>100.0</i>	<i>1,950</i>	<i>100.0</i>

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - November 2006**

*****All cases reported and confirmed from 1983 - November 2006**

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	22	62.9	44	65.7
	Female	13	37.1	23	34.3
	<i>Total</i>	35	100.0	67	100.0
Age Group	13-19	2	5.7	1	1.5
	20-24	4	11.4	2	3.0
	25-29	9	25.7	5	7.5
	30-49	16	45.7	49	73.1
	50+	4	11.4	10	14.9
	<i>Total</i>	35	100.0	67	100.0
Race/Ethnicity	White	13	37.1	29	43.3
	Black	14	40.0	26	38.8
	Hispanic	4	11.4	5	7.5
	Native Am	0	0.0	3	4.5
	Multi Race	4	11.4	4	6.0
	<i>Total</i>	35	100.0	67	100.0
Risk	MSM	10	28.6	22	32.8
	IDU	4	11.4	8	11.9
	MSM/IDU	1	2.9	2	3.0
	Heterosexual	11	31.4	17	25.4
	Blood Prod.	1	2.9	1	1.5
	Pediatric Risk	0	0.0	1	1.5
	Other/Unk	8	22.9	16	23.9
	<i>Total</i>	35	100.0	67	100.0

***Excludes Prisoners**
Cases reported and confirmed through November 2006

NEW YORK CITY: by Borough

Table 18A

HIV/AIDS Cases Diagnosed through December 2004

Borough	Living HIV*	AIDS**	
		Living	Cumulative
Bronx	7,563	11,368	28,738
Brooklyn	8,255	13,468	36,184
Manhattan	10,924	16,399	47,781
Queens	4,034	7,890	19,075
Staten Island	623	970	2,785
<i>Total</i>	<i>31,399</i>	<i>50,095</i>	<i>134,563</i>

****All cases reported and confirmed from June 2000 - November 2006***

*****All cases reported and confirmed from 1983 - November 2006***

NEW YORK CITY: by Borough

Table 18B

***Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2004 - December 2004***

Borough	Initial HIV	Initial AIDS
Bronx	588	947
Brooklyn	659	1,062
Manhattan	749	1,161
Queens	338	562
Staten Island	44	69
<i>Total</i>	<i>2,378</i>	<i>3,801</i>

BOROUGH: BRONX**Table 19A****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	3,985	52.7	7,032	61.9	18,934	65.9
	Female	3,577	47.3	4,336	38.1	9,804	34.1
	Unk	1	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>7,563</i>	<i>100.0</i>	<i>11,368</i>	<i>100.0</i>	<i>28,738</i>	<i>100.0</i>
Age Group	12 & under	540	7.1	216	1.9	595	2.1
	13-19	223	2.9	140	1.2	186	0.6
	20-24	573	7.6	382	3.4	773	2.7
	25-29	862	11.4	1,019	9.0	2,669	9.3
	30-49	4,442	58.7	8,115	71.4	20,517	71.4
	50+	914	12.1	1,496	13.2	3,998	13.9
	Unk	9	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>7,563</i>	<i>100.0</i>	<i>11,368</i>	<i>100.0</i>	<i>28,738</i>	<i>100.0</i>
Race/Ethnicity	White	366	4.8	617	5.4	1,895	6.6
	Black	3,629	48.0	4,937	43.4	12,199	42.4
	Hispanic	3,446	45.6	5,731	50.4	14,507	50.5
	Asian/PI	26	0.3	41	0.4	86	0.3
	Native Am	8	0.1	6	0.1	10	0.0
	Multi Race	1	0.0	3	0.0	5	0.0
	Other/Unk	87	1.2	33	0.3	36	0.1
	<i>Total</i>	<i>7,563</i>	<i>100.0</i>	<i>11,368</i>	<i>100.0</i>	<i>28,738</i>	<i>100.0</i>
Risk	MSM	995	13.2	1,527	13.4	4,262	14.8
	IDU	1,120	14.8	3,812	33.5	13,506	47.0
	MSM/IDU	108	1.4	276	2.4	864	3.0
	Heterosexual	1,310	17.3	2,119	18.6	4,181	14.5
	Blood Prod.	21	0.3	53	0.5	150	0.5
	Pediatric Risk	550	7.3	278	2.4	665	2.3
	Other/Unk	3,459	45.7	3,303	29.1	5,110	17.8
	<i>Total</i>	<i>7,563</i>	<i>100.0</i>	<i>11,368</i>	<i>100.0</i>	<i>28,738</i>	<i>100.0</i>

*All cases reported and confirmed from June 2000 - November 2006

**All cases reported and confirmed from 1983 - November 2006

BOROUGH: BRONX**Table 19B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	348	59.2	558	58.9
	Female	240	40.8	389	41.1
	<i>Total</i>	588	100.0	947	100.0
Age Group	12 & under	10	1.7	0	0.0
	13-19	40	6.8	17	1.8
	20-24	72	12.2	32	3.4
	25-29	62	10.5	70	7.4
	30-49	332	56.5	635	67.1
	50+	72	12.2	193	20.4
	<i>Total</i>	588	100.0	947	100.0
	Race/Ethnicity	White	18	3.1	49
Black		309	52.6	475	50.2
Hispanic		255	43.4	415	43.8
Asian/PI		2	0.3	4	0.4
Native Am		1	0.2	1	0.1
Multi Race		0	0.0	2	0.2
Other/Unk		3	0.5	1	0.1
<i>Total</i>		588	100.0	947	100.0
Risk		MSM	130	22.1	138
	IDU	73	12.4	180	19.0
	MSM/IDU	11	1.9	23	2.4
	Heterosexual	114	19.4	157	16.6
	Blood Prod.	1	0.2	1	0.1
	Pediatric Risk	8	1.4	11	1.2
	Other/Unk	251	42.7	437	46.1
	<i>Total</i>	588	100.0	947	100.0

BOROUGH: BROOKLYN

Table 20A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004**

		Living HIV*		AIDS**			
				Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	4,590	55.6	8,587	63.8	24,651	68.1
	Female	3,483	42.2	4,881	36.2	11,533	31.9
	Unk	182	2.2	0	0.0	0	0.0
	<i>Total</i>	8,255	100.0	13,468	100.0	36,184	100.0
Age Group	12 & under	446	5.4	254	1.9	718	2.0
	13-19	247	3.0	147	1.1	229	0.6
	20-24	677	8.2	472	3.5	1,021	2.8
	25-29	993	12.0	1,280	9.5	3,563	9.8
	30-49	4,853	58.8	9,493	70.5	25,590	70.7
	50+	1,037	12.6	1,822	13.5	5,063	14.0
	Unk	2	0.0	0	0.0	0	0.0
	<i>Total</i>	8,255	100.0	13,468	100.0	36,184	100.0
Race/Ethnicity	White	1,063	12.9	1,494	11.1	4,888	13.5
	Black	5,034	61.0	8,379	62.2	21,735	60.1
	Hispanic	1,781	21.6	3,426	25.4	9,297	25.7
	Asian/PI	83	1.0	111	0.8	192	0.5
	Native Am	8	0.1	7	0.1	10	0.0
	Multi Race	6	0.1	4	0.0	7	0.0
	Other/Unk	280	3.4	47	0.3	55	0.2
	<i>Total</i>	8,255	100.0	13,468	100.0	36,184	100.0
Risk	MSM	1,724	20.9	2,446	18.2	6,844	18.9
	IDU	978	11.8	3,618	26.9	14,759	40.8
	MSM/IDU	94	1.1	249	1.8	811	2.2
	Heterosexual	1,547	18.7	2,435	18.1	4,741	13.1
	Blood Prod.	21	0.3	78	0.6	268	0.7
	Pediatric Risk	450	5.5	296	2.2	768	2.1
	Other/Unk	3,441	41.7	4,346	32.3	7,993	22.1
	<i>Total</i>	8,255	100.0	13,468	100.0	36,184	100.0

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

BOROUGH: BROOKLYN**Table 20B****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	410	62.2	656	61.8
	Female	249	37.8	406	38.2
	<i>Total</i>	<i>659</i>	<i>100.0</i>	<i>1,062</i>	<i>100.0</i>
Age Group	12 & under	3	0.5	6	0.6
	13-19	27	4.1	16	1.5
	20-24	85	12.9	37	3.5
	25-29	84	12.7	78	7.3
	30-49	372	56.4	685	64.5
	50+	88	13.4	240	22.6
	<i>Total</i>	<i>659</i>	<i>100.0</i>	<i>1,062</i>	<i>100.0</i>
Race/Ethnicity	White	64	9.7	93	8.8
	Black	465	70.6	722	68.0
	Hispanic	115	17.5	238	22.4
	Asian/PI	12	1.8	6	0.6
	Native Am	3	0.5	0	0.0
	Other/Unk	0	0.0	3	0.3
	<i>Total</i>	<i>659</i>	<i>100.0</i>	<i>1,062</i>	<i>100.0</i>
Risk	MSM	203	30.8	219	20.6
	IDU	56	8.5	168	15.8
	MSM/IDU	9	1.4	21	2.0
	Heterosexual	107	16.2	212	20.0
	Blood Prod.	1	0.2	5	0.5
	Pediatric Risk	2	0.3	13	1.2
	Other/Unk	281	42.6	424	39.9
	<i>Total</i>	<i>659</i>	<i>100.0</i>	<i>1,062</i>	<i>100.0</i>

BOROUGH: MANHATTAN

Table 21A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	8,571	78.5	13,077	79.7	39,532	82.7
	Female	2,320	21.2	3,322	20.3	8,249	17.3
	Unk	33	0.3	0	0.0	0	0.0
	<i>Total</i>	<i>10,924</i>	<i>100.0</i>	<i>16,399</i>	<i>100.0</i>	<i>47,781</i>	<i>100.0</i>
Age Group	12 & under	325	3.0	142	0.9	407	0.9
	13-19	179	1.6	91	0.6	129	0.3
	20-24	657	6.0	369	2.3	845	1.8
	25-29	1,272	11.6	1,460	8.9	4,155	8.7
	30-49	7,154	65.5	12,005	73.2	34,640	72.5
	50+	1,335	12.2	2,332	14.2	7,605	15.9
	Unk	2	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>10,924</i>	<i>100.0</i>	<i>16,399</i>	<i>100.0</i>	<i>47,781</i>	<i>100.0</i>
Race/Ethnicity	White	4,168	38.2	5,474	33.4	17,690	37.0
	Black	3,521	32.2	6,002	36.6	16,971	35.5
	Hispanic	2,683	24.6	4,588	28.0	12,517	26.2
	Asian/PI	167	1.5	205	1.3	437	0.9
	Native Am	14	0.1	9	0.1	21	0.0
	Multi Race	5	0.0	9	0.1	13	0.0
	Other/Unk	366	3.4	112	0.7	132	0.3
	<i>Total</i>	<i>10,924</i>	<i>100.0</i>	<i>16,399</i>	<i>100.0</i>	<i>47,781</i>	<i>100.0</i>
Risk	MSM	5,095	46.6	6,892	42.0	22,027	46.1
	IDU	886	8.1	3,771	23.0	14,893	31.2
	MSM/IDU	165	1.5	411	2.5	1,552	3.2
	Heterosexual	1,077	9.9	1,619	9.9	3,180	6.7
	Blood Prod.	20	0.2	48	0.3	201	0.4
	Pediatric Risk	337	3.1	176	1.1	442	0.9
	Other/Unk	3,344	30.6	3,482	21.2	5,486	11.5
	<i>Total</i>	<i>10,924</i>	<i>100.0</i>	<i>16,399</i>	<i>100.0</i>	<i>47,781</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

BOROUGH: MANHATTAN**Table 21B****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	590	78.8	866	74.6
	Female	159	21.2	295	25.4
	<i>Total</i>	<i>749</i>	<i>100.0</i>	<i>1,161</i>	<i>100.0</i>
Age Group	12 & under	2	0.3	3	0.3
	13-19	24	3.2	12	1.0
	20-24	64	8.5	33	2.8
	25-29	113	15.1	65	5.6
	30-49	450	60.1	752	64.8
	50+	96	12.8	296	25.5
	<i>Total</i>	<i>749</i>	<i>100.0</i>	<i>1,161</i>	<i>100.0</i>
	Race/Ethnicity	White	239	31.9	330
	Black	303	40.5	476	41.0
	Hispanic	191	25.5	330	28.4
	Asian/PI	13	1.7	19	1.6
	Native Am	1	0.1	0	0.0
	Multi Race	0	0.0	1	0.1
	Other/Unk	2	0.3	5	0.4
	<i>Total</i>	<i>749</i>	<i>100.0</i>	<i>1,161</i>	<i>100.0</i>
Risk	MSM	430	57.4	451	38.8
	IDU	57	7.6	167	14.4
	MSM/IDU	6	0.8	28	2.4
	Heterosexual	72	9.6	158	13.6
	Blood Prod.	1	0.1	1	0.1
	Pediatric Risk	3	0.4	9	0.8
	Other/Unk	180	24.0	347	29.9
	<i>Total</i>	<i>749</i>	<i>100.0</i>	<i>1,161</i>	<i>100.0</i>

BOROUGH: QUEENS

Table 22A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004**

		Living HIV*		AIDS**			
				Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	2,603	64.5	5,563	70.5	14,256	74.7
	Female	1,430	35.4	2,327	29.5	4,819	25.3
	Unk	1	0.0	0	0.0	0	0.0
	<i>Total</i>	<i>4,034</i>	<i>100.0</i>	<i>7,890</i>	<i>100.0</i>	<i>19,075</i>	<i>100.0</i>
Age Group	12 & under	171	4.2	98	1.2	279	1.5
	13-19	96	2.4	73	0.9	100	0.5
	20-24	304	7.5	279	3.5	527	2.8
	25-29	532	13.2	847	10.7	1,874	9.8
	30-49	2,529	62.7	5,675	71.9	13,913	72.9
	50+	398	9.9	918	11.6	2,382	12.5
	Unk	4	0.1	0	0.0	0	0.0
	<i>Total</i>	<i>4,034</i>	<i>100.0</i>	<i>7,890</i>	<i>100.0</i>	<i>19,075</i>	<i>100.0</i>
Race/Ethnicity	White	817	20.3	1,465	18.6	4,623	24.2
	Black	1,727	42.8	3,386	42.9	8,296	43.5
	Hispanic	1,296	32.1	2,768	35.1	5,717	30.0
	Asian/PI	108	2.7	214	2.7	365	1.9
	Native Am	6	0.1	11	0.1	16	0.1
	Multi Race	8	0.2	16	0.2	19	0.1
	Other/Unk	72	1.8	30	0.4	39	0.2
	<i>Total</i>	<i>4,034</i>	<i>100.0</i>	<i>7,890</i>	<i>100.0</i>	<i>19,075</i>	<i>100.0</i>
Risk	MSM	1,270	31.5	2,110	26.7	5,290	27.7
	IDU	368	9.1	1,964	24.9	6,908	36.2
	MSM/IDU	39	1.0	145	1.8	484	2.5
	Heterosexual	851	21.1	1,393	17.7	2,351	12.3
	Blood Prod.	14	0.3	48	0.6	170	0.9
	Pediatric Risk	177	4.4	128	1.6	312	1.6
	Other/Unk	1,315	32.6	2,102	26.6	3,560	18.7
	<i>Total</i>	<i>4,034</i>	<i>100.0</i>	<i>7,890</i>	<i>100.0</i>	<i>19,075</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

BOROUGH: QUEENS**Table 22B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	229	67.8	394	70.1
	Female	109	32.2	168	29.9
	<i>Total</i>	<i>338</i>	<i>100.0</i>	<i>562</i>	<i>100.0</i>
Age Group	12 & under	5	1.5	0	0.0
	13-19	13	3.8	7	1.2
	20-24	28	8.3	30	5.3
	25-29	54	16.0	52	9.3
	30-49	200	59.2	373	66.4
	50+	38	11.2	100	17.8
	<i>Total</i>	<i>338</i>	<i>100.0</i>	<i>562</i>	<i>100.0</i>
	Race/Ethnicity	White	44	13.0	87
	Black	148	43.8	249	44.3
	Hispanic	118	34.9	185	32.9
	Asian/PI	20	5.9	35	6.2
	Native Am	1	0.3	0	0.0
	Multi Race	3	0.9	2	0.4
	Other/Unk	4	1.2	4	0.7
	<i>Total</i>	<i>338</i>	<i>100.0</i>	<i>562</i>	<i>100.0</i>
Risk	MSM	128	37.9	171	30.4
	IDU	17	5.0	67	11.9
	MSM/IDU	3	0.9	5	0.9
	Heterosexual	71	21.0	100	17.8
	Blood Prod.	1	0.3	3	0.5
	Pediatric Risk	5	1.5	2	0.4
	Other/Unk	113	33.4	214	38.1
	<i>Total</i>	<i>338</i>	<i>100.0</i>	<i>562</i>	<i>100.0</i>

BOROUGH: STATEN ISLAND

Table 23A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004**

				AIDS**			
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	360	57.8	625	64.4	1,990	71.5
	Female	263	42.2	345	35.6	795	28.5
	<i>Total</i>	<i>623</i>	<i>100.0</i>	<i>970</i>	<i>100.0</i>	<i>2,785</i>	<i>100.0</i>
Age Group	12 & under	31	5.0	13	1.3	42	1.5
	13-19	17	2.7	10	1.0	14	0.5
	20-24	41	6.6	29	3.0	68	2.4
	25-29	48	7.7	76	7.8	218	7.8
	30-49	416	66.8	737	76.0	2,111	75.8
	50+	70	11.2	105	10.8	332	11.9
	<i>Total</i>	<i>623</i>	<i>100.0</i>	<i>970</i>	<i>100.0</i>	<i>2,785</i>	<i>100.0</i>
	Race/Ethnicity	White	204	32.7	355	36.6	1,255
Black		254	40.8	370	38.1	939	33.7
Hispanic		141	22.6	232	23.9	562	20.2
Asian/PI		9	1.4	2	0.2	11	0.4
Native Am		2	0.3	3	0.3	4	0.1
Multi Race		1	0.2	3	0.3	6	0.2
Other/Unk		12	1.9	5	0.5	8	0.3
<i>Total</i>		<i>623</i>	<i>100.0</i>	<i>970</i>	<i>100.0</i>	<i>2,785</i>	<i>100.0</i>
Risk	MSM	116	18.6	141	14.5	518	18.6
	IDU	80	12.8	319	32.9	1,322	47.5
	MSM/IDU	7	1.1	18	1.9	65	2.3
	Heterosexual	99	15.9	182	18.8	342	12.3
	Blood Prod.	3	0.5	10	1.0	45	1.6
	Pediatric Risk	32	5.1	17	1.8	47	1.7
	Other/Unk	286	45.9	283	29.2	446	16.0
	<i>Total</i>	<i>623</i>	<i>100.0</i>	<i>970</i>	<i>100.0</i>	<i>2,785</i>	<i>100.0</i>

**All cases reported and confirmed from June 2000 - November 2006*

***All cases reported and confirmed from 1983 - November 2006*

BOROUGH: STATEN ISLAND

Table 23B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	29	65.9	42	60.9
	Female	15	34.1	27	39.1
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>69</i>	<i>100.0</i>
Age Group	12 & under	1	2.3	0	0.0
	13-19	1	2.3	2	2.9
	20-24	3	6.8	5	7.2
	25-29	2	4.5	5	7.2
	30-49	32	72.7	42	60.9
	50+	5	11.4	15	21.7
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>69</i>	<i>100.0</i>
Race/Ethnicity	White	7	15.9	18	26.1
	Black	25	56.8	31	44.9
	Hispanic	11	25.0	18	26.1
	Asian/PI	0	0.0	1	1.4
	Native Am	1	2.3	1	1.4
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>69</i>	<i>100.0</i>
Risk	MSM	9	20.5	12	17.4
	IDU	6	13.6	14	20.3
	Heterosexual	10	22.7	15	21.7
	Blood Prod.	0	0.0	1	1.4
	Pediatric Risk	1	2.3	1	1.4
	Other/Unk	18	40.9	26	37.7
	<i>Total</i>	<i>44</i>	<i>100.0</i>	<i>69</i>	<i>100.0</i>

****Cases reported and confirmed through November 2006***