

**New York State HIV/AIDS Surveillance
Semiannual Report**

**For Cases Diagnosed
through June 2005**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

November 2006

Notice to Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The HIV/AIDS case data used in this Semiannual Report has undergone both inter- and intra-state deduplication.

In 2004 the Centers for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimated that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that were reported to CDC over the history of the epidemic through 2002.

The percent of AIDS cases that were removed from the New York State (NYS) registry through this process was approximately 3%. Please note that this “loss” of AIDS cases will most likely not affect New York’s Ryan White funding or other funding based on the AIDS case count because New York’s estimated 3% decrease in AIDS cases was less than the average loss of cases for the nation, which was a little less than 5%. The data presented in this report series since June 2004 reflect this change in the AIDS case count for NYS. The December 2003, 2002 and 2001 reports were also updated to reflect this change. The interstate deduplication of cases is now conducted on an ongoing basis.

The Semiannual Report case data has also been deduplicated between New York City (NYC) and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH’s Bureau of HIV/AIDS Epidemiology (BHAЕ). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health’s HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. CDC deduplicates the data between the two jurisdictions for its own use. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAЕ following the algorithm used by CDC.

Counts of prisoners and pediatric diagnoses in this report may be slightly higher than in previous reports due to minor changes in processing the input data files.

More finely delineated breakouts or tables based on data that has not been deduplicated may be obtained through our data request unit by calling 518-474-4284.

To familiarize yourself with the report’s format and the definitions used please read the following section, **Technical Notes on HIV/AIDS Surveillance Data**.

Technical Notes on HIV/AIDS Surveillance Data

Introduction

This is the HIV/AIDS Surveillance Semiannual Report, which is produced by the BHAЕ at the New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

Information presented in this report is generated from data collected and maintained by BHAЕ and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Until June 2005 laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests.

Laboratories conducting HIV-related testing must report directly to the NYSDOH either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 8/05. Copies can be obtained by calling 518-474-4284.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

* Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Case: Case refers to a report for which confirmatory clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) have been obtained. Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

In June 2006, NYSDOH's HIV surveillance system was modified to implement CDC's National Data Processing Initiative (NDPI). NDPI rules for counting HIV and AIDS cases are stricter than those previously in effect. A small number of cases in upstate New York that were countable for reporting purposes under old rules lacked required data elements and were no longer countable. BHAE is working to acquire the information needed to restore these cases. New York City cases are still reported using pre-NDPI rules. (See **Record Updates** below).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- **Living HIV Cases** - This category includes all reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- **Newly Diagnosed HIV Cases** - This is the subset of all living HIV cases that have been reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and have *not* been reported with AIDS through the end of the reported time period. Please note that HIV reporting began in 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as newly diagnosed.
- **Living AIDS Cases** - This category includes all reported individuals living with AIDS.
- **Newly Diagnosed AIDS Cases** - This is the subset of all living AIDS cases that are diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- **Cumulative AIDS Cases** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. In cases of HIV infection diagnosed before June 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and is obtained from review of the patient's medical records. An individual may potentially have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this). Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Adult with undetermined mode of exposure

Children:

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is

likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: In this report, **age** designates **age at time of diagnosis**. This refers to the individual's age at the earliest, documented diagnosis of the condition in question. The CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while

incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS, excluding NYC, include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:

STATEWIDE

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 10
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 11
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16

NYS Excluding NYC – COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 17-18
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 19-20

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 21
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 29
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 31
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 32

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region	Pages 33-34
Table 11 - A,B	Binghamton Ryan White Region	Pages 35-36
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 37-38
Table 13 - A,B	Lower Hudson Ryan White Region	Pages 39-40
Table 14 - A,B	Mid Hudson Ryan White Region	Pages 41-42
Table 15 - A,B	Nassau/Suffolk Ryan White Region	Pages 43-44
Table 16 - A,B	Rochester Ryan White Region	Pages 45-46
Table 17 - A,B	Syracuse Ryan White Region	Pages 47-48

NYC – Boroughs

Table 18A	HIV/AIDS Cases Diagnosed through June 2004.....	Page 49
Table 18B	Newly Diagnosed HIV/AIDS Cases, Diagnosed July 2003-June 2004.....	Page 50

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 51-52
Table 20 - A,B	Brooklyn	Pages 53-54
Table 21 - A,B	Manhattan	Pages 55-56
Table 22 - A,B	Queens	Pages 57-58
Table 23 - A,B	Staten Island	Pages 59-60

STATEWIDE: Includes all 62 Counties

Table 1
New York State AIDS Cases* by Region and Year of Diagnosis

Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	148	7	155
1982	491	33	524
1983	1,046	124	1,170
1984	1,764	249	2,013
1985	2,715	450	3,165
1986	3,903	704	4,607
1987	4,880	1,023	5,903
1988	6,036	1,289	7,325
1989	6,366	1,575	7,941
1990	7,231	1,746	8,977
1991	8,335	2,132	10,467
1992	10,037	2,612	12,649
1993	11,544	2,831	14,375
1994	11,412	2,616	14,028
1995	10,196	2,674	12,870
1996	8,440	2,206	10,646
1997	6,736	1,564	8,300
1998	5,089	1,293	6,382
1999	4,837	1,226	6,063
2000	5,804	1,391	7,195
2001	4,891	1,321	6,212
2002	4,073	1,191	5,264
2003	4,740	1,228	5,968
2004	3,800	1,095	4,895
Through June 2005**	1,849	564	2,413
TOTAL	136,412	33,144	169,556

***Cases reported and confirmed through June 2006**
****Data incomplete due to lag in reporting**

STATEWIDE: Includes all 62 Counties

Table 2A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	26,619	64.8	47,471	70.4	126,292	74.5
	Female	14,230	34.6	19,996	29.6	43,262	25.5
	Unk	219	0.5	2	0.0	2	0.0
	TOTAL	41,068	100.0	67,469	100.0	169,556	100.0
Age Group	12 & under	1,778	4.3	838	1.2	2,360	1.4
	13-19	1,047	2.5	655	1.0	922	0.5
	20-24	3,074	7.5	2,052	3.0	4,191	2.5
	25-29	5,036	12.3	6,358	9.4	16,171	9.5
	30-49	25,351	61.7	48,774	72.3	122,278	72.1
	50+	4,679	11.4	8,792	13.0	23,634	13.9
	Unk	103	0.3	0	0.0	0	0.0
	TOTAL	41,068	100.0	67,469	100.0	169,556	100.0
Race/Ethnicity	White	9,636	23.5	14,505	21.5	43,169	25.5
	Black	18,152	44.2	30,782	45.6	74,585	44.0
	Hispanic	11,617	28.3	20,882	31.0	49,819	29.4
	Asian/PI	462	1.1	645	1.0	1,200	0.7
	Native Am	60	0.1	78	0.1	121	0.1
	Multi Race	305	0.7	329	0.5	353	0.2
	Other/Unk	836	2.0	248	0.4	309	0.2
	TOTAL	41,068	100.0	67,469	100.0	169,556	100.0
Risk	MSM	11,495	28.0	17,067	25.3	47,909	28.3
	IDU	5,791	14.1	18,811	27.9	64,928	38.3
	MSM/IDU	605	1.5	1,670	2.5	5,167	3.0
	Heterosexual	6,722	16.4	10,593	15.7	19,101	11.3
	Blood Prod.	118	0.3	377	0.6	1,326	0.8
	Pediatric Risk	1,814	4.4	1,087	1.6	2,651	1.6
	Other/Unk	14,523	35.4	17,864	26.5	28,474	16.8
	TOTAL	41,068	100.0	67,469	100.0	169,556	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

STATEWIDE: Includes all 62 Counties

**Table 2B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	2,031	70.1	3,145	67.2
	Female	866	29.9	1,532	32.8
	TOTAL	2,897	100.0	4,677	100.0
Age Group	12 & under	20	0.7	10	0.2
	13-19	122	4.2	79	1.7
	20-24	314	10.8	173	3.7
	25-29	417	14.4	340	7.3
	30-49	1,645	56.8	3,005	64.3
	50+	379	13.1	1,070	22.9
	TOTAL	2,897	100.0	4,677	100.0
	Race/Ethnicity	White	535	18.5	848
	Black	1,439	49.7	2,347	50.2
	Hispanic	761	26.3	1,360	29.1
	Asian/PI	62	2.1	56	1.2
	Native Am	3	0.1	11	0.2
	Multi Race	91	3.1	48	1.0
	Other/Unk	6	0.2	7	0.1
	TOTAL	2,897	100.0	4,677	100.0
Risk	MSM	1,105	38.1	1,246	26.6
	IDU	212	7.3	758	16.2
	MSM/IDU	37	1.3	89	1.9
	Heterosexual	471	16.3	804	17.2
	Blood Prod.	4	0.1	16	0.3
	Pediatric Risk	18	0.6	45	1.0
	Other/Unk	1,050	36.2	1,719	36.8
	TOTAL	2,897	100.0	4,677	100.0

***Cases reported and confirmed through June 2006**

NEW YORK CITY - TOTAL

Table 3A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	20,400	64.4	36,028	69.6	100,605	73.8
	Female	11,078	35.0	15,771	30.4	35,807	26.2
	Unk	217	0.7	0	0.0	0	0.0
	TOTAL	31,695	100.0	51,799	100.0	136,412	100.0
Age Group	12 & under	1,520	4.8	727	1.4	2,045	1.5
	13-19	793	2.5	490	0.9	688	0.5
	20-24	2,360	7.4	1,606	3.1	3,312	2.4
	25-29	3,830	12.1	4,820	9.3	12,621	9.3
	30-49	19,463	61.4	37,110	71.6	97,931	71.8
	50+	3,712	11.7	7,046	13.6	19,815	14.5
	Unk	17	0.1	0	0.0	0	0.0
	TOTAL	31,695	100.0	51,799	100.0	136,412	100.0
Race/Ethnicity	White	6,688	21.1	9,650	18.6	30,609	22.4
	Black	14,331	45.2	23,961	46.3	61,120	44.8
	Hispanic	9,377	29.6	17,282	33.4	43,175	31.7
	Asian/PI	421	1.3	598	1.2	1,117	0.8
	Native Am	37	0.1	40	0.1	65	0.0
	Multi Race	25	0.1	39	0.1	54	0.0
	Other/Unk	816	2.6	229	0.4	272	0.2
	TOTAL	31,695	100.0	51,799	100.0	136,412	100.0
Risk	MSM	9,429	29.7	13,612	26.3	39,466	28.9
	IDU	3,350	10.6	13,695	26.4	51,621	37.8
	MSM/IDU	402	1.3	1,133	2.2	3,812	2.8
	Heterosexual	4,899	15.5	8,025	15.5	15,092	11.1
	Blood Prod.	77	0.2	240	0.5	838	0.6
	Pediatric Risk	1,542	4.9	908	1.8	2,247	1.6
	Other/Unk	11,996	37.8	14,186	27.4	23,336	17.1
	TOTAL	31,695	100.0	51,799	100.0	136,412	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

NEW YORK CITY - TOTAL

Table 3B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	1,642	69.9	2,409	66.9
	Female	706	30.1	1,194	33.1
	TOTAL	2,348	100.0	3,603	100.0
Age Group	12 & under	18	0.8	9	0.2
	13-19	93	4.0	55	1.5
	20-24	251	10.7	139	3.9
	25-29	346	14.7	282	7.8
	30-49	1,339	57.0	2,293	63.6
	50+	301	12.8	825	22.9
	TOTAL	2,348	100.0	3,603	100.0
	Race/Ethnicity	White	371	15.8	520
	Black	1,241	52.9	1,876	52.1
	Hispanic	666	28.4	1,135	31.5
	Asian/PI	59	2.5	54	1.5
	Native Am	2	0.1	6	0.2
	Multi Race	5	0.2	5	0.1
	Other/Unk	4	0.2	7	0.2
	TOTAL	2,348	100.0	3,603	100.0
Risk	MSM	910	38.8	998	27.7
	IDU	166	7.1	514	14.3
	MSM/IDU	21	0.9	69	1.9
	Heterosexual	364	15.5	602	16.7
	Blood Prod.	0	0.0	9	0.2
	Pediatric Risk	15	0.6	30	0.8
	Other/Unk	872	37.1	1,381	38.3
	TOTAL	2,348	100.0	3,603	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through June 2005

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	6,219	66.4	11,443	73.0	25,687	77.5
	Female	3,152	33.6	4,225	27.0	7,455	22.5
	Unk	2	0.0	2	0.0	2	0.0
	TOTAL	9,373	100.0	15,670	100.0	33,144	100.0
Age Group	12 & under	258	2.8	111	0.7	315	1.0
	13-19	254	2.7	165	1.1	234	0.7
	20-24	714	7.6	446	2.8	879	2.7
	25-29	1,206	12.9	1,538	9.8	3,550	10.7
	30-49	5,888	62.8	11,664	74.4	24,347	73.5
	50+	967	10.3	1,746	11.1	3,819	11.5
	Unk	86	0.9	0	0.0	0	0.0
	TOTAL	9,373	100.0	15,670	100.0	33,144	100.0
Race/Ethnicity	White	2,948	31.5	4,855	31.0	12,560	37.9
	Black	3,821	40.8	6,821	43.5	13,465	40.6
	Hispanic	2,240	23.9	3,600	23.0	6,644	20.0
	Asian/PI	41	0.4	47	0.3	83	0.3
	Native Am	23	0.2	38	0.2	56	0.2
	Multi Race	280	3.0	290	1.9	299	0.9
	Other/Unk	20	0.2	19	0.1	37	0.1
	TOTAL	9,373	100.0	15,670	100.0	33,144	100.0
Risk	MSM	2,066	22.0	3,455	22.0	8,443	25.5
	IDU	2,441	26.0	5,116	32.6	13,307	40.1
	MSM/IDU	203	2.2	537	3.4	1,355	4.1
	Heterosexual	1,823	19.4	2,568	16.4	4,009	12.1
	Blood Prod.	41	0.4	137	0.9	488	1.5
	Pediatric Risk	272	2.9	179	1.1	404	1.2
	Other/Unk	2,527	27.0	3,678	23.5	5,138	15.5
	TOTAL	9,373	100.0	15,670	100.0	33,144	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005**

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	389	70.9	736	68.5
	Female	160	29.1	338	31.5
	TOTAL	549	100.0	1,074	100.0
Age Group	12 & under	2	0.4	1	0.1
	13-19	29	5.3	24	2.2
	20-24	63	11.5	34	3.2
	25-29	71	12.9	58	5.4
	30-49	306	55.7	712	66.3
	50+	78	14.2	245	22.8
	TOTAL	549	100.0	1,074	100.0
	Race/Ethnicity	White	164	29.9	328
	Black	198	36.1	471	43.9
	Hispanic	95	17.3	225	20.9
	Asian/PI	3	0.5	2	0.2
	Native Am	1	0.2	5	0.5
	Multi Race	86	15.7	43	4.0
	Other/Unk	2	0.4	0	0.0
	TOTAL	549	100.0	1,074	100.0
Risk	MSM	195	35.5	248	23.1
	IDU	46	8.4	244	22.7
	MSM/IDU	16	2.9	20	1.9
	Heterosexual	107	19.5	202	18.8
	Blood Prod.	4	0.7	7	0.7
	Pediatric Risk	3	0.5	15	1.4
	Other/Unk	178	32.4	338	31.5
	TOTAL	549	100.0	1,074	100.0

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through June 2005**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	365	410	520	561	1,063	1,113
Allegany	6	6	9	10	20	21
Broome	121	122	143	148	283	288
Cattaraugus	16	36	22	54	46	83
Cayuga	25	87	44	151	80	304
Chautauqua	66	114	66	91	118	148
Chemung	43	115	44	109	126	265
Chenango	14	18	29	38	44	60
Clinton	32	110	31	238	62	475
Columbia	39	76	34	64	85	140
Cortland	7	7	9	9	22	22
Delaware	21	21	23	25	43	45
Dutchess	204	454	387	741	916	1,622
Erie	597	684	866	981	1,902	2,112
Essex	10	52	10	82	32	181
Franklin	15	217	20	249	36	395
Fulton	20	21	23	26	43	47
Genessee	16	16	23	26	45	48
Greene	25	64	43	130	74	223
Hamilton	1	1	1	1	2	2
Herkimer	14	14	15	15	33	33
Jefferson	26	184	32	175	67	286
Lewis	21	21	6	6	12	12
Livingston	20	97	30	112	65	210
Madison	13	16	18	30	37	53
Monroe	680	719	1,091	1,146	2,185	2,256
Montgomery	26	28	35	36	77	78
Nassau	784	805	1,607	1,645	3,903	3,966
Niagara	58	61	88	94	223	229
Oneida	102	310	175	538	364	984
Onondaga	283	305	505	519	1,092	1,112
Ontario	29	29	37	39	59	61
Orange	231	322	487	637	1,130	1,380

***All cases reported and confirmed from June 2000 - June 2006**

****All cases reported and confirmed from 1983 - June 2006**

NEW YORK STATE: (Excluding NYC) by County

**Table 5A
HIV/AIDS Cases Diagnosed through June 2005**

County	AIDS**					
	Living HIV*		Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Orleans	15	207	31	263	48	386
Oswego	22	22	45	45	87	87
Otsego	20	20	36	37	71	72
Putnam	32	33	74	75	170	171
Rensselaer	84	92	134	140	264	271
Rockland	164	169	423	486	895	960
Saratoga	52	97	86	147	186	307
Schenectady	164	177	185	202	396	414
Schoharie	15	20	8	13	33	38
Schuyler	1	4	3	5	13	15
Seneca	18	78	11	67	23	86
St Lawrence	29	130	46	218	78	331
Steuben	29	30	29	30	76	78
Suffolk	816	861	1,605	1,655	3,844	3,929
Sullivan	120	179	192	271	492	649
Tioga	14	14	12	12	28	28
Tompkins	28	29	63	67	122	126
Ulster	124	279	260	478	602	960
Warren	23	23	35	35	65	65
Washington	13	82	20	130	46	307
Wayne	40	53	39	52	86	104
Westchester	827	1,117	2,019	2,336	4,624	5,154
Wyoming	8	108	13	177	24	341
Yates	7	7	3	3	10	10
Unk	0	0	0	0	1	1
TOTAL	6,595	9,373	11,845	15,670	26,573	33,144

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed July 2004 - June 2005

County	Initial HIV Diagonosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	21	21	37	44
Allegany	1	1	0	0
Broome	14	14	14	14
Cattaraugus	0	0	4	8
Cayuga	1	1	3	8
Chautauqua	11	11	6	8
Chemung	4	7	8	10
Chenango	0	0	1	1
Clinton	3	4	3	14
Columbia	2	2	3	5
Cortland	0	0	0	0
Delaware	0	0	3	3
Dutchess	8	11	28	55
Erie	53	54	60	67
Essex	1	1	0	1
Franklin	2	2	2	14
Fulton	1	1	2	3
Genessee	0	0	1	1
Greene	2	2	4	9
Hamilton	0	0	0	0
Herkimer	0	0	1	1
Jefferson	1	3	1	9
Lewis	0	0	0	0
Livingston	0	2	1	6
Madison	1	1	3	3
Monroe	49	51	100	112
Montgomery	3	3	4	4
Nassau	56	56	97	103
Niagara	11	11	5	6
Oneida	5	6	14	31
Onondaga	23	26	38	39
Ontario	0	0	2	2
Orange	20	21	38	47
Orleans	0	1	0	9
Oswego	1	1	4	4

***Cases reported and confirmed through June 2006**

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed July 2004 - June 2005

County	Initial HIV Diagonosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Otsego	0	0	5	5
Putnam	2	2	2	2
Rensselaer	7	7	5	6
Rockland	15	15	38	39
Saratoga	7	7	11	12
Schenectady	20	20	19	20
Schoharie	0	0	0	1
Schuyler	0	0	1	1
Seneca	1	1	2	6
St Lawrence	0	0	3	8
Steuben	3	3	4	4
Suffolk	78	80	111	116
Sullivan	8	8	17	20
Tioga	3	3	1	1
Tompkins	1	1	3	3
Ulster	7	8	12	22
Warren	1	1	4	4
Washington	0	1	1	7
Wayne	2	2	5	6
Westchester	72	74	116	143
Wyoming	1	2	0	6
Yates	0	0	1	1
Unk	0	0	0	0
TOTAL	522	549	848	1,074

***Cases reported and confirmed through June 2006**

NEW YORK CITY - Males

Table 6A
Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through June 2005*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	739	3.6	365	1.0
	13-19	426	2.1	254	0.7
	20-24	1,446	7.1	969	2.7
	25-29	2,475	12.1	3,123	8.7
	30-49	12,837	62.9	26,088	72.4
	50+	2,465	12.1	5,229	14.5
	Unk	12	0.1	0	0.0
	TOTAL	20,400	100.0	36,028	100.0
Race/Ethnicity	White	5,866	28.8	8,260	22.9
	Black	7,661	37.6	14,882	41.3
	Hispanic	6,084	29.8	12,161	33.8
	Asian/PI	322	1.6	496	1.4
	Native Am	24	0.1	31	0.1
	Multi Race	17	0.1	26	0.1
	Other/Unk	426	2.1	172	0.5
	TOTAL	20,400	100.0	36,028	100.0
Risk	MSM	9,429	46.2	13,612	37.8
	IDU	2,067	10.1	9,304	25.8
	MSM/IDU	402	2.0	1,133	3.1
	Heterosexual	1,477	7.2	2,653	7.4
	Blood Prod.	29	0.1	103	0.3
	Pediatric Risk	749	3.7	459	1.3
	Other/Unk	6,247	30.6	8,764	24.3
	TOTAL	20,400	100.0	36,028	100.0

NEW YORK CITY - Males

Table 6B

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	10	0.6	4	0.2
	13-19	63	3.8	35	1.5
	20-24	181	11.0	110	4.6
	25-29	255	15.5	191	7.9
	30-49	947	57.7	1,507	62.6
	50+	186	11.3	562	23.3
	TOTAL	1,642	100.0	2,409	100.0
Race/Ethnicity	White	335	20.4	452	18.8
	Black	750	45.7	1,106	45.9
	Hispanic	501	30.5	796	33.0
	Asian/PI	50	3.0	43	1.8
	Native Am	2	0.1	4	0.2
	Multi Race	1	0.1	3	0.1
	Other/Unk	3	0.2	5	0.2
	TOTAL	1,642	100.0	2,409	100.0
Risk	MSM	910	55.4	998	41.4
	IDU	105	6.4	348	14.4
	MSM/IDU	21	1.3	69	2.9
	Heterosexual	126	7.7	219	9.1
	Blood Prod.	0	0.0	3	0.1
	Pediatric Risk	7	0.4	15	0.6
	Other/Unk	473	28.8	757	31.4
	TOTAL	1,642	100.0	2,409	100.0

NEW YORK CITY - Females

Table 6C

Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk Diagnosed through June 2005*

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	759	6.9	362	2.3
	13-19	367	3.3	236	1.5
	20-24	910	8.2	637	4.0
	25-29	1,344	12.1	1,697	10.8
	30-49	6,478	58.5	11,022	69.9
	50+	1,215	11.0	1,817	11.5
	Unk	5	0.0	0	0.0
	TOTAL	11,078	100.0	15,771	100.0
Race/Ethnicity	White	822	7.4	1,390	8.8
	Black	6,670	60.2	9,079	57.6
	Hispanic	3,292	29.7	5,121	32.5
	Asian/PI	99	0.9	102	0.6
	Native Am	13	0.1	9	0.1
	Multi Race	8	0.1	13	0.1
	Other/Unk	174	1.6	57	0.4
	TOTAL	11,078	100.0	15,771	100.0
Risk	IDU	1,283	11.6	4,391	27.8
	Heterosexual	3,422	30.9	5,372	34.1
	Blood Prod.	48	0.4	137	0.9
	Pediatric Risk	771	7.0	449	2.8
	Other/Unk	5,554	50.1	5,422	34.4
	TOTAL	11,078	100.0	15,771	100.0

***Cases reported and confirmed through June 2006**

NEW YORK CITY - Females

Table 6D

**Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	8	1.1	5	0.4
	13-19	30	4.2	20	1.7
	20-24	70	9.9	29	2.4
	25-29	91	12.9	91	7.6
	30-49	392	55.5	786	65.8
	50+	115	16.3	263	22.0
	TOTAL	706	100.0	1,194	100.0
Race/Ethnicity	White	36	5.1	68	5.7
	Black	491	69.5	770	64.5
	Hispanic	165	23.4	339	28.4
	Asian/PI	9	1.3	11	0.9
	Native Am	0	0.0	2	0.2
	Multi Race	4	0.6	2	0.2
	Other/Unk	1	0.1	2	0.2
	TOTAL	706	100.0	1,194	100.0
Risk	IDU	61	8.6	166	13.9
	Heterosexual	238	33.7	383	32.1
	Blood Prod.	0	0.0	6	0.5
	Pediatric Risk	8	1.1	15	1.3
	Other/Unk	399	56.5	624	52.3
	TOTAL	706	100.0	1,194	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7A

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through June 2005***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	122	3.0	57	0.7
	13-19	101	2.5	84	1.0
	20-24	308	7.6	196	2.4
	25-29	486	12.0	677	8.3
	30-49	2,526	62.2	6,028	74.1
	50+	468	11.5	1,094	13.4
	Unk	52	1.3	0	0.0
	TOTAL	4,063	100.0	8,136	100.0
Race/Ethnicity	White	1,921	47.3	3,496	43.0
	Black	1,318	32.4	3,063	37.6
	Hispanic	635	15.6	1,353	16.6
	Asian/PI	23	0.6	32	0.4
	Native Am	9	0.2	17	0.2
	Multi Race	144	3.5	162	2.0
	Other/Unk	13	0.3	13	0.2
	TOTAL	4,063	100.0	8,136	100.0
Risk	MSM	1,948	47.9	3,296	40.5
	IDU	677	16.7	2,252	27.7
	MSM/IDU	151	3.7	439	5.4
	Heterosexual	398	9.8	686	8.4
	Blood Prod.	27	0.7	93	1.1
	Pediatric Risk	131	3.2	98	1.2
	Other/Unk	731	18.0	1,272	15.6
	TOTAL	4,063	100.0	8,136	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) -Males

Table 7B

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	1	0.3	0	0.0
	13-19	15	4.1	14	2.5
	20-24	43	11.7	15	2.7
	25-29	45	12.3	23	4.1
	30-49	212	57.9	368	65.9
	50+	50	13.7	138	24.7
	TOTAL	366	100.0	558	100.0
Race/Ethnicity	White	131	35.8	238	42.7
	Black	113	30.9	202	36.2
	Hispanic	63	17.2	100	17.9
	Asian/PI	2	0.5	0	0.0
	Native Am	1	0.3	2	0.4
	Multi Race	56	15.3	16	2.9
	TOTAL	366	100.0	558	100.0
Risk	MSM	191	52.2	227	40.7
	IDU	24	6.6	98	17.6
	MSM/IDU	16	4.4	16	2.9
	Heterosexual	44	12.0	63	11.3
	Blood Prod.	2	0.5	5	0.9
	Pediatric Risk	1	0.3	10	1.8
	Other/Unk	88	24.0	139	24.9
	TOTAL	366	100.0	558	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7C

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through June 2005***

		Living HIV		Living AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	133	5.3	53	1.4
	13-19	125	4.9	68	1.8
	20-24	256	10.1	150	4.0
	25-29	361	14.3	458	12.4
	30-49	1,391	55.0	2,606	70.3
	50+	239	9.4	372	10.0
	Unk	25	1.0	0	0.0
	TOTAL	2,530	100.0	3,707	100.0
Race/Ethnicity	White	782	30.9	1,062	28.6
	Black	1,236	48.9	1,908	51.5
	Hispanic	401	15.8	627	16.9
	Asian/PI	14	0.6	10	0.3
	Native Am	6	0.2	13	0.4
	Multi Race	84	3.3	84	2.3
	Other/Unk	7	0.3	3	0.1
	TOTAL	2,530	100.0	3,707	100.0
Risk	IDU	448	17.7	1,060	28.6
	Heterosexual	1,236	48.9	1,710	46.1
	Blood Prod.	13	0.5	38	1.0
	Pediatric Risk	139	5.5	79	2.1
	Other/Unk	694	27.4	820	22.1
	TOTAL	2,530	100.0	3,707	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) -Females

Table 7D

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Age Group	12 & under	1	0.6	1	0.3
	13-19	14	9.0	7	2.4
	20-24	19	12.2	15	5.2
	25-29	23	14.7	28	9.7
	30-49	75	48.1	176	60.7
	50+	24	15.4	63	21.7
	TOTAL	156	100.0	290	100.0
Race/Ethnicity	White	31	19.9	72	24.8
	Black	74	47.4	152	52.4
	Hispanic	28	17.9	44	15.2
	Asian/PI	1	0.6	1	0.3
	Native Am	0	0.0	2	0.7
	Multi Race	20	12.8	19	6.6
	Other/Unk	2	1.3	0	0.0
	TOTAL	156	100.0	290	100.0
Risk	IDU	13	8.3	54	18.6
	Heterosexual	61	39.1	124	42.8
	Blood Prod.	2	1.3	2	0.7
	Pediatric Risk	2	1.3	5	1.7
	Other/Unk	78	50.0	105	36.2
	TOTAL	156	100.0	290	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) -PRISONERS

**Table 8A
Living HIV/AIDS Cases*
Diagnosed through June 2005***

			HIV		AIDS			
			Number	Percent	Number	Percent		
MALES	Age Group	12 & under	2	0.1	0	0.0		
		13-19	21	1.0	11	0.3		
		20-24	111	5.1	86	2.6		
		25-29	278	12.9	332	10.0		
		30-49	1,524	70.7	2,626	79.4		
		50+	213	9.9	252	7.6		
		Unk	7	0.3	0	0.0		
		TOTAL	2,156	100.0	3,307	100.0		
	Race/Ethnicity	White	174	8.1	249	7.5		
		Black	965	44.8	1,558	47.1		
		Hispanic	962	44.6	1,445	43.7		
		Asian/PI	4	0.2	5	0.2		
		Native Am	6	0.3	6	0.2		
		Multi Race	45	2.1	42	1.3		
		Other/Unk	0	0.0	2	0.1		
		TOTAL	2,156	100.0	3,307	100.0		
		FEMALES	Age Group	12 & under	1	0.2	0	0.0
				13-19	7	1.1	2	0.4
	20-24			39	6.3	14	2.7	
25-29	81			13.0	70	13.5		
30-49	447			71.9	404	78.0		
50+	45			7.2	28	5.4		
Unk	2			0.3	0	0.0		
TOTAL	622			100.0	518	100.0		
Race/Ethnicity	White		70	11.3	47	9.1		
	Black		301	48.4	291	56.2		
	Hispanic		242	38.9	175	33.8		
	Native Am		2	0.3	2	0.4		
	Multi Race		7	1.1	2	0.4		
	Other/Unk		0	0.0	1	0.2		
TOTAL	622	100.0	518	100.0				

NEW YORK STATE (Excluding NYC) -PRISONERS

Table 8B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, and Race/Ethnicity
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	23	85.2	178	78.8
	Female	4	14.8	48	21.2
	TOTAL	27	100.0	226	100.0
Age Group	13-19	0	0.0	3	1.3
	20-24	1	3.7	4	1.8
	25-29	3	11.1	7	3.1
	30-49	19	70.4	168	74.3
	50+	4	14.8	44	19.5
	TOTAL	27	100.0	226	100.0
Race/Ethnicity	White	2	7.4	18	8.0
	Black	11	40.7	117	51.8
	Hispanic	4	14.8	81	35.8
	Asian/PI	0	0.0	1	0.4
	Native Am	0	0.0	1	0.4
	Multi Race	10	37.0	8	3.5
	TOTAL	27	100.0	226	100.0

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9A

Living HIV/AIDS Cases* Diagnosed through June 2005

	Ryan White Region	Living HIV	Living AIDS	Cumulative AIDS
INCLUDES PRISONERS	Albany	1,511	2,116	4,173
	Binghamton	154	198	376
	Buffalo	1,232	1,696	3,368
	Lower Hudson	1,319	2,897	6,285
	Mid Hudson	1,234	2,127	4,611
	Nassau/Suffolk	1,666	3,300	7,895
	Rochester	1,132	1,563	3,085
	Syracuse	1,125	1,773	3,350
	Unk	0	0	1
	TOTAL	9,373	15,670	33,144
EXCLUDES PRISONERS	Albany	925	1,244	2,578
	Binghamton	149	184	355
	Buffalo	782	1,118	2,426
	Lower Hudson	1,023	2,516	5,689
	Mid Hudson	679	1,326	3,140
	Nassau/Suffolk	1,600	3,212	7,747
	Rochester	867	1,287	2,643
	Syracuse	570	958	1,994
	Unk	0	0	1
	TOTAL	6,595	11,845	26,573

***Cases reported and confirmed through June 2006**

NEW YORK STATE (Excluding NYC) by Ryan White Region

Table 9B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed July 2004 - June 2005

	Ryan White Region	Initial HIV	Initial AIDS
INCLUDES PRISONERS	Albany	72	152
	Binghamton	17	16
	Buffalo	80	105
	Lower Hudson	91	184
	Mid Hudson	48	144
	Nassau/Suffolk	136	219
	Rochester	66	148
	Syracuse	39	106
	TOTAL	549	1,074
EXCLUDES PRISONERS	Albany	70	103
	Binghamton	17	16
	Buffalo	77	76
	Lower Hudson	89	156
	Mid Hudson	43	95
	Nassau/Suffolk	134	208
	Rochester	59	124
	Syracuse	33	70
	TOTAL	522	848

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	575	62.2	871	70.0	1,962	76.1
	Female	349	37.7	372	29.9	615	23.9
	Unk	1	0.1	1	0.1	1	0.0
	TOTAL	925	100.0	1,244	100.0	2,578	100.0
Age Group	12 & under	34	3.7	13	1.0	29	1.1
	13-19	30	3.2	13	1.0	19	0.7
	20-24	105	11.4	36	2.9	80	3.1
	25-29	150	16.2	145	11.7	321	12.5
	30-49	522	56.4	898	72.2	1,840	71.4
	50+	80	8.6	139	11.2	289	11.2
	Unk	4	0.4	0	0.0	0	0.0
	TOTAL	925	100.0	1,244	100.0	2,578	100.0
Race/Ethnicity	White	461	49.8	605	48.6	1,414	54.8
	Black	302	32.6	441	35.5	803	31.1
	Hispanic	114	12.3	160	12.9	316	12.3
	Asian/PI	8	0.9	5	0.4	7	0.3
	Native Am	3	0.3	3	0.2	5	0.2
	Multi Race	35	3.8	28	2.3	29	1.1
	Other/Unk	2	0.2	2	0.2	4	0.2
	TOTAL	925	100.0	1,244	100.0	2,578	100.0
Risk	MSM	321	34.7	407	32.7	946	36.7
	IDU	134	14.5	303	24.4	731	28.4
	MSM/IDU	24	2.6	40	3.2	106	4.1
	Heterosexual	208	22.5	211	17.0	320	12.4
	Blood Prod.	7	0.8	13	1.0	60	2.3
	Pediatric Risk	34	3.7	19	1.5	36	1.4
	Other/Unk	197	21.3	251	20.2	379	14.7
	TOTAL	925	100.0	1,244	100.0	2,578	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	52	74.3	68	66.0
	Female	18	25.7	35	34.0
	TOTAL	70	100.0	103	100.0
Age Group	12 & under	1	1.4	0	0.0
	13-19	2	2.9	2	1.9
	20-24	9	12.9	7	6.8
	25-29	8	11.4	7	6.8
	30-49	38	54.3	61	59.2
	50+	12	17.1	26	25.2
	TOTAL	70	100.0	103	100.0
Race/Ethnicity	White	26	37.1	51	49.5
	Black	17	24.3	30	29.1
	Hispanic	13	18.6	12	11.7
	Asian/PI	1	1.4	0	0.0
	Native Am	0	0.0	1	1.0
	Multi Race	13	18.6	9	8.7
	TOTAL	70	100.0	103	100.0
Risk	MSM	30	42.9	26	25.2
	IDU	3	4.3	20	19.4
	MSM/IDU	1	1.4	5	4.9
	Heterosexual	18	25.7	22	21.4
	Blood Prod.	1	1.4	1	1.0
	Pediatric Risk	1	1.4	1	1.0
	Other/Unk	16	22.9	28	27.2
	TOTAL	70	100.0	103	100.0

***Excludes Prisoners**
Cases reported and confirmed through June 2006

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11A

**HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
 Diagnosed through June 2005**

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	90	60.4	124	67.4	264	74.4
	Female	59	39.6	60	32.6	91	25.6
	TOTAL	149	100.0	184	100.0	355	100.0
Age Group	12 & under	7	4.7	0	0.0	1	0.3
	13-19	3	2.0	2	1.1	4	1.1
	20-24	16	10.7	7	3.8	14	3.9
	25-29	25	16.8	14	7.6	40	11.3
	30-49	86	57.7	142	77.2	260	73.2
	50+	12	8.1	19	10.3	36	10.1
	TOTAL	149	100.0	184	100.0	355	100.0
Race/Ethnicity	White	81	54.4	104	56.5	233	65.6
	Black	41	27.5	55	29.9	85	23.9
	Hispanic	20	13.4	22	12.0	34	9.6
	Native Am	0	0.0	1	0.5	1	0.3
	Multi Race	7	4.7	2	1.1	2	0.6
	TOTAL	149	100.0	184	100.0	355	100.0
Risk	MSM	33	22.1	67	36.4	148	41.7
	IDU	34	22.8	40	21.7	82	23.1
	MSM/IDU	6	4.0	7	3.8	21	5.9
	Heterosexual	27	18.1	27	14.7	43	12.1
	Blood Prod.	0	0.0	1	0.5	3	0.8
	Pediatric Risk	7	4.7	1	0.5	4	1.1
	Other/Unk	42	28.2	41	22.3	54	15.2
	TOTAL	149	100.0	184	100.0	355	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	9	52.9	9	56.3
	Female	8	47.1	7	43.8
	TOTAL	17	100.0	16	100.0
Age Group	13-19	1	5.9	0	0.0
	20-24	2	11.8	1	6.3
	25-29	4	23.5	3	18.8
	30-49	8	47.1	10	62.5
	50+	2	11.8	2	12.5
	TOTAL	17	100.0	16	100.0
Race/Ethnicity	White	7	41.2	5	31.3
	Black	2	11.8	8	50.0
	Hispanic	1	5.9	2	12.5
	Multi Race	7	41.2	1	6.3
	TOTAL	17	100.0	16	100.0
Risk	MSM	4	23.5	3	18.8
	IDU	3	17.6	2	12.5
	MSM/IDU	1	5.9	1	6.3
	Heterosexual	3	17.6	8	50.0
	Other/Unk	6	35.3	2	12.5
	TOTAL	17	100.0	16	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2006

RYAN WHITE REGION: BUFFALO

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	499	63.8	812	72.6	1,874	77.2
	Female	283	36.2	306	27.4	552	22.8
	TOTAL	782	100.0	1,118	100.0	2,426	100.0
Age Group	12 & under	16	2.0	7	0.6	20	0.8
	13-19	43	5.5	17	1.5	24	1.0
	20-24	99	12.7	43	3.8	95	3.9
	25-29	124	15.9	110	9.8	284	11.7
	30-49	440	56.3	798	71.4	1,671	68.9
	50+	59	7.5	143	12.8	332	13.7
	Unk	1	0.1	0	0.0	0	0.0
	TOTAL	782	100.0	1,118	100.0	2,426	100.0
Race/Ethnicity	White	288	36.8	441	39.4	1,050	43.3
	Black	328	41.9	496	44.4	1,057	43.6
	Hispanic	121	15.5	146	13.1	273	11.3
	Asian/PI	4	0.5	7	0.6	10	0.4
	Native Am	2	0.3	8	0.7	11	0.5
	Multi Race	38	4.9	18	1.6	18	0.7
	Other/Unk	1	0.1	2	0.2	7	0.3
	TOTAL	782	100.0	1,118	100.0	2,426	100.0
Risk	MSM	285	36.4	450	40.3	1,047	43.2
	IDU	140	17.9	247	22.1	668	27.5
	MSM/IDU	25	3.2	48	4.3	106	4.4
	Heterosexual	225	28.8	271	24.2	420	17.3
	Blood Prod.	5	0.6	11	1.0	36	1.5
	Pediatric Risk	17	2.2	14	1.3	28	1.2
	Other/Unk	85	10.9	77	6.9	121	5.0
	TOTAL	782	100.0	1,118	100.0	2,426	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Table 12B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	56	72.7	54	71.1
	Female	21	27.3	22	28.9
	TOTAL	77	100.0	76	100.0
Age Group	13-19	6	7.8	1	1.3
	20-24	11	14.3	3	3.9
	25-29	7	9.1	1	1.3
	30-49	43	55.8	57	75.0
	50+	10	13.0	14	18.4
	TOTAL	77	100.0	76	100.0
	Race/Ethnicity	White	17	22.1	32
	Black	27	35.1	32	42.1
	Hispanic	9	11.7	10	13.2
	Native Am	1	1.3	0	0.0
	Multi Race	23	29.9	2	2.6
	TOTAL	77	100.0	76	100.0
Risk	MSM	31	40.3	28	36.8
	IDU	8	10.4	14	18.4
	MSM/IDU	3	3.9	1	1.3
	Heterosexual	11	14.3	19	25.0
	Blood Prod.	1	1.3	0	0.0
	Pediatric Risk	0	0.0	1	1.3
	Other/Unk	23	29.9	13	17.1
	TOTAL	77	100.0	76	100.0

****Excludes Prisoners******Cases reported and confirmed through June 2006***

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	601	58.7	1,647	65.5	4,070	71.5
	Female	421	41.2	869	34.5	1,619	28.5
	Unk	1	0.1	0	0.0	0	0.0
	TOTAL	1,023	100.0	2,516	100.0	5,689	100.0
Age Group	12 & under	38	3.7	29	1.2	84	1.5
	13-19	31	3.0	38	1.5	49	0.9
	20-24	77	7.5	59	2.3	127	2.2
	25-29	97	9.5	204	8.1	494	8.7
	30-49	606	59.2	1,849	73.5	4,104	72.1
	50+	147	14.4	337	13.4	831	14.6
	Unk	27	2.6	0	0.0	0	0.0
	TOTAL	1,023	100.0	2,516	100.0	5,689	100.0
Race/Ethnicity	White	276	27.0	616	24.5	1,831	32.2
	Black	490	47.9	1,283	51.0	2,769	48.7
	Hispanic	214	20.9	551	21.9	1,007	17.7
	Asian/PI	4	0.4	3	0.1	14	0.2
	Native Am	0	0.0	3	0.1	5	0.1
	Multi Race	37	3.6	54	2.1	56	1.0
	Other/Unk	2	0.2	6	0.2	7	0.1
	TOTAL	1,023	100.0	2,516	100.0	5,689	100.0
Risk	MSM	223	21.8	502	20.0	1,366	24.0
	IDU	190	18.6	896	35.6	2,412	42.4
	MSM/IDU	12	1.2	88	3.5	206	3.6
	Heterosexual	353	34.5	673	26.7	1,043	18.3
	Blood Prod.	4	0.4	19	0.8	72	1.3
	Pediatric Risk	42	4.1	38	1.5	99	1.7
	Other/Unk	199	19.5	300	11.9	491	8.6
	TOTAL	1,023	100.0	2,516	100.0	5,689	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	60	67.4	100	64.1
	Female	29	32.6	56	35.9
	TOTAL	89	100.0	156	100.0
Age Group	12 & under	0	0.0	1	0.6
	13-19	9	10.1	7	4.5
	20-24	8	9.0	9	5.8
	25-29	14	15.7	7	4.5
	30-49	46	51.7	85	54.5
	50+	12	13.5	47	30.1
	TOTAL	89	100.0	156	100.0
	Race/Ethnicity	White	12	13.5	31
	Black	43	48.3	79	50.6
	Hispanic	23	25.8	40	25.6
	Multi Race	11	12.4	6	3.8
	TOTAL	89	100.0	156	100.0
Risk	MSM	24	27.0	27	17.3
	IDU	4	4.5	38	24.4
	MSM/IDU	1	1.1	3	1.9
	Heterosexual	32	36.0	43	27.6
	Blood Prod.	0	0.0	2	1.3
	Pediatric Risk	0	0.0	5	3.2
	Other/Unk	28	31.5	38	24.4
	TOTAL	89	100.0	156	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2006

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	412	60.7	908	68.5	2,371	75.5
	Female	267	39.3	418	31.5	769	24.5
	TOTAL	679	100.0	1,326	100.0	3,140	100.0
Age Group	12 & under	25	3.7	14	1.1	38	1.2
	13-19	15	2.2	17	1.3	23	0.7
	20-24	43	6.3	32	2.4	64	2.0
	25-29	54	8.0	109	8.2	273	8.7
	30-49	439	64.7	979	73.8	2,337	74.4
	50+	81	11.9	175	13.2	405	12.9
	Unk	22	3.2	0	0.0	0	0.0
	TOTAL	679	100.0	1,326	100.0	3,140	100.0
Race/Ethnicity	White	275	40.5	474	35.7	1,223	38.9
	Black	236	34.8	506	38.2	1,149	36.6
	Hispanic	118	17.4	296	22.3	710	22.6
	Asian/PI	3	0.4	0	0.0	4	0.1
	Native Am	2	0.3	3	0.2	5	0.2
	Multi Race	45	6.6	45	3.4	46	1.5
	Other/Unk	0	0.0	2	0.2	3	0.1
	TOTAL	679	100.0	1,326	100.0	3,140	100.0
Risk	MSM	144	21.2	253	19.1	671	21.4
	IDU	195	28.7	497	37.5	1,471	46.8
	MSM/IDU	17	2.5	52	3.9	117	3.7
	Heterosexual	202	29.7	322	24.3	488	15.5
	Blood Prod.	4	0.6	12	0.9	48	1.5
	Pediatric Risk	26	3.8	19	1.4	43	1.4
	Other/Unk	91	13.4	171	12.9	302	9.6
	TOTAL	679	100.0	1,326	100.0	3,140	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	33	76.7	57	60.0
	Female	10	23.3	38	40.0
	TOTAL	43	100.0	95	100.0
Age Group	13-19	1	2.3	2	2.1
	20-24	4	9.3	0	0.0
	25-29	6	14.0	6	6.3
	30-49	24	55.8	63	66.3
	50+	8	18.6	24	25.3
	TOTAL	43	100.0	95	100.0
	Race/Ethnicity	White	16	37.2	34
	Black	9	20.9	35	36.8
	Hispanic	12	27.9	21	22.1
	Native Am	0	0.0	1	1.1
	Multi Race	6	14.0	4	4.2
	TOTAL	43	100.0	95	100.0
Risk	MSM	14	32.6	24	25.3
	IDU	8	18.6	16	16.8
	MSM/IDU	1	2.3	2	2.1
	Heterosexual	12	27.9	30	31.6
	Other/Unk	8	18.6	23	24.2
	TOTAL	43	100.0	95	100.0

***Excludes Prisoners**
Cases reported and confirmed through June 2006

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	943	58.9	2,201	68.5	5,726	73.9
	Female	657	41.1	1,011	31.5	2,021	26.1
	TOTAL	1,600	100.0	3,212	100.0	7,747	100.0
Age Group	12 & under	105	6.6	37	1.2	112	1.4
	13-19	50	3.1	45	1.4	63	0.8
	20-24	104	6.5	91	2.8	185	2.4
	25-29	181	11.3	284	8.8	747	9.6
	30-49	961	60.1	2,338	72.8	5,622	72.6
	50+	178	11.1	417	13.0	1,018	13.1
	Unk	21	1.3	0	0.0	0	0.0
	TOTAL	1,600	100.0	3,212	100.0	7,747	100.0
Race/Ethnicity	White	651	40.7	1,273	39.6	3,703	47.8
	Black	624	39.0	1,308	40.7	2,955	38.1
	Hispanic	270	16.9	544	16.9	976	12.6
	Asian/PI	13	0.8	19	0.6	33	0.4
	Native Am	4	0.3	5	0.2	10	0.1
	Multi Race	27	1.7	60	1.9	61	0.8
	Other/Unk	11	0.7	3	0.1	9	0.1
	TOTAL	1,600	100.0	3,212	100.0	7,747	100.0
Risk	MSM	437	27.3	860	26.8	2,244	29.0
	IDU	211	13.2	815	25.4	2,703	34.9
	MSM/IDU	32	2.0	126	3.9	343	4.4
	Heterosexual	324	20.3	521	16.2	922	11.9
	Blood Prod.	15	0.9	39	1.2	147	1.9
	Pediatric Risk	112	7.0	63	2.0	144	1.9
	Other/Unk	469	29.3	788	24.5	1,244	16.1
	TOTAL	1,600	100.0	3,212	100.0	7,747	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	91	67.9	141	67.8
	Female	43	32.1	67	32.2
	TOTAL	134	100.0	208	100.0
Age Group	12 & under	1	0.7	0	0.0
	13-19	4	3.0	4	1.9
	20-24	17	12.7	3	1.4
	25-29	17	12.7	17	8.2
	30-49	75	56.0	139	66.8
	50+	20	14.9	45	21.6
	TOTAL	134	100.0	208	100.0
Race/Ethnicity	White	54	40.3	71	34.1
	Black	54	40.3	95	45.7
	Hispanic	23	17.2	37	17.8
	Asian/PI	0	0.0	1	0.5
	Multi Race	1	0.7	4	1.9
	Other/Unk	2	1.5	0	0.0
	TOTAL	134	100.0	208	100.0
Risk	MSM	53	39.6	56	26.9
	IDU	5	3.7	22	10.6
	MSM/IDU	6	4.5	1	0.5
	Heterosexual	14	10.4	38	18.3
	Blood Prod.	1	0.7	2	1.0
	Pediatric Risk	2	1.5	4	1.9
	Other/Unk	53	39.6	85	40.9
	TOTAL	134	100.0	208	100.0

****Excludes Prisoners***
Cases reported and confirmed through June 2006

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	588	67.8	890	69.2	1,978	74.8
	Female	279	32.2	397	30.8	665	25.2
	TOTAL	867	100.0	1,287	100.0	2,643	100.0
Age Group	12 & under	12	1.4	7	0.5	19	0.7
	13-19	27	3.1	8	0.6	15	0.6
	20-24	72	8.3	26	2.0	67	2.5
	25-29	136	15.7	162	12.6	320	12.1
	30-49	508	58.6	942	73.2	1,924	72.8
	50+	112	12.9	142	11.0	298	11.3
	TOTAL	867	100.0	1,287	100.0	2,643	100.0
Race/Ethnicity	White	367	42.3	542	42.1	1,292	48.9
	Black	348	40.1	543	42.2	1,010	38.2
	Hispanic	123	14.2	174	13.5	307	11.6
	Asian/PI	1	0.1	3	0.2	5	0.2
	Native Am	3	0.3	1	0.1	3	0.1
	Multi Race	23	2.7	23	1.8	24	0.9
	Other/Unk	2	0.2	1	0.1	2	0.1
	TOTAL	867	100.0	1,287	100.0	2,643	100.0
Risk	MSM	314	36.2	403	31.3	966	36.5
	IDU	134	15.5	332	25.8	794	30.0
	MSM/IDU	21	2.4	40	3.1	106	4.0
	Heterosexual	137	15.8	163	12.7	252	9.5
	Blood Prod.	1	0.1	14	1.1	39	1.5
	Pediatric Risk	14	1.6	14	1.1	27	1.0
	Other/Unk	246	28.4	321	24.9	459	17.4
	TOTAL	867	100.0	1,287	100.0	2,643	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	44	74.6	82	66.1
	Female	15	25.4	42	33.9
	TOTAL	59	100.0	124	100.0
Age Group	13-19	3	5.1	3	2.4
	20-24	9	15.3	4	3.2
	25-29	9	15.3	7	5.6
	30-49	30	50.8	83	66.9
	50+	8	13.6	27	21.8
	TOTAL	59	100.0	124	100.0
Race/Ethnicity	White	16	27.1	51	41.1
	Black	24	40.7	51	41.1
	Hispanic	8	13.6	15	12.1
	Asian/PI	1	1.7	0	0.0
	Multi Race	10	16.9	7	5.6
	TOTAL	59	100.0	124	100.0
Risk	MSM	24	40.7	41	33.1
	IDU	3	5.1	29	23.4
	MSM/IDU	2	3.4	1	0.8
	Heterosexual	5	8.5	8	6.5
	Blood Prod.	0	0.0	1	0.8
	Pediatric Risk	0	0.0	3	2.4
	Other/Unk	25	42.4	41	33.1
	TOTAL	59	100.0	124	100.0

***Excludes Prisoners**
Cases reported and confirmed through June 2006

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005

		AIDS***					
		Living HIV**		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	355	62.3	683	71.3	1,544	77.4
	Female	215	37.7	274	28.6	449	22.5
	Unk	0	0.0	1	0.1	1	0.1
	TOTAL	570	100.0	958	100.0	1,994	100.0
Age Group	12 & under	18	3.2	4	0.4	12	0.6
	13-19	27	4.7	12	1.3	24	1.2
	20-24	48	8.4	52	5.4	86	4.3
	25-29	80	14.0	108	11.3	252	12.6
	30-49	355	62.3	688	71.8	1,423	71.4
	50+	40	7.0	94	9.8	197	9.9
	Unk	2	0.4	0	0.0	0	0.0
	TOTAL	570	100.0	958	100.0	1,994	100.0
Race/Ethnicity	White	305	53.5	504	52.6	1,171	58.7
	Black	186	32.6	340	35.5	622	31.2
	Hispanic	56	9.8	87	9.1	172	8.6
	Asian/PI	4	0.7	5	0.5	5	0.3
	Native Am	1	0.2	6	0.6	7	0.4
	Multi Race	16	2.8	16	1.7	17	0.9
	Other/Unk	2	0.4	0	0.0	0	0.0
	TOTAL	570	100.0	958	100.0	1,994	100.0
Risk	MSM	191	33.5	354	37.0	818	41.0
	IDU	88	15.4	182	19.0	458	23.0
	MSM/IDU	14	2.5	38	4.0	105	5.3
	Heterosexual	159	27.9	208	21.7	311	15.6
	Blood Prod.	4	0.7	22	2.3	58	2.9
	Pediatric Risk	18	3.2	10	1.0	22	1.1
	Other/Unk	96	16.8	144	15.0	222	11.1
	TOTAL	570	100.0	958	100.0	1,994	100.0

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - June 2006**

*****All cases reported and confirmed from 1983 - June 2006**

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	21	63.6	47	67.1
	Female	12	36.4	23	32.9
	TOTAL	33	100.0	70	100.0
Age Group	13-19	3	9.1	2	2.9
	20-24	2	6.1	3	4.3
	25-29	3	9.1	3	4.3
	30-49	23	69.7	46	65.7
	50+	2	6.1	16	22.9
	TOTAL	33	100.0	70	100.0
	Race/Ethnicity	White	14	42.4	35
	Black	11	33.3	24	34.3
	Hispanic	2	6.1	7	10.0
	Asian/PI	1	3.0	0	0.0
	Native Am	0	0.0	2	2.9
	Multi Race	5	15.2	2	2.9
	TOTAL	33	100.0	70	100.0
Risk	MSM	11	33.3	22	31.4
	IDU	3	9.1	11	15.7
	MSM/IDU	1	3.0	2	2.9
	Heterosexual	10	30.3	19	27.1
	Blood Prod.	1	3.0	1	1.4
	Pediatric Risk	0	0.0	1	1.4
	Other/Unk	7	21.2	14	20.0
	TOTAL	33	100.0	70	100.0

***Excludes Prisoners**
Cases reported and confirmed through June 2006

NEW YORK CITY: by Borough

Table 18A

HIV/AIDS Cases Diagnosed through June 2005

Borough	Living HIV*	AIDS**	
		Living	Cumulative
Bronx	7,605	11,805	29,212
Brooklyn	8,330	13,958	36,722
Manhattan	11,016	16,915	48,335
Queens	4,118	8,123	19,328
Staten Island	626	998	2,815
TOTAL	31,695	51,799	136,412

****All cases reported and confirmed from June 2000 - June 2006***

*****All cases reported and confirmed from 1983 - June 2006***

NEW YORK CITY: by Borough

Table 18B

***Newly Diagnosed HIV/AIDS Cases*
Diagnosed July 2004 - June 2005***

Borough	Initial HIV	Initial AIDS
Bronx	531	911
Brooklyn	666	1,039
Manhattan	731	1,081
Queens	372	511
Staten Island	48	61
TOTAL	2,348	3,603

BOROUGH: BRONX**Table 19A****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	4,045	53.2	7,289	61.7	19,215	65.8
	Female	3,559	46.8	4,516	38.3	9,997	34.2
	Unk	1	0.0	0	0.0	0	0.0
	TOTAL	7,605	100.0	11,805	100.0	29,212	100.0
Age Group	12 & under	543	7.1	217	1.8	596	2.0
	13-19	232	3.1	151	1.3	198	0.7
	20-24	601	7.9	400	3.4	791	2.7
	25-29	884	11.6	1,056	8.9	2,707	9.3
	30-49	4,426	58.2	8,392	71.1	20,813	71.2
	50+	910	12.0	1,589	13.5	4,107	14.1
	Unk	9	0.1	0	0.0	0	0.0
	TOTAL	7,605	100.0	11,805	100.0	29,212	100.0
Race/Ethnicity	White	364	4.8	633	5.4	1,911	6.5
	Black	3,667	48.2	5,154	43.7	12,440	42.6
	Hispanic	3,447	45.3	5,933	50.3	14,722	50.4
	Asian/PI	28	0.4	42	0.4	87	0.3
	Native Am	7	0.1	7	0.1	11	0.0
	Multi Race	4	0.1	3	0.0	5	0.0
	Other/Unk	88	1.2	33	0.3	36	0.1
	TOTAL	7,605	100.0	11,805	100.0	29,212	100.0
Risk	MSM	1,040	13.7	1,601	13.6	4,341	14.9
	IDU	1,101	14.5	3,870	32.8	13,568	46.4
	MSM/IDU	105	1.4	285	2.4	874	3.0
	Heterosexual	1,317	17.3	2,197	18.6	4,265	14.6
	Blood Prod.	21	0.3	54	0.5	151	0.5
	Pediatric Risk	550	7.2	282	2.4	669	2.3
	Other/Unk	3,471	45.6	3,516	29.8	5,344	18.3
	TOTAL	7,605	100.0	11,805	100.0	29,212	100.0

All cases reported and confirmed from June 2000 - June 2006**All cases reported and confirmed from 1983 - June 2006*

BOROUGH: BRONX**Table 19B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	335	63.1	537	58.9
	Female	196	36.9	374	41.1
	TOTAL	531	100.0	911	100.0
Age Group	12 & under	7	1.3	1	0.1
	13-19	30	5.6	20	2.2
	20-24	61	11.5	33	3.6
	25-29	76	14.3	74	8.1
	30-49	283	53.3	581	63.8
	50+	74	13.9	202	22.2
	TOTAL	531	100.0	911	100.0
Race/Ethnicity	White	12	2.3	38	4.2
	Black	284	53.5	458	50.3
	Hispanic	228	42.9	410	45.0
	Asian/PI	3	0.6	3	0.3
	Native Am	0	0.0	2	0.2
	Multi Race	2	0.4	0	0.0
	Other/Unk	2	0.4	0	0.0
	TOTAL	531	100.0	911	100.0
Risk	MSM	134	25.2	147	16.1
	IDU	56	10.5	137	15.0
	MSM/IDU	4	0.8	23	2.5
	Heterosexual	96	18.1	158	17.3
	Blood Prod.	0	0.0	2	0.2
	Pediatric Risk	6	1.1	8	0.9
	Other/Unk	235	44.3	436	47.9
	TOTAL	531	100.0	911	100.0

BOROUGH: BROOKLYN

Table 20A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	4,631	55.6	8,899	63.8	24,995	68.1
	Female	3,517	42.2	5,059	36.2	11,727	31.9
	Unk	182	2.2	0	0.0	0	0.0
	TOTAL	8,330	100.0	13,958	100.0	36,722	100.0
Age Group	12 & under	447	5.4	255	1.8	719	2.0
	13-19	259	3.1	156	1.1	238	0.6
	20-24	710	8.5	497	3.6	1,047	2.9
	25-29	1,028	12.3	1,319	9.4	3,603	9.8
	30-49	4,870	58.5	9,792	70.2	25,910	70.6
	50+	1,014	12.2	1,939	13.9	5,205	14.2
	Unk	2	0.0	0	0.0	0	0.0
	TOTAL	8,330	100.0	13,958	100.0	36,722	100.0
Race/Ethnicity	White	1,080	13.0	1,533	11.0	4,930	13.4
	Black	5,115	61.4	8,710	62.4	22,107	60.2
	Hispanic	1,753	21.0	3,539	25.4	9,414	25.6
	Asian/PI	87	1.0	115	0.8	196	0.5
	Native Am	8	0.1	8	0.1	11	0.0
	Multi Race	7	0.1	6	0.0	9	0.0
	Other/Unk	280	3.4	47	0.3	55	0.1
	TOTAL	8,330	100.0	13,958	100.0	36,722	100.0
Risk	MSM	1,758	21.1	2,564	18.4	6,969	19.0
	IDU	955	11.5	3,672	26.3	14,818	40.4
	MSM/IDU	89	1.1	263	1.9	826	2.2
	Heterosexual	1,552	18.6	2,522	18.1	4,833	13.2
	Blood Prod.	21	0.3	78	0.6	269	0.7
	Pediatric Risk	448	5.4	299	2.1	771	2.1
	Other/Unk	3,507	42.1	4,560	32.7	8,236	22.4
	TOTAL	8,330	100.0	13,958	100.0	36,722	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

BOROUGH: BROOKLYN**Table 20B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	414	62.2	661	63.6
	Female	252	37.8	378	36.4
	TOTAL	666	100.0	1,039	100.0
Age Group	12 & under	2	0.3	5	0.5
	13-19	28	4.2	17	1.6
	20-24	87	13.1	45	4.3
	25-29	91	13.7	87	8.4
	30-49	376	56.5	628	60.4
	50+	82	12.3	257	24.7
	TOTAL	666	100.0	1,039	100.0
	Race/Ethnicity	White	70	10.5	84
Black		479	71.9	707	68.0
Hispanic		106	15.9	236	22.7
Asian/PI		9	1.4	8	0.8
Native Am		1	0.2	1	0.1
Multi Race		1	0.2	2	0.2
Other/Unk		0	0.0	1	0.1
TOTAL		666	100.0	1,039	100.0
Risk		MSM	196	29.4	234
	IDU	43	6.5	140	13.5
	MSM/IDU	8	1.2	27	2.6
	Heterosexual	121	18.2	184	17.7
	Blood Prod.	0	0.0	3	0.3
	Pediatric Risk	1	0.2	11	1.1
	Other/Unk	297	44.6	440	42.3
	TOTAL	666	100.0	1,039	100.0

BOROUGH: MANHATTAN

Table 21A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	8,675	78.7	13,471	79.6	39,951	82.7
	Female	2,308	21.0	3,444	20.4	8,384	17.3
	Unk	33	0.3	0	0.0	0	0.0
	TOTAL	11,016	100.0	16,915	100.0	48,335	100.0
Age Group	12 & under	327	3.0	143	0.8	408	0.8
	13-19	185	1.7	94	0.6	132	0.3
	20-24	680	6.2	392	2.3	869	1.8
	25-29	1,320	12.0	1,502	8.9	4,198	8.7
	30-49	7,177	65.2	12,345	73.0	35,003	72.4
	50+	1,325	12.0	2,439	14.4	7,725	16.0
	Unk	2	0.0	0	0.0	0	0.0
	TOTAL	11,016	100.0	16,915	100.0	48,335	100.0
Race/Ethnicity	White	4,206	38.2	5,623	33.2	17,846	36.9
	Black	3,544	32.2	6,219	36.8	17,207	35.6
	Hispanic	2,709	24.6	4,723	27.9	12,663	26.2
	Asian/PI	174	1.6	216	1.3	449	0.9
	Native Am	14	0.1	11	0.1	23	0.0
	Multi Race	4	0.0	10	0.1	14	0.0
	Other/Unk	365	3.3	113	0.7	133	0.3
	TOTAL	11,016	100.0	16,915	100.0	48,335	100.0
Risk	MSM	5,193	47.1	7,111	42.0	22,255	46.0
	IDU	859	7.8	3,832	22.7	14,962	31.0
	MSM/IDU	163	1.5	418	2.5	1,559	3.2
	Heterosexual	1,076	9.8	1,686	10.0	3,252	6.7
	Blood Prod.	19	0.2	49	0.3	202	0.4
	Pediatric Risk	336	3.1	180	1.1	446	0.9
	Other/Unk	3,370	30.6	3,639	21.5	5,659	11.7
	TOTAL	11,016	100.0	16,915	100.0	48,335	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

BOROUGH: MANHATTAN**Table 21B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	584	79.9	812	75.1
	Female	147	20.1	269	24.9
	TOTAL	731	100.0	1,081	100.0
Age Group	12 & under	3	0.4	2	0.2
	13-19	20	2.7	7	0.6
	20-24	58	7.9	40	3.7
	25-29	118	16.1	73	6.8
	30-49	430	58.8	706	65.3
	50+	102	14.0	253	23.4
	TOTAL	731	100.0	1,081	100.0
Race/Ethnicity	White	226	30.9	311	28.8
	Black	301	41.2	448	41.4
	Hispanic	182	24.9	296	27.4
	Asian/PI	20	2.7	20	1.9
	Native Am	1	0.1	2	0.2
	Multi Race	0	0.0	1	0.1
	Other/Unk	1	0.1	3	0.3
	TOTAL	731	100.0	1,081	100.0
Risk	MSM	410	56.1	438	40.5
	IDU	44	6.0	149	13.8
	MSM/IDU	6	0.8	14	1.3
	Heterosexual	82	11.2	156	14.4
	Blood Prod.	0	0.0	1	0.1
	Pediatric Risk	3	0.4	8	0.7
	Other/Unk	186	25.4	315	29.1
	TOTAL	731	100.0	1,081	100.0

BOROUGH: QUEENS**Table 22A****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005**

		AIDS**					
		Living HIV*		Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	2,687	65.3	5,724	70.5	14,432	74.7
	Female	1,430	34.7	2,399	29.5	4,896	25.3
	Unk	1	0.0	0	0.0	0	0.0
	TOTAL	4,118	100.0	8,123	100.0	19,328	100.0
Age Group	12 & under	172	4.2	99	1.2	280	1.4
	13-19	100	2.4	77	0.9	104	0.5
	20-24	326	7.9	288	3.5	537	2.8
	25-29	548	13.3	867	10.7	1,895	9.8
	30-49	2,571	62.4	5,826	71.7	14,074	72.8
	50+	397	9.6	966	11.9	2,438	12.6
	Unk	4	0.1	0	0.0	0	0.0
	TOTAL	4,118	100.0	8,123	100.0	19,328	100.0
Race/Ethnicity	White	835	20.3	1,494	18.4	4,655	24.1
	Black	1,742	42.3	3,499	43.1	8,417	43.5
	Hispanic	1,331	32.3	2,849	35.1	5,807	30.0
	Asian/PI	123	3.0	223	2.7	374	1.9
	Native Am	6	0.1	11	0.1	16	0.1
	Multi Race	10	0.2	16	0.2	19	0.1
	Other/Unk	71	1.7	31	0.4	40	0.2
	TOTAL	4,118	100.0	8,123	100.0	19,328	100.0
Risk	MSM	1,319	32.0	2,190	27.0	5,378	27.8
	IDU	356	8.6	1,999	24.6	6,947	35.9
	MSM/IDU	40	1.0	147	1.8	486	2.5
	Heterosexual	856	20.8	1,434	17.7	2,396	12.4
	Blood Prod.	13	0.3	49	0.6	171	0.9
	Pediatric Risk	177	4.3	129	1.6	313	1.6
	Other/Unk	1,357	33.0	2,175	26.8	3,637	18.8
	TOTAL	4,118	100.0	8,123	100.0	19,328	100.0

All cases reported and confirmed from June 2000 - June 2006**All cases reported and confirmed from 1983 - June 2006*

BOROUGH: QUEENS**Table 22B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	273	73.4	359	70.3
	Female	99	26.6	152	29.7
	TOTAL	372	100.0	511	100.0
Age Group	12 & under	5	1.3	1	0.2
	13-19	12	3.2	8	1.6
	20-24	41	11.0	18	3.5
	25-29	57	15.3	45	8.8
	30-49	219	58.9	340	66.5
	50+	38	10.2	99	19.4
	TOTAL	372	100.0	511	100.0
Race/Ethnicity	White	50	13.4	70	13.7
	Black	151	40.6	236	46.2
	Hispanic	141	37.9	178	34.8
	Asian/PI	27	7.3	23	4.5
	Multi Race	2	0.5	1	0.2
	Other/Unk	1	0.3	3	0.6
	TOTAL	372	100.0	511	100.0
Risk	MSM	155	41.7	168	32.9
	IDU	18	4.8	78	15.3
	MSM/IDU	3	0.8	3	0.6
	Heterosexual	58	15.6	94	18.4
	Blood Prod.	0	0.0	2	0.4
	Pediatric Risk	4	1.1	2	0.4
	Other/Unk	134	36.0	164	32.1
	TOTAL	372	100.0	511	100.0

BOROUGH: STATEN ISLAND

Table 23A

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through June 2005**

		Living HIV*		AIDS**			
				Living		Cumulative	
		Number	Percent	Number	Percent	Number	Percent
Gender	Male	362	57.8	645	64.6	2,012	71.5
	Female	264	42.2	353	35.4	803	28.5
	TOTAL	626	100.0	998	100.0	2,815	100.0
Age Group	12 & under	31	5.0	13	1.3	42	1.5
	13-19	17	2.7	12	1.2	16	0.6
	20-24	43	6.9	29	2.9	68	2.4
	25-29	50	8.0	76	7.6	218	7.7
	30-49	419	66.9	755	75.7	2,131	75.7
	50+	66	10.5	113	11.3	340	12.1
	TOTAL	626	100.0	998	100.0	2,815	100.0
	Race/Ethnicity	White	203	32.4	367	36.8	1,267
Black		263	42.0	379	38.0	949	33.7
Hispanic		137	21.9	238	23.8	569	20.2
Asian/PI		9	1.4	2	0.2	11	0.4
Native Am		2	0.3	3	0.3	4	0.1
Multi Race		0	0.0	4	0.4	7	0.2
Other/Unk		12	1.9	5	0.5	8	0.3
TOTAL		626	100.0	998	100.0	2,815	100.0
Risk	MSM	119	19.0	146	14.6	523	18.6
	IDU	79	12.6	322	32.3	1,326	47.1
	MSM/IDU	5	0.8	20	2.0	67	2.4
	Heterosexual	98	15.7	186	18.6	346	12.3
	Blood Prod.	3	0.5	10	1.0	45	1.6
	Pediatric Risk	31	5.0	18	1.8	48	1.7
	Other/Unk	291	46.5	296	29.7	460	16.3
	TOTAL	626	100.0	998	100.0	2,815	100.0

**All cases reported and confirmed from June 2000 - June 2006*

***All cases reported and confirmed from 1983 - June 2006*

BOROUGH: STATEN ISLAND**Table 23B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed July 2004 - June 2005***

		Initial HIV		Initial AIDS	
		Number	Percent	Number	Percent
Gender	Male	36	75.0	40	65.6
	Female	12	25.0	21	34.4
	TOTAL	48	100.0	61	100.0
Age Group	12 & under	1	2.1	0	0.0
	13-19	3	6.3	3	4.9
	20-24	4	8.3	3	4.9
	25-29	4	8.3	3	4.9
	30-49	31	64.6	38	62.3
	50+	5	10.4	14	23.0
	TOTAL	48	100.0	61	100.0
	Race/Ethnicity	White	13	27.1	17
Black		26	54.2	27	44.3
Hispanic		9	18.8	15	24.6
Native Am		0	0.0	1	1.6
Multi Race		0	0.0	1	1.6
TOTAL		48	100.0	61	100.0
Risk	MSM	15	31.3	11	18.0
	IDU	5	10.4	10	16.4
	MSM/IDU	0	0.0	2	3.3
	Heterosexual	7	14.6	10	16.4
	Blood Prod.	0	0.0	1	1.6
	Pediatric Risk	1	2.1	1	1.6
	Other/Unk	20	41.7	26	42.6
	TOTAL	48	100.0	61	100.0