




Urinary Bladder Cancer

Age-Adjusted Incidence Rates among Males

New York State, by County, 2005-2009






—|— Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

Urinary Bladder Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases


Indicates 95% confidence interval

Brain and Nervous System Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009





* Rate is based on fewer than 20 cases

Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.


Brain and Nervous System Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
5.6 cases per 100,000 women




* Rate is based on fewer than 20 cases

Indicates 95% confidence interval


Breast Cancer

Age-Adjusted Incidence Rates among Females


New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.





New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



Indicates 95% confidence interval


Colorectal Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.


New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
54.6 cases per 100,000 men





Indicates 95% confidence interval

New York State Rate:
41.5 cases per 100,000 women



Indicates 95% confidence interval

Colorectal Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009





Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

Kidney and Renal Pelvis Cancer


Age-Adjusted Incidence Rates among Males

New York State, by County, 2005-2009





* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.


Kidney and Renal Pelvis Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
10.6 cases per 100,000 women





* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Leukemia

Age-Adjusted Incidence Rates among Males


New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
17.8 cases per 100,000 men





* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Leukemia


Age-Adjusted Incidence Rates among Females

New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.




New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



* Rate is based on fewer than 20 cases

Indicates 95% confidence interval

Liver and Intrahepatic Bile Duct Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases

Indicates 95% confidence interval


Liver and Intrahepatic Bile Duct Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population




New York State Rate:
3.9 cases per 100,000 women



* Rate is based on fewer than 20 cases



Indicates 95% confidence interval

Lung and Bronchus Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.


Lung and Bronchus Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.



New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
55.1 cases per 100,000 women




Indicates 95% confidence interval

Non-Hodgkin Lymphoma Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009





Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



Indicates 95% confidence interval


Non-Hodgkin Lymphoma Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population



New York State Rate:
17.8 cases per 100,000 women



* Rate is based on fewer than 20 cases


Indicates 95% confidence interval

Oral Cavity and Pharynx Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009





* Rate is based on fewer than 20 cases

Indicates 95% confidence interval




Numbers on map correspond to counties listed on the bar graph to the left.

Oral Cavity and Pharynx Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009






* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval



Numbers on map correspond to counties listed on the bar graph to the left.




Prostate Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

Indicates 95% confidence interval

Thyroid Cancer Age-Adjusted Incidence Rates among Males New York State, by County, 2005-2009





Numbers on map correspond to counties listed on the bar graph to the left.

* Rate is based on fewer than 20 cases

—|— Indicates 95% confidence interval


Thyroid Cancer Age-Adjusted Incidence Rates among Females New York State, by County, 2005-2009



Numbers on map correspond to counties listed on the bar graph to the left.

New York State Cancer Registry
Rates are age-adjusted to the 2000 US population

New York State Rate:
21.8 cases per 100,000 women



* Rate is based on fewer than 20 cases

Indicates 95% confidence interval