

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

New York State

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	52177.0	580.9	2.3	50826.8	438.4	1.7
Oral cavity and pharynx	1410.8	14.9	0.4	696.4	6.0	0.2
Esophagus	794.8	8.8	0.3	281.0	2.3	0.1
Stomach	1114.4	12.7	0.3	767.2	6.4	0.2
Colorectal	5002.2	56.7	0.7	5209.6	43.0	0.5
Colon excluding rectum	3494.0	40.1	0.6	3922.0	32.1	0.5
Rectum & rectosigmoid	1508.2	16.6	0.4	1287.6	10.9	0.3
Liver / intrahepatic bile duct	1155.4	12.2	0.3	444.2	3.8	0.2
Pancreas	1293.0	14.7	0.4	1423.0	11.6	0.3
Larynx	658.2	7.1	0.2	181.4	1.6	0.1
Lung and bronchus	6810.4	77.3	0.8	6478.4	54.8	0.6
Melanoma of the skin	1836.6	20.4	0.4	1419.2	12.8	0.3
Female breast				14154.0	124.3	0.9
Cervix uteri				908.6	8.5	0.2
Corpus uterus and NOS				3379.2	29.1	0.4
Ovary				1533.6	13.3	0.3
Prostate	15287.8	166.9	1.2			
Testis	527.2	5.6	0.2			
Urinary bladder (incl. in situ)	3652.2	42.5	0.6	1331.2	11.0	0.3
Kidney and renal pelvis	1991.8	21.7	0.4	1207.0	10.4	0.3
Brain and other nervous system	740.0	8.1	0.3	600.2	5.5	0.2
Thyroid	653.6	6.9	0.2	2078.6	19.8	0.4
Hodgkin lymphoma	351.4	3.7	0.2	299.6	2.9	0.2
Non-Hodgkin lymphomas	2300.8	25.5	0.5	2033.2	17.5	0.3
Multiple myeloma	718.0	8.1	0.3	663.6	5.5	0.2
Leukemias	1530.8	17.4	0.4	1202.2	10.4	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
New York City

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	18372.4	530.3	3.5	18712.8	394.6	2.5
Oral cavity and pharynx	522.0	14.3	0.6	272.8	5.7	0.3
Esophagus	239.6	6.9	0.4	115.2	2.4	0.2
Stomach	541.8	16.2	0.6	412.0	8.4	0.4
Colorectal	1897.2	56.2	1.1	2046.8	41.9	0.8
Colon excluding rectum	1330.4	40.0	1.0	1523.2	31.1	0.7
Rectum & rectosigmoid	566.8	16.3	0.6	523.6	10.9	0.4
Liver / intrahepatic bile duct	613.2	16.7	0.6	231.6	4.8	0.3
Pancreas	473.2	14.1	0.6	552.6	11.2	0.4
Larynx	249.8	7.0	0.4	67.4	1.4	0.2
Lung and bronchus	2209.2	65.8	1.2	1970.2	41.0	0.8
Melanoma of the skin	466.4	13.3	0.5	416.8	8.8	0.4
Female breast				5167.4	110.9	1.4
Cervix uteri				467.0	10.2	0.4
Corpus uterus and NOS				1321.6	27.7	0.7
Ovary				575.4	12.2	0.5
Prostate	5493.4	157.2	1.9			
Testis	182.2	4.3	0.3			
Urinary bladder (incl. in situ)	1028.8	31.7	0.9	405.4	8.2	0.4
Kidney and renal pelvis	684.4	19.4	0.7	419.2	8.9	0.4
Brain and other nervous system	260.6	7.1	0.4	226.6	5.0	0.3
Thyroid	242.4	6.3	0.4	839.0	18.4	0.6
Hodgkin lymphoma	141.6	3.6	0.3	121.6	2.7	0.2
Non-Hodgkin lymphomas	827.8	23.3	0.7	739.4	15.6	0.5
Multiple myeloma	279.4	8.2	0.4	292.0	6.0	0.3
Leukemias	486.4	14.2	0.6	408.4	8.7	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Bronx

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2778.2	569.1	9.7	2799.4	386.2	6.4
Oral cavity and pharynx	89.2	17.4	1.7	46.2	6.3	0.8
Esophagus	42.8	8.9	1.2	17.4	2.4	0.5
Stomach	72.0	15.6	1.7	64.0	8.7	1.0
Colorectal	286.2	60.8	3.2	320.8	43.6	2.2
Colon excluding rectum	205.4	44.4	2.8	241.4	32.9	1.9
Rectum & rectosigmoid	80.8	16.4	1.6	79.4	10.8	1.1
Liver / intrahepatic bile duct	129.0	24.5	1.9	44.4	6.2	0.8
Pancreas	66.2	13.9	1.5	87.6	12.0	1.1
Larynx	44.2	8.7	1.2	13.2	1.8	0.4
Lung and bronchus	338.6	72.5	3.5	296.0	41.2	2.1
Melanoma of the skin	30.2	6.5	1.1	27.8	3.8	0.6
Female breast				752.8	104.6	3.4
Cervix uteri				89.2	12.5	1.2
Corpus uterus and NOS				194.8	27.0	1.7
Ovary				81.8	11.2	1.1
Prostate	900.0	184.6	5.5			
Testis	21.6	3.4	0.7			
Urinary bladder (incl. in situ)	113.6	26.0	2.2	46.4	6.2	0.8
Kidney and renal pelvis	90.2	17.9	1.7	69.8	9.7	1.0
Brain and other nervous system	35.6	6.4	1.0	30.8	4.2	0.7
Thyroid	22.8	4.2	0.8	90.2	12.6	1.2
Hodgkin lymphoma	18.6	3.0	0.6	22.6	3.1	0.6
Non-Hodgkin lymphomas	127.0	24.0	1.9	117.2	16.2	1.3
Multiple myeloma	50.8	10.6	1.3	61.6	8.5	1.0
Leukemias	71.0	14.1	1.5	67.8	9.3	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Crotona - Tremont

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	336.8	624.2	33.0	320.6	387.1	19.5
Oral cavity and pharynx	10.8	18.1	5.3	7.0	8.2	2.8
Esophagus	5.2	10.6	4.6	2.0	2.4	1.5
Stomach	7.6	16.7	5.9	8.8	12.5	3.8
Colorectal	31.8	59.6	10.2	32.2	42.4	6.7
Colon excluding rectum	24.0	46.1	9.1	25.4	33.8	6.0
Rectum & rectosigmoid	7.8	13.6	4.7	6.8	8.5	3.0
Liver / intrahepatic bile duct	18.4	29.2	6.4	6.4	8.4	3.0
Pancreas	7.4	14.1	5.0	8.8	11.6	3.5
Larynx	7.6	13.3	4.5	1.4	1.7	1.3
Lung and bronchus	37.2	74.2	11.7	31.6	40.7	6.5
Melanoma of the skin	0.4	0.9	1.3	0.6	0.8	0.9
Female breast				82.8	96.3	9.5
Cervix uteri				15.8	17.2	3.9
Corpus uterus and NOS				21.2	25.9	5.0
Ovary				8.6	9.5	2.9
Prostate	120.4	235.5	20.5			
Testis	2.2	2.2	1.3			
Urinary bladder (incl. in situ)	8.4	19.6	6.4	5.2	7.5	3.0
Kidney and renal pelvis	10.6	18.8	5.7	9.4	12.0	3.5
Brain and other nervous system	3.6	5.2	2.7	5.0	5.5	2.2
Thyroid	2.2	3.0	1.9	11.4	11.9	3.2
Hodgkin lymphoma	3.6	3.7	1.8	4.0	3.7	1.6
Non-Hodgkin lymphomas	16.8	24.7	5.7	17.0	19.8	4.3
Multiple myeloma	6.6	12.9	4.9	6.8	8.2	2.8
Leukemias	9.6	15.8	5.2	6.4	7.5	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Fordham - Bronx Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	447.6	576.1	24.7	432.4	379.4	16.2
Oral cavity and pharynx	16.2	20.7	4.7	6.4	5.4	1.9
Esophagus	7.2	9.7	3.3	3.0	2.7	1.4
Stomach	13.6	18.2	4.5	9.6	7.9	2.3
Colorectal	45.8	60.3	8.1	45.2	39.4	5.2
Colon excluding rectum	31.0	41.4	6.7	33.4	29.2	4.5
Rectum & rectosigmoid	14.8	18.9	4.4	11.8	10.2	2.6
Liver / intrahepatic bile duct	21.6	25.3	4.9	8.4	7.5	2.3
Pancreas	9.4	12.4	3.7	14.2	12.4	2.9
Larynx	7.4	9.5	3.1	1.6	1.5	1.0
Lung and bronchus	49.4	68.5	8.8	48.0	44.2	5.7
Melanoma of the skin	4.2	6.2	2.7	4.0	3.5	1.5
Female breast				115.0	101.6	8.4
Cervix uteri				14.4	11.9	2.8
Corpus uterus and NOS				31.2	27.9	4.4
Ovary				9.0	8.0	2.4
Prostate	139.0	185.4	14.2			
Testis	5.6	4.4	1.6			
Urinary bladder (incl. in situ)	16.4	23.9	5.3	5.8	5.3	2.0
Kidney and renal pelvis	15.2	19.6	4.6	9.2	7.9	2.3
Brain and other nervous system	7.8	8.6	2.9	4.4	3.6	1.5
Thyroid	4.2	4.8	2.1	16.6	13.8	3.0
Hodgkin lymphoma	2.2	2.1	1.2	3.0	2.2	1.1
Non-Hodgkin lymphomas	21.8	24.1	4.7	20.8	18.3	3.6
Multiple myeloma	8.2	11.6	3.7	10.6	9.4	2.6
Leukemias	9.4	9.9	3.0	9.8	8.2	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
High Bridge - Morrisania**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	374.8	671.0	32.6	369.2	418.3	19.4
Oral cavity and pharynx	16.2	26.7	6.1	6.8	7.5	2.6
Esophagus	7.4	12.9	4.3	2.6	3.3	1.8
Stomach	9.6	20.6	6.3	7.8	9.5	3.0
Colorectal	33.4	63.4	10.4	38.8	45.5	6.5
Colon excluding rectum	24.0	47.6	9.2	28.0	33.1	5.6
Rectum & rectosigmoid	9.4	15.8	4.9	10.8	12.4	3.3
Liver / intrahepatic bile duct	22.0	35.9	7.2	10.4	12.7	3.5
Pancreas	6.8	11.6	4.1	11.0	13.7	3.7
Larynx	5.6	8.8	3.4	4.2	4.4	1.9
Lung and bronchus	44.0	82.1	11.6	36.0	41.8	6.2
Melanoma of the skin	1.8	3.0	2.2	1.0	1.1	1.0
Female breast				99.6	110.4	9.8
Cervix uteri				14.0	15.1	3.6
Corpus uterus and NOS				26.0	28.8	5.0
Ovary				9.6	11.0	3.2
Prostate	129.0	242.1	19.9			
Testis	2.2	2.7	1.6			
Urinary bladder (incl. in situ)	9.2	18.4	5.7	7.2	8.7	2.9
Kidney and renal pelvis	10.4	16.6	4.8	9.8	11.1	3.2
Brain and other nervous system	6.2	8.6	3.3	4.2	4.2	1.8
Thyroid	1.6	2.7	2.0	9.2	9.5	2.8
Hodgkin lymphoma	2.2	2.7	1.6	2.8	2.8	1.5
Non-Hodgkin lymphomas	17.2	26.5	6.1	14.0	15.2	3.6
Multiple myeloma	7.0	13.3	4.7	9.6	11.5	3.3
Leukemias	8.4	14.7	4.9	10.0	11.0	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Hunts Point - Mott Haven

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	226.0	566.6	35.8	213.4	377.6	23.0
Oral cavity and pharynx	10.0	21.5	6.4	4.4	8.1	3.4
Esophagus	4.2	10.9	5.0	0.8	1.5	1.5
Stomach	5.2	14.2	6.0	5.2	9.5	3.7
Colorectal	23.8	62.9	12.1	24.2	43.6	7.9
Colon excluding rectum	17.2	45.7	10.4	17.8	32.4	6.8
Rectum & rectosigmoid	6.6	17.2	6.1	6.4	11.3	3.9
Liver / intrahepatic bile duct	14.6	32.7	8.0	4.2	7.5	3.2
Pancreas	4.0	10.4	5.1	5.4	10.0	3.8
Larynx	3.8	8.0	3.8	0.4	0.8	1.1
Lung and bronchus	21.6	59.1	12.0	20.8	37.9	7.4
Melanoma of the skin	1.0	2.3	2.1	1.0	1.8	1.6
Female breast				57.2	100.0	11.7
Cervix uteri				8.2	13.6	4.2
Corpus uterus and NOS				15.4	27.0	6.1
Ovary				5.6	9.2	3.4
Prostate	71.2	191.4	21.2			
Testis	1.4	1.7	1.3			
Urinary bladder (incl. in situ)	8.2	24.4	8.0	3.0	6.1	3.1
Kidney and renal pelvis	6.6	15.9	5.9	7.0	12.4	4.2
Brain and other nervous system	2.6	4.5	2.7	1.0	1.5	1.3
Thyroid	2.0	4.3	2.9	7.8	12.6	4.0
Hodgkin lymphoma	2.4	4.0	2.5	2.2	3.6	2.2
Non-Hodgkin lymphomas	12.0	25.9	7.2	6.6	11.5	4.0
Multiple myeloma	4.4	12.2	5.6	5.2	9.2	3.6
Leukemias	8.4	20.0	6.8	6.2	11.0	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Kingsbridge - Riverdale

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	254.4	523.7	29.1	299.0	397.6	21.7
Oral cavity and pharynx	8.0	16.9	5.3	6.4	8.5	3.2
Esophagus	2.8	5.7	3.0	2.8	2.8	1.6
Stomach	4.8	10.2	4.1	5.0	6.3	2.7
Colorectal	29.0	58.7	9.7	34.8	39.1	6.3
Colon excluding rectum	20.4	40.0	7.9	26.8	29.2	5.4
Rectum & rectosigmoid	8.6	18.6	5.6	8.0	9.9	3.3
Liver / intrahepatic bile duct	10.2	21.5	5.9	3.4	4.1	2.0
Pancreas	6.6	13.0	4.5	11.8	14.1	3.9
Larynx	3.6	7.6	3.5	0.2	0.2	0.4
Lung and bronchus	34.8	70.7	10.6	36.6	46.4	7.2
Melanoma of the skin	9.6	20.2	5.8	7.8	11.6	4.0
Female breast				79.2	114.9	12.0
Cervix uteri				4.0	7.7	3.4
Corpus uterus and NOS				17.0	24.2	5.3
Ovary				10.2	14.1	4.1
Prostate	69.8	144.5	15.3			
Testis	2.2	5.0	3.0			
Urinary bladder (incl. in situ)	18.0	35.5	7.4	7.8	8.3	2.8
Kidney and renal pelvis	7.4	15.5	5.0	7.0	9.7	3.4
Brain and other nervous system	2.8	5.7	3.0	2.8	4.5	2.5
Thyroid	2.8	6.5	3.4	9.0	16.4	4.9
Hodgkin lymphoma	1.2	2.7	2.2	1.6	2.9	2.1
Non-Hodgkin lymphomas	11.0	23.0	6.1	10.4	13.1	3.8
Multiple myeloma	4.0	7.9	3.5	3.2	3.2	1.7
Leukemias	5.6	12.0	4.5	10.8	14.1	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Northeast Bronx

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	476.6	569.5	23.0	509.4	403.5	15.9
Oral cavity and pharynx	9.6	11.1	3.2	5.4	4.3	1.7
Esophagus	7.0	8.2	2.7	2.2	1.6	0.9
Stomach	14.2	17.4	4.1	14.0	9.9	2.4
Colorectal	46.6	57.2	7.4	63.8	48.2	5.4
Colon excluding rectum	35.8	44.0	6.5	49.6	37.4	4.7
Rectum & rectosigmoid	10.8	13.1	3.5	14.2	10.7	2.6
Liver / intrahepatic bile duct	17.6	20.9	4.4	6.0	4.7	1.7
Pancreas	12.2	14.8	3.7	17.2	12.7	2.7
Larynx	5.8	6.8	2.5	1.0	0.7	0.6
Lung and bronchus	55.4	67.0	7.9	46.4	35.2	4.6
Melanoma of the skin	4.2	5.3	2.3	5.2	4.0	1.6
Female breast				142.4	115.5	8.6
Cervix uteri				16.8	14.7	3.2
Corpus uterus and NOS				38.6	31.1	4.4
Ovary				17.4	14.2	3.0
Prostate	184.2	215.8	14.0			
Testis	2.4	2.9	1.7			
Urinary bladder (incl. in situ)	17.2	21.4	4.5	7.6	5.4	1.8
Kidney and renal pelvis	16.4	19.6	4.3	11.4	9.1	2.4
Brain and other nervous system	4.8	5.8	2.3	6.4	5.4	1.9
Thyroid	3.8	4.5	2.1	15.4	13.5	3.0
Hodgkin lymphoma	2.0	2.3	1.4	3.0	2.6	1.3
Non-Hodgkin lymphomas	17.6	21.2	4.4	22.0	18.1	3.5
Multiple myeloma	8.8	10.4	3.1	13.6	10.2	2.5
Leukemias	11.4	13.9	3.6	10.4	8.2	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Pelham - Throgs Neck

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	677.2	562.3	19.2	666.6	380.8	13.0
Oral cavity and pharynx	18.8	15.3	3.1	10.0	5.6	1.6
Esophagus	9.2	7.5	2.2	4.0	2.1	0.9
Stomach	17.4	15.2	3.2	13.8	7.7	1.8
Colorectal	77.4	65.7	6.6	82.2	45.4	4.4
Colon excluding rectum	54.6	46.8	5.6	60.8	33.5	3.8
Rectum & rectosigmoid	22.8	18.8	3.5	21.4	11.9	2.3
Liver / intrahepatic bile duct	26.0	20.2	3.5	6.4	3.6	1.3
Pancreas	20.2	16.7	3.3	19.6	10.8	2.2
Larynx	10.4	8.6	2.4	4.4	2.6	1.1
Lung and bronchus	97.0	82.9	7.5	78.6	44.0	4.4
Melanoma of the skin	9.6	8.3	2.4	8.2	4.8	1.5
Female breast				179.8	105.3	6.9
Cervix uteri				16.0	9.7	2.1
Corpus uterus and NOS				46.4	26.7	3.4
Ovary				21.6	12.3	2.3
Prostate	191.4	156.3	10.0			
Testis	5.6	4.0	1.5			
Urinary bladder (incl. in situ)	37.4	33.1	4.8	9.8	5.3	1.5
Kidney and renal pelvis	23.8	19.3	3.5	16.2	9.3	2.0
Brain and other nervous system	7.8	6.0	1.9	7.0	4.1	1.4
Thyroid	6.4	5.0	1.7	21.0	12.8	2.5
Hodgkin lymphoma	4.8	3.6	1.5	6.0	3.7	1.3
Non-Hodgkin lymphomas	31.4	25.2	4.0	26.6	15.2	2.6
Multiple myeloma	12.2	10.2	2.6	13.2	7.5	1.8
Leukemias	18.6	15.6	3.2	14.6	8.3	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Kings (Brooklyn)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5304.8	519.4	6.3	5485.8	383.9	4.6
Oral cavity and pharynx	144.6	13.4	1.0	80.4	5.6	0.6
Esophagus	65.8	6.4	0.7	31.2	2.1	0.3
Stomach	175.2	17.9	1.2	137.6	9.4	0.7
Colorectal	601.0	60.3	2.2	653.0	44.7	1.5
Colon excluding rectum	421.4	42.9	1.9	487.4	33.2	1.3
Rectum & rectosigmoid	179.6	17.4	1.2	165.6	11.5	0.8
Liver / intrahepatic bile duct	151.2	14.1	1.0	65.6	4.5	0.5
Pancreas	139.0	14.2	1.1	162.4	10.9	0.8
Larynx	73.2	7.0	0.7	19.4	1.3	0.3
Lung and bronchus	631.4	63.4	2.2	536.4	36.9	1.4
Melanoma of the skin	108.0	10.5	0.9	95.4	6.7	0.6
Female breast				1443.2	103.0	2.4
Cervix uteri				150.0	10.9	0.8
Corpus uterus and NOS				405.0	28.2	1.2
Ovary				168.2	11.9	0.8
Prostate	1611.8	156.6	3.5			
Testis	50.4	4.1	0.5			
Urinary bladder (incl. in situ)	291.4	30.1	1.6	125.0	8.4	0.7
Kidney and renal pelvis	198.8	19.2	1.2	121.8	8.5	0.7
Brain and other nervous system	70.2	6.3	0.7	67.0	4.9	0.5
Thyroid	68.8	6.2	0.7	262.0	19.1	1.0
Hodgkin lymphoma	44.2	3.8	0.5	38.8	2.8	0.4
Non-Hodgkin lymphomas	228.8	22.1	1.3	213.2	14.9	0.9
Multiple myeloma	81.4	8.0	0.8	87.6	6.1	0.6
Leukemias	133.6	13.1	1.0	119.8	8.4	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Bedford Stuyvesant - Crown Heights

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	647.8	621.8	22.2	645.4	383.7	13.3
Oral cavity and pharynx	21.4	18.6	3.6	13.2	7.7	1.9
Esophagus	10.4	10.7	3.0	6.4	3.8	1.3
Stomach	17.4	18.8	4.1	16.0	9.7	2.1
Colorectal	60.6	60.6	7.1	82.8	49.9	4.8
Colon excluding rectum	43.8	44.5	6.1	62.8	38.0	4.2
Rectum & rectosigmoid	16.8	16.0	3.6	20.0	11.9	2.4
Liver / intrahepatic bile duct	16.8	14.9	3.3	7.8	4.6	1.5
Pancreas	13.4	13.5	3.4	16.8	10.0	2.2
Larynx	10.2	9.4	2.7	2.2	1.3	0.8
Lung and bronchus	75.6	74.3	7.8	61.2	36.9	4.2
Melanoma of the skin	2.6	2.4	1.4	2.0	1.1	0.7
Female breast				172.6	102.0	6.8
Cervix uteri				26.0	15.0	2.6
Corpus uterus and NOS				57.4	34.1	4.0
Ovary				18.2	10.6	2.2
Prostate	271.0	263.7	14.5			
Testis	3.4	2.5	1.2			
Urinary bladder (incl. in situ)	14.2	15.2	3.7	9.0	5.5	1.6
Kidney and renal pelvis	17.4	15.2	3.3	12.6	7.5	1.9
Brain and other nervous system	6.4	4.6	1.7	6.8	4.0	1.4
Thyroid	4.6	3.8	1.6	19.8	11.4	2.3
Hodgkin lymphoma	6.8	5.0	1.7	5.8	3.3	1.2
Non-Hodgkin lymphomas	21.8	18.9	3.7	20.6	12.1	2.4
Multiple myeloma	12.0	12.4	3.3	17.4	10.7	2.3
Leukemias	10.2	9.3	2.7	10.8	6.3	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Bensonhurst - Bay Ridge**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	508.8	474.4	18.5	565.2	399.5	15.3
Oral cavity and pharynx	15.8	14.7	3.3	9.8	6.6	1.9
Esophagus	5.0	4.6	1.8	2.0	1.3	0.8
Stomach	14.0	13.1	3.1	13.8	9.1	2.3
Colorectal	60.6	56.2	6.3	69.4	43.3	4.8
Colon excluding rectum	39.4	36.5	5.1	53.8	33.0	4.1
Rectum & rectosigmoid	21.2	19.7	3.8	15.6	10.4	2.4
Liver / intrahepatic bile duct	17.4	16.0	3.4	6.8	4.6	1.6
Pancreas	10.4	9.7	2.6	16.2	10.2	2.3
Larynx	9.0	8.4	2.4	2.4	1.8	1.0
Lung and bronchus	80.8	74.7	7.3	65.0	42.8	4.8
Melanoma of the skin	16.6	15.9	3.4	16.0	12.7	2.9
Female breast				140.8	106.7	8.1
Cervix uteri				9.4	7.2	2.1
Corpus uterus and NOS				39.8	29.5	4.2
Ovary				14.8	11.2	2.6
Prostate	101.6	93.3	8.1			
Testis	4.8	4.8	1.9			
Urinary bladder (incl. in situ)	41.0	37.9	5.2	17.2	10.3	2.3
Kidney and renal pelvis	21.2	19.9	3.8	13.0	8.9	2.2
Brain and other nervous system	8.2	7.9	2.4	8.0	6.3	2.0
Thyroid	9.2	8.9	2.6	27.8	24.7	4.2
Hodgkin lymphoma	3.6	3.4	1.6	2.6	2.4	1.4
Non-Hodgkin lymphomas	22.6	21.1	3.9	20.8	13.8	2.8
Multiple myeloma	8.4	7.9	2.4	6.4	4.0	1.4
Leukemias	16.6	16.5	3.6	15.0	10.5	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Borough Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	695.4	493.2	16.5	755.2	414.9	13.6
Oral cavity and pharynx	15.0	10.7	2.4	8.8	4.9	1.5
Esophagus	7.0	5.1	1.7	4.8	2.5	1.0
Stomach	28.8	20.5	3.4	20.0	9.9	2.0
Colorectal	86.2	61.2	5.8	98.0	50.1	4.6
Colon excluding rectum	57.8	40.9	4.7	71.8	36.1	3.9
Rectum & rectosigmoid	28.4	20.2	3.3	26.2	14.0	2.5
Liver / intrahepatic bile duct	21.2	14.8	2.8	9.4	4.9	1.4
Pancreas	23.4	16.3	3.0	26.2	12.1	2.1
Larynx	9.2	6.5	1.9	2.2	1.2	0.7
Lung and bronchus	83.2	59.7	5.8	70.6	36.9	4.0
Melanoma of the skin	19.2	13.4	2.7	13.0	7.4	1.8
Female breast				180.8	106.4	7.1
Cervix uteri				13.6	8.8	2.1
Corpus uterus and NOS				48.6	27.7	3.6
Ovary				26.8	15.5	2.7
Prostate	148.0	107.5	7.8			
Testis	8.8	5.9	1.7			
Urinary bladder (incl. in situ)	51.4	36.8	4.5	19.8	9.9	2.0
Kidney and renal pelvis	32.8	23.1	3.6	15.2	8.5	1.9
Brain and other nervous system	12.0	7.9	2.0	10.8	6.4	1.7
Thyroid	12.6	8.6	2.1	45.6	29.5	3.9
Hodgkin lymphoma	7.4	4.9	1.6	5.0	3.0	1.2
Non-Hodgkin lymphomas	31.6	22.3	3.5	32.8	17.1	2.7
Multiple myeloma	9.2	6.7	1.9	8.0	3.8	1.2
Leukemias	22.6	15.7	2.9	22.2	11.6	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Canarsie - Flatlands

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	466.8	545.3	22.4	486.2	395.4	15.9
Oral cavity and pharynx	10.8	12.4	3.4	5.6	4.4	1.6
Esophagus	3.4	4.0	1.9	2.2	1.8	1.1
Stomach	12.4	15.5	3.9	10.6	8.7	2.4
Colorectal	52.2	61.9	7.6	54.2	43.4	5.2
Colon excluding rectum	38.8	45.9	6.5	41.0	32.6	4.5
Rectum & rectosigmoid	13.4	16.0	3.9	13.2	10.7	2.6
Liver / intrahepatic bile duct	8.6	9.7	2.9	4.8	3.8	1.5
Pancreas	11.4	14.1	3.7	16.8	13.5	2.9
Larynx	3.4	3.9	1.9	1.2	0.9	0.7
Lung and bronchus	51.2	60.1	7.5	50.4	39.9	5.0
Melanoma of the skin	8.6	10.1	3.1	6.8	5.5	1.9
Female breast				133.6	109.1	8.3
Cervix uteri				13.4	11.3	2.7
Corpus uterus and NOS				39.0	31.2	4.4
Ovary				14.6	12.0	2.8
Prostate	173.6	198.1	13.4			
Testis	2.6	3.0	1.7			
Urinary bladder (incl. in situ)	26.0	31.8	5.5	9.4	7.7	2.2
Kidney and renal pelvis	19.0	22.5	4.6	13.2	10.6	2.6
Brain and other nervous system	6.6	7.4	2.6	4.4	3.8	1.6
Thyroid	5.4	5.8	2.2	20.0	16.9	3.3
Hodgkin lymphoma	3.6	4.0	1.9	3.0	2.9	1.5
Non-Hodgkin lymphomas	18.8	22.6	4.6	17.6	14.7	3.1
Multiple myeloma	6.4	7.2	2.5	8.4	6.8	2.1
Leukemias	10.2	12.4	3.5	10.2	8.4	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Coney Island - Sheepshead Bay**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	861.2	517.3	15.6	938.2	430.8	13.0
Oral cavity and pharynx	17.2	10.9	2.3	11.2	5.2	1.4
Esophagus	9.4	5.5	1.6	3.8	1.3	0.6
Stomach	34.0	20.1	3.0	24.2	10.2	1.9
Colorectal	108.2	63.7	5.4	115.2	46.5	4.0
Colon excluding rectum	75.4	44.0	4.5	86.6	34.3	3.4
Rectum & rectosigmoid	32.8	19.7	3.0	28.6	12.2	2.1
Liver / intrahepatic bile duct	19.8	11.8	2.3	10.6	5.0	1.4
Pancreas	29.4	17.0	2.8	30.2	11.6	1.9
Larynx	11.8	7.0	1.8	2.8	1.2	0.6
Lung and bronchus	115.6	68.2	5.6	95.4	40.3	3.7
Melanoma of the skin	34.2	21.0	3.2	25.6	12.2	2.3
Female breast				234.2	116.2	7.0
Cervix uteri				13.4	7.9	2.0
Corpus uterus and NOS				63.0	29.4	3.3
Ovary				28.6	13.4	2.3
Prostate	178.0	105.3	6.9			
Testis	6.8	5.1	1.7			
Urinary bladder (incl. in situ)	71.4	41.9	4.4	28.2	11.1	1.9
Kidney and renal pelvis	44.0	27.0	3.6	26.4	11.9	2.1
Brain and other nervous system	10.6	7.0	1.9	12.0	6.3	1.7
Thyroid	12.8	8.4	2.1	50.4	29.7	3.8
Hodgkin lymphoma	5.0	3.6	1.4	5.2	3.7	1.4
Non-Hodgkin lymphomas	42.2	26.4	3.6	41.4	18.4	2.7
Multiple myeloma	10.2	6.0	1.7	8.0	3.4	1.1
Leukemias	28.6	17.5	2.9	22.2	9.9	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Downtown - Heights - Slope

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	430.8	504.3	22.1	433.6	366.6	15.7
Oral cavity and pharynx	13.4	14.3	3.5	5.4	4.5	1.7
Esophagus	7.4	8.3	2.8	2.0	1.7	1.1
Stomach	12.2	16.1	4.1	7.0	6.0	2.0
Colorectal	46.8	58.7	7.8	48.8	42.4	5.4
Colon excluding rectum	33.0	42.7	6.7	35.0	30.7	4.6
Rectum & rectosigmoid	13.8	16.0	3.9	13.8	11.7	2.8
Liver / intrahepatic bile duct	14.2	15.3	3.7	4.4	3.8	1.6
Pancreas	11.2	14.0	3.8	11.4	9.7	2.6
Larynx	5.8	6.5	2.4	2.0	1.8	1.1
Lung and bronchus	52.8	65.5	8.1	44.2	38.9	5.2
Melanoma of the skin	14.6	14.0	3.3	15.2	12.1	2.8
Female breast				125.0	104.5	8.3
Cervix uteri				9.4	7.7	2.2
Corpus uterus and NOS				29.4	24.8	4.1
Ovary				15.0	13.1	3.0
Prostate	118.8	142.4	11.8			
Testis	10.4	8.2	2.3			
Urinary bladder (incl. in situ)	24.2	31.5	5.8	10.4	8.7	2.4
Kidney and renal pelvis	13.0	14.4	3.6	8.8	7.3	2.2
Brain and other nervous system	6.0	6.0	2.2	4.6	3.6	1.5
Thyroid	7.4	6.4	2.1	21.0	16.7	3.3
Hodgkin lymphoma	5.0	4.2	1.7	3.6	2.6	1.2
Non-Hodgkin lymphomas	18.4	20.8	4.4	15.4	13.0	3.0
Multiple myeloma	7.6	9.9	3.2	5.0	4.6	1.8
Leukemias	7.6	9.5	3.1	8.4	7.4	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
East Flatbush - Flatbush

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	627.6	534.6	19.7	621.0	341.8	12.2
Oral cavity and pharynx	12.6	9.7	2.5	9.0	4.8	1.4
Esophagus	7.8	6.1	2.0	4.2	2.5	1.1
Stomach	17.0	16.2	3.6	16.4	9.5	2.1
Colorectal	63.4	55.3	6.4	65.2	36.5	4.0
Colon excluding rectum	49.6	44.3	5.8	46.0	25.9	3.4
Rectum & rectosigmoid	13.8	11.0	2.7	19.2	10.6	2.2
Liver / intrahepatic bile duct	12.0	9.9	2.6	7.0	3.8	1.3
Pancreas	11.8	11.4	3.1	17.0	9.9	2.1
Larynx	7.0	5.6	1.9	1.4	0.7	0.5
Lung and bronchus	48.8	43.2	5.7	46.6	26.4	3.4
Melanoma of the skin	4.0	3.7	1.7	4.4	2.4	1.0
Female breast				188.0	101.2	6.5
Cervix uteri				26.8	14.3	2.4
Corpus uterus and NOS				54.0	28.4	3.4
Ovary				16.2	8.7	1.9
Prostate	301.8	250.2	13.2			
Testis	3.2	2.1	1.0			
Urinary bladder (incl. in situ)	16.4	16.8	3.8	10.0	6.1	1.7
Kidney and renal pelvis	14.0	11.8	2.9	11.4	6.2	1.6
Brain and other nervous system	4.2	3.1	1.4	9.2	5.1	1.5
Thyroid	4.6	3.4	1.4	21.8	11.8	2.2
Hodgkin lymphoma	3.2	2.3	1.1	3.6	2.0	0.9
Non-Hodgkin lymphomas	25.4	21.4	3.9	23.2	12.8	2.4
Multiple myeloma	12.2	10.3	2.7	19.0	10.7	2.2
Leukemias	13.4	11.4	2.9	10.6	5.9	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

East New York

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	321.2	573.2	29.8	290.8	349.4	18.3
Oral cavity and pharynx	11.0	17.5	4.8	5.0	5.7	2.3
Esophagus	3.4	5.3	2.6	2.4	3.0	1.7
Stomach	10.2	18.1	5.3	6.4	8.2	2.9
Colorectal	33.4	62.2	10.1	30.4	38.2	6.2
Colon excluding rectum	22.2	44.3	8.9	24.2	30.6	5.6
Rectum & rectosigmoid	11.2	17.9	4.9	6.2	7.6	2.7
Liver / intrahepatic bile duct	9.2	14.5	4.4	4.8	5.8	2.4
Pancreas	9.0	17.6	5.6	11.2	14.8	4.0
Larynx	5.0	8.2	3.3	2.0	2.3	1.5
Lung and bronchus	31.0	58.2	9.7	29.0	35.9	6.0
Melanoma of the skin	0.6	0.9	1.0	1.8	2.3	1.6
Female breast				80.0	94.9	9.5
Cervix uteri				14.6	17.3	4.0
Corpus uterus and NOS				20.8	24.2	4.7
Ovary				8.6	9.9	3.0
Prostate	122.6	225.7	18.8			
Testis	1.4	1.7	1.3			
Urinary bladder (incl. in situ)	12.0	25.9	7.0	5.6	7.7	2.9
Kidney and renal pelvis	8.8	14.6	4.6	5.4	6.3	2.4
Brain and other nervous system	4.2	6.2	2.8	2.4	2.6	1.5
Thyroid	1.8	2.8	1.9	11.4	12.6	3.3
Hodgkin lymphoma	2.8	3.5	1.9	2.0	2.0	1.3
Non-Hodgkin lymphomas	13.2	22.3	5.7	12.4	14.9	3.8
Multiple myeloma	7.6	13.0	4.4	4.4	5.4	2.3
Leukemias	6.4	10.2	3.9	4.8	5.7	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Greenpoint

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	191.8	403.4	26.4	196.6	313.4	19.7
Oral cavity and pharynx	4.8	9.7	3.9	3.6	6.0	2.8
Esophagus	3.0	6.1	3.2	0.4	0.6	0.8
Stomach	6.8	15.4	5.3	5.8	9.0	3.3
Colorectal	25.8	55.9	9.9	20.6	32.6	6.3
Colon excluding rectum	17.8	40.0	8.5	14.2	22.3	5.2
Rectum & rectosigmoid	8.0	15.9	5.1	6.4	10.3	3.6
Liver / intrahepatic bile duct	9.0	17.9	5.4	2.8	4.4	2.3
Pancreas	7.4	16.0	5.3	6.0	9.5	3.4
Larynx	2.8	5.5	2.9	1.6	2.6	1.8
Lung and bronchus	23.2	52.2	9.8	22.8	36.4	6.7
Melanoma of the skin	3.8	6.4	3.0	5.0	8.0	3.2
Female breast				47.4	77.4	9.9
Cervix uteri				5.2	8.2	3.2
Corpus uterus and NOS				11.6	18.9	4.9
Ovary				5.4	8.6	3.3
Prostate	40.0	87.9	12.5			
Testis	3.8	4.8	2.2			
Urinary bladder (incl. in situ)	11.8	28.3	7.4	5.8	9.5	3.5
Kidney and renal pelvis	9.0	17.7	5.3	3.6	5.8	2.7
Brain and other nervous system	5.4	9.8	3.9	2.6	4.0	2.2
Thyroid	1.8	3.0	2.0	11.6	17.8	4.6
Hodgkin lymphoma	1.8	2.4	1.6	2.4	3.4	2.0
Non-Hodgkin lymphomas	8.2	15.6	4.9	9.2	14.5	4.2
Multiple myeloma	1.0	2.3	2.1	2.2	3.7	2.2
Leukemias	5.8	12.4	4.7	2.4	3.7	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Sunset Park

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	218.8	498.3	30.9	221.4	397.9	23.6
Oral cavity and pharynx	9.6	19.8	5.9	4.2	7.5	3.2
Esophagus	2.4	5.9	3.4	1.0	1.8	1.6
Stomach	10.8	23.0	6.3	5.2	9.5	3.7
Colorectal	24.4	58.6	10.9	26.6	49.5	8.5
Colon excluding rectum	16.4	40.9	9.3	20.4	38.1	7.4
Rectum & rectosigmoid	8.0	17.6	5.7	6.2	11.3	4.0
Liver / intrahepatic bile duct	11.0	23.2	6.4	3.2	5.6	2.8
Pancreas	4.2	9.2	4.1	4.0	7.5	3.3
Larynx	2.6	5.6	3.1	0.4	0.8	1.1
Lung and bronchus	29.4	71.5	12.0	19.2	36.0	7.2
Melanoma of the skin	2.0	4.8	3.1	3.4	5.9	2.8
Female breast				55.4	99.2	11.7
Cervix uteri				5.2	9.0	3.5
Corpus uterus and NOS				15.0	26.7	6.1
Ovary				8.6	15.2	4.6
Prostate	46.8	112.1	14.8			
Testis	2.0	2.9	1.8			
Urinary bladder (incl. in situ)	11.4	27.4	7.4	3.4	6.5	3.1
Kidney and renal pelvis	8.4	17.8	5.6	5.0	9.2	3.6
Brain and other nervous system	2.8	5.1	2.9	3.0	4.8	2.4
Thyroid	5.0	9.4	3.8	19.2	32.7	6.6
Hodgkin lymphoma	1.6	2.6	1.8	2.2	3.8	2.3
Non-Hodgkin lymphomas	12.0	26.5	7.1	8.0	14.1	4.4
Multiple myeloma	3.2	6.7	3.4	2.8	5.2	2.7
Leukemias	5.4	11.2	4.5	4.4	7.9	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Williamsburg - Bushwick

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	332.8	538.0	27.3	330.2	355.9	17.3
Oral cavity and pharynx	13.0	19.0	4.8	4.2	4.4	1.9
Esophagus	6.6	10.8	3.9	2.0	2.1	1.3
Stomach	11.6	20.0	5.4	12.4	13.8	3.5
Colorectal	38.6	65.5	9.8	41.0	45.5	6.3
Colon excluding rectum	26.6	46.5	8.3	31.2	34.6	5.5
Rectum & rectosigmoid	12.0	18.9	5.1	9.8	10.9	3.1
Liver / intrahepatic bile duct	12.0	17.4	4.5	4.0	4.6	2.0
Pancreas	7.0	12.4	4.3	6.6	7.3	2.5
Larynx	6.4	9.4	3.4	1.2	1.3	1.0
Lung and bronchus	40.0	67.5	9.8	31.8	35.2	5.5
Melanoma of the skin	1.6	2.7	2.1	2.0	2.0	1.2
Female breast				86.2	92.6	8.8
Cervix uteri				12.8	13.5	3.3
Corpus uterus and NOS				26.2	27.9	4.8
Ovary				11.4	12.0	3.1
Prostate	109.2	182.4	16.0			
Testis	3.2	3.3	1.6			
Urinary bladder (incl. in situ)	11.4	21.8	5.9	6.2	7.4	2.6
Kidney and renal pelvis	11.2	16.0	4.5	7.2	7.6	2.5
Brain and other nervous system	3.8	5.0	2.4	3.2	3.2	1.6
Thyroid	3.6	5.1	2.5	13.6	13.7	3.3
Hodgkin lymphoma	3.4	4.1	2.0	3.4	3.3	1.6
Non-Hodgkin lymphomas	14.4	21.6	5.3	11.6	12.5	3.2
Multiple myeloma	3.8	6.4	3.0	5.8	6.5	2.4
Leukemias	6.6	9.4	3.5	8.6	8.7	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
New York (Manhattan)

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3990.0	558.0	7.9	4038.2	427.7	6.0
Oral cavity and pharynx	133.4	17.9	1.4	59.6	6.4	0.7
Esophagus	54.8	7.7	0.9	27.4	2.8	0.5
Stomach	97.8	14.1	1.3	69.4	7.2	0.8
Colorectal	344.2	49.8	2.4	366.6	37.7	1.7
Colon excluding rectum	244.6	36.0	2.1	275.8	28.2	1.5
Rectum & rectosigmoid	99.6	13.8	1.2	90.8	9.4	0.9
Liver / intrahepatic bile duct	147.0	19.7	1.4	50.6	5.4	0.7
Pancreas	105.2	15.4	1.3	117.4	12.0	1.0
Larynx	48.6	6.7	0.9	13.4	1.4	0.3
Lung and bronchus	451.8	65.9	2.8	444.0	46.6	2.0
Melanoma of the skin	187.2	24.9	1.6	163.6	16.9	1.2
Female breast				1202.2	130.3	3.3
Cervix uteri				72.4	7.8	0.8
Corpus uterus and NOS				258.4	27.2	1.5
Ovary				124.2	13.4	1.1
Prostate	1135.4	157.4	4.2			
Testis	52.8	5.6	0.7			
Urinary bladder (incl. in situ)	210.0	31.5	1.9	84.4	8.6	0.8
Kidney and renal pelvis	135.0	18.8	1.4	77.4	8.2	0.8
Brain and other nervous system	59.0	8.2	1.0	52.2	5.8	0.7
Thyroid	64.0	7.8	0.9	192.8	20.5	1.3
Hodgkin lymphoma	32.2	3.9	0.6	25.0	2.5	0.5
Non-Hodgkin lymphomas	209.2	28.7	1.8	159.8	16.8	1.2
Multiple myeloma	58.4	8.4	1.0	55.4	5.8	0.7
Leukemias	103.8	15.1	1.3	79.0	8.7	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Central Harlem - Morningside Heights

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	355.6	593.0	27.9	373.0	412.1	18.9
Oral cavity and pharynx	13.0	21.1	5.2	5.2	5.8	2.2
Esophagus	5.0	8.2	3.2	4.6	4.9	2.0
Stomach	11.6	19.8	5.2	8.6	8.8	2.7
Colorectal	32.8	56.3	8.7	41.6	44.8	6.2
Colon excluding rectum	22.4	39.2	7.3	32.6	35.1	5.5
Rectum & rectosigmoid	10.4	17.0	4.7	9.0	9.7	2.9
Liver / intrahepatic bile duct	16.8	26.5	5.7	5.2	5.9	2.3
Pancreas	6.8	11.9	4.0	13.8	14.7	3.5
Larynx	7.0	11.5	3.8	2.2	2.5	1.5
Lung and bronchus	51.0	86.5	10.7	44.4	49.8	6.6
Melanoma of the skin	2.6	4.0	2.2	3.2	3.6	1.8
Female breast				114.4	129.1	10.7
Cervix uteri				8.6	9.8	2.9
Corpus uterus and NOS				23.4	26.0	4.7
Ovary				11.0	12.1	3.2
Prostate	118.0	201.9	16.5			
Testis	1.6	2.2	1.5			
Urinary bladder (incl. in situ)	11.8	19.6	5.1	5.2	5.2	2.0
Kidney and renal pelvis	10.2	16.2	4.5	8.0	8.6	2.7
Brain and other nervous system	1.6	2.5	1.8	3.2	3.6	1.8
Thyroid	2.8	4.0	2.1	10.0	11.2	3.1
Hodgkin lymphoma	3.8	5.3	2.4	1.8	1.9	1.3
Non-Hodgkin lymphomas	14.4	21.9	5.1	12.0	13.6	3.5
Multiple myeloma	8.2	14.0	4.3	7.6	8.2	2.7
Leukemias	7.8	13.1	4.2	6.4	6.9	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Chelsea - Clinton

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	382.4	563.0	26.3	323.6	438.4	21.8
Oral cavity and pharynx	14.2	19.4	4.6	6.0	8.3	3.0
Esophagus	5.2	7.3	2.9	2.0	2.9	1.8
Stomach	6.2	9.4	3.4	4.2	5.2	2.3
Colorectal	30.0	45.7	7.5	28.4	36.6	6.1
Colon excluding rectum	20.2	31.7	6.4	22.0	27.8	5.3
Rectum & rectosigmoid	9.8	14.0	4.0	6.4	8.8	3.1
Liver / intrahepatic bile duct	12.2	16.8	4.3	4.6	6.2	2.6
Pancreas	10.2	16.3	4.6	6.2	8.1	2.9
Larynx	4.0	6.5	2.9	0.4	0.6	0.8
Lung and bronchus	43.8	68.5	9.3	33.0	44.6	6.9
Melanoma of the skin	18.0	24.7	5.3	14.6	19.0	4.5
Female breast				97.6	134.6	12.1
Cervix uteri				5.6	7.5	2.8
Corpus uterus and NOS				19.6	26.3	5.3
Ovary				13.6	18.8	4.6
Prostate	99.8	149.5	13.4			
Testis	8.2	11.8	4.7			
Urinary bladder (incl. in situ)	21.6	33.5	6.5	9.8	12.8	3.6
Kidney and renal pelvis	13.2	18.5	4.6	5.0	7.0	2.8
Brain and other nervous system	4.6	6.2	2.6	4.6	7.4	3.6
Thyroid	4.6	5.6	2.5	16.2	21.6	4.9
Hodgkin lymphoma	4.6	7.3	3.7	2.6	3.7	2.1
Non-Hodgkin lymphomas	21.6	28.6	5.6	12.4	16.6	4.2
Multiple myeloma	5.4	8.4	3.3	5.4	7.1	2.7
Leukemias	9.0	15.4	4.8	4.4	5.7	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
East Harlem

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	245.2	570.2	32.2	260.0	403.8	22.2
Oral cavity and pharynx	7.4	17.3	5.6	3.4	5.3	2.5
Esophagus	4.2	9.9	4.3	2.2	3.3	2.0
Stomach	6.8	16.9	5.7	6.6	9.8	3.4
Colorectal	28.6	68.0	11.2	28.6	43.3	7.2
Colon excluding rectum	20.8	49.8	9.6	21.0	32.1	6.2
Rectum & rectosigmoid	7.8	18.2	5.7	7.6	11.2	3.6
Liver / intrahepatic bile duct	13.6	30.2	7.2	3.8	5.7	2.6
Pancreas	6.4	15.4	5.4	9.0	13.3	3.9
Larynx	3.8	9.0	4.1	1.6	2.5	1.8
Lung and bronchus	32.4	77.0	11.9	31.6	48.0	7.6
Melanoma of the skin	1.8	4.4	2.9	3.6	5.6	2.6
Female breast				71.4	113.6	11.9
Cervix uteri				9.2	15.1	4.4
Corpus uterus and NOS				14.6	22.5	5.2
Ovary				6.8	10.5	3.6
Prostate	72.8	174.0	18.0			
Testis	1.8	2.9	1.9			
Urinary bladder (incl. in situ)	8.0	19.2	6.0	4.2	6.3	2.7
Kidney and renal pelvis	8.6	20.2	6.1	7.8	12.5	4.0
Brain and other nervous system	2.6	5.4	3.0	2.2	3.3	2.0
Thyroid	1.8	3.7	2.5	8.0	13.4	4.2
Hodgkin lymphoma	2.0	3.7	2.3	2.0	3.4	2.1
Non-Hodgkin lymphomas	10.0	21.5	6.0	11.2	18.3	4.9
Multiple myeloma	3.8	9.0	4.1	4.2	6.1	2.7
Leukemias	4.8	10.8	4.4	3.6	5.6	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Gramercy Park - Murray Hill

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	401.0	586.2	26.5	403.6	463.4	21.1
Oral cavity and pharynx	11.4	16.5	4.3	6.6	8.1	3.0
Esophagus	4.8	7.1	2.9	2.8	3.1	1.6
Stomach	5.4	7.9	3.0	5.0	5.4	2.2
Colorectal	31.8	46.9	7.4	31.8	36.4	5.7
Colon excluding rectum	23.4	34.8	6.4	24.4	27.8	5.0
Rectum & rectosigmoid	8.4	12.1	3.7	7.4	8.6	2.8
Liver / intrahepatic bile duct	10.8	15.0	4.0	2.6	2.8	1.6
Pancreas	12.6	18.1	4.5	12.0	12.8	3.3
Larynx	3.8	5.7	2.6	1.2	1.2	1.0
Lung and bronchus	41.6	61.5	8.4	51.2	56.9	7.0
Melanoma of the skin	30.4	42.4	6.9	28.0	31.1	5.3
Female breast				125.4	147.3	11.7
Cervix uteri				3.4	3.4	1.7
Corpus uterus and NOS				21.2	23.9	4.6
Ovary				12.8	14.2	3.5
Prostate	107.2	150.5	12.9			
Testis	5.8	7.6	3.2			
Urinary bladder (incl. in situ)	26.2	39.5	6.8	9.6	10.4	3.0
Kidney and renal pelvis	15.0	21.7	5.0	5.4	6.2	2.4
Brain and other nervous system	8.2	17.0	6.4	6.2	8.7	4.0
Thyroid	6.8	9.7	3.4	18.8	21.8	4.6
Hodgkin lymphoma	2.6	4.0	2.3	2.0	3.3	2.5
Non-Hodgkin lymphomas	25.0	37.0	6.9	15.4	16.9	3.8
Multiple myeloma	4.4	6.7	2.8	2.8	3.2	1.7
Leukemias	10.0	16.0	4.6	6.6	9.0	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Greenwich Village - Soho

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	219.8	513.9	31.3	185.0	389.2	25.6
Oral cavity and pharynx	7.6	16.6	5.4	3.2	7.4	3.9
Esophagus	3.0	7.1	3.7	0.8	1.9	1.9
Stomach	4.2	10.2	4.5	2.8	5.6	3.0
Colorectal	18.2	42.5	9.0	14.4	30.7	7.2
Colon excluding rectum	11.6	28.1	7.4	11.6	24.7	6.4
Rectum & rectosigmoid	6.6	14.4	5.0	2.8	6.1	3.2
Liver / intrahepatic bile duct	6.6	15.1	5.3	1.6	4.1	3.0
Pancreas	5.2	12.9	5.1	4.2	8.8	3.8
Larynx	2.2	5.2	3.1	1.2	2.6	2.1
Lung and bronchus	28.0	70.9	12.0	22.6	47.9	8.9
Melanoma of the skin	13.2	25.7	6.4	9.2	18.0	5.3
Female breast				54.6	114.3	13.7
Cervix uteri				3.4	6.7	3.2
Corpus uterus and NOS				12.2	25.1	6.3
Ovary				4.8	9.7	3.9
Prostate	56.6	130.8	15.5			
Testis	2.8	5.3	3.2			
Urinary bladder (incl. in situ)	13.6	36.2	8.8	3.6	8.3	3.8
Kidney and renal pelvis	8.0	18.2	5.8	3.4	7.6	3.8
Brain and other nervous system	3.6	7.9	4.0	3.6	8.9	4.6
Thyroid	3.6	7.2	3.4	12.0	23.9	6.2
Hodgkin lymphoma	0.8	1.8	1.8	1.2	2.2	1.8
Non-Hodgkin lymphomas	11.8	25.6	6.7	8.4	17.0	5.2
Multiple myeloma	2.4	5.5	3.2	2.6	5.6	3.0
Leukemias	7.0	17.4	6.1	3.6	8.4	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Lower Manhattan

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	78.0	479.3	49.5	91.0	437.4	40.8
Oral cavity and pharynx	4.6	25.4	10.6	1.2	5.2	4.2
Esophagus	1.4	10.3	7.8	0.2	0.8	1.7
Stomach	1.0	6.7	6.0	1.0	4.1	3.6
Colorectal	5.6	37.9	14.5	11.0	51.4	13.8
Colon excluding rectum	4.2	28.4	12.6	8.0	37.1	11.7
Rectum & rectosigmoid	1.4	9.4	7.2	3.0	14.3	7.3
Liver / intrahepatic bile duct	4.2	25.5	11.4	1.6	7.8	5.5
Pancreas	1.0	7.1	6.3	2.4	11.2	6.4
Larynx	0.6	3.5	4.1	0.0	0.0	0.0
Lung and bronchus	8.8	61.2	18.5	10.2	49.1	13.6
Melanoma of the skin	4.4	20.5	8.9	4.6	19.2	8.1
Female breast				26.6	133.0	22.8
Cervix uteri				0.8	4.0	4.0
Corpus uterus and NOS				6.2	31.5	11.2
Ovary				2.2	10.9	6.5
Prostate	20.8	135.4	26.6			
Testis	2.8	9.9	5.4			
Urinary bladder (incl. in situ)	3.6	25.8	12.2	1.0	4.8	4.2
Kidney and renal pelvis	2.4	14.3	8.3	1.8	8.3	5.5
Brain and other nervous system	1.6	9.5	6.8	1.4	6.9	5.4
Thyroid	2.0	10.2	6.7	5.4	26.0	9.9
Hodgkin lymphoma	0.8	4.4	4.8	0.4	1.9	2.6
Non-Hodgkin lymphomas	3.4	18.5	9.3	3.0	13.8	7.1
Multiple myeloma	0.8	4.8	4.8	1.0	4.7	4.1
Leukemias	1.0	5.2	4.7	1.2	5.9	4.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Union Square - Lower East Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	538.2	577.7	22.0	486.4	401.1	16.2
Oral cavity and pharynx	23.6	24.7	4.5	8.8	7.2	2.2
Esophagus	6.8	7.3	2.5	2.8	2.0	1.1
Stomach	25.8	27.9	4.9	12.0	9.7	2.5
Colorectal	49.6	54.5	6.8	50.0	39.4	5.0
Colon excluding rectum	36.0	39.8	5.9	36.6	28.6	4.2
Rectum & rectosigmoid	13.6	14.7	3.5	13.4	10.8	2.6
Liver / intrahepatic bile duct	38.0	39.1	5.6	11.8	9.6	2.5
Pancreas	13.6	15.1	3.6	12.2	9.2	2.4
Larynx	6.6	7.1	2.4	1.0	0.9	0.7
Lung and bronchus	69.2	77.3	8.2	57.0	45.9	5.4
Melanoma of the skin	12.2	12.0	3.1	11.6	9.8	2.6
Female breast				121.6	103.0	8.3
Cervix uteri				10.4	9.3	2.6
Corpus uterus and NOS				34.8	29.5	4.4
Ovary				16.4	13.8	3.1
Prostate	119.6	131.4	10.6			
Testis	8.4	7.0	2.2			
Urinary bladder (incl. in situ)	26.2	28.6	4.9	9.0	7.1	2.1
Kidney and renal pelvis	18.8	20.9	4.3	9.8	8.1	2.3
Brain and other nervous system	8.4	9.0	2.8	6.4	5.9	2.1
Thyroid	12.6	12.1	3.0	27.8	23.7	4.0
Hodgkin lymphoma	4.0	3.5	1.6	2.8	2.3	1.2
Non-Hodgkin lymphomas	23.8	24.7	4.5	18.4	14.6	3.0
Multiple myeloma	6.8	7.3	2.5	6.6	5.4	1.8
Leukemias	11.6	12.1	3.2	10.6	8.9	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Upper East Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	652.2	611.1	21.4	756.2	519.7	17.2
Oral cavity and pharynx	20.4	18.2	3.6	9.0	6.5	2.0
Esophagus	8.4	8.2	2.5	5.2	3.4	1.3
Stomach	10.4	9.9	2.7	8.4	5.7	1.8
Colorectal	48.4	46.3	5.9	50.8	31.9	4.0
Colon excluding rectum	36.8	35.6	5.2	38.6	24.2	3.5
Rectum & rectosigmoid	11.6	10.7	2.8	12.2	7.7	2.0
Liver / intrahepatic bile duct	11.0	10.0	2.7	5.0	3.7	1.6
Pancreas	21.6	20.3	3.9	22.0	14.3	2.7
Larynx	8.0	7.7	2.4	1.2	0.8	0.6
Lung and bronchus	62.6	59.9	6.7	88.8	59.1	5.6
Melanoma of the skin	65.6	61.3	6.8	50.4	35.5	4.7
Female breast				245.4	170.6	9.7
Cervix uteri				8.8	6.1	1.9
Corpus uterus and NOS				52.4	35.2	4.3
Ovary				21.8	15.0	2.9
Prostate	179.8	160.7	10.6			
Testis	9.6	9.6	3.0			
Urinary bladder (incl. in situ)	42.2	40.4	5.5	21.4	13.7	2.7
Kidney and renal pelvis	23.8	21.8	4.0	12.0	8.2	2.1
Brain and other nervous system	11.4	11.7	3.3	7.6	6.7	2.3
Thyroid	14.0	12.4	3.0	35.4	26.5	4.2
Hodgkin lymphoma	3.8	4.2	2.2	3.8	2.6	1.3
Non-Hodgkin lymphomas	35.0	32.8	4.9	29.0	20.5	3.5
Multiple myeloma	7.2	7.2	2.4	6.6	4.3	1.5
Leukemias	21.4	21.5	4.2	13.6	10.0	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Upper West Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	583.4	538.9	19.9	661.0	453.8	15.9
Oral cavity and pharynx	15.6	13.3	3.0	9.2	6.2	1.8
Esophagus	8.6	7.7	2.3	4.2	2.6	1.2
Stomach	12.2	11.8	3.0	8.8	5.5	1.7
Colorectal	50.4	46.9	5.9	52.8	34.0	4.2
Colon excluding rectum	36.2	33.9	5.0	38.2	24.3	3.5
Rectum & rectosigmoid	14.2	13.0	3.1	14.6	9.7	2.3
Liver / intrahepatic bile duct	12.8	11.7	2.9	4.0	2.8	1.2
Pancreas	14.4	13.9	3.3	19.4	12.4	2.5
Larynx	4.2	3.8	1.7	2.2	1.5	0.9
Lung and bronchus	61.6	59.1	6.7	65.6	44.2	4.9
Melanoma of the skin	30.8	26.8	4.3	33.6	23.9	3.7
Female breast				207.2	144.5	8.9
Cervix uteri				8.8	5.9	1.8
Corpus uterus and NOS				46.8	32.2	4.2
Ovary				18.8	14.0	2.9
Prostate	178.6	161.1	10.7			
Testis	8.0	7.2	2.4			
Urinary bladder (incl. in situ)	35.4	35.2	5.3	11.8	7.9	2.1
Kidney and renal pelvis	19.2	17.4	3.5	14.0	9.6	2.3
Brain and other nervous system	9.6	9.4	2.8	10.2	7.2	2.1
Thyroid	11.8	9.3	2.4	34.6	25.1	3.8
Hodgkin lymphoma	4.2	3.8	1.7	3.4	2.5	1.2
Non-Hodgkin lymphomas	35.6	33.4	5.0	29.0	19.7	3.3
Multiple myeloma	7.8	7.4	2.3	6.6	4.4	1.5
Leukemias	16.4	16.1	3.6	14.8	10.6	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Washington Heights - Inwood

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	510.2	502.3	20.0	483.2	326.1	13.1
Oral cavity and pharynx	14.6	13.8	3.3	6.8	4.5	1.5
Esophagus	7.4	7.3	2.4	2.6	1.7	0.9
Stomach	13.6	13.7	3.4	11.4	7.6	2.0
Colorectal	47.0	47.9	6.3	56.2	37.2	4.4
Colon excluding rectum	31.2	32.5	5.2	42.0	27.6	3.8
Rectum & rectosigmoid	15.8	15.4	3.5	14.2	9.6	2.2
Liver / intrahepatic bile duct	19.4	19.3	3.9	9.6	6.6	1.9
Pancreas	12.8	13.4	3.4	15.8	10.6	2.4
Larynx	8.2	7.5	2.3	2.4	1.6	0.9
Lung and bronchus	51.0	53.0	6.7	37.4	25.7	3.7
Melanoma of the skin	7.2	7.1	2.4	4.8	3.3	1.3
Female breast				134.0	91.3	7.0
Cervix uteri				13.4	9.1	2.2
Corpus uterus and NOS				25.8	17.4	3.0
Ovary				15.8	10.8	2.4
Prostate	174.6	172.9	11.7			
Testis	3.8	2.6	1.2			
Urinary bladder (incl. in situ)	20.0	21.7	4.4	8.8	5.8	1.7
Kidney and renal pelvis	15.4	14.7	3.4	10.0	6.9	1.9
Brain and other nervous system	7.2	6.1	2.1	6.8	4.5	1.5
Thyroid	3.8	3.0	1.4	24.2	16.2	2.9
Hodgkin lymphoma	5.4	4.1	1.5	5.0	3.3	1.3
Non-Hodgkin lymphomas	27.2	24.5	4.2	20.6	14.0	2.7
Multiple myeloma	10.8	10.9	3.0	11.2	7.7	2.0
Leukemias	13.8	13.2	3.2	13.6	9.2	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5044.8	493.4	6.2	5115.4	374.0	4.6
Oral cavity and pharynx	123.6	11.5	0.9	70.0	5.1	0.5
Esophagus	60.6	6.0	0.7	31.2	2.2	0.3
Stomach	169.8	16.8	1.1	121.2	8.6	0.7
Colorectal	543.2	53.8	2.0	589.0	41.1	1.5
Colon excluding rectum	373.6	37.4	1.7	433.6	30.1	1.3
Rectum & rectosigmoid	169.6	16.5	1.1	155.4	11.1	0.8
Liver / intrahepatic bile duct	151.4	13.9	1.0	60.2	4.3	0.5
Pancreas	129.0	12.8	1.0	151.4	10.3	0.7
Larynx	63.2	6.0	0.7	16.0	1.2	0.3
Lung and bronchus	618.8	62.0	2.2	534.0	38.1	1.5
Melanoma of the skin	104.4	10.3	0.9	99.6	7.3	0.6
Female breast				1418.8	106.2	2.5
Cervix uteri				126.8	9.9	0.8
Corpus uterus and NOS				373.6	27.4	1.3
Ovary				166.6	12.4	0.9
Prostate	1506.8	145.9	3.3			
Testis	43.8	3.6	0.5			
Urinary bladder (incl. in situ)	317.4	32.7	1.6	113.0	7.9	0.7
Kidney and renal pelvis	204.8	19.6	1.2	119.2	8.8	0.7
Brain and other nervous system	77.4	7.4	0.7	59.8	4.7	0.5
Thyroid	61.2	5.5	0.6	218.4	17.3	1.0
Hodgkin lymphoma	36.6	3.3	0.5	29.8	2.5	0.4
Non-Hodgkin lymphomas	207.4	20.0	1.2	196.4	14.3	0.9
Multiple myeloma	71.0	7.0	0.7	71.4	5.0	0.5
Leukemias	144.4	14.4	1.1	111.2	8.3	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Bayside - Little Neck**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	255.4	487.0	26.9	297.8	443.7	23.2
Oral cavity and pharynx	5.0	9.6	3.8	5.2	7.6	3.0
Esophagus	2.0	3.9	2.4	1.6	2.2	1.5
Stomach	7.0	13.4	4.5	5.8	8.9	3.3
Colorectal	30.8	58.8	9.3	36.4	51.3	7.7
Colon excluding rectum	21.2	40.5	7.7	26.4	36.1	6.3
Rectum & rectosigmoid	9.6	18.3	5.2	10.0	15.2	4.4
Liver / intrahepatic bile duct	8.0	14.8	4.6	1.4	2.4	1.9
Pancreas	6.8	12.7	4.3	9.8	13.2	3.7
Larynx	1.6	3.0	2.1	0.6	0.9	1.0
Lung and bronchus	30.0	56.3	9.1	36.4	51.1	7.5
Melanoma of the skin	9.4	17.8	5.1	7.4	12.4	4.2
Female breast				76.4	117.3	12.0
Cervix uteri				3.2	5.2	2.6
Corpus uterus and NOS				18.8	27.8	5.7
Ovary				8.8	13.9	4.2
Prostate	67.4	126.4	13.6			
Testis	2.6	6.6	3.6			
Urinary bladder (incl. in situ)	21.4	40.1	7.6	9.4	12.5	3.7
Kidney and renal pelvis	11.0	20.7	5.5	8.0	11.3	3.6
Brain and other nervous system	3.6	8.1	3.8	4.8	9.3	3.9
Thyroid	3.2	6.0	2.9	15.8	27.5	6.2
Hodgkin lymphoma	0.8	1.8	1.8	1.0	2.2	2.0
Non-Hodgkin lymphomas	13.6	25.8	6.2	12.4	17.9	4.6
Multiple myeloma	1.4	2.7	2.0	3.6	4.8	2.2
Leukemias	8.4	16.3	5.0	7.8	10.8	3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Flushing - Clearview

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	707.6	513.5	17.0	704.2	390.8	13.2
Oral cavity and pharynx	18.4	13.0	2.7	9.0	5.3	1.6
Esophagus	11.8	8.6	2.2	4.8	2.4	1.0
Stomach	33.8	24.4	3.7	21.2	11.0	2.2
Colorectal	81.8	58.7	5.7	94.2	48.4	4.5
Colon excluding rectum	54.8	39.6	4.7	67.0	33.7	3.7
Rectum & rectosigmoid	27.0	19.1	3.2	27.2	14.7	2.5
Liver / intrahepatic bile duct	26.2	18.4	3.2	8.4	4.7	1.4
Pancreas	20.6	15.0	2.9	20.2	9.3	1.9
Larynx	5.8	4.2	1.5	1.6	0.8	0.6
Lung and bronchus	91.2	66.1	6.1	80.2	42.1	4.2
Melanoma of the skin	16.0	11.7	2.6	12.4	7.2	1.8
Female breast				188.4	108.8	7.1
Cervix uteri				15.8	10.3	2.3
Corpus uterus and NOS				45.4	26.0	3.4
Ovary				22.0	13.1	2.5
Prostate	175.0	126.2	8.4			
Testis	5.4	4.1	1.5			
Urinary bladder (incl. in situ)	57.8	42.1	4.9	14.6	7.4	1.7
Kidney and renal pelvis	28.6	20.5	3.4	16.4	8.8	2.0
Brain and other nervous system	9.8	7.5	2.1	4.6	2.9	1.2
Thyroid	12.2	8.7	2.2	29.0	19.3	3.2
Hodgkin lymphoma	3.8	3.0	1.3	4.2	2.9	1.3
Non-Hodgkin lymphomas	25.6	18.8	3.3	27.6	15.5	2.7
Multiple myeloma	7.2	5.1	1.7	8.8	4.6	1.4
Leukemias	18.0	13.6	2.8	14.8	8.0	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Fresh Meadows

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	227.8	476.0	27.8	241.8	390.4	22.4
Oral cavity and pharynx	4.4	9.4	3.9	3.0	4.8	2.5
Esophagus	3.6	7.1	3.3	1.4	1.9	1.4
Stomach	7.8	16.3	5.2	5.4	8.4	3.2
Colorectal	27.0	55.1	9.4	22.2	32.6	6.2
Colon excluding rectum	19.0	38.6	7.8	16.4	23.5	5.2
Rectum & rectosigmoid	8.0	16.5	5.1	5.8	9.1	3.3
Liver / intrahepatic bile duct	7.2	15.3	5.0	4.2	6.5	2.8
Pancreas	6.6	13.1	4.5	8.4	11.7	3.6
Larynx	2.6	5.7	3.1	0.6	0.9	1.1
Lung and bronchus	28.0	58.4	9.8	26.4	40.2	7.0
Melanoma of the skin	5.4	10.7	4.1	4.8	7.8	3.2
Female breast				75.2	123.9	12.7
Cervix uteri				4.4	8.2	3.5
Corpus uterus and NOS				16.8	27.1	5.9
Ovary				8.2	13.7	4.3
Prostate	55.4	118.2	14.0			
Testis	2.0	4.5	2.8			
Urinary bladder (incl. in situ)	18.6	38.1	7.8	4.8	7.3	3.0
Kidney and renal pelvis	10.6	21.9	5.9	7.4	12.9	4.2
Brain and other nervous system	4.8	10.3	4.2	2.6	5.0	2.8
Thyroid	3.2	6.6	3.3	11.2	21.2	5.6
Hodgkin lymphoma	1.4	3.2	2.3	1.0	1.9	1.7
Non-Hodgkin lymphomas	11.4	23.9	6.2	11.2	18.6	5.0
Multiple myeloma	2.8	6.0	3.2	1.6	2.6	1.8
Leukemias	6.2	13.1	4.6	4.2	7.0	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Jamaica

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	635.2	539.8	19.1	627.2	367.2	12.9
Oral cavity and pharynx	13.6	11.0	2.6	7.6	4.5	1.4
Esophagus	7.6	6.6	2.1	5.2	2.9	1.1
Stomach	22.4	19.9	3.7	19.4	11.2	2.2
Colorectal	63.0	55.1	6.2	78.8	44.5	4.4
Colon excluding rectum	44.6	39.7	5.3	59.6	33.7	3.9
Rectum & rectosigmoid	18.4	15.4	3.2	19.2	10.8	2.2
Liver / intrahepatic bile duct	17.2	13.9	3.0	8.8	5.3	1.6
Pancreas	10.6	9.1	2.5	17.6	9.9	2.1
Larynx	8.4	7.2	2.2	2.6	1.5	0.8
Lung and bronchus	67.2	59.1	6.4	57.2	33.2	3.9
Melanoma of the skin	4.0	3.5	1.6	4.0	2.3	1.0
Female breast				177.8	105.7	7.0
Cervix uteri				18.8	11.5	2.3
Corpus uterus and NOS				57.0	33.3	3.9
Ovary				19.4	11.5	2.3
Prostate	255.8	215.0	12.0			
Testis	3.0	2.2	1.1			
Urinary bladder (incl. in situ)	26.6	23.7	4.1	9.8	5.5	1.6
Kidney and renal pelvis	24.0	19.5	3.6	13.4	7.9	1.9
Brain and other nervous system	7.4	5.9	1.9	7.2	4.5	1.5
Thyroid	4.4	3.6	1.5	20.2	12.4	2.4
Hodgkin lymphoma	4.8	3.7	1.5	4.2	2.6	1.1
Non-Hodgkin lymphomas	22.2	18.3	3.5	17.0	10.2	2.2
Multiple myeloma	13.4	11.5	2.8	12.4	7.1	1.8
Leukemias	15.6	13.5	3.0	13.0	7.6	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Long Island City - Astoria**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	425.4	472.2	20.5	422.0	349.6	15.1
Oral cavity and pharynx	10.2	11.5	3.2	7.6	6.1	2.0
Esophagus	6.2	6.9	2.5	1.8	1.6	1.0
Stomach	11.6	13.2	3.5	8.4	6.9	2.1
Colorectal	47.0	52.9	6.9	47.4	37.8	4.9
Colon excluding rectum	35.2	40.0	6.0	38.2	30.4	4.4
Rectum & rectosigmoid	11.8	12.9	3.4	9.2	7.4	2.2
Liver / intrahepatic bile duct	14.4	15.2	3.6	6.2	4.9	1.8
Pancreas	12.6	14.1	3.6	10.8	8.8	2.4
Larynx	7.0	7.8	2.6	1.6	1.4	1.0
Lung and bronchus	59.0	69.1	8.0	39.6	32.6	4.6
Melanoma of the skin	12.0	12.2	3.2	11.4	9.7	2.5
Female breast				111.6	95.2	8.0
Cervix uteri				11.0	9.3	2.5
Corpus uterus and NOS				30.2	25.4	4.1
Ovary				15.4	12.6	2.8
Prostate	101.4	115.4	10.2			
Testis	6.8	4.8	1.7			
Urinary bladder (incl. in situ)	27.8	34.1	5.7	9.8	7.7	2.2
Kidney and renal pelvis	18.0	19.3	4.1	10.8	9.0	2.4
Brain and other nervous system	8.2	8.3	2.6	7.8	6.6	2.1
Thyroid	5.0	4.2	1.7	18.6	15.4	3.2
Hodgkin lymphoma	5.2	4.5	1.8	4.0	3.3	1.5
Non-Hodgkin lymphomas	19.0	19.6	4.1	16.6	13.9	3.0
Multiple myeloma	4.8	5.5	2.3	4.4	3.5	1.5
Leukemias	12.2	13.8	3.5	10.2	8.2	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Ridgewood - Forest Hills

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	634.0	499.9	17.5	679.4	392.1	13.5
Oral cavity and pharynx	15.2	11.6	2.6	8.8	5.2	1.6
Esophagus	7.6	6.0	1.9	3.8	1.9	0.9
Stomach	19.6	15.3	3.0	11.6	6.5	1.7
Colorectal	74.2	58.3	6.0	73.4	38.5	4.0
Colon excluding rectum	48.0	37.9	4.8	54.8	28.4	3.5
Rectum & rectosigmoid	26.2	20.4	3.5	18.6	10.1	2.1
Liver / intrahepatic bile duct	16.8	12.7	2.7	8.0	4.5	1.4
Pancreas	16.6	12.9	2.8	23.0	11.4	2.1
Larynx	10.4	8.1	2.2	1.8	1.0	0.7
Lung and bronchus	81.8	64.8	6.3	70.8	39.4	4.2
Melanoma of the skin	22.4	17.6	3.3	20.2	11.9	2.4
Female breast				185.6	112.9	7.4
Cervix uteri				13.4	9.1	2.2
Corpus uterus and NOS				49.6	28.9	3.7
Ovary				24.0	14.5	2.7
Prostate	148.0	116.8	8.5			
Testis	6.6	5.1	1.8			
Urinary bladder (incl. in situ)	46.6	37.5	4.8	18.2	9.5	2.0
Kidney and renal pelvis	30.6	23.8	3.8	16.8	9.7	2.1
Brain and other nervous system	10.6	8.7	2.4	7.6	4.9	1.6
Thyroid	10.2	7.9	2.2	25.4	17.2	3.0
Hodgkin lymphoma	5.0	4.1	1.6	3.0	2.4	1.3
Non-Hodgkin lymphomas	25.6	20.0	3.5	28.6	15.8	2.7
Multiple myeloma	6.8	5.5	1.8	8.8	4.9	1.5
Leukemias	20.8	16.8	3.2	17.8	10.7	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Rockaway

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	301.4	617.7	31.3	292.2	426.1	22.4
Oral cavity and pharynx	10.4	21.3	5.8	4.6	6.9	2.9
Esophagus	4.0	8.4	3.7	2.8	3.4	1.8
Stomach	7.2	15.4	5.0	4.4	6.1	2.6
Colorectal	28.4	59.1	9.8	34.2	47.0	7.2
Colon excluding rectum	19.8	41.2	8.2	27.0	36.7	6.4
Rectum & rectosigmoid	8.6	17.9	5.4	7.2	10.3	3.5
Liver / intrahepatic bile duct	7.4	14.8	4.8	1.6	2.1	1.5
Pancreas	7.4	15.3	4.9	9.4	12.5	3.7
Larynx	5.8	11.4	4.2	1.4	2.1	1.5
Lung and bronchus	38.8	79.5	11.2	38.8	54.6	7.8
Melanoma of the skin	11.0	22.7	6.0	8.8	13.4	4.0
Female breast				77.2	118.9	12.1
Cervix uteri				8.6	13.6	4.2
Corpus uterus and NOS				20.8	31.2	6.1
Ovary				8.0	11.1	3.6
Prostate	97.0	196.9	17.6			
Testis	1.8	4.0	2.6			
Urinary bladder (incl. in situ)	16.8	34.7	7.5	6.8	9.0	3.1
Kidney and renal pelvis	9.4	19.4	5.6	4.2	5.9	2.6
Brain and other nervous system	4.2	8.5	3.6	3.4	4.9	2.4
Thyroid	2.4	4.9	2.8	8.4	13.8	4.2
Hodgkin lymphoma	1.0	2.1	1.9	1.6	2.9	2.0
Non-Hodgkin lymphomas	9.6	19.6	5.6	11.8	15.9	4.2
Multiple myeloma	3.8	7.7	3.5	5.0	6.9	2.8
Leukemias	6.8	14.0	4.7	4.6	6.7	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Southeast Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	512.0	563.0	22.2	475.2	375.0	15.2
Oral cavity and pharynx	11.0	11.4	3.1	6.2	4.9	1.7
Esophagus	4.8	5.5	2.2	2.0	1.5	0.9
Stomach	12.8	14.6	3.6	10.0	7.8	2.2
Colorectal	49.2	56.3	7.2	54.2	41.7	5.0
Colon excluding rectum	33.8	39.2	6.0	39.4	30.1	4.2
Rectum & rectosigmoid	15.4	17.1	3.9	14.8	11.5	2.7
Liver / intrahepatic bile duct	9.2	9.7	2.8	3.2	2.4	1.2
Pancreas	12.8	14.8	3.7	15.2	11.6	2.6
Larynx	5.0	5.3	2.1	0.8	0.6	0.6
Lung and bronchus	48.8	55.3	7.1	50.8	38.8	4.8
Melanoma of the skin	6.4	7.6	2.7	7.8	6.2	2.0
Female breast				139.2	111.1	8.3
Cervix uteri				10.8	8.9	2.4
Corpus uterus and NOS				38.8	30.5	4.3
Ovary				12.0	9.3	2.4
Prostate	219.4	231.7	14.0			
Testis	1.2	1.3	1.0			
Urinary bladder (incl. in situ)	26.8	32.0	5.5	10.0	7.8	2.2
Kidney and renal pelvis	18.4	19.9	4.1	11.6	9.4	2.4
Brain and other nervous system	4.6	5.1	2.1	5.0	4.0	1.6
Thyroid	2.2	2.3	1.4	16.0	13.5	3.0
Hodgkin lymphoma	3.8	4.3	1.9	2.4	2.3	1.3
Non-Hodgkin lymphomas	17.4	19.4	4.1	20.0	15.8	3.1
Multiple myeloma	11.8	12.9	3.4	9.2	6.9	2.0
Leukemias	13.0	14.7	3.6	8.6	7.1	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Southwest Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	502.0	456.0	18.3	517.8	355.5	13.8
Oral cavity and pharynx	14.4	11.9	2.8	5.8	3.9	1.4
Esophagus	4.4	3.9	1.7	2.4	1.6	0.9
Stomach	15.6	14.1	3.2	13.0	8.8	2.2
Colorectal	55.8	51.6	6.2	49.6	33.8	4.2
Colon excluding rectum	36.6	34.2	5.1	34.0	23.1	3.5
Rectum & rectosigmoid	19.2	17.4	3.6	15.6	10.6	2.4
Liver / intrahepatic bile duct	14.2	11.8	2.8	6.2	4.3	1.5
Pancreas	12.6	11.6	2.9	15.2	10.4	2.4
Larynx	7.6	6.2	2.0	2.4	1.7	0.9
Lung and bronchus	65.0	62.4	7.0	48.0	33.1	4.2
Melanoma of the skin	6.2	5.9	2.1	8.6	5.8	1.8
Female breast				142.2	97.2	7.2
Cervix uteri				15.8	10.8	2.4
Corpus uterus and NOS				45.2	30.7	4.0
Ovary				19.6	13.6	2.7
Prostate	139.6	124.5	9.5			
Testis	3.6	2.6	1.2			
Urinary bladder (incl. in situ)	31.2	30.5	4.9	10.2	7.3	2.0
Kidney and renal pelvis	25.6	22.8	4.1	13.0	9.1	2.2
Brain and other nervous system	7.8	6.7	2.2	6.6	4.7	1.6
Thyroid	5.2	4.3	1.7	24.2	16.8	3.0
Hodgkin lymphoma	4.0	3.0	1.3	3.4	2.5	1.2
Non-Hodgkin lymphomas	23.6	21.0	3.9	20.2	14.1	2.8
Multiple myeloma	8.2	7.7	2.4	5.8	3.9	1.4
Leukemias	14.8	13.2	3.1	11.4	7.8	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

West Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	818.6	453.6	14.4	836.4	350.6	10.7
Oral cavity and pharynx	20.0	10.1	2.0	12.0	5.1	1.3
Esophagus	8.2	4.7	1.5	5.4	2.4	0.9
Stomach	31.4	17.4	2.8	21.2	8.6	1.7
Colorectal	82.8	47.5	4.7	96.6	39.9	3.6
Colon excluding rectum	58.2	33.7	4.0	69.4	28.7	3.0
Rectum & rectosigmoid	24.6	13.7	2.5	27.2	11.3	1.9
Liver / intrahepatic bile duct	30.6	15.5	2.5	12.0	5.1	1.3
Pancreas	21.6	12.9	2.5	21.8	8.9	1.7
Larynx	9.0	4.9	1.5	2.6	1.1	0.6
Lung and bronchus	106.0	63.0	5.5	83.6	35.6	3.4
Melanoma of the skin	11.0	6.1	1.7	13.6	5.7	1.4
Female breast				237.0	99.6	5.7
Cervix uteri				24.6	10.2	1.8
Corpus uterus and NOS				49.0	20.5	2.6
Ovary				28.6	12.0	2.0
Prostate	238.8	134.5	7.8			
Testis	10.6	4.1	1.1			
Urinary bladder (incl. in situ)	41.0	25.1	3.5	18.6	7.7	1.6
Kidney and renal pelvis	27.8	14.7	2.5	17.4	7.3	1.5
Brain and other nervous system	16.2	7.5	1.7	10.2	4.4	1.2
Thyroid	12.8	5.8	1.5	49.2	20.7	2.6
Hodgkin lymphoma	6.8	2.9	1.0	4.8	2.1	0.9
Non-Hodgkin lymphomas	39.0	20.2	2.9	30.2	12.8	2.1
Multiple myeloma	10.6	6.3	1.8	11.8	4.9	1.3
Leukemias	28.6	15.5	2.6	18.6	8.1	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Richmond (Staten Island)

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1254.6	578.7	14.7	1274.0	461.0	11.4
Oral cavity and pharynx	31.2	13.4	2.2	16.6	6.0	1.3
Esophagus	15.6	7.0	1.6	8.0	2.8	0.9
Stomach	27.0	13.0	2.3	19.8	6.9	1.4
Colorectal	122.6	59.4	4.8	117.4	41.9	3.4
Colon excluding rectum	85.4	41.8	4.1	85.0	30.2	2.9
Rectum & rectosigmoid	37.2	17.6	2.6	32.4	11.6	1.8
Liver / intrahepatic bile duct	34.6	15.1	2.3	10.8	3.8	1.0
Pancreas	33.8	15.7	2.4	33.8	11.9	1.8
Larynx	20.6	9.0	1.8	5.4	1.9	0.7
Lung and bronchus	168.6	81.3	5.6	159.8	57.2	4.0
Melanoma of the skin	36.6	16.7	2.5	30.4	11.1	1.8
Female breast				350.4	126.8	6.0
Cervix uteri				28.6	10.8	1.8
Corpus uterus and NOS				89.8	31.4	2.9
Ovary				34.6	12.3	1.8
Prostate	339.4	152.1	7.4			
Testis	13.6	5.8	1.4			
Urinary bladder (incl. in situ)	96.4	46.9	4.3	36.6	13.0	1.9
Kidney and renal pelvis	55.6	24.1	2.9	31.0	11.3	1.8
Brain and other nervous system	18.4	8.2	1.7	16.8	6.4	1.4
Thyroid	25.6	10.5	1.9	75.6	28.8	2.9
Hodgkin lymphoma	10.0	4.2	1.2	5.4	2.3	0.9
Non-Hodgkin lymphomas	55.4	25.1	3.0	52.8	19.4	2.4
Multiple myeloma	17.8	8.8	1.9	16.0	5.7	1.3
Leukemias	33.6	16.1	2.5	30.6	11.5	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Port Richmond

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	145.8	594.4	44.3	140.8	437.5	32.5
Oral cavity and pharynx	5.4	21.0	8.2	1.2	3.7	3.0
Esophagus	0.8	3.4	3.4	0.6	1.7	2.0
Stomach	3.2	14.9	7.4	3.4	10.2	4.9
Colorectal	13.2	55.1	13.6	15.2	46.0	10.4
Colon excluding rectum	7.8	32.7	10.5	11.0	33.3	8.8
Rectum & rectosigmoid	5.4	22.4	8.7	4.2	12.7	5.5
Liver / intrahepatic bile duct	5.2	20.0	7.9	2.2	6.7	4.0
Pancreas	3.0	11.4	5.9	3.0	9.5	4.9
Larynx	3.2	12.6	6.3	1.0	3.1	2.7
Lung and bronchus	21.2	93.1	18.2	18.2	56.9	11.8
Melanoma of the skin	2.4	9.8	5.7	2.4	7.2	4.1
Female breast				38.4	119.0	16.9
Cervix uteri				5.2	16.0	6.2
Corpus uterus and NOS				8.2	25.9	8.0
Ovary				2.8	9.0	4.7
Prostate	44.0	178.2	24.1			
Testis	1.6	5.3	3.7			
Urinary bladder (incl. in situ)	8.4	36.7	11.4	2.4	7.8	4.4
Kidney and renal pelvis	5.6	21.8	8.3	3.2	10.2	5.0
Brain and other nervous system	1.8	7.1	4.7	1.8	5.8	3.8
Thyroid	1.8	5.9	3.9	7.0	21.8	7.2
Hodgkin lymphoma	0.8	2.6	2.5	0.6	1.8	2.1
Non-Hodgkin lymphomas	5.2	20.4	8.1	4.8	15.1	6.1
Multiple myeloma	1.8	7.7	5.1	2.0	6.1	3.8
Leukemias	5.0	18.5	7.5	4.0	12.7	5.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
South Beach - Tottenville

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	550.2	618.1	24.1	542.6	489.3	18.6
Oral cavity and pharynx	12.6	13.3	3.4	6.2	5.6	2.0
Esophagus	7.2	7.6	2.6	1.4	1.2	0.9
Stomach	11.4	13.5	3.7	6.6	5.9	2.0
Colorectal	51.4	63.1	8.1	43.6	40.0	5.4
Colon excluding rectum	35.8	44.8	6.9	29.0	26.7	4.4
Rectum & rectosigmoid	15.6	18.3	4.2	14.6	13.4	3.1
Liver / intrahepatic bile duct	11.8	13.3	3.6	3.0	2.8	1.4
Pancreas	16.4	18.5	4.2	13.8	12.6	3.0
Larynx	7.2	7.1	2.4	2.0	1.7	1.1
Lung and bronchus	74.8	87.4	9.2	70.4	62.4	6.6
Melanoma of the skin	22.0	24.4	4.7	14.6	13.4	3.1
Female breast				157.8	140.8	9.9
Cervix uteri				8.4	7.7	2.4
Corpus uterus and NOS				37.4	32.1	4.6
Ovary				14.2	12.2	2.9
Prostate	141.4	153.4	11.8			
Testis	5.8	6.1	2.2			
Urinary bladder (incl. in situ)	46.4	53.8	7.2	15.6	14.3	3.2
Kidney and renal pelvis	27.2	28.2	4.9	16.0	14.2	3.1
Brain and other nervous system	8.4	8.7	2.7	8.8	8.4	2.5
Thyroid	13.2	13.1	3.2	33.6	31.7	4.8
Hodgkin lymphoma	4.6	5.0	2.1	2.4	2.5	1.4
Non-Hodgkin lymphomas	26.6	28.9	5.1	25.4	23.3	4.1
Multiple myeloma	7.2	8.9	3.0	4.4	3.8	1.6
Leukemias	14.0	17.6	4.4	13.8	13.1	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008
Stapleton - St. George**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	319.0	576.8	28.7	322.4	445.7	22.0
Oral cavity and pharynx	8.8	14.8	4.4	4.6	6.5	2.7
Esophagus	5.2	9.3	3.6	3.8	5.5	2.5
Stomach	8.8	16.3	4.9	6.0	7.9	2.9
Colorectal	32.0	59.6	9.4	32.8	43.2	6.7
Colon excluding rectum	21.0	39.3	7.6	25.0	32.6	5.8
Rectum & rectosigmoid	11.0	20.4	5.5	7.8	10.6	3.4
Liver / intrahepatic bile duct	10.8	18.2	4.9	3.2	4.2	2.1
Pancreas	9.4	17.1	5.0	9.0	11.4	3.4
Larynx	6.6	12.0	4.2	1.6	2.3	1.6
Lung and bronchus	41.0	76.7	10.6	38.0	51.5	7.4
Melanoma of the skin	5.4	10.2	3.9	5.8	8.2	3.0
Female breast				82.6	117.0	11.4
Cervix uteri				9.6	14.0	4.0
Corpus uterus and NOS				25.8	35.3	6.1
Ovary				8.2	11.3	3.5
Prostate	89.4	159.8	15.0			
Testis	3.6	5.8	2.7			
Urinary bladder (incl. in situ)	21.4	40.6	7.8	8.6	11.5	3.5
Kidney and renal pelvis	11.8	20.2	5.2	5.4	7.7	2.9
Brain and other nervous system	5.0	9.0	3.6	4.0	5.9	2.6
Thyroid	4.8	8.1	3.3	18.6	27.1	5.5
Hodgkin lymphoma	3.0	4.9	2.5	1.2	1.9	1.5
Non-Hodgkin lymphomas	13.0	23.1	5.7	13.2	18.1	4.4
Multiple myeloma	5.0	9.6	3.8	4.0	5.5	2.5
Leukemias	8.2	14.7	4.6	8.0	11.2	3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2004-2008**

Willowbrook

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	238.6	553.0	32.1	268.0	472.0	25.7
Oral cavity and pharynx	4.4	9.3	4.0	4.6	7.9	3.3
Esophagus	2.4	5.2	3.0	2.2	3.7	2.2
Stomach	3.6	8.6	4.0	3.6	5.9	2.8
Colorectal	26.0	62.3	10.9	25.8	43.4	7.6
Colon excluding rectum	20.8	50.1	9.8	20.0	33.7	6.7
Rectum & rectosigmoid	5.2	12.3	4.8	5.8	9.7	3.6
Liver / intrahepatic bile duct	6.8	15.0	5.2	2.4	4.1	2.4
Pancreas	5.0	12.2	4.9	8.0	13.0	4.1
Larynx	3.6	8.3	3.9	0.8	1.6	1.6
Lung and bronchus	31.6	76.1	12.1	33.2	58.2	9.0
Melanoma of the skin	6.6	14.9	5.2	7.6	13.3	4.3
Female breast				71.6	127.7	13.4
Cervix uteri				5.4	10.5	4.0
Corpus uterus and NOS				18.4	31.6	6.5
Ovary				9.4	16.6	4.8
Prostate	64.2	141.8	15.9			
Testis	2.6	6.0	3.3			
Urinary bladder (incl. in situ)	20.0	49.6	9.9	10.0	16.3	4.6
Kidney and renal pelvis	11.0	24.6	6.6	6.4	11.4	4.0
Brain and other nervous system	3.2	7.3	3.6	2.2	3.8	2.3
Thyroid	5.8	12.4	4.5	16.4	32.1	7.1
Hodgkin lymphoma	1.6	3.5	2.4	1.2	2.7	2.2
Non-Hodgkin lymphomas	10.4	24.2	6.7	9.4	16.6	4.8
Multiple myeloma	3.8	8.9	4.1	5.6	9.6	3.6
Leukemias	6.4	15.3	5.4	4.8	9.0	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2010. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.