

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
New York State**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	53277.2	583.3	2.2	51777.4	442.7	1.7
Oral cavity and pharynx	1454.8	15.1	0.4	706.0	6.0	0.2
Esophagus	818.4	8.9	0.3	276.4	2.3	0.1
Stomach	1113.8	12.5	0.3	747.6	6.2	0.2
Colorectal	4901.6	54.6	0.7	5068.6	41.5	0.5
Colon excluding rectum	3409.0	38.5	0.6	3821.2	31.0	0.4
Rectum & rectosigmoid	1492.6	16.2	0.4	1247.4	10.4	0.3
Liver / intrahepatic bile duct	1209.4	12.5	0.3	466.4	3.9	0.2
Pancreas	1352.0	15.1	0.4	1440.4	11.6	0.3
Larynx	648.4	6.9	0.2	187.2	1.6	0.1
Lung and bronchus	6881.0	77.1	0.8	6586.2	55.1	0.6
Melanoma of the skin	1956.8	21.5	0.4	1493.4	13.3	0.3
Female breast				14468.4	125.8	0.9
Cervix uteri				913.6	8.5	0.2
Corpus uterus and NOS				3442.4	29.2	0.4
Ovary				1518.0	13.1	0.3
Prostate	15652.4	167.2	1.2			
Testis	538.0	5.7	0.2			
Urinary bladder (incl. in situ)	3701.0	42.5	0.6	1330.6	10.9	0.3
Kidney and renal pelvis	2038.4	21.9	0.4	1239.0	10.6	0.3
Brain and other nervous system	738.6	8.0	0.3	610.8	5.6	0.2
Thyroid	727.4	7.6	0.2	2296.4	21.8	0.4
Hodgkin lymphoma	355.0	3.7	0.2	298.4	2.9	0.2
Non-Hodgkin lymphomas	2364.4	25.9	0.5	2100.0	17.8	0.3
Multiple myeloma	760.6	8.4	0.3	689.6	5.7	0.2
Leukemias	1592.4	17.8	0.4	1232.4	10.6	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
New York City**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	18755.8	532.4	3.5	19084.4	398.6	2.6
Oral cavity and pharynx	537.2	14.5	0.6	266.4	5.5	0.3
Esophagus	241.4	6.9	0.4	107.2	2.2	0.2
Stomach	541.6	15.9	0.6	404.8	8.2	0.4
Colorectal	1875.6	54.5	1.1	2007.6	40.8	0.8
Colon excluding rectum	1305.2	38.6	1.0	1499.0	30.3	0.7
Rectum & rectosigmoid	570.4	16.0	0.6	508.6	10.5	0.4
Liver / intrahepatic bile duct	637.0	17.0	0.6	239.8	4.9	0.3
Pancreas	495.8	14.6	0.6	559.6	11.2	0.4
Larynx	242.4	6.7	0.4	70.8	1.5	0.2
Lung and bronchus	2209.6	65.0	1.2	2013.6	41.5	0.8
Melanoma of the skin	488.6	13.7	0.6	432.8	9.1	0.4
Female breast				5277.6	112.0	1.4
Cervix uteri				462.8	10.1	0.4
Corpus uterus and NOS				1347.6	27.9	0.7
Ovary				573.2	12.1	0.4
Prostate	5641.8	158.2	1.9			
Testis	190.4	4.5	0.3			
Urinary bladder (incl. in situ)	1037.4	31.5	0.9	401.2	8.1	0.4
Kidney and renal pelvis	695.0	19.4	0.7	427.6	9.0	0.4
Brain and other nervous system	259.6	7.0	0.4	228.0	5.0	0.3
Thyroid	277.6	7.1	0.4	956.2	20.8	0.6
Hodgkin lymphoma	143.8	3.6	0.3	123.6	2.7	0.2
Non-Hodgkin lymphomas	849.0	23.6	0.7	774.4	16.2	0.5
Multiple myeloma	306.2	8.9	0.5	299.6	6.1	0.3
Leukemias	505.4	14.5	0.6	425.6	9.0	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2828.6	567.7	9.6	2855.0	388.3	6.4
Oral cavity and pharynx	92.6	17.7	1.7	46.6	6.3	0.8
Esophagus	44.0	9.0	1.2	16.2	2.2	0.5
Stomach	72.6	15.3	1.6	67.0	9.0	1.0
Colorectal	284.8	59.1	3.2	314.2	42.2	2.1
Colon excluding rectum	202.0	42.7	2.7	234.4	31.5	1.8
Rectum & rectosigmoid	82.8	16.4	1.6	79.8	10.7	1.1
Liver / intrahepatic bile duct	133.4	25.0	1.9	48.0	6.6	0.8
Pancreas	65.4	13.5	1.5	87.6	11.8	1.1
Larynx	45.2	8.8	1.2	13.6	1.9	0.4
Lung and bronchus	338.6	71.1	3.5	305.6	41.8	2.1
Melanoma of the skin	28.2	6.1	1.0	26.0	3.5	0.6
Female breast				767.2	104.9	3.3
Cervix uteri				83.2	11.6	1.1
Corpus uterus and NOS				204.4	27.9	1.7
Ovary				85.4	11.5	1.1
Prostate	914.0	182.9	5.4			
Testis	23.2	3.7	0.7			
Urinary bladder (incl. in situ)	115.2	25.9	2.2	45.2	6.0	0.8
Kidney and renal pelvis	97.0	19.0	1.7	72.0	9.8	1.0
Brain and other nervous system	36.2	6.5	1.0	32.0	4.3	0.7
Thyroid	26.4	4.7	0.8	100.0	13.9	1.2
Hodgkin lymphoma	19.2	3.1	0.6	22.0	3.0	0.6
Non-Hodgkin lymphomas	131.0	24.1	1.9	121.4	16.6	1.3
Multiple myeloma	56.2	11.7	1.4	62.6	8.5	0.9
Leukemias	70.2	13.8	1.5	69.8	9.4	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Central Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	343.6	620.7	32.3	339.0	399.2	19.6
Oral cavity and pharynx	12.4	20.4	5.6	7.2	8.2	2.8
Esophagus	5.4	10.7	4.5	2.6	3.3	1.8
Stomach	9.8	20.8	6.5	8.4	11.6	3.6
Colorectal	31.4	56.3	9.7	32.0	40.8	6.5
Colon excluding rectum	22.6	41.8	8.4	23.2	29.9	5.6
Rectum & rectosigmoid	8.8	14.6	4.7	8.8	10.9	3.3
Liver / intrahepatic bile duct	17.8	27.9	6.2	7.2	9.1	3.1
Pancreas	7.8	14.5	5.0	9.4	12.0	3.5
Larynx	7.2	12.2	4.3	1.2	1.4	1.2
Lung and bronchus	38.8	75.2	11.5	34.2	42.7	6.6
Melanoma of the skin	0.6	1.1	1.4	0.8	1.2	1.2
Female breast				89.6	101.7	9.6
Cervix uteri				14.4	15.5	3.7
Corpus uterus and NOS				23.8	27.7	5.1
Ovary				8.2	9.0	2.8
Prostate	120.2	229.3	20.0			
Testis	2.2	2.2	1.3			
Urinary bladder (incl. in situ)	9.6	22.9	7.0	4.6	6.5	2.7
Kidney and renal pelvis	11.2	19.4	5.7	9.8	12.1	3.5
Brain and other nervous system	4.8	6.9	3.0	5.8	6.4	2.4
Thyroid	2.6	3.2	1.8	13.6	13.9	3.4
Hodgkin lymphoma	3.8	4.1	1.9	3.6	3.3	1.5
Non-Hodgkin lymphomas	16.6	23.7	5.5	17.0	19.2	4.2
Multiple myeloma	7.4	14.2	5.0	7.4	9.2	3.0
Leukemias	9.0	13.9	4.7	7.2	8.1	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Bronx Park and Fordham**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	454.6	575.1	24.6	438.6	381.9	16.2
Oral cavity and pharynx	16.2	20.3	4.6	6.0	4.9	1.8
Esophagus	6.6	8.9	3.1	2.4	2.1	1.2
Stomach	12.0	15.5	4.1	11.0	9.0	2.4
Colorectal	46.0	58.9	7.9	44.0	37.9	5.1
Colon excluding rectum	31.4	40.8	6.6	30.8	26.5	4.3
Rectum & rectosigmoid	14.6	18.0	4.3	13.2	11.4	2.8
Liver / intrahepatic bile duct	24.2	27.7	5.1	8.8	7.8	2.3
Pancreas	8.8	11.4	3.5	13.6	12.0	2.9
Larynx	7.6	9.8	3.2	1.8	1.6	1.1
Lung and bronchus	48.2	66.1	8.6	48.6	44.6	5.7
Melanoma of the skin	3.8	5.5	2.5	3.4	2.9	1.4
Female breast				119.6	105.3	8.5
Cervix uteri				13.4	11.1	2.7
Corpus uterus and NOS				32.2	28.6	4.5
Ovary				10.2	8.8	2.5
Prostate	140.6	182.3	13.9			
Testis	6.2	5.0	1.8			
Urinary bladder (incl. in situ)	17.0	24.3	5.3	6.0	5.5	2.0
Kidney and renal pelvis	16.8	21.5	4.8	10.8	9.2	2.5
Brain and other nervous system	7.0	7.8	2.8	4.8	3.9	1.6
Thyroid	5.6	6.2	2.4	17.4	14.5	3.1
Hodgkin lymphoma	3.2	3.1	1.6	1.8	1.3	0.8
Non-Hodgkin lymphomas	22.4	24.6	4.8	21.2	18.3	3.5
Multiple myeloma	8.2	11.8	3.7	10.4	9.1	2.5
Leukemias	9.8	10.4	3.1	10.4	8.4	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
High Bridge and Morrisania**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	389.2	680.4	32.5	381.0	427.0	19.4
Oral cavity and pharynx	15.8	25.5	6.0	7.4	8.2	2.7
Esophagus	7.2	12.0	4.1	2.4	3.1	1.8
Stomach	10.4	21.3	6.2	8.6	10.5	3.2
Colorectal	33.8	61.8	10.1	38.6	44.6	6.4
Colon excluding rectum	24.6	47.1	9.0	27.8	32.3	5.4
Rectum & rectosigmoid	9.2	14.7	4.5	10.8	12.4	3.3
Liver / intrahepatic bile duct	20.6	33.6	7.0	10.6	12.5	3.4
Pancreas	8.0	13.5	4.5	11.2	13.5	3.6
Larynx	6.4	9.7	3.5	4.0	4.2	1.8
Lung and bronchus	48.4	89.6	12.1	38.8	44.9	6.4
Melanoma of the skin	1.0	2.0	1.9	1.4	1.5	1.1
Female breast				103.8	114.3	9.9
Cervix uteri				13.8	14.6	3.5
Corpus uterus and NOS				26.0	28.8	5.0
Ovary				10.2	11.7	3.3
Prostate	131.8	240.4	19.6			
Testis	2.6	3.2	1.8			
Urinary bladder (incl. in situ)	9.2	18.1	5.7	6.4	7.8	2.7
Kidney and renal pelvis	11.6	17.6	4.8	9.6	10.8	3.1
Brain and other nervous system	5.4	7.0	2.9	3.4	3.5	1.7
Thyroid	1.8	2.8	2.0	10.8	10.8	2.9
Hodgkin lymphoma	2.4	3.5	2.2	4.0	3.8	1.7
Non-Hodgkin lymphomas	17.4	25.5	5.7	14.0	14.7	3.5
Multiple myeloma	8.6	16.0	5.2	10.2	12.0	3.3
Leukemias	8.8	15.8	5.1	8.6	9.2	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Hunts Point and Mott Haven**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	231.2	572.5	35.8	214.2	375.2	22.8
Oral cavity and pharynx	10.2	23.1	6.7	4.4	7.9	3.4
Esophagus	3.6	7.9	3.8	0.8	1.5	1.5
Stomach	6.6	18.3	6.9	4.6	8.6	3.6
Colorectal	22.6	58.4	11.5	21.6	38.9	7.4
Colon excluding rectum	15.2	39.0	9.4	17.0	30.9	6.6
Rectum & rectosigmoid	7.4	19.4	6.6	4.6	8.0	3.3
Liver / intrahepatic bile duct	16.4	38.4	8.9	4.8	8.4	3.4
Pancreas	3.8	9.9	4.9	6.4	11.9	4.2
Larynx	3.4	7.2	3.6	1.2	2.0	1.6
Lung and bronchus	22.0	56.9	11.5	19.6	35.6	7.1
Melanoma of the skin	1.2	2.7	2.2	1.0	1.8	1.6
Female breast				55.2	95.0	11.3
Cervix uteri				7.6	12.1	3.9
Corpus uterus and NOS				15.6	26.9	6.0
Ovary				6.8	11.0	3.7
Prostate	73.0	193.8	21.3			
Testis	1.2	1.5	1.2			
Urinary bladder (incl. in situ)	8.4	24.2	7.9	3.0	6.0	3.0
Kidney and renal pelvis	7.4	17.6	6.2	6.4	11.3	4.0
Brain and other nervous system	2.8	5.0	2.8	1.2	1.9	1.5
Thyroid	2.6	5.2	3.0	8.8	14.0	4.2
Hodgkin lymphoma	2.0	3.4	2.3	2.0	3.3	2.1
Non-Hodgkin lymphomas	11.6	23.8	6.6	8.0	14.3	4.5
Multiple myeloma	4.4	12.1	5.6	6.6	11.7	4.0
Leukemias	7.6	18.7	6.7	6.6	11.5	4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Kingsbridge and Riverdale**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	258.8	531.6	29.3	301.4	406.7	22.1
Oral cavity and pharynx	8.4	17.7	5.4	5.6	7.4	2.9
Esophagus	3.2	6.8	3.4	2.4	2.6	1.6
Stomach	4.6	9.6	3.9	5.6	7.3	2.9
Colorectal	30.0	60.0	9.8	31.2	35.5	6.1
Colon excluding rectum	22.2	43.4	8.2	25.4	27.8	5.3
Rectum & rectosigmoid	7.8	16.6	5.3	5.8	7.7	3.0
Liver / intrahepatic bile duct	9.2	19.6	5.7	3.6	4.7	2.3
Pancreas	6.6	13.3	4.6	11.2	13.1	3.7
Larynx	4.4	9.0	3.8	0.2	0.2	0.4
Lung and bronchus	34.2	69.0	10.4	38.6	49.0	7.4
Melanoma of the skin	8.6	18.0	5.5	7.6	11.8	4.1
Female breast				78.6	116.7	12.2
Cervix uteri				4.2	8.3	3.6
Corpus uterus and NOS				18.6	26.6	5.6
Ovary				11.2	15.1	4.2
Prostate	68.8	142.5	15.2			
Testis	2.0	4.5	2.8			
Urinary bladder (incl. in situ)	17.2	33.6	7.2	7.0	7.4	2.7
Kidney and renal pelvis	9.2	19.4	5.6	7.4	10.1	3.4
Brain and other nervous system	3.4	6.8	3.3	3.0	4.6	2.5
Thyroid	2.8	6.3	3.3	10.8	19.9	5.5
Hodgkin lymphoma	1.2	2.9	2.3	2.0	4.0	2.5
Non-Hodgkin lymphomas	11.8	25.3	6.5	12.8	16.2	4.2
Multiple myeloma	4.6	8.7	3.6	2.8	3.0	1.7
Leukemias	6.6	14.2	4.9	9.4	12.4	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Northeast Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	488.0	574.3	22.9	510.2	398.0	15.7
Oral cavity and pharynx	10.2	11.6	3.2	5.8	4.5	1.7
Esophagus	9.0	10.5	3.1	2.2	1.5	0.9
Stomach	14.0	16.6	3.9	15.4	10.9	2.5
Colorectal	48.0	58.0	7.4	65.0	48.3	5.4
Colon excluding rectum	35.4	42.9	6.4	49.6	36.8	4.7
Rectum & rectosigmoid	12.6	15.1	3.7	15.4	11.5	2.6
Liver / intrahepatic bile duct	18.4	21.5	4.4	5.2	4.0	1.5
Pancreas	12.4	14.8	3.7	15.6	11.3	2.6
Larynx	6.0	7.0	2.5	1.4	1.0	0.7
Lung and bronchus	53.4	63.7	7.7	45.4	33.5	4.4
Melanoma of the skin	4.2	5.2	2.3	4.2	3.2	1.4
Female breast				143.4	114.2	8.5
Cervix uteri				14.6	12.8	3.0
Corpus uterus and NOS				39.6	31.3	4.4
Ovary				17.6	14.4	3.1
Prostate	189.8	218.6	14.0			
Testis	2.0	2.5	1.5			
Urinary bladder (incl. in situ)	19.0	23.2	4.7	8.0	5.6	1.8
Kidney and renal pelvis	17.4	20.7	4.4	11.8	9.0	2.3
Brain and other nervous system	4.6	5.5	2.3	6.0	5.1	1.9
Thyroid	3.6	4.1	1.9	17.6	15.3	3.2
Hodgkin lymphoma	2.2	2.5	1.5	3.0	2.6	1.3
Non-Hodgkin lymphomas	19.2	22.6	4.6	21.6	17.3	3.3
Multiple myeloma	10.2	12.1	3.3	12.4	9.2	2.3
Leukemias	9.8	11.9	3.3	11.0	8.6	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Southeast Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	678.8	553.2	18.9	683.4	385.8	13.0
Oral cavity and pharynx	19.6	15.4	3.1	10.4	5.8	1.6
Esophagus	9.2	7.6	2.2	3.4	1.7	0.8
Stomach	15.6	13.5	3.0	13.6	7.4	1.8
Colorectal	74.2	62.1	6.4	82.6	45.2	4.4
Colon excluding rectum	51.8	43.8	5.4	61.4	33.5	3.8
Rectum & rectosigmoid	22.4	18.3	3.4	21.2	11.7	2.2
Liver / intrahepatic bile duct	28.2	21.8	3.6	8.6	4.8	1.5
Pancreas	18.4	15.2	3.1	20.6	11.3	2.2
Larynx	10.4	8.5	2.3	3.8	2.3	1.0
Lung and bronchus	94.4	79.0	7.2	82.2	45.2	4.4
Melanoma of the skin	9.4	8.0	2.3	7.8	4.5	1.4
Female breast				180.2	103.8	6.8
Cervix uteri				15.4	9.3	2.1
Corpus uterus and NOS				50.0	28.3	3.5
Ovary				21.6	12.1	2.3
Prostate	195.0	156.1	9.9			
Testis	7.0	5.1	1.7			
Urinary bladder (incl. in situ)	36.0	31.3	4.6	10.2	5.5	1.5
Kidney and renal pelvis	24.0	19.5	3.5	16.6	9.5	2.0
Brain and other nervous system	8.0	6.1	1.9	7.8	4.5	1.4
Thyroid	7.8	6.0	1.9	21.2	13.0	2.5
Hodgkin lymphoma	4.6	3.4	1.4	5.6	3.5	1.3
Non-Hodgkin lymphomas	32.6	25.4	3.9	27.2	15.5	2.6
Multiple myeloma	13.2	10.9	2.7	13.4	7.4	1.8
Leukemias	18.8	15.4	3.2	17.0	9.6	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Kings (Brooklyn)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5410.6	522.3	6.3	5614.8	389.7	4.6
Oral cavity and pharynx	146.8	13.4	1.0	79.0	5.5	0.5
Esophagus	67.0	6.4	0.7	30.2	2.0	0.3
Stomach	175.8	17.7	1.2	132.8	9.0	0.7
Colorectal	593.8	58.6	2.1	644.8	43.7	1.5
Colon excluding rectum	414.0	41.5	1.8	490.6	33.1	1.3
Rectum & rectosigmoid	179.8	17.2	1.1	154.2	10.6	0.8
Liver / intrahepatic bile duct	157.4	14.4	1.0	64.0	4.4	0.5
Pancreas	145.2	14.6	1.1	167.6	11.1	0.8
Larynx	66.0	6.2	0.7	21.2	1.5	0.3
Lung and bronchus	633.0	63.0	2.2	550.6	37.7	1.4
Melanoma of the skin	121.2	11.7	0.9	101.2	7.1	0.6
Female breast				1466.4	103.7	2.4
Cervix uteri				153.4	11.1	0.8
Corpus uterus and NOS				422.4	29.0	1.2
Ovary				166.0	11.6	0.8
Prostate	1642.8	156.8	3.4			
Testis	53.0	4.3	0.5			
Urinary bladder (incl. in situ)	289.8	29.7	1.5	120.4	8.1	0.7
Kidney and renal pelvis	200.4	19.0	1.2	126.6	8.8	0.7
Brain and other nervous system	71.4	6.3	0.7	68.4	4.9	0.5
Thyroid	78.8	7.0	0.7	305.2	22.1	1.1
Hodgkin lymphoma	41.8	3.6	0.5	39.2	2.8	0.4
Non-Hodgkin lymphomas	234.6	22.3	1.3	225.4	15.6	0.9
Multiple myeloma	89.4	8.7	0.8	87.6	6.0	0.6
Leukemias	144.6	13.9	1.0	125.8	8.7	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Central Brooklyn**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	669.4	623.5	21.9	650.2	378.8	13.1
Oral cavity and pharynx	20.2	17.0	3.4	11.6	6.6	1.7
Esophagus	10.6	10.5	2.9	7.2	4.1	1.4
Stomach	19.4	20.6	4.2	13.2	7.9	1.9
Colorectal	63.2	60.2	6.9	76.8	45.4	4.6
Colon excluding rectum	44.8	43.3	5.9	60.0	35.6	4.1
Rectum & rectosigmoid	18.4	16.9	3.6	16.8	9.8	2.1
Liver / intrahepatic bile duct	18.2	15.7	3.3	7.8	4.3	1.4
Pancreas	14.6	14.4	3.4	15.6	9.1	2.0
Larynx	10.4	9.4	2.6	3.0	1.8	0.9
Lung and bronchus	74.4	72.8	7.7	60.2	35.6	4.1
Melanoma of the skin	2.8	2.5	1.4	1.6	0.9	0.6
Female breast				180.2	104.7	6.9
Cervix uteri				27.2	15.5	2.6
Corpus uterus and NOS				58.2	33.6	3.9
Ovary				16.8	9.7	2.1
Prostate	273.4	257.8	14.1			
Testis	4.4	3.3	1.4			
Urinary bladder (incl. in situ)	16.2	16.7	3.8	10.0	6.0	1.7
Kidney and renal pelvis	19.6	16.8	3.4	14.0	8.2	1.9
Brain and other nervous system	6.2	4.5	1.6	5.8	3.4	1.3
Thyroid	4.4	3.6	1.6	21.4	12.1	2.3
Hodgkin lymphoma	7.0	5.2	1.7	6.0	3.4	1.2
Non-Hodgkin lymphomas	23.8	20.0	3.7	22.2	12.9	2.4
Multiple myeloma	14.2	14.2	3.4	18.2	10.8	2.2
Leukemias	11.4	9.8	2.7	11.8	6.7	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Southwest Brooklyn**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	513.8	473.1	18.4	585.8	412.2	15.6
Oral cavity and pharynx	17.6	16.3	3.4	10.0	6.9	2.0
Esophagus	6.0	5.4	1.9	2.2	1.3	0.8
Stomach	13.0	12.0	2.9	13.0	8.6	2.2
Colorectal	58.8	53.6	6.1	67.6	41.9	4.7
Colon excluding rectum	38.2	34.7	4.9	53.2	32.4	4.1
Rectum & rectosigmoid	20.6	18.9	3.7	14.4	9.5	2.3
Liver / intrahepatic bile duct	16.2	14.6	3.2	6.2	4.2	1.6
Pancreas	12.0	11.0	2.8	16.4	10.4	2.3
Larynx	8.2	7.5	2.3	2.8	2.1	1.1
Lung and bronchus	78.8	71.9	7.1	68.4	44.4	4.9
Melanoma of the skin	18.0	17.2	3.6	17.4	13.9	3.1
Female breast				140.6	106.0	8.1
Cervix uteri				9.6	7.8	2.3
Corpus uterus and NOS				39.2	28.5	4.1
Ovary				17.4	12.9	2.8
Prostate	103.8	93.9	8.1			
Testis	5.2	5.4	2.1			
Urinary bladder (incl. in situ)	39.0	35.4	5.0	15.0	8.9	2.1
Kidney and renal pelvis	21.0	19.4	3.7	14.8	10.1	2.4
Brain and other nervous system	7.0	6.7	2.2	7.4	5.5	1.8
Thyroid	10.8	10.4	2.8	35.0	30.7	4.7
Hodgkin lymphoma	3.8	3.7	1.7	2.6	2.5	1.4
Non-Hodgkin lymphomas	24.0	22.2	4.0	24.4	16.0	3.0
Multiple myeloma	7.2	6.6	2.2	6.6	4.1	1.4
Leukemias	19.8	19.5	3.9	15.8	10.6	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Borough Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	705.0	494.6	16.5	764.0	417.8	13.7
Oral cavity and pharynx	15.4	10.7	2.4	8.6	4.7	1.5
Esophagus	6.8	4.9	1.6	3.8	1.9	0.9
Stomach	29.6	20.9	3.4	20.0	9.8	2.0
Colorectal	83.8	58.6	5.7	93.4	47.3	4.5
Colon excluding rectum	55.6	38.6	4.6	70.8	35.1	3.8
Rectum & rectosigmoid	28.2	20.0	3.3	22.6	12.2	2.3
Liver / intrahepatic bile duct	23.4	16.3	3.0	9.0	4.7	1.4
Pancreas	22.0	15.0	2.8	27.4	12.4	2.2
Larynx	8.0	5.6	1.7	2.4	1.3	0.8
Lung and bronchus	83.8	59.6	5.8	72.4	37.2	4.0
Melanoma of the skin	22.2	15.4	2.9	15.0	8.2	1.9
Female breast				181.6	105.4	7.0
Cervix uteri				14.6	9.3	2.2
Corpus uterus and NOS				50.0	28.6	3.6
Ovary				24.0	14.0	2.6
Prostate	152.2	109.1	7.8			
Testis	9.0	6.0	1.8			
Urinary bladder (incl. in situ)	50.2	35.6	4.4	17.6	8.8	1.9
Kidney and renal pelvis	32.0	22.2	3.5	17.2	9.8	2.1
Brain and other nervous system	13.0	8.6	2.1	12.4	7.1	1.8
Thyroid	14.8	9.9	2.3	53.0	34.3	4.2
Hodgkin lymphoma	5.8	3.9	1.4	5.4	3.2	1.2
Non-Hodgkin lymphomas	31.6	22.2	3.5	35.6	18.7	2.8
Multiple myeloma	10.4	7.5	2.1	6.2	3.0	1.1
Leukemias	24.6	16.9	3.0	22.2	11.5	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Canarsie and Flatlands**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	476.0	543.3	22.2	506.2	403.6	15.9
Oral cavity and pharynx	11.6	13.2	3.5	5.8	4.4	1.6
Esophagus	3.2	3.7	1.8	2.2	1.8	1.1
Stomach	13.2	15.9	3.9	10.8	8.6	2.3
Colorectal	53.4	61.8	7.5	55.8	43.7	5.2
Colon excluding rectum	39.2	45.3	6.4	41.6	32.2	4.4
Rectum & rectosigmoid	14.2	16.5	3.9	14.2	11.5	2.7
Liver / intrahepatic bile duct	9.6	10.7	3.1	3.8	2.9	1.3
Pancreas	12.8	15.7	3.9	17.2	13.7	2.9
Larynx	2.8	3.2	1.7	1.4	1.1	0.8
Lung and bronchus	51.2	58.7	7.3	52.6	40.8	5.0
Melanoma of the skin	10.4	11.9	3.3	6.8	5.5	1.9
Female breast				140.6	112.7	8.4
Cervix uteri				13.0	10.9	2.7
Corpus uterus and NOS				42.0	32.4	4.4
Ovary				13.0	10.6	2.6
Prostate	174.8	193.9	13.1			
Testis	3.2	3.8	1.9			
Urinary bladder (incl. in situ)	27.0	32.0	5.5	8.8	7.1	2.1
Kidney and renal pelvis	18.0	20.8	4.4	12.6	9.8	2.5
Brain and other nervous system	5.6	5.9	2.2	4.6	3.9	1.6
Thyroid	5.8	6.2	2.3	24.4	20.2	3.6
Hodgkin lymphoma	3.2	3.6	1.8	3.8	3.6	1.6
Non-Hodgkin lymphomas	19.8	23.1	4.6	18.0	14.7	3.1
Multiple myeloma	8.2	9.1	2.8	8.6	6.7	2.0
Leukemias	10.2	12.3	3.4	10.6	8.5	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Southern Brooklyn**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	877.0	520.5	15.6	961.4	440.1	13.2
Oral cavity and pharynx	17.8	11.1	2.3	11.8	5.3	1.4
Esophagus	7.8	4.5	1.4	3.2	1.1	0.6
Stomach	34.0	19.7	3.0	23.6	9.8	1.9
Colorectal	100.8	58.8	5.2	117.8	47.6	4.0
Colon excluding rectum	70.6	40.7	4.3	90.4	35.7	3.4
Rectum & rectosigmoid	30.2	18.2	2.9	27.4	12.0	2.1
Liver / intrahepatic bile duct	21.8	13.0	2.5	10.4	4.8	1.4
Pancreas	32.0	18.3	2.9	32.2	12.5	2.0
Larynx	9.2	5.3	1.5	2.6	1.1	0.6
Lung and bronchus	120.0	70.1	5.6	97.2	40.5	3.7
Melanoma of the skin	37.6	22.3	3.2	26.8	12.9	2.3
Female breast				233.4	115.1	6.9
Cervix uteri				12.8	7.5	1.9
Corpus uterus and NOS				67.2	30.6	3.4
Ovary				30.4	14.4	2.4
Prostate	184.8	107.9	7.0			
Testis	6.6	5.0	1.7			
Urinary bladder (incl. in situ)	70.4	40.8	4.3	26.4	10.3	1.8
Kidney and renal pelvis	43.6	26.4	3.5	26.6	11.7	2.1
Brain and other nervous system	11.2	7.4	2.0	12.6	6.4	1.7
Thyroid	17.2	11.4	2.5	59.6	34.8	4.1
Hodgkin lymphoma	3.8	2.6	1.2	5.8	4.4	1.6
Non-Hodgkin lymphomas	39.4	24.2	3.4	40.4	17.8	2.6
Multiple myeloma	11.4	6.6	1.7	8.6	3.6	1.1
Leukemias	29.0	17.8	2.9	24.2	10.8	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Northwest Brooklyn**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	427.8	485.8	21.4	446.8	369.2	15.6
Oral cavity and pharynx	13.6	14.2	3.5	5.4	4.4	1.7
Esophagus	8.4	9.7	3.0	2.0	1.7	1.1
Stomach	10.0	13.5	3.8	6.2	5.3	1.9
Colorectal	43.4	52.4	7.2	49.0	41.3	5.3
Colon excluding rectum	31.0	38.9	6.3	36.4	31.1	4.6
Rectum & rectosigmoid	12.4	13.5	3.5	12.6	10.3	2.6
Liver / intrahepatic bile duct	12.6	13.2	3.4	4.4	3.7	1.6
Pancreas	10.8	12.9	3.5	11.8	9.9	2.6
Larynx	4.8	5.3	2.2	2.4	2.0	1.2
Lung and bronchus	49.4	60.1	7.7	47.4	40.8	5.3
Melanoma of the skin	17.0	16.0	3.5	15.4	11.9	2.7
Female breast				127.6	104.8	8.2
Cervix uteri				8.8	6.9	2.1
Corpus uterus and NOS				31.4	25.6	4.1
Ovary				14.0	12.0	2.8
Prostate	120.8	138.0	11.4			
Testis	10.2	8.5	2.4			
Urinary bladder (incl. in situ)	24.0	31.1	5.7	11.0	8.9	2.4
Kidney and renal pelvis	13.2	14.1	3.5	8.8	7.4	2.2
Brain and other nervous system	6.6	6.6	2.3	4.6	3.6	1.5
Thyroid	7.6	6.7	2.2	24.4	18.8	3.4
Hodgkin lymphoma	5.0	4.3	1.7	2.8	2.0	1.1
Non-Hodgkin lymphomas	19.6	21.4	4.4	14.8	12.1	2.8
Multiple myeloma	6.4	7.6	2.7	6.2	5.5	2.0
Leukemias	7.2	8.6	2.9	8.4	7.2	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Flatbush**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	642.6	537.0	19.5	630.8	345.1	12.2
Oral cavity and pharynx	13.2	10.2	2.6	8.4	4.6	1.4
Esophagus	7.6	5.7	1.9	3.8	2.2	1.0
Stomach	17.6	16.3	3.6	16.6	9.5	2.1
Colorectal	63.8	54.5	6.3	65.8	36.3	4.0
Colon excluding rectum	51.2	44.4	5.7	47.0	26.0	3.4
Rectum & rectosigmoid	12.6	10.1	2.6	18.8	10.3	2.1
Liver / intrahepatic bile duct	12.8	10.6	2.7	6.2	3.3	1.2
Pancreas	12.0	11.4	3.0	18.0	10.3	2.2
Larynx	6.0	4.8	1.8	1.8	0.9	0.6
Lung and bronchus	50.0	43.4	5.7	48.8	27.4	3.5
Melanoma of the skin	4.2	3.9	1.7	3.8	2.1	0.9
Female breast				188.0	100.9	6.5
Cervix uteri				27.0	14.6	2.5
Corpus uterus and NOS				57.6	30.0	3.5
Ovary				16.8	9.0	1.9
Prostate	307.2	248.9	13.0			
Testis	3.0	2.0	1.0			
Urinary bladder (incl. in situ)	15.8	15.9	3.7	9.0	5.3	1.6
Kidney and renal pelvis	14.8	11.9	2.8	11.2	6.0	1.6
Brain and other nervous system	4.8	3.6	1.5	9.2	5.1	1.5
Thyroid	5.0	3.5	1.4	25.2	13.8	2.4
Hodgkin lymphoma	3.2	2.2	1.1	3.2	1.8	0.9
Non-Hodgkin lymphomas	25.6	21.3	3.9	27.0	14.9	2.5
Multiple myeloma	15.4	13.2	3.1	17.0	9.5	2.1
Leukemias	14.0	11.8	3.0	10.6	6.0	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
East New York and New Lots**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	328.0	567.8	29.2	296.0	346.1	18.0
Oral cavity and pharynx	11.6	18.1	4.9	5.2	5.8	2.3
Esophagus	4.6	6.8	2.9	2.4	3.0	1.7
Stomach	10.6	18.4	5.3	6.4	7.8	2.8
Colorectal	35.8	65.0	10.2	32.0	38.7	6.1
Colon excluding rectum	23.8	46.4	8.9	25.0	30.2	5.4
Rectum & rectosigmoid	12.0	18.6	4.9	7.0	8.5	2.9
Liver / intrahepatic bile duct	10.2	15.4	4.4	4.8	5.8	2.4
Pancreas	7.8	15.2	5.1	9.8	12.6	3.6
Larynx	5.0	7.6	3.0	2.2	2.6	1.6
Lung and bronchus	32.8	60.5	9.8	28.6	34.4	5.7
Melanoma of the skin	0.8	1.5	1.7	2.2	2.8	1.7
Female breast				81.4	94.1	9.3
Cervix uteri				14.2	16.8	4.0
Corpus uterus and NOS				23.2	26.0	4.8
Ovary				7.8	9.0	2.9
Prostate	124.2	218.1	18.1			
Testis	1.4	1.7	1.3			
Urinary bladder (incl. in situ)	11.0	23.2	6.6	6.0	7.8	2.9
Kidney and renal pelvis	8.6	14.6	4.6	5.4	6.3	2.4
Brain and other nervous system	4.2	5.6	2.5	2.6	2.8	1.5
Thyroid	1.6	2.5	1.8	11.8	12.7	3.3
Hodgkin lymphoma	2.8	3.6	1.9	2.6	2.6	1.4
Non-Hodgkin lymphomas	13.6	22.1	5.5	11.2	13.2	3.5
Multiple myeloma	5.8	9.9	3.8	4.4	5.4	2.3
Leukemias	7.2	11.6	4.1	5.2	5.7	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Greenpoint**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	193.0	399.0	26.1	214.2	336.3	20.3
Oral cavity and pharynx	4.6	8.6	3.6	3.6	6.0	2.8
Esophagus	2.6	5.4	3.0	0.6	0.8	0.9
Stomach	6.8	15.1	5.2	5.4	8.3	3.2
Colorectal	25.2	53.7	9.7	22.0	34.0	6.4
Colon excluding rectum	16.8	36.7	8.1	15.8	24.1	5.4
Rectum & rectosigmoid	8.4	17.0	5.3	6.2	9.9	3.5
Liver / intrahepatic bile duct	8.4	16.8	5.3	3.6	5.7	2.6
Pancreas	7.2	15.6	5.2	6.4	10.0	3.5
Larynx	3.6	7.0	3.3	0.8	1.2	1.2
Lung and bronchus	22.8	50.7	9.6	25.0	39.3	6.9
Melanoma of the skin	4.0	6.8	3.1	6.4	10.2	3.6
Female breast				51.2	82.4	10.2
Cervix uteri				5.4	8.6	3.3
Corpus uterus and NOS				12.6	20.1	5.0
Ovary				7.0	10.6	3.6
Prostate	40.2	86.2	12.3			
Testis	3.6	4.5	2.1			
Urinary bladder (incl. in situ)	12.6	29.6	7.5	6.2	10.0	3.5
Kidney and renal pelvis	9.2	17.9	5.3	3.8	6.2	2.8
Brain and other nervous system	4.6	8.2	3.5	3.0	4.5	2.3
Thyroid	2.0	3.1	2.0	13.6	20.9	5.0
Hodgkin lymphoma	2.2	3.1	1.8	2.2	3.1	1.9
Non-Hodgkin lymphomas	9.4	17.8	5.3	10.8	17.0	4.6
Multiple myeloma	1.6	3.2	2.3	2.2	3.7	2.2
Leukemias	6.6	13.6	4.8	3.0	4.7	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Sunset Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	226.6	506.1	30.9	225.6	397.8	23.4
Oral cavity and pharynx	8.4	16.9	5.4	4.2	7.3	3.1
Esophagus	2.4	5.9	3.5	1.0	1.8	1.6
Stomach	10.0	20.6	5.9	5.8	10.3	3.8
Colorectal	25.0	57.6	10.6	25.2	46.0	8.1
Colon excluding rectum	15.8	38.4	8.9	19.4	35.7	7.2
Rectum & rectosigmoid	9.2	19.2	5.8	5.8	10.3	3.8
Liver / intrahepatic bile duct	12.6	26.2	6.8	3.2	5.6	2.8
Pancreas	5.4	11.7	4.6	4.4	7.8	3.3
Larynx	2.6	4.9	2.8	0.4	0.8	1.1
Lung and bronchus	28.8	69.6	11.8	19.4	35.3	7.1
Melanoma of the skin	1.6	3.6	2.6	3.6	6.1	2.8
Female breast				55.6	97.8	11.6
Cervix uteri				6.6	11.2	3.8
Corpus uterus and NOS				15.8	27.4	6.1
Ovary				8.8	15.2	4.5
Prostate	48.8	114.5	14.9			
Testis	2.8	4.5	2.5			
Urinary bladder (incl. in situ)	11.2	26.6	7.3	3.8	7.2	3.3
Kidney and renal pelvis	8.4	17.1	5.4	4.6	8.2	3.4
Brain and other nervous system	3.6	6.2	3.0	2.8	4.5	2.4
Thyroid	6.2	11.7	4.3	21.0	35.3	6.8
Hodgkin lymphoma	1.4	2.6	2.0	2.0	3.5	2.2
Non-Hodgkin lymphomas	11.8	25.5	6.9	8.4	14.7	4.5
Multiple myeloma	4.8	10.7	4.5	3.0	5.6	2.9
Leukemias	5.6	10.7	4.2	4.4	7.8	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Bushwick and Williamsburg**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	345.8	547.1	27.2	331.2	351.6	17.1
Oral cavity and pharynx	12.8	18.5	4.7	4.2	4.3	1.8
Esophagus	7.0	11.6	4.0	1.8	1.9	1.3
Stomach	11.6	19.6	5.3	11.8	12.9	3.3
Colorectal	39.8	64.8	9.5	38.8	42.6	6.0
Colon excluding rectum	26.6	45.0	8.0	30.8	33.7	5.4
Rectum & rectosigmoid	13.2	19.8	5.1	8.0	8.9	2.8
Liver / intrahepatic bile duct	11.4	15.9	4.3	4.6	5.2	2.1
Pancreas	8.4	15.0	4.8	8.2	8.9	2.7
Larynx	5.4	8.8	3.5	1.4	1.4	1.1
Lung and bronchus	40.8	66.8	9.6	30.6	33.2	5.3
Melanoma of the skin	2.4	3.8	2.4	2.2	2.2	1.3
Female breast				86.4	91.4	8.7
Cervix uteri				14.0	14.5	3.4
Corpus uterus and NOS				25.2	26.4	4.6
Ovary				10.2	10.5	2.9
Prostate	111.2	180.9	15.7			
Testis	3.6	3.8	1.8			
Urinary bladder (incl. in situ)	11.6	21.8	5.9	6.2	7.2	2.6
Kidney and renal pelvis	12.0	16.5	4.4	7.8	8.2	2.6
Brain and other nervous system	4.6	6.2	2.7	3.4	3.4	1.6
Thyroid	3.4	4.7	2.4	15.8	15.7	3.5
Hodgkin lymphoma	3.6	4.7	2.3	2.8	2.7	1.5
Non-Hodgkin lymphomas	15.6	22.4	5.3	12.6	13.3	3.3
Multiple myeloma	3.6	6.0	2.9	6.4	7.0	2.5
Leukemias	8.8	13.2	4.3	9.2	9.4	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
New York (Manhattan)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4059.8	559.5	7.8	4120.6	432.8	6.0
Oral cavity and pharynx	136.4	18.1	1.4	56.8	6.0	0.7
Esophagus	52.4	7.3	0.9	25.8	2.6	0.5
Stomach	95.8	13.6	1.2	66.2	6.8	0.7
Colorectal	337.8	48.0	2.3	360.4	36.8	1.7
Colon excluding rectum	238.4	34.7	2.0	267.6	27.2	1.5
Rectum & rectosigmoid	99.4	13.3	1.2	92.8	9.6	0.9
Liver / intrahepatic bile duct	151.8	20.0	1.4	52.2	5.5	0.7
Pancreas	112.6	16.3	1.4	117.6	11.9	1.0
Larynx	48.8	6.7	0.9	14.2	1.5	0.3
Lung and bronchus	449.6	64.6	2.7	445.6	46.2	1.9
Melanoma of the skin	196.0	25.8	1.7	164.6	16.8	1.2
Female breast				1246.6	133.8	3.4
Cervix uteri				69.2	7.4	0.8
Corpus uterus and NOS				262.0	27.2	1.5
Ovary				121.0	12.9	1.0
Prostate	1163.0	158.4	4.1			
Testis	53.6	5.7	0.7			
Urinary bladder (incl. in situ)	215.4	31.8	1.9	84.4	8.6	0.8
Kidney and renal pelvis	137.4	19.0	1.4	77.6	8.2	0.8
Brain and other nervous system	57.2	7.8	0.9	51.0	5.6	0.7
Thyroid	73.0	8.7	0.9	216.8	22.9	1.4
Hodgkin lymphoma	34.8	4.3	0.7	25.4	2.6	0.5
Non-Hodgkin lymphomas	212.2	28.7	1.8	168.8	17.6	1.2
Multiple myeloma	61.6	8.7	1.0	59.6	6.2	0.7
Leukemias	109.0	15.6	1.3	86.8	9.5	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Central Harlems**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	359.2	590.7	27.7	381.0	418.0	19.0
Oral cavity and pharynx	12.6	19.8	4.9	5.0	5.4	2.2
Esophagus	5.0	8.1	3.2	4.2	4.5	1.9
Stomach	11.0	18.6	5.0	8.6	9.0	2.7
Colorectal	33.2	56.0	8.6	41.4	44.2	6.1
Colon excluding rectum	22.0	38.6	7.3	31.6	33.4	5.3
Rectum & rectosigmoid	11.2	17.4	4.6	9.8	10.8	3.1
Liver / intrahepatic bile duct	17.2	27.2	5.8	5.8	6.5	2.4
Pancreas	7.6	12.9	4.2	14.2	15.0	3.5
Larynx	7.4	12.0	3.9	2.4	2.7	1.6
Lung and bronchus	49.8	84.4	10.6	42.2	47.2	6.4
Melanoma of the skin	3.4	5.3	2.6	3.6	4.0	1.9
Female breast				117.8	131.6	10.7
Cervix uteri				8.6	9.6	2.9
Corpus uterus and NOS				26.2	29.1	5.0
Ovary				9.2	9.9	2.9
Prostate	118.4	198.7	16.2			
Testis	1.8	2.4	1.6			
Urinary bladder (incl. in situ)	11.6	19.2	5.0	6.0	6.0	2.2
Kidney and renal pelvis	9.8	15.8	4.5	7.8	8.4	2.7
Brain and other nervous system	2.2	3.3	2.0	3.6	4.2	1.9
Thyroid	3.8	5.3	2.4	10.4	11.6	3.2
Hodgkin lymphoma	4.8	6.5	2.6	2.0	2.1	1.3
Non-Hodgkin lymphomas	14.6	22.0	5.1	13.2	14.8	3.6
Multiple myeloma	8.4	14.4	4.4	9.0	9.7	2.9
Leukemias	8.4	13.7	4.2	7.0	7.8	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Chelsea and Clinton**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	387.4	551.8	25.7	334.0	443.8	21.8
Oral cavity and pharynx	15.0	20.2	4.7	6.0	8.1	2.9
Esophagus	4.0	5.8	2.6	2.4	3.1	1.8
Stomach	6.4	9.3	3.3	4.4	5.3	2.3
Colorectal	27.4	40.0	6.9	27.4	35.1	6.0
Colon excluding rectum	18.4	27.9	5.9	20.8	26.2	5.1
Rectum & rectosigmoid	9.0	12.1	3.6	6.6	8.9	3.1
Liver / intrahepatic bile duct	13.0	16.9	4.2	4.8	6.2	2.5
Pancreas	10.8	16.0	4.4	6.2	8.0	2.8
Larynx	4.8	7.4	3.0	0.8	1.2	1.1
Lung and bronchus	44.6	68.2	9.2	36.4	47.8	7.0
Melanoma of the skin	19.6	24.8	5.1	15.0	19.2	4.4
Female breast				102.2	138.1	12.1
Cervix uteri				5.2	6.7	2.6
Corpus uterus and NOS				18.8	24.7	5.0
Ovary				12.8	17.3	4.4
Prostate	104.8	152.2	13.3			
Testis	8.0	11.0	4.5			
Urinary bladder (incl. in situ)	22.6	33.8	6.4	10.6	13.6	3.7
Kidney and renal pelvis	15.0	20.6	4.9	5.2	7.2	2.8
Brain and other nervous system	4.4	5.4	2.3	4.0	6.5	3.3
Thyroid	5.2	6.0	2.3	18.4	24.4	5.2
Hodgkin lymphoma	4.6	7.3	3.7	2.6	3.7	2.1
Non-Hodgkin lymphomas	20.8	27.3	5.5	12.6	16.4	4.1
Multiple myeloma	4.6	7.0	3.0	6.0	7.8	2.8
Leukemias	10.2	16.2	4.7	6.6	8.9	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
East Harlem**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	241.8	559.9	31.9	253.2	392.3	21.8
Oral cavity and pharynx	6.2	14.9	5.3	3.4	5.3	2.5
Esophagus	3.6	8.8	4.1	1.6	2.3	1.6
Stomach	7.0	17.5	5.8	7.0	10.8	3.6
Colorectal	27.2	64.1	10.8	26.6	40.0	6.9
Colon excluding rectum	19.2	45.6	9.2	19.8	30.0	6.0
Rectum & rectosigmoid	8.0	18.5	5.8	6.8	10.0	3.4
Liver / intrahepatic bile duct	15.0	33.2	7.6	4.0	6.2	2.7
Pancreas	6.8	16.0	5.4	9.0	13.4	3.9
Larynx	3.6	8.5	4.0	1.8	2.7	1.8
Lung and bronchus	33.4	79.1	12.1	29.6	45.2	7.3
Melanoma of the skin	2.0	4.8	3.0	3.2	5.0	2.5
Female breast				72.6	115.1	11.9
Cervix uteri				8.8	14.5	4.3
Corpus uterus and NOS				14.6	22.3	5.2
Ovary				5.0	7.5	3.0
Prostate	71.6	169.7	17.7			
Testis	1.8	2.8	1.8			
Urinary bladder (incl. in situ)	7.0	16.5	5.5	3.2	4.7	2.3
Kidney and renal pelvis	8.8	20.5	6.1	7.4	11.9	3.9
Brain and other nervous system	2.0	3.9	2.5	1.6	2.4	1.7
Thyroid	2.0	4.5	2.8	9.6	15.8	4.5
Hodgkin lymphoma	2.2	4.0	2.4	2.0	3.4	2.1
Non-Hodgkin lymphomas	9.6	20.8	5.9	10.0	16.4	4.6
Multiple myeloma	3.8	8.9	4.0	4.6	6.7	2.8
Leukemias	5.6	12.0	4.6	4.2	6.4	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Gramercy Park and Murray Hill**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	407.6	581.3	26.2	418.0	470.0	21.0
Oral cavity and pharynx	13.4	19.3	4.8	5.8	6.4	2.4
Esophagus	5.0	7.2	2.8	2.8	3.1	1.7
Stomach	5.4	7.6	2.9	4.4	4.5	1.9
Colorectal	28.4	40.7	6.8	32.2	36.3	5.7
Colon excluding rectum	20.8	30.2	5.9	25.2	28.3	5.0
Rectum & rectosigmoid	7.6	10.5	3.4	7.0	7.9	2.7
Liver / intrahepatic bile duct	10.6	14.2	3.9	2.4	2.6	1.5
Pancreas	15.0	21.4	4.9	11.0	11.6	3.1
Larynx	3.6	5.3	2.5	1.2	1.1	0.9
Lung and bronchus	45.0	64.5	8.5	55.2	59.4	7.1
Melanoma of the skin	30.0	42.3	7.2	28.2	31.6	5.4
Female breast				127.6	146.1	11.5
Cervix uteri				4.0	4.0	1.8
Corpus uterus and NOS				21.8	24.4	4.6
Ovary				13.4	14.7	3.6
Prostate	108.4	147.9	12.6			
Testis	5.4	7.7	3.5			
Urinary bladder (incl. in situ)	27.6	40.2	6.8	10.0	10.6	3.0
Kidney and renal pelvis	14.6	20.6	4.8	5.8	6.5	2.4
Brain and other nervous system	8.6	16.8	6.1	6.4	8.8	3.9
Thyroid	8.0	11.0	3.6	21.0	24.6	4.9
Hodgkin lymphoma	2.8	4.8	2.9	2.4	3.2	1.9
Non-Hodgkin lymphomas	25.4	36.6	6.8	16.8	17.8	3.9
Multiple myeloma	4.8	6.9	2.8	2.8	3.1	1.6
Leukemias	10.2	15.7	4.5	8.8	11.1	4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Greenwich Village and Soho**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	229.6	522.3	31.2	196.2	404.0	25.8
Oral cavity and pharynx	8.2	17.1	5.4	3.0	6.4	3.3
Esophagus	2.8	6.7	3.6	0.6	1.4	1.6
Stomach	3.8	9.4	4.3	2.6	5.0	2.8
Colorectal	20.2	46.7	9.3	16.2	34.1	7.5
Colon excluding rectum	12.8	30.4	7.6	13.0	27.3	6.7
Rectum & rectosigmoid	7.4	16.4	5.4	3.2	6.8	3.3
Liver / intrahepatic bile duct	7.6	17.6	5.8	1.8	4.1	2.7
Pancreas	5.2	12.5	4.9	3.8	7.6	3.5
Larynx	2.2	5.0	3.0	1.0	2.2	2.0
Lung and bronchus	27.6	68.0	11.6	23.2	48.0	8.8
Melanoma of the skin	13.2	25.8	6.4	9.0	17.3	5.2
Female breast				56.8	117.0	13.7
Cervix uteri				4.0	7.9	3.5
Corpus uterus and NOS				13.2	26.4	6.4
Ovary				4.8	9.5	3.9
Prostate	59.4	131.4	15.2			
Testis	4.0	7.8	3.8			
Urinary bladder (incl. in situ)	15.4	39.9	9.1	3.6	7.8	3.7
Kidney and renal pelvis	9.0	20.5	6.1	4.2	9.1	4.1
Brain and other nervous system	3.8	7.5	3.5	3.4	8.4	4.5
Thyroid	4.2	7.7	3.3	12.4	24.4	6.2
Hodgkin lymphoma	0.8	1.6	1.6	1.0	2.0	1.8
Non-Hodgkin lymphomas	11.6	25.9	7.0	10.2	20.5	5.7
Multiple myeloma	2.6	5.8	3.2	2.2	4.6	2.8
Leukemias	6.6	16.3	5.9	4.2	9.6	4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Lower Manhattan**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	82.6	478.3	48.1	95.0	431.6	39.4
Oral cavity and pharynx	4.8	25.7	10.6	1.2	5.0	4.0
Esophagus	0.6	3.4	4.0	0.2	0.8	1.6
Stomach	1.0	5.4	5.0	1.2	4.4	3.6
Colorectal	7.0	44.2	15.1	11.0	49.4	13.2
Colon excluding rectum	5.4	34.1	13.3	8.4	37.8	11.6
Rectum & rectosigmoid	1.6	10.1	7.2	2.6	11.6	6.4
Liver / intrahepatic bile duct	3.8	20.9	9.9	1.8	8.4	5.6
Pancreas	1.2	7.6	6.2	2.4	10.4	5.9
Larynx	1.0	5.5	5.0	0.0	0.0	0.0
Lung and bronchus	9.2	61.5	18.2	10.0	45.9	12.8
Melanoma of the skin	4.8	20.0	8.4	5.2	21.0	8.3
Female breast				28.0	131.5	22.0
Cervix uteri				0.6	3.1	3.5
Corpus uterus and NOS				5.4	25.9	9.8
Ovary				2.6	12.4	6.8
Prostate	22.6	137.6	26.0			
Testis	2.4	8.7	5.5			
Urinary bladder (incl. in situ)	4.0	27.1	12.2	1.0	4.5	4.0
Kidney and renal pelvis	2.4	13.9	8.1	1.4	6.5	4.8
Brain and other nervous system	1.8	10.3	7.0	1.2	5.8	4.8
Thyroid	2.0	9.9	6.4	6.4	28.8	10.1
Hodgkin lymphoma	1.4	7.3	6.2	0.6	2.4	2.7
Non-Hodgkin lymphomas	4.2	23.3	10.5	3.6	15.9	7.4
Multiple myeloma	0.8	3.8	3.7	0.8	3.7	3.6
Leukemias	1.6	9.7	7.0	2.2	10.1	6.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Lower East Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	540.0	567.5	21.6	499.2	406.5	16.2
Oral cavity and pharynx	23.2	23.2	4.3	8.6	7.0	2.1
Esophagus	6.2	6.5	2.3	2.4	1.7	1.0
Stomach	25.0	26.4	4.7	12.2	9.7	2.5
Colorectal	50.0	53.8	6.7	48.2	37.4	4.8
Colon excluding rectum	37.0	39.9	5.8	34.0	26.1	4.0
Rectum & rectosigmoid	13.0	13.9	3.4	14.2	11.3	2.7
Liver / intrahepatic bile duct	37.6	37.8	5.5	10.8	8.5	2.3
Pancreas	13.2	14.5	3.5	13.4	10.0	2.4
Larynx	6.6	6.9	2.4	1.4	1.2	0.9
Lung and bronchus	66.6	73.1	7.9	56.6	45.0	5.3
Melanoma of the skin	14.8	14.5	3.3	12.2	10.1	2.6
Female breast				132.2	110.3	8.5
Cervix uteri				10.4	9.1	2.5
Corpus uterus and NOS				33.0	27.6	4.3
Ovary				15.8	13.0	2.9
Prostate	118.2	127.6	10.4			
Testis	8.8	7.3	2.2			
Urinary bladder (incl. in situ)	27.0	29.1	4.9	9.8	7.6	2.1
Kidney and renal pelvis	19.8	21.5	4.3	11.0	9.0	2.4
Brain and other nervous system	7.6	8.2	2.7	6.0	5.3	2.0
Thyroid	14.0	12.9	3.1	33.0	27.9	4.3
Hodgkin lymphoma	4.0	3.5	1.6	2.6	2.3	1.4
Non-Hodgkin lymphomas	24.6	25.1	4.5	18.6	14.7	3.0
Multiple myeloma	8.0	8.5	2.6	7.6	6.0	1.9
Leukemias	11.4	11.6	3.1	10.6	8.9	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Upper East Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	669.2	615.8	21.3	757.6	512.0	16.9
Oral cavity and pharynx	22.2	19.8	3.7	9.2	6.4	2.0
Esophagus	8.4	7.9	2.4	5.2	3.3	1.3
Stomach	9.4	8.7	2.5	6.8	4.5	1.5
Colorectal	46.8	44.0	5.7	49.0	30.3	3.9
Colon excluding rectum	35.6	33.9	5.0	37.0	22.7	3.4
Rectum & rectosigmoid	11.2	10.1	2.7	12.0	7.6	2.0
Liver / intrahepatic bile duct	14.0	12.8	3.1	5.0	3.6	1.6
Pancreas	22.2	20.7	3.9	21.2	13.7	2.7
Larynx	8.2	7.5	2.3	1.2	0.8	0.7
Lung and bronchus	58.6	54.8	6.3	81.4	53.3	5.3
Melanoma of the skin	67.0	61.9	6.9	52.4	36.3	4.7
Female breast				251.8	172.0	9.7
Cervix uteri				7.4	5.1	1.7
Corpus uterus and NOS				50.0	32.7	4.1
Ovary				22.0	15.0	2.9
Prostate	187.0	164.7	10.7			
Testis	10.2	10.4	3.2			
Urinary bladder (incl. in situ)	45.8	42.8	5.6	19.6	12.3	2.5
Kidney and renal pelvis	23.8	21.3	3.9	11.0	7.4	2.0
Brain and other nervous system	10.8	11.1	3.2	8.4	7.0	2.3
Thyroid	14.6	12.4	2.9	39.4	28.6	4.3
Hodgkin lymphoma	3.4	4.3	2.3	3.8	2.7	1.3
Non-Hodgkin lymphomas	35.8	32.7	4.8	31.0	21.0	3.5
Multiple myeloma	8.0	7.6	2.4	7.4	4.8	1.6
Leukemias	21.4	21.0	4.1	14.6	10.3	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Upper West Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	598.0	540.5	19.7	672.8	452.0	15.7
Oral cavity and pharynx	15.4	13.1	3.0	8.2	5.4	1.7
Esophagus	8.4	7.6	2.3	3.0	1.8	0.9
Stomach	12.0	11.5	2.9	9.0	5.6	1.7
Colorectal	49.6	44.7	5.6	54.2	34.0	4.2
Colon excluding rectum	36.6	33.5	4.9	39.8	24.8	3.5
Rectum & rectosigmoid	13.0	11.2	2.8	14.4	9.3	2.2
Liver / intrahepatic bile duct	11.8	10.6	2.7	4.6	3.1	1.3
Pancreas	16.6	15.6	3.4	19.6	12.0	2.4
Larynx	3.6	3.2	1.5	2.4	1.5	0.9
Lung and bronchus	61.2	57.4	6.5	67.8	44.2	4.8
Melanoma of the skin	33.2	29.3	4.6	30.4	21.4	3.5
Female breast				211.8	144.1	8.8
Cervix uteri				8.2	5.5	1.7
Corpus uterus and NOS				50.8	33.9	4.2
Ovary				19.2	13.7	2.8
Prostate	186.4	164.0	10.7			
Testis	7.0	6.8	2.4			
Urinary bladder (incl. in situ)	34.4	33.2	5.0	12.6	8.4	2.1
Kidney and renal pelvis	17.8	15.9	3.3	12.8	8.5	2.1
Brain and other nervous system	7.8	7.3	2.4	9.6	6.6	1.9
Thyroid	13.8	11.2	2.7	38.6	27.3	3.9
Hodgkin lymphoma	5.2	4.6	1.9	3.6	2.7	1.3
Non-Hodgkin lymphomas	36.4	33.2	4.9	31.8	21.5	3.5
Multiple myeloma	9.0	8.3	2.4	7.2	4.7	1.6
Leukemias	18.6	17.8	3.7	14.0	9.8	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Inwood and Washington Heights**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	519.4	505.4	20.0	497.8	334.4	13.2
Oral cavity and pharynx	15.0	14.3	3.3	6.2	4.1	1.5
Esophagus	8.0	8.0	2.5	3.4	2.2	1.0
Stomach	13.2	13.1	3.3	9.4	6.2	1.8
Colorectal	46.6	46.7	6.2	53.2	35.3	4.3
Colon excluding rectum	29.2	30.4	5.1	37.2	24.5	3.5
Rectum & rectosigmoid	17.4	16.3	3.5	16.0	10.8	2.4
Liver / intrahepatic bile duct	19.8	19.0	3.9	10.4	7.0	1.9
Pancreas	13.4	13.8	3.4	16.4	10.8	2.4
Larynx	7.6	7.2	2.4	2.0	1.3	0.8
Lung and bronchus	52.0	53.2	6.6	41.2	27.7	3.8
Melanoma of the skin	7.0	6.9	2.4	5.2	3.5	1.4
Female breast				142.6	96.6	7.1
Cervix uteri				11.8	7.9	2.0
Corpus uterus and NOS				26.8	18.0	3.1
Ovary				15.8	10.8	2.4
Prostate	178.0	174.7	11.7			
Testis	4.2	3.0	1.3			
Urinary bladder (incl. in situ)	18.6	20.1	4.2	7.8	5.1	1.6
Kidney and renal pelvis	15.6	14.5	3.3	10.4	7.2	2.0
Brain and other nervous system	8.0	6.9	2.2	6.8	4.5	1.5
Thyroid	5.0	3.9	1.6	27.4	18.2	3.1
Hodgkin lymphoma	5.4	4.0	1.6	4.8	3.2	1.3
Non-Hodgkin lymphomas	27.8	24.5	4.2	20.4	13.8	2.7
Multiple myeloma	11.0	11.1	3.0	11.0	7.6	2.0
Leukemias	14.2	13.1	3.2	13.8	9.2	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5161.8	496.8	6.1	5179.6	376.0	4.6
Oral cavity and pharynx	130.2	11.9	0.9	70.6	5.1	0.5
Esophagus	62.4	6.1	0.7	27.6	1.9	0.3
Stomach	172.0	16.8	1.1	119.8	8.4	0.7
Colorectal	537.4	52.3	2.0	567.2	39.4	1.5
Colon excluding rectum	365.8	36.0	1.7	417.8	28.8	1.2
Rectum & rectosigmoid	171.6	16.2	1.1	149.4	10.6	0.8
Liver / intrahepatic bile duct	157.6	14.2	1.0	62.8	4.5	0.5
Pancreas	137.4	13.5	1.0	149.6	10.1	0.7
Larynx	62.8	5.9	0.7	17.0	1.2	0.3
Lung and bronchus	617.2	61.2	2.2	547.2	38.8	1.5
Melanoma of the skin	106.8	10.3	0.9	109.0	7.9	0.7
Female breast				1440.0	106.9	2.5
Cervix uteri				129.4	10.0	0.8
Corpus uterus and NOS				370.0	26.9	1.2
Ovary				165.4	12.2	0.8
Prostate	1567.2	148.9	3.3			
Testis	45.6	3.8	0.5			
Urinary bladder (incl. in situ)	322.2	32.8	1.6	115.0	8.0	0.7
Kidney and renal pelvis	203.2	19.1	1.2	119.0	8.7	0.7
Brain and other nervous system	76.2	7.2	0.7	60.0	4.7	0.5
Thyroid	69.2	6.1	0.6	243.4	19.2	1.1
Hodgkin lymphoma	37.6	3.4	0.5	30.8	2.6	0.4
Non-Hodgkin lymphomas	216.4	20.7	1.3	205.0	14.8	0.9
Multiple myeloma	78.6	7.7	0.8	71.6	5.0	0.5
Leukemias	143.0	14.1	1.0	111.6	8.2	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Northeast Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	258.4	483.5	26.6	296.0	434.8	22.9
Oral cavity and pharynx	7.4	13.5	4.4	5.6	8.2	3.1
Esophagus	2.2	4.2	2.5	2.2	2.9	1.7
Stomach	6.2	11.6	4.1	6.2	9.0	3.3
Colorectal	27.6	51.9	8.7	34.4	47.0	7.3
Colon excluding rectum	19.0	35.4	7.2	25.6	33.6	6.0
Rectum & rectosigmoid	8.6	16.5	5.0	8.8	13.4	4.1
Liver / intrahepatic bile duct	7.0	12.9	4.3	1.6	2.4	1.7
Pancreas	7.4	13.4	4.4	8.2	10.8	3.4
Larynx	1.4	2.6	1.9	0.6	0.7	0.9
Lung and bronchus	31.8	59.0	9.2	36.0	49.9	7.4
Melanoma of the skin	9.2	17.4	5.1	7.4	11.6	3.9
Female breast				79.4	121.9	12.3
Cervix uteri				3.0	4.9	2.6
Corpus uterus and NOS				17.8	25.7	5.4
Ovary				8.0	12.4	4.0
Prostate	70.6	130.3	13.7			
Testis	2.0	5.2	3.2			
Urinary bladder (incl. in situ)	22.2	40.7	7.6	9.0	11.7	3.5
Kidney and renal pelvis	10.0	18.2	5.1	7.0	10.1	3.4
Brain and other nervous system	3.2	6.9	3.5	4.6	8.4	3.6
Thyroid	4.4	8.0	3.4	16.8	28.2	6.2
Hodgkin lymphoma	1.0	2.1	1.8	1.0	1.9	1.8
Non-Hodgkin lymphomas	12.0	22.4	5.7	12.8	18.6	4.7
Multiple myeloma	2.4	4.5	2.6	3.4	4.5	2.2
Leukemias	8.0	15.5	4.9	7.4	10.2	3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
North Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	717.4	512.4	16.9	710.2	392.6	13.3
Oral cavity and pharynx	21.6	14.8	2.8	8.0	4.5	1.4
Esophagus	12.0	8.5	2.2	4.2	2.2	1.0
Stomach	37.6	26.7	3.8	21.0	10.9	2.1
Colorectal	81.8	58.1	5.7	88.8	46.0	4.4
Colon excluding rectum	55.4	39.8	4.7	63.2	32.2	3.7
Rectum & rectosigmoid	26.4	18.4	3.2	25.6	13.8	2.5
Liver / intrahepatic bile duct	27.0	18.6	3.2	9.6	5.3	1.5
Pancreas	22.4	16.1	3.0	22.0	10.5	2.0
Larynx	5.6	4.0	1.5	2.4	1.3	0.7
Lung and bronchus	92.0	65.6	6.0	81.4	42.5	4.2
Melanoma of the skin	16.2	11.7	2.6	13.8	7.7	1.9
Female breast				192.0	110.5	7.1
Cervix uteri				16.4	10.5	2.3
Corpus uterus and NOS				44.8	25.4	3.4
Ovary				20.0	11.7	2.3
Prostate	174.0	123.2	8.2			
Testis	5.8	4.6	1.7			
Urinary bladder (incl. in situ)	55.8	39.9	4.7	14.4	7.0	1.7
Kidney and renal pelvis	29.4	20.7	3.4	15.2	8.2	1.9
Brain and other nervous system	9.0	6.8	2.0	5.2	3.2	1.3
Thyroid	11.4	8.1	2.1	33.4	22.0	3.4
Hodgkin lymphoma	3.6	2.7	1.3	4.2	2.9	1.3
Non-Hodgkin lymphomas	27.8	20.2	3.4	30.2	16.6	2.7
Multiple myeloma	8.4	5.9	1.8	8.8	4.6	1.4
Leukemias	19.0	14.4	2.9	14.0	7.4	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Central Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	236.4	485.0	27.9	252.0	402.4	22.7
Oral cavity and pharynx	6.0	12.2	4.4	3.2	4.8	2.4
Esophagus	4.2	8.1	3.5	1.0	1.3	1.1
Stomach	8.6	17.9	5.4	6.2	9.7	3.5
Colorectal	25.2	50.9	9.0	23.4	33.8	6.3
Colon excluding rectum	17.2	34.5	7.3	17.8	25.3	5.4
Rectum & rectosigmoid	8.0	16.5	5.1	5.6	8.5	3.2
Liver / intrahepatic bile duct	7.0	14.4	4.8	4.4	6.6	2.8
Pancreas	8.0	15.5	4.8	8.4	11.7	3.6
Larynx	2.6	5.6	3.1	0.8	1.3	1.2
Lung and bronchus	30.2	62.7	10.1	28.8	44.0	7.3
Melanoma of the skin	5.0	9.7	3.8	5.0	7.9	3.2
Female breast				79.6	130.4	13.0
Cervix uteri				4.6	8.3	3.4
Corpus uterus and NOS				17.2	27.3	5.8
Ovary				7.8	12.7	4.1
Prostate	56.2	117.0	13.8			
Testis	2.2	5.0	3.0			
Urinary bladder (incl. in situ)	20.0	40.3	8.0	6.4	9.6	3.4
Kidney and renal pelvis	10.8	22.0	5.9	7.8	13.1	4.2
Brain and other nervous system	4.6	9.7	4.0	3.4	6.3	3.1
Thyroid	3.8	7.6	3.5	12.8	23.8	5.9
Hodgkin lymphoma	1.6	3.7	2.5	1.0	2.0	1.8
Non-Hodgkin lymphomas	11.6	24.1	6.3	9.2	15.1	4.5
Multiple myeloma	3.8	7.7	3.5	1.0	1.5	1.3
Leukemias	5.4	11.0	4.2	4.6	7.6	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**

**Jamaica**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	652.8	542.6	18.9	629.0	364.3	12.8
Oral cavity and pharynx	13.2	10.3	2.5	8.4	4.9	1.5
Esophagus	7.8	6.6	2.1	4.0	2.2	1.0
Stomach	23.4	20.7	3.8	17.0	9.8	2.1
Colorectal	63.2	53.8	6.0	75.0	41.6	4.3
Colon excluding rectum	43.8	38.2	5.2	57.2	31.7	3.7
Rectum & rectosigmoid	19.4	15.6	3.2	17.8	9.9	2.1
Liver / intrahepatic bile duct	17.8	14.2	3.0	8.4	5.0	1.5
Pancreas	13.6	11.4	2.8	16.4	9.1	2.0
Larynx	8.4	7.0	2.2	2.6	1.5	0.8
Lung and bronchus	66.6	57.3	6.3	59.8	34.2	3.9
Melanoma of the skin	4.4	3.7	1.6	3.8	2.1	1.0
Female breast				182.0	107.0	7.0
Cervix uteri				19.2	11.8	2.4
Corpus uterus and NOS				53.2	30.6	3.7
Ovary				19.6	11.4	2.3
Prostate	269.2	221.4	12.0			
Testis	3.8	2.7	1.2			
Urinary bladder (incl. in situ)	26.6	23.3	4.0	9.6	5.4	1.5
Kidney and renal pelvis	22.4	17.6	3.3	15.2	8.8	2.0
Brain and other nervous system	7.2	5.7	1.9	6.8	4.3	1.5
Thyroid	4.0	3.2	1.4	22.8	14.0	2.6
Hodgkin lymphoma	4.4	3.3	1.4	5.0	3.2	1.2
Non-Hodgkin lymphomas	25.2	20.3	3.6	17.4	10.3	2.2
Multiple myeloma	13.2	11.0	2.7	13.0	7.3	1.8
Leukemias	15.0	12.7	2.9	12.8	7.4	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Northwest Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	431.0	467.0	20.2	429.4	352.0	15.0
Oral cavity and pharynx	11.0	11.9	3.2	6.8	5.5	1.9
Esophagus	5.6	6.1	2.3	1.6	1.4	1.0
Stomach	11.2	12.5	3.3	8.4	6.8	2.1
Colorectal	44.6	48.8	6.6	44.2	35.0	4.7
Colon excluding rectum	32.6	36.5	5.7	33.4	26.4	4.0
Rectum & rectosigmoid	12.0	12.3	3.2	10.8	8.6	2.3
Liver / intrahepatic bile duct	15.8	16.1	3.6	6.2	4.9	1.8
Pancreas	11.4	12.4	3.3	11.6	9.1	2.4
Larynx	6.6	7.1	2.5	1.4	1.2	0.9
Lung and bronchus	57.8	66.4	7.8	40.2	33.0	4.6
Melanoma of the skin	11.2	11.4	3.1	11.8	9.8	2.5
Female breast				117.0	97.9	8.0
Cervix uteri				12.4	10.3	2.6
Corpus uterus and NOS				27.0	22.6	3.8
Ovary				16.0	13.1	2.9
Prostate	106.8	119.0	10.3			
Testis	7.0	5.0	1.7			
Urinary bladder (incl. in situ)	29.4	35.0	5.7	11.0	8.6	2.3
Kidney and renal pelvis	16.8	17.0	3.7	11.2	9.3	2.5
Brain and other nervous system	8.0	7.9	2.5	7.2	6.2	2.1
Thyroid	6.6	5.3	1.8	20.0	16.1	3.2
Hodgkin lymphoma	5.4	4.2	1.7	4.4	3.8	1.6
Non-Hodgkin lymphomas	19.0	20.1	4.2	17.2	14.2	3.0
Multiple myeloma	5.6	6.4	2.5	4.8	3.7	1.5
Leukemias	12.6	13.9	3.5	9.2	7.4	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
West Central Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	646.2	500.2	17.4	694.6	397.1	13.6
Oral cavity and pharynx	15.2	11.3	2.6	9.8	5.6	1.6
Esophagus	8.8	6.8	2.0	3.2	1.5	0.8
Stomach	19.0	14.5	2.9	12.2	6.8	1.7
Colorectal	72.8	56.1	5.8	74.6	39.2	4.1
Colon excluding rectum	45.6	35.6	4.7	57.4	29.8	3.5
Rectum & rectosigmoid	27.2	20.5	3.5	17.2	9.3	2.0
Liver / intrahepatic bile duct	18.0	13.2	2.7	7.6	4.1	1.3
Pancreas	16.6	12.7	2.7	21.2	10.4	2.0
Larynx	10.2	7.8	2.2	2.0	1.1	0.7
Lung and bronchus	83.2	64.9	6.3	73.6	40.5	4.2
Melanoma of the skin	22.8	17.6	3.2	20.4	11.9	2.4
Female breast				184.0	110.5	7.3
Cervix uteri				13.8	9.1	2.2
Corpus uterus and NOS				51.8	29.9	3.7
Ovary				25.4	15.4	2.8
Prostate	153.0	118.4	8.4			
Testis	6.8	5.4	1.8			
Urinary bladder (incl. in situ)	49.8	39.3	4.9	17.0	8.9	1.9
Kidney and renal pelvis	29.8	22.8	3.7	16.8	9.5	2.1
Brain and other nervous system	10.8	8.7	2.3	8.4	5.4	1.7
Thyroid	11.8	8.9	2.3	29.6	19.8	3.3
Hodgkin lymphoma	5.2	4.2	1.7	3.4	2.5	1.2
Non-Hodgkin lymphomas	26.2	20.2	3.5	30.4	16.6	2.7
Multiple myeloma	7.8	6.1	1.9	8.2	4.4	1.4
Leukemias	18.6	14.6	3.0	17.2	10.0	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Rockaway**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	307.4	621.0	31.2	307.4	444.8	22.8
Oral cavity and pharynx	11.0	22.5	6.0	4.8	7.2	3.0
Esophagus	3.0	6.3	3.2	2.8	3.8	2.1
Stomach	7.0	14.6	4.9	4.8	6.2	2.6
Colorectal	31.0	63.6	10.1	35.6	48.7	7.4
Colon excluding rectum	19.8	40.8	8.1	27.4	36.8	6.4
Rectum & rectosigmoid	11.2	22.9	6.0	8.2	11.9	3.7
Liver / intrahepatic bile duct	7.2	14.0	4.6	2.0	2.6	1.6
Pancreas	8.2	16.7	5.1	9.4	12.4	3.7
Larynx	6.0	11.8	4.3	1.2	1.7	1.4
Lung and bronchus	39.0	79.1	11.2	42.2	58.8	8.1
Melanoma of the skin	11.4	23.4	6.1	10.8	16.7	4.5
Female breast				86.0	130.0	12.5
Cervix uteri				7.4	11.7	3.9
Corpus uterus and NOS				21.2	31.1	6.0
Ovary				8.4	11.4	3.6
Prostate	96.8	193.2	17.3			
Testis	1.2	2.5	2.0			
Urinary bladder (incl. in situ)	17.2	35.2	7.5	7.0	9.4	3.2
Kidney and renal pelvis	10.0	20.1	5.6	5.4	7.7	3.0
Brain and other nervous system	4.0	8.0	3.5	2.8	4.2	2.2
Thyroid	3.2	6.4	3.2	9.0	14.7	4.4
Hodgkin lymphoma	1.6	3.2	2.2	0.8	1.4	1.4
Non-Hodgkin lymphomas	11.2	22.6	6.0	11.8	16.4	4.3
Multiple myeloma	4.6	9.4	3.9	4.2	6.0	2.6
Leukemias	7.2	14.4	4.8	5.6	8.0	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Southeast Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	519.0	557.4	21.8	474.0	368.6	15.0
Oral cavity and pharynx	9.6	9.7	2.8	6.2	4.8	1.7
Esophagus	4.2	4.8	2.1	2.0	1.5	0.9
Stomach	11.2	12.6	3.3	9.0	6.9	2.0
Colorectal	47.4	51.9	6.7	51.2	38.9	4.8
Colon excluding rectum	33.8	37.4	5.7	38.6	28.9	4.1
Rectum & rectosigmoid	13.6	14.5	3.5	12.6	10.0	2.5
Liver / intrahepatic bile duct	8.6	8.8	2.7	3.4	2.5	1.2
Pancreas	14.8	16.9	3.9	16.0	12.2	2.7
Larynx	5.0	5.3	2.1	0.8	0.6	0.6
Lung and bronchus	47.8	53.1	6.9	49.6	37.2	4.7
Melanoma of the skin	6.8	7.8	2.7	7.8	6.0	1.9
Female breast				137.0	107.6	8.2
Cervix uteri				11.2	9.0	2.4
Corpus uterus and NOS				40.0	30.7	4.3
Ovary				12.4	9.4	2.4
Prostate	224.2	230.3	13.7			
Testis	1.2	1.3	1.0			
Urinary bladder (incl. in situ)	27.2	32.0	5.5	10.8	8.4	2.2
Kidney and renal pelvis	18.0	19.3	4.1	11.2	8.9	2.4
Brain and other nervous system	6.2	6.6	2.4	5.4	4.4	1.7
Thyroid	2.6	2.5	1.4	17.0	14.5	3.1
Hodgkin lymphoma	3.2	3.7	1.8	2.4	2.2	1.3
Non-Hodgkin lymphomas	16.4	17.9	3.9	20.8	16.1	3.1
Multiple myeloma	12.2	13.2	3.4	10.0	7.4	2.1
Leukemias	14.2	15.6	3.7	8.6	7.2	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009**  
**Southwest Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	509.8	450.4	18.0	527.6	356.6	13.7
Oral cavity and pharynx	13.6	11.0	2.7	6.6	4.3	1.5
Esophagus	4.6	4.1	1.7	1.6	1.0	0.7
Stomach	14.2	12.6	3.0	13.6	8.9	2.1
Colorectal	54.8	49.1	6.0	48.2	32.3	4.1
Colon excluding rectum	37.6	33.8	5.0	32.2	21.7	3.4
Rectum & rectosigmoid	17.2	15.3	3.3	16.0	10.6	2.3
Liver / intrahepatic bile duct	13.8	10.9	2.6	6.8	4.7	1.6
Pancreas	12.8	11.6	2.9	14.4	9.7	2.3
Larynx	8.4	6.9	2.2	2.4	1.6	0.9
Lung and bronchus	62.6	58.6	6.7	50.2	34.0	4.3
Melanoma of the skin	7.8	7.1	2.3	10.8	7.2	2.0
Female breast				141.2	94.8	7.0
Cervix uteri				16.2	11.0	2.4
Corpus uterus and NOS				43.2	28.8	3.9
Ovary				18.6	12.7	2.6
Prostate	150.0	129.2	9.5			
Testis	3.6	2.6	1.2			
Urinary bladder (incl. in situ)	28.8	27.8	4.7	10.6	7.4	2.0
Kidney and renal pelvis	24.0	20.6	3.8	12.6	8.7	2.2
Brain and other nervous system	8.2	7.0	2.2	6.0	4.2	1.5
Thyroid	7.4	5.9	2.0	28.8	19.7	3.2
Hodgkin lymphoma	4.0	3.0	1.3	3.2	2.4	1.2
Non-Hodgkin lymphomas	26.4	22.8	4.0	24.0	16.5	3.0
Multiple myeloma	7.6	6.6	2.2	6.6	4.4	1.5
Leukemias	15.4	13.9	3.2	12.4	8.5	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
West Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	858.6	467.0	14.5	838.6	347.6	10.6
Oral cavity and pharynx	20.8	10.3	2.0	11.2	4.7	1.2
Esophagus	9.8	5.6	1.6	5.0	2.2	0.9
Stomach	32.8	17.8	2.8	20.8	8.3	1.6
Colorectal	85.8	48.0	4.7	88.6	36.2	3.4
Colon excluding rectum	58.6	33.4	4.0	62.6	25.5	2.9
Rectum & rectosigmoid	27.2	14.6	2.5	26.0	10.7	1.9
Liver / intrahepatic bile duct	35.0	17.2	2.6	12.6	5.2	1.3
Pancreas	21.8	12.7	2.5	22.2	9.0	1.7
Larynx	8.4	4.6	1.4	2.8	1.2	0.6
Lung and bronchus	103.2	60.5	5.4	83.6	34.9	3.4
Melanoma of the skin	11.6	6.2	1.7	16.4	6.8	1.5
Female breast				234.6	97.3	5.6
Cervix uteri				24.8	10.1	1.8
Corpus uterus and NOS				51.6	21.2	2.6
Ovary				28.4	11.7	1.9
Prostate	258.4	141.5	7.9			
Testis	11.8	4.5	1.2			
Urinary bladder (incl. in situ)	43.0	26.0	3.6	18.2	7.5	1.6
Kidney and renal pelvis	31.0	16.1	2.6	16.4	6.8	1.5
Brain and other nervous system	14.8	6.9	1.6	10.2	4.3	1.2
Thyroid	13.4	6.0	1.5	53.0	22.3	2.7
Hodgkin lymphoma	7.6	3.3	1.1	5.2	2.4	0.9
Non-Hodgkin lymphomas	40.2	20.5	2.9	30.2	12.6	2.0
Multiple myeloma	12.4	7.3	1.9	11.2	4.5	1.2
Leukemias	26.8	14.1	2.5	19.8	8.6	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Richmond (Staten Island)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1295.0	581.3	14.6	1314.4	467.5	11.4
Oral cavity and pharynx	31.2	13.0	2.1	13.4	4.7	1.1
Esophagus	15.6	6.7	1.5	7.4	2.6	0.8
Stomach	25.4	12.2	2.2	19.0	6.5	1.3
Colorectal	121.8	57.5	4.7	121.0	42.5	3.4
Colon excluding rectum	85.0	40.4	4.0	88.6	31.1	2.9
Rectum & rectosigmoid	36.8	17.1	2.5	32.4	11.4	1.8
Liver / intrahepatic bile duct	36.8	15.3	2.3	12.8	4.4	1.1
Pancreas	35.2	15.7	2.4	37.2	12.9	1.9
Larynx	19.6	8.3	1.7	4.8	1.7	0.7
Lung and bronchus	171.2	80.7	5.6	164.6	57.7	4.0
Melanoma of the skin	36.4	15.9	2.4	32.0	11.7	1.8
Female breast				357.4	126.8	5.9
Cervix uteri				27.6	10.5	1.8
Corpus uterus and NOS				88.8	30.3	2.9
Ovary				35.4	12.3	1.8
Prostate	354.8	154.4	7.4			
Testis	15.0	6.3	1.4			
Urinary bladder (incl. in situ)	94.8	45.2	4.2	36.2	12.7	1.9
Kidney and renal pelvis	57.0	24.0	2.9	32.4	11.6	1.8
Brain and other nervous system	18.6	8.1	1.7	16.6	6.3	1.4
Thyroid	30.2	12.1	2.0	90.8	34.3	3.2
Hodgkin lymphoma	10.4	4.3	1.2	6.2	2.6	0.9
Non-Hodgkin lymphomas	54.8	24.8	3.0	53.8	19.4	2.3
Multiple myeloma	20.4	9.6	1.9	18.2	6.3	1.3
Leukemias	38.6	17.9	2.6	31.6	11.5	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Port Richmond**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	150.8	589.5	43.3	153.0	462.1	33.0
Oral cavity and pharynx	5.0	18.3	7.4	1.4	4.2	3.1
Esophagus	1.2	4.5	3.8	0.0	0.0	0.0
Stomach	3.0	13.1	6.8	3.2	9.6	4.8
Colorectal	11.2	44.4	12.0	15.0	44.3	10.1
Colon excluding rectum	6.2	24.7	8.9	10.2	29.9	8.2
Rectum & rectosigmoid	5.0	19.7	8.0	4.8	14.4	5.8
Liver / intrahepatic bile duct	5.4	19.9	7.8	3.4	10.1	4.8
Pancreas	2.6	10.6	6.0	3.4	10.4	5.0
Larynx	3.0	10.9	5.7	1.2	3.5	2.8
Lung and bronchus	22.0	92.9	17.9	19.4	58.6	11.8
Melanoma of the skin	3.0	11.6	6.1	2.6	7.9	4.3
Female breast				41.8	125.7	17.1
Cervix uteri				4.8	14.5	5.8
Corpus uterus and NOS				8.2	24.7	7.6
Ovary				2.8	8.9	4.7
Prostate	46.2	181.6	24.1			
Testis	1.4	4.6	3.4			
Urinary bladder (incl. in situ)	8.4	33.8	10.5	2.4	7.6	4.3
Kidney and renal pelvis	6.4	23.5	8.4	3.8	11.7	5.3
Brain and other nervous system	1.6	6.0	4.3	1.8	5.6	3.7
Thyroid	2.8	9.5	5.1	7.8	23.6	7.4
Hodgkin lymphoma	1.6	5.1	3.5	0.6	1.8	2.1
Non-Hodgkin lymphomas	4.8	17.8	7.3	6.2	18.7	6.6
Multiple myeloma	2.2	8.4	5.1	1.6	4.9	3.4
Leukemias	5.6	20.2	7.8	4.4	13.4	5.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
South Shore**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	557.8	608.0	23.5	557.8	493.4	18.5
Oral cavity and pharynx	12.8	13.5	3.4	4.6	4.1	1.7
Esophagus	6.8	6.9	2.4	2.6	2.3	1.2
Stomach	10.6	12.3	3.5	6.8	5.9	2.0
Colorectal	53.0	62.9	7.9	48.6	43.8	5.5
Colon excluding rectum	37.4	45.0	6.8	34.2	31.0	4.7
Rectum & rectosigmoid	15.6	18.0	4.1	14.4	12.7	3.0
Liver / intrahepatic bile duct	12.6	13.0	3.4	3.2	3.0	1.5
Pancreas	17.2	18.1	4.0	15.6	13.9	3.1
Larynx	6.6	6.3	2.2	2.0	1.7	1.0
Lung and bronchus	76.2	87.4	9.1	70.8	61.2	6.4
Melanoma of the skin	22.2	23.2	4.5	15.6	14.3	3.2
Female breast				161.0	140.9	9.8
Cervix uteri				8.2	7.4	2.3
Corpus uterus and NOS				35.6	29.7	4.4
Ovary				13.4	11.2	2.7
Prostate	140.4	146.7	11.3			
Testis	6.6	6.9	2.4			
Urinary bladder (incl. in situ)	45.2	51.5	7.0	16.4	14.9	3.3
Kidney and renal pelvis	25.8	25.7	4.6	16.0	13.9	3.1
Brain and other nervous system	8.6	8.9	2.7	7.8	7.3	2.3
Thyroid	13.8	13.5	3.2	41.8	38.9	5.3
Hodgkin lymphoma	4.6	4.8	2.0	2.4	2.5	1.4
Non-Hodgkin lymphomas	26.6	28.6	5.1	25.6	23.1	4.0
Multiple myeloma	7.8	9.3	3.0	4.6	3.9	1.6
Leukemias	16.8	19.7	4.5	15.8	14.5	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Neighborhood and Gender, 2005-2009**  
**Stapleton and St. George**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	328.6	583.4	28.7	330.0	448.5	21.9
Oral cavity and pharynx	9.2	14.9	4.4	4.0	5.7	2.5
Esophagus	5.0	8.6	3.4	3.0	4.2	2.1
Stomach	8.2	15.3	4.7	5.2	6.8	2.7
Colorectal	31.8	58.4	9.2	31.2	40.9	6.5
Colon excluding rectum	21.2	38.9	7.5	24.2	31.4	5.7
Rectum & rectosigmoid	10.6	19.4	5.3	7.0	9.5	3.2
Liver / intrahepatic bile duct	10.8	17.3	4.7	4.2	5.1	2.2
Pancreas	9.8	17.1	4.9	9.6	12.0	3.5
Larynx	5.8	10.2	3.8	1.0	1.4	1.3
Lung and bronchus	40.8	75.6	10.5	40.6	54.1	7.5
Melanoma of the skin	5.4	10.1	3.9	7.2	10.1	3.4
Female breast				84.6	117.3	11.3
Cervix uteri				9.4	13.9	4.0
Corpus uterus and NOS				26.4	35.1	6.1
Ovary				8.4	11.2	3.4
Prostate	95.4	167.0	15.2			
Testis	3.8	6.1	2.7			
Urinary bladder (incl. in situ)	20.4	38.9	7.7	8.4	11.2	3.4
Kidney and renal pelvis	12.8	21.5	5.3	5.6	8.0	3.0
Brain and other nervous system	4.6	8.2	3.4	4.2	6.1	2.6
Thyroid	6.4	10.5	3.7	20.4	29.0	5.7
Hodgkin lymphoma	2.4	3.8	2.2	2.2	3.4	2.0
Non-Hodgkin lymphomas	13.2	23.5	5.8	13.2	17.8	4.3
Multiple myeloma	6.2	11.2	4.0	4.6	6.1	2.5
Leukemias	9.4	16.9	4.9	7.0	9.4	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2005-2009  
Mid-Island**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	257.8	583.5	32.6	273.8	474.7	25.6
Oral cavity and pharynx	4.2	8.9	3.9	3.4	5.3	2.6
Esophagus	2.6	5.6	3.1	1.8	2.9	1.9
Stomach	3.6	9.1	4.3	3.6	5.7	2.7
Colorectal	25.8	60.5	10.7	26.2	43.7	7.6
Colon excluding rectum	20.2	47.4	9.5	20.0	33.4	6.6
Rectum & rectosigmoid	5.6	13.1	4.9	6.2	10.3	3.7
Liver / intrahepatic bile duct	8.0	17.4	5.6	2.0	3.6	2.3
Pancreas	5.6	13.4	5.1	8.6	14.1	4.3
Larynx	4.2	9.6	4.2	0.6	1.0	1.2
Lung and bronchus	32.2	75.4	11.9	33.8	58.4	8.9
Melanoma of the skin	5.8	12.5	4.6	6.6	11.2	3.9
Female breast				70.2	122.6	13.0
Cervix uteri				5.2	10.2	4.0
Corpus uterus and NOS				18.6	31.0	6.4
Ovary				10.8	18.9	5.1
Prostate	73.0	157.4	16.6			
Testis	3.2	7.3	3.6			
Urinary bladder (incl. in situ)	20.6	49.7	9.8	9.0	14.3	4.3
Kidney and renal pelvis	12.0	26.0	6.7	7.0	11.9	4.0
Brain and other nervous system	3.8	8.3	3.8	2.8	5.2	2.8
Thyroid	7.2	14.6	4.8	21.0	41.1	8.0
Hodgkin lymphoma	1.8	3.8	2.5	1.0	2.2	1.9
Non-Hodgkin lymphomas	10.2	24.3	6.8	8.8	14.9	4.5
Multiple myeloma	4.2	9.9	4.3	7.4	12.1	4.0
Leukemias	6.8	15.9	5.5	4.4	7.7	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2011. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.