

**COMMUNICABLE DISEASE IN NEW YORK STATE EXCLUSIVE OF NEW YORK CITY  
RATE PER 100,000 OF SELECTED DISEASES  
1985 - 1995**

	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
AIDS (1)	0.6	5.2	4.8	8.6	10	9.3	10.1	11.9	28.4	16.4	18.2
AMEBIASIS	0.5	0.5	0.6	0.6	0.6	0.7	0.6	1.1	1.1	1.1	0.9
BABESIOSIS (2)		0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.3	0.3	0.2
CAMPYLOBACTERIOSIS (2)		16.3	17.2	18.3	18.1	18.1	18.8	23.7	21.9	23	23.1
CONJUNC NEWBORN	1.8	3.6	2.7	1.8	0.2	0.2	0.2	0.9	0.2	0.1	0.1
CRYPTOSPORIDIOSIS (6)										0.3	1.8
E. COLI (6)										1.4	1.6
ENCEPHALITIS ARBO	0	0	0	0	0	0	0	0	0	0	0
ENCEPHALITIS OTHER	0.5	0.4	0.6	0.4	0.3	0.4	0.4	0.3	0.4	0.3	0.4
FOOD POISONING	1.4	1.6	2.5	1.6	1.1	0.1	0.4	0.1	0.2	0.5	0.4
GIARDIASIS (2)		9.1	11.1	14.6	18.9	16.3	18.2	18.5	17.3	18.2	16.7
GONORRHEA	174.7	182.9	167.9	168.7	164.9	150.9	136.8	111.8	100.9	106.4	88.6
HEMOLYTIC UREMIC SYNDROME (6)										0.1	0.1
HEMOPHILUS INFLU (2) (4)		2.3	2.5	2.6	2.2	1.7	0.7	0.5	0.4	0.7	0.4
HEPATITIS A	5.9	4.9	7.7	7.9	9.8	11.9	8.6	3.3	4.3	5	4.8
HEPATITIS B	8.7	7.6	7.6	7.2	6.7	6.5	5.6	4.8	4.3	3.7	3.9
HEPATITIS C (3)		0.8	0.8	0.8	0.7	0.9	2.2	1.8	2.4	2.1	3.1
HEPATITIS UNSPECIFIED (3)	2	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0	0.1	0.1
KAWASAKI SYNDROME (2)		0.3	0.6	0.6	0.5	0.4	0.4	0.5	0.4	0.4	0.5
LEGIONELLOSIS (2)		0.8	0.6	0.8	1	1.5	1.2	1	0.8	0.6	0.6
LISTERIOSIS (6)										0.4	0.3
LYME DISEASE (2)		4	7.3	22.7	30.5	12.9*	35.7*	31.2*	25.6*	47.1*	36.7*
MALARIA	0.5	0.5	0.3	0.4	0.4	0.5	0.6	0.4	1.1	0.6	0.7
MEASLES	0.8	1	0.4	0.4	1.9	5.4	3.7*	1*	0.1*	0.3*	0*
MENINGITIS VIRAL	6.9	5.2	6.4	3.8	5.8	5.5	13	4.6	5.3	4.3	7.5
MENINGOCOCCAL	1.5	1.3	1.3	1.4	1.3	1.3	1.1	1.1	1.2	1	1
MENINGITIS OTHER	4.5	2.4	2.5	2.5	3	2.8	2.9	2.7	2.8	1.4	1.8
PNEUMOCOCCAL MENINGITIS (6)										0.9	0.9
MUMPS	1.9	0.8	1.3	1	1.7	1.5	1	0.8	0.4	0.3	0.3
PERTUSSIS	1.3	1.5	1.7	2.3	1.7	3.2	1.7	1.6	3.5	2.3	2.3
RMSF (5)	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
RUBELLA	0.2	0.2	0.1	0	0.1	0.2*	5.1*	0.1*	0.2*	0.1*	0.1*
SALMONELLOSIS	18.8	19.3	19.2	20.2	20.5	19	20	18.7	22.1	18.2	17.6
SHIGELLOSIS	4.4	2.6	9.3	4.6	8.5	9.9	7.1	4.2	7.3	10.3	9.1
SYPHILIS EARLY	6.2	4.6	5.9	11.3	18.6	21.2	14.9	10.2	7.1	4.6	2.2
TOXIC SHOCK SYNDROME (2)		0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
TUBERCULOSIS	6.1	5.8	5.8	6.5	6.2	6.1*	7*	7.1*	6.6*	6*	5.7*
TYPHOID FEVER	0.1	0.1	0.1	0.2	0.5	0.2	0.3	0.2	0.2	0.1	0.1
YERSINIOSIS (2)		0.8	0.9	1.2	1.2	1.1	1.2	1.1	1.1	1.3	0.8

(1) Excludes prison inmates reported 1985 through 1995

(2) First made reportable in 1986

(3) Unspecified Hepatitis split into (I) Hepatitis C and (II) Unspecified in 1986

(4) Haemophilus Influenzae Type B Invasive Disease

(5) Rocky Mountain Spotted Fever

(6) Reportable as of 3/94 for Upstate New York

\* Confirmed