

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	QHP_HMO, QHP_POS, QHP_PPO, QHP_EPO
GENERAL INFO	30	25	54	Member ID	Member ID should be the member's NYS-issued HIXNY Member ID. Do not report the identifier used in HEDIS.
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to enrollment data. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
ABA	1	66	66	Measure Retired	blank
ABA	1	67	67	Measure Retired	blank
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): Rotavirus	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	92	92	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	93	93	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	94	94	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	95	95	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	96	96	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	97	97	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS	1	98	98	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	99	99	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	100	100	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	101	101	removed to allow for new groupings	blank
COL	1	102	102	removed to allow for new groupings	blank
CHL	1	103	103	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	104	104	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	105	105	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	106	106	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	107	108	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	109	110	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	111	112	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	113	114	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	115	116	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	117	118	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	119	120	Denominator Total Removed	blank
CWP	2	121	122	Numerator Total Removed	blank
MMA	1	123	123	Measure Retired	blank
MMA	1	124	124	Measure Retired	blank
MMA	1	125	125	Measure Retired	blank
MMA	1	126	126	Measure Retired	blank
MMA	1	127	127	Measure Retired	blank
MMA	1	128	128	Measure Retired	blank
MMA	1	129	129	Measure Retired	blank
MMA	1	130	130	Measure Retired	blank
CBP	1	131	131	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	132	132	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	133	133	Measure Retired	blank
CDC	1	134	134	Measure Retired	blank
CDC	1	135	135	Measure Retired	blank
CDC	1	136	136	Measure Retired	blank
CDC	1	137	137	Measure Retired	blank
CDC	1	138	138	Measure Retired	blank
AMM	1	139	139	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMM	1	140	140	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	141	141	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	142	143	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	144	145	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	146	147	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	148	149	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	150	151	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	152	153	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	154	155	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	156	157	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	158	159	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	160	161	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	162	163	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	164	165	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	166	167	Denominator Total - Remove	blank
URI	2	168	169	Numerator Total - Remove	blank

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	170	171	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	172	173	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	174	175	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	176	177	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	178	179	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	180	181	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	182	183	Denominator Total - Remove	blank
AAB	2	184	185	Numerator Total - Remove	blank
LBP	1	186	186	removed to allow for new groupings	blank
LBP	1	187	187	removed to allow for new groupings	blank
ADV	1	188	188	Denominator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	189	189	Numerator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	190	190	Denominator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	191	191	Numerator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	192	192	Denominator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	193	193	Numerator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	194	194	Denominator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADV	1	195	195	Numerator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	196	196	Denominator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	197	197	Numerator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	198	198	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	199	199	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	200	201	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	202	203	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	204	205	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	206	207	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	208	209	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	210	211	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	212	213	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	214	215	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	216	217	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	218	219	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	220	221	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	222	223	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	224	225	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	226	227	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	228	229	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	230	231	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	232	233	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	234	235	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	236	237	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	238	239	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	240	241	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	242	243	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W15	1	244	244	Measure removed	blank
W15	1	245	245	Measure removed	blank
W34	1	246	246	Measure removed	blank
W34	1	247	247	Measure removed	blank
PDC	1	248	248	Denominator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator



# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDC	1	249	249	Numerator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	250	250	Denominator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	251	251	Numerator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	252	252	Denominator for Rate 3: Statins	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	253	253	Numerator for Rate 3: Statins	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
General Info	2	254	255	Age Grouping for the member as of December 31 of the measurement year	Enter the age grouping for the member's age as of December 31 of the measurement year. 00 = < 1 year 01 = 1-4 yrs. 02 = 5-9 yrs. 03 = 10-14 yrs. 04 = 15-17 yrs. 05 = 18-19 yrs. 06 = 20-24 yrs. 07 = 25-29 yrs. 08 = 30-34 yrs. 09 = 35-39 yrs. 10 = 40-44 yrs. 11 = 45-49 yrs. 12 = 50-54 yrs. 13 = 55-59 yrs. 14 = 60-64 yrs. 15 = 65 and up 99 = Unknown
General Info	1	256	256	Race	Enter the member's race: 1=White 2=Black or African American 3=American Indian/Alaskan Native 4=Asian 5=Native Hawaiian/Pacific Islander 6=SomeOtherRace 7=Two or more races 8=AskedButNoAnswer 9=Unknown

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	1	257	257	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered
General Info	1	258	258	Language Spoken	Enter the member's spoken language: 1=English 2=Non-English 9=Unknown 0=Declined
General Info	3	259	261	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
General Info	2	262	263	<del>Indirect Race Estimate-Source of Race Data</del>	<del>Enter the indirectly estimated probability of the member's race being White as a percentage of 100-</del> Provide the source of race data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when race is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)
General Info	2	264	265	<del>Indirect Race Estimate-Source of Ethnicity Data</del>	<del>Enter the indirectly estimated probability of the member's race being Black as a percentage of 100-</del> Provide the source of ethnicity data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when ethnicity is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)
General Info	3	266	268	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	269	271	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	272	274	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	275	277	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	1	278	278	Metal Level	Enter the Metal level of coverage the enrollee is covered under. 1=Platinum 2 = Gold 3 = Silver 4 = Bronze 5 = Catastrophic 9 = Unknown
General Info	1	279	279	Marketplace Product	Enter the '1' if the member enrolled through the Marketplace in an individual benefit, '2' if the member enrolled outside of the Marketplace in an individual benefit, '3' if the member enrolled in the Small Business Health Options Program (SHOP) through the Marketplace, '4' if the member enrolled in the Small Business outside the Marketplace, and '9' if unknown.
INR	1	280	280	Denominator for International Normalized ratio Monitoring for Individuals on Warfarin	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
INR	1	281	281	Numerator for International Normalized ratio Monitoring for Individuals on Warfarin	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	282	282	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	283	283	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	284	284	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	285	285	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	286	286	Denominator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	287	287	Numerator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	288	288	Denominator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	289	289	Numerator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	290	290	Denominator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCV	1	291	291	Numerator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMO	1	292	292	Denominator for Annual Monitoring for Persons on Long-term Opioid Therapy: 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMO	1	293	293	Numerator for Annual Monitoring for Persons on Long-term Opioid Therapy: 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	294	294	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	295	295	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	296	296	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	297	297	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	298	298	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	299	299	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	300	300	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	301	301	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	302	303	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	304	305	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	306	307	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	308	309	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	310	311	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	312	313	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BPD	1	314	314	Measure removed	Blank
BPD	1	315	315	Measure removed	Blank
HBD	1	316	316	Denominator for Hemoglobin A1c Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBD	1	317	317	Numerator for HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBD	1	318	318	Removed	Removed
EED	1	319	319	Denominator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	320	320	Numerator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	321	322	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	323	324	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	325	326	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	327	328	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	329	330	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	331	332	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	333	334	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	335	336	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2022 Patient-Level Detail File Specifications

Revision date: November 22, 2022

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	337	338	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of other substance use disorder 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
General Info	3	339	341	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	342	344	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	345	347	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	348	350	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	351	353	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
General Info	3	354	356	<del>Indirect Race Estimate-Blank</del>	Removed - can leave blank '000'
COL	1	357	357	Denominator for Colorectal Cancer Screening (COL): 46-49 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	358	358	Numerator for Colorectal Cancer Screening (COL): 46-49 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	359	359	Denominator for Colorectal Cancer Screening (COL): 50-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	360	360	Numerator for Colorectal Cancer Screening (COL): 50-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	361	361	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	362	362	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	363	363	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	364	364	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Change Log MARKETPLACE			Revision date: November 22, 2022
Version	Date	Data Element	Change Summary
Specification Release MY2022	11/9/2021	Multiple	Initial MY2022 update per HEDIS 2022 specifications.
Clarification #2	12/21/2021	Multiple	There were multiple places where the column start did not begin in the correct location, creating duplicate column figures. This has been corrected.
Clarification #4	6/16/2022	COL	Removed colorectal to allow for age stratification grouping 101-102.
Clarification #4	6/16/2022	COL	Added the new colorectal stratifications 333-339.
Clarification #6	9/1/2022	Multiple	Beginning in column 332, the new measure, COL, had two spaces for data entry. This has been corrected to 1 space. This impacts 332-335.
Clarification #7	10/19/2022	HBD	There were duplicate numerators for HBD. One has been removed on 302.
Clarification #7	10/19/2022	IET	Changed the numerator and denominator language to reflect the episodic language.
Clarification #7	10/19/2022	LBP	Removed the measure from 186-187 Combined both age stratifications and located them in 336-339.
Clarification #8	11/15/2022	IET	Created two spaces for the numerator and denominator from columns 200 to 235 and 321 to 338. This impacts every column start after column 201.
Clarification #8	11/15/2022	General Info	Removed the indirect race and ethnicity estimates from columns 262 to 277 and 340 to 356. Add source of race data to columns 262 to 263. Added source of ethnicity data to 264 to 265. Reduced the column field size (length) from 3 to 2 for columns 262 to 265.
Clarification #9	11/21/2022	BPD	Removed from <b>required reporting</b> for PPO/EPO and HMO/POS product lines. This impacts columns 314 to 315 of the Exchange PLD.