

## CHAPTER 12

# Index

The index lists words in a, b, c order followed by numbers to help you find information in the manual. No words are listed under letters j, q, y, and z.

The numbers identify chapter and page numbers. The first number is the chapter number. The next number is a page within the chapter. For example: after the word, “sports,” 5-28 is listed. Sports are discussed in chapter 5, **Living with HIV**, on page 28. If information is on 3 or more pages in a row, there is a long dash between the numbers listed. For example: after the words, “childhood development,” 5-24—5-27 is listed. Childhood development is discussed in chapter 5, **Living with HIV**, on pages 24 through 27.

### — a —

acetaminophen, 2-12, 2-23, 2-28, 4-4, 11-14

ACTG (AIDS Clinical Trial Group), 1-17, 11-3, 11-39

adolescents

- talking with, 8-8—8-10, 8-20—8-22
- consent issues, 8-31, 8-32, 9-14, 9-15, 10-8, 10-9
- depression, 8-3, 8-26, 8-28, 8-34, 8-38, 8-39, 11-18
- emergency room, 8-31, 8-37, 8-39
- medical care, 8-26, 8-27, 8-32—8-36, 10-8, 10-9
- medicines, 8-24, 8-25, 8-27—8-30, 8-33
- peer pressure, 8-3, 8-4, 8-7, 8-18, 8-19, 8-25, 8-29
- preventing the spread of HIV, 5-8, 5-9, 5-13, 8-11—8-16, 8-18, 8-19, 8-23, 8-24
- puberty, 2-3, 8-2, 8-3, 11-29
- when to call the doctor, 8-30, 8-33—8-36, 8-38, 8-39

ADAP (AIDS Drug Assistance Program), 4-5, 4-16, 7-9, 11-2, 11-38

ADAP (AIDS Drug Assistance Program) Plus, 4-5, 7-9, 11-2, 11-38

AIDS (Acquired Immune Deficiency Syndrome), 1-1, 5-5, 5-16, 5-17, 10-4, 11-14

allergies, 3-9, 3-16, 8-13, 11-14

anemia, 1-15, 2-9, 11-15

animal bites and scratches, 2-22, 2-25, 8-35, 8-36

antibodies (*see* HIV antibodies)

antiretroviral medicines

- how they work, 1-11—1-13, 11-15
- goal of treatment, 1-8, 1-11

audiologist, 2-12, 11-34

### — b —

behavior problems, 2-25, 6-4, 6-7, 8-3, 8-26, 8-36—8-39, 9-6, 9-7

behavior therapist, 6-5, 11-34

blood tests

- CBC (complete blood count), 1-9, 11-17
- CD4 count, 1-8, 11-16
- viral load, 1-8, 1-11, 11-33

brothers and sisters, 5-11—5-13, 5-15—5-17, 5-19—5-21, 7-4, 7-5

## — c —

camp, 5-29, 7-6

care for the caregiver, 7-2—7-6, 7-12, 7-13, 9-8  
respite, 7-5, 11-29

case manager, 2-3, 2-5, 7-5, 7-6—7-8, 7-11,  
7-12, 8-10, 8-22, 8-25, 10-6, 10-13, 11-34

caseworker, 1-5, 1-7, 2-2, 5-2, 6-4, 6-9, 7-7, 7-8,  
7-11, 8-27, 8-30, 8-31, 9-9—9-13, 10-3, 10-7,  
11-34

CBC (complete blood count) (see blood tests)

CD4 cells, 1-5, 1-6, 1-8, 1-10, 1-14, 11-16

Child Health Plus, 7-9, 11-3, 11-39

childhood development, 2-4, 2-5, 5-24—5-27,  
8-2—8-4

child life specialist, 2-16, 5-4, 11-34

cholesterol, high, 3-23, 11-22

cleaning

- food, 3-28—3-30, 3-32
- hands, 2-18, 2-19, 3-25, 5-22
- home, 2-20—2-22

clinical trials, 1-17, 7-11, 11-16

condoms, 8-23

confidentiality, 11-17

HIV Confidentiality Law, 5-17, 9-15, 9-16,  
9-19, 10-2, 10-5—10-7, 11-23

HIV Reporting and Partner Notification Law,  
10-4, 11-23

- teaching children about privacy, 5-15—5-17
- unauthorized disclosure, 9-16, 10-2, 10-7,  
11-32
- what is confidential HIV information, 9-15,  
9-16, 10-2
- who needs to know, 5-17, 9-17, 9-18,  
10-5—10-7

consent, 11-17

- HIV testing, 9-17
- medical treatment, 8-31, 8-32, 9-14, 9-15,  
10-8, 10-9

CT (computerized tomography) scan, 1-9,  
11-17

## — d —

day care, 5-21—5-24

dehydration, 2-28, 3-21, 11-17

dental care

- brushing, flossing, 2-10—2-12
- cleaning an infants mouth, 2-11
- dentist visits, 2-7
- sores in mouth, 2-12, 3-22, 3-23

depression, 11-18

- caregiver, 7-3
- children, 3-18, 4-17, 4-18
- teens, 3-18, 8-3, 8-26, 8-34, 8-36, 8-38, 8-39

diagnosing HIV infection

- HIV antibody test, 1-4
- PCR (polymerase chain reaction) test, 1-4,  
1-5

diaper changing, 2-19, 2-20

diarrhea, 2-19, 2-24, 3-2, 3-21, 4-7, 5-22, 8-35,  
11-18

diet (see food)

dietitian, 3-8, 3-14, 3-16, 3-18, 3-20, 3-23, 11-35

disclosure (see confidentiality)

discrimination, 10-10, 10-11, 11-18

dose, 4-6, 4-7, 11-18

drug interaction, 11-19

- doctor-ordered medicine, 2-7, 4-5
- herbal therapies, 3-11, 4-4, 11-21
- over-the-counter medicine, 4-4, 11-27

— e —

Early Intervention Program, 2-4, 5-24, 5-26, 11-40  
emergency room, 2-25, 2-26, 8-37, 8-39, 9-15, 10-9  
empty stomach, 3-22, 4-7, 11-19  
exposure, diseases, 2-26, 11-19

— f —

Family Health Plus, 7-10, 11-4, 11-40  
fever, 2-24, 2-25, 2-27, 8-35, 11-20  
food  
    allergies, 3-9, 3-16, 11-14  
    food safety, 3-24—3-32  
    problems eating, 3-12—3-23, 6-4  
    snacks, 3-16, 3-17, 3-19, 8-4  
foster parents, 9-1—9-13

— g —

grief, 3-18, 6-3, 9-3—9-8  
guardian, 1-17, 7-13, 9-14, 10-8, 10-13, 11-35  
    standby guardian, 7-13, 11-37  
GYN (gynecologist), 8-33, 11-35

— h —

hand washing, 2-18, 2-19, 3-25, 5-22  
health care team, 2-5, 2-6, 9-2, 10-5  
    dentist, 2-5, 2-7, 4-3, 9-2, 11-35  
    HIV Specialist, 2-7, 2-8, 9-2, 11-35  
    mental health professional, 2-5, 2-8, 6-5—6-8, 9-2, 9-7, 9-8, 11-36  
    nurse practitioner, 2-6, 11-36  
    pediatrician, 2-6, 2-7, 11-37  
    pharmacist, 2-7, 4-7—4-9, 4-11—4-17, 4-19, 8-24, 8-27—8-30, 11-37

    primary care provider or family doctor, 2-6, 2-8—2-10, 11-35, 11-37  
health check-ups, 2-9—2-12, 8-32—8-34, 9-2  
health insurance, 10-10  
    ADAP (AIDS Drug Assistance Program), 4-5, 4-16, 7-9, 11-2, 11-38  
    ADAP (AIDS Drug Assistance Program) Plus, 4-5, 7-9, 11-2, 11-38  
    Child Health Plus, 7-9, 11-3, 11-39  
    Family Health Plus, 7-10, 11-4, 11-40  
    Medicaid, 4-5, 4-16  
hepatitis, 8-16, 8-17, 8-33, 11-21  
herbal therapies, 3-11, 3-12, 4-4, 11-21  
HIV, 1-2—1-5, 10-4, 11-22  
    diagnosis, 1-4, 1-5  
    passed from person to person, 1-2, 1-3, 5-7—5-9, 8-23, 8-24  
    symptoms, 1-3—1-6  
    treatment, 1-10—1-12, 4-2, 4-3, 8-26—8-29, 8-32—8-34

HIV antibodies, 1-4, 11-22  
HIV Confidentiality Law, 5-17, 10-2, 10-5—10-7, 11-23  
    foster parents, 9-15, 9-16, 9-19, 10-3  
HIV Reporting and Partner Notification Law, 10-4, 11-23  
HIV Specialist, 2-7, 9-2, 11-35  
hygiene, 8-11, 8-14, 11-24

— i —

ibuprofen, 2-23, 2-28, 11-24  
immune system, 1-5, 1-6, 11-24  
    CD4 cells, 1-5, 1-6, 1-10, 1-11, 11-16  
    monitoring, 1-5—1-9, 8-33,  
immunizations, 2-6, 2-9, 2-10, 2-26, 8-33, 11-24  
immunologist, 2-7, 11-35  
infectious disease doctor, 2-7, 11-35

— **k** —

kinship foster care, 9-17, 10-3,10-13, 11-24

— **l** —

LIP (lymphocytic interstitial pneumonitis), 1-16, 11-25

lipodystrophy or fat redistribution, 1-17, 11-25

local commissioner of social services, 8-32, 9-14, 9-19, 10-8, 11-36

loss, 6-3, 9-3—9-8

— **m** —

measles, 1-14, 1-26, 11-25, (*also see* immunizations)

Medicaid, 4-5, 4-16, 7-8, 11-41

medicine, 4-2, 8-27

cannot swallow pills, 4-11, 4-12

dose, 4-6, 4-7, 11-18

generic medicine, 4-8, 11-20

giving to child, 4-14, 4-15

giving to infant, 4-13

interaction, 4-4, 4-5, 11-24

missed dose, 4-15, 4-16

new medicine, 4-6—4-9

overdose, 4-4, 4-6, 11-27

over-the-counter, 4-4, 11-27

resistance, 1-13, 8-29, 11-29

schedules, 4-9—4-11, 4-16, 4-19, 5-19, 5-29, 8-25, 8-27

side effects, 4-7, 8-25, 8-30, 11-30

medicine cabinet, 2-22, 2-23

menstruation, (*see* period)

mental health

depression, 3-18, 4-17, 4-18, 6-2—6-4, 8-3, 8-26, 8-28, 8-34, 8-36, 8-38, 8-39, 11-18

how to improve, 6-9—6-11

services, 6-6—6-8

what is it, 6-2

mental health professional, 2-8, 5-4, 5-10, 5-13, 6-5—6-8, 7-5, 8-10, 8-16, 8-28, 8-38, 8-39, 9-2, 9-7, 9-8, 11-36

minor, 8-31, 9-15, 10-9, 11-36

MRI (magnetic resonance imaging), 1-9, 11-26

mumps, 2-10, 8-33, 11-26, 11-26

— **n** —

nurse practitioner, 2-6, 11-36

nutrition (*see* food)

nutritionist, 3-8, 3-14, 3-16, 3-18, 3-20, 3-23, 4-3, 11-36

— **o** —

ophthalmologist, 2-12, 11-36

overdose, 4-4, 4-6, 11-27

over-the-counter medicine, 4-4, 11-27

— **p** —

pain

coping with, 2-15—2-17, 2-31

diagnosing, 2-29, 2-24, 2-30, 8-35

lowering, 2-27, 2-28

PCR (polymerase chain reaction ) testing, 1-5, 11-28

pediatrician, 2-6, 2-7, 11-37

peer pressure, 8-3, 8-4, 8-7, 8-18, 8-19, 8-29

period (menstruation), 8-2, 8-11, 8-12, 8-33, 11-28

PET (positron emission tomography), 1-9, 11-28

pets, 2-19, 2-22, 2-25, 8-36

pharmacist, 1-13, 2-7, 4-3, 4-5—4-10, 4-11—4-17, 4-19, 8-27, 11-37

pharmacy, choosing, 4-5

planning for children's future (permanency plan), 7-12, 7-13, 9-9, 10-12, 10-13, 11-28

pneumonia, 1-4, 2-10, 8-15, 11-28

PCP (Pneumocystis carinii pneumonia), 1-14, 11-28

preparing for doctor/clinic visits

caregiver, 2-13—2-15

older child, 2-17, 2-18

teen, 8-27

young child, 2-16, 2-17

preventing infections, 2-18—2-22, 8-11—8-17

preventing the spread of HIV, 5-7, 5-9, 8-11—8-24

primary care provider, 2-6, 2-8—2-10, 11-35, 11-37

private information (see confidentiality)

psychiatrist, 2-8, 4-3, 6-5—6-8, 11-37

psychologist, 2-8, 6-5—6-8, 11-37

puberty, 8-2, 11-29

## — r —

resistance, 1-13, 8-29, 11-29

respite, 7-5, 11-29

## — s —

sex, 1-2, 1-3, 5-8, 5-9, 8-18—8-24

school nurse, 4-19, 5-22, 5-23, 5-27

shingles, 1-16, 11-30

side effects, 4-7, 8-25, 8-30, 11-30

snacks, 3-16, 3-17, 3-19, 8-4

social worker, 2-5, 2-8, 5-10, 5-12, 5-13, 5-21, 5-27, 5-29, 6-5, 8-21, 8-25, 8-29, 11-37

special education, 2-5, 5-26, 5-27

sports, 5-28

standby guardianship, 7-13, 11-30

suicide, 8-39

support groups

caregiver, 4-15, 5-4, 7-4, 9-8

child with HIV, 5-4, 5-10, 7-4, 8-29

brothers/sisters, 7-4

## — t —

TB (tuberculosis), 2-9, 2-26, 8-33, 11-31

thermometer, 2-23, 2-24, 2-27, 8-35, 11-32

thrush, 1-4, 1-14, 2-12, 3-22, 11-32

treating HIV (see antiretroviral medicine)

## — u —

unauthorized disclosure, 9-16, 10-2, 10-7, 11-32

## — v —

viral load, 1-6, 1-8, 1-10, 1-11, 8-33, 11-33

low or undetectable, 1-3, 1-8, 1-11, 8-23, 11-32

## — w —

weight

losing, 2-24, 2-25, 3-20—3-23, 6-4, 8-36, 8-38

overweight, 3-17—3-19, 6-4, 8-36, 8-38

wet dreams, 8-3, 11-33

whooping cough, 2-26, 11-33

## — x —

X-ray, 1-9, 11-33

