



New York State HIV/AIDS Surveillance Annual Report

For Cases Diagnosed
Through December 2010

*Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health*

August 2012

TABLE OF CONTENTS

	Page
Introduction to the New York State HIV/AIDS Annual Surveillance Report	4-6
Technical Notes on the New York State HIV/AIDS Annual Surveillance Report.....	7-11
Definition of Terms Used in this Report.....	12-15
Guide to the Tables	16-20

STATEWIDE

Table 1	Newly Diagnosed HIV and AIDS cases by Region and Year of Diagnosis.....	21
Table 2A	Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk	22
Table 2B	HIV Cases Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk	23
Table 2C	AIDS Cases Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.	24

REGIONAL

Table 3A	NYC – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	25
Table 3B	NYC – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	26
Table 3C	NYC – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk.....	27
Table 4A	Rest of State (NYS excluding NYC) - Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	28
Table 4B	Rest of State (NYS excluding NYC) – HIV Cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk.....	29
Table 4C	Rest of State (NYS excluding NYC) –AIDS Cases, Newly Diagnosed and Cumulative By Gender, Age, Race/Ethnicity and Risk.....	30

NYS, EXCLUDING NYC, by COUNTY

Table 5A	Living HIV and AIDS Cases by County.....	31-32
Table 5B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by County.....	33-34

NYC by GENDER

Table 6A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk	35
Table 6B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk	36
Table 6C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	37
Table 6D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	38
Table 6E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	39
Table 6F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	40

NYS, EXCLUDING NYC, by GENDER (EXCLUDES PRISONERS)

Table 7A	Males – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk	41
Table 7B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk	42
Table 7C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	43

		Page
Table 7D	Females – Living HIV and AIDS cases by Age, Race/Ethnicity and Risk.....	44
Table 7E	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	45
Table 7F	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk.....	46

PRISONERS - (NYS, EXCLUDING NYC)

Table 8A	Living HIV and AIDS cases by Gender, Age and Race/Ethnicity	47
Table 8B	Newly Diagnosed HIV and AIDS cases by Gender, Age and Race/Ethnicity	48

NYS, EXCLUDING NYC, by RYAN WHITE REGION

Table 9A	Living HIV and AIDS cases by RWR	49
Table 9B	Newly Diagnosed HIV and AIDS cases and Cumulative AIDS by RWR	50

NYS, EXCLUDING NYC - RYAN WHITE REGIONS

The following three tables have been generated for each of the Ryan White Regions:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 10 – A, B, C	Albany Ryan White Region	51-53
Table 11 – A, B, C	Binghamton Ryan White Region.....	54-56
Table 12 – A, B, C	Buffalo Ryan White Region	57-59
Table 13 – A, B, C	Lower Hudson Ryan White Region	60-62
Table 14 – A, B, C	Mid-Hudson Ryan White Region	63-65
Table 15 – A, B, C	Nassau/Suffolk Ryan White Region	66-68
Table 16 – A, B, C	Rochester Ryan White Region.....	69-71
Table 17 – A, B, C	Syracuse Ryan White Region.....	72-74

NYC – BOROUGHs

Table 18A	Living HIV and AIDS Cases by Borough	75
Table 18B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Borough.....	76

The following three tables have been generated for each of the Boroughs:

- A** – Living HIV and AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** – HIV cases, Newly Diagnosed by Gender, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Gender, Age, Race/Ethnicity and Risk

Table 19 - A, B, C	Bronx	77-79
Table 20 - A, B, C	Brooklyn	80-82
Table 21 - A, B, C	Manhattan	83-85
Table 22 - A, B, C	Queens	86-88
Table 23 - A, B, C	Staten Island	89-91

Introduction to the New York State HIV/AIDS Annual Surveillance Report

Overview

The Annual Surveillance Report presents recent data on newly diagnosed HIV cases and persons living with diagnosed HIV infection in New York State. Twenty-two sets of tables are grouped by major geographic division (New York State (NYS), New York City (NYC), NYS excluding NYC, Ryan White Regions¹, NYC boroughs). Most sets feature three tables on separate pages – (A) living HIV and AIDS cases, (B) new HIV diagnoses and (C) new AIDS diagnoses. The historical table (Table 1) includes HIV and AIDS diagnoses, and deaths among persons with AIDS.

A) Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The table features age-adjusted **prevalence rates** (living cases per 100,000 population) and shows the population. This allows comparison of rates between demographic groups and between geographic areas.
- Age is **current age** for the time point being reported, e.g. December 2010.

B) Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis), or "other late" (AIDS diagnosis within 1 to 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis are reported as "other".

¹ This report presents tabulations for eight Ryan White regions covering New York State, exclusive of New York City: Albany, Binghamton, Buffalo, Lower Hudson, Mid-Hudson, Nassau/Suffolk, Rochester and Syracuse. For administrative purposes in certain Ryan White programs, Binghamton and Syracuse Regions are combined into Central New York Region, and Mid Hudson and Lower Hudson are combined into Hudson Valley Region,

- Age-adjusted **case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.
- Late and concurrent diagnoses are also presented as a percent of total new HIV diagnoses.

C) Newly Diagnosed AIDS Cases

- Age-adjusted case rates are given.
- Cumulative AIDS cases are shown next to new AIDS diagnoses.

Observations from the Current Report

- As of December 2010 nearly **129,000** New Yorkers were living with HIV/AIDS. While the burden of HIV is heaviest in New York City, 21 percent of persons living with diagnosed HIV infection reside outside the five boroughs.
- Statewide, **25 percent** of newly diagnosed HIV cases have a **concurrent AIDS diagnosis**, and an additional **7 percent** show an AIDS diagnosis within 12 months.
- The tabulation of living cases by current age show that HIV/AIDS should no longer be thought of as a young persons' disease. While the majority of HIV diagnoses occur before age 40, **77 percent of persons living with HIV are over age 40 and 42 percent are age 50 or older.**

Special Note

The previous (2009) issue of the Surveillance Report introduced a new transmission risk category: 'Female Presumed Heterosexual Contact'(FPHC). For a case to be classified as FPHC the HIV Surveillance record for the case must show *all* of the following:

- (a) Sex at birth is female
- (b) Case does not meet requirements for any other transmission risk group.
- (c) No positive indication of injection drug use (i.e., 'inject drug'= no, unknown or blank)
- (d) Positive indication of heterosexual contact (i.e., 'sex with male' = yes)

The FPHC definition is consistent with the recommendation by a work group convened by the Centers for Disease Control (CDC) in 2008 to study the addition of a female presumed

heterosexual transmission category to CDC's existing transmission risk hierarchy. CDC accepted the group's recommendation and announced plans to implement it in 2012. Starting in 2011, BHAIE data products have featured the FPHC category. The new risk categorization applies to all cases in the surveillance registry, regardless of date of diagnosis or initial report.

The introduction of the FPHC category has had a substantial impact on the transmission risk profile of HIV in New York State. Of the 39,000 females living with diagnosed HIV infection as of December 2010, about 15,000 (38%) are classified as FPHC in this Annual Surveillance Report. Before the introduction of the FPHC category all of these would have been classified as being of unknown risk.

Technical Notes on the New York State HIV/AIDS Annual Surveillance Report

Introduction

This HIV/AIDS Annual Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.nyhealth.gov/diseases/aids/statistics/index.htm>.

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073
(518) 474-4284
bhae@health.state.ny.us

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH). More finely delineated breakouts may be obtained through the BHAЕ data request unit by calling the above phone number or email address.

Source Data

This report was produced using the March 2012 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

In 2006 and 2007 both New York State and New York City began using eHARS, an updated version of the HARS (HIV/AIDS Registry System) database that is used by all U.S. HIV surveillance registries. Through 2009, NYS HIV/AIDS analysis files were based on the format and data content of the older system. Before the transition to complete use of the newer system in early 2010, NYS reviewed and enhanced several auxiliary data sources that are used in preparation of the analysis files. In addition, starting in 2008 and continuing through 2010, the

NYS and NYC registries underwent substantial data cleaning and updating. As a result of both activities, tabulations of historical data may differ from those in earlier reports.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection, HIV-related illness and AIDS to the NYS Commissioner of Health.² Under the amended HIV testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests.

Laboratories conducting HIV-related testing must report directly to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 03/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.state.ny.us/diseases/aids>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

² HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition³, designating AIDS as “stage 3 HIV infection.”

(518) 474-4845.

³ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

This Annual Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it is not expected to affect case counts.

Deduplication:

The HIV/AIDS case data used in this Annual Report have undergone both inter- and intra-state deduplication.

In 2004 the CDC completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases were only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC's deduplication of HIV/AIDS cases, now known as Routine Interstate Duplicate Review (RIDR), is conducted on an ongoing basis. Cases in the New York registry that are known through RIDR to have been initially diagnosed in another state are excluded from the Annual Report.

The Annual Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYCDOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is only counted once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has also performed further adjustments to the data using information from an intrastate extension of the RIDR process. This removes several hundred additional duplicate records, but, importantly, returns to the analysis file some 3,000 unique cases that are excluded by the base procedure.

On-going refinement of the data may also contribute to geographical reassignment of cases at the state, regional and/or county and local levels.

Age Adjustment:

The diagnosis and prevalence rates for total population, gender and race/ethnicity in the report are age-adjusted to the U.S. 2000 Census population. The purpose of the adjustment is to enable comparisons of rates between areas or demographic groups which differ in age structure. In general, the adjusted rates in this report are similar to the crude (unadjusted) ones. Readers interested in the crude rates may derive them by dividing the case counts by the 2010 populations National Center for Health Statistics, Bridged-Race Vintage 2010 Postcensal File, 2010 (Released 2011.) which are given in the Living Cases table for each geographic region.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an HIV diagnosis or an HIV illness and/or by a laboratory reporting a confirmatory test result.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes HIV cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from

review of the patient's medical records, or may be obtained during routine follow-up for Partner Services). An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (see "Special Note", page 5)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus, a proportion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e. HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record review, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, from

Social Security death data and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In this report, tabulations for the whole state, NYC and its boroughs, and NYS excluding NYC (Tables 4A, 4B and 4C) include prisoners. In other geographic areas, prisoners make up a significant but shifting proportion of new diagnoses and living cases, and are excluded from those tables. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2009 and diagnosed with AIDS in Monroe County in 2011, would be included among living HIV cases in Albany County in the annual report for December 2010.

Guide to the Tables

Most of the tables in this report are in one of three formats: (A) Living Cases, (B) Newly Diagnosed HIV Cases or (C) Newly Diagnosed and Cumulative AIDS Cases. Each geographic region – State, substate (NYC, NYS excluding NYC), Ryan White Region, NYC borough – is represented by a set of three tables, one in each format. These main formats are presented in detail below.

Counties:

Except for the boroughs of NYC, individual counties lack sufficient cases for statistically reliable display in the main table format. The county tables (5A, 5B) show new and living cases without demographic breakouts. Readers may contact BHAEE to obtain more detailed county information.

Prisoners:

The tables for NYS excluding NYC by gender (Tables 7A-7F) and the Ryan White Regions exclude prisoners, as noted in the table titles. The prisoner tables (8A, 8B) show prisoners in state correctional facilities outside NYC. Because of the way cases are reported, the county of residence of these cases reflects the county of incarceration at the time of diagnosis, which may differ from the individual's home county and later county of incarceration. Since the movement of prisoners between facilities is not recorded in the HIV surveillance system, accurate county and regional tabulations of inmates living with diagnosed HIV infection cannot be developed using HIV surveillance data. The county tables (5A, 5B) and Ryan White Region summary tables (9A, 9B) present counts both with and without prisoners in order to show the general effect of prisoners on case counts at the county level.

Guide to the Tables

The "A" Tables (Example: Table 2A)

Table 2A

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		50,204	100.0	255.6	78,449	100.0	380.4	128,653	100.0	636.0	19,378,102
Gender	Male	34,692	69.1	362.6	55,137	70.3	551.2	89,829	69.8	913.9	9,377,147
	Female	15,509	30.9	154.5	23,312	29.7	223.0	38,821	30.2	377.5	10,000,955
	Unk	3	0.0	3	0.0	.	.

Living Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2010). These are summed to produce a total count of people living with HIV/AIDS.

Prevalence Rate: The number of living cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age distributions. The crude (unadjusted) rate can be derived by dividing living cases by the area population. In the example above, the crude prevalence rate of total living HIV and AIDS cases in NYS is $(128,643 \div 19,378,102) \times 100,000 = 663.9$ per 100,000, slightly higher than the age-adjusted rate.

Area Population: National Center for Health Statistics, Bridged-Race Vintage 2010 Postcensal File, 2010. (Released 2011.)

Guide to the Tables

The "B" Tables (Example: Table 2B)

Table 2B
NEW YORK STATE: Includes all 62 Counties
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV & AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A+E)*100	All Late (C+E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		977	100.0	268	100.0	1,245	100.0	2,604	100.0	3,849	100.0	19.6	25.4	32.3
Gender	Male	728	74.5	208	77.6	936	75.2	1,959	75.2	2,895	75.2	30.1	25.1	32.3
	Female	249	25.5	60	22.4	309	24.8	645	24.8	954	24.8	9.5	26.1	32.4

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2010), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis within a month of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis 2 to 12 months after the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis more than 12 months after the HIV diagnosis date. Such AIDS diagnoses would not be shown in this report since they occur after the calendar year covered by the report.

Case (diagnosis) Rate: The number newly diagnosed cases per 100,000 population, age-adjusted to the U. S. 2000 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age structures. The crude (unadjusted) rate can be derived by dividing new diagnoses by the area population. Following the previous example, the crude diagnosis case rate in NYS is $(3,849 \div 19,378,102) \times 100,000 = 19.9$ per 100,000, almost the same as the age-adjusted rate of 19.6 per 100,000.

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS within one month of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS within twelve months of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

The "C" Tables (Example: Table 2C)

Table 2C

***NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		3,020	100.0	15.4	195,099	100.0
Gender	Male	2,122	70.3	22.2	144,438	74.0
	Female	898	29.7	9.0	50,661	26.0

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

For concurrent cases with an HIV diagnosis in the last month of the reporting period, the accompanying AIDS diagnosis may occur in the next reporting period. For example, some concurrent cases diagnosed with HIV December 2010 were diagnosed with AIDS in January 2011. The January-December 2010 report will not count their AIDS diagnosis in this table; on the other hand, it *will* count the AIDS diagnoses of some concurrent cases diagnosed with HIV in December 2009. This is of little practical significance.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to "B" Tables).

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV and AIDS Cases by Region and Year of Diagnosis
and Death Among Persons Living with AIDS (PLWA) by Region and Year

	HIV Diagnoses*			AIDS Diagnoses			Death Among PLWA		
Year	NYC	ROS	Total	NYC	ROS	Total	NYC	ROS	Total
Prior to 1981	.	.	.	49	0	49	15	0	15
1981	.	.	.	148	6	154	58	4	62
1982	.	.	.	494	32	526	192	13	205
1983	.	.	.	1,054	123	1,177	546	64	610
1984	.	.	.	1,773	248	2,021	1,073	136	1,209
1985	.	.	.	2,725	452	3,177	1,767	292	2,059
1986	.	.	.	3,928	713	4,641	2,558	487	3,045
1987	.	.	.	4,901	1,035	5,936	3,157	640	3,797
1988	.	.	.	6,041	1,307	7,348	4,042	763	4,805
1989	.	.	.	6,396	1,605	8,001	4,985	997	5,982
1990	.	.	.	7,280	1,785	9,065	5,336	1,078	6,414
1991	.	.	.	8,396	2,161	10,557	6,039	1,319	7,358
1992	.	.	.	10,137	2,684	12,821	6,468	1,557	8,025
1993	.	.	.	11,791	2,861	14,652	6,876	1,605	8,481
1994	.	.	.	11,598	2,609	14,207	7,725	1,834	9,559
1995	.	.	.	10,451	2,651	13,102	7,636	1,910	9,546
1996	.	.	.	8,678	2,201	10,879	5,622	1,344	6,966
1997	.	.	.	6,900	1,575	8,475	3,182	740	3,922
1998	.	.	.	5,284	1,288	6,572	2,574	623	3,197
1999	.	.	.	4,989	1,248	6,237	2,610	610	3,220
2000**	4,649	1,108	5,757	5,804	1,425	7,229	2,514	584	3,098
2001	5,552	1,188	6,740	5,262	1,326	6,588	2,388	553	2,941
2002	4,995	1,104	6,099	4,351	1,231	5,582	2,393	527	2,920
2003	4,466	1,071	5,537	5,068	1,214	6,282	2,341	582	2,923
2004	4,065	1,087	5,152	4,097	1,066	5,163	2,198	518	2,716
2005	4,160	1,011	5,171	4,032	1,117	5,149	2,125	526	2,651
2006	3,903	970	4,873	3,678	893	4,571	1,959	486	2,445
2007	3,838	938	4,776	3,504	913	4,417	1,858	479	2,337
2008	3,695	938	4,633	3,182	806	3,988	1,822	454	2,276
2009	3,328	850	4,178	2,841	672	3,513	1,736	412	2,148
2010	2,999	850	3,849	2,400	620	3,020	1,379	340	1,719
Total	45,650	11,115	56,765	157,232	37,867	195,099	95,174	21,477	116,651

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**HIV reporting started in June 2000. No earlier data are available.

Table 2A

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		50,204	100.0	255.6	78,449	100.0	380.4	128,653	100.0	636.0	19,378,102
Gender	Male	34,692	69.1	362.6	55,137	70.3	551.2	89,829	69.8	913.9	9,377,147
	Female	15,509	30.9	154.5	23,312	29.7	223.0	38,821	30.2	377.5	10,000,955
	Unk	3	0.0	3	0.0	.	.
Current Age	12 & under	374	0.7	12.3	25	0.0	0.8	399	0.3	13.1	3,037,396
	13-19	970	1.9	52.1	614	0.8	33.0	1,584	1.2	85.2	1,860,115
	20-24	2,373	4.7	168.2	1,219	1.6	86.4	3,592	2.8	254.6	1,410,935
	25-29	3,555	7.1	257.6	1,932	2.5	140.0	5,487	4.3	397.6	1,380,177
	30-39	10,088	20.1	398.2	8,616	11.0	340.1	18,704	14.5	738.3	2,533,284
	40-49	16,904	33.7	600.6	27,457	35.0	975.5	44,361	34.5	1576.1	2,814,656
	50-59	11,495	22.9	432.6	26,732	34.1	1006	38,227	29.7	1438.5	2,657,336
	60+	4,430	8.8	120.2	11,846	15.1	321.5	16,276	12.7	441.8	3,684,203
	Unk	15	0.0	.	8	0.0	.	23	0.0	.	.
Race/Ethnicity	White	11,894	23.7	102.8	14,886	19.0	114.6	26,780	20.8	217.4	11,469,927
	Black	21,122	42.1	713.9	34,106	43.5	1130	55,228	42.9	1844.0	2,919,042
	Hispanic	14,770	29.4	453.0	26,131	33.3	846.9	40,901	31.8	1299.8	3,416,922
	Asian/PI	736	1.5	45.4	824	1.1	51.9	1,560	1.2	97.3	1,502,672
	Native Am	47	0.1	68.3	56	0.1	82.0	103	0.1	150.3	69,539
	Multi Race**	1,276	2.5	.	2,409	3.1	.	3,685	2.9	.	.
	Unk	359	0.7	.	37	0.0	.	396	0.3	.	.
Risk	MSM	18,296	36.4	.	22,467	28.6	.	40,763	31.7	.	.
	IDU	5,472	10.9	.	17,975	22.9	.	23,447	18.2	.	.
	MSM/IDU	939	1.9	.	2,519	3.2	.	3,458	2.7	.	.
	Heterosexual	8,081	16.1	.	13,517	17.2	.	21,598	16.8	.	.
	Fem. Presumed Het.	6,987	13.9	.	7,855	10.0	.	14,842	11.5	.	.
	Blood Prod.	50	0.1	.	242	0.3	.	292	0.2	.	.
	Pediatric Risk	1,520	3.0	.	1,405	1.8	.	2,925	2.3	.	.
	Unk	8,859	17.6	.	12,469	15.9	.	21,328	16.6	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 2B
NEW YORK STATE: Includes all 62 Counties
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		977	100.0	268	100.0	1,245	100.0	2,604	100.0	3,849	100.0	19.6	25.4	32.3
Gender	Male	728	74.5	208	77.6	936	75.2	1,959	75.2	2,895	75.2	30.1	25.1	32.3
	Female	249	25.5	60	22.4	309	24.8	645	24.8	954	24.8	9.5	26.1	32.4
Age at Diagnosis	12 & under	5	0.2	5	0.1	0.2	.	.
	13-19	29	3.0	11	4.1	40	3.2	123	4.7	163	4.2	8.8	17.8	24.5
	20-24	72	7.4	39	14.6	111	8.9	497	19.1	608	15.8	43.1	11.8	18.3
	25-29	89	9.1	39	14.6	128	10.3	444	17.1	572	14.9	41.4	15.6	22.4
	30-39	228	23.3	59	22.0	287	23.1	598	23.0	885	23.0	34.9	25.8	32.4
	40-49	271	27.7	66	24.6	337	27.1	560	21.5	897	23.3	31.9	30.2	37.6
	50-59	198	20.3	43	16.0	241	19.4	262	10.1	503	13.1	18.9	39.4	47.9
	60+	90	9.2	11	4.1	101	8.1	115	4.4	216	5.6	5.9	41.7	46.8
Race/Ethnicity	White	181	18.5	46	17.2	227	18.2	553	21.2	780	20.3	7.1	23.2	29.1
	Black	479	49.0	130	48.5	609	48.9	1,160	44.5	1,769	46.0	58.6	27.1	34.4
	Hispanic	271	27.7	82	30.6	353	28.4	755	29.0	1,108	28.8	30.7	24.5	31.9
	Asian/PI	20	2.0	2	0.7	22	1.8	64	2.5	86	2.2	5.0	23.3	25.6
	Native Am	1	0.0	1	0.0	1.3	.	.
	Multi Race***	26	2.7	8	3.0	34	2.7	71	2.7	105	2.7	.	24.8	32.4
Risk	MSM	344	35.2	122	45.5	466	37.4	1,337	51.3	1,803	46.8	.	19.1	25.8
	IDU	49	5.0	16	6.0	65	5.2	94	3.6	159	4.1	.	30.8	40.9
	MSM/IDU	14	1.4	8	3.0	22	1.8	44	1.7	66	1.7	.	21.2	33.3
	Heterosexual	171	17.5	39	14.6	210	16.9	340	13.1	550	14.3	.	31.1	38.2
	Fem. Presumed Het.	146	14.9	29	10.8	175	14.1	364	14.0	539	14.0	.	27.1	32.5
	Pediatric Risk	3	0.3	.	.	3	0.2	5	0.2	8	0.2	.	37.5	37.5
	Unk	250	25.6	54	20.1	304	24.4	420	16.1	724	18.8	.	34.5	42.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		3,020	100.0	15.4	195,099	100.0
Gender	Male	2,122	70.3	22.2	144,438	74.0
	Female	898	29.7	9.0	50,661	26.0
Age at Diagnosis	12 & under	2	0.1	0.1	2,391	1.2
	13-19	73	2.4	3.9	1,495	0.8
	20-24	201	6.7	14.2	5,501	2.8
	25-29	301	10.0	21.8	18,425	9.4
	30-39	699	23.1	27.6	76,337	39.1
	40-49	937	31.0	33.3	61,542	31.5
	50-59	586	19.4	22.1	22,115	11.3
	60+	221	7.3	6.0	7,293	3.7
Race/Ethnicity	White	462	15.3	4.0	44,989	23.1
	Black	1,519	50.3	51.5	83,085	42.6
	Hispanic	907	30.0	27.0	60,645	31.1
	Asian/PI	34	1.1	2.1	1,342	0.7
	Native Am	.	.	.	87	0.0
	Multi Race***	98	3.2	.	4,905	2.5
	Unk	.	.	.	46	0.0
Risk	MSM	1,014	33.6	.	55,984	28.7
	IDU	310	10.3	.	70,002	35.9
	MSM/IDU	76	2.5	.	6,803	3.5
	Heterosexual	556	18.4	.	23,893	12.2
	Fem. Presumed Het.	415	13.7	.	12,243	6.3
	Blood Prod.	.	.	.	1,137	0.6
	Pediatric Risk	49	1.6	.	3,072	1.6
	Unk	600	19.9	.	21,965	11.3

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 3A

NEW YORK CITY

Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		39,144	100.0	471.4	62,058	100.0	742.0	101,202	100.0	1213.4	8,175,133
Gender	Male	27,171	69.4	685.7	43,350	69.9	1101	70,521	69.7	1786.4	3,882,544
	Female	11,971	30.6	277.7	18,708	30.1	429.4	30,679	30.3	707.1	4,292,589
	Unk	2	0.0	2	0.0	.	.
Current Age	12 & under	306	0.8	24.1	20	0.0	1.6	326	0.3	25.7	1,268,163
	13-19	781	2.0	107.5	533	0.9	73.3	1,314	1.3	180.8	726,707
	20-24	1,872	4.8	291.3	983	1.6	153.0	2,855	2.8	444.3	642,585
	25-29	2,884	7.4	395.0	1,590	2.6	217.8	4,474	4.4	612.7	730,190
	30-39	8,271	21.1	661.9	6,918	11.1	553.6	15,189	15.0	1215.4	1,249,662
	40-49	13,137	33.6	1160	21,438	34.5	1892	34,575	34.2	3051.7	1,132,972
	50-59	8,509	21.7	836.5	20,948	33.8	2059	29,457	29.1	2895.8	1,017,219
	60+	3,379	8.6	240.0	9,622	15.5	683.6	13,001	12.8	923.6	1,407,635
	Unk	5	0.0	.	6	0.0	.	11	0.0	.	.
Race/Ethnicity	White	8,246	21.1	301.0	10,137	16.3	349.6	18,383	18.2	650.6	2,785,147
	Black	17,205	44.0	867.8	27,943	45.0	1368	45,148	44.6	2236.1	1,932,101
	Hispanic	12,050	30.8	530.1	21,921	35.3	1004	33,971	33.6	1534.5	2,336,076
	Asian/PI	651	1.7	54.0	761	1.2	64.5	1,412	1.4	118.5	1,095,974
	Native Am	37	0.1	147.6	39	0.1	160.9	76	0.1	308.5	25,835
	Multi Race**	600	1.5	.	1,220	2.0	.	1,820	1.8	.	.
	Unk	355	0.9	.	37	0.1	.	392	0.4	.	.
Risk	MSM	14,897	38.1	.	18,088	29.1	.	32,985	32.6	.	.
	IDU	3,360	8.6	.	13,367	21.5	.	16,727	16.5	.	.
	MSM/IDU	607	1.6	.	1,683	2.7	.	2,290	2.3	.	.
	Heterosexual	5,772	14.7	.	10,209	16.5	.	15,981	15.8	.	.
	Fem. Presumed Het.	5,949	15.2	.	6,886	11.1	.	12,835	12.7	.	.
	Blood Prod.	28	0.1	.	151	0.2	.	179	0.2	.	.
	Pediatric Risk	1,259	3.2	.	1,175	1.9	.	2,434	2.4	.	.
	Unk	7,272	18.6	.	10,499	16.9	.	17,771	17.6	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**Table 3B
NEW YORK CITY**

HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		740	100.0	196	100.0	936	100.0	2,063	100.0	2,999	100.0	34.4	24.7	31.2
Gender	Male	555	75.0	150	76.5	705	75.3	1,570	76.1	2,275	75.9	54.2	24.4	31.0
	Female	185	25.0	46	23.5	231	24.7	493	23.9	724	24.1	16.3	25.6	31.9
Age at Diagnosis	12 & under	4	0.2	4	0.1	0.3	.	.
	13-19	26	3.5	8	4.1	34	3.6	90	4.4	124	4.1	17.1	21.0	27.4
	20-24	56	7.6	26	13.3	82	8.8	380	18.4	462	15.4	71.9	12.1	17.7
	25-29	64	8.6	31	15.8	95	10.1	372	18.0	467	15.6	64.0	13.7	20.3
	30-39	173	23.4	46	23.5	219	23.4	489	23.7	708	23.6	56.7	24.4	30.9
	40-49	192	25.9	47	24.0	239	25.5	432	20.9	671	22.4	59.2	28.6	35.6
	50-59	160	21.6	32	16.3	192	20.5	213	10.3	405	13.5	39.8	39.5	47.4
	60+	69	9.3	6	3.1	75	8.0	83	4.0	158	5.3	11.2	43.7	47.5
Race/Ethnicity	White	106	14.3	23	11.7	129	13.8	353	17.1	482	16.1	16.5	22.0	26.8
	Black	393	53.1	98	50.0	491	52.5	958	46.4	1,449	48.3	71.8	27.1	33.9
	Hispanic	211	28.5	69	35.2	280	29.9	663	32.1	943	31.4	38.1	22.4	29.7
	Asian/PI	17	2.3	1	0.5	18	1.9	49	2.4	67	2.2	5.2	25.4	26.9
	Native Am	1	0.0	1	0.0	3.5	.	.
	Multi Race***	13	1.8	5	2.6	18	1.9	39	1.9	57	1.9	.	22.8	31.6
Risk	MSM	255	34.5	87	44.4	342	36.5	1,064	51.6	1,406	46.9	.	18.1	24.3
	IDU	36	4.9	9	4.6	45	4.8	64	3.1	109	3.6	.	33.0	41.3
	MSM/IDU	8	1.1	4	2.0	12	1.3	30	1.5	42	1.4	.	19.0	28.6
	Heterosexual	106	14.3	23	11.7	129	13.8	208	10.1	337	11.2	.	31.5	38.3
	Fem. Presumed Het.	125	16.9	26	13.3	151	16.1	323	15.7	474	15.8	.	26.4	31.9
	Pediatric Risk	2	0.3	.	.	2	0.2	4	0.2	6	0.2	.	33.3	33.3
	Unk	208	28.1	47	24.0	255	27.2	370	17.9	625	20.8	.	33.3	40.8

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		2,400	100.0	28.5	157,232	100.0
Gender	Male	1,686	70.3	41.7	115,413	73.4
	Female	714	29.8	16.6	41,819	26.6
Age at Diagnosis	12 & under	2	0.1	0.2	2,062	1.3
	13-19	61	2.5	8.4	1,176	0.7
	20-24	153	6.4	23.8	4,393	2.8
	25-29	252	10.5	34.5	14,550	9.3
	30-39	559	23.3	44.7	60,948	38.8
	40-49	727	30.3	64.2	49,674	31.6
	50-59	478	19.9	47.0	18,343	11.7
	60+	168	7.0	11.9	6,086	3.9
Race/Ethnicity	White	292	12.2	10.4	31,565	20.1
	Black	1,244	51.8	62.6	68,766	43.7
	Hispanic	778	32.4	33.5	52,275	33.2
	Asian/PI	28	1.2	2.3	1,236	0.8
	Native Am	.	.	.	48	0.0
	Multi Race***	58	2.4	.	3,297	2.1
	Unk	.	.	.	45	0.0
Risk	MSM	796	33.2	.	45,833	29.1
	IDU	227	9.5	.	55,422	35.2
	MSM/IDU	56	2.3	.	4,838	3.1
	Heterosexual	387	16.1	.	18,580	11.8
	Fem. Presumed Het.	371	15.5	.	10,740	6.8
	Blood Prod.	.	.	.	732	0.5
	Pediatric Risk	38	1.6	.	2,588	1.6
	Unk	525	21.9	.	18,499	11.8

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4A

REST OF STATE (NEW YORK STATE Excluding NYC)
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		11,060	100.0	96.7	16,391	100.0	134.6	27,451	100.0	231.3	11,202,969
Gender	Male	7,521	68.0	131.5	11,787	71.9	194.9	19,308	70.3	326.5	5,494,603
	Female	3,538	32.0	62.9	4,604	28.1	77.0	8,142	29.7	139.9	5,708,366
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	68	0.6	3.8	5	0.0	0.3	73	0.3	4.1	1,769,233
	13-19	189	1.7	16.7	81	0.5	7.1	270	1.0	23.8	1,133,408
	20-24	501	4.5	65.2	236	1.4	30.7	737	2.7	95.9	768,350
	25-29	671	6.1	103.2	342	2.1	52.6	1,013	3.7	155.8	649,987
	30-39	1,817	16.4	141.6	1,698	10.4	132.3	3,515	12.8	273.8	1,283,622
	40-49	3,767	34.1	224.0	6,019	36.7	357.9	9,786	35.6	581.9	1,681,684
	50-59	2,986	27.0	182.1	5,784	35.3	352.7	8,770	31.9	534.7	1,640,117
	60+	1,051	9.5	46.2	2,224	13.6	97.7	3,275	11.9	143.9	2,276,568
	Unk	10	0.1	.	2	0.0	.	12	0.0	.	.
Race/Ethnicity	White	3,648	33.0	41.4	4,749	29.0	48.6	8,397	30.6	90.0	8,684,780
	Black	3,917	35.4	401.4	6,163	37.6	632.0	10,080	36.7	1033.3	986,941
	Hispanic	2,720	24.6	289.5	4,210	25.7	472.9	6,930	25.2	762.4	1,080,846
	Asian/PI	85	0.8	20.6	63	0.4	15.5	148	0.5	36.1	406,698
	Native Am	10	0.1	23.6	17	0.1	39.9	27	0.1	63.5	43,704
	Multi Race**	676	6.1	.	1,189	7.3	.	1,865	6.8	.	.
	Unk	4	0.0	4	0.0	.	.
Risk	MSM	3,399	30.7	.	4,379	26.7	.	7,778	28.3	.	.
	IDU	2,112	19.1	.	4,608	28.1	.	6,720	24.5	.	.
	MSM/IDU	332	3.0	.	836	5.1	.	1,168	4.3	.	.
	Heterosexual	2,309	20.9	.	3,308	20.2	.	5,617	20.5	.	.
	Fem. Presumed Het.	1,038	9.4	.	969	5.9	.	2,007	7.3	.	.
	Blood Prod.	22	0.2	.	91	0.6	.	113	0.4	.	.
	Pediatric Risk	261	2.4	.	230	1.4	.	491	1.8	.	.
	Unk	1,587	14.3	.	1,970	12.0	.	3,557	13.0	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4B
REST OF STATE (NEW YORK STATE Excluding NYC)
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		237	100.0	72	100.0	309	100.0	541	100.0	850	100.0	7.8	27.9	36.4
Gender	Male	173	73.0	58	80.6	231	74.8	389	71.9	620	72.9	11.4	27.9	37.3
	Female	64	27.0	14	19.4	78	25.2	152	28.1	230	27.1	4.2	27.8	33.9
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.1	.	.
	13-19	3	1.3	3	4.2	6	1.9	33	6.1	39	4.6	3.4	7.7	15.4
	20-24	16	6.8	13	18.1	29	9.4	117	21.6	146	17.2	19.0	11.0	19.9
	25-29	25	10.5	8	11.1	33	10.7	72	13.3	105	12.4	16.2	23.8	31.4
	30-39	55	23.2	13	18.1	68	22.0	109	20.1	177	20.8	13.8	31.1	38.4
	40-49	79	33.3	19	26.4	98	31.7	128	23.7	226	26.6	13.4	35.0	43.4
	50-59	38	16.0	11	15.3	49	15.9	49	9.1	98	11.5	6.0	38.8	50.0
	60+	21	8.9	5	6.9	26	8.4	32	5.9	58	6.8	2.5	36.2	44.8
Race/Ethnicity	White	75	31.6	23	31.9	98	31.7	200	37.0	298	35.1	3.6	25.2	32.9
	Black	86	36.3	32	44.4	118	38.2	202	37.3	320	37.6	31.9	26.9	36.9
	Hispanic	60	25.3	13	18.1	73	23.6	92	17.0	165	19.4	14.6	36.4	44.2
	Asian/PI	3	1.3	1	1.4	4	1.3	15	2.8	19	2.2	4.4	15.8	21.1
	Native Am
	Multi Race***	13	5.5	3	4.2	16	5.2	32	5.9	48	5.6	.	27.1	33.3
Risk	MSM	89	37.6	35	48.6	124	40.1	273	50.5	397	46.7	.	22.4	31.2
	IDU	13	5.5	7	9.7	20	6.5	30	5.5	50	5.9	.	26.0	40.0
	MSM/IDU	6	2.5	4	5.6	10	3.2	14	2.6	24	2.8	.	25.0	41.7
	Heterosexual	65	27.4	16	22.2	81	26.2	132	24.4	213	25.1	.	30.5	38.0
	Fem. Presumed Het.	21	8.9	3	4.2	24	7.8	41	7.6	65	7.6	.	32.3	36.9
	Pediatric Risk	1	0.4	.	.	1	0.3	1	0.2	2	0.2	.	50.0	50.0
	Unk	42	17.7	7	9.7	49	15.9	50	9.2	99	11.6	.	42.4	49.5

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**REST OF STATE (NEW YORK STATE Excluding NYC)
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		620	100.0	5.6	37,867	100.0
Gender	Male	436	70.3	8.0	29,025	76.6
	Female	184	29.7	3.4	8,842	23.4
Age at Diagnosis	12 & under	.	.	.	329	0.9
	13-19	12	1.9	1.1	319	0.8
	20-24	48	7.7	6.2	1,108	2.9
	25-29	49	7.9	7.5	3,875	10.2
	30-39	140	22.6	10.9	15,389	40.6
	40-49	210	33.9	12.5	11,868	31.3
	50-59	108	17.4	6.6	3,772	10.0
	60+	53	8.5	2.3	1,207	3.2
Race/Ethnicity	White	170	27.4	2.0	13,424	35.5
	Black	275	44.4	28.7	14,319	37.8
	Hispanic	129	20.8	12.3	8,370	22.1
	Asian/PI	6	1.0	1.5	106	0.3
	Native Am	.	.	.	39	0.1
	Multi Race***	40	6.5	.	1,608	4.2
	Unk	.	.	.	1	0.0
Risk	MSM	218	35.2	.	10,151	26.8
	IDU	83	13.4	.	14,580	38.5
	MSM/IDU	20	3.2	.	1,965	5.2
	Heterosexual	169	27.3	.	5,313	14.0
	Fem. Presumed Het.	44	7.1	.	1,503	4.0
	Blood Prod.	.	.	.	405	1.1
	Pediatric Risk	11	1.8	.	484	1.3
	Unk	75	12.1	.	3,466	9.2

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2010**

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	475	633	1,108	432	543	975
Allegany	9	17	26	8	16	24
Broome	145	216	361	138	203	341
Cattaraugus	34	55	89	17	29	46
Cayuga	95	141	236	36	51	87
Chautauqua	131	113	244	88	80	168
Chemung	122	119	241	62	46	108
Chenango	20	38	58	17	29	46
Clinton	102	202	304	30	35	65
Columbia	76	73	149	49	49	98
Cortland	17	16	33	16	16	32
Delaware	20	35	55	19	32	51
Dutchess	490	721	1,211	231	368	599
Erie	927	1,106	2,033	835	971	1,806
Essex	51	69	120	10	11	21
Franklin	155	212	367	10	21	31
Fulton	33	35	68	31	32	63
Genesee	29	37	66	21	28	49
Greene	72	114	186	29	42	71
Hamilton	1	2	3	1	2	3
Herkimer	21	29	50	21	27	48
Jefferson	181	157	338	29	49	78
Lewis	22	4	26	22	4	26
Livingston	86	88	174	20	30	50
Madison	21	26	47	18	17	35
Monroe	938	1,291	2,229	893	1,183	2,076
Montgomery	32	35	67	31	31	62
Nassau	1,080	1,829	2,909	1,055	1,756	2,811
Niagara	86	97	183	81	91	172
Oneida	321	440	761	112	162	274
Onondaga	371	586	957	344	544	888
Ontario	40	40	80	37	37	74
Orange	385	654	1,039	306	507	813
Orleans	147	211	358	12	23	35
Oswego	35	52	87	34	51	85

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2010**

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Otsego	25	35	60	25	34	59
Putnam	43	90	133	42	88	130
Rensselaer	98	154	252	90	138	228
Rockland	241	523	764	233	461	694
St Lawrence	137	177	314	30	42	72
Saratoga	101	137	238	69	90	159
Schenectady	180	237	417	165	210	375
Schoharie	20	17	37	12	14	26
Schuyler	8	6	14	4	4	8
Seneca	57	66	123	17	10	27
Steuben	40	39	79	38	36	74
Suffolk	1,166	1,790	2,956	1,112	1,693	2,805
Sullivan	170	270	440	111	173	284
Tioga	16	19	35	16	19	35
Tompkins	51	85	136	50	77	127
Ulster	276	460	736	138	246	384
Warren	28	37	65	27	36	63
Washington	72	107	179	13	16	29
Wayne	65	60	125	55	49	104
Westchester	1,401	2,433	3,834	1,126	2,086	3,212
Wyoming	88	150	238	5	6	11
Yates	7	6	13	7	6	13
Total	11,060	16,391	27,451	8,480	12,650	21,130

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2010
and Cumulative AIDS Diagnosed through December 2010

	Including Prisoners*			Excluding Prisoners*		
County	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	35	35	1,315	32	29	1,184
Allegany	0	0	28	0	0	27
Broome	9	9	406	8	9	389
Cattaraugus	0	1	93	0	1	57
Cayuga	5	5	329	4	2	94
Chautauqua	9	4	192	8	4	153
Chemung	6	7	300	4	4	142
Chenango	0	1	67	0	1	48
Clinton	1	0	484	1	0	69
Columbia	5	4	157	3	4	104
Cortland	2	1	31	2	1	31
Delaware	5	3	58	4	3	54
Dutchess	14	15	1,817	14	10	986
Erie	105	60	2,530	98	56	2,251
Essex	2	1	188	2	1	35
Franklin	2	1	414	2	1	41
Fulton	4	1	61	4	1	55
Genesee	5	2	66	4	1	55
Greene	1	3	246	0	3	82
Hamilton	0	0	4	0	0	4
Herkimer	7	6	49	7	6	47
Jefferson	11	9	308	9	8	88
Lewis	0	0	13	0	0	12
Livingston	2	1	227	2	1	66
Madison	1	3	60	1	2	42
Monroe	75	49	2,721	71	43	2,537
Montgomery	1	1	86	1	1	80
Nassau	103	85	4,552	101	83	4,399
Niagara	11	4	273	11	4	260
Oneida	12	8	1,024	12	3	390
Onondaga	41	22	1,323	40	20	1,258

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV and AIDS Cases, 2010
and Cumulative AIDS Diagnosed through December 2010

	Including Prisoners*			Excluding Prisoners*		
County	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Ontario	3	1	71	3	1	68
Orange	28	21	1,578	27	20	1,281
Orleans	1	3	384	1	2	48
Oswego	5	7	104	5	7	102
Otsego	4	1	84	4	1	82
Putnam	7	6	196	6	6	192
Rensselaer	14	10	323	13	9	298
Rockland	21	17	1,089	21	17	1,005
St Lawrence	4	1	347	3	0	79
Saratoga	3	4	333	3	4	206
Schenectady	13	21	506	12	16	468
Schoharie	0	0	44	0	0	39
Schuyler	1	1	16	1	1	14
Seneca	3	2	93	3	1	22
Steuben	3	3	94	3	3	90
Suffolk	118	68	4,502	116	64	4,315
Sullivan	4	2	723	4	2	511
Tioga	1	1	37	1	1	37
Tompkins	3	3	155	3	2	146
Ulster	11	6	1,038	9	5	637
Warren	3	4	80	3	4	78
Washington	4	2	306	4	2	44
Wayne	4	2	124	4	2	103
Westchester	117	93	5,852	113	86	5,150
Wyoming	1	0	353	0	0	15
Yates	0	0	13	0	0	13
Total	850	620	37,867	807	558	30,083

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 6A

NEW YORK CITY - Males
Living HIV and AIDS Cases as of December 2010, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		27,171	100.0	685.7	43,350	100.0	1100.7	70,521	100.0	1786.4	3,882,544
Current Age	12 & under	152	0.6	23.5	11	0.0	1.7	163	0.2	25.2	647,210
	13-19	398	1.5	107.8	260	0.6	70.5	658	0.9	178.3	369,050
	20-24	1,367	5.0	436.8	639	1.5	204.2	2,006	2.8	641.0	312,967
	25-29	2,161	8.0	620.9	1,155	2.7	331.9	3,316	4.7	952.7	348,048
	30-39	5,845	21.5	964.2	4,533	10.5	747.8	10,378	14.7	1712.0	606,205
	40-49	9,203	33.9	1687.0	14,538	33.5	2665.0	23,741	33.7	4352.0	545,514
	50-59	5,734	21.1	1211.8	14,899	34.4	3148.6	20,633	29.3	4360.4	473,195
	60+	2,307	8.5	397.5	7,311	16.9	1259.7	9,618	13.6	1657.3	580,355
	Unk	4	0.0	.	4	0.0	.	8	0.0	.	.
Race/Ethnicity	White	7,438	27.4	534.9	8,929	20.6	614.3	16,367	23.2	1149.2	1,347,321
	Black	10,094	37.1	1157.8	17,391	40.1	1971.7	27,485	39.0	3129.4	865,955
	Hispanic	8,372	30.8	774.3	15,471	35.7	1544.2	23,843	33.8	2318.5	1,130,684
	Asian/PI	535	2.0	94.0	644	1.5	114.1	1,179	1.7	208.0	526,379
	Native Am	30	0.1	263.9	33	0.1	306.5	63	0.1	570.4	12,205
	Multi Race**	431	1.6	.	852	2.0	.	1,283	1.8	.	.
	Unk	271	1.0	.	30	0.1	.	301	0.4	.	.
Risk	MSM	14,897	54.8	.	18,088	41.7	.	32,985	46.8	.	.
	IDU	2,085	7.7	.	8,930	20.6	.	11,015	15.6	.	.
	MSM/IDU	607	2.2	.	1,683	3.9	.	2,290	3.2	.	.
	Heterosexual	1,688	6.2	.	3,537	8.2	.	5,225	7.4	.	.
	Blood Prod.	12	0.0	.	66	0.2	.	78	0.1	.	.
	Pediatric Risk	624	2.3	.	578	1.3	.	1,202	1.7	.	.
	Unk	7,258	26.7	.	10,468	24.1	.	17,726	25.1	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6B

NEW YORK CITY - Males
HIV Cases, Newly Diagnosed (January-December 2010), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		555	100.0	150	100.0	705	100.0	1,570	100.0	2,275	100.0	54.2	24.4	31.0
Age at Diagnosis	12 & under	3	0.2	3	0.1	0.5	.	.
	13-19	19	3.4	7	4.7	26	3.7	67	4.3	93	4.1	25.2	20.4	28.0
	20-24	43	7.7	23	15.3	66	9.4	320	20.4	386	17.0	123.3	11.1	17.1
	25-29	57	10.3	26	17.3	83	11.8	306	19.5	389	17.1	111.8	14.7	21.3
	30-39	135	24.3	38	25.3	173	24.5	374	23.8	547	24.0	90.2	24.7	31.6
	40-49	137	24.7	31	20.7	168	23.8	313	19.9	481	21.1	88.2	28.5	34.9
	50-59	112	20.2	21	14.0	133	18.9	132	8.4	265	11.6	56.0	42.3	50.2
	60+	52	9.4	4	2.7	56	7.9	55	3.5	111	4.9	19.1	46.8	50.5
Race/Ethnicity	White	100	18.0	22	14.7	122	17.3	325	20.7	447	19.6	30.6	22.4	27.3
	Black	256	46.1	70	46.7	326	46.2	654	41.7	980	43.1	108.9	26.1	33.3
	Hispanic	173	31.2	52	34.7	225	31.9	517	32.9	742	32.6	60.8	23.3	30.3
	Asian/PI	16	2.9	1	0.7	17	2.4	43	2.7	60	2.6	9.9	26.7	28.3
	Native Am	1	0.1	1	0.0	7.7	.	.
	Multi Race***	10	1.8	5	3.3	15	2.1	30	1.9	45	2.0	.	22.2	33.3
	Unk
Risk	MSM	255	45.9	87	58.0	342	48.5	1,064	67.8	1,406	61.8	.	18.1	24.3
	IDU	30	5.4	5	3.3	35	5.0	34	2.2	69	3.0	.	43.5	50.7
	MSM/IDU	8	1.4	4	2.7	12	1.7	30	1.9	42	1.8	.	19.0	28.6
	Heterosexual	53	9.5	8	5.3	61	8.7	71	4.5	132	5.8	.	40.2	46.2
	Blood Prod.
	Pediatric Risk	1	0.2	.	.	1	0.1	3	0.2	4	0.2	.	25.0	25.0
	Unk	208	37.5	46	30.7	254	36.0	368	23.4	622	27.3	.	33.4	40.8

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Males
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		1,686	100.0	41.7	115,413	100.0
Age at Diagnosis	12 & under	1	0.1	0.2	1,025	0.9
	13-19	38	2.3	10.3	650	0.6
	20-24	119	7.1	38.0	2,858	2.5
	25-29	209	12.4	60.0	10,130	8.8
	30-39	397	23.5	65.5	44,298	38.4
	40-49	478	28.4	87.6	37,517	32.5
	50-59	322	19.1	68.0	14,255	12.4
	60+	122	7.2	21.0	4,680	4.1
Race/Ethnicity	White	268	15.9	18.9	28,172	24.4
	Black	789	46.8	90.3	45,646	39.6
	Hispanic	564	33.5	50.3	38,065	33.0
	Asian/PI	27	1.6	4.7	1,065	0.9
	Native Am	.	.	.	40	0.0
	Multi Race***	38	2.3	.	2,388	2.1
	Unk	.	.	.	37	0.0
Risk	MSM	796	47.2	.	45,833	39.7
	IDU	143	8.5	.	39,028	33.8
	MSM/IDU	56	3.3	.	4,838	4.2
	Heterosexual	158	9.4	.	5,586	4.8
	Blood Prod.	.	.	.	400	0.3
	Pediatric Risk	12	0.7	.	1,281	1.1
	Unk	521	30.9	.	18,447	16.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6D

NEW YORK CITY - Females
Living HIV and AIDS Cases as of December 2010, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		11,971	100.0	277.7	18,708	100.0	429.4	30,679	100.0	707.1	4,292,589
Current Age	12 & under	154	1.3	24.8	9	0.0	1.4	163	0.5	26.2	620,953
	13-19	383	3.2	107.1	273	1.5	76.3	656	2.1	183.4	357,657
	20-24	505	4.2	153.2	344	1.8	104.4	849	2.8	257.6	329,618
	25-29	723	6.0	189.2	435	2.3	113.8	1,158	3.8	303.0	382,142
	30-39	2,426	20.3	377.0	2,385	12.7	370.7	4,811	15.7	747.7	643,457
	40-49	3,933	32.9	669.5	6,900	36.9	1174.6	10,833	35.3	1844.0	587,458
	50-59	2,774	23.2	509.9	6,049	32.3	1111.9	8,823	28.8	1621.8	544,024
	60+	1,072	9.0	129.6	2,311	12.4	279.3	3,383	11.0	408.9	827,280
	Unk	1	0.0	.	2	0.0	.	3	0.0	.	.
Race/Ethnicity	White	808	6.7	59.3	1,208	6.5	86.0	2,016	6.6	145.3	1,437,826
	Black	7,109	59.4	644.3	10,552	56.4	925.4	17,661	57.6	1569.7	1,066,146
	Hispanic	3,678	30.7	310.2	6,450	34.5	551.5	10,128	33.0	861.8	1,205,392
	Asian/PI	116	1.0	18.0	117	0.6	19.2	233	0.8	37.2	569,595
	Native Am	7	0.1	52.2	6	0.0	40.9	13	0.0	93.1	13,630
	Multi Race**	169	1.4	.	368	2.0	.	537	1.8	.	.
	Unk	84	0.7	.	7	0.0	.	91	0.3	.	.
Risk	IDU	1,274	10.6	.	4,437	23.7	.	5,711	18.6	.	.
	Heterosexual	4,083	34.1	.	6,672	35.7	.	10,755	35.1	.	.
	Fem. Presumed Het.	5,949	49.7	.	6,886	36.8	.	12,835	41.8	.	.
	Blood Prod.	16	0.1	.	85	0.5	.	101	0.3	.	.
	Pediatric Risk	635	5.3	.	597	3.2	.	1,232	4.0	.	.
	Unk	14	0.1	.	31	0.2	.	45	0.1	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6E

NEW YORK CITY - Females
HIV Cases, Newly Diagnosed (January-December 2010), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		185	100.0	46	100.0	231	100.0	493	100.0	724	100.0	16.3	25.6	31.9
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.2	.	.
	13-19	7	3.8	1	2.2	8	3.5	23	4.7	31	4.3	8.7	22.6	25.8
	20-24	13	7.0	3	6.5	16	6.9	60	12.2	76	10.5	23.1	17.1	21.1
	25-29	7	3.8	5	10.9	12	5.2	66	13.4	78	10.8	20.4	9.0	15.4
	30-39	38	20.5	8	17.4	46	19.9	115	23.3	161	22.2	25.0	23.6	28.6
	40-49	55	29.7	16	34.8	71	30.7	119	24.1	190	26.2	32.3	28.9	37.4
	50-59	48	25.9	11	23.9	59	25.5	81	16.4	140	19.3	25.7	34.3	42.1
	60+	17	9.2	2	4.3	19	8.2	28	5.7	47	6.5	5.7	36.2	40.4
Race/Ethnicity	White	6	3.2	1	2.2	7	3.0	28	5.7	35	4.8	2.4	17.1	20.0
	Black	137	74.1	28	60.9	165	71.4	304	61.7	469	64.8	41.9	29.2	35.2
	Hispanic	38	20.5	17	37.0	55	23.8	146	29.6	201	27.8	16.4	18.9	27.4
	Asian/PI	1	0.5	.	.	1	0.4	6	1.2	7	1.0	1.0	14.3	14.3
	Native Am
	Multi Race***	3	1.6	.	.	3	1.3	9	1.8	12	1.7	.	25.0	25.0
	Unk
Risk	IDU	6	3.2	4	8.7	10	4.3	30	6.1	40	5.5	.	15.0	25.0
	Heterosexual	53	28.6	15	32.6	68	29.4	137	27.8	205	28.3	.	25.9	33.2
	Fem. Presumed Het.	125	67.6	26	56.5	151	65.4	323	65.5	474	65.5	.	26.4	31.9
	Blood Prod.
	Pediatric Risk	1	0.5	.	.	1	0.4	1	0.2	2	0.3	.	50.0	50.0
	Unk	.	.	1	2.2	1	0.4	2	0.4	3	0.4	.	.	33.3

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		714	100.0	16.6	41,819	100.0
Age at Diagnosis	12 & under	1	0.1	0.2	1,037	2.5
	13-19	23	3.2	6.4	526	1.3
	20-24	34	4.8	10.3	1,535	3.7
	25-29	43	6.0	11.3	4,420	10.6
	30-39	162	22.7	25.2	16,650	39.8
	40-49	249	34.9	42.4	12,157	29.1
	50-59	156	21.8	28.7	4,088	9.8
	60+	46	6.4	5.6	1,406	3.4
Race/Ethnicity	White	24	3.4	1.8	3,393	8.1
	Black	455	63.7	41.3	23,120	55.3
	Hispanic	214	30.0	18.0	14,210	34.0
	Asian/PI	1	0.1	0.2	171	0.4
	Native Am	.	.	.	8	0.0
	Multi Race***	20	2.8	.	909	2.2
	Unk	.	.	.	8	0.0
Risk	IDU	84	11.8	.	16,394	39.2
	Heterosexual	229	32.1	.	12,994	31.1
	Fem. Presumed Het.	371	52.0	.	10,740	25.7
	Blood Prod.	.	.	.	332	0.8
	Pediatric Risk	26	3.6	.	1,307	3.1
	Unk	4	0.6	.	52	0.1

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7A

NEW YORK STATE (Excluding NYC) - Males
Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Area Population
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	
Total		5,445	100.0	97.1	8,567	100.0	142.6	14,012	100.0	239.8	5,494,603
Current Age	12 & under	28	0.5	3.1	3	0.0	0.3	31	0.2	3.4	904,861
	13-19	101	1.9	17.3	46	0.5	7.5	145	1.0	24.9	582,911
	20-24	320	5.9	80.2	131	1.5	31.6	446	3.2	111.8	399,035
	25-29	418	7.7	125.8	222	2.6	62.6	626	4.5	188.5	332,155
	30-39	912	16.7	143.1	857	10.1	132.0	1,753	12.5	275.1	637,329
	40-49	1,824	33.5	220.5	2,926	34.4	358.7	4,792	34.2	579.2	827,342
	50-59	1,331	24.4	165.0	2,988	35.2	376.6	4,368	31.2	541.6	806,431
	60+	505	9.3	50.3	1,324	15.6	133.2	1,843	13.2	183.5	1,004,539
	Unk	6	0.1	.	2	0.0	.	8	0.1	.	.
Race/Ethnicity	White	2,543	46.7	57.6	3,445	40.5	71.0	5,999	42.8	128.6	4,240,072
	Black	1,523	28.0	318.9	2,682	31.6	585.2	4,230	30.2	904.0	483,250
	Hispanic	975	17.9	194.7	1,715	20.2	391.8	2,708	19.3	586.5	553,504
	Asian/PI	51	0.9	26.4	50	0.6	24.7	98	0.7	51.1	196,482
	Native Am	4	0.1	21.7	9	0.1	42.5	13	0.1	64.1	21,295
	Multi Race**	347	6.4	.	598	7.0	.	962	6.9	.	.
	Unk	2	0.0	2	0.0	.	.
Risk	MSM	3,220	59.1	.	4,076	48.0	.	7,299	52.1	.	.
	IDU	546	10.0	.	1,681	19.8	.	2,266	16.2	.	.
	MSM/IDU	239	4.4	.	535	6.3	.	807	5.8	.	.
	Heterosexual	473	8.7	.	857	10.1	.	1,347	9.6	.	.
	Blood Prod.	15	0.3	.	60	0.7	.	76	0.5	.	.
	Pediatric Risk	128	2.4	.	115	1.4	.	239	1.7	.	.
	Unk	824	15.1	.	1,175	13.8	.	1,978	14.1	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7B

NEW YORK STATE (Excluding NYC) -Males
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		162	100.0	53	100.0	215	100.0	367	100.0	582	100.0	10.7	27.8	36.9
Age at Diagnosis	12 & under
	13-19	2	1.2	3	5.7	5	2.3	22	6.0	27	4.6	4.6	7.4	18.5
	20-24	14	8.6	9	17.0	23	10.7	90	24.5	113	19.4	28.3	12.4	20.4
	25-29	17	10.5	6	11.3	23	10.7	56	15.3	79	13.6	23.8	21.5	29.1
	30-39	37	22.8	10	18.9	47	21.9	61	16.6	108	18.6	16.9	34.3	43.5
	40-49	51	31.5	14	26.4	65	30.2	90	24.5	155	26.6	18.7	32.9	41.9
	50-59	27	16.7	7	13.2	34	15.8	31	8.4	65	11.2	8.1	41.5	52.3
	60+	14	8.6	4	7.5	18	8.4	17	4.6	35	6.0	3.5	40.0	51.4
Race/Ethnicity	White	59	36.4	16	30.2	75	34.9	153	41.7	228	39.2	5.4	25.9	32.9
	Black	51	31.5	24	45.3	75	34.9	119	32.4	194	33.3	38.0	26.3	38.7
	Hispanic	41	25.3	12	22.6	53	24.7	60	16.3	113	19.4	18.9	36.3	46.9
	Asian/PI	3	1.9	.	.	3	1.4	9	2.5	12	2.1	6.1	25.0	25.0
	Native Am
	Multi Race***	8	4.9	1	1.9	9	4.2	26	7.1	35	6.0	.	22.9	25.7
	Unk
Risk	MSM	87	53.7	35	66.0	122	56.7	267	72.8	389	66.8	.	22.4	31.4
	IDU	6	3.7	3	5.7	9	4.2	9	2.5	18	3.1	.	33.3	50.0
	MSM/IDU	5	3.1	4	7.5	9	4.2	13	3.5	22	3.8	.	22.7	40.9
	Heterosexual	25	15.4	5	9.4	30	14.0	35	9.5	65	11.2	.	38.5	46.2
	Blood Prod.
	Pediatric Risk	1	0.6	.	.	1	0.5	.	.	1	0.2	.	100.0	100.0
	Unk	38	23.5	6	11.3	44	20.5	43	11.7	87	14.9	.	43.7	50.6

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Males
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		382	100.0	7.0	22,073	100.0
Age at Diagnosis	12 & under	.	.	.	174	0.8
	13-19	9	2.4	1.5	163	0.7
	20-24	36	9.4	9.0	577	2.6
	25-29	33	8.6	9.9	1,973	8.9
	30-39	77	20.2	12.1	8,516	38.6
	40-49	123	32.2	14.9	7,230	32.8
	50-59	67	17.5	8.3	2,584	11.7
	60+	37	9.7	3.7	856	3.9
Race/Ethnicity	White	118	30.9	2.7	10,351	46.9
	Black	155	40.6	32.7	7,260	32.9
	Hispanic	81	21.2	14.9	3,520	15.9
	Asian/PI	6	1.6	3.1	80	0.4
	Native Am	.	.	.	24	0.1
	Multi Race***	22	5.8	.	837	3.8
	Unk	.	.	.	1	0.0
Risk	MSM	209	54.7	.	9,697	43.9
	IDU	34	8.9	.	6,755	30.6
	MSM/IDU	14	3.7	.	1,434	6.5
	Heterosexual	55	14.4	.	1,383	6.3
	Blood Prod.	.	.	.	303	1.4
	Pediatric Risk	7	1.8	.	250	1.1
	Unk	63	16.5	.	2,251	10.2

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7D

NEW YORK STATE (Excluding NYC) - Females
Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		3,034	100.0	54.6	4,083	100.0	68.4	7,117	100.0	123.0	5,708,366
Current Age	12 & under	38	1.3	4.4	2	0.0	0.2	40	0.6	4.6	864,372
	13-19	86	2.8	15.6	39	1.0	6.7	123	1.7	22.3	550,497
	20-24	154	5.1	41.7	90	2.2	25.5	248	3.5	67.2	369,315
	25-29	196	6.5	61.7	104	2.6	34.3	305	4.3	96.0	317,832
	30-39	669	22.1	103.5	578	14.3	89.9	1,250	17.6	193.4	646,293
	40-49	940	31.0	110.0	1,527	37.7	179.2	2,471	34.7	289.2	854,342
	50-59	687	22.6	82.4	1,268	31.3	153.8	1,969	27.7	236.2	833,686
	60+	262	8.6	20.6	442	10.9	35.1	709	10.0	55.7	1,272,029
	Unk	2	0.1	2	0.0	.	.
Race/Ethnicity	White	862	28.4	20.4	1,021	25.2	21.7	1,887	26.5	42.1	4,444,708
	Black	1,320	43.5	267.7	1,837	45.4	368.9	3,168	44.5	636.6	503,691
	Hispanic	599	19.7	123.5	843	20.8	185.2	1,452	20.4	308.6	527,342
	Asian/PI	31	1.0	14.0	15	0.4	6.4	45	0.6	20.4	210,216
	Native Am	4	0.1	18.3	5	0.1	29.9	10	0.1	48.2	22,409
	Multi Race**	216	7.1	.	329	8.1	.	553	7.8	.	.
	Unk	2	0.1	2	0.0	.	.
Risk	IDU	395	13.0	.	934	23.1	.	1,338	18.8	.	.
	Heterosexual	1,624	53.5	.	2,124	52.4	.	3,765	52.9	.	.
	Fem. Presumed Het.	879	29.0	.	855	21.1	.	1,738	24.4	.	.
	Blood Prod.	5	0.2	.	25	0.6	.	30	0.4	.	.
	Pediatric Risk	125	4.1	.	106	2.6	.	233	3.3	.	.
	Unk	6	0.2	.	6	0.1	.	13	0.2	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7E

NEW YORK STATE (Excluding NYC) -Females
HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		63	100.0	14	100.0	77	100.0	148	100.0	225	100.0	4.1	28.0	34.2
Age at Diagnosis	12 & under	1	0.7	1	0.4	0.1	.	.
	13-19	1	1.6	.	.	1	1.3	10	6.8	11	4.9	2.0	9.1	9.1
	20-24	2	3.2	2	14.3	4	5.2	24	16.2	28	12.4	7.6	7.1	14.3
	25-29	8	12.7	2	14.3	10	13.0	15	10.1	25	11.1	7.9	32.0	40.0
	30-39	13	20.6	3	21.4	16	20.8	38	25.7	54	24.0	8.4	24.1	29.6
	40-49	23	36.5	4	28.6	27	35.1	30	20.3	57	25.3	6.7	40.4	47.4
	50-59	9	14.3	2	14.3	11	14.3	17	11.5	28	12.4	3.4	32.1	39.3
	60+	7	11.1	1	7.1	8	10.4	13	8.8	21	9.3	1.7	33.3	38.1
Race/Ethnicity	White	15	23.8	6	42.9	21	27.3	38	25.7	59	26.2	1.5	25.4	35.6
	Black	28	44.4	7	50.0	35	45.5	73	49.3	108	48.0	21.8	25.9	32.4
	Hispanic	16	25.4	.	.	16	20.8	26	17.6	42	18.7	7.9	38.1	38.1
	Asian/PI	.	.	1	7.1	1	1.3	6	4.1	7	3.1	3.0	.	14.3
	Native Am
	Multi Race***	4	6.3	.	.	4	5.2	5	3.4	9	4.0	.	44.4	44.4
	Unk
Risk	IDU	6	9.5	1	7.1	7	9.1	11	7.4	18	8.0	.	33.3	38.9
	Heterosexual	36	57.1	10	71.4	46	59.7	95	64.2	141	62.7	.	25.5	32.6
	Fem. Presumed Het.	21	33.3	3	21.4	24	31.2	41	27.7	65	28.9	.	32.3	36.9
	Blood Prod.
	Pediatric Risk	1	0.7	1	0.4	.	.	.

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Females
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		176	100.0	3.2	8,010	100.0
Age at Diagnosis	12 & under	.	.	.	151	1.9
	13-19	3	1.7	0.5	135	1.7
	20-24	12	6.8	3.2	336	4.2
	25-29	16	9.1	5.0	971	12.1
	30-39	47	26.7	7.3	3,152	39.4
	40-49	56	31.8	6.6	2,265	28.3
	50-59	27	15.3	3.2	720	9.0
	60+	15	8.5	1.2	280	3.5
Race/Ethnicity	White	44	25.0	1.0	2,396	29.9
	Black	88	50.0	18.3	3,760	46.9
	Hispanic	30	17.0	5.9	1,398	17.5
	Asian/PI	.	.	.	23	0.3
	Native Am	.	.	.	12	0.1
	Multi Race***	14	8.0	.	421	5.3
	Unk
Risk	IDU	25	14.2	.	2,780	34.7
	Heterosexual	104	59.1	.	3,537	44.2
	Fem. Presumed Het.	43	24.4	.	1,366	17.1
	Blood Prod.	.	.	.	92	1.1
	Pediatric Risk	4	2.3	.	223	2.8
	Unk	.	.	.	12	0.1

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -PRISONERS*
Living HIV and AIDS Cases as of December 2010, by Gender, Age and Race/Ethnicity

		Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV and AIDS Cases	
		Number	Column Percent	Number	Column Percent	Number	Column Percent
Total		2,580	100.0	3,741	100.0	6,321	100.0
Gender	Male	2,076	80.5	3,220	86.1	5,296	83.8
	Female	504	19.5	521	13.9	1,025	16.2
Current Age	12 & under	2	0.1	0	0.0	2	0.0
	13-19	2	0.1	0	0.0	2	0.0
	20-24	27	1.0	16	0.4	43	0.7
	25-29	57	2.2	25	0.7	82	1.3
	30-39	236	9.1	276	7.4	512	8.1
	40-49	1,003	38.9	1,520	40.6	2,523	39.9
	50-59	967	37.5	1,465	39.2	2,432	38.5
	60+	284	11.0	439	11.7	723	11.4
	Unk	2	0.1	0	0.0	2	0.0
Race/Ethnicity	White	242	9.4	268	7.2	510	8.1
	Black	1,074	41.6	1,608	43.0	2,682	42.4
	Hispanic	1,146	44.4	1,624	43.4	2,770	43.8
	Asian/PI	3	0.1	2	0.1	5	0.1
	Native Am	2	0.1	2	0.1	4	0.1
	Multi Race	113	4.4	237	6.3	350	5.5

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

NEW YORK STATE (Excluding NYC) -PRISONERS*
Newly Diagnosed HIV and AIDS Cases, 2010 by Gender, Age and Race/Ethnicity

		HIV Diagnoses**		AIDS Diagnoses	
		Number	Column Percent	Number	Column Percent
Total		43	100.0	62	100.0
Gender	Male	38	88.4	54	87.1
	Female	5	11.6	8	12.9
Age at Diagnosis	12 & under	0	0.0	0	0.0
	13-19	1	2.3	0	0.0
	20-24	5	11.6	6	9.7
	25-29	1	2.3	7	11.3
	30-39	15	34.9	25	40.3
	40-49	14	32.6	18	29.0
	50-59	5	11.6	6	9.7
	60+	2	4.7	0	0.0
Race/Ethnicity	White	11	25.6	8	12.9
	Black	18	41.9	32	51.6
	Hispanic	10	23.3	18	29.0
	Native Am	0	0.0	0	0.0
	Multi Race	4	9.3	4	6.5
	Unk	0	0.0	0	0.0

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 9A

***NEW YORK STATE: (Excluding NYC) by Ryan White Region
Living HIV and AIDS Cases as of December 2010***

	Including Prisoners*			Excluding Prisoners*		
Ryan White Region	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	1,541	2,134	3,675	1,043	1,336	2,379
Binghamton	181	273	454	171	251	422
Buffalo	1,451	1,786	3,237	1,067	1,244	2,311
Lower Hudson	1,685	3,046	4,731	1,401	2,635	4,036
Mid Hudson	1,321	2,105	3,426	786	1,294	2,080
Nassau/Suffolk	2,246	3,619	5,865	2,167	3,449	5,616
Rochester	1,363	1,715	3,078	1,133	1,401	2,534
Syracuse	1,272	1,713	2,985	712	1,040	1,752
Total	<i>11,060</i>	<i>16,391</i>	<i>27,451</i>	<i>8,480</i>	<i>12,650</i>	<i>21,130</i>

Data as of March 2012.

**"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.*

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Newly Diagnosed HIV and AIDS Cases, 2010
and Cumulative AIDS Diagnosed through December 2010**

	Including Prisoners*			Excluding Prisoners*		
Ryan White Region	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	97	91	4,689	88	79	2,923
Binghamton	10	11	510	9	11	474
Buffalo	132	74	3,919	122	68	2,866
Lower Hudson	145	116	7,137	140	109	6,347
Mid Hudson	57	44	5,156	54	37	3,415
Nassau/Suffolk	221	153	9,054	217	147	8,714
Rochester	97	66	3,659	91	56	3,055
Syracuse	91	65	3,743	86	51	2,289
Total	850	620	37,867	807	558	30,083

Data as of March 2012.

*"Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 10A

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,043	100.0	68.2	1,336	100.0	82.8	2,379	100.0	151.0	1,505,878
Gender	Male	674	64.6	85.7	897	67.1	108.8	1,571	66.0	194.5	746,749
	Female	369	35.4	50.7	439	32.9	57.3	808	34.0	108.0	759,129
Current Age	12 & under	13	1.2	6.0	.	.	.	13	0.5	6.0	217,468
	13-19	21	2.0	14.2	9	0.7	6.1	30	1.3	20.4	147,414
	20-24	50	4.8	46.4	17	1.3	15.8	67	2.8	62.2	107,727
	25-29	45	4.3	49.7	28	2.1	30.9	73	3.1	80.6	90,541
	30-39	181	17.4	104.4	172	12.9	99.2	353	14.8	203.6	173,374
	40-49	379	36.3	170.2	515	38.5	231.3	894	37.6	401.5	222,673
	50-59	263	25.2	116.2	435	32.6	192.1	698	29.3	308.3	226,422
	60+	90	8.6	28.1	160	12.0	50.0	250	10.5	78.1	320,259
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	528	50.6	39.0	625	46.8	43.2	1,153	48.5	82.2	1,313,886
	Black	276	26.5	317.2	374	28.0	459.1	650	27.3	776.3	90,408
	Hispanic	141	13.5	303.1	197	14.7	435.7	338	14.2	738.8	58,526
	Asian/PI	13	1.2	37.1	5	0.4	17.8	18	0.8	54.9	35,514
	Native Am	1	0.1	17.4	1	0.1	15.6	2	0.1	33.0	7,544
	Multi Race**	84	8.1	.	134	10.0	.	218	9.2	.	.
	Unk
Risk	MSM	431	41.3	.	471	35.3	.	902	37.9	.	.
	IDU	108	10.4	.	253	18.9	.	361	15.2	.	.
	MSM/IDU	31	3.0	.	56	4.2	.	87	3.7	.	.
	Heterosexual	233	22.3	.	284	21.3	.	517	21.7	.	.
	Fem. Presumed Het.	116	11.1	.	113	8.5	.	229	9.6	.	.
	Blood Prod.	2	0.2	.	12	0.9	.	14	0.6	.	.
	Pediatric Risk	35	3.4	.	23	1.7	.	58	2.4	.	.
	Unk	87	8.3	.	124	9.3	.	211	8.9	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 10B

NEW YORK STATE RYAN WHITE REGION: ALBANY*(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		30	100.0	8	100.0	38	100.0	50	100.0	88	100.0	5.8	34.1	43.2
Gender	Male	18	60.0	3	37.5	21	55.3	31	62.0	52	59.1	7.0	34.6	40.4
	Female	12	40.0	5	62.5	17	44.7	19	38.0	36	40.9	4.6	33.3	47.2
Age at Diagnosis	12 & under
	13-19	3	6.0	3	3.4	2.0	.	.
	20-24	1	3.3	1	12.5	2	5.3	10	20.0	12	13.6	11.1	8.3	16.7
	25-29	3	10.0	2	25.0	5	13.2	7	14.0	12	13.6	13.3	25.0	41.7
	30-39	3	10.0	1	12.5	4	10.5	11	22.0	15	17.0	8.7	20.0	26.7
	40-49	13	43.3	3	37.5	16	42.1	11	22.0	27	30.7	12.1	48.1	59.3
	50-59	6	20.0	1	12.5	7	18.4	6	12.0	13	14.8	5.7	46.2	53.8
	60+	4	13.3	.	.	4	10.5	2	4.0	6	6.8	1.9	66.7	66.7
Race/Ethnicity	White	16	53.3	4	50.0	20	52.6	23	46.0	43	48.9	3.2	37.2	46.5
	Black	10	33.3	4	50.0	14	36.8	19	38.0	33	37.5	34.1	30.3	42.4
	Hispanic	4	13.3	.	.	4	10.5	5	10.0	9	10.2	17.8	44.4	44.4
	Asian/PI	2	4.0	2	2.3	4.5	.	.
	Native Am
	Multi Race***	1	2.0	1	1.1	.	.	.
	Unk
Risk	MSM	7	23.3	1	12.5	8	21.1	21	42.0	29	33.0	.	24.1	27.6
	IDU	2	6.7	2	25.0	4	10.5	2	4.0	6	6.8	.	33.3	66.7
	MSM/IDU	1	3.3	.	.	1	2.6	.	.	1	1.1	.	100.0	100.0
	Heterosexual	11	36.7	4	50.0	15	39.5	15	30.0	30	34.1	.	36.7	50.0
	Fem. Presumed Het.	5	16.7	.	.	5	13.2	7	14.0	12	13.6	.	41.7	41.7
	Blood Prod.
	Pediatric Risk
	Unk	4	13.3	1	12.5	5	13.2	5	10.0	10	11.4	.	40.0	50.0

Data as of March 2012.***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.******per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.*******The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.**

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		79	100.0	5.3	2,923	100.0
Gender	Male	48	60.8	6.4	2,165	74.1
	Female	31	39.2	4.3	758	25.9
Age at Diagnosis	12 & under	.	.	.	31	1.1
	13-19	3	3.8	2.0	29	1.0
	20-24	5	6.3	4.6	89	3.0
	25-29	6	7.6	6.6	346	11.8
	30-39	20	25.3	11.5	1,109	37.9
	40-49	27	34.2	12.1	934	32.0
	50-59	12	15.2	5.3	316	10.8
	60+	6	7.6	1.9	69	2.4
Race/Ethnicity	White	33	41.8	2.4	1,544	52.8
	Black	32	40.5	37.4	809	27.7
	Hispanic	8	10.1	15.9	391	13.4
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	3	0.1
	Multi Race***	6	7.6	.	169	5.8
	Unk
Risk	MSM	23	29.1	.	1,082	37.0
	IDU	10	12.7	.	760	26.0
	MSM/IDU	1	1.3	.	134	4.6
	Heterosexual	26	32.9	.	441	15.1
	Fem. Presumed Het.	6	7.6	.	176	6.0
	Blood Prod.	.	.	.	46	1.6
	Pediatric Risk	4	5.1	.	45	1.5
	Unk	9	11.4	.	239	8.2

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 11A

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		171	100.0	58.9	251	100.0	82.7	422	100.0	141.7	302,202
Gender	Male	104	60.8	71.8	173	68.9	115.2	277	65.6	187.0	148,854
	Female	67	39.2	46.4	78	31.1	50.7	145	34.4	97.1	153,348
Current Age	12 & under	44,372
	13-19	6	3.5	19.9	2	0.8	6.6	8	1.9	26.5	30,197
	20-24	9	5.3	39.1	3	1.2	13.0	12	2.8	52.2	23,004
	25-29	12	7.0	67.6	9	3.6	50.7	21	5.0	118.3	17,745
	30-39	35	20.5	110.7	38	15.1	120.1	73	17.3	230.8	31,628
	40-49	51	29.8	120.9	89	35.5	211.0	140	33.2	331.9	42,179
	50-59	43	25.1	94.4	84	33.5	184.3	127	30.1	278.7	45,574
	60+	15	8.8	22.2	26	10.4	38.5	41	9.7	60.7	67,503
Race/Ethnicity	White	97	56.7	36.4	142	56.6	50.1	239	56.6	86.5	273,724
	Black	43	25.1	470.3	50	19.9	550.7	93	22.0	1021.0	11,266
	Hispanic	21	12.3	346.0	40	15.9	744.7	61	14.5	1090.7	8,401
	Asian/PI	1	0.6	15.9	.	.	.	1	0.2	15.9	8,117
	Native Am	694
	Multi Race**	9	5.3	.	19	7.6	.	28	6.6	.	.
	Unk
Risk	MSM	59	34.5	.	93	37.1	.	152	36.0	.	.
	IDU	29	17.0	.	44	17.5	.	73	17.3	.	.
	MSM/IDU	3	1.8	.	16	6.4	.	19	4.5	.	.
	Heterosexual	34	19.9	.	40	15.9	.	74	17.5	.	.
	Fem. Presumed Het.	24	14.0	.	21	8.4	.	45	10.7	.	.
	Blood Prod.	1	0.6	.	1	0.4	.	2	0.5	.	.
	Pediatric Risk	6	3.5	.	5	2.0	.	11	2.6	.	.
	Unk	15	8.8	.	31	12.4	.	46	10.9	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 11B

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		2	100.0	.	.	2	100.0	7	100.0	9	100.0	3.4	22.2	22.2
Gender	Male	1	50.0	.	.	1	50.0	6	85.7	7	77.8	4.9	14.3	14.3
	Female	1	50.0	.	.	1	50.0	1	14.3	2	22.2	1.8	50.0	50.0
Age at Diagnosis	12 & under
	13-19
	20-24	3	42.9	3	33.3	13.0	.	.
	25-29
	30-39	2	28.6	2	22.2	6.3	.	.
	40-49	2	100.0	.	.	2	100.0	1	14.3	3	33.3	7.1	66.7	66.7
	50-59	1	14.3	1	11.1	2.2	.	.
	60+
Race/Ethnicity	White	2	100.0	.	.	2	100.0	3	42.9	5	55.6	2.2	40.0	40.0
	Black	3	42.9	3	33.3	23.8	.	.
	Hispanic	1	14.3	1	11.1	14.0	.	.
	Asian/PI
	Native Am
	Multi Race***
	Unk
Risk	MSM	1	50.0	.	.	1	50.0	3	42.9	4	44.4	.	25.0	25.0
	IDU
	MSM/IDU	1	14.3	1	11.1	.	.	.
	Heterosexual	1	14.3	1	11.1	.	.	.
	Fem. Presumed Het.	1	50.0	.	.	1	50.0	1	14.3	2	22.2	.	50.0	50.0
	Blood Prod.
	Pediatric Risk
	Unk	1	14.3	1	11.1	.	.	.

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		11	100.0	3.5	474	100.0
Gender	Male	6	54.5	3.8	347	73.2
	Female	5	45.5	3.2	127	26.8
Age at Diagnosis	12 & under	.	.	.	2	0.4
	13-19	1	9.1	3.3	8	1.7
	20-24	.	.	.	21	4.4
	25-29	.	.	.	51	10.8
	30-39	.	.	.	190	40.1
	40-49	8	72.7	19.0	142	30.0
	50-59	2	18.2	4.4	51	10.8
	60+	.	.	.	9	1.9
Race/Ethnicity	White	10	90.9	3.5	293	61.8
	Black	.	.	.	89	18.8
	Hispanic	1	9.1	20.1	66	13.9
	Asian/PI
	Native Am
	Multi Race***	.	.	.	26	5.5
	Unk
Risk	MSM	3	27.3	.	188	39.7
	IDU	3	27.3	.	103	21.7
	MSM/IDU	.	.	.	33	7.0
	Heterosexual	3	27.3	.	61	12.9
	Fem. Presumed Het.	1	9.1	.	31	6.5
	Blood Prod.	.	.	.	3	0.6
	Pediatric Risk	1	9.1	.	8	1.7
	Unk	.	.	.	47	9.9

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 12A

NEW YORK STATE RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,067	100.0	72.8	1,244	100.0	78.1	2,311	100.0	150.9	1,544,794
Gender	Male	685	64.2	91.5	876	70.4	109.0	1,561	67.5	200.5	752,855
	Female	382	35.8	54.4	368	29.6	48.6	750	32.5	103.0	791,939
Current Age	12 & under	9	0.8	3.9	3	0.2	1.3	12	0.5	5.2	231,860
	13-19	12	1.1	7.8	6	0.5	3.9	18	0.8	11.8	152,987
	20-24	67	6.3	60.0	20	1.6	17.9	87	3.8	77.9	111,748
	25-29	114	10.7	121.9	36	2.9	38.5	150	6.5	160.4	93,499
	30-39	245	23.0	144.8	170	13.7	100.5	415	18.0	245.2	169,227
	40-49	341	32.0	155.1	489	39.3	222.4	830	35.9	377.6	219,825
	50-59	208	19.5	89.5	378	30.4	162.6	586	25.4	252.1	232,427
	60+	71	6.7	21.3	142	11.4	42.6	213	9.2	63.9	333,221
Race/Ethnicity	White	414	38.8	33.5	472	37.9	34.3	886	38.3	67.7	1,288,168
	Black	389	36.5	272.9	490	39.4	344.8	879	38.0	617.7	152,572
	Hispanic	157	14.7	321.6	172	13.8	381.5	329	14.2	703.1	61,298
	Asian/PI	15	1.4	53.0	10	0.8	38.0	25	1.1	90.9	29,941
	Native Am	1	0.1	8.4	6	0.5	52.3	7	0.3	60.7	12,815
	Multi Race**	91	8.5	.	94	7.6	.	185	8.0	.	.
	Unk
Risk	MSM	455	42.6	.	522	42.0	.	977	42.3	.	.
	IDU	141	13.2	.	217	17.4	.	358	15.5	.	.
	MSM/IDU	43	4.0	.	77	6.2	.	120	5.2	.	.
	Heterosexual	309	29.0	.	332	26.7	.	641	27.7	.	.
	Fem. Presumed Het.	59	5.5	.	34	2.7	.	93	4.0	.	.
	Blood Prod.	4	0.4	.	8	0.6	.	12	0.5	.	.
	Pediatric Risk	18	1.7	.	17	1.4	.	35	1.5	.	.
	Unk	38	3.6	.	37	3.0	.	75	3.2	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 12B

NEW YORK STATE RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		28	100.0	14	100.0	42	100.0	80	100.0	122	100.0	8.4	23.0	34.4
Gender	Male	15	53.6	11	78.6	26	61.9	56	70.0	82	67.2	11.0	18.3	31.7
	Female	13	46.4	3	21.4	16	38.1	24	30.0	40	32.8	5.9	32.5	40.0
Age at Diagnosis	12 & under
	13-19	1	3.6	.	.	1	2.4	2	2.5	3	2.5	2.0	33.3	33.3
	20-24	.	.	3	21.4	3	7.1	13	16.3	16	13.1	14.3	.	18.8
	25-29	4	14.3	1	7.1	5	11.9	10	12.5	15	12.3	16.0	26.7	33.3
	30-39	6	21.4	3	21.4	9	21.4	21	26.3	30	24.6	17.7	20.0	30.0
	40-49	11	39.3	5	35.7	16	38.1	24	30.0	40	32.8	18.2	27.5	40.0
	50-59	4	14.3	2	14.3	6	14.3	6	7.5	12	9.8	5.2	33.3	50.0
	60+	2	7.1	.	.	2	4.8	4	5.0	6	4.9	1.8	33.3	33.3
Race/Ethnicity	White	5	17.9	5	35.7	10	23.8	39	48.8	49	40.2	4.0	10.2	20.4
	Black	17	60.7	7	50.0	24	57.1	27	33.8	51	41.8	35.5	33.3	47.1
	Hispanic	3	10.7	1	7.1	4	9.5	7	8.8	11	9.0	20.2	27.3	36.4
	Asian/PI	1	3.6	1	7.1	2	4.8	5	6.3	7	5.7	21.1	14.3	28.6
	Native Am
	Multi Race***	2	7.1	.	.	2	4.8	2	2.5	4	3.3	.	50.0	50.0
	Unk
Risk	MSM	6	21.4	7	50.0	13	31.0	43	53.8	56	45.9	.	10.7	23.2
	IDU	3	10.7	1	7.1	4	9.5	6	7.5	10	8.2	.	30.0	40.0
	MSM/IDU	.	.	1	7.1	1	2.4	2	2.5	3	2.5	.	.	33.3
	Heterosexual	12	42.9	4	28.6	16	38.1	22	27.5	38	31.1	.	31.6	42.1
	Fem. Presumed Het.	2	7.1	.	.	2	4.8	2	2.5	4	3.3	.	50.0	50.0
	Blood Prod.
	Pediatric Risk	1	3.6	.	.	1	2.4	.	.	1	0.8	.	100.0	100.0
	Unk	4	14.3	1	7.1	5	11.9	5	6.3	10	8.2	.	40.0	50.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		68	100.0	4.7	2,866	100.0
Gender	Male	46	67.6	6.4	2,159	75.3
	Female	22	32.4	3.1	707	24.7
Age at Diagnosis	12 & under	.	.	.	21	0.7
	13-19	1	1.5	0.7	33	1.2
	20-24	5	7.4	4.5	120	4.2
	25-29	9	13.2	9.6	311	10.9
	30-39	16	23.5	9.5	1,058	36.9
	40-49	27	39.7	12.3	896	31.3
	50-59	7	10.3	3.0	330	11.5
	60+	3	4.4	0.9	97	3.4
Race/Ethnicity	White	14	20.6	1.1	1,199	41.8
	Black	40	58.8	28.6	1,194	41.7
	Hispanic	8	11.8	15.7	330	11.5
	Asian/PI	2	2.9	6.3	12	0.4
	Native Am	.	.	.	9	0.3
	Multi Race***	4	5.9	.	122	4.3
	Unk
Risk	MSM	25	36.8	.	1,259	43.9
	IDU	9	13.2	.	697	24.3
	MSM/IDU	3	4.4	.	149	5.2
	Heterosexual	23	33.8	.	553	19.3
	Fem. Presumed Het.	3	4.4	.	56	2.0
	Blood Prod.	.	.	.	35	1.2
	Pediatric Risk	1	1.5	.	34	1.2
	Unk	4	5.9	.	83	2.9

*Data as of March 2012.***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.****per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.*****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.*

Table 13A

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON*(Includes counties of: Putnam, Rockland, Westchester)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,401	100.0	102.8	2,635	100.0	177.7	4,036	100.0	280.5	1,360,510
Gender	Male	856	61.1	128.5	1,705	64.7	237.6	2,561	63.5	366.1	659,329
	Female	544	38.8	78.5	930	35.3	123.1	1,474	36.5	201.7	701,181
	Unk	1	0.1	1	0.0	.	.
Current Age	12 & under	13	0.9	5.5	1	0.0	0.4	14	0.3	5.9	238,140
	13-19	36	2.6	26.6	18	0.7	13.3	54	1.3	40.0	135,137
	20-24	68	4.9	87.5	33	1.3	42.4	101	2.5	129.9	77,754
	25-29	97	6.9	128.8	61	2.3	81.0	158	3.9	209.8	75,325
	30-39	257	18.3	157.7	274	10.4	168.1	531	13.2	325.8	162,981
	40-49	444	31.7	212.4	874	33.2	418.1	1,318	32.7	630.4	209,059
	50-59	329	23.5	171.2	939	35.6	488.5	1,268	31.4	659.7	192,223
	60+	156	11.1	57.8	433	16.4	160.4	589	14.6	218.2	269,891
	Unk	1	0.1	.	2	0.1	.	3	0.1	.	.
Race/Ethnicity	White	334	23.8	37.9	560	21.3	55.4	894	22.2	93.3	842,576
	Black	598	42.7	340.6	1,160	44.0	625.6	1,758	43.6	966.3	170,818
	Hispanic	372	26.6	141.5	720	27.3	306.5	1,092	27.1	448.0	267,476
	Asian/PI	5	0.4	6.3	5	0.2	5.7	10	0.2	12.0	77,259
	Native Am	3	0.2	141.2	2	0.1	70.4	5	0.1	211.7	2,381
	Multi Race**	89	6.4	.	188	7.1	.	277	6.9	.	.
	Unk
Risk	MSM	443	31.6	.	653	24.8	.	1,096	27.2	.	.
	IDU	157	11.2	.	685	26.0	.	842	20.9	.	.
	MSM/IDU	22	1.6	.	122	4.6	.	144	3.6	.	.
	Heterosexual	482	34.4	.	860	32.6	.	1,342	33.3	.	.
	Fem. Presumed Het.	114	8.1	.	101	3.8	.	215	5.3	.	.
	Blood Prod.	1	0.1	.	10	0.4	.	11	0.3	.	.
	Pediatric Risk	46	3.3	.	41	1.6	.	87	2.2	.	.
	Unk	136	9.7	.	163	6.2	.	299	7.4	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 13B

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON*(Includes counties of: Putnam, Rockland, Westchester)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		40	100.0	9	100.0	49	100.0	91	100.0	140	100.0	10.9	28.6	35.0
Gender	Male	30	75.0	8	88.9	38	77.6	57	62.6	95	67.9	15.2	31.6	40.0
	Female	10	25.0	1	11.1	11	22.4	34	37.4	45	32.1	6.6	22.2	24.4
Age at Diagnosis	12 & under
	13-19	.	.	2	22.2	2	4.1	4	4.4	6	4.3	4.4	.	33.3
	20-24	1	2.5	1	11.1	2	4.1	17	18.7	19	13.6	24.4	5.3	10.5
	25-29	5	12.5	1	11.1	6	12.2	16	17.6	22	15.7	29.2	22.7	27.3
	30-39	9	22.5	1	11.1	10	20.4	19	20.9	29	20.7	17.8	31.0	34.5
	40-49	12	30.0	2	22.2	14	28.6	21	23.1	35	25.0	16.7	34.3	40.0
	50-59	6	15.0	.	.	6	12.2	6	6.6	12	8.6	6.2	50.0	50.0
	60+	7	17.5	2	22.2	9	18.4	8	8.8	17	12.1	6.3	41.2	52.9
Race/Ethnicity	White	8	20.0	1	11.1	9	18.4	12	13.2	21	15.0	2.7	38.1	42.9
	Black	13	32.5	5	55.6	18	36.7	39	42.9	57	40.7	33.0	22.8	31.6
	Hispanic	15	37.5	2	22.2	17	34.7	29	31.9	46	32.9	15.5	32.6	37.0
	Asian/PI
	Native Am
	Multi Race***	4	10.0	1	11.1	5	10.2	11	12.1	16	11.4	.	25.0	31.3
	Unk
Risk	MSM	18	45.0	6	66.7	24	49.0	39	42.9	63	45.0	.	28.6	38.1
	IDU	1	2.5	1	11.1	2	4.1	1	1.1	3	2.1	.	33.3	66.7
	MSM/IDU	1	2.5	.	.	1	2.0	1	1.1	2	1.4	.	50.0	50.0
	Heterosexual	18	45.0	2	22.2	20	40.8	41	45.1	61	43.6	.	29.5	32.8
	Fem. Presumed Het.	3	3.3	3	2.1	.	.	.
	Blood Prod.
	Pediatric Risk
	Unk	2	5.0	.	.	2	4.1	6	6.6	8	5.7	.	25.0	25.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		109	100.0	8.0	6,347	100.0
Gender	Male	72	66.1	11.0	4,492	70.8
	Female	37	33.9	5.1	1,855	29.2
Age at Diagnosis	12 & under	.	.	.	86	1.4
	13-19	2	1.8	1.5	54	0.9
	20-24	5	4.6	6.4	158	2.5
	25-29	8	7.3	10.6	527	8.3
	30-39	24	22.0	14.7	2,376	37.4
	40-49	31	28.4	14.8	2,096	33.0
	50-59	24	22.0	12.5	745	11.7
	60+	15	13.8	5.6	305	4.8
Race/Ethnicity	White	21	19.3	2.3	1,892	29.8
	Black	51	46.8	28.7	2,871	45.2
	Hispanic	28	25.7	10.1	1,311	20.7
	Asian/PI	.	.	.	17	0.3
	Native Am	.	.	.	4	0.1
	Multi Race***	9	8.3	.	252	4.0
	Unk
Risk	MSM	37	33.9	.	1,615	25.4
	IDU	10	9.2	.	2,401	37.8
	MSM/IDU	4	3.7	.	296	4.7
	Heterosexual	45	41.3	.	1,362	21.5
	Fem. Presumed Het.	5	4.6	.	178	2.8
	Blood Prod.	.	.	.	59	0.9
	Pediatric Risk	1	0.9	.	108	1.7
	Unk	7	6.4	.	328	5.2

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 14A

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		786	100.0	80.7	1,294	100.0	123.1	2,080	100.0	203.8	930,341
Gender	Male	469	59.7	94.7	852	65.8	159.3	1,321	63.5	254.0	464,824
	Female	317	40.3	67.0	442	34.2	87.8	759	36.5	154.8	465,517
Current Age	12 & under	5	0.6	3.3	.	.	.	5	0.2	3.3	153,576
	13-19	21	2.7	21.3	12	0.9	12.2	33	1.6	33.5	98,505
	20-24	36	4.6	56.9	25	1.9	39.5	61	2.9	96.5	63,234
	25-29	52	6.6	102.2	21	1.6	41.3	73	3.5	143.5	50,860
	30-39	124	15.8	114.5	105	8.1	97.0	229	11.0	211.5	108,285
	40-49	249	31.7	170.1	415	32.1	283.5	664	31.9	453.6	146,388
	50-59	218	27.7	159.4	502	38.8	367.0	720	34.6	526.4	136,778
	60+	80	10.2	46.3	214	16.5	123.9	294	14.1	170.2	172,715
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	328	41.7	44.8	411	31.8	50.8	739	35.5	95.6	692,939
	Black	226	28.8	251.3	424	32.8	486.3	650	31.3	737.6	84,749
	Hispanic	163	20.7	145.5	330	25.5	341.4	493	23.7	486.9	124,915
	Asian/PI	8	1.0	31.2	2	0.2	8.9	10	0.5	40.1	25,051
	Native Am	1	0.1	26.8	1	0.1	33.0	2	0.1	59.8	2,687
	Multi Race**	59	7.5	.	126	9.7	.	185	8.9	.	.
	Unk	1	0.1	1	0.0	.	.
Risk	MSM	223	28.4	.	285	22.0	.	508	24.4	.	.
	IDU	140	17.8	.	388	30.0	.	528	25.4	.	.
	MSM/IDU	27	3.4	.	58	4.5	.	85	4.1	.	.
	Heterosexual	259	33.0	.	378	29.2	.	637	30.6	.	.
	Fem. Presumed Het.	52	6.6	.	60	4.6	.	112	5.4	.	.
	Blood Prod.	1	0.1	.	8	0.6	.	9	0.4	.	.
	Pediatric Risk	29	3.7	.	28	2.2	.	57	2.7	.	.
	Unk	55	7.0	.	89	6.9	.	144	6.9	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 14B

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		17	100.0	2	100.0	19	100.0	35	100.0	54	100.0	5.9	31.5	35.2
Gender	Male	14	82.4	2	100.0	16	84.2	21	60.0	37	68.5	8.3	37.8	43.2
	Female	3	17.6	.	.	3	15.8	14	40.0	17	31.5	3.4	17.6	17.6
Age at Diagnosis	12 & under
	13-19	1	2.9	1	1.9	1.0	.	.
	20-24	5	29.4	.	.	5	26.3	3	8.6	8	14.8	12.7	62.5	62.5
	25-29	2	11.8	.	.	2	10.5	8	22.9	10	18.5	19.7	20.0	20.0
	30-39	4	23.5	1	50.0	5	26.3	6	17.1	11	20.4	10.2	36.4	45.5
	40-49	4	23.5	1	50.0	5	26.3	8	22.9	13	24.1	8.9	30.8	38.5
	50-59	2	11.8	.	.	2	10.5	5	14.3	7	13.0	5.1	28.6	28.6
	60+	4	11.4	4	7.4	2.3	.	.
Race/Ethnicity	White	7	41.2	1	50.0	8	42.1	12	34.3	20	37.0	3.0	35.0	40.0
	Black	3	17.6	1	50.0	4	21.1	13	37.1	17	31.5	19.5	17.6	23.5
	Hispanic	6	35.3	.	.	6	31.6	5	14.3	11	20.4	8.7	54.5	54.5
	Asian/PI	2	5.7	2	3.7	8.0	.	.
	Native Am
	Multi Race***	1	5.9	.	.	1	5.3	3	8.6	4	7.4	.	25.0	25.0
	Unk
Risk	MSM	10	58.8	2	100.0	12	63.2	11	31.4	23	42.6	.	43.5	52.2
	IDU	2	11.8	.	.	2	10.5	4	11.4	6	11.1	.	33.3	33.3
	MSM/IDU	2	5.7	2	3.7	.	.	.
	Heterosexual	1	5.9	.	.	1	5.3	15	42.9	16	29.6	.	6.3	6.3
	Fem. Presumed Het.	1	5.9	.	.	1	5.3	1	2.9	2	3.7	.	50.0	50.0
	Blood Prod.
	Pediatric Risk
	Unk	3	17.6	.	.	3	15.8	2	5.7	5	9.3	.	60.0	60.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
 and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		37	100.0	4.0	3,415	100.0
Gender	Male	24	64.9	5.3	2,525	73.9
	Female	13	35.1	2.6	890	26.1
Age at Diagnosis	12 & under	.	.	.	40	1.2
	13-19	.	.	.	30	0.9
	20-24	5	13.5	7.9	73	2.1
	25-29	3	8.1	5.9	286	8.4
	30-39	8	21.6	7.4	1,338	39.2
	40-49	11	29.7	7.5	1,125	32.9
	50-59	7	18.9	5.1	402	11.8
	60+	3	8.1	1.7	121	3.5
Race/Ethnicity	White	12	32.4	1.6	1,262	37.0
	Black	13	35.1	14.9	1,142	33.4
	Hispanic	11	29.7	9.5	827	24.2
	Asian/PI	.	.	.	5	0.1
	Native Am	.	.	.	4	0.1
	Multi Race***	1	2.7	.	175	5.1
	Unk
Risk	MSM	11	29.7	.	757	22.2
	IDU	6	16.2	.	1,490	43.6
	MSM/IDU	1	2.7	.	152	4.5
	Heterosexual	13	35.1	.	608	17.8
	Fem. Presumed Het.	2	5.4	.	108	3.2
	Blood Prod.	.	.	.	39	1.1
	Pediatric Risk	.	.	.	55	1.6
	Unk	4	10.8	.	206	6.0

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 15A

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK*(Includes counties of: Nassau, Suffolk)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		2,167	100.0	75.1	3,449	100.0	110.6	5,616	100.0	185.6	2,832,882
Gender	Male	1,388	64.1	98.1	2,358	68.4	155.2	3,746	66.7	253.3	1,382,646
	Female	779	35.9	52.9	1,091	31.6	68.8	1,870	33.3	121.7	1,450,236
Current Age	12 & under	21	1.0	4.6	.	.	.	21	0.4	4.6	458,812
	13-19	52	2.4	18.4	22	0.6	7.8	74	1.3	26.1	283,320
	20-24	131	6.0	77.2	79	2.3	46.5	210	3.7	123.7	169,747
	25-29	148	6.8	96.8	101	2.9	66.0	249	4.4	162.8	152,920
	30-39	393	18.1	117.9	378	11.0	113.4	771	13.7	231.3	333,351
	40-49	684	31.6	151.2	1,180	34.2	260.9	1,864	33.2	412.1	452,320
	50-59	530	24.5	128.1	1,179	34.2	285.0	1,709	30.4	413.1	413,731
	60+	204	9.4	35.9	510	14.8	89.7	714	12.7	125.6	568,681
	Unk	4	0.2	4	0.1	.	.
Race/Ethnicity	White	844	38.9	41.4	1,175	34.1	49.8	2,019	36.0	91.3	1,966,897
	Black	695	32.1	266.6	1,204	34.9	447.9	1,899	33.8	714.4	256,504
	Hispanic	485	22.4	114.6	808	23.4	206.1	1,293	23.0	320.7	441,594
	Asian/PI	23	1.1	13.5	24	0.7	13.3	47	0.8	26.8	162,380
	Native Am	.	.	.	1	0.0	13.5	1	0.0	13.5	5,507
	Multi Race**	117	5.4	.	237	6.9	.	354	6.3	.	.
	Unk	3	0.1	3	0.1	.	.
Risk	MSM	797	36.8	.	1,120	32.5	.	1,917	34.1	.	.
	IDU	195	9.0	.	636	18.4	.	831	14.8	.	.
	MSM/IDU	60	2.8	.	134	3.9	.	194	3.5	.	.
	Heterosexual	428	19.8	.	665	19.3	.	1,093	19.5	.	.
	Fem. Presumed Het.	292	13.5	.	318	9.2	.	610	10.9	.	.
	Blood Prod.	10	0.5	.	27	0.8	.	37	0.7	.	.
	Pediatric Risk	89	4.1	.	76	2.2	.	165	2.9	.	.
	Unk	296	13.7	.	473	13.7	.	769	13.7	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 15B

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK

(Includes counties of: Nassau, Suffolk)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		70	100.0	16	100.0	86	100.0	131	100.0	217	100.0	8.2	32.3	39.6
Gender	Male	56	80.0	14	87.5	70	81.4	96	73.3	166	76.5	12.4	33.7	42.2
	Female	14	20.0	2	12.5	16	18.6	35	26.7	51	23.5	4.0	27.5	31.4
Age at Diagnosis	12 & under
	13-19	2	2.9	1	6.3	3	3.5	10	7.6	13	6.0	4.6	15.4	23.1
	20-24	3	4.3	1	6.3	4	4.7	32	24.4	36	16.6	21.2	8.3	11.1
	25-29	8	11.4	2	12.5	10	11.6	23	17.6	33	15.2	21.6	24.2	30.3
	30-39	19	27.1	5	31.3	24	27.9	26	19.8	50	23.0	15.0	38.0	48.0
	40-49	21	30.0	4	25.0	25	29.1	25	19.1	50	23.0	11.1	42.0	50.0
	50-59	11	15.7	3	18.8	14	16.3	9	6.9	23	10.6	5.6	47.8	60.9
	60+	6	8.6	.	.	6	7.0	6	4.6	12	5.5	2.1	50.0	50.0
Race/Ethnicity	White	15	21.4	5	31.3	20	23.3	46	35.1	66	30.4	3.8	22.7	30.3
	Black	25	35.7	4	25.0	29	33.7	38	29.0	67	30.9	26.0	37.3	43.3
	Hispanic	25	35.7	7	43.8	32	37.2	33	25.2	65	30.0	13.2	38.5	49.2
	Asian/PI	2	2.9	.	.	2	2.3	4	3.1	6	2.8	3.8	33.3	33.3
	Native Am
	Multi Race***	3	4.3	.	.	3	3.5	10	7.6	13	6.0	.	23.1	23.1
	Unk
Risk	MSM	29	41.4	8	50.0	37	43.0	71	54.2	108	49.8	.	26.9	34.3
	IDU	2	2.9	.	.	2	2.3	3	2.3	5	2.3	.	40.0	40.0
	MSM/IDU	1	1.4	1	6.3	2	2.3	5	3.8	7	3.2	.	14.3	28.6
	Heterosexual	13	18.6	4	25.0	17	19.8	18	13.7	35	16.1	.	37.1	48.6
	Fem. Presumed Het.	7	10.0	1	6.3	8	9.3	20	15.3	28	12.9	.	25.0	28.6
	Blood Prod.
	Pediatric Risk
	Unk	18	25.7	2	12.5	20	23.3	14	10.7	34	15.7	.	52.9	58.8

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
 and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		147	100.0	5.4	8,714	100.0
Gender	Male	111	75.5	8.1	6,388	73.3
	Female	36	24.5	2.7	2,326	26.7
Age at Diagnosis	12 & under	.	.	.	112	1.3
	13-19	3	2.0	1.1	90	1.0
	20-24	16	10.9	9.4	258	3.0
	25-29	13	8.8	8.5	820	9.4
	30-39	34	23.1	10.2	3,471	39.8
	40-49	45	30.6	9.9	2,687	30.8
	50-59	23	15.6	5.6	927	10.6
	60+	13	8.8	2.3	349	4.0
Race/Ethnicity	White	29	19.7	1.6	3,840	44.1
	Black	65	44.2	25.0	3,112	35.7
	Hispanic	43	29.3	9.4	1,393	16.0
	Asian/PI	2	1.4	1.3	41	0.5
	Native Am	.	.	.	6	0.1
	Multi Race***	8	5.4	.	321	3.7
	Unk	.	.	.	1	0.0
Risk	MSM	63	42.9	.	2,684	30.8
	IDU	10	6.8	.	2,746	31.5
	MSM/IDU	2	1.4	.	408	4.7
	Heterosexual	30	20.4	.	1,159	13.3
	Fem. Presumed Het.	13	8.8	.	513	5.9
	Blood Prod.	.	.	.	127	1.5
	Pediatric Risk	3	2.0	.	166	1.9
	Unk	26	17.7	.	911	10.5

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 16A

NEW YORK STATE RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)***Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		1,133	100.0	89.2	1,401	100.0	102.1	2,534	100.0	191.3	1,278,202
Gender	Male	809	71.4	127.9	977	69.7	143.5	1,786	70.5	271.4	624,337
	Female	324	28.6	51.9	424	30.3	62.5	748	29.5	114.4	653,865
Current Age	12 & under	1	0.1	0.5	1	0.1	0.5	2	0.1	1.0	200,314
	13-19	23	2.0	17.7	6	0.4	4.6	29	1.1	22.3	130,225
	20-24	68	6.0	74.1	26	1.9	28.3	94	3.7	102.4	91,798
	25-29	80	7.1	103.1	38	2.7	49.0	118	4.7	152.1	77,583
	30-39	201	17.7	140.1	139	9.9	96.9	340	13.4	237.0	143,456
	40-49	376	33.2	202.7	514	36.7	277.1	890	35.1	479.8	185,487
	50-59	286	25.2	151.8	490	35.0	260.0	776	30.6	411.8	188,458
	60+	97	8.6	37.2	187	13.3	71.7	284	11.2	108.9	260,881
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White	472	41.7	44.7	541	38.6	46.7	1,013	40.0	91.4	1,044,593
	Black	423	37.3	344.0	559	39.9	464.3	982	38.8	808.3	130,660
	Hispanic	164	14.5	302.7	210	15.0	409.4	374	14.8	712.1	68,180
	Asian/PI	3	0.3	8.5	4	0.3	14.4	7	0.3	22.9	31,290
	Native Am	1	0.1	31.5	.	.	.	1	0.0	31.5	3,479
	Multi Race**	70	6.2	.	87	6.2	.	157	6.2	.	.
	Unk
Risk	MSM	502	44.3	.	510	36.4	.	1,012	39.9	.	.
	IDU	114	10.1	.	292	20.8	.	406	16.0	.	.
	MSM/IDU	36	3.2	.	55	3.9	.	91	3.6	.	.
	Heterosexual	174	15.4	.	224	16.0	.	398	15.7	.	.
	Fem. Presumed Het.	149	13.2	.	146	10.4	.	295	11.6	.	.
	Blood Prod.	.	.	.	9	0.6	.	9	0.4	.	.
	Pediatric Risk	16	1.4	.	16	1.1	.	32	1.3	.	.
	Unk	142	12.5	.	149	10.6	.	291	11.5	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 16B

NEW YORK STATE RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		17	100.0	10	100.0	27	100.0	64	100.0	91	100.0	6.8	18.7	29.7
Gender	Male	13	76.5	9	90.0	22	81.5	56	87.5	78	85.7	11.7	16.7	28.2
	Female	4	23.5	1	10.0	5	18.5	8	12.5	13	14.3	2.0	30.8	38.5
Age at Diagnosis	12 & under
	13-19	9	14.1	9	9.9	6.9	.	.
	20-24	4	23.5	4	40.0	8	29.6	23	35.9	31	34.1	33.8	12.9	25.8
	25-29	1	5.9	.	.	1	3.7	5	7.8	6	6.6	7.7	16.7	16.7
	30-39	4	23.5	1	10.0	5	18.5	5	7.8	10	11.0	7.0	40.0	50.0
	40-49	5	29.4	2	20.0	7	25.9	10	15.6	17	18.7	9.2	29.4	41.2
	50-59	2	11.8	2	20.0	4	14.8	8	12.5	12	13.2	6.4	16.7	33.3
	60+	1	5.9	1	10.0	2	7.4	4	6.3	6	6.6	2.3	16.7	33.3
Race/Ethnicity	White	7	41.2	3	30.0	10	37.0	21	32.8	31	34.1	2.9	22.6	32.3
	Black	7	41.2	5	50.0	12	44.4	38	59.4	50	54.9	34.1	14.0	24.0
	Hispanic	3	17.6	2	20.0	5	18.5	3	4.7	8	8.8	13.0	37.5	62.5
	Asian/PI	1	1.6	1	1.1	2.0	.	.
	Native Am
	Multi Race***	1	1.6	1	1.1	.	.	.
	Unk
Risk	MSM	7	41.2	8	80.0	15	55.6	45	70.3	60	65.9	.	11.7	25.0
	IDU	1	5.9	.	.	1	3.7	2	3.1	3	3.3	.	33.3	33.3
	MSM/IDU	2	11.8	1	10.0	3	11.1	1	1.6	4	4.4	.	50.0	75.0
	Heterosexual	1	5.9	.	.	1	3.7	6	9.4	7	7.7	.	14.3	14.3
	Fem. Presumed Het.	2	11.8	1	10.0	3	11.1	3	4.7	6	6.6	.	33.3	50.0
	Blood Prod.
	Pediatric Risk
	Unk	4	23.5	.	.	4	14.8	7	10.9	11	12.1	.	36.4	36.4

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)****AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		56	100.0	4.4	3,055	100.0
Gender	Male	36	64.3	5.5	2,262	74.0
	Female	20	35.7	3.3	793	26.0
Age at Diagnosis	12 & under	.	.	.	21	0.7
	13-19	1	1.8	0.8	22	0.7
	20-24	8	14.3	8.7	95	3.1
	25-29	3	5.4	3.9	333	10.9
	30-39	12	21.4	8.4	1,186	38.8
	40-49	15	26.8	8.1	960	31.4
	50-59	11	19.6	5.8	321	10.5
	60+	6	10.7	2.3	117	3.8
Race/Ethnicity	White	17	30.4	1.7	1,399	45.8
	Black	28	50.0	23.5	1,147	37.5
	Hispanic	8	14.3	14.0	394	12.9
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	2	0.1
	Multi Race***	3	5.4	.	106	3.5
	Unk
Risk	MSM	21	37.5	.	1,160	38.0
	IDU	8	14.3	.	859	28.1
	MSM/IDU	3	5.4	.	129	4.2
	Heterosexual	9	16.1	.	349	11.4
	Fem. Presumed Het.	8	14.3	.	204	6.7
	Blood Prod.	.	.	.	34	1.1
	Pediatric Risk	1	1.8	.	30	1.0
	Unk	6	10.7	.	290	9.5

*Data as of March 2012.***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.****per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.*****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.*

Table 17A

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

Living HIV and AIDS Cases (excluding prisoners) as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		712	100.0	51.0	1,040	100.0	71.6	1,752	100.0	122.6	1,448,160
Gender	Male	460	64.6	65.4	729	70.1	99.3	1,189	67.9	164.7	715,009
	Female	252	35.4	36.6	311	29.9	44.4	563	32.1	81.0	733,151
Current Age	12 & under	4	0.6	1.8	.	.	.	4	0.2	1.8	224,691
	13-19	16	2.2	10.3	6	0.6	3.9	22	1.3	14.1	155,623
	20-24	45	6.3	36.5	17	1.6	13.8	62	3.5	50.3	123,338
	25-29	66	9.3	72.1	23	2.2	25.1	89	5.1	97.3	91,514
	30-39	145	20.4	89.9	146	14.0	90.5	291	16.6	180.4	161,320
	40-49	240	33.7	117.8	423	40.7	207.6	663	37.8	325.4	203,753
	50-59	142	19.9	69.4	312	30.0	152.6	454	25.9	222.0	204,504
	60+	54	7.6	19.1	113	10.9	39.9	167	9.5	58.9	283,417
Race/Ethnicity	White	389	54.6	32.0	555	53.4	42.8	944	53.9	74.8	1,261,997
	Black	193	27.1	240.1	294	28.3	407.9	487	27.8	648.0	89,964
	Hispanic	71	10.0	197.3	109	10.5	345.2	180	10.3	542.5	50,456
	Asian/PI	14	2.0	45.0	11	1.1	36.2	25	1.4	81.2	37,146
	Native Am	1	0.1	11.3	4	0.4	48.4	5	0.3	59.7	8,597
	Multi Race**	44	6.2	.	67	6.4	.	111	6.3	.	.
	Unk
Risk	MSM	310	43.5	.	425	40.9	.	735	42.0	.	.
	IDU	58	8.1	.	148	14.2	.	206	11.8	.	.
	MSM/IDU	17	2.4	.	50	4.8	.	67	3.8	.	.
	Heterosexual	178	25.0	.	232	22.3	.	410	23.4	.	.
	Fem. Presumed Het.	73	10.3	.	66	6.3	.	139	7.9	.	.
	Blood Prod.	1	0.1	.	11	1.1	.	12	0.7	.	.
	Pediatric Risk	14	2.0	.	13	1.3	.	27	1.5	.	.
	Unk	61	8.6	.	95	9.1	.	156	8.9	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 17B

NEW YORK STATE RYAN WHITE REGION: SYRACUSE*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)***HIV Cases (excluding prisoners), Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk**

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		21	100.0	8	100.0	29	100.0	57	100.0	86	100.0	5.9	24.4	33.7
Gender	Male	15	71.4	6	75.0	21	72.4	44	77.2	65	75.6	8.9	23.1	32.3
	Female	6	28.6	2	25.0	8	27.6	13	22.8	21	24.4	2.9	28.6	38.1
Age at Diagnosis	12 & under	1	1.8	1	1.2	0.4	.	.
	13-19	3	5.3	3	3.5	1.9	.	.
	20-24	2	9.5	1	12.5	3	10.3	13	22.8	16	18.6	13.0	12.5	18.8
	25-29	2	9.5	2	25.0	4	13.8	2	3.5	6	7.0	6.6	33.3	66.7
	30-39	5	23.8	1	12.5	6	20.7	9	15.8	15	17.4	9.3	33.3	40.0
	40-49	6	28.6	1	12.5	7	24.1	20	35.1	27	31.4	13.3	22.2	25.9
	50-59	5	23.8	1	12.5	6	20.7	7	12.3	13	15.1	6.4	38.5	46.2
	60+	1	4.8	2	25.0	3	10.3	2	3.5	5	5.8	1.8	20.0	60.0
Race/Ethnicity	White	14	66.7	3	37.5	17	58.6	35	61.4	52	60.5	4.2	26.9	32.7
	Black	4	19.0	5	62.5	9	31.0	15	26.3	24	27.9	27.6	16.7	37.5
	Hispanic	1	4.8	.	.	1	3.4	3	5.3	4	4.7	11.3	25.0	25.0
	Asian/PI	1	1.8	1	1.2	3.0	.	.
	Native Am
	Multi Race***	2	9.5	.	.	2	6.9	3	5.3	5	5.8	.	40.0	40.0
	Unk
Risk	MSM	9	42.9	3	37.5	12	41.4	34	59.6	46	53.5	.	19.6	26.1
	IDU	1	4.8	.	.	1	3.4	2	3.5	3	3.5	.	33.3	33.3
	MSM/IDU	.	.	1	12.5	1	3.4	1	1.8	2	2.3	.	.	50.0
	Heterosexual	5	23.8	1	12.5	6	20.7	12	21.1	18	20.9	.	27.8	33.3
	Fem. Presumed Het.	3	14.3	1	12.5	4	13.8	4	7.0	8	9.3	.	37.5	50.0
	Blood Prod.
	Pediatric Risk	1	1.8	1	1.2	.	.	.
	Unk	3	14.3	2	25.0	5	17.2	3	5.3	8	9.3	.	37.5	62.5

Data as of March 2012.***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.******per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.*******The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.**

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

**AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2010)
 and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		51	100.0	3.6	2,289	100.0
Gender	Male	39	76.5	5.5	1,735	75.8
	Female	12	23.5	1.8	554	24.2
Age at Diagnosis	12 & under	.	.	.	12	0.5
	13-19	1	2.0	0.6	32	1.4
	20-24	4	7.8	3.2	99	4.3
	25-29	7	13.7	7.6	270	11.8
	30-39	10	19.6	6.2	940	41.1
	40-49	15	29.4	7.4	655	28.6
	50-59	8	15.7	3.9	212	9.3
	60+	6	11.8	2.1	69	3.0
Race/Ethnicity	White	26	51.0	2.1	1,318	57.6
	Black	14	27.5	18.6	656	28.7
	Hispanic	4	7.8	11.1	206	9.0
	Asian/PI	2	3.9	3.7	14	0.6
	Native Am	.	.	.	8	0.3
	Multi Race***	5	9.8	.	87	3.8
	Unk
Risk	MSM	26	51.0	.	952	41.6
	IDU	3	5.9	.	479	20.9
	MSM/IDU	.	.	.	133	5.8
	Heterosexual	10	19.6	.	387	16.9
	Fem. Presumed Het.	5	9.8	.	100	4.4
	Blood Prod.	.	.	.	52	2.3
	Pediatric Risk	.	.	.	27	1.2
	Unk	7	13.7	.	159	6.9

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY: by Borough***Living HIV and AIDS Cases as of December 2010***

Borough	Living HIV (not AIDS)	Living AIDS	Living HIV & AIDS
Bronx	8,614	14,485	23,099
Brooklyn	10,073	16,806	26,879
Manhattan	13,743	19,589	33,332
Queens	5,964	10,016	15,980
Staten Island	750	1,162	1,912
<i>Total</i>	<i>39,144</i>	<i>62,058</i>	<i>101,202</i>

NEW YORK CITY: by Borough***Newly Diagnosed HIV and AIDS Cases, 2010
and Cumulative AIDS Diagnosed through December 2010***

Borough	HIV Diagnoses*	AIDS Diagnoses	Cumulative AIDS Diagnoses
Bronx	640	637	34,657
Brooklyn	886	758	42,550
Manhattan	863	550	54,115
Queens	557	402	22,667
Staten Island	53	53	3,243
Total	2,999	2,400	157,232

Data as of March 2012.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

Table 19A

NEW YORK CITY BOROUGH: BRONX
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		8,614	100.0	635.1	14,485	100.0	1071.8	23,099	100.0	1706.9	1,385,108
Gender	Male	4,907	57.0	784.1	8,886	61.3	1448.3	13,793	59.7	2232.4	649,633
	Female	3,706	43.0	510.1	5,599	38.7	767.1	9,305	40.3	1277.2	735,475
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	108	1.3	41.4	8	0.1	3.1	116	0.5	44.5	260,668
	13-19	255	3.0	163.5	175	1.2	112.2	430	1.9	275.7	155,961
	20-24	497	5.8	440.2	316	2.2	279.9	813	3.5	720.1	112,897
	25-29	625	7.3	591.2	434	3.0	410.6	1,059	4.6	1001.8	105,710
	30-39	1,791	20.8	948.4	1,667	11.5	882.8	3,458	15.0	1831.2	188,840
	40-49	2,644	30.7	1365.4	5,114	35.3	2641.0	7,758	33.6	4006.4	193,642
	50-59	1,922	22.3	1197.0	4,766	32.9	2968.1	6,688	29.0	4165.1	160,574
	60+	772	9.0	373.3	2,002	13.8	968.0	2,774	12.0	1341.3	206,816
	Unk	.	.	.	3	0.0	.	3	0.0	.	.
Race/Ethnicity	White	352	4.1	241.5	560	3.9	350.4	912	3.9	591.9	155,569
	Black	4,113	47.7	939.8	6,180	42.7	1389.6	10,293	44.6	2329.4	430,532
	Hispanic	3,976	46.2	566.8	7,480	51.6	1110.5	11,456	49.6	1677.4	741,413
	Asian/PI	31	0.4	56.6	51	0.4	91.3	82	0.4	147.9	52,680
	Native Am	8	0.1	159.3	8	0.1	185.8	16	0.1	345.1	4,914
	Multi Race**	95	1.1	.	198	1.4	.	293	1.3	.	.
	Unk	39	0.5	.	8	0.1	.	47	0.2	.	.
Risk	MSM	1,740	20.2	.	2,283	15.8	.	4,023	17.4	.	.
	IDU	1,079	12.5	.	3,849	26.6	.	4,928	21.3	.	.
	MSM/IDU	136	1.6	.	418	2.9	.	554	2.4	.	.
	Heterosexual	1,562	18.1	.	2,895	20.0	.	4,457	19.3	.	.
	Fem. Presumed Het.	1,923	22.3	.	2,102	14.5	.	4,025	17.4	.	.
	Blood Prod.	6	0.1	.	35	0.2	.	41	0.2	.	.
	Pediatric Risk	433	5.0	.	395	2.7	.	828	3.6	.	.
	Unk	1,735	20.1	.	2,508	17.3	.	4,243	18.4	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 19B

NEW YORK CITY BOROUGH: BRONX
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		157	100.0	40	100.0	197	100.0	443	100.0	640	100.0	45.3	24.5	30.8
Gender	Male	103	65.6	30	75.0	133	67.5	295	66.6	428	66.9	64.3	24.1	31.1
	Female	54	34.4	10	25.0	64	32.5	148	33.4	212	33.1	28.6	25.5	30.2
Age at Diagnosis	12 & under	1	0.2	1	0.2	0.4	.	.
	13-19	10	6.4	.	.	10	5.1	19	4.3	29	4.5	18.6	34.5	34.5
	20-24	20	12.7	5	12.5	25	12.7	94	21.2	119	18.6	105.4	16.8	21.0
	25-29	11	7.0	4	10.0	15	7.6	68	15.3	83	13.0	78.5	13.3	18.1
	30-39	32	20.4	12	30.0	44	22.3	104	23.5	148	23.1	78.4	21.6	29.7
	40-49	38	24.2	11	27.5	49	24.9	81	18.3	130	20.3	67.1	29.2	37.7
	50-59	34	21.7	7	17.5	41	20.8	54	12.2	95	14.8	59.2	35.8	43.2
	60+	12	7.6	1	2.5	13	6.6	22	5.0	35	5.5	16.9	34.3	37.1
Race/Ethnicity	White	6	3.8	4	10.0	10	5.1	17	3.8	27	4.2	18.9	22.2	37.0
	Black	87	55.4	16	40.0	103	52.3	202	45.6	305	47.7	67.7	28.5	33.8
	Hispanic	62	39.5	20	50.0	82	41.6	211	47.6	293	45.8	39.2	21.2	28.0
	Asian/PI	3	0.7	3	0.5	5.1	.	.
	Native Am	1	0.2	1	0.2	17.3	.	.
	Multi Race***	2	1.3	.	.	2	1.0	9	2.0	11	1.7	.	18.2	18.2
	Unk
Risk	MSM	41	26.1	11	27.5	52	26.4	166	37.5	218	34.1	.	18.8	23.9
	IDU	6	3.8	2	5.0	8	4.1	29	6.5	37	5.8	.	16.2	21.6
	MSM/IDU	1	0.6	1	2.5	2	1.0	8	1.8	10	1.6	.	10.0	20.0
	Heterosexual	25	15.9	7	17.5	32	16.2	66	14.9	98	15.3	.	25.5	32.7
	Fem. Presumed Het.	38	24.2	6	15.0	44	22.3	97	21.9	141	22.0	.	27.0	31.2
	Blood Prod.
	Pediatric Risk	1	0.2	1	0.2	.	.	.
	Unk	46	29.3	13	32.5	59	29.9	76	17.2	135	21.1	.	34.1	43.7

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BRONX***AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		637	100.0	46.8	34,657	100.0
Gender	Male	393	61.7	62.2	22,652	65.4
	Female	244	38.3	33.7	12,005	34.6
Age at Diagnosis	12 & under	2	0.3	0.8	608	1.8
	13-19	23	3.6	14.7	364	1.1
	20-24	51	8.0	45.2	1,083	3.1
	25-29	58	9.1	54.9	3,171	9.1
	30-39	141	22.1	74.7	13,103	37.8
	40-49	193	30.3	99.7	11,048	31.9
	50-59	125	19.6	77.8	4,050	11.7
	60+	44	6.9	21.3	1,230	3.5
Race/Ethnicity	White	25	3.9	16.7	1,822	5.3
	Black	315	49.5	71.2	14,277	41.2
	Hispanic	285	44.7	40.6	17,854	51.5
	Asian/PI	.	.	.	92	0.3
	Native Am	.	.	.	8	0.0
	Multi Race***	12	1.9	.	595	1.7
	Unk	.	.	.	9	0.0
Risk	MSM	149	23.4	.	5,299	15.3
	IDU	73	11.5	.	14,794	42.7
	MSM/IDU	9	1.4	.	1,139	3.3
	Heterosexual	125	19.6	.	5,331	15.4
	Fem. Presumed Het.	119	18.7	.	3,048	8.8
	Blood Prod.	.	.	.	133	0.4
	Pediatric Risk	14	2.2	.	795	2.3
	Unk	148	23.2	.	4,118	11.9

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 20A

NEW YORK CITY BOROUGH: BROOKLYN
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		10,073	100.0	405.7	16,806	100.0	681.2	26,879	100.0	1087.0	2,504,700
Gender	Male	6,288	62.4	537.9	10,864	64.6	954.3	17,152	63.8	1492.3	1,181,378
	Female	3,785	37.6	289.7	5,942	35.4	452.3	9,727	36.2	742.0	1,323,322
Current Age	12 & under	92	0.9	21.4	5	0.0	1.2	97	0.4	22.6	429,347
	13-19	254	2.5	108.3	174	1.0	74.2	428	1.6	182.5	234,489
	20-24	601	6.0	307.0	292	1.7	149.1	893	3.3	456.1	195,797
	25-29	896	8.9	402.1	526	3.1	236.0	1,422	5.3	638.1	222,842
	30-39	2,196	21.8	577.1	2,019	12.0	530.6	4,215	15.7	1107.7	380,506
	40-49	3,111	30.9	948.5	5,725	34.1	1745.4	8,836	32.9	2693.8	328,008
	50-59	2,042	20.3	676.2	5,518	32.8	1827.3	7,560	28.1	2503.6	301,971
	60+	881	8.7	214.0	2,545	15.1	618.1	3,426	12.7	832.1	411,740
	Unk	.	.	.	2	0.0	.	2	0.0	.	.
Race/Ethnicity	White	1,280	12.7	152.7	1,585	9.4	189.5	2,865	10.7	342.2	910,235
	Black	6,218	61.7	744.3	10,295	61.3	1199.3	16,513	61.4	1943.6	820,307
	Hispanic	2,236	22.2	471.1	4,449	26.5	986.9	6,685	24.9	1458.1	496,285
	Asian/PI	119	1.2	40.5	145	0.9	50.3	264	1.0	90.8	271,510
	Native Am	7	0.1	111.9	3	0.0	46.4	10	0.0	158.3	6,363
	Multi Race**	168	1.7	.	325	1.9	.	493	1.8	.	.
	Unk	45	0.4	.	4	0.0	.	49	0.2	.	.
Risk	MSM	3,049	30.3	.	3,792	22.6	.	6,841	25.5	.	.
	IDU	897	8.9	.	3,559	21.2	.	4,456	16.6	.	.
	MSM/IDU	133	1.3	.	393	2.3	.	526	2.0	.	.
	Heterosexual	1,789	17.8	.	3,133	18.6	.	4,922	18.3	.	.
	Fem. Presumed Het.	1,939	19.2	.	2,370	14.1	.	4,309	16.0	.	.
	Blood Prod.	6	0.1	.	50	0.3	.	56	0.2	.	.
	Pediatric Risk	396	3.9	.	365	2.2	.	761	2.8	.	.
	Unk	1,864	18.5	.	3,144	18.7	.	5,008	18.6	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		250	100.0	63	100.0	313	100.0	573	100.0	886	100.0	33.7	28.2	35.3
Gender	Male	176	70.4	43	68.3	219	70.0	415	72.4	634	71.6	50.0	27.8	34.5
	Female	74	29.6	20	31.7	94	30.0	158	27.6	252	28.4	19.0	29.4	37.3
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.2	.	.
	13-19	7	2.8	3	4.8	10	3.2	26	4.5	36	4.1	15.4	19.4	27.8
	20-24	13	5.2	8	12.7	21	6.7	122	21.3	143	16.1	73.0	9.1	14.7
	25-29	32	12.8	13	20.6	45	14.4	108	18.8	153	17.3	68.7	20.9	29.4
	30-39	58	23.2	12	19.0	70	22.4	119	20.8	189	21.3	49.7	30.7	37.0
	40-49	63	25.2	15	23.8	78	24.9	110	19.2	188	21.2	57.3	33.5	41.5
	50-59	52	20.8	10	15.9	62	19.8	64	11.2	126	14.2	41.7	41.3	49.2
	60+	25	10.0	2	3.2	27	8.6	23	4.0	50	5.6	12.1	50.0	54.0
Race/Ethnicity	White	24	9.6	4	6.3	28	8.9	57	9.9	85	9.6	9.6	28.2	32.9
	Black	179	71.6	40	63.5	219	70.0	382	66.7	601	67.8	70.2	29.8	36.4
	Hispanic	40	16.0	17	27.0	57	18.2	123	21.5	180	20.3	33.1	22.2	31.7
	Asian/PI	5	2.0	.	.	5	1.6	3	0.5	8	0.9	2.7	62.5	62.5
	Native Am
	Multi Race***	2	0.8	2	3.2	4	1.3	8	1.4	12	1.4	.	16.7	33.3
	Unk
Risk	MSM	74	29.6	28	44.4	102	32.6	252	44.0	354	40.0	.	20.9	28.8
	IDU	6	2.4	4	6.3	10	3.2	15	2.6	25	2.8	.	24.0	40.0
	MSM/IDU	5	2.0	.	.	5	1.6	5	0.9	10	1.1	.	50.0	50.0
	Heterosexual	34	13.6	10	15.9	44	14.1	62	10.8	106	12.0	.	32.1	41.5
	Fem. Presumed Het.	55	22.0	11	17.5	66	21.1	109	19.0	175	19.8	.	31.4	37.7
	Blood Prod.
	Pediatric Risk	2	0.8	.	.	2	0.6	1	0.2	3	0.3	.	66.7	66.7
	Unk	74	29.6	10	15.9	84	26.8	129	22.5	213	24.0	.	34.7	39.4

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		758	100.0	30.0	42,550	100.0
Gender	Male	513	67.7	42.6	28,954	68.0
	Female	245	32.3	18.9	13,596	32.0
Age at Diagnosis	12 & under	.	.	.	721	1.7
	13-19	19	2.5	8.1	375	0.9
	20-24	45	5.9	23.0	1,381	3.2
	25-29	100	13.2	44.9	4,189	9.8
	30-39	168	22.2	44.2	16,219	38.1
	40-49	216	28.5	65.9	13,077	30.7
	50-59	153	20.2	50.7	4,898	11.5
	60+	57	7.5	13.8	1,690	4.0
Race/Ethnicity	White	57	7.5	6.8	4,996	11.7
	Black	509	67.2	60.7	25,105	59.0
	Hispanic	166	21.9	33.0	11,392	26.8
	Asian/PI	7	0.9	2.3	220	0.5
	Native Am	.	.	.	5	0.0
	Multi Race***	19	2.5	.	827	1.9
	Unk	.	.	.	5	0.0
Risk	MSM	222	29.3	.	8,601	20.2
	IDU	54	7.1	.	15,786	37.1
	MSM/IDU	26	3.4	.	1,059	2.5
	Heterosexual	122	16.1	.	5,871	13.8
	Fem. Presumed Het.	143	18.9	.	3,986	9.4
	Blood Prod.	.	.	.	235	0.6
	Pediatric Risk	14	1.8	.	872	2.0
	Unk	177	23.4	.	6,140	14.4

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 21A

NEW YORK CITY BOROUGH: MANHATTAN
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		13,743	100.0	844.3	19,589	100.0	1201.9	33,332	100.0	2046.1	1,585,873
Gender	Male	11,325	82.4	1418.7	15,723	80.3	1998.5	27,048	81.1	3417.2	744,441
	Female	2,418	17.6	298.5	3,866	19.7	473.3	6,284	18.9	771.8	841,432
Current Age	12 & under	60	0.4	34.8	5	0.0	2.9	65	0.2	37.7	172,471
	13-19	149	1.1	147.3	98	0.5	96.9	247	0.7	244.3	101,122
	20-24	442	3.2	312.2	206	1.1	145.5	648	1.9	457.8	141,558
	25-29	841	6.1	450.4	331	1.7	177.3	1,172	3.5	627.6	186,733
	30-39	2,836	20.6	1022.3	1,849	9.4	666.5	4,685	14.1	1688.8	277,417
	40-49	5,033	36.6	2336.8	6,681	34.1	3101.9	11,714	35.1	5438.7	215,384
	50-59	3,117	22.7	1628.0	6,838	34.9	3571.5	9,955	29.9	5199.5	191,461
	60+	1,261	9.2	420.7	3,580	18.3	1194.4	4,841	14.5	1615.1	299,727
	Unk	4	0.0	.	1	0.0	.	5	0.0	.	.
Race/Ethnicity	White	5,353	39.0	671.4	6,092	31.1	749.9	11,445	34.3	1421.4	778,950
	Black	4,129	30.0	1831.0	6,973	35.6	2952.1	11,102	33.3	4783.1	214,359
	Hispanic	3,555	25.9	899.5	5,835	29.8	1464.2	9,390	28.2	2363.7	403,577
	Asian/PI	274	2.0	140.7	275	1.4	155.6	549	1.6	296.3	185,873
	Native Am	13	0.1	366.1	14	0.1	445.4	27	0.1	811.5	3,114
	Multi Race**	201	1.5	.	381	1.9	.	582	1.7	.	.
	Unk	218	1.6	.	19	0.1	.	237	0.7	.	.
Risk	MSM	7,585	55.2	.	8,763	44.7	.	16,348	49.0	.	.
	IDU	831	6.0	.	3,637	18.6	.	4,468	13.4	.	.
	MSM/IDU	251	1.8	.	589	3.0	.	840	2.5	.	.
	Heterosexual	1,216	8.8	.	2,121	10.8	.	3,337	10.0	.	.
	Fem. Presumed Het.	1,156	8.4	.	1,277	6.5	.	2,433	7.3	.	.
	Blood Prod.	6	0.0	.	29	0.1	.	35	0.1	.	.
	Pediatric Risk	245	1.8	.	219	1.1	.	464	1.4	.	.
	Unk	2,453	17.8	.	2,954	15.1	.	5,407	16.2	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 21B

NEW YORK CITY BOROUGH: MANHATTAN
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		166	100.0	49	100.0	215	100.0	648	100.0	863	100.0	48.0	19.2	24.9
Gender	Male	144	86.7	41	83.7	185	86.0	564	87.0	749	86.8	85.9	19.2	24.7
	Female	22	13.3	8	16.3	30	14.0	84	13.0	114	13.2	12.9	19.3	26.3
Age at Diagnosis	12 & under	1	0.2	1	0.1	0.6	.	.
	13-19	6	3.6	2	4.1	8	3.7	21	3.2	29	3.4	28.7	20.7	27.6
	20-24	12	7.2	5	10.2	17	7.9	104	16.0	121	14.0	85.5	9.9	14.0
	25-29	12	7.2	7	14.3	19	8.8	112	17.3	131	15.2	70.2	9.2	14.5
	30-39	42	25.3	17	34.7	59	27.4	181	27.9	240	27.8	86.5	17.5	24.6
	40-49	46	27.7	8	16.3	54	25.1	143	22.1	197	22.8	91.5	23.4	27.4
	50-59	34	20.5	9	18.4	43	20.0	58	9.0	101	11.7	52.8	33.7	42.6
	60+	14	8.4	1	2.0	15	7.0	28	4.3	43	5.0	14.3	32.6	34.9
Race/Ethnicity	White	48	28.9	12	24.5	60	27.9	218	33.6	278	32.2	30.4	17.3	21.6
	Black	58	34.9	17	34.7	75	34.9	204	31.5	279	32.3	122.6	20.8	26.9
	Hispanic	51	30.7	18	36.7	69	32.1	186	28.7	255	29.5	60.4	20.0	27.1
	Asian/PI	7	4.2	.	.	7	3.3	22	3.4	29	3.4	10.1	24.1	24.1
	Native Am
	Multi Race***	2	1.2	2	4.1	4	1.9	18	2.8	22	2.5	.	9.1	18.2
	Unk
Risk	MSM	84	50.6	25	51.0	109	50.7	420	64.8	529	61.3	.	15.9	20.6
	IDU	10	6.0	3	6.1	13	6.0	12	1.9	25	2.9	.	40.0	52.0
	MSM/IDU	1	0.6	1	2.0	2	0.9	13	2.0	15	1.7	.	6.7	13.3
	Heterosexual	18	10.8	2	4.1	20	9.3	35	5.4	55	6.4	.	32.7	36.4
	Fem. Presumed Het.	12	7.2	4	8.2	16	7.4	57	8.8	73	8.5	.	16.4	21.9
	Blood Prod.
	Pediatric Risk	1	0.2	1	0.1	.	.	.
	Unk	41	24.7	14	28.6	55	25.6	110	17.0	165	19.1	.	24.8	33.3

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN***AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		550	100.0	33.2	54,115	100.0
Gender	Male	454	82.5	55.7	44,643	82.5
	Female	96	17.5	12.0	9,472	17.5
Age at Diagnosis	12 & under	.	.	.	413	0.8
	13-19	10	1.8	9.9	225	0.4
	20-24	24	4.4	17.0	1,101	2.0
	25-29	50	9.1	26.8	4,717	8.7
	30-39	138	25.1	49.7	21,214	39.2
	40-49	185	33.6	85.9	17,453	32.3
	50-59	109	19.8	56.9	6,685	12.4
	60+	34	6.2	11.3	2,307	4.3
Race/Ethnicity	White	143	26.0	17.5	18,638	34.4
	Black	210	38.2	95.0	18,801	34.7
	Hispanic	169	30.7	42.3	14,994	27.7
	Asian/PI	12	2.2	5.9	486	0.9
	Native Am	.	.	.	18	0.0
	Multi Race***	16	2.9	.	1,155	2.1
	Unk	.	.	.	23	0.0
Risk	MSM	270	49.1	.	24,792	45.8
	IDU	63	11.5	.	15,942	29.5
	MSM/IDU	11	2.0	.	1,900	3.5
	Heterosexual	57	10.4	.	3,968	7.3
	Fem. Presumed Het.	40	7.3	.	1,942	3.6
	Blood Prod.	.	.	.	170	0.3
	Pediatric Risk	7	1.3	.	499	0.9
	Unk	102	18.5	.	4,902	9.1

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 22A

NEW YORK CITY BOROUGH: QUEENS
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		5,964	100.0	257.3	10,016	100.0	421.5	15,980	100.0	678.9	2,230,722
Gender	Male	4,174	70.0	367.7	7,119	71.1	621.0	11,293	70.7	988.7	1,079,803
	Female	1,789	30.0	151.3	2,897	28.9	238.0	4,686	29.3	389.3	1,150,919
	Unk	1	0.0	1	0.0	.	.
Current Age	12 & under	35	0.6	10.6	2	0.0	0.6	37	0.2	11.2	329,092
	13-19	108	1.8	57.0	77	0.8	40.6	185	1.2	97.6	189,640
	20-24	294	4.9	182.8	151	1.5	93.9	445	2.8	276.6	160,875
	25-29	477	8.0	258.0	265	2.6	143.3	742	4.6	401.3	184,917
	30-39	1,326	22.2	388.2	1,272	12.7	372.4	2,598	16.3	760.6	341,568
	40-49	2,094	35.1	642.8	3,526	35.2	1082.3	5,620	35.2	1725.1	325,775
	50-59	1,226	20.6	413.9	3,376	33.7	1139.7	4,602	28.8	1553.6	296,217
	60+	403	6.8	100.1	1,347	13.4	334.5	1,750	11.0	434.6	402,638
	Unk	1	0.0	1	0.0	.	.
Race/Ethnicity	White	1,019	17.1	164.5	1,541	15.4	223.6	2,560	16.0	388.1	636,461
	Black	2,446	41.0	560.9	4,081	40.7	894.3	6,527	40.8	1455.2	420,448
	Hispanic	2,125	35.6	338.3	3,812	38.1	643.1	5,937	37.2	981.4	613,750
	Asian/PI	214	3.6	35.0	287	2.9	47.5	501	3.1	82.6	549,537
	Native Am	7	0.1	75.4	12	0.1	131.8	19	0.1	207.2	10,526
	Multi Race**	111	1.9	.	277	2.8	.	388	2.4	.	.
	Unk	42	0.7	.	6	0.1	.	48	0.3	.	.
Risk	MSM	2,317	38.8	.	3,026	30.2	.	5,343	33.4	.	.
	IDU	482	8.1	.	2,017	20.1	.	2,499	15.6	.	.
	MSM/IDU	78	1.3	.	249	2.5	.	327	2.0	.	.
	Heterosexual	1,084	18.2	.	1,837	18.3	.	2,921	18.3	.	.
	Fem. Presumed Het.	796	13.3	.	995	9.9	.	1,791	11.2	.	.
	Blood Prod.	8	0.1	.	31	0.3	.	39	0.2	.	.
	Pediatric Risk	152	2.5	.	171	1.7	.	323	2.0	.	.
	Unk	1,047	17.6	.	1,690	16.9	.	2,737	17.1	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		150	100.0	41	100.0	191	100.0	366	100.0	557	100.0	23.5	26.9	34.3
Gender	Male	117	78.0	34	82.9	151	79.1	271	74.0	422	75.8	36.1	27.7	35.8
	Female	33	22.0	7	17.1	40	20.9	95	26.0	135	24.2	11.2	24.4	29.6
Age at Diagnosis	12 & under	1	0.3	1	0.2	0.3	.	.
	13-19	3	2.0	2	4.9	5	2.6	22	6.0	27	4.8	14.2	11.1	18.5
	20-24	11	7.3	7	17.1	18	9.4	58	15.8	76	13.6	47.2	14.5	23.7
	25-29	9	6.0	7	17.1	16	8.4	79	21.6	95	17.1	51.4	9.5	16.8
	30-39	39	26.0	5	12.2	44	23.0	77	21.0	121	21.7	35.4	32.2	36.4
	40-49	41	27.3	12	29.3	53	27.7	91	24.9	144	25.9	44.2	28.5	36.8
	50-59	31	20.7	6	14.6	37	19.4	30	8.2	67	12.0	22.6	46.3	55.2
	60+	16	10.7	2	4.9	18	9.4	8	2.2	26	4.7	6.5	61.5	69.2
Race/Ethnicity	White	23	15.3	3	7.3	26	13.6	51	13.9	77	13.8	12.2	29.9	33.8
	Black	60	40.0	24	58.5	84	44.0	155	42.3	239	42.9	54.4	25.1	35.1
	Hispanic	55	36.7	12	29.3	67	35.1	136	37.2	203	36.4	29.7	27.1	33.0
	Asian/PI	5	3.3	1	2.4	6	3.1	21	5.7	27	4.8	4.4	18.5	22.2
	Native Am
	Multi Race***	7	4.7	1	2.4	8	4.2	3	0.8	11	2.0	.	63.6	72.7
	Unk
Risk	MSM	53	35.3	22	53.7	75	39.3	212	57.9	287	51.5	.	18.5	26.1
	IDU	10	6.7	.	.	10	5.2	5	1.4	15	2.7	.	66.7	66.7
	MSM/IDU	1	0.7	2	4.9	3	1.6	2	0.5	5	0.9	.	20.0	60.0
	Heterosexual	28	18.7	3	7.3	31	16.2	43	11.7	74	13.3	.	37.8	41.9
	Fem. Presumed Het.	18	12.0	5	12.2	23	12.0	55	15.0	78	14.0	.	23.1	29.5
	Blood Prod.
	Pediatric Risk	1	0.3	1	0.2	.	.	.
	Unk	40	26.7	9	22.0	49	25.7	48	13.1	97	17.4	.	41.2	50.5

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS***AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		402	100.0	17.1	22,667	100.0
Gender	Male	286	71.1	24.8	16,859	74.4
	Female	116	28.9	9.6	5,808	25.6
Age at Diagnosis	12 & under	.	.	.	278	1.2
	13-19	8	2.0	4.2	188	0.8
	20-24	30	7.5	18.6	730	3.2
	25-29	42	10.4	22.7	2,219	9.8
	30-39	106	26.4	31.0	9,116	40.2
	40-49	112	27.9	34.4	7,006	30.9
	50-59	75	18.7	25.3	2,364	10.4
	60+	29	7.2	7.2	766	3.4
Race/Ethnicity	White	51	12.7	8.0	4,796	21.2
	Black	187	46.5	42.9	9,522	42.0
	Hispanic	144	35.8	21.9	7,288	32.2
	Asian/PI	9	2.2	1.5	429	1.9
	Native Am	.	.	.	14	0.1
	Multi Race***	11	2.7	.	611	2.7
	Unk	.	.	.	7	0.0
Risk	MSM	143	35.6	.	6,495	28.7
	IDU	29	7.2	.	7,492	33.1
	MSM/IDU	9	2.2	.	647	2.9
	Heterosexual	75	18.7	.	3,000	13.2
	Fem. Presumed Het.	61	15.2	.	1,544	6.8
	Blood Prod.	.	.	.	150	0.7
	Pediatric Risk	2	0.5	.	367	1.6
	Unk	83	20.6	.	2,972	13.1

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23A

NEW YORK CITY BOROUGH: STATEN ISLAND
Living HIV and AIDS Cases as of December 2010, by Gender, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Number	Column Percent	Prevalence Rate*	Area Population
Total		750	100.0	153.5	1,162	100.0	225.9	1,912	100.0	379.4	468,730
Gender	Male	477	63.6	199.7	758	65.2	305.5	1,235	64.6	505.2	227,289
	Female	273	36.4	109.8	404	34.8	153.2	677	35.4	263.0	241,441
Current Age	12 & under	11	1.5	14.4	.	.	.	11	0.6	14.4	76,585
	13-19	15	2.0	33.0	9	0.8	19.8	24	1.3	52.8	45,495
	20-24	38	5.1	120.8	18	1.5	57.2	56	2.9	178.0	31,458
	25-29	45	6.0	150.1	34	2.9	113.4	79	4.1	263.4	29,988
	30-39	122	16.3	198.9	111	9.6	181.0	233	12.2	379.9	61,331
	40-49	255	34.0	363.4	392	33.7	558.7	647	33.8	922.1	70,163
	50-59	202	26.9	301.5	450	38.7	671.7	652	34.1	973.2	66,996
	60+	62	8.3	71.5	148	12.7	170.7	210	11.0	242.2	86,714
Race/Ethnicity	White	242	32.3	75.8	359	30.9	99.3	601	31.4	175.1	303,932
	Black	299	39.9	635.3	414	35.6	904.3	713	37.3	1539.7	46,455
	Hispanic	158	21.1	214.5	345	29.7	488.3	503	26.3	702.9	81,051
	Asian/PI	13	1.7	34.5	3	0.3	7.9	16	0.8	42.5	36,374
	Native Am	2	0.3	203.4	2	0.2	298.0	4	0.2	501.4	918
	Multi Race**	25	3.3	.	39	3.4	.	64	3.3	.	.
	Unk	11	1.5	11	0.6	.	.
Risk	MSM	206	27.5	.	224	19.3	.	430	22.5	.	.
	IDU	71	9.5	.	305	26.2	.	376	19.7	.	.
	MSM/IDU	9	1.2	.	34	2.9	.	43	2.2	.	.
	Heterosexual	121	16.1	.	223	19.2	.	344	18.0	.	.
	Fem. Presumed Het.	135	18.0	.	142	12.2	.	277	14.5	.	.
	Blood Prod.	2	0.3	.	6	0.5	.	8	0.4	.	.
	Pediatric Risk	33	4.4	.	25	2.2	.	58	3.0	.	.
	Unk	173	23.1	.	203	17.5	.	376	19.7	.	.

Data as of March 2012.

*per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23B

NEW YORK CITY BOROUGH: STATEN ISLAND
HIV Cases, Newly Diagnosed (January-December 2010), by Gender, Age, Race/Ethnicity and Risk

		Late Diagnoses (AIDS within 1 yr of HIV diagnosis)						Other HIV Diagnoses		All HIV Diagnoses*			Percent of All HIV Diagnoses	
		Concurrent HIV&AIDS (A)		Other Late (B)		All Late (C=A+B)		(D)		(E=C+D)			Concurrent (A÷E)*100	All Late (C÷E)*100
		#	%	#	%	#	%	#	%	#	%	Case Rate**	%	%
Total		17	100.0	3	100.0	20	100.0	33	100.0	53	100.0	10.8	32.1	37.7
Gender	Male	15	88.2	2	66.7	17	85.0	25	75.8	42	79.2	17.5	35.7	40.5
	Female	2	11.8	1	33.3	3	15.0	8	24.2	11	20.8	4.5	18.2	27.3
Age at Diagnosis	12 & under
	13-19	.	.	1	33.3	1	5.0	2	6.1	3	5.7	6.6	.	33.3
	20-24	.	.	1	33.3	1	5.0	2	6.1	3	5.7	9.5	.	33.3
	25-29	5	15.2	5	9.4	16.7	.	.
	30-39	2	11.8	.	.	2	10.0	8	24.2	10	18.9	16.3	20.0	20.0
	40-49	4	23.5	1	33.3	5	25.0	7	21.2	12	22.6	17.1	33.3	41.7
	50-59	9	52.9	.	.	9	45.0	7	21.2	16	30.2	23.9	56.3	56.3
	60+	2	11.8	.	.	2	10.0	2	6.1	4	7.5	4.6	50.0	50.0
Race/Ethnicity	White	5	29.4	.	.	5	25.0	10	30.3	15	28.3	4.4	33.3	33.3
	Black	9	52.9	1	33.3	10	50.0	15	45.5	25	47.2	55.7	36.0	40.0
	Hispanic	3	17.6	2	66.7	5	25.0	7	21.2	12	22.6	14.6	25.0	41.7
	Asian/PI
	Native Am
	Multi Race***	1	3.0	1	1.9	.	.	.
	Unk
Risk	MSM	3	17.6	1	33.3	4	20.0	14	42.4	18	34.0	.	16.7	22.2
	IDU	4	23.5	.	.	4	20.0	3	9.1	7	13.2	.	57.1	57.1
	MSM/IDU	2	6.1	2	3.8	.	.	.
	Heterosexual	1	5.9	1	33.3	2	10.0	2	6.1	4	7.5	.	25.0	50.0
	Fem. Presumed Het.	2	11.8	.	.	2	10.0	5	15.2	7	13.2	.	28.6	28.6
	Blood Prod.
	Pediatric Risk
	Unk	7	41.2	1	33.3	8	40.0	7	21.2	15	28.3	.	46.7	53.3

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND***AIDS Cases, Newly Diagnosed (January-December 2010)
and Cumulative (through December 2010) by Gender, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		53	100.0	10.7	3,243	100.0
Gender	Male	40	75.5	16.7	2,305	71.1
	Female	13	24.5	5.1	938	28.9
Age at Diagnosis	12 & under	.	.	.	42	1.3
	13-19	1	1.9	2.2	24	0.7
	20-24	3	5.7	9.5	98	3.0
	25-29	2	3.8	6.7	254	7.8
	30-39	6	11.3	9.8	1,296	40.0
	40-49	21	39.6	29.9	1,090	33.6
	50-59	16	30.2	23.9	346	10.7
	60+	4	7.5	4.6	93	2.9
Race/Ethnicity	White	16	30.2	4.9	1,313	40.5
	Black	23	43.4	52.0	1,061	32.7
	Hispanic	14	26.4	20.1	747	23.0
	Asian/PI	.	.	.	9	0.3
	Native Am	.	.	.	3	0.1
	Multi Race***	.	.	.	109	3.4
	Unk	.	.	.	1	0.0
Risk	MSM	12	22.6	.	646	19.9
	IDU	8	15.1	.	1,408	43.4
	MSM/IDU	1	1.9	.	93	2.9
	Heterosexual	8	15.1	.	410	12.6
	Fem. Presumed Het.	8	15.1	.	220	6.8
	Blood Prod.	.	.	.	44	1.4
	Pediatric Risk	1	1.9	.	55	1.7
	Unk	15	28.3	.	367	11.3

Data as of March 2012.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Gender and Race/Ethnicity are age-adjusted to the 2000 US Standard Million Population.

***The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.