


**New York State
HIV/AIDS County
Surveillance Report
(Excludes State Prison Inmates)**



**For Cases Diagnosed
Through December 2012**

**Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health
August 2014**

TABLE OF CONTENTS

Excludes State Prison Inmates

	Page
Introduction to the New York State HIV/AIDS County Surveillance Report	3-4
Technical Notes on the New York State HIV/AIDS County Surveillance Report.....	5-9
Definition of Terms Used in this Report.....	10-13
Guide to the Tables	14-18

NYS, EXCLUDING NYC, by County

Summary Table A: Average Annual Newly Diagnosed HIV Cases by County	19-21
Summary Table B: AIDS Cases by county of Residence at Diagnosis and Year of Diagnosis	22-23
Summary Table C: HIV Cases, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis.....	24-25
Summary Table D1: Deaths Among HIV Cases by County of Residence at Diagnosis and Year of Death	26-27
Summary Table D2: Deaths Among AIDS Cases by County of Residence at Diagnosis and Year of Death	28-29
Summary Table D3: Deaths Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death	30-31

Counties in New York State

The following tables have been generated for each of the counties in New York State:

- 1A** - Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- 1B** - Living HIV and AIDS Cases by Sex at Birth and Risk
- 2A** - Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS
Cases, 2010-2012, by Sex at Birth, Age, Race Ethnicity and Risk
- 2B** – Newly Diagnosed HIV and AIDS Cases, 2010-2012, by Sex at Birth and Risk
- 3** – Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among Persons
Living with HIV and AIDS Cases by Year of Death

Introduction to the New York State HIV/AIDS County Surveillance Report

Overview

The County Surveillance Report presents recent data on newly diagnosed HIV cases, persons living with HIV/AIDS and deaths among AIDS cases in the counties of New York State. The County Report is a companion piece to the NYS HIV/AIDS Annual Surveillance Report (available at <http://www.health.ny.gov/diseases/aids/general/statistics/annual/>). Like the Annual Surveillance Report, the County Report divides new HIV diagnoses into subcategories based on concurrent or subsequent AIDS diagnoses, and displays diagnosis and prevalence rates.

Format of the Report

The report covers the individual counties of New York State, except for the five boroughs of New York City, which are covered in the Annual Surveillance Report, and Hamilton County, which has too few HIV/AIDS cases to populate the tables. The report is issued in two parallel sections, one including and one excluding inmates in state correctional facilities. The sections contain six summary tables listing all counties, followed by sets of detailed tables for each individual county. The summary tables (A-D) are:

- (A) Average Annual Newly Diagnosed HIV Cases by Diagnosis Type,
- (B) AIDS Cases by Year of Diagnosis,
- (C) Newly Diagnosed HIV Cases by Year of Diagnosis, and
- (D) Deaths among HIV and AIDS Cases by Year of Death.

The county detail tables (1-3) are:

- (1) Living HIV and AIDS Cases
- (2) Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases
- (3) Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis

Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The tables feature **prevalence rates** (living cases per 100,000 population) and show the population.
- Age is **current age** for the time point being reported, e.g. December 2012.

Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis) or "other late" (AIDS diagnosis within 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis – are reported as "other".
- Late and concurrent HIV diagnoses are also presented as a percent of total new HIV diagnoses.
- **Case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.

Newly Diagnosed AIDS Cases

- Case rates are given.
- Cumulative AIDS cases, which were featured in previous editions of the County Reports, have been dropped..

Deaths Among HIV Cases and AIDS Cases

- All reported deaths are counted regardless of cause
- Case rates are given.

Special Note

County Table 3A has a new format in this edition, consisting of 6 columns. Included are the annual total new HIV diagnoses and new AIDS diagnoses by year of diagnosis, followed by deaths among HIV Cases, deaths among AIDS cases and deaths among HIV and AIDS Cases, combined, by year of death.

Technical Notes on the New York State HIV/AIDS County Surveillance Report

Introduction

This HIV/AIDS County Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.health.ny.gov/diseases/aids/general/statistics/annual/>

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073
(518) 474-4284
bhae@health.ny.gov

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH).

Source Data

This report was produced using the April 2014 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection,

HIV-related illness and AIDS to the NYS Commissioner of Health.¹ Under the amended HIV testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection.

Laboratories conducting HIV-related testing must report electronically to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 3/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.ny.gov/diseases/aids/>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a confirmed case after the initial confirmation, data for that case may be updated, resulting in

¹ HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition², designating AIDS as “stage 3 HIV infection”. This County Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it did not materially affect case counts.

² Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

In April 2014, CDC again revised the HIV case definition³. Adult and pediatric definitions are covered under a single rubric; “stage 0 HIV infection” is used to denote cases with a negative HIV test within 6 months of diagnosis; laboratory criteria for “stage 3 HIV infection” refer to CD4+ T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and laboratory criteria for defining a confirmed case now accommodate the multitest algorithm which entered widespread use in 2013. The new definition went into effect after the preparation of data for this report and is not reflected in these tabulations.

Deduplication:

The HIV/AIDS case data used in this County Report have undergone both inter- and intra-state deduplication.

CDC's process for interstate deduplication of HIV/AIDS cases, known as Routine Interstate Duplicate Review (RIDR), is conducted twice annually. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case is assigned to for national tabulations. Cases in the New York registry that are known through RIDR to have been initially diagnosed in another state are excluded from the County Report.

The County Report case data have also been deduplicated between NYC and the rest of NYS. In all of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYC DOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is counted only once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has performed further adjustments to the data using information from an intra-state

³Revised Surveillance Case Definition for HIV Infection --- United States, 2014:MMWR, Apr. 11, 2008, vol.63, No. 3

extension of the RIDR process. This removes several hundred additional duplicate records, but importantly, returns to the analysis files some 3,000 unique cases that are excluded by the base procedure.

Ongoing refinement of the data may also contribute to geographical reassignment of cases at the state, regional, and/or county and local levels.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases identified through laboratory report of a positive test result from an approved diagnostic test and/or reported by a provider indicating an HIV diagnosis or an HIV illness.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed after then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes new HIV cases concurrently diagnosed with AIDS and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. The date of diagnosis is unrelated to the timing of initial HIV infection or disease acquisition.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (FPHC)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as “pediatric” if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient

- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined risk category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus a portion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e., HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record reviews, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and from the Social Security Death Master File and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. For cases diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In some counties prisoners make up a significant but shifting proportion of new diagnoses and living cases, and the local HIV burden is better represented by removing prisoner cases from the tabulations. The County Reports present HIV surveillance data both including and excluding prisoners. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2011 and diagnosed with AIDS in Monroe County in 2013, would be included among living HIV cases in Albany County in the County Report for December 2012.

Guide to the Tables

There are two types of tables in the County Reports. Summary tables contain one row for each of the 56 counties (all NYS counties, excluding the five boroughs of New York City and Hamilton County.) The summary tables present newly diagnosed HIV cases by type and year of diagnosis, and HIV and AIDS cases by year of diagnosis and year of death among HIV and AIDS cases. The county detail tables present demographic and risk breakouts for new and living HIV and AIDS cases, as well as deaths among HIV and AIDS cases.

The tables of newly diagnosed cases and deaths present 3-year averages. Case counts in smaller counties may show great variation across years; the 3-year average is more stable and representative than any one year.

Guide to the Tables

Summary Table A

*New York State Excluding New York City**Summary Table A**Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County**Excludes State Prison Inmates*

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	Case Rate ³	%	%
Albany	30.7	.	.	.
Allegany	1.3	.	.	.
Broome	9.0	.	.	.
Cattaraugus	2.0	.	.	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January 2010-December 2012), and those AIDS diagnoses will be reported in the AIDS diagnosis tables (Summary Table B, County Tables 2A, 2B, 3).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis. For counties where the 3-year total of each of the subcategories (Concurrent HIV/AIDS, Other Late and Other) is at least 3 cases, the sub-category averages are displayed.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis *within a month* of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis *2 to 12 months after* the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis *more than 12 months after* the HIV diagnosis date.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population (i.e. Case rate=new diagnoses divided by the county population x 100,000. County populations are shown on Table 1A of each of the individual counties.)

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS *within one month* of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS *within twelve months* of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

Detail Table 1A

Albany County Table 1A

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		463	100.0	151.6	557	100.0	182.4	1,020	100.0	333.9	305,455
Sex at Birth	Male	306	66.1	.	372	66.8	.	678	66.5	.	.
	Female	157	33.9	.	185	33.2	.	342	33.5	.	.
Current Age	12 & under	6	1.3	.	0	0.0	.	6	0.6	.	.
	13-19	5	1.1	.	2	0.4	.	7	0.7	.	.
	20-24	24	5.2	.	7	1.3	.	31	3.0	.	.

Living HIV/AIDS Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2012).

These are summed to produce a total count of people living with HIV and AIDS.

Prevalence Rate: The number of living cases per 100,000 population. Rates are not presented for population sub-groups because in most cases the numbers are too small to be statistically meaningful.

Area Population: Estimated population in 2012. Source: U.S. Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race and Hispanic Origin, 2012.

Guide to the Tables

Detail Table 2A

Albany County Table 2A

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012

by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		30.7	100.0	10.0	22.0	100.0	7.2	2.3	100.0	12.0	100.0	14.3	100.0
Sex at Birth	Male	22.7	73.9	.	14.0	63.6	.	2.0	85.7	9.3	77.8	11.3	79.1
	Female	8.0	26.1	.	8.0	36.4	.	0.3	14.3	2.7	22.2	3.0	20.9
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.3	.	0.3	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.3	10.9	.	1.0	4.5	.	0.0	0.0	0.3	2.8	0.3	2.3

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period, and those AIDS diagnoses will be reported in the AIDS diagnosis column.

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to Summary Table A).

Deaths Among HIV Cases, AIDS Cases and Deaths Among HIV and AIDS Cases: In each instance, the annual average of the referenced reporting period (in this case 2010-2012) is reported.

Note: For population subgroups that did not have any HIV or AIDS diagnoses or deaths in the reporting period, no line appears in the table.

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Excludes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Albany	30.7	10.0	.	.
Allegany	1.3	2.8	.	.
Broome	9.0	4.5	.	.
Cattaraugus	2.0	2.5	.	.
Cayuga	4.3	5.4	.	.
Chautauqua	6.0	4.5	.	.
Chemung	4.3	4.9	.	.
Chenango	1.7	3.3	.	.
Clinton	1.3	1.6	.	.
Columbia	2.3	3.7	.	.
Cortland	2.3	4.7	.	.
Delaware	2.0	4.2	.	.
Dutchess	5.7	1.7	7.3	10.0	17.3	5.8	32.7	42.3
Erie	25.3	4.7	30.0	64.0	94.0	10.2	27.0	31.9
Essex	1.0	2.6	.	.
Franklin	1.0	1.9	.	.
Fulton	3.0	5.5	.	.
Genesee	2.0	3.3	.	.
Greene	1.3	2.7	.	.
Herkimer	3.7	5.7	.	.
Jefferson	4.0	3.3	.	.
Lewis	0.3	1.2	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Excludes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Livingston	1.3	2.1	.	.
Madison	1.0	1.4	.	.
Monroe	18.3	5.0	23.3	51.0	74.3	9.9	24.7	31.4
Montgomery	1.7	3.3	.	.
Nassau	34.7	6.3	41.0	64.3	105.3	7.8	32.9	38.9
Niagara	1.7	1.3	3.0	5.7	8.7	4.0	19.2	34.6
Oneida	11.0	4.7	.	.
Onondaga	9.3	3.0	12.3	30.7	43.0	9.2	21.7	28.7
Ontario	4.0	3.7	.	.
Orange	6.3	1.0	7.3	12.0	19.3	5.2	32.8	37.9
Orleans	3.7	8.6	.	.
Oswego	3.7	3.0	.	.
Otsego	2.0	3.2	.	.
Putnam	5.0	5.0	.	.
Rensselaer	8.7	5.4	.	.
Rockland	6.0	1.0	7.0	14.3	21.3	6.7	28.1	32.8
St Lawrence	2.7	2.4	.	.
Saratoga	3.7	1.7	.	.
Schenectady	2.7	1.7	4.3	7.0	11.3	7.3	23.5	38.2
Schoharie	0.3	1.0	.	.
Schuyler	0.7	3.6	.	.
Seneca	1.0	2.8	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Excludes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Steuben	2.3	2.4	.	.
Suffolk	27.7	5.3	33.0	63.0	96.0	6.4	28.8	34.4
Sullivan	2.7	3.5	.	.
Tioga	1.0	2.0	.	.
Tompkins	4.7	4.6	.	.
Ulster	8.0	4.4	.	.
Warren	2.3	3.6	.	.
Washington	2.3	3.7	.	.
Wayne	4.7	5.0	.	.
Westchester	26.0	5.0	31.0	72.0	103.0	10.7	25.2	30.1
Wyoming	0.3	0.8	.	.
Yates	0.0	0.0	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Excludes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Cumulative
Albany	33	26	32	48	53	76	90	94	69	73	65	54	43	42	41	33	48	42	55	29	38	21	27	20	28	16	22	1,218
Allegany	2	0	0	1	1	1	1	0	1	4	2	0	1	1	0	0	4	1	1	0	1	0	1	3	0	1	2	29
Broome	6	6	10	11	18	24	20	23	18	16	23	22	12	9	10	15	15	14	17	14	25	22	9	16	9	7	8	399
Cattaraugus	3	1	1	2	2	5	4	4	3	2	2	2	2	0	2	1	1	1	3	3	3	5	2	2	0	2	2	60
Cayuga	5	2	2	3	3	3	7	4	4	7	5	3	5	2	4	4	2	5	3	3	3	5	5	2	2	2	2	97
Chautauqua	2	1	2	4	2	4	9	9	8	12	6	3	9	5	6	8	12	3	7	9	5	8	7	7	3	3	3	157
Chemung	5	3	4	9	9	14	12	11	12	13	4	6	3	0	3	3	0	4	3	10	1	3	3	1	4	2	6	148
Chenango	1	0	2	0	1	2	4	2	0	6	3	2	0	1	3	5	6	2	1	3	0	0	2	2	1	2	3	54
Clinton	4	2	1	2	5	5	2	8	2	6	3	1	3	3	1	1	2	1	4	2	2	5	3	1	0	1	1	71
Columbia	5	1	2	4	5	9	14	5	4	10	2	4	2	3	4	2	1	3	5	5	2	3	1	4	2	3	2	107
Cortland	0	2	0	1	0	1	0	2	1	1	1	2	3	0	0	1	5	0	5	0	1	1	1	1	1	0	1	31
Delaware	0	0	1	2	4	1	3	3	3	6	4	1	0	1	0	4	4	4	2	3	1	2	3	0	4	4	2	62
Dutchess	28	28	32	41	47	65	66	104	93	63	66	30	27	36	39	29	24	22	36	24	22	14	17	18	11	10	14	1,006
Erie	43	35	55	82	78	105	121	173	161	161	144	78	85	99	125	95	66	87	69	68	59	84	55	61	54	69	57	2,369
Essex	3	1	4	3	2	1	2	3	2	7	1	1	0	0	1	0	2	1	0	1	1	0	1	0	1	0	3	41
Franklin	1	0	1	1	0	4	1	1	4	4	3	3	0	0	2	3	1	0	2	0	2	1	1	2	1	2	1	41
Fulton	4	0	3	0	2	4	4	1	2	3	1	1	4	3	2	1	1	2	4	1	3	2	4	1	1	3	2	59
Genesee	1	1	1	1	4	3	4	2	4	5	1	1	3	5	2	2	3	1	0	1	0	3	3	2	1	3	1	58
Greene	1	2	3	4	2	5	6	4	4	7	3	3	2	5	2	3	3	7	3	1	2	2	4	1	4	1	2	86
Herkimer	2	0	3	3	1	5	1	2	2	5	3	0	2	1	0	1	0	2	1	5	2	2	0	0	5	3	0	51
Jefferson	1	3	1	3	2	1	7	10	6	4	4	1	3	3	4	2	2	3	0	3	6	4	2	5	8	2	2	92
Lewis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2
Livingston	2	2	6	3	2	5	2	6	7	3	0	2	3	2	1	4	2	2	0	1	2	4	2	1	1	2	1	68
Madison	2	0	1	1	5	4	0	6	0	2	2	3	3	0	4	0	0	0	1	2	1	0	1	1	2	1	2	44
Monroe	61	50	72	79	89	120	161	195	203	201	138	113	80	90	78	111	96	70	81	97	77	89	73	62	43	63	42	2,634
Montgomery	1	2	4	2	1	7	6	4	8	3	5	5	5	3	2	2	3	2	2	4	2	2	3	0	1	2	2	83
Nassau	253	142	190	226	225	244	294	301	255	296	231	163	149	151	161	155	147	126	118	93	93	95	93	88	79	70	71	4,509
Niagara	6	5	6	14	21	18	17	22	8	15	11	14	10	6	12	11	5	11	8	11	7	7	8	2	4	8	4	271
Oneida	11	6	10	12	24	21	34	39	20	23	21	17	14	19	14	5	10	15	13	13	7	11	13	12	4	5	10	403
Onondaga	46	24	33	42	49	58	119	110	76	78	83	54	32	43	73	39	37	40	31	37	27	36	35	26	19	31	25	1,303
Ontario	1	1	2	2	2	1	4	6	6	6	2	1	7	1	0	4	4	4	2	4	4	1	1	3	1	1	2	73

¹ Data as of April 2014

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Excludes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Cumulative
Orange	32	30	36	53	72	88	89	93	109	74	54	59	36	46	48	40	42	56	41	41	28	28	30	28	18	20	16	1,307
Orleans	0	0	0	0	4	3	2	0	5	4	3	4	1	0	2	0	3	3	2	2	1	3	2	1	2	3	3	53
Oswego	4	0	4	8	2	4	9	5	3	7	4	6	2	6	1	1	8	1	4	7	4	1	0	3	7	3	3	107
Otsego	1	1	3	10	2	4	5	5	2	6	6	2	1	2	4	0	2	5	2	5	2	1	1	2	1	1	1	77
Putnam	9	8	10	7	9	12	16	11	12	17	11	6	10	10	4	5	2	4	2	1	5	8	3	3	6	2	4	197
Rensselaer	5	5	6	13	13	20	28	19	20	21	19	4	8	12	12	6	15	14	15	7	10	11	7	3	9	5	5	312
Rockland	51	28	29	46	30	52	90	79	64	56	54	35	41	28	44	38	26	25	29	42	24	19	17	19	13	14	15	1,008
St Lawrence	3	2	0	4	3	5	5	2	3	1	3	1	8	5	6	3	3	5	4	3	2	4	1	4	0	1	3	84
Saratoga	6	5	3	8	12	15	14	14	15	12	8	10	7	7	5	7	6	13	10	10	4	5	1	3	4	8	2	214
Schenectady	24	5	8	16	26	27	19	26	35	36	22	25	23	11	22	13	17	16	20	17	20	11	8	4	14	10	7	482
Schoharie	2	0	1	1	3	4	3	6	4	2	1	0	0	3	0	0	0	1	1	0	2	1	2	2	0	0	1	40
Schuyler	0	1	0	1	2	1	1	3	1	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	1	1	0	15
Seneca	0	1	1	0	1	0	2	1	2	2	2	0	1	0	1	0	0	2	0	2	0	0	2	0	1	0	0	21
Steuben	3	3	4	4	4	5	9	5	3	3	5	3	8	4	3	2	2	2	2	2	1	2	5	2	3	1	1	91
Suffolk	208	147	190	189	212	272	270	335	302	313	250	183	138	137	134	127	117	129	109	101	95	106	103	78	62	76	48	4,431
Sullivan	20	13	23	26	21	31	45	62	49	31	20	13	12	18	12	15	18	12	12	11	9	9	10	4	0	4	1	501
Tioga	1	1	2	1	3	3	1	2	1	4	1	0	0	0	1	2	0	4	1	1	0	1	5	1	1	0	1	38
Tompkins	4	4	5	5	8	7	12	5	10	7	13	7	7	5	4	4	8	3	3	4	4	9	4	4	3	1	0	150
Ulster	14	20	19	37	40	50	46	56	57	51	21	21	20	23	22	25	11	18	19	9	16	8	8	14	5	7	4	641
Warren	4	1	4	2	4	2	5	4	3	7	3	3	5	2	2	4	5	0	4	3	0	3	2	2	4	0	0	78
Washington	2	2	4	1	4	3	3	1	3	3	0	3	0	0	3	2	2	0	2	1	0	1	0	0	2	1	2	45
Wayne	7	1	2	1	5	4	8	7	5	5	6	6	7	2	4	6	3	2	3	3	7	2	2	4	2	5	4	113
Westchester	221	173	191	234	249	296	394	341	350	337	276	224	214	168	187	171	167	168	143	130	119	121	101	91	86	61	66	5,279
Wyoming	0	0	1	0	1	0	0	4	2	1	1	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	15
Yates	0	0	0	1	0	2	1	2	1	2	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	0	13

¹ Data as of April 2014

Summary Table C

HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²

Excludes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	30	47	53	45	49	38	32	35	42	34	29	26	37
Allegany	1	1	3	0	1	2	2	0	1	2	0	2	2
Broome	14	21	13	15	13	16	16	12	8	12	7	11	9
Cattaraugus	0	1	3	3	1	1	3	5	3	2	0	4	2
Cayuga	9	7	3	4	2	5	4	4	2	9	3	7	3
Chautauqua	5	13	11	2	10	14	5	9	9	7	8	6	4
Chemung	4	5	4	5	5	7	6	2	7	2	3	4	6
Chenango	0	2	3	1	1	1	1	0	0	0	0	3	2
Clinton	5	4	3	2	3	2	2	6	3	0	0	2	2
Columbia	2	3	1	5	4	3	5	4	2	4	2	4	1
Cortland	0	1	1	0	0	1	1	3	2	1	2	1	4
Delaware	1	3	7	2	2	0	2	2	4	0	4	1	1
Dutchess	32	33	19	18	29	33	25	17	13	18	13	19	20
Erie	68	90	77	74	87	82	95	99	87	101	98	93	91
Essex	1	1	1	3	1	0	0	0	0	1	2	0	1
Franklin	1	4	0	1	2	0	0	1	0	3	1	1	1
Fulton	3	2	0	3	4	2	0	1	5	1	3	3	3
Genesee	1	5	4	3	0	1	3	3	1	1	3	3	0
Greene	1	6	2	2	3	1	2	5	3	5	0	0	4
Herkimer	1	2	2	3	0	2	1	1	2	0	6	4	1
Jefferson	4	1	3	3	2	3	3	3	3	1	8	2	2
Lewis	0	1	0	1	0	0	0	0	0	0	0	0	1
Livingston	2	0	0	2	1	2	1	2	1	4	2	2	0
Madison	1	2	0	2	1	3	4	0	2	2	1	1	1
Monroe	76	93	110	91	99	78	75	100	87	94	72	87	64
Montgomery	1	2	4	3	2	3	3	1	4	2	2	1	2
Nassau	153	152	126	112	108	115	110	98	134	87	97	116	103
Niagara	7	3	8	9	11	18	9	5	9	6	10	10	6
Oneida	7	8	14	13	15	11	7	11	9	13	13	9	11

¹ *Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

² *Data as of April 2014*

³ *HIV reporting began in June 2000. No earlier data are available*

Summary Table C

HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²

Excludes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Onondaga	26	45	43	56	44	42	33	32	44	29	35	45	49
Ontario	1	4	8	3	3	4	2	5	3	1	4	1	7
Orange	37	39	30	40	35	43	39	32	28	32	23	19	16
Orleans	1	2	1	3	1	2	2	2	0	1	1	7	3
Oswego	1	3	11	4	3	3	3	5	5	6	6	3	2
Otsego	5	4	5	3	2	2	3	3	1	0	4	1	1
Putnam	9	3	3	4	2	3	5	5	2	9	6	4	5
Rensselaer	10	8	14	13	20	10	8	9	15	6	13	7	6
Rockland	28	30	20	26	31	36	31	13	22	19	19	25	20
St Lawrence	5	3	4	4	5	1	2	0	1	2	2	3	3
Saratoga	4	10	4	9	7	7	9	7	5	7	4	5	2
Schenectady	9	18	26	21	24	15	17	12	10	7	12	16	6
Schoharie	0	2	5	1	2	0	1	1	2	0	0	0	1
Schuyler	0	0	0	2	0	1	1	1	0	0	1	0	1
Seneca	2	1	2	2	2	1	0	1	2	0	2	1	0
Steuben	4	4	1	2	1	1	3	2	3	3	3	2	2
Suffolk	87	129	120	143	133	125	109	122	110	106	110	102	76
Sullivan	12	14	11	12	17	7	8	11	8	1	3	3	2
Tioga	1	4	0	2	2	3	1	0	3	1	1	1	1
Tompkins	4	3	10	5	5	6	8	4	6	5	3	4	7
Ulster	10	15	16	18	16	18	20	4	12	10	9	12	3
Warren	2	5	5	3	4	1	1	2	1	2	3	1	3
Washington	1	1	0	2	1	1	2	0	0	1	3	3	1
Wayne	5	7	8	3	4	6	9	3	4	5	5	4	5
Westchester	193	144	139	130	152	111	140	127	127	111	116	97	96
Wyoming	2	0	0	1	0	1	0	0	0	0	0	1	0
Yates	1	0	1	2	1	0	2	0	0	0	0	0	0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Summary Table D1

Deaths¹ Among HIV Cases by County of Residence at Diagnosis and Year of Death²**Excludes State Prison Inmates**

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	2	5	4	3	5	4	4	4	4	0	4	2	1
Allegany	0	0	0	0	0	0	0	0	0	0	0	0	0
Broome	0	1	1	0	3	4	1	1	1	0	1	1	0
Cattaraugus	0	0	0	0	0	0	0	0	0	0	0	1	0
Cayuga	1	1	2	0	0	0	0	0	1	0	2	1	0
Chautauqua	0	0	0	0	1	1	1	1	0	0	1	0	0
Chemung	1	0	1	1	0	0	0	0	1	0	0	0	2
Chenango	0	0	0	0	0	0	0	0	0	0	0	0	0
Clinton	0	0	0	0	0	0	0	1	1	0	0	0	0
Columbia	1	0	0	1	1	1	0	0	0	0	0	0	0
Cortland	0	0	0	0	0	0	0	0	0	0	0	0	0
Delaware	0	0	0	1	1	0	1	1	2	1	0	0	1
Dutchess	0	3	3	3	2	4	2	1	1	4	4	3	6
Erie	1	1	4	7	5	7	7	10	10	9	6	9	7
Essex	0	0	0	0	1	0	0	2	0	0	0	0	0
Franklin	0	0	0	0	1	0	0	0	0	0	0	0	0
Fulton	1	1	0	0	0	1	0	0	1	0	0	0	0
Genesee	0	0	0	0	0	0	0	0	0	0	1	0	0
Greene	0	0	0	0	0	1	0	0	0	0	0	0	0
Herkimer	0	0	0	1	1	1	0	0	0	0	0	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0	0	1	0
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0
Livingston	0	0	0	0	0	1	1	0	0	0	1	0	0
Madison	0	0	0	0	0	0	0	0	0	0	0	0	1
Monroe	1	11	6	6	8	11	9	4	9	6	12	7	7
Montgomery	0	0	0	0	0	0	0	1	0	0	0	0	0
Nassau	4	6	7	7	10	13	8	9	8	6	10	6	1
Niagara	1	0	1	0	0	0	0	1	0	1	1	1	0
Oneida	0	1	0	2	2	1	0	2	0	3	3	0	3
Onondaga	0	2	4	4	4	4	1	4	4	4	2	1	5

¹ Death may be due to causes other than HIV² Data as of April 2014³ HIV reporting began in June 2000. No earlier data are available

Summary Table D1

Deaths¹ Among HIV Cases by County of Residence at Diagnosis and Year of Death²**Excludes State Prison Inmates**

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Ontario	0	0	1	0	0	2	0	0	0	0	0	0	0
Orange	2	2	1	4	7	2	3	0	2	4	0	3	2
Orleans	0	0	0	0	0	0	0	1	0	0	0	0	0
Oswego	0	0	0	0	0	2	0	0	0	0	0	0	0
Otsego	0	0	0	0	0	0	0	0	0	0	0	0	0
Putnam	0	0	0	0	1	0	1	0	0	1	0	0	0
Rensselaer	0	1	0	0	1	3	0	0	2	1	3	1	0
Rockland	0	0	1	4	4	1	2	1	2	1	0	4	3
St Lawrence	0	0	0	0	0	0	1	1	1	0	0	0	0
Saratoga	1	0	2	1	0	1	0	0	0	1	0	0	2
Schenectady	2	2	0	0	3	1	1	0	0	1	1	0	1
Schoharie	0	0	0	0	1	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0
Seneca	0	0	1	0	0	0	0	0	0	0	0	0	0
Steuben	0	0	0	1	1	0	0	1	2	0	0	0	0
Suffolk	2	12	8	11	18	14	9	9	5	10	10	6	5
Sullivan	0	0	0	2	4	1	0	4	0	1	0	3	2
Tioga	0	1	0	0	0	0	0	0	0	0	1	0	0
Tompkins	0	0	0	1	0	0	0	0	0	1	0	1	0
Ulster	0	1	1	1	3	2	2	2	1	2	6	1	1
Warren	0	0	0	0	1	1	0	0	0	0	0	0	0
Washington	0	0	0	0	0	0	0	0	0	0	0	0	0
Wayne	0	0	0	0	1	0	0	1	0	1	0	1	0
Westchester	4	8	8	16	12	13	9	10	11	6	10	4	9
Wyoming	0	0	0	0	0	0	0	0	0	0	0	0	0
Yates	0	0	0	0	0	0	1	0	1	0	0	0	0

¹ Death may be due to causes other than HIV² Data as of April 2014³ HIV reporting began in June 2000. No earlier data are available

Summary Table D2

Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²**Excludes State Prison Inmates**

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	9	13	10	14	22	37	34	49	49	61	49	42	31	25	21	22	21	13	16	20	12	20	16	13	12	19	10	7
Allegany	0	2	0	0	0	1	0	0	1	0	2	3	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Broome	1	4	4	4	6	6	15	15	12	11	18	17	3	6	3	4	7	5	7	11	6	5	6	6	1	6	2	4
Cattaraugus	0	2	1	0	1	2	2	1	1	4	2	3	1	0	2	0	2	1	1	0	0	1	1	0	0	0	0	1
Cayuga	3	0	2	3	2	2	1	4	3	3	5	3	1	0	1	1	0	1	0	1	2	2	2	0	0	1	0	0
Chautauqua	0	2	0	1	4	0	1	1	7	6	7	7	3	2	5	1	1	2	1	5	3	2	2	2	4	4	4	0
Chemung	1	1	2	3	7	6	5	11	8	12	10	8	1	0	1	1	4	4	1	2	1	2	3	2	0	1	2	2
Chenango	0	0	0	2	1	0	0	2	0	1	4	2	0	0	0	1	1	1	0	1	1	2	0	0	0	1	3	0
Clinton	2	2	1	0	1	0	3	6	2	6	2	1	1	2	0	0	2	0	0	0	3	0	1	0	0	0	0	2
Columbia	0	3	1	1	4	2	7	9	5	2	3	5	2	1	1	3	1	2	0	1	0	1	0	0	1	1	1	2
Cortland	0	0	0	0	3	0	0	0	2	0	1	0	0	2	1	0	0	1	2	1	2	0	0	0	0	0	0	0
Delaware	0	0	0	0	1	2	1	2	3	1	1	3	0	1	1	0	2	1	1	0	2	0	0	0	0	2	1	1
Dutchess	6	8	16	23	33	18	37	33	50	59	68	47	23	16	27	15	17	23	16	18	10	16	10	8	11	12	10	4
Erie	16	12	19	19	49	62	70	80	71	114	153	81	49	39	41	47	51	30	50	38	37	36	37	29	35	30	25	30
Essex	3	0	0	1	2	1	1	4	2	1	1	2	2	0	0	0	0	2	0	0	1	1	0	0	0	0	0	0
Franklin	0	0	1	1	1	0	1	1	2	2	2	1	1	0	0	0	1	2	0	1	0	1	0	0	2	0	0	0
Fulton	1	2	0	1	1	0	3	2	1	4	1	0	1	0	1	0	1	0	1	0	1	0	1	1	0	0	1	1
Genesee	0	0	0	1	3	1	3	3	2	2	1	2	0	1	1	0	0	2	0	0	2	1	0	0	1	1	1	1
Greene	1	0	1	2	4	0	1	4	1	5	2	2	1	1	0	5	2	1	0	2	2	1	0	2	2	1	1	1
Herkimer	0	1	0	2	1	1	1	4	3	0	2	2	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1	1
Jefferson	0	0	3	1	0	2	1	3	3	2	7	4	1	2	2	0	1	0	1	2	1	1	2	0	0	0	1	0
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Livingston	0	2	2	1	0	3	2	4	4	1	2	3	1	1	1	1	2	1	0	0	1	0	0	1	2	0	1	0
Madison	0	1	0	1	1	1	2	1	2	2	3	1	1	0	1	0	1	1	0	1	3	0	0	1	0	1	1	1
Monroe	17	17	26	31	46	50	85	94	78	115	123	97	59	46	51	52	38	46	41	53	41	42	40	37	25	27	33	29
Montgomery	1	0	0	1	4	2	1	5	3	5	5	3	1	0	1	3	2	0	3	1	2	0	0	2	3	0	1	1
Nassau	79	69	101	114	149	151	190	193	201	240	226	134	80	68	74	61	68	56	79	56	55	54	61	41	40	43	36	42
Niagara	0	4	3	3	8	10	13	21	11	20	9	6	9	4	2	4	4	1	3	5	13	4	2	4	4	2	3	3
Oneida	3	3	4	5	9	9	11	14	28	20	18	21	10	6	7	9	5	3	6	4	8	1	9	5	4	4	1	5

¹ Death may be due to causes other than AIDS² Data as of April 2014

Summary Table D2

*Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²**Excludes State Prison Inmates*

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Onondaga	18	16	12	24	24	21	34	53	56	79	65	57	19	20	20	24	17	16	14	13	12	19	23	25	18	21	16	12
Ontario	0	0	1	1	1	2	0	2	6	2	3	1	2	1	0	0	1	1	0	0	2	1	0	0	2	2	0	2
Orange	9	11	18	21	40	30	58	60	68	60	83	44	34	23	24	30	17	17	23	21	23	21	18	23	13	11	9	12
Orleans	0	0	0	0	0	0	2	4	2	0	3	2	1	1	1	0	0	1	0	2	3	1	0	0	1	1	0	1
Oswego	0	2	1	0	6	3	4	2	7	2	4	4	0	0	1	1	1	0	4	0	4	1	1	0	3	2	1	1
Otsego	1	0	0	2	3	4	4	3	0	4	6	4	0	0	2	2	0	1	0	2	1	5	1	3	0	0	2	0
Putnam	5	3	5	5	4	7	3	7	15	13	14	6	3	4	1	2	0	2	1	1	1	0	1	1	1	0	3	2
Rensselaer	1	1	4	4	3	8	10	11	17	11	14	12	8	2	5	5	7	4	6	5	7	5	3	4	4	5	7	2
Rockland	19	16	16	17	33	27	20	47	49	48	46	27	15	19	20	13	19	20	22	12	10	10	3	8	11	11	8	11
St Lawrence	1	1	0	1	4	2	3	3	1	4	1	1	0	0	2	1	1	1	0	2	3	1	0	1	1	3	0	0
Saratoga	0	3	5	2	5	3	7	11	7	16	12	4	5	4	1	4	7	3	3	4	3	4	1	2	2	1	0	2
Schenectady	6	10	5	6	9	17	14	21	11	21	16	21	10	11	8	8	6	11	4	8	8	8	7	7	6	5	7	8
Schoharie	1	1	0	0	1	1	3	1	5	2	4	3	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Schuyler	0	0	1	0	0	0	2	1	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Seneca	0	0	0	1	0	1	0	1	2	0	1	2	1	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0
Steuben	0	2	3	3	0	3	3	6	4	3	5	5	1	1	3	0	1	3	0	2	2	0	0	3	1	1	0	0
Suffolk	59	71	81	128	136	142	166	212	198	226	208	157	92	79	75	59	68	72	66	64	78	55	54	41	38	40	44	30
Sullivan	5	4	12	17	19	16	17	26	22	37	43	22	13	6	6	16	10	8	8	4	6	5	1	5	1	4	5	3
Tioga	1	0	0	0	2	2	0	2	4	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
Tompkins	1	2	2	5	2	4	6	5	5	7	4	5	4	3	2	1	2	0	2	2	1	2	0	1	1	2	0	2
Ulster	5	4	9	10	14	23	24	32	36	35	30	36	18	7	8	14	14	10	7	11	6	6	8	11	7	6	10	2
Warren	2	1	2	0	0	5	5	1	1	3	1	4	0	0	0	1	5	0	2	1	3	1	1	3	0	1	1	1
Washington	0	1	1	1	3	1	3	4	3	1	1	1	2	0	0	0	1	0	0	2	1	0	1	0	0	1	0	0
Wayne	3	1	1	2	3	2	4	2	8	5	5	1	0	2	3	0	2	1	1	1	2	1	1	1	1	2	0	1
Westchester	56	75	107	129	157	189	187	226	226	262	260	169	100	102	87	112	66	75	90	70	71	61	66	72	60	65	47	47
Wyoming	0	0	0	1	0	0	1	0	2	2	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	1	0
Yates	0	0	0	0	0	0	2	0	2	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

¹ Death may be due to causes other than AIDS² Data as of April 2014

Summary Table D3

Total Deaths¹ Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death²**Excludes State Prison Inmates**

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	24	26	17	19	25	16	24	20	17	12	23	12	8
Allegany	1	0	0	1	0	0	0	0	0	0	0	0	2
Broome	4	8	6	7	14	10	6	7	7	1	7	3	4
Cattaraugus	0	2	1	1	0	0	1	1	0	0	0	1	1
Cayuga	2	1	3	0	1	2	2	2	1	0	3	1	0
Chautauqua	1	1	2	1	6	4	3	3	2	4	5	4	0
Chemung	2	4	5	2	2	1	2	3	3	0	1	2	4
Chenango	1	1	1	0	1	1	2	0	0	0	1	3	0
Clinton	0	2	0	0	0	3	0	2	1	0	0	0	2
Columbia	4	1	2	1	2	1	1	0	0	1	1	1	2
Cortland	0	0	1	2	1	2	0	0	0	0	0	0	0
Delaware	0	2	1	2	1	2	1	1	2	1	2	1	2
Dutchess	15	20	26	19	20	14	18	11	9	15	16	13	10
Erie	48	52	34	57	43	44	43	47	39	44	36	34	37
Essex	0	0	2	0	1	1	1	2	0	0	0	0	0
Franklin	0	1	2	0	2	0	1	0	0	2	0	0	0
Fulton	1	2	0	1	0	2	0	1	2	0	0	1	1
Genesee	0	0	2	0	0	2	1	0	0	1	2	1	1
Greene	5	2	1	0	2	3	1	0	2	2	1	1	1
Herkimer	0	0	0	2	3	1	0	0	0	0	0	1	1
Jefferson	0	1	0	1	2	1	1	2	0	0	0	2	0
Lewis	0	0	0	0	0	0	0	0	0	1	0	0	0
Livingston	1	2	1	0	0	2	1	0	1	2	1	1	0
Madison	0	1	1	0	1	3	0	0	1	0	1	1	2
Monroe	53	49	52	47	61	52	51	44	46	31	39	40	36
Montgomery	3	2	0	3	1	2	0	1	2	3	0	1	1
Nassau	65	74	63	86	66	68	62	70	49	46	53	42	43
Niagara	5	4	2	3	5	13	4	3	4	5	3	4	3
Oneida	9	6	3	8	6	9	1	11	5	7	7	1	8
Onondaga	24	19	20	18	17	16	20	27	29	22	23	17	17

¹ Death may be due to causes other than HIV infection² Data as of April 2014³ HIV reporting began in June 2000. No earlier data are available

Summary Table D3

Total Deaths¹ Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death²

Excludes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Ontario	0	1	2	0	0	4	1	0	0	2	2	0	2
Orange	32	19	18	27	28	25	24	18	25	17	11	12	14
Orleans	0	0	1	0	2	3	1	1	0	1	1	0	1
Oswego	1	1	0	4	0	6	1	1	0	3	2	1	1
Otsego	2	0	1	0	2	1	5	1	3	0	0	2	0
Putnam	2	0	2	1	2	1	1	1	1	2	0	3	2
Rensselaer	5	8	4	6	6	10	5	3	6	5	8	8	2
Rockland	13	19	21	26	16	11	12	4	10	12	11	12	14
St Lawrence	1	1	1	0	2	3	2	1	2	1	3	0	0
Saratoga	5	7	5	4	4	4	4	1	2	3	1	0	4
Schenectady	10	8	11	4	11	9	9	7	7	7	6	7	9
Schoharie	1	0	0	0	1	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0
Seneca	0	0	3	0	0	0	0	1	0	0	0	0	0
Steuben	0	1	3	1	3	2	0	1	5	1	1	0	0
Suffolk	61	80	80	77	82	92	64	63	46	48	50	50	35
Sullivan	16	10	8	10	8	7	5	5	5	2	4	8	5
Tioga	0	2	1	0	0	0	0	0	0	0	2	0	1
Tompkins	1	2	0	3	2	1	2	0	1	2	2	1	2
Ulster	14	15	11	8	14	8	8	10	12	9	12	11	3
Warren	1	5	0	2	2	4	1	1	3	0	1	1	1
Washington	0	1	0	0	2	1	0	1	0	0	1	0	0
Wayne	0	2	1	1	2	2	1	2	1	2	2	1	1
Westchester	116	74	83	106	82	84	70	76	83	66	75	51	56
Wyoming	0	0	0	1	0	0	0	1	0	0	0	1	0
Yates	0	0	0	0	1	0	1	0	1	0	0	0	0

¹ Death may be due to causes other than HIV infection

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		463	100.0	151.6	557	100.0	182.4	1,020	100.0	333.9	305,455
Sex at Birth	Male	306	66.1	.	372	66.8	.	678	66.5	.	.
	Female	157	33.9	.	185	33.2	.	342	33.5	.	.
Current Age	12 & under	6	1.3	.	0	0.0	.	6	0.6	.	.
	13-19	5	1.1	.	2	0.4	.	7	0.7	.	.
	20-24	24	5.2	.	7	1.3	.	31	3.0	.	.
	25-29	28	6.0	.	9	1.6	.	37	3.6	.	.
	30-39	80	17.3	.	60	10.8	.	140	13.7	.	.
	40-49	151	32.6	.	203	36.4	.	354	34.7	.	.
	50-59	118	25.5	.	192	34.5	.	310	30.4	.	.
	60+	50	10.8	.	84	15.1	.	134	13.1	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	191	41.3	.	182	32.7	.	373	36.6	.	.
	Black	177	38.2	.	212	38.1	.	389	38.1	.	.
	Hispanic	49	10.6	.	90	16.2	.	139	13.6	.	.
	Multi Race	41	8.9	.	68	12.2	.	109	10.7	.	.
	Others	5	1.1	.	5	0.9	.	10	1.0	.	.
Risk	MSM	199	43.0	.	204	36.6	.	403	39.5	.	.
	IDU	49	10.6	.	102	18.3	.	151	14.8	.	.
	MSM/IDU	18	3.9	.	27	4.8	.	45	4.4	.	.
	Heterosexual	92	19.9	.	123	22.1	.	215	21.1	.	.
	Fem Pres Het Cont	51	11.0	.	55	9.9	.	106	10.4	.	.
	Blood Prod	2	0.4	.	0	0.0	.	2	0.2	.	.
	Pediatric Risk	15	3.2	.	9	1.6	.	24	2.4	.	.
	Unk	37	8.0	.	37	6.6	.	74	7.3	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		306	100.0	157	100.0	463	100.0	372	100.0	185	100.0	557	100.0	678	100.0	342	100.0	1,020	100.0
Risk	MSM	199	65.0	0	0.0	199	43.0	204	54.8	0	0.0	204	36.6	403	59.4	0	0.0	403	39.5
	IDU	26	8.5	23	14.6	49	10.6	65	17.5	37	20.0	102	18.3	91	13.4	60	17.5	151	14.8
	MSM/IDU	18	5.9	0	0.0	18	3.9	27	7.3	0	0.0	27	4.8	45	6.6	0	0.0	45	4.4
	Heterosexual	17	5.6	75	47.8	92	19.9	34	9.1	89	48.1	123	22.1	51	7.5	164	48.0	215	21.1
	Fem Pres Het Cont	0	0.0	51	32.5	51	11.0	0	0.0	55	29.7	55	9.9	0	0.0	106	31.0	106	10.4
	Blood Prod	2	0.7	0	0.0	2	0.4	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	2	0.2
	Pediatric Risk	7	2.3	8	5.1	15	3.2	5	1.3	4	2.2	9	1.6	12	1.8	12	3.5	24	2.4
	Unk	37	12.1	0	0.0	37	8.0	37	9.9	0	0.0	37	6.6	74	10.9	0	0.0	74	7.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		30.7	100.0	10.0	22.0	100.0	7.2	2.3	100.0	12.0	100.0	14.3	100.0
Sex at Birth	Male	22.7	73.9	.	14.0	63.6	.	2.0	85.7	9.3	77.8	11.3	79.1
	Female	8.0	26.1	.	8.0	36.4	.	0.3	14.3	2.7	22.2	3.0	20.9
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.3	.	0.3	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.3	10.9	.	1.0	4.5	.	0.0	0.0	0.3	2.8	0.3	2.3
	25-29	4.0	13.0	.	1.0	4.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	8.0	26.1	.	5.7	25.8	.	0.0	0.0	1.0	8.3	1.0	7.0
	40-49	7.7	25.0	.	9.3	42.4	.	0.3	14.3	2.3	19.4	2.7	18.6
	50-59	4.0	13.0	.	2.7	12.1	.	1.0	42.9	6.0	50.0	7.0	48.8
	60+	2.7	8.7	.	2.0	9.1	.	1.0	42.9	2.3	19.4	3.3	23.3
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	12.0	39.1	.	4.7	21.2	.	1.0	42.9	3.7	30.6	4.7	32.6
	Black	13.0	42.4	.	11.3	51.5	.	0.3	14.3	5.3	44.4	5.7	39.5
	Hispanic	3.7	12.0	.	3.3	15.2	.	0.7	28.6	1.3	11.1	2.0	14.0
	Multi Race	1.3	4.3	.	2.3	10.6	.	0.3	14.3	1.7	13.9	2.0	14.0
	Others	0.7	2.2	.	0.3	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	16.0	52.2	.	6.7	30.3	.	0.7	28.6	2.7	22.2	3.3	23.3
	IDU	0.7	2.2	.	2.0	9.1	.	0.7	28.6	5.3	44.4	6.0	41.9
	MSM/IDU	1.3	4.3	.	1.3	6.1	.	0.7	28.6	0.3	2.8	1.0	7.0
	Heterosexual	4.3	14.1	.	6.3	28.8	.	0.3	14.3	1.7	13.9	2.0	14.0
	Fem Pres Het Cont	4.3	14.1	.	3.0	13.6	.	0.0	0.0	0.3	2.8	0.3	2.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	3.0	.	0.0	0.0	0.3	2.8	0.3	2.3
	Unk	4.0	13.0	.	2.0	9.1	.	0.0	0.0	1.3	11.1	1.3	9.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		22.7	100.0	8.0	100.0	30.7	100.0	14.0	100.0	8.0	100.0	22.0	100.0
Risk	MSM	16.0	70.6	0.0	0.0	16.0	52.2	6.7	47.6	0.0	0.0	6.7	30.3
	IDU	0.3	1.5	0.3	4.2	0.7	2.2	1.7	11.9	0.3	4.2	2.0	9.1
	MSM/IDU	1.3	5.9	0.0	0.0	1.3	4.3	1.3	9.5	0.0	0.0	1.3	6.1
	Heterosexual	1.0	4.4	3.3	41.7	4.3	14.1	1.7	11.9	4.7	58.3	6.3	28.8
	Fem Pres Het Cont	0.0	0.0	4.3	54.2	4.3	14.1	0.0	0.0	3.0	37.5	3.0	13.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	0.0	0.0	0.7	3.0
	Unk	4.0	17.6	0.0	0.0	4.0	13.0	2.0	14.3	0.0	0.0	2.0	9.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	33	.	22	22
1987	.	26	.	10	10
1988	.	32	.	14	14
1989	.	48	.	22	22
1990	.	53	.	37	37
1991	.	76	.	34	34
1992	.	90	.	49	49
1993	.	94	.	49	49
1994	.	69	.	61	61
1995	.	73	.	49	49
1996	.	65	.	42	42
1997	.	54	.	31	31
1998	.	43	.	25	25
1999	.	42	.	21	21
2000*	30	41	2	22	24
2001	47	33	5	21	26
2002	53	48	4	13	17
2003	45	42	3	16	19
2004	49	55	5	20	25
2005	38	29	4	12	16
2006	32	38	4	20	24
2007	35	21	4	16	20
2008	42	27	4	13	17
2009	34	20	.	12	12
2010	29	28	4	19	23
2011	26	16	2	10	12
2012	37	22	1	7	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		10	100.0	20.7	16	100.0	33.1	26	100.0	53.8	48,357
Sex at Birth	Male	8	80.0	.	11	68.8	.	19	73.1	.	.
	Female	2	20.0	.	5	31.3	.	7	26.9	.	.
Current Age	20-24	1	10.0	.	0	0.0	.	1	3.8	.	.
	25-29	1	10.0	.	1	6.3	.	2	7.7	.	.
	30-39	3	30.0	.	2	12.5	.	5	19.2	.	.
	40-49	1	10.0	.	7	43.8	.	8	30.8	.	.
	50-59	2	20.0	.	6	37.5	.	8	30.8	.	.
	60+	2	20.0	.	0	0.0	.	2	7.7	.	.
Race/Ethnicity	White	9	90.0	.	10	62.5	.	19	73.1	.	.
	Black	0	0.0	.	0	0.0	.	0	0.0	.	.
	Hispanic	0	0.0	.	1	6.3	.	1	3.8	.	.
	Multi Race	1	10.0	.	5	31.3	.	6	23.1	.	.
Risk	MSM	6	60.0	.	8	50.0	.	14	53.8	.	.
	IDU	3	30.0	.	0	0.0	.	3	11.5	.	.
	MSM/IDU	0	0.0	.	1	6.3	.	1	3.8	.	.
	Heterosexual	1	10.0	.	3	18.8	.	4	15.4	.	.
	Fem Pres Het Cont	0	0.0	.	1	6.3	.	1	3.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	6.3	.	1	3.8	.	.
	Unk	0	0.0	.	2	12.5	.	2	7.7	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8	100.0	2	100.0	10	100.0	11	100.0	5	100.0	16	100.0	19	100.0	7	100.0	26	100.0
Risk	MSM	6	75.0	0	0.0	6	60.0	8	72.7	0	0.0	8	50.0	14	73.7	0	0.0	14	53.8
	IDU	2	25.0	1	50.0	3	30.0	0	0.0	0	0.0	0	0.0	2	10.5	1	14.3	3	11.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	9.1	0	0.0	1	6.3	1	5.3	0	0.0	1	3.8
	Heterosexual	0	0.0	1	50.0	1	10.0	0	0.0	3	60.0	3	18.8	0	0.0	4	57.1	4	15.4
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	6.3	0	0.0	1	14.3	1	3.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	6.3	0	0.0	1	14.3	1	3.8
	Unk	0	0.0	0	0.0	0	0.0	2	18.2	0	0.0	2	12.5	2	10.5	0	0.0	2	7.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.8	1.0	100.0	2.1	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	25.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
Risk	MSM	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	100.0	0.7	100.0	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	33.3
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	2	2
1989	.	1	.	.	.
1990	.	1	.	1	1
1991	.	1	.	.	.
1992	.	1	.	.	.
1993	.	.	.	1	1
1994	.	1	.	.	.
1995	.	4	.	2	2
1996	.	2	.	3	3
1998	.	1	.	.	.
1999	.	1	.	.	.
2000*	1	.	.	1	1
2001	1
2002	3	4	.	.	.
2003	.	1	.	1	1
2004	1	1	.	.	.
2005	2
2006	2	1	.	.	.
2008	1	1	.	.	.
2009	2	3	.	.	.
2011	2	1	.	.	.
2012	2	2	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		145	100.0	73.2	205	100.0	103.5	350	100.0	176.7	198,060
Sex at Birth	Male	89	61.4	.	140	68.3	.	229	65.4	.	.
	Female	56	38.6	.	65	31.7	.	121	34.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	4	2.8	.	0	0.0	.	4	1.1	.	.
	20-24	5	3.4	.	4	2.0	.	9	2.6	.	.
	25-29	10	6.9	.	8	3.9	.	18	5.1	.	.
	30-39	31	21.4	.	29	14.1	.	60	17.1	.	.
	40-49	42	29.0	.	64	31.2	.	106	30.3	.	.
	50-59	35	24.1	.	73	35.6	.	108	30.9	.	.
	60+	18	12.4	.	27	13.2	.	45	12.9	.	.
Race/Ethnicity	White	74	51.0	.	103	50.2	.	177	50.6	.	.
	Black	37	25.5	.	49	23.9	.	86	24.6	.	.
	Hispanic	23	15.9	.	37	18.0	.	60	17.1	.	.
	Multi Race	10	6.9	.	16	7.8	.	26	7.4	.	.
	Others	1	0.7	.	0	0.0	.	1	0.3	.	.
Risk	MSM	55	37.9	.	72	35.1	.	127	36.3	.	.
	IDU	19	13.1	.	37	18.0	.	56	16.0	.	.
	MSM/IDU	2	1.4	.	13	6.3	.	15	4.3	.	.
	Heterosexual	31	21.4	.	35	17.1	.	66	18.9	.	.
	Fem Pres Het Cont	24	16.6	.	16	7.8	.	40	11.4	.	.
	Blood Prod	1	0.7	.	1	0.5	.	2	0.6	.	.
	Pediatric Risk	3	2.1	.	4	2.0	.	7	2.0	.	.
	Unk	10	6.9	.	27	13.2	.	37	10.6	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		89	100.0	56	100.0	145	100.0	140	100.0	65	100.0	205	100.0	229	100.0	121	100.0	350	100.0
Risk	MSM	55	61.8	0	0.0	55	37.9	72	51.4	0	0.0	72	35.1	127	55.5	0	0.0	127	36.3
	IDU	12	13.5	7	12.5	19	13.1	20	14.3	17	26.2	37	18.0	32	14.0	24	19.8	56	16.0
	MSM/IDU	2	2.2	0	0.0	2	1.4	13	9.3	0	0.0	13	6.3	15	6.6	0	0.0	15	4.3
	Heterosexual	7	7.9	24	42.9	31	21.4	6	4.3	29	44.6	35	17.1	13	5.7	53	43.8	66	18.9
	Fem Pres Het Cont	0	0.0	24	42.9	24	16.6	0	0.0	16	24.6	16	7.8	0	0.0	40	33.1	40	11.4
	Blood Prod	0	0.0	1	1.8	1	0.7	1	0.7	0	0.0	1	0.5	1	0.4	1	0.8	2	0.6
	Pediatric Risk	3	3.4	0	0.0	3	2.1	2	1.4	2	3.1	4	2.0	5	2.2	2	1.7	7	2.0
	Unk	10	11.2	0	0.0	10	6.9	26	18.6	1	1.5	27	13.2	36	15.7	1	0.8	37	10.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		9.0	100.0	4.5	8.0	100.0	4.0	0.7	100.0	4.0	100.0	4.7	100.0
Sex at Birth	Male	6.7	74.1	.	4.7	58.3	.	0.3	50.0	3.0	75.0	3.3	71.4
	Female	2.3	25.9	.	3.3	41.7	.	0.3	50.0	1.0	25.0	1.3	28.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.7	.	0.3	4.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.0	22.2	.	0.7	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	14.8	.	0.3	4.2	.	0.3	50.0	0.0	0.0	0.3	7.1
	30-39	2.3	25.9	.	1.3	16.7	.	0.0	0.0	0.3	8.3	0.3	7.1
	40-49	1.3	14.8	.	3.3	41.7	.	0.3	50.0	0.3	8.3	0.7	14.3
	50-59	1.3	14.8	.	2.0	25.0	.	0.0	0.0	2.3	58.3	2.3	50.0
	60+	0.3	3.7	.	0.0	0.0	.	0.0	0.0	1.0	25.0	1.0	21.4
Race/Ethnicity	White	4.7	51.9	.	4.3	54.2	.	0.7	100.0	2.0	50.0	2.7	57.1
	Black	3.0	33.3	.	2.7	33.3	.	0.0	0.0	0.3	8.3	0.3	7.1
	Hispanic	0.7	7.4	.	0.7	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.7	7.4	.	0.3	4.2	.	0.0	0.0	1.7	41.7	1.7	35.7
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.7	51.9	.	2.7	33.3	.	0.3	50.0	0.7	16.7	1.0	21.4
	IDU	0.0	0.0	.	1.7	20.8	.	0.0	0.0	1.0	25.0	1.0	21.4
	MSM/IDU	0.3	3.7	.	0.0	0.0	.	0.0	0.0	0.3	8.3	0.3	7.1
	Heterosexual	2.7	29.6	.	2.7	33.3	.	0.0	0.0	0.3	8.3	0.3	7.1
	Fem Pres Het Cont	0.7	7.4	.	0.0	0.0	.	0.3	50.0	0.7	16.7	1.0	21.4
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	4.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	7.4	.	0.7	8.3	.	0.0	0.0	1.0	25.0	1.0	21.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.7	100.0	2.3	100.0	9.0	100.0	4.7	100.0	3.3	100.0	8.0	100.0
Risk	MSM	4.7	70.0	0.0	0.0	4.7	51.9	2.7	57.1	0.0	0.0	2.7	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	14.3	1.0	30.0	1.7	20.8
	MSM/IDU	0.3	5.0	0.0	0.0	0.3	3.7	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	15.0	1.7	71.4	2.7	29.6	0.7	14.3	2.0	60.0	2.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.7	28.6	0.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.3	4.2
	Unk	0.7	10.0	0.0	0.0	0.7	7.4	0.7	14.3	0.0	0.0	0.7	8.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	6	.	5	5
1987	.	6	.	4	4
1988	.	10	.	4	4
1989	.	11	.	6	6
1990	.	18	.	6	6
1991	.	24	.	15	15
1992	.	20	.	15	15
1993	.	23	.	12	12
1994	.	18	.	11	11
1995	.	16	.	18	18
1996	.	23	.	17	17
1997	.	22	.	3	3
1998	.	12	.	6	6
1999	.	9	.	3	3
2000*	14	10	.	4	4
2001	21	15	1	7	8
2002	13	15	1	5	6
2003	15	14	.	7	7
2004	13	17	3	11	14
2005	16	14	4	6	10
2006	16	25	1	5	6
2007	12	22	1	6	7
2008	8	9	1	6	7
2009	12	16	.	1	1
2010	7	9	1	6	7
2011	11	7	1	2	3
2012	9	8	.	4	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		21	100.0	26.4	31	100.0	39.0	52	100.0	65.4	79,458
Sex at Birth	Male	11	52.4	.	25	80.6	.	36	69.2	.	.
	Female	10	47.6	.	6	19.4	.	16	30.8	.	.
Current Age	20-24	2	9.5	.	0	0.0	.	2	3.8	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	6	28.6	.	6	19.4	.	12	23.1	.	.
	40-49	6	28.6	.	15	48.4	.	21	40.4	.	.
	50-59	2	9.5	.	8	25.8	.	10	19.2	.	.
	60+	5	23.8	.	2	6.5	.	7	13.5	.	.
Race/Ethnicity	White	18	85.7	.	23	74.2	.	41	78.8	.	.
	Black	1	4.8	.	2	6.5	.	3	5.8	.	.
	Hispanic	1	4.8	.	1	3.2	.	2	3.8	.	.
	Multi Race	1	4.8	.	4	12.9	.	5	9.6	.	.
	Others	0	0.0	.	1	3.2	.	1	1.9	.	.
Risk	MSM	9	42.9	.	15	48.4	.	24	46.2	.	.
	IDU	0	0.0	.	3	9.7	.	3	5.8	.	.
	MSM/IDU	1	4.8	.	3	9.7	.	4	7.7	.	.
	Heterosexual	10	47.6	.	5	16.1	.	15	28.8	.	.
	Fem Pres Het Cont	1	4.8	.	3	9.7	.	4	7.7	.	.
	Blood Prod	0	0.0	.	1	3.2	.	1	1.9	.	.
	Unk	0	0.0	.	1	3.2	.	1	1.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	10	100.0	21	100.0	25	100.0	6	100.0	31	100.0	36	100.0	16	100.0	52	100.0
Risk	MSM	9	81.8	0	0.0	9	42.9	15	60.0	0	0.0	15	48.4	24	66.7	0	0.0	24	46.2
	IDU	0	0.0	0	0.0	0	0.0	3	12.0	0	0.0	3	9.7	3	8.3	0	0.0	3	5.8
	MSM/IDU	1	9.1	0	0.0	1	4.8	3	12.0	0	0.0	3	9.7	4	11.1	0	0.0	4	7.7
	Heterosexual	1	9.1	9	90.0	10	47.6	2	8.0	3	50.0	5	16.1	3	8.3	12	75.0	15	28.8
	Fem Pres Het Cont	0	0.0	1	10.0	1	4.8	0	0.0	3	50.0	3	9.7	0	0.0	4	25.0	4	7.7
	Blood Prod	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0	1	3.2	1	2.8	0	0.0	1	1.9
	Unk	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0	1	3.2	1	2.8	0	0.0	1	1.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	2.5	1.3	100.0	1.7	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	1.7	83.3	.	1.0	75.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	Female	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.3	100.0	0.3	50.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	33.3	.	0.7	50.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	50-59	0.3	16.7	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.3	66.7	.	1.0	75.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	83.3	.	1.0	75.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	Fem Pres Het Cont	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	83.3	1.0	100.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	16.7	0.0	0.0	0.3	100.0	0.3	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	3	.	2	2
1987	.	1	.	1	1
1988	.	1	.	.	.
1989	.	2	.	1	1
1990	.	2	.	2	2
1991	.	5	.	2	2
1992	.	4	.	1	1
1993	.	4	.	1	1
1994	.	3	.	4	4
1995	.	2	.	2	2
1996	.	2	.	3	3
1997	.	2	.	1	1
1998	.	2	.	.	.
1999	.	.	.	2	2
2000*	.	2	.	.	.
2001	1	1	.	2	2
2002	3	1	.	1	1
2003	3	1	.	1	1
2004	1	3	.	.	.
2005	1	3	.	.	.
2006	3	3	.	1	1
2007	5	5	.	1	1
2008	3	2	.	.	.
2009	2	2	.	.	.
2011	4	2	1	.	1
2012	2	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		40	100.0	50.3	55	100.0	69.1	95	100.0	119.4	79,552
Sex at Birth	Male	28	70.0	.	40	72.7	.	68	71.6	.	.
	Female	12	30.0	.	15	27.3	.	27	28.4	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	5	12.5	.	1	1.8	.	6	6.3	.	.
	25-29	3	7.5	.	0	0.0	.	3	3.2	.	.
	30-39	10	25.0	.	0	0.0	.	10	10.5	.	.
	40-49	12	30.0	.	21	38.2	.	33	34.7	.	.
	50-59	7	17.5	.	22	40.0	.	29	30.5	.	.
	60+	3	7.5	.	11	20.0	.	14	14.7	.	.
Race/Ethnicity	White	31	77.5	.	32	58.2	.	63	66.3	.	.
	Black	6	15.0	.	17	30.9	.	23	24.2	.	.
	Hispanic	2	5.0	.	3	5.5	.	5	5.3	.	.
	Multi Race	1	2.5	.	3	5.5	.	4	4.2	.	.
Risk	MSM	22	55.0	.	19	34.5	.	41	43.2	.	.
	IDU	1	2.5	.	6	10.9	.	7	7.4	.	.
	MSM/IDU	3	7.5	.	3	5.5	.	6	6.3	.	.
	Heterosexual	7	17.5	.	14	25.5	.	21	22.1	.	.
	Fem Pres Het Cont	4	10.0	.	3	5.5	.	7	7.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.5	.	0	0.0	.	1	1.1	.	.
	Unk	2	5.0	.	10	18.2	.	12	12.6	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		28	100.0	12	100.0	40	100.0	40	100.0	15	100.0	55	100.0	68	100.0	27	100.0	95	100.0
Risk	MSM	22	78.6	0	0.0	22	55.0	19	47.5	0	0.0	19	34.5	41	60.3	0	0.0	41	43.2
	IDU	0	0.0	1	8.3	1	2.5	4	10.0	2	13.3	6	10.9	4	5.9	3	11.1	7	7.4
	MSM/IDU	3	10.7	0	0.0	3	7.5	3	7.5	0	0.0	3	5.5	6	8.8	0	0.0	6	6.3
	Heterosexual	0	0.0	7	58.3	7	17.5	4	10.0	10	66.7	14	25.5	4	5.9	17	63.0	21	22.1
	Fem Pres Het Cont	0	0.0	4	33.3	4	10.0	0	0.0	3	20.0	3	5.5	0	0.0	7	25.9	7	7.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.6	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	1	1.1
	Unk	2	7.1	0	0.0	2	5.0	10	25.0	0	0.0	10	18.2	12	17.6	0	0.0	12	12.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.3	100.0	5.4	2.0	100.0	2.5	1.0	100.0	0.3	100.0	1.3	100.0
Sex at Birth	Male	3.3	76.9	.	0.7	33.3	.	0.7	66.7	0.0	0.0	0.7	50.0
	Female	1.0	23.1	.	1.3	66.7	.	0.3	33.3	0.3	100.0	0.7	50.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	38.5	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.7	38.5	.	0.3	16.7	.	0.3	33.3	0.0	0.0	0.3	25.0
	50-59	0.7	15.4	.	0.7	33.3	.	0.3	33.3	0.0	0.0	0.3	25.0
	60+	0.0	0.0	.	0.7	33.3	.	0.3	33.3	0.3	100.0	0.7	50.0
Race/Ethnicity	White	3.7	84.6	.	1.7	83.3	.	0.3	33.3	0.3	100.0	0.7	50.0
	Black	0.7	15.4	.	0.3	16.7	.	0.3	33.3	0.0	0.0	0.3	25.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	25.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	61.5	.	0.7	33.3	.	0.3	33.3	0.0	0.0	0.3	25.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	25.0
	MSM/IDU	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	15.4	.	1.0	50.0	.	0.3	33.3	0.3	100.0	0.7	50.0
	Fem Pres Het Cont	0.3	7.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	1.0	100.0	4.3	100.0	0.7	100.0	1.3	100.0	2.0	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	61.5	0.7	100.0	0.0	0.0	0.7	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	10.0	0.0	0.0	0.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	66.7	0.7	15.4	0.0	0.0	1.0	75.0	1.0	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	7.7	0.0	0.0	0.3	25.0	0.3	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	10.0	0.0	0.0	0.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	5	.	3	3
1987	.	2	.	2	2
1988	.	2	.	3	3
1989	.	3	.	2	2
1990	.	3	.	2	2
1991	.	3	.	1	1
1992	.	7	.	4	4
1993	.	4	.	3	3
1994	.	4	.	3	3
1995	.	7	.	5	5
1996	.	5	.	3	3
1997	.	3	.	1	1
1998	.	5	.	.	.
1999	.	2	.	1	1
2000*	9	4	1	1	2
2001	7	4	1	.	1
2002	3	2	2	1	3
2003	4	5	.	.	.
2004	2	3	.	1	1
2005	5	3	.	2	2
2006	4	3	.	2	2
2007	4	5	.	2	2
2008	2	5	1	.	1
2009	9	2	.	.	.
2010	3	2	2	1	3
2011	7	2	1	.	1
2012	3	2	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		91	100.0	68.1	81	100.0	60.7	172	100.0	128.8	133,539
Sex at Birth	Male	58	63.7	.	58	71.6	.	116	67.4	.	.
	Female	33	36.3	.	23	28.4	.	56	32.6	.	.
Current Age	12 & under	1	1.1	.	0	0.0	.	1	0.6	.	.
	13-19	2	2.2	.	0	0.0	.	2	1.2	.	.
	20-24	4	4.4	.	2	2.5	.	6	3.5	.	.
	25-29	11	12.1	.	3	3.7	.	14	8.1	.	.
	30-39	19	20.9	.	14	17.3	.	33	19.2	.	.
	40-49	28	30.8	.	29	35.8	.	57	33.1	.	.
	50-59	22	24.2	.	17	21.0	.	39	22.7	.	.
	60+	4	4.4	.	16	19.8	.	20	11.6	.	.
Race/Ethnicity	White	50	54.9	.	43	53.1	.	93	54.1	.	.
	Black	7	7.7	.	10	12.3	.	17	9.9	.	.
	Hispanic	30	33.0	.	20	24.7	.	50	29.1	.	.
	Multi Race	4	4.4	.	8	9.9	.	12	7.0	.	.
Risk	MSM	38	41.8	.	38	46.9	.	76	44.2	.	.
	IDU	9	9.9	.	10	12.3	.	19	11.0	.	.
	MSM/IDU	4	4.4	.	9	11.1	.	13	7.6	.	.
	Heterosexual	28	30.8	.	19	23.5	.	47	27.3	.	.
	Fem Pres Het Cont	5	5.5	.	2	2.5	.	7	4.1	.	.
	Blood Prod	0	0.0	.	1	1.2	.	1	0.6	.	.
	Pediatric Risk	4	4.4	.	0	0.0	.	4	2.3	.	.
	Unk	3	3.3	.	2	2.5	.	5	2.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		58	100.0	33	100.0	91	100.0	58	100.0	23	100.0	81	100.0	116	100.0	56	100.0	172	100.0
Risk	MSM	38	65.5	0	0.0	38	41.8	38	65.5	0	0.0	38	46.9	76	65.5	0	0.0	76	44.2
	IDU	5	8.6	4	12.1	9	9.9	7	12.1	3	13.0	10	12.3	12	10.3	7	12.5	19	11.0
	MSM/IDU	4	6.9	0	0.0	4	4.4	9	15.5	0	0.0	9	11.1	13	11.2	0	0.0	13	7.6
	Heterosexual	5	8.6	23	69.7	28	30.8	1	1.7	18	78.3	19	23.5	6	5.2	41	73.2	47	27.3
	Fem Pres Het Cont	0	0.0	5	15.2	5	5.5	0	0.0	2	8.7	2	2.5	0	0.0	7	12.5	7	4.1
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	1.2	1	0.9	0	0.0	1	0.6
	Pediatric Risk	3	5.2	1	3.0	4	4.4	0	0.0	0	0.0	0	0.0	3	2.6	1	1.8	4	2.3
	Unk	3	5.2	0	0.0	3	3.3	2	3.4	0	0.0	2	2.5	5	4.3	0	0.0	5	2.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		6.0	100.0	4.5	3.0	100.0	2.2	0.3	100.0	2.7	100.0	3.0	100.0
Sex at Birth	Male	4.7	77.8	.	1.7	55.6	.	0.3	100.0	2.0	75.0	2.3	77.8
	Female	1.3	22.2	.	1.3	44.4	.	0.0	0.0	0.7	25.0	0.7	22.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	27.8	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	11.1	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	11.1	.	0.0	0.0	.	0.0	0.0	0.3	12.5	0.3	11.1
	40-49	2.3	38.9	.	1.3	44.4	.	0.0	0.0	1.0	37.5	1.0	33.3
	50-59	0.7	11.1	.	0.7	22.2	.	0.3	100.0	1.3	50.0	1.7	55.6
	60+	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.7	61.1	.	1.7	55.6	.	0.3	100.0	1.7	62.5	2.0	66.7
	Black	0.7	11.1	.	0.3	11.1	.	0.0	0.0	0.3	12.5	0.3	11.1
	Hispanic	1.7	27.8	.	1.0	33.3	.	0.0	0.0	0.7	25.0	0.7	22.2
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	50.0	.	1.3	44.4	.	0.0	0.0	1.7	62.5	1.7	55.6
	IDU	1.0	16.7	.	0.3	11.1	.	0.0	0.0	0.3	12.5	0.3	11.1
	MSM/IDU	0.7	11.1	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	11.1	.	1.0	33.3	.	0.0	0.0	0.7	25.0	0.7	22.2
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	5.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	5.6	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	11.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

*by Sex at Birth and Risk
Excludes State Prison Inmates*

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	1.3	100.0	6.0	100.0	1.7	100.0	1.3	100.0	3.0	100.0
Risk	MSM	3.0	64.3	0.0	0.0	3.0	50.0	1.3	80.0	0.0	0.0	1.3	44.4
	IDU	0.3	7.1	0.7	50.0	1.0	16.7	0.0	0.0	0.3	25.0	0.3	11.1
	MSM/IDU	0.7	14.3	0.0	0.0	0.7	11.1	0.3	20.0	0.0	0.0	0.3	11.1
	Heterosexual	0.0	0.0	0.7	50.0	0.7	11.1	0.0	0.0	1.0	75.0	1.0	33.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	7.1	0.0	0.0	0.3	5.6	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.1	0.0	0.0	0.3	5.6	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	2	2
1987	.	1	.	.	.
1988	.	2	.	1	1
1989	.	4	.	4	4
1990	.	2	.	.	.
1991	.	4	.	1	1
1992	.	9	.	1	1
1993	.	9	.	7	7
1994	.	8	.	6	6
1995	.	12	.	7	7
1996	.	6	.	7	7
1997	.	3	.	3	3
1998	.	9	.	2	2
1999	.	5	.	5	5
2000*	5	6	.	1	1
2001	13	8	.	1	1
2002	11	12	.	2	2
2003	2	3	.	1	1
2004	10	7	1	5	6
2005	14	9	1	3	4
2006	5	5	1	2	3
2007	9	8	1	2	3
2008	9	7	.	2	2
2009	7	7	.	4	4
2010	8	3	1	4	5
2011	6	3	.	4	4
2012	4	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		65	100.0	73.1	47	100.0	52.9	112	100.0	126.0	88,911
Sex at Birth	Male	44	67.7	.	35	74.5	.	79	70.5	.	.
	Female	21	32.3	.	12	25.5	.	33	29.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	6	9.2	.	1	2.1	.	7	6.3	.	.
	25-29	3	4.6	.	3	6.4	.	6	5.4	.	.
	30-39	11	16.9	.	9	19.1	.	20	17.9	.	.
	40-49	30	46.2	.	13	27.7	.	43	38.4	.	.
	50-59	9	13.8	.	14	29.8	.	23	20.5	.	.
	60+	5	7.7	.	7	14.9	.	12	10.7	.	.
	Unk	1	1.5	.	0	0.0	.	1	0.9	.	.
Race/Ethnicity	White	42	64.6	.	27	57.4	.	69	61.6	.	.
	Black	12	18.5	.	13	27.7	.	25	22.3	.	.
	Hispanic	6	9.2	.	6	12.8	.	12	10.7	.	.
	Multi Race	5	7.7	.	0	0.0	.	5	4.5	.	.
	Others	0	0.0	.	1	2.1	.	1	0.9	.	.
Risk	MSM	26	40.0	.	17	36.2	.	43	38.4	.	.
	IDU	5	7.7	.	12	25.5	.	17	15.2	.	.
	MSM/IDU	5	7.7	.	1	2.1	.	6	5.4	.	.
	Heterosexual	12	18.5	.	7	14.9	.	19	17.0	.	.
	Fem Pres Het Cont	7	10.8	.	4	8.5	.	11	9.8	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	10	15.4	.	6	12.8	.	16	14.3	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		44	100.0	21	100.0	65	100.0	35	100.0	12	100.0	47	100.0	79	100.0	33	100.0	112	100.0
Risk	MSM	26	59.1	0	0.0	26	40.0	17	48.6	0	0.0	17	36.2	43	54.4	0	0.0	43	38.4
	IDU	2	4.5	3	14.3	5	7.7	8	22.9	4	33.3	12	25.5	10	12.7	7	21.2	17	15.2
	MSM/IDU	5	11.4	0	0.0	5	7.7	1	2.9	0	0.0	1	2.1	6	7.6	0	0.0	6	5.4
	Heterosexual	1	2.3	11	52.4	12	18.5	3	8.6	4	33.3	7	14.9	4	5.1	15	45.5	19	17.0
	Fem Pres Het Cont	0	0.0	7	33.3	7	10.8	0	0.0	4	33.3	4	8.5	0	0.0	11	33.3	11	9.8
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	10	22.7	0	0.0	10	15.4	6	17.1	0	0.0	6	12.8	16	20.3	0	0.0	16	14.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.3	100.0	4.9	4.0	100.0	4.5	0.7	100.0	1.7	100.0	2.3	100.0
Sex at Birth	Male	4.3	100.0	.	3.0	75.0	.	0.7	100.0	1.7	100.0	2.3	100.0
	Female	0.0	0.0	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	30.8	.	0.3	8.3	.	0.3	50.0	0.0	0.0	0.3	14.3
	25-29	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.7	38.5	.	2.0	50.0	.	0.0	0.0	0.3	20.0	0.3	14.3
	40-49	1.0	23.1	.	1.0	25.0	.	0.0	0.0	1.0	60.0	1.0	42.9
	50-59	0.0	0.0	.	0.7	16.7	.	0.3	50.0	0.3	20.0	0.7	28.6
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.0	69.2	.	2.3	58.3	.	0.3	50.0	1.7	100.0	2.0	85.7
	Black	1.3	30.8	.	1.3	33.3	.	0.3	50.0	0.0	0.0	0.3	14.3
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	69.2	.	1.7	41.7	.	0.3	50.0	1.3	80.0	1.7	71.4
	IDU	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	14.3
	MSM/IDU	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	14.3
	Heterosexual	0.3	7.7	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	15.4	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.3	100.0	0.0	0.0	4.3	100.0	3.0	100.0	1.0	100.0	4.0	100.0
Risk	MSM	3.0	69.2	0.0	0.0	3.0	69.2	1.7	55.6	0.0	0.0	1.7	41.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	7.7	0.0	0.0	0.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	7.7	0.0	0.0	0.3	7.7	0.3	11.1	0.0	0.0	0.3	8.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	100.0	1.0	25.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	15.4	0.0	0.0	0.7	15.4	1.0	33.3	0.0	0.0	1.0	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	5	.	2	2
1987	.	3	.	2	2
1988	.	4	.	3	3
1989	.	9	.	7	7
1990	.	9	.	6	6
1991	.	14	.	5	5
1992	.	12	.	11	11
1993	.	11	.	8	8
1994	.	12	.	12	12
1995	.	13	.	10	10
1996	.	4	.	8	8
1997	.	6	.	1	1
1998	.	3	.	.	.
1999	.	.	.	1	1
2000*	4	3	1	1	2
2001	5	3	.	4	4
2002	4	.	1	4	5
2003	5	4	1	1	2
2004	5	3	.	2	2
2005	7	10	.	1	1
2006	6	1	.	2	2
2007	2	3	.	3	3
2008	7	3	1	2	3
2009	2	1	.	.	.
2010	3	4	.	1	1
2011	4	2	.	2	2
2012	6	6	2	2	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk**
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		19	100.0	38.1	33	100.0	66.1	52	100.0	104.1	49,933
Sex at Birth	Male	14	73.7	.	27	81.8	.	41	78.8	.	.
	Female	5	26.3	.	6	18.2	.	11	21.2	.	.
Current Age	20-24	2	10.5	.	1	3.0	.	3	5.8	.	.
	25-29	1	5.3	.	0	0.0	.	1	1.9	.	.
	30-39	2	10.5	.	2	6.1	.	4	7.7	.	.
	40-49	5	26.3	.	11	33.3	.	16	30.8	.	.
	50-59	8	42.1	.	13	39.4	.	21	40.4	.	.
	60+	1	5.3	.	6	18.2	.	7	13.5	.	.
Race/Ethnicity	White	16	84.2	.	25	75.8	.	41	78.8	.	.
	Black	1	5.3	.	2	6.1	.	3	5.8	.	.
	Hispanic	1	5.3	.	3	9.1	.	4	7.7	.	.
	Multi Race	0	0.0	.	3	9.1	.	3	5.8	.	.
	Others	1	5.3	.	0	0.0	.	1	1.9	.	.
Risk	MSM	8	42.1	.	21	63.6	.	29	55.8	.	.
	IDU	5	26.3	.	3	9.1	.	8	15.4	.	.
	MSM/IDU	1	5.3	.	1	3.0	.	2	3.8	.	.
	Heterosexual	1	5.3	.	4	12.1	.	5	9.6	.	.
	Fem Pres Het Cont	0	0.0	.	2	6.1	.	2	3.8	.	.
	Blood Prod	1	5.3	.	0	0.0	.	1	1.9	.	.
	Pediatric Risk	2	10.5	.	0	0.0	.	2	3.8	.	.
	Unk	1	5.3	.	2	6.1	.	3	5.8	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	5	100.0	19	100.0	27	100.0	6	100.0	33	100.0	41	100.0	11	100.0	52	100.0
Risk	MSM	8	57.1	0	0.0	8	42.1	21	77.8	0	0.0	21	63.6	29	70.7	0	0.0	29	55.8
	IDU	3	21.4	2	40.0	5	26.3	2	7.4	1	16.7	3	9.1	5	12.2	3	27.3	8	15.4
	MSM/IDU	1	7.1	0	0.0	1	5.3	1	3.7	0	0.0	1	3.0	2	4.9	0	0.0	2	3.8
	Heterosexual	0	0.0	1	20.0	1	5.3	1	3.7	3	50.0	4	12.1	1	2.4	4	36.4	5	9.6
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	2	6.1	0	0.0	2	18.2	2	3.8
	Blood Prod	1	7.1	0	0.0	1	5.3	0	0.0	0	0.0	0	0.0	1	2.4	0	0.0	1	1.9
	Pediatric Risk	0	0.0	2	40.0	2	10.5	0	0.0	0	0.0	0	0.0	0	0.0	2	18.2	2	3.8
	Unk	1	7.1	0	0.0	1	5.3	2	7.4	0	0.0	2	6.1	3	7.3	0	0.0	3	5.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	3.3	2.0	100.0	4.0	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	1.7	100.0	.	2.0	100.0	.	0.0	0.0	1.0	75.0	1.0	75.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
Age at Diagnosis	20-24	0.7	40.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	40-49	0.3	20.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	20.0	.	1.0	50.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
Race/Ethnicity	White	1.3	80.0	.	2.0	100.0	.	0.0	0.0	1.0	75.0	1.0	75.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	100.0	.	1.0	50.0	.	0.0	0.0	1.0	75.0	1.0	75.0
	IDU	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	25.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.0	0.0	1.7	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	100.0	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
1988	.	2	.	2	2
1989	.	.	.	1	1
1990	.	1	.	.	.
1991	.	2	.	.	.
1992	.	4	.	2	2
1993	.	2	.	.	.
1994	.	.	.	1	1
1995	.	6	.	4	4
1996	.	3	.	2	2
1997	.	2	.	.	.
1999	.	1	.	.	.
2000*	.	3	.	1	1
2001	2	5	.	1	1
2002	3	6	.	1	1
2003	1	2	.	.	.
2004	1	1	.	1	1
2005	1	3	.	1	1
2006	1	.	.	2	2
2008	.	2	.	.	.
2009	.	2	.	.	.
2010	.	1	.	1	1
2011	3	2	.	3	3
2012	2	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		34	100.0	41.6	34	100.0	41.6	68	100.0	83.3	81,654
Sex at Birth	Male	29	85.3	.	27	79.4	.	56	82.4	.	.
	Female	5	14.7	.	7	20.6	.	12	17.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	2.9	.	0	0.0	.	1	1.5	.	.
	20-24	1	2.9	.	0	0.0	.	1	1.5	.	.
	25-29	2	5.9	.	0	0.0	.	2	2.9	.	.
	30-39	4	11.8	.	6	17.6	.	10	14.7	.	.
	40-49	4	11.8	.	12	35.3	.	16	23.5	.	.
	50-59	18	52.9	.	12	35.3	.	30	44.1	.	.
	60+	4	11.8	.	4	11.8	.	8	11.8	.	.
Race/Ethnicity	White	25	73.5	.	25	73.5	.	50	73.5	.	.
	Black	5	14.7	.	1	2.9	.	6	8.8	.	.
	Hispanic	2	5.9	.	5	14.7	.	7	10.3	.	.
	Multi Race	1	2.9	.	3	8.8	.	4	5.9	.	.
	Others	1	2.9	.	0	0.0	.	1	1.5	.	.
Risk	MSM	20	58.8	.	16	47.1	.	36	52.9	.	.
	IDU	1	2.9	.	7	20.6	.	8	11.8	.	.
	MSM/IDU	0	0.0	.	4	11.8	.	4	5.9	.	.
	Heterosexual	3	8.8	.	2	5.9	.	5	7.4	.	.
	Fem Pres Het Cont	2	5.9	.	2	5.9	.	4	5.9	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.9	.	0	0.0	.	1	1.5	.	.
	Unk	7	20.6	.	3	8.8	.	10	14.7	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	5	100.0	34	100.0	27	100.0	7	100.0	34	100.0	56	100.0	12	100.0	68	100.0
Risk	MSM	20	69.0	0	0.0	20	58.8	16	59.3	0	0.0	16	47.1	36	64.3	0	0.0	36	52.9
	IDU	1	3.4	0	0.0	1	2.9	4	14.8	3	42.9	7	20.6	5	8.9	3	25.0	8	11.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	4	14.8	0	0.0	4	11.8	4	7.1	0	0.0	4	5.9
	Heterosexual	0	0.0	3	60.0	3	8.8	0	0.0	2	28.6	2	5.9	0	0.0	5	41.7	5	7.4
	Fem Pres Het Cont	0	0.0	2	40.0	2	5.9	0	0.0	2	28.6	2	5.9	0	0.0	4	33.3	4	5.9
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.4	0	0.0	1	2.9	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	1.5
	Unk	7	24.1	0	0.0	7	20.6	3	11.1	0	0.0	3	8.8	10	17.9	0	0.0	10	14.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	1.6	0.7	100.0	0.8	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	1.0	75.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	50.0	.	0.3	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	75.0	.	0.7	100.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	IDU	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	1.0	100.0	1.3	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	25.0	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	0.3	33.3	0.3	25.0	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	50.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	4	.	4	4
1987	.	2	.	1	1
1988	.	1	.	.	.
1989	.	2	.	1	1
1990	.	5	.	.	.
1991	.	5	.	3	3
1992	.	2	.	6	6
1993	.	8	.	2	2
1994	.	2	.	6	6
1995	.	6	.	2	2
1996	.	3	.	1	1
1997	.	1	.	1	1
1998	.	3	.	2	2
1999	.	3	.	.	.
2000*	5	1	.	.	.
2001	4	1	.	2	2
2002	3	2	.	.	.
2003	2	1	.	.	.
2004	3	4	.	.	.
2005	2	2	.	3	3
2006	2	2	.	.	.
2007	6	5	1	1	2
2008	3	3	1	.	1
2009	.	1	.	.	.
2011	2	1	.	.	.
2012	2	1	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		61	100.0	97.6	55	100.0	88.0	116	100.0	185.6	62,499
Sex at Birth	Male	42	68.9	.	41	74.5	.	83	71.6	.	.
	Female	19	31.1	.	14	25.5	.	33	28.4	.	.
Current Age	12 & under	1	1.6	.	0	0.0	.	1	0.9	.	.
	13-19	2	3.3	.	1	1.8	.	3	2.6	.	.
	20-24	2	3.3	.	2	3.6	.	4	3.4	.	.
	25-29	2	3.3	.	0	0.0	.	2	1.7	.	.
	30-39	8	13.1	.	5	9.1	.	13	11.2	.	.
	40-49	9	14.8	.	19	34.5	.	28	24.1	.	.
	50-59	25	41.0	.	13	23.6	.	38	32.8	.	.
	60+	12	19.7	.	15	27.3	.	27	23.3	.	.
Race/Ethnicity	White	35	57.4	.	32	58.2	.	67	57.8	.	.
	Black	11	18.0	.	6	10.9	.	17	14.7	.	.
	Hispanic	8	13.1	.	15	27.3	.	23	19.8	.	.
	Multi Race	6	9.8	.	2	3.6	.	8	6.9	.	.
	Others	1	1.6	.	0	0.0	.	1	0.9	.	.
Risk	MSM	35	57.4	.	24	43.6	.	59	50.9	.	.
	IDU	4	6.6	.	10	18.2	.	14	12.1	.	.
	MSM/IDU	1	1.6	.	1	1.8	.	2	1.7	.	.
	Heterosexual	8	13.1	.	14	25.5	.	22	19.0	.	.
	Fem Pres Het Cont	9	14.8	.	0	0.0	.	9	7.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	3	4.9	.	1	1.8	.	4	3.4	.	.
	Unk	1	1.6	.	5	9.1	.	6	5.2	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		42	100.0	19	100.0	61	100.0	41	100.0	14	100.0	55	100.0	83	100.0	33	100.0	116	100.0
Risk	MSM	35	83.3	0	0.0	35	57.4	24	58.5	0	0.0	24	43.6	59	71.1	0	0.0	59	50.9
	IDU	3	7.1	1	5.3	4	6.6	7	17.1	3	21.4	10	18.2	10	12.0	4	12.1	14	12.1
	MSM/IDU	1	2.4	0	0.0	1	1.6	1	2.4	0	0.0	1	1.8	2	2.4	0	0.0	2	1.7
	Heterosexual	1	2.4	7	36.8	8	13.1	4	9.8	10	71.4	14	25.5	5	6.0	17	51.5	22	19.0
	Fem Pres Het Cont	0	0.0	9	47.4	9	14.8	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	9	7.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	2.4	2	10.5	3	4.9	0	0.0	1	7.1	1	1.8	1	1.2	3	9.1	4	3.4
	Unk	1	2.4	0	0.0	1	1.6	5	12.2	0	0.0	5	9.1	6	7.2	0	0.0	6	5.2

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.7	2.3	100.0	3.7	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	1.0	42.9	.	1.0	42.9	.	0.0	0.0	1.3	100.0	1.3	100.0
	Female	1.3	57.1	.	1.3	57.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	14.3	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	28.6	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.7	50.0	0.7	50.0
	40-49	0.7	28.6	.	0.7	28.6	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	14.3	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.7	71.4	.	1.7	71.4	.	0.0	0.0	0.3	25.0	0.3	25.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	14.3	.	0.7	28.6	.	0.0	0.0	1.0	75.0	1.0	75.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	14.3	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.3	57.1	.	1.3	57.1	.	0.0	0.0	0.7	50.0	0.7	50.0
	Fem Pres Het Cont	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	.	0.3	14.3	.	0.0	0.0	0.7	50.0	0.7	50.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	1.3	100.0	2.3	100.0	1.0	100.0	1.3	100.0	2.3	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	14.3	0.3	33.3	0.0	0.0	0.3	14.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	1.0	75.0	1.3	57.1	0.3	33.3	1.0	75.0	1.3	57.1
	Fem Pres Het Cont	0.0	0.0	0.3	25.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	14.3
	Unk	0.3	33.3	0.0	0.0	0.3	14.3	0.3	33.3	0.0	0.0	0.3	14.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	5	.	3	3
1987	.	1	.	1	1
1988	.	2	.	1	1
1989	.	4	.	4	4
1990	.	5	.	2	2
1991	.	9	.	7	7
1992	.	14	.	9	9
1993	.	5	.	5	5
1994	.	4	.	2	2
1995	.	10	.	3	3
1996	.	2	.	5	5
1997	.	4	.	2	2
1998	.	2	.	1	1
1999	.	3	.	1	1
2000*	2	4	1	3	4
2001	3	2	.	1	1
2002	1	1	.	2	2
2003	5	3	1	.	1
2004	4	5	1	1	2
2005	3	5	1	.	1
2006	5	2	.	1	1
2007	4	3	.	.	.
2008	2	1	.	.	.
2009	4	4	.	1	1
2010	2	2	.	1	1
2011	4	3	.	1	1
2012	1	2	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		20	100.0	40.4	16	100.0	32.3	36	100.0	72.8	49,474
Sex at Birth	Male	16	80.0	.	12	75.0	.	28	77.8	.	.
	Female	4	20.0	.	4	25.0	.	8	22.2	.	.
Current Age	20-24	3	15.0	.	0	0.0	.	3	8.3	.	.
	25-29	2	10.0	.	1	6.3	.	3	8.3	.	.
	30-39	5	25.0	.	3	18.8	.	8	22.2	.	.
	40-49	3	15.0	.	6	37.5	.	9	25.0	.	.
	50-59	5	25.0	.	3	18.8	.	8	22.2	.	.
	60+	2	10.0	.	3	18.8	.	5	13.9	.	.
Race/Ethnicity	White	16	80.0	.	12	75.0	.	28	77.8	.	.
	Black	1	5.0	.	1	6.3	.	2	5.6	.	.
	Hispanic	1	5.0	.	3	18.8	.	4	11.1	.	.
	Multi Race	2	10.0	.	0	0.0	.	2	5.6	.	.
Risk	MSM	12	60.0	.	7	43.8	.	19	52.8	.	.
	IDU	3	15.0	.	2	12.5	.	5	13.9	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	10.0	.	3	18.8	.	5	13.9	.	.
	Fem Pres Het Cont	2	10.0	.	0	0.0	.	2	5.6	.	.
	Blood Prod	0	0.0	.	1	6.3	.	1	2.8	.	.
	Unk	1	5.0	.	3	18.8	.	4	11.1	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		16	100.0	4	100.0	20	100.0	12	100.0	4	100.0	16	100.0	28	100.0	8	100.0	36	100.0
Risk	MSM	12	75.0	0	0.0	12	60.0	7	58.3	0	0.0	7	43.8	19	67.9	0	0.0	19	52.8
	IDU	2	12.5	1	25.0	3	15.0	1	8.3	1	25.0	2	12.5	3	10.7	2	25.0	5	13.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	6.3	1	25.0	2	10.0	1	8.3	2	50.0	3	18.8	2	7.1	3	37.5	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	10.0	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	1	6.3	0	0.0	1	12.5	1	2.8
	Unk	1	6.3	0	0.0	1	5.0	3	25.0	0	0.0	3	18.8	4	14.3	0	0.0	4	11.1

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.7	0.7	100.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	2.0	85.7	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	14.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	1.7	71.4	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	14.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.3	100.0	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	28.6	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	1.7	83.3	0.0	0.0	1.7	71.4	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.3	16.7	0.3	100.0	0.7	28.6	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1987	.	2	.	.	.
1989	.	1	.	3	3
1991	.	1	.	.	.
1993	.	2	.	2	2
1994	.	1	.	.	.
1995	.	1	.	1	1
1996	.	1	.	.	.
1997	.	2	.	.	.
1998	.	3	.	2	2
1999	.	.	.	1	1
2001	1	1	.	.	.
2002	1	5	.	1	1
2003	.	.	.	2	2
2004	.	5	.	1	1
2005	1	.	.	2	2
2006	1	1	.	.	.
2007	3	1	.	.	.
2008	2	1	.	.	.
2009	1	1	.	.	.
2010	2	1	.	.	.
2011	1
2012	4	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		15	100.0	31.7	37	100.0	78.3	52	100.0	110.0	47,276
Sex at Birth	Male	10	66.7	.	27	73.0	.	37	71.2	.	.
	Female	5	33.3	.	10	27.0	.	15	28.8	.	.
Current Age	20-24	1	6.7	.	1	2.7	.	2	3.8	.	.
	25-29	1	6.7	.	0	0.0	.	1	1.9	.	.
	30-39	0	0.0	.	4	10.8	.	4	7.7	.	.
	40-49	6	40.0	.	10	27.0	.	16	30.8	.	.
	50-59	3	20.0	.	14	37.8	.	17	32.7	.	.
	60+	4	26.7	.	8	21.6	.	12	23.1	.	.
Race/Ethnicity	White	12	80.0	.	22	59.5	.	34	65.4	.	.
	Black	1	6.7	.	5	13.5	.	6	11.5	.	.
	Hispanic	2	13.3	.	4	10.8	.	6	11.5	.	.
	Multi Race	0	0.0	.	5	13.5	.	5	9.6	.	.
	Others	0	0.0	.	1	2.7	.	1	1.9	.	.
Risk	MSM	5	33.3	.	16	43.2	.	21	40.4	.	.
	IDU	2	13.3	.	9	24.3	.	11	21.2	.	.
	MSM/IDU	1	6.7	.	2	5.4	.	3	5.8	.	.
	Heterosexual	4	26.7	.	5	13.5	.	9	17.3	.	.
	Fem Pres Het Cont	0	0.0	.	1	2.7	.	1	1.9	.	.
	Blood Prod	0	0.0	.	1	2.7	.	1	1.9	.	.
	Unk	3	20.0	.	3	8.1	.	6	11.5	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		10	100.0	5	100.0	15	100.0	27	100.0	10	100.0	37	100.0	37	100.0	15	100.0	52	100.0
Risk	MSM	5	50.0	0	0.0	5	33.3	16	59.3	0	0.0	16	43.2	21	56.8	0	0.0	21	40.4
	IDU	0	0.0	2	40.0	2	13.3	5	18.5	4	40.0	9	24.3	5	13.5	6	40.0	11	21.2
	MSM/IDU	1	10.0	0	0.0	1	6.7	2	7.4	0	0.0	2	5.4	3	8.1	0	0.0	3	5.8
	Heterosexual	1	10.0	3	60.0	4	26.7	0	0.0	5	50.0	5	13.5	1	2.7	8	53.3	9	17.3
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	2.7	0	0.0	1	6.7	1	1.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	2.7	1	2.7	0	0.0	1	1.9
	Unk	3	30.0	0	0.0	3	20.0	3	11.1	0	0.0	3	8.1	6	16.2	0	0.0	6	11.5

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	4.2	3.3	100.0	7.1	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.3	66.7	.	2.7	80.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	0.7	33.3	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	16.7	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	40-49	0.3	16.7	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	0.3	16.7	.	1.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	60+	0.7	33.3	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White	1.7	83.3	.	2.0	60.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	16.7	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	33.3	.	1.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	IDU	0.7	33.3	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Fem Pres Het Cont	0.3	16.7	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.7	100.0	2.0	100.0	2.7	100.0	0.7	100.0	3.3	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	33.3	1.7	62.5	0.0	0.0	1.7	50.0
	IDU	0.3	25.0	0.3	50.0	0.7	33.3	0.3	12.5	0.3	50.0	0.7	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	25.0	0.0	0.0	0.3	16.7	0.3	12.5	0.0	0.0	0.3	10.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	16.7	0.0	0.0	0.3	50.0	0.3	10.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.5	0.0	0.0	0.3	10.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1988	.	1	.	.	.
1989	.	2	.	1	1
1990	.	4	.	2	2
1991	.	1	.	1	1
1992	.	3	.	2	2
1993	.	3	.	3	3
1994	.	3	.	1	1
1995	.	6	.	1	1
1996	.	4	.	3	3
1997	.	1	.	.	.
1998	.	.	.	1	1
1999	.	1	.	1	1
2000*	1
2001	3	4	.	2	2
2002	7	4	.	1	1
2003	2	4	1	1	2
2004	2	2	1	.	1
2005	.	3	.	2	2
2006	2	1	1	.	1
2007	2	2	1	.	1
2008	4	3	2	.	2
2009	.	.	1	.	1
2010	4	4	.	2	2
2011	1	4	.	1	1
2012	1	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		248	100.0	83.4	373	100.0	125.5	621	100.0	208.9	297,322
Sex at Birth	Male	155	62.5	.	249	66.8	.	404	65.1	.	.
	Female	93	37.5	.	124	33.2	.	217	34.9	.	.
Current Age	12 & under	2	0.8	.	0	0.0	.	2	0.3	.	.
	13-19	5	2.0	.	2	0.5	.	7	1.1	.	.
	20-24	15	6.0	.	9	2.4	.	24	3.9	.	.
	25-29	16	6.5	.	8	2.1	.	24	3.9	.	.
	30-39	33	13.3	.	35	9.4	.	68	11.0	.	.
	40-49	67	27.0	.	97	26.0	.	164	26.4	.	.
	50-59	81	32.7	.	151	40.5	.	232	37.4	.	.
	60+	29	11.7	.	71	19.0	.	100	16.1	.	.
Race/Ethnicity	White	96	38.7	.	118	31.6	.	214	34.5	.	.
	Black	74	29.8	.	127	34.0	.	201	32.4	.	.
	Hispanic	38	15.3	.	87	23.3	.	125	20.1	.	.
	Multi Race	35	14.1	.	39	10.5	.	74	11.9	.	.
	Others	4	1.6	.	2	0.5	.	6	1.0	.	.
	Unk	1	0.4	.	0	0.0	.	1	0.2	.	.
Risk	MSM	86	34.7	.	99	26.5	.	185	29.8	.	.
	IDU	40	16.1	.	96	25.7	.	136	21.9	.	.
	MSM/IDU	7	2.8	.	17	4.6	.	24	3.9	.	.
	Heterosexual	75	30.2	.	99	26.5	.	174	28.0	.	.
	Fem Pres Het Cont	12	4.8	.	20	5.4	.	32	5.2	.	.
	Blood Prod	0	0.0	.	3	0.8	.	3	0.5	.	.
	Pediatric Risk	13	5.2	.	7	1.9	.	20	3.2	.	.
	Unk	15	6.0	.	32	8.6	.	47	7.6	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		155	100.0	93	100.0	248	100.0	249	100.0	124	100.0	373	100.0	404	100.0	217	100.0	621	100.0
Risk	MSM	86	55.5	0	0.0	86	34.7	99	39.8	0	0.0	99	26.5	185	45.8	0	0.0	185	29.8
	IDU	21	13.5	19	20.4	40	16.1	67	26.9	29	23.4	96	25.7	88	21.8	48	22.1	136	21.9
	MSM/IDU	7	4.5	0	0.0	7	2.8	17	6.8	0	0.0	17	4.6	24	5.9	0	0.0	24	3.9
	Heterosexual	19	12.3	56	60.2	75	30.2	30	12.0	69	55.6	99	26.5	49	12.1	125	57.6	174	28.0
	Fem Pres Het Cont	0	0.0	12	12.9	12	4.8	0	0.0	20	16.1	20	5.4	0	0.0	32	14.7	32	5.2
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.4	2	1.6	3	0.8	1	0.2	2	0.9	3	0.5
	Pediatric Risk	7	4.5	6	6.5	13	5.2	4	1.6	3	2.4	7	1.9	11	2.7	9	4.1	20	3.2
	Unk	15	9.7	0	0.0	15	6.0	31	12.4	1	0.8	32	8.6	46	11.4	1	0.5	47	7.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		17.3	100.0	5.8	11.7	100.0	3.9	4.3	100.0	8.7	100.0	13.0	100.0
Sex at Birth	Male	12.3	71.2	.	8.0	68.6	.	2.0	46.2	6.3	73.1	8.3	64.1
	Female	5.0	28.8	.	3.7	31.4	.	2.3	53.8	2.3	26.9	4.7	35.9
Age at Diagnosis	12 & under	0.3	1.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	1.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.0	17.3	.	1.7	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	2.0	11.5	.	0.7	5.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	3.0	17.3	.	2.7	22.9	.	0.0	0.0	0.3	3.8	0.3	2.6
	40-49	4.3	25.0	.	4.0	34.3	.	1.0	23.1	1.7	19.2	2.7	20.5
	50-59	3.7	21.2	.	2.0	17.1	.	2.7	61.5	5.0	57.7	7.7	59.0
	60+	0.7	3.8	.	0.7	5.7	.	0.7	15.4	1.7	19.2	2.3	17.9
Race/Ethnicity	White	6.3	36.5	.	5.0	42.9	.	1.7	38.5	4.7	53.8	6.3	48.7
	Black	5.0	28.8	.	3.3	28.6	.	2.0	46.2	3.7	42.3	5.7	43.6
	Hispanic	3.0	17.3	.	1.7	14.3	.	0.3	7.7	0.0	0.0	0.3	2.6
	Multi Race	2.3	13.5	.	1.3	11.4	.	0.3	7.7	0.3	3.8	0.7	5.1
	Others	0.7	3.8	.	0.3	2.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	7.7	44.2	.	4.3	37.1	.	0.3	7.7	1.0	11.5	1.3	10.3
	IDU	2.3	13.5	.	2.0	17.1	.	1.3	30.8	5.7	65.4	7.0	53.8
	MSM/IDU	0.3	1.9	.	1.0	8.6	.	0.3	7.7	0.3	3.8	0.7	5.1
	Heterosexual	3.7	21.2	.	2.3	20.0	.	1.0	23.1	1.0	11.5	2.0	15.4
	Fem Pres Het Cont	1.7	9.6	.	1.0	8.6	.	0.7	15.4	0.0	0.0	0.7	5.1
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	1.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	7.7	.	1.0	8.6	.	0.7	15.4	0.7	7.7	1.3	10.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12.3	100.0	5.0	100.0	17.3	100.0	8.0	100.0	3.7	100.0	11.7	100.0
Risk	MSM	7.7	62.2	0.0	0.0	7.7	44.2	4.3	54.2	0.0	0.0	4.3	37.1
	IDU	1.7	13.5	0.7	13.3	2.3	13.5	1.0	12.5	1.0	27.3	2.0	17.1
	MSM/IDU	0.3	2.7	0.0	0.0	0.3	1.9	1.0	12.5	0.0	0.0	1.0	8.6
	Heterosexual	1.0	8.1	2.7	53.3	3.7	21.2	0.7	8.3	1.7	45.5	2.3	20.0
	Fem Pres Het Cont	0.0	0.0	1.7	33.3	1.7	9.6	0.0	0.0	1.0	27.3	1.0	8.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	2.7	0.0	0.0	0.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	10.8	0.0	0.0	1.3	7.7	1.0	12.5	0.0	0.0	1.0	8.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	28	.	14	14
1987	.	28	.	16	16
1988	.	32	.	23	23
1989	.	41	.	33	33
1990	.	47	.	18	18
1991	.	65	.	37	37
1992	.	66	.	33	33
1993	.	104	.	50	50
1994	.	93	.	59	59
1995	.	63	.	68	68
1996	.	66	.	47	47
1997	.	30	.	23	23
1998	.	27	.	16	16
1999	.	36	.	27	27
2000*	32	39	.	15	15
2001	33	29	3	17	20
2002	19	24	3	23	26
2003	18	22	3	16	19
2004	29	36	2	18	20
2005	33	24	4	10	14
2006	25	22	2	16	18
2007	17	14	1	10	11
2008	13	17	1	8	9
2009	18	18	4	11	15
2010	13	11	4	12	16
2011	19	10	3	10	13
2012	20	14	6	4	10

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		908	100.0	98.8	1,032	100.0	112.3	1,940	100.0	211.1	919,086
Sex at Birth	Male	605	66.6	.	706	68.4	.	1,311	67.6	.	.
	Female	303	33.4	.	326	31.6	.	629	32.4	.	.
Current Age	12 & under	8	0.9	.	2	0.2	.	10	0.5	.	.
	13-19	11	1.2	.	4	0.4	.	15	0.8	.	.
	20-24	54	5.9	.	13	1.3	.	67	3.5	.	.
	25-29	81	8.9	.	27	2.6	.	108	5.6	.	.
	30-39	213	23.5	.	129	12.5	.	342	17.6	.	.
	40-49	262	28.9	.	360	34.9	.	622	32.1	.	.
	50-59	202	22.2	.	344	33.3	.	546	28.1	.	.
	60+	77	8.5	.	153	14.8	.	230	11.9	.	.
Race/Ethnicity	White	305	33.6	.	337	32.7	.	642	33.1	.	.
	Black	367	40.4	.	440	42.6	.	807	41.6	.	.
	Hispanic	129	14.2	.	151	14.6	.	280	14.4	.	.
	Multi Race	84	9.3	.	87	8.4	.	171	8.8	.	.
	Others	23	2.5	.	17	1.6	.	40	2.1	.	.
Risk	MSM	415	45.7	.	433	42.0	.	848	43.7	.	.
	IDU	101	11.1	.	159	15.4	.	260	13.4	.	.
	MSM/IDU	31	3.4	.	64	6.2	.	95	4.9	.	.
	Heterosexual	257	28.3	.	305	29.6	.	562	29.0	.	.
	Fem Pres Het Cont	41	4.5	.	26	2.5	.	67	3.5	.	.
	Blood Prod	2	0.2	.	4	0.4	.	6	0.3	.	.
	Pediatric Risk	16	1.8	.	11	1.1	.	27	1.4	.	.
	Unk	45	5.0	.	30	2.9	.	75	3.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		605	100.0	303	100.0	908	100.0	706	100.0	326	100.0	1,032	100.0	1,311	100.0	629	100.0	1,940	100.0
Risk	MSM	415	68.6	0	0.0	415	45.7	433	61.3	0	0.0	433	42.0	848	64.7	0	0.0	848	43.7
	IDU	51	8.4	50	16.5	101	11.1	94	13.3	65	19.9	159	15.4	145	11.1	115	18.3	260	13.4
	MSM/IDU	31	5.1	0	0.0	31	3.4	64	9.1	0	0.0	64	6.2	95	7.2	0	0.0	95	4.9
	Heterosexual	54	8.9	203	67.0	257	28.3	77	10.9	228	69.9	305	29.6	131	10.0	431	68.5	562	29.0
	Fem Pres Het Cont	0	0.0	41	13.5	41	4.5	0	0.0	26	8.0	26	2.5	0	0.0	67	10.7	67	3.5
	Blood Prod	2	0.3	0	0.0	2	0.2	4	0.6	0	0.0	4	0.4	6	0.5	0	0.0	6	0.3
	Pediatric Risk	7	1.2	9	3.0	16	1.8	5	0.7	6	1.8	11	1.1	12	0.9	15	2.4	27	1.4
	Unk	45	7.4	0	0.0	45	5.0	29	4.1	1	0.3	30	2.9	74	5.6	1	0.2	75	3.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		94.0	100.0	10.2	60.0	100.0	6.5	7.3	100.0	28.3	100.0	35.7	100.0
Sex at Birth	Male	63.3	67.4	.	36.0	60.0	.	5.7	77.3	21.0	74.1	26.7	74.8
	Female	30.7	32.6	.	24.0	40.0	.	1.7	22.7	7.3	25.9	9.0	25.2
Age at Diagnosis	12 & under	0.3	0.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.7	3.9	.	1.0	1.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	12.3	13.1	.	3.3	5.6	.	0.0	0.0	1.0	3.5	1.0	2.8
	25-29	11.0	11.7	.	5.3	8.9	.	0.3	4.5	0.3	1.2	0.7	1.9
	30-39	27.0	28.7	.	16.0	26.7	.	1.3	18.2	1.0	3.5	2.3	6.5
	40-49	25.3	27.0	.	21.3	35.6	.	1.3	18.2	7.0	24.7	8.3	23.4
	50-59	11.0	11.7	.	8.7	14.4	.	2.7	36.4	11.7	41.2	14.3	40.2
	60+	3.3	3.5	.	4.3	7.2	.	1.7	22.7	7.3	25.9	9.0	25.2
Race/Ethnicity	White	28.7	30.5	.	14.0	23.3	.	4.0	54.5	6.7	23.5	10.7	29.9
	Black	43.7	46.5	.	29.7	49.4	.	2.3	31.8	14.3	50.6	16.7	46.7
	Hispanic	11.7	12.4	.	8.0	13.3	.	1.0	13.6	3.3	11.8	4.3	12.1
	Multi Race	5.7	6.0	.	5.3	8.9	.	0.0	0.0	3.7	12.9	3.7	10.3
	Others	4.3	4.6	.	3.0	5.0	.	0.0	0.0	0.3	1.2	0.3	0.9
Risk	MSM	44.3	47.2	.	21.3	35.6	.	2.7	36.4	10.3	36.5	13.0	36.4
	IDU	5.3	5.7	.	8.0	13.3	.	0.7	9.1	8.7	30.6	9.3	26.2
	MSM/IDU	2.0	2.1	.	2.3	3.9	.	0.7	9.1	1.7	5.9	2.3	6.5
	Heterosexual	27.7	29.4	.	21.3	35.6	.	1.7	22.7	4.7	16.5	6.3	17.8
	Fem Pres Het Cont	6.3	6.7	.	3.7	6.1	.	0.7	9.1	0.7	2.4	1.3	3.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.7	.	0.3	0.6	.	0.0	0.0	0.7	2.4	0.7	1.9
	Unk	7.7	8.2	.	3.0	5.0	.	1.0	13.6	1.7	5.9	2.7	7.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		63.3	100.0	30.7	100.0	94.0	100.0	36.0	100.0	24.0	100.0	60.0	100.0
Risk	MSM	44.3	70.0	0.0	0.0	44.3	47.2	21.3	59.3	0.0	0.0	21.3	35.6
	IDU	2.7	4.2	2.7	8.7	5.3	5.7	4.3	12.0	3.7	15.3	8.0	13.3
	MSM/IDU	2.0	3.2	0.0	0.0	2.0	2.1	2.3	6.5	0.0	0.0	2.3	3.9
	Heterosexual	6.3	10.0	21.3	69.6	27.7	29.4	4.7	13.0	16.7	69.4	21.3	35.6
	Fem Pres Het Cont	0.0	0.0	6.3	20.7	6.3	6.7	0.0	0.0	3.7	15.3	3.7	6.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.5	0.3	1.1	0.7	0.7	0.3	0.9	0.0	0.0	0.3	0.6
	Unk	7.7	12.1	0.0	0.0	7.7	8.2	3.0	8.3	0.0	0.0	3.0	5.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	43	.	28	28
1987	.	35	.	19	19
1988	.	55	.	19	19
1989	.	82	.	49	49
1990	.	78	.	62	62
1991	.	105	.	70	70
1992	.	121	.	80	80
1993	.	173	.	71	71
1994	.	161	.	114	114
1995	.	161	.	153	153
1996	.	144	.	81	81
1997	.	78	.	49	49
1998	.	85	.	39	39
1999	.	99	.	41	41
2000*	68	125	1	47	48
2001	90	95	1	51	52
2002	77	66	4	30	34
2003	74	87	7	50	57
2004	87	69	5	38	43
2005	82	68	7	37	44
2006	95	59	7	36	43
2007	99	84	10	37	47
2008	87	55	10	29	39
2009	101	61	9	35	44
2010	98	54	6	30	36
2011	93	69	9	25	34
2012	91	57	7	30	37

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		12	100.0	30.8	18	100.0	46.2	30	100.0	77.0	38,961
Sex at Birth	Male	9	75.0	.	13	72.2	.	22	73.3	.	.
	Female	3	25.0	.	5	27.8	.	8	26.7	.	.
Current Age	20-24	2	16.7	.	0	0.0	.	2	6.7	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	0	0.0	.	2	11.1	.	2	6.7	.	.
	40-49	0	0.0	.	9	50.0	.	9	30.0	.	.
	50-59	6	50.0	.	6	33.3	.	12	40.0	.	.
	60+	4	33.3	.	1	5.6	.	5	16.7	.	.
Race/Ethnicity	White	5	41.7	.	9	50.0	.	14	46.7	.	.
	Black	1	8.3	.	3	16.7	.	4	13.3	.	.
	Hispanic	6	50.0	.	4	22.2	.	10	33.3	.	.
	Multi Race	0	0.0	.	2	11.1	.	2	6.7	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	4	33.3	.	5	27.8	.	9	30.0	.	.
	IDU	4	33.3	.	5	27.8	.	9	30.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	3	25.0	.	5	27.8	.	8	26.7	.	.
	Fem Pres Het Cont	1	8.3	.	1	5.6	.	2	6.7	.	.
	Unk	0	0.0	.	2	11.1	.	2	6.7	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9	100.0	3	100.0	12	100.0	13	100.0	5	100.0	18	100.0	22	100.0	8	100.0	30	100.0
Risk	MSM	4	44.4	0	0.0	4	33.3	5	38.5	0	0.0	5	27.8	9	40.9	0	0.0	9	30.0
	IDU	4	44.4	0	0.0	4	33.3	4	30.8	1	20.0	5	27.8	8	36.4	1	12.5	9	30.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	11.1	2	66.7	3	25.0	2	15.4	3	60.0	5	27.8	3	13.6	5	62.5	8	26.7
	Fem Pres Het Cont	0	0.0	1	33.3	1	8.3	0	0.0	1	20.0	1	5.6	0	0.0	2	25.0	2	6.7
	Unk	0	0.0	0	0.0	0	0.0	2	15.4	0	0.0	2	11.1	2	9.1	0	0.0	2	6.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.6	1.3	100.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.3	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.7	66.7	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	66.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	33.3	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	66.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.7	100.0	1.0	100.0	0.7	100.0	0.7	100.0	1.3	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	33.3	0.7	100.0	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.7	100.0	0.7	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	3	.	3	3
1987	.	1	.	.	.
1988	.	4	.	1	1
1989	.	3	.	2	2
1990	.	2	.	1	1
1991	.	1	.	1	1
1992	.	2	.	4	4
1993	.	3	.	2	2
1994	.	2	.	1	1
1995	.	7	.	1	1
1996	.	1	.	2	2
1997	.	1	.	2	2
2000*	1	1	.	.	.
2001	1
2002	1	2	.	2	2
2003	3	1	.	.	.
2004	1	.	1	.	1
2005	.	1	.	1	1
2006	.	1	.	1	1
2007	.	.	2	.	2
2008	.	1	.	.	.
2009	1
2010	2	1	.	.	.
2012	1	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		12	100.0	23.2	22	100.0	42.5	34	100.0	65.6	51,795
Sex at Birth	Male	8	66.7	.	17	77.3	.	25	73.5	.	.
	Female	4	33.3	.	5	22.7	.	9	26.5	.	.
Current Age	30-39	1	8.3	.	4	18.2	.	5	14.7	.	.
	40-49	4	33.3	.	9	40.9	.	13	38.2	.	.
	50-59	4	33.3	.	6	27.3	.	10	29.4	.	.
	60+	3	25.0	.	3	13.6	.	6	17.6	.	.
Race/Ethnicity	White	6	50.0	.	14	63.6	.	20	58.8	.	.
	Black	0	0.0	.	0	0.0	.	0	0.0	.	.
	Hispanic	5	41.7	.	5	22.7	.	10	29.4	.	.
	Multi Race	0	0.0	.	2	9.1	.	2	5.9	.	.
	Others	1	8.3	.	1	4.5	.	2	5.9	.	.
Risk	MSM	5	41.7	.	13	59.1	.	18	52.9	.	.
	IDU	2	16.7	.	3	13.6	.	5	14.7	.	.
	MSM/IDU	0	0.0	.	1	4.5	.	1	2.9	.	.
	Heterosexual	3	25.0	.	4	18.2	.	7	20.6	.	.
	Fem Pres Het Cont	1	8.3	.	1	4.5	.	2	5.9	.	.
	Unk	1	8.3	.	0	0.0	.	1	2.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8	100.0	4	100.0	12	100.0	17	100.0	5	100.0	22	100.0	25	100.0	9	100.0	34	100.0
Risk	MSM	5	62.5	0	0.0	5	41.7	13	76.5	0	0.0	13	59.1	18	72.0	0	0.0	18	52.9
	IDU	2	25.0	0	0.0	2	16.7	1	5.9	2	40.0	3	13.6	3	12.0	2	22.2	5	14.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	1	4.5	1	4.0	0	0.0	1	2.9
	Heterosexual	0	0.0	3	75.0	3	25.0	2	11.8	2	40.0	4	18.2	2	8.0	5	55.6	7	20.6
	Fem Pres Het Cont	0	0.0	1	25.0	1	8.3	0	0.0	1	20.0	1	4.5	0	0.0	2	22.2	2	5.9
	Unk	1	12.5	0	0.0	1	8.3	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0	1	2.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	1.9	1.3	100.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.7	66.7	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	30-39	0.3	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	66.7	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	33.3	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	66.7	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	0.7	100.0	0.0	0.0	0.7	66.7	1.0	100.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.3	100.0	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
1987	.	.	.	1	1
1988	.	1	.	1	1
1989	.	1	.	1	1
1991	.	4	.	1	1
1992	.	1	.	1	1
1993	.	1	.	2	2
1994	.	4	.	2	2
1995	.	4	.	2	2
1996	.	3	.	1	1
1997	.	3	.	1	1
2000*	1	2	.	.	.
2001	4	3	.	1	1
2002	.	1	.	2	2
2003	1
2004	2	2	1	1	2
2006	.	2	.	1	1
2007	1	1	.	.	.
2008	.	1	.	.	.
2009	3	2	.	2	2
2010	1	1	.	.	.
2011	1	2	.	.	.
2012	1	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		33	100.0	60.1	35	100.0	63.7	68	100.0	123.8	54,925
Sex at Birth	Male	20	60.6	.	28	80.0	.	48	70.6	.	.
	Female	13	39.4	.	7	20.0	.	20	29.4	.	.
Current Age	13-19	1	3.0	.	0	0.0	.	1	1.5	.	.
	20-24	0	0.0	.	2	5.7	.	2	2.9	.	.
	25-29	3	9.1	.	0	0.0	.	3	4.4	.	.
	30-39	5	15.2	.	6	17.1	.	11	16.2	.	.
	40-49	11	33.3	.	8	22.9	.	19	27.9	.	.
	50-59	11	33.3	.	12	34.3	.	23	33.8	.	.
	60+	2	6.1	.	7	20.0	.	9	13.2	.	.
Race/Ethnicity	White	21	63.6	.	24	68.6	.	45	66.2	.	.
	Black	0	0.0	.	3	8.6	.	3	4.4	.	.
	Hispanic	8	24.2	.	5	14.3	.	13	19.1	.	.
	Multi Race	4	12.1	.	1	2.9	.	5	7.4	.	.
	Others	0	0.0	.	2	5.7	.	2	2.9	.	.
Risk	MSM	12	36.4	.	16	45.7	.	28	41.2	.	.
	IDU	5	15.2	.	2	5.7	.	7	10.3	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	10	30.3	.	5	14.3	.	15	22.1	.	.
	Fem Pres Het Cont	3	9.1	.	3	8.6	.	6	8.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	5.7	.	2	2.9	.	.
	Unk	3	9.1	.	7	20.0	.	10	14.7	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		20	100.0	13	100.0	33	100.0	28	100.0	7	100.0	35	100.0	48	100.0	20	100.0	68	100.0
Risk	MSM	12	60.0	0	0.0	12	36.4	16	57.1	0	0.0	16	45.7	28	58.3	0	0.0	28	41.2
	IDU	2	10.0	3	23.1	5	15.2	2	7.1	0	0.0	2	5.7	4	8.3	3	15.0	7	10.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	3	15.0	7	53.8	10	30.3	3	10.7	2	28.6	5	14.3	6	12.5	9	45.0	15	22.1
	Fem Pres Het Cont	0	0.0	3	23.1	3	9.1	0	0.0	3	42.9	3	8.6	0	0.0	6	30.0	6	8.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	5.7	0	0.0	2	10.0	2	2.9
	Unk	3	15.0	0	0.0	3	9.1	7	25.0	0	0.0	7	20.0	10	20.8	0	0.0	10	14.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		3.0	100.0	5.5	2.0	100.0	3.6	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.0	66.7	.	2.0	100.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	1.0	33.3	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	13-19	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	33.3	.	1.3	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	22.2	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	11.1	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.3	77.8	.	1.0	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black	0.0	0.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	22.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	33.3	.	1.0	50.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	33.3	.	0.7	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	11.1	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	1.0	100.0	3.0	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.0	50.0	0.0	0.0	1.0	33.3	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	0.3	16.7	0.0	0.0	0.3	11.1	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	0.7	66.7	1.0	33.3	0.7	33.3	0.0	0.0	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	11.1	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	11.1	0.3	16.7	0.0	0.0	0.3	16.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	4	.	3	3
1988	.	3	.	1	1
1989	.	.	.	1	1
1990	.	2	.	.	.
1991	.	4	.	3	3
1992	.	4	.	2	2
1993	.	1	.	1	1
1994	.	2	.	4	4
1995	.	3	.	1	1
1996	.	1	.	.	.
1997	.	1	.	1	1
1998	.	4	.	.	.
1999	.	3	.	1	1
2000*	3	2	1	.	1
2001	2	1	1	1	2
2002	.	1	.	.	.
2003	3	2	.	1	1
2004	4	4	.	.	.
2005	2	1	1	1	2
2006	.	3	.	.	.
2007	1	2	.	1	1
2008	5	4	1	1	2
2009	1	1	.	.	.
2010	3	1	.	.	.
2011	3	3	.	1	1
2012	3	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		25	100.0	41.7	29	100.0	48.4	54	100.0	90.0	59,977
Sex at Birth	Male	17	68.0	.	27	93.1	.	44	81.5	.	.
	Female	8	32.0	.	2	6.9	.	10	18.5	.	.
Current Age	20-24	2	8.0	.	0	0.0	.	2	3.7	.	.
	25-29	0	0.0	.	2	6.9	.	2	3.7	.	.
	30-39	8	32.0	.	4	13.8	.	12	22.2	.	.
	40-49	8	32.0	.	7	24.1	.	15	27.8	.	.
	50-59	5	20.0	.	13	44.8	.	18	33.3	.	.
	60+	2	8.0	.	3	10.3	.	5	9.3	.	.
Race/Ethnicity	White	13	52.0	.	14	48.3	.	27	50.0	.	.
	Black	4	16.0	.	4	13.8	.	8	14.8	.	.
	Hispanic	4	16.0	.	9	31.0	.	13	24.1	.	.
	Multi Race	3	12.0	.	2	6.9	.	5	9.3	.	.
	Others	1	4.0	.	0	0.0	.	1	1.9	.	.
Risk	MSM	10	40.0	.	12	41.4	.	22	40.7	.	.
	IDU	5	20.0	.	6	20.7	.	11	20.4	.	.
	MSM/IDU	1	4.0	.	2	6.9	.	3	5.6	.	.
	Heterosexual	6	24.0	.	3	10.3	.	9	16.7	.	.
	Fem Pres Het Cont	2	8.0	.	0	0.0	.	2	3.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	3.4	.	1	1.9	.	.
	Unk	1	4.0	.	5	17.2	.	6	11.1	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	8	100.0	25	100.0	27	100.0	2	100.0	29	100.0	44	100.0	10	100.0	54	100.0
Risk	MSM	10	58.8	0	0.0	10	40.0	12	44.4	0	0.0	12	41.4	22	50.0	0	0.0	22	40.7
	IDU	4	23.5	1	12.5	5	20.0	5	18.5	1	50.0	6	20.7	9	20.5	2	20.0	11	20.4
	MSM/IDU	1	5.9	0	0.0	1	4.0	2	7.4	0	0.0	2	6.9	3	6.8	0	0.0	3	5.6
	Heterosexual	1	5.9	5	62.5	6	24.0	3	11.1	0	0.0	3	10.3	4	9.1	5	50.0	9	16.7
	Fem Pres Het Cont	0	0.0	2	25.0	2	8.0	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	3.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	3.4	0	0.0	1	10.0	1	1.9
	Unk	1	5.9	0	0.0	1	4.0	5	18.5	0	0.0	5	17.2	6	13.6	0	0.0	6	11.1

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	3.3	1.7	100.0	2.8	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	1.3	66.7	.	1.7	100.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	Female	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	50.0	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	16.7	.	0.7	40.0	.	0.0	0.0	0.7	66.7	0.7	50.0
	50-59	0.3	16.7	.	0.0	0.0	.	0.3	100.0	0.3	33.3	0.7	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	50.0	.	0.7	40.0	.	0.3	100.0	0.3	33.3	0.7	50.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Hispanic	1.0	50.0	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	33.3	.	1.0	60.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	IDU	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Heterosexual	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	33.3	.	0.7	40.0	.	0.3	100.0	0.0	0.0	0.3	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.7	100.0	2.0	100.0	1.7	100.0	0.0	0.0	1.7	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	33.3	1.0	60.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.3	50.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	50.0	0.0	0.0	0.7	33.3	0.7	40.0	0.0	0.0	0.7	40.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
1987	.	1	.	.	.
1988	.	1	.	1	1
1989	.	1	.	3	3
1990	.	4	.	1	1
1991	.	3	.	3	3
1992	.	4	.	3	3
1993	.	2	.	2	2
1994	.	4	.	2	2
1995	.	5	.	1	1
1996	.	1	.	2	2
1997	.	1	.	.	.
1998	.	3	.	1	1
1999	.	5	.	1	1
2000*	1	2	.	.	.
2001	5	2	.	.	.
2002	4	3	.	2	2
2003	3	1	.	.	.
2005	1	1	.	2	2
2006	3	.	.	1	1
2007	3	3	.	.	.
2008	1	3	.	.	.
2009	1	2	.	1	1
2010	3	1	1	1	2
2011	3	3	.	1	1
2012	.	1	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		33	100.0	67.8	41	100.0	84.2	74	100.0	152.0	48,673
Sex at Birth	Male	24	72.7	.	31	75.6	.	55	74.3	.	.
	Female	9	27.3	.	10	24.4	.	19	25.7	.	.
Current Age	20-24	1	3.0	.	1	2.4	.	2	2.7	.	.
	25-29	1	3.0	.	0	0.0	.	1	1.4	.	.
	30-39	4	12.1	.	4	9.8	.	8	10.8	.	.
	40-49	10	30.3	.	9	22.0	.	19	25.7	.	.
	50-59	13	39.4	.	21	51.2	.	34	45.9	.	.
	60+	4	12.1	.	6	14.6	.	10	13.5	.	.
Race/Ethnicity	White	24	72.7	.	30	73.2	.	54	73.0	.	.
	Black	3	9.1	.	1	2.4	.	4	5.4	.	.
	Hispanic	5	15.2	.	5	12.2	.	10	13.5	.	.
	Multi Race	1	3.0	.	5	12.2	.	6	8.1	.	.
Risk	MSM	18	54.5	.	18	43.9	.	36	48.6	.	.
	IDU	2	6.1	.	5	12.2	.	7	9.5	.	.
	MSM/IDU	0	0.0	.	2	4.9	.	2	2.7	.	.
	Heterosexual	8	24.2	.	8	19.5	.	16	21.6	.	.
	Fem Pres Het Cont	3	9.1	.	4	9.8	.	7	9.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	2.4	.	1	1.4	.	.
	Unk	2	6.1	.	3	7.3	.	5	6.8	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		24	100.0	9	100.0	33	100.0	31	100.0	10	100.0	41	100.0	55	100.0	19	100.0	74	100.0
Risk	MSM	18	75.0	0	0.0	18	54.5	18	58.1	0	0.0	18	43.9	36	65.5	0	0.0	36	48.6
	IDU	2	8.3	0	0.0	2	6.1	5	16.1	0	0.0	5	12.2	7	12.7	0	0.0	7	9.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0	2	4.9	2	3.6	0	0.0	2	2.7
	Heterosexual	2	8.3	6	66.7	8	24.2	2	6.5	6	60.0	8	19.5	4	7.3	12	63.2	16	21.6
	Fem Pres Het Cont	0	0.0	3	33.3	3	9.1	0	0.0	4	40.0	4	9.8	0	0.0	7	36.8	7	9.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0	1	2.4	1	1.8	0	0.0	1	1.4
	Unk	2	8.3	0	0.0	2	6.1	3	9.7	0	0.0	3	7.3	5	9.1	0	0.0	5	6.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.7	2.3	100.0	4.8	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	1.0	75.0	.	1.0	42.9	.	0.0	0.0	0.7	66.7	0.7	66.7
	Female	0.3	25.0	.	1.3	57.1	.	0.0	0.0	0.3	33.3	0.3	33.3
Age at Diagnosis	20-24	0.7	50.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	25.0	.	1.3	57.1	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.7	66.7	0.7	66.7
Race/Ethnicity	White	0.7	50.0	.	1.7	71.4	.	0.0	0.0	1.0	100.0	1.0	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	25.0	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	75.0	.	0.7	28.6	.	0.0	0.0	0.7	66.7	0.7	66.7
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.7	28.6	.	0.0	0.0	0.3	33.3	0.3	33.3
	Fem Pres Het Cont	0.3	25.0	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	1.0	100.0	1.3	100.0	2.3	100.0
Risk	MSM	1.0	100.0	0.0	0.0	1.0	75.0	0.7	66.7	0.0	0.0	0.7	28.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	50.0	0.7	28.6
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	0.7	50.0	0.7	28.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	14.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	1	1
1987	.	2	.	1	1
1988	.	3	.	2	2
1989	.	4	.	4	4
1990	.	2	.	.	.
1991	.	5	.	1	1
1992	.	6	.	4	4
1993	.	4	.	1	1
1994	.	4	.	5	5
1995	.	7	.	2	2
1996	.	3	.	2	2
1997	.	3	.	1	1
1998	.	2	.	1	1
1999	.	5	.	.	.
2000*	1	2	.	5	5
2001	6	3	.	2	2
2002	2	3	.	1	1
2003	2	7	.	.	.
2004	3	3	.	2	2
2005	1	1	1	2	3
2006	2	2	.	1	1
2007	5	2	.	.	.
2008	3	4	.	2	2
2009	5	1	.	2	2
2010	.	4	.	1	1
2011	.	1	.	1	1
2012	4	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		24	100.0	37.2	29	100.0	45.0	53	100.0	82.2	64,508
Sex at Birth	Male	19	79.2	.	24	82.8	.	43	81.1	.	.
	Female	5	20.8	.	5	17.2	.	10	18.9	.	.
Current Age	13-19	1	4.2	.	0	0.0	.	1	1.9	.	.
	20-24	0	0.0	.	1	3.4	.	1	1.9	.	.
	25-29	3	12.5	.	2	6.9	.	5	9.4	.	.
	30-39	3	12.5	.	0	0.0	.	3	5.7	.	.
	40-49	8	33.3	.	11	37.9	.	19	35.8	.	.
	50-59	6	25.0	.	9	31.0	.	15	28.3	.	.
	60+	3	12.5	.	6	20.7	.	9	17.0	.	.
Race/Ethnicity	White	19	79.2	.	17	58.6	.	36	67.9	.	.
	Black	1	4.2	.	3	10.3	.	4	7.5	.	.
	Hispanic	3	12.5	.	1	3.4	.	4	7.5	.	.
	Multi Race	1	4.2	.	6	20.7	.	7	13.2	.	.
	Others	0	0.0	.	2	6.9	.	2	3.8	.	.
Risk	MSM	16	66.7	.	14	48.3	.	30	56.6	.	.
	IDU	1	4.2	.	3	10.3	.	4	7.5	.	.
	MSM/IDU	0	0.0	.	1	3.4	.	1	1.9	.	.
	Heterosexual	3	12.5	.	4	13.8	.	7	13.2	.	.
	Fem Pres Het Cont	1	4.2	.	3	10.3	.	4	7.5	.	.
	Pediatric Risk	1	4.2	.	1	3.4	.	2	3.8	.	.
	Unk	2	8.3	.	3	10.3	.	5	9.4	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	5	100.0	24	100.0	24	100.0	5	100.0	29	100.0	43	100.0	10	100.0	53	100.0
Risk	MSM	16	84.2	0	0.0	16	66.7	14	58.3	0	0.0	14	48.3	30	69.8	0	0.0	30	56.6
	IDU	1	5.3	0	0.0	1	4.2	3	12.5	0	0.0	3	10.3	4	9.3	0	0.0	4	7.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	4.2	0	0.0	1	3.4	1	2.3	0	0.0	1	1.9
	Heterosexual	0	0.0	3	60.0	3	12.5	2	8.3	2	40.0	4	13.8	2	4.7	5	50.0	7	13.2
	Fem Pres Het Cont	0	0.0	1	20.0	1	4.2	0	0.0	3	60.0	3	10.3	0	0.0	4	40.0	4	7.5
	Pediatric Risk	0	0.0	1	20.0	1	4.2	1	4.2	0	0.0	1	3.4	1	2.3	1	10.0	2	3.8
	Unk	2	10.5	0	0.0	2	8.3	3	12.5	0	0.0	3	10.3	5	11.6	0	0.0	5	9.4

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	5.7	2.7	100.0	4.1	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	3.3	90.9	.	2.0	75.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	18.2	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	54.5	.	1.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	3.3	90.9	.	1.7	62.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black	0.0	0.0	.	0.3	12.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	72.7	.	1.0	37.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	1.0	37.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

*by Sex at Birth and Risk
Excludes State Prison Inmates*

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.3	100.0	3.7	100.0	2.0	100.0	0.7	100.0	2.7	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	72.7	1.0	50.0	0.0	0.0	1.0	37.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	10.0	0.0	0.0	0.3	9.1	0.3	16.7	0.0	0.0	0.3	12.5
	Heterosexual	0.3	10.0	0.0	0.0	0.3	9.1	0.7	33.3	0.3	50.0	1.0	37.5
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	9.1	0.0	0.0	0.3	50.0	0.3	12.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	1	1
1988	.	3	.	2	2
1989	.	3	.	1	1
1990	.	1	.	1	1
1991	.	5	.	1	1
1992	.	1	.	4	4
1993	.	2	.	3	3
1994	.	2	.	.	.
1995	.	5	.	2	2
1996	.	3	.	2	2
1998	.	2	.	.	.
1999	.	1	.	.	.
2000*	1
2001	2	1	.	.	.
2002	2
2003	3	2	1	1	2
2004	.	1	1	2	3
2005	2	5	1	.	1
2006	1	2	.	.	.
2007	1	2	.	.	.
2008	2
2010	6	5	.	.	.
2011	4	3	.	1	1
2012	1	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		28	100.0	23.3	52	100.0	43.2	80	100.0	66.5	120,262
Sex at Birth	Male	16	57.1	.	33	63.5	.	49	61.3	.	.
	Female	12	42.9	.	19	36.5	.	31	38.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	1.9	.	1	1.3	.	.
	25-29	2	7.1	.	0	0.0	.	2	2.5	.	.
	30-39	7	25.0	.	10	19.2	.	17	21.3	.	.
	40-49	11	39.3	.	18	34.6	.	29	36.3	.	.
	50-59	6	21.4	.	17	32.7	.	23	28.8	.	.
	60+	2	7.1	.	6	11.5	.	8	10.0	.	.
Race/Ethnicity	White	14	50.0	.	33	63.5	.	47	58.8	.	.
	Black	8	28.6	.	9	17.3	.	17	21.3	.	.
	Hispanic	3	10.7	.	6	11.5	.	9	11.3	.	.
	Multi Race	2	7.1	.	3	5.8	.	5	6.3	.	.
	Others	1	3.6	.	1	1.9	.	2	2.5	.	.
Risk	MSM	11	39.3	.	16	30.8	.	27	33.8	.	.
	IDU	1	3.6	.	8	15.4	.	9	11.3	.	.
	MSM/IDU	1	3.6	.	1	1.9	.	2	2.5	.	.
	Heterosexual	10	35.7	.	12	23.1	.	22	27.5	.	.
	Fem Pres Het Cont	3	10.7	.	6	11.5	.	9	11.3	.	.
	Blood Prod	0	0.0	.	1	1.9	.	1	1.3	.	.
	Pediatric Risk	0	0.0	.	1	1.9	.	1	1.3	.	.
	Unk	2	7.1	.	7	13.5	.	9	11.3	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		16	100.0	12	100.0	28	100.0	33	100.0	19	100.0	52	100.0	49	100.0	31	100.0	80	100.0
Risk	MSM	11	68.8	0	0.0	11	39.3	16	48.5	0	0.0	16	30.8	27	55.1	0	0.0	27	33.8
	IDU	0	0.0	1	8.3	1	3.6	7	21.2	1	5.3	8	15.4	7	14.3	2	6.5	9	11.3
	MSM/IDU	1	6.3	0	0.0	1	3.6	1	3.0	0	0.0	1	1.9	2	4.1	0	0.0	2	2.5
	Heterosexual	2	12.5	8	66.7	10	35.7	1	3.0	11	57.9	12	23.1	3	6.1	19	61.3	22	27.5
	Fem Pres Het Cont	0	0.0	3	25.0	3	10.7	0	0.0	6	31.6	6	11.5	0	0.0	9	29.0	9	11.3
	Blood Prod	0	0.0	0	0.0	0	0.0	1	3.0	0	0.0	1	1.9	1	2.0	0	0.0	1	1.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	5.3	1	1.9	0	0.0	1	3.2	1	1.3
	Unk	2	12.5	0	0.0	2	7.1	7	21.2	0	0.0	7	13.5	9	18.4	0	0.0	9	11.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	3.3	4.0	100.0	3.3	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	1.7	41.7	.	2.0	50.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Female	2.3	58.3	.	2.0	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	33.3	.	1.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	50.0	.	1.7	41.7	.	0.0	0.0	0.3	100.0	0.3	50.0
	50-59	0.7	16.7	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
Race/Ethnicity	White	2.3	58.3	.	2.0	50.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black	1.3	33.3	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	8.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	33.3	.	1.3	33.3	.	0.3	100.0	0.3	100.0	0.7	100.0
	IDU	0.3	8.3	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	16.7	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.3	33.3	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	2.3	100.0	4.0	100.0	2.0	100.0	2.0	100.0	4.0	100.0
Risk	MSM	1.3	80.0	0.0	0.0	1.3	33.3	1.3	66.7	0.0	0.0	1.3	33.3
	IDU	0.0	0.0	0.3	14.3	0.3	8.3	0.3	16.7	0.3	16.7	0.7	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	28.6	0.7	16.7	0.3	16.7	0.7	33.3	1.0	25.0
	Fem Pres Het Cont	0.0	0.0	1.3	57.1	1.3	33.3	0.0	0.0	1.0	50.0	1.0	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	20.0	0.0	0.0	0.3	8.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
1987	.	3	.	3	3
1988	.	1	.	1	1
1989	.	3	.	.	.
1990	.	2	.	2	2
1991	.	1	.	1	1
1992	.	7	.	3	3
1993	.	10	.	3	3
1994	.	6	.	2	2
1995	.	4	.	7	7
1996	.	4	.	4	4
1997	.	1	.	1	1
1998	.	3	.	2	2
1999	.	3	.	2	2
2000*	4	4	.	.	.
2001	1	2	.	1	1
2002	3	2	.	.	.
2003	3	3	.	1	1
2004	2	.	.	2	2
2005	3	3	.	1	1
2006	3	6	.	1	1
2007	3	4	.	2	2
2008	3	2	.	.	.
2009	1	5	.	.	.
2010	8	8	.	.	.
2011	2	2	1	1	2
2012	2	2	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		5	100.0	18.4	1	100.0	3.7	6	100.0	22.0	27,224
Sex at Birth	Male	3	60.0	.	1	100.0	.	4	66.7	.	.
	Female	2	40.0	.	0	0.0	.	2	33.3	.	.
Current Age	20-24	1	20.0	.	0	0.0	.	1	16.7	.	.
	40-49	1	20.0	.	1	100.0	.	2	33.3	.	.
	50-59	3	60.0	.	0	0.0	.	3	50.0	.	.
Race/Ethnicity	White	4	80.0	.	1	100.0	.	5	83.3	.	.
	Black	1	20.0	.	0	0.0	.	1	16.7	.	.
Risk	MSM	3	60.0	.	0	0.0	.	3	50.0	.	.
	Heterosexual	1	20.0	.	1	100.0	.	2	33.3	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	16.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	1	100.0	0	0.0	1	100.0	4	100.0	2	100.0	6	100.0
Risk	MSM	3	100.0	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	3	75.0	0	0.0	3	50.0
	Heterosexual	0	0.0	1	50.0	1	20.0	1	100.0	0	0.0	1	100.0	1	25.0	1	50.0	2	33.3
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	16.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
2001	1
2003	1	1	.	.	.
2009	.	.	.	1	1
2012	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		18	100.0	27.8	32	100.0	49.4	50	100.0	77.1	64,810
Sex at Birth	Male	13	72.2	.	23	71.9	.	36	72.0	.	.
	Female	5	27.8	.	9	28.1	.	14	28.0	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	3.1	.	1	2.0	.	.
	25-29	0	0.0	.	1	3.1	.	1	2.0	.	.
	30-39	5	27.8	.	3	9.4	.	8	16.0	.	.
	40-49	7	38.9	.	10	31.3	.	17	34.0	.	.
	50-59	2	11.1	.	12	37.5	.	14	28.0	.	.
	60+	4	22.2	.	5	15.6	.	9	18.0	.	.
Race/Ethnicity	White	14	77.8	.	21	65.6	.	35	70.0	.	.
	Black	0	0.0	.	2	6.3	.	2	4.0	.	.
	Hispanic	2	11.1	.	7	21.9	.	9	18.0	.	.
	Multi Race	2	11.1	.	1	3.1	.	3	6.0	.	.
	Others	0	0.0	.	1	3.1	.	1	2.0	.	.
Risk	MSM	7	38.9	.	12	37.5	.	19	38.0	.	.
	IDU	0	0.0	.	3	9.4	.	3	6.0	.	.
	MSM/IDU	2	11.1	.	2	6.3	.	4	8.0	.	.
	Heterosexual	2	11.1	.	8	25.0	.	10	20.0	.	.
	Fem Pres Het Cont	3	16.7	.	2	6.3	.	5	10.0	.	.
	Blood Prod	0	0.0	.	1	3.1	.	1	2.0	.	.
	Pediatric Risk	0	0.0	.	1	3.1	.	1	2.0	.	.
	Unk	4	22.2	.	3	9.4	.	7	14.0	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13	100.0	5	100.0	18	100.0	23	100.0	9	100.0	32	100.0	36	100.0	14	100.0	50	100.0
Risk	MSM	7	53.8	0	0.0	7	38.9	12	52.2	0	0.0	12	37.5	19	52.8	0	0.0	19	38.0
	IDU	0	0.0	0	0.0	0	0.0	3	13.0	0	0.0	3	9.4	3	8.3	0	0.0	3	6.0
	MSM/IDU	2	15.4	0	0.0	2	11.1	2	8.7	0	0.0	2	6.3	4	11.1	0	0.0	4	8.0
	Heterosexual	0	0.0	2	40.0	2	11.1	2	8.7	6	66.7	8	25.0	2	5.6	8	57.1	10	20.0
	Fem Pres Het Cont	0	0.0	3	60.0	3	16.7	0	0.0	2	22.2	2	6.3	0	0.0	5	35.7	5	10.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0	1	3.1	1	2.8	0	0.0	1	2.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	1	3.1	0	0.0	1	7.1	1	2.0
	Unk	4	30.8	0	0.0	4	22.2	3	13.0	0	0.0	3	9.4	7	19.4	0	0.0	7	14.0

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.1	1.3	100.0	2.1	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	1.0	75.0	.	0.3	25.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Female	0.3	25.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	40-49	0.7	50.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	25.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	75.0	.	1.0	75.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	25.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.3	100.0	0.3	100.0	0.7	100.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	0.3	100.0	1.0	100.0	1.3	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	25.0	0.3	100.0	0.0	0.0	0.3	25.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	1.0	100.0	1.0	75.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	2	2
1987	.	2	.	2	2
1988	.	6	.	1	1
1989	.	3	.	.	.
1990	.	2	.	3	3
1991	.	5	.	2	2
1992	.	2	.	4	4
1993	.	6	.	4	4
1994	.	7	.	1	1
1995	.	3	.	2	2
1996	.	.	.	3	3
1997	.	2	.	1	1
1998	.	3	.	1	1
1999	.	2	.	1	1
2000*	2	1	.	1	1
2001	.	4	.	2	2
2002	.	2	.	1	1
2003	2	2	.	.	.
2004	1
2005	2	1	1	1	2
2006	1	2	1	.	1
2007	2	4	.	.	.
2008	1	2	.	1	1
2009	4	1	.	2	2
2010	2	1	1	.	1
2011	2	2	.	1	1
2012	.	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		19	100.0	26.2	17	100.0	23.5	36	100.0	49.7	72,382
Sex at Birth	Male	16	84.2	.	10	58.8	.	26	72.2	.	.
	Female	3	15.8	.	7	41.2	.	10	27.8	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	3	15.8	.	0	0.0	.	3	8.3	.	.
	30-39	2	10.5	.	2	11.8	.	4	11.1	.	.
	40-49	9	47.4	.	6	35.3	.	15	41.7	.	.
	50-59	3	15.8	.	6	35.3	.	9	25.0	.	.
	60+	2	10.5	.	3	17.6	.	5	13.9	.	.
Race/Ethnicity	White	15	78.9	.	12	70.6	.	27	75.0	.	.
	Black	2	10.5	.	0	0.0	.	2	5.6	.	.
	Hispanic	2	10.5	.	2	11.8	.	4	11.1	.	.
	Multi Race	0	0.0	.	2	11.8	.	2	5.6	.	.
	Others	0	0.0	.	1	5.9	.	1	2.8	.	.
Risk	MSM	11	57.9	.	6	35.3	.	17	47.2	.	.
	IDU	0	0.0	.	3	17.6	.	3	8.3	.	.
	MSM/IDU	0	0.0	.	2	11.8	.	2	5.6	.	.
	Heterosexual	1	5.3	.	4	23.5	.	5	13.9	.	.
	Fem Pres Het Cont	2	10.5	.	1	5.9	.	3	8.3	.	.
	Blood Prod	0	0.0	.	1	5.9	.	1	2.8	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	5	26.3	.	0	0.0	.	5	13.9	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		16	100.0	3	100.0	19	100.0	10	100.0	7	100.0	17	100.0	26	100.0	10	100.0	36	100.0
Risk	MSM	11	68.8	0	0.0	11	57.9	6	60.0	0	0.0	6	35.3	17	65.4	0	0.0	17	47.2
	IDU	0	0.0	0	0.0	0	0.0	1	10.0	2	28.6	3	17.6	1	3.8	2	20.0	3	8.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	20.0	0	0.0	2	11.8	2	7.7	0	0.0	2	5.6
	Heterosexual	0	0.0	1	33.3	1	5.3	0	0.0	4	57.1	4	23.5	0	0.0	5	50.0	5	13.9
	Fem Pres Het Cont	0	0.0	2	66.7	2	10.5	0	0.0	1	14.3	1	5.9	0	0.0	3	30.0	3	8.3
	Blood Prod	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	1	5.9	1	3.8	0	0.0	1	2.8
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	5	31.3	0	0.0	5	26.3	0	0.0	0	0.0	0	0.0	5	19.2	0	0.0	5	13.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	1.4	1.7	100.0	2.3	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	1.0	100.0	.	1.3	80.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	Female	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.3	33.3	0.3	25.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	33.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	33.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	33.3	.	1.0	60.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
Race/Ethnicity	White	1.0	100.0	.	1.0	60.0	.	0.0	0.0	1.0	100.0	1.0	75.0
	Black	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	25.0
	Hispanic	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	100.0	.	1.0	60.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.0	0.0	1.0	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	1.0	100.0	0.0	0.0	1.0	100.0	1.0	75.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	1	1
1988	.	1	.	1	1
1989	.	1	.	1	1
1990	.	5	.	1	1
1991	.	4	.	2	2
1992	.	.	.	1	1
1993	.	6	.	2	2
1994	.	.	.	2	2
1995	.	2	.	3	3
1996	.	2	.	1	1
1997	.	3	.	1	1
1998	.	3	.	.	.
1999	.	.	.	1	1
2000*	1	4	.	.	.
2001	2	.	.	1	1
2002	.	.	.	1	1
2003	2
2004	1	1	.	1	1
2005	3	2	.	3	3
2006	4	1	.	.	.
2008	2	1	.	1	1
2009	2	1	.	.	.
2010	1	2	.	1	1
2011	1	1	.	1	1
2012	1	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		952	100.0	127.3	1,201	100.0	160.6	2,153	100.0	287.9	747,813
Sex at Birth	Male	699	73.4	.	834	69.4	.	1,533	71.2	.	.
	Female	253	26.6	.	367	30.6	.	620	28.8	.	.
Current Age	12 & under	1	0.1	.	1	0.1	.	2	0.1	.	.
	13-19	14	1.5	.	3	0.2	.	17	0.8	.	.
	20-24	69	7.2	.	27	2.2	.	96	4.5	.	.
	25-29	80	8.4	.	35	2.9	.	115	5.3	.	.
	30-39	172	18.1	.	92	7.7	.	264	12.3	.	.
	40-49	278	29.2	.	390	32.5	.	668	31.0	.	.
	50-59	230	24.2	.	440	36.6	.	670	31.1	.	.
	60+	108	11.3	.	213	17.7	.	321	14.9	.	.
Race/Ethnicity	White	347	36.4	.	408	34.0	.	755	35.1	.	.
	Black	393	41.3	.	503	41.9	.	896	41.6	.	.
	Hispanic	143	15.0	.	190	15.8	.	333	15.5	.	.
	Multi Race	63	6.6	.	99	8.2	.	162	7.5	.	.
	Others	6	0.6	.	1	0.1	.	7	0.3	.	.
Risk	MSM	472	49.6	.	452	37.6	.	924	42.9	.	.
	IDU	91	9.6	.	234	19.5	.	325	15.1	.	.
	MSM/IDU	31	3.3	.	49	4.1	.	80	3.7	.	.
	Heterosexual	142	14.9	.	201	16.7	.	343	15.9	.	.
	Fem Pres Het Cont	111	11.7	.	124	10.3	.	235	10.9	.	.
	Blood Prod	0	0.0	.	6	0.5	.	6	0.3	.	.
	Pediatric Risk	13	1.4	.	13	1.1	.	26	1.2	.	.
	Unk	92	9.7	.	122	10.2	.	214	9.9	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		699	100.0	253	100.0	952	100.0	834	100.0	367	100.0	1,201	100.0	1,533	100.0	620	100.0	2,153	100.0
Risk	MSM	472	67.5	0	0.0	472	49.6	452	54.2	0	0.0	452	37.6	924	60.3	0	0.0	924	42.9
	IDU	58	8.3	33	13.0	91	9.6	140	16.8	94	25.6	234	19.5	198	12.9	127	20.5	325	15.1
	MSM/IDU	31	4.4	0	0.0	31	3.3	49	5.9	0	0.0	49	4.1	80	5.2	0	0.0	80	3.7
	Heterosexual	41	5.9	101	39.9	142	14.9	59	7.1	142	38.7	201	16.7	100	6.5	243	39.2	343	15.9
	Fem Pres Het Cont	0	0.0	111	43.9	111	11.7	0	0.0	124	33.8	124	10.3	0	0.0	235	37.9	235	10.9
	Blood Prod	0	0.0	0	0.0	0	0.0	3	0.4	3	0.8	6	0.5	3	0.2	3	0.5	6	0.3
	Pediatric Risk	8	1.1	5	2.0	13	1.4	9	1.1	4	1.1	13	1.1	17	1.1	9	1.5	26	1.2
	Unk	89	12.7	3	1.2	92	9.7	122	14.6	0	0.0	122	10.2	211	13.8	3	0.5	214	9.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		74.3	100.0	9.9	49.3	100.0	6.6	8.7	100.0	29.7	100.0	38.3	100.0
Sex at Birth	Male	60.0	80.7	.	34.3	69.6	.	7.3	84.6	19.7	66.3	27.0	70.4
	Female	14.3	19.3	.	15.0	30.4	.	1.3	15.4	10.0	33.7	11.3	29.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.3	7.2	.	1.3	2.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	18.0	24.2	.	6.3	12.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	8.7	11.7	.	2.3	4.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	13.0	17.5	.	10.7	21.6	.	0.0	0.0	1.7	5.6	1.7	4.3
	40-49	12.3	16.6	.	11.0	22.3	.	2.0	23.1	6.3	21.3	8.3	21.7
	50-59	11.3	15.2	.	10.0	20.3	.	4.3	50.0	13.3	44.9	17.7	46.1
	60+	5.7	7.6	.	7.7	15.5	.	2.3	26.9	8.3	28.1	10.7	27.8
Race/Ethnicity	White	23.3	31.4	.	14.3	29.1	.	4.0	46.2	7.3	24.7	11.3	29.6
	Black	37.3	50.2	.	23.0	46.6	.	3.0	34.6	15.0	50.6	18.0	47.0
	Hispanic	9.0	12.1	.	8.0	16.2	.	1.0	11.5	4.3	14.6	5.3	13.9
	Multi Race	3.7	4.9	.	4.0	8.1	.	0.7	7.7	2.7	9.0	3.3	8.7
	Others	1.0	1.3	.	0.0	0.0	.	0.0	0.0	0.3	1.1	0.3	0.9
Risk	MSM	45.0	60.5	.	19.7	39.9	.	3.0	34.6	7.3	24.7	10.3	27.0
	IDU	4.0	5.4	.	5.7	11.5	.	2.7	30.8	13.0	43.8	15.7	40.9
	MSM/IDU	2.0	2.7	.	1.7	3.4	.	0.7	7.7	0.7	2.2	1.3	3.5
	Heterosexual	8.3	11.2	.	9.3	18.9	.	0.3	3.8	1.0	3.4	1.3	3.5
	Fem Pres Het Cont	7.3	9.9	.	6.7	13.5	.	0.3	3.8	4.0	13.5	4.3	11.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	0.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	7.7	10.3	.	6.0	12.2	.	1.7	19.2	3.7	12.4	5.3	13.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		60.0	100.0	14.3	100.0	74.3	100.0	34.3	100.0	15.0	100.0	49.3	100.0
Risk	MSM	45.0	75.0	0.0	0.0	45.0	60.5	19.7	57.3	0.0	0.0	19.7	39.9
	IDU	2.0	3.3	2.0	14.0	4.0	5.4	3.3	9.7	2.3	15.6	5.7	11.5
	MSM/IDU	2.0	3.3	0.0	0.0	2.0	2.7	1.7	4.9	0.0	0.0	1.7	3.4
	Heterosexual	3.3	5.6	5.0	34.9	8.3	11.2	3.3	9.7	6.0	40.0	9.3	18.9
	Fem Pres Het Cont	0.0	0.0	7.3	51.2	7.3	9.9	0.0	0.0	6.7	44.4	6.7	13.5
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.0	0.0	0.3	0.7
	Unk	7.7	12.8	0.0	0.0	7.7	10.3	6.0	17.5	0.0	0.0	6.0	12.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	61	.	34	34
1987	.	50	.	26	26
1988	.	72	.	31	31
1989	.	79	.	46	46
1990	.	89	.	50	50
1991	.	120	.	85	85
1992	.	161	.	94	94
1993	.	195	.	78	78
1994	.	203	.	115	115
1995	.	201	.	123	123
1996	.	138	.	97	97
1997	.	113	.	59	59
1998	.	80	.	46	46
1999	.	90	.	51	51
2000*	76	78	1	52	53
2001	93	111	11	38	49
2002	110	96	6	46	52
2003	91	70	6	41	47
2004	99	81	8	53	61
2005	78	97	11	41	52
2006	75	77	9	42	51
2007	100	89	4	40	44
2008	87	73	9	37	46
2009	94	62	6	25	31
2010	72	43	12	27	39
2011	87	63	7	33	40
2012	64	42	7	29	36

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		30	100.0	60.1	34	100.0	68.1	64	100.0	128.2	49,941
Sex at Birth	Male	17	56.7	.	18	52.9	.	35	54.7	.	.
	Female	13	43.3	.	16	47.1	.	29	45.3	.	.
Current Age	20-24	2	6.7	.	0	0.0	.	2	3.1	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	3	10.0	.	5	14.7	.	8	12.5	.	.
	40-49	11	36.7	.	14	41.2	.	25	39.1	.	.
	50-59	9	30.0	.	11	32.4	.	20	31.3	.	.
	60+	5	16.7	.	4	11.8	.	9	14.1	.	.
Race/Ethnicity	White	10	33.3	.	13	38.2	.	23	35.9	.	.
	Black	1	3.3	.	3	8.8	.	4	6.3	.	.
	Hispanic	17	56.7	.	16	47.1	.	33	51.6	.	.
	Multi Race	2	6.7	.	2	5.9	.	4	6.3	.	.
Risk	MSM	7	23.3	.	5	14.7	.	12	18.8	.	.
	IDU	7	23.3	.	7	20.6	.	14	21.9	.	.
	MSM/IDU	1	3.3	.	3	8.8	.	4	6.3	.	.
	Heterosexual	11	36.7	.	10	29.4	.	21	32.8	.	.
	Fem Pres Het Cont	3	10.0	.	3	8.8	.	6	9.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	1	3.3	.	6	17.6	.	7	10.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	13	100.0	30	100.0	18	100.0	16	100.0	34	100.0	35	100.0	29	100.0	64	100.0
Risk	MSM	7	41.2	0	0.0	7	23.3	5	27.8	0	0.0	5	14.7	12	34.3	0	0.0	12	18.8
	IDU	4	23.5	3	23.1	7	23.3	3	16.7	4	25.0	7	20.6	7	20.0	7	24.1	14	21.9
	MSM/IDU	1	5.9	0	0.0	1	3.3	3	16.7	0	0.0	3	8.8	4	11.4	0	0.0	4	6.3
	Heterosexual	4	23.5	7	53.8	11	36.7	1	5.6	9	56.3	10	29.4	5	14.3	16	55.2	21	32.8
	Fem Pres Het Cont	0	0.0	3	23.1	3	10.0	0	0.0	3	18.8	3	8.8	0	0.0	6	20.7	6	9.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	1	5.9	0	0.0	1	3.3	6	33.3	0	0.0	6	17.6	7	20.0	0	0.0	7	10.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	3.3	1.7	100.0	3.3	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.0	60.0	.	1.3	80.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	0.7	40.0	.	0.3	20.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.0	60.0	.	0.7	40.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	0.7	40.0	.	0.7	40.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	40.0	.	1.0	60.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	40.0	.	0.3	20.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.7	100.0	1.7	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	20.0	0.3	25.0	0.0	0.0	0.3	20.0
	IDU	0.3	33.3	0.3	50.0	0.7	40.0	0.3	25.0	0.0	0.0	0.3	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	20.0	0.0	0.0	0.3	100.0	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	20.0	0.3	25.0	0.0	0.0	0.3	20.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	1	1
1987	.	2	.	.	.
1988	.	4	.	1	1
1989	.	2	.	4	4
1990	.	1	.	2	2
1991	.	7	.	1	1
1992	.	6	.	5	5
1993	.	4	.	3	3
1994	.	8	.	5	5
1995	.	3	.	5	5
1996	.	5	.	3	3
1997	.	5	.	1	1
1998	.	5	.	.	.
1999	.	3	.	1	1
2000*	1	2	.	3	3
2001	2	2	.	2	2
2002	4	3	.	.	.
2003	3	2	.	3	3
2004	2	2	.	1	1
2005	3	4	.	2	2
2006	3	2	.	.	.
2007	1	2	1	.	1
2008	4	3	.	2	2
2009	2	.	.	3	3
2010	2	1	.	.	.
2011	1	2	.	1	1
2012	2	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		1,152	100.0	85.4	1,753	100.0	129.9	2,905	100.0	215.3	1,349,233
Sex at Birth	Male	743	64.5	.	1,197	68.3	.	1,940	66.8	.	.
	Female	409	35.5	.	556	31.7	.	965	33.2	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	30	2.6	.	5	0.3	.	35	1.2	.	.
	20-24	68	5.9	.	28	1.6	.	96	3.3	.	.
	25-29	83	7.2	.	58	3.3	.	141	4.9	.	.
	30-39	228	19.8	.	166	9.5	.	394	13.6	.	.
	40-49	306	26.6	.	518	29.5	.	824	28.4	.	.
	50-59	301	26.1	.	645	36.8	.	946	32.6	.	.
	60+	131	11.4	.	333	19.0	.	464	16.0	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White	370	32.1	.	495	28.2	.	865	29.8	.	.
	Black	446	38.7	.	685	39.1	.	1,131	38.9	.	.
	Hispanic	261	22.7	.	403	23.0	.	664	22.9	.	.
	Multi Race	61	5.3	.	156	8.9	.	217	7.5	.	.
	Others	14	1.2	.	14	0.8	.	28	1.0	.	.
	Unk	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	398	34.5	.	516	29.4	.	914	31.5	.	.
	IDU	92	8.0	.	288	16.4	.	380	13.1	.	.
	MSM/IDU	26	2.3	.	55	3.1	.	81	2.8	.	.
	Heterosexual	214	18.6	.	356	20.3	.	570	19.6	.	.
	Fem Pres Het Cont	181	15.7	.	198	11.3	.	379	13.0	.	.
	Blood Prod	2	0.2	.	15	0.9	.	17	0.6	.	.
	Pediatric Risk	43	3.7	.	32	1.8	.	75	2.6	.	.
	Unk	196	17.0	.	293	16.7	.	489	16.8	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		743	100.0	409	100.0	1,152	100.0	1,197	100.0	556	100.0	1,753	100.0	1,940	100.0	965	100.0	2,905	100.0
Risk	MSM	398	53.6	0	0.0	398	34.5	516	43.1	0	0.0	516	29.4	914	47.1	0	0.0	914	31.5
	IDU	55	7.4	37	9.0	92	8.0	198	16.5	90	16.2	288	16.4	253	13.0	127	13.2	380	13.1
	MSM/IDU	26	3.5	0	0.0	26	2.3	55	4.6	0	0.0	55	3.1	81	4.2	0	0.0	81	2.8
	Heterosexual	47	6.3	167	40.8	214	18.6	107	8.9	249	44.8	356	20.3	154	7.9	416	43.1	570	19.6
	Fem Pres Het Cont	0	0.0	181	44.3	181	15.7	0	0.0	198	35.6	198	11.3	0	0.0	379	39.3	379	13.0
	Blood Prod	0	0.0	2	0.5	2	0.2	9	0.8	6	1.1	15	0.9	9	0.5	8	0.8	17	0.6
	Pediatric Risk	21	2.8	22	5.4	43	3.7	19	1.6	13	2.3	32	1.8	40	2.1	35	3.6	75	2.6
	Unk	196	26.4	0	0.0	196	17.0	293	24.5	0	0.0	293	16.7	489	25.2	0	0.0	489	16.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		105.3	100.0	7.8	73.3	100.0	5.4	5.7	100.0	40.3	100.0	46.0	100.0
Sex at Birth	Male	78.3	74.4	.	50.7	69.1	.	3.7	64.7	28.3	70.2	32.0	69.6
	Female	27.0	25.6	.	22.7	30.9	.	2.0	35.3	12.0	29.8	14.0	30.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	6.3	6.0	.	1.0	1.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	18.0	17.1	.	6.0	8.2	.	0.0	0.0	0.7	1.7	0.7	1.4
	25-29	12.0	11.4	.	5.3	7.3	.	0.0	0.0	0.3	0.8	0.3	0.7
	30-39	23.3	22.2	.	13.7	18.6	.	0.0	0.0	3.0	7.4	3.0	6.5
	40-49	22.7	21.5	.	21.0	28.6	.	1.7	29.4	9.7	24.0	11.3	24.6
	50-59	17.3	16.5	.	19.0	25.9	.	2.7	47.1	14.0	34.7	16.7	36.2
	60+	5.7	5.4	.	7.3	10.0	.	1.3	23.5	12.7	31.4	14.0	30.4
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	24.7	23.4	.	13.3	18.2	.	2.3	41.2	12.0	29.8	14.3	31.2
	Black	42.7	40.5	.	32.3	44.1	.	2.3	41.2	15.7	38.8	18.0	39.1
	Hispanic	31.7	30.1	.	21.3	29.1	.	0.7	11.8	7.3	18.2	8.0	17.4
	Multi Race	5.0	4.7	.	6.0	8.2	.	0.3	5.9	5.3	13.2	5.7	12.3
	Others	1.3	1.3	.	0.3	0.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	48.0	45.6	.	26.3	35.9	.	1.3	23.5	10.7	26.4	12.0	26.1
	IDU	2.0	1.9	.	3.7	5.0	.	1.0	17.6	9.7	24.0	10.7	23.2
	MSM/IDU	1.3	1.3	.	1.7	2.3	.	0.3	5.9	1.0	2.5	1.3	2.9
	Heterosexual	12.7	12.0	.	12.7	17.3	.	1.0	17.6	7.3	18.2	8.3	18.1
	Fem Pres Het Cont	17.0	16.1	.	12.0	16.4	.	1.0	17.6	3.3	8.3	4.3	9.4
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.8	0.3	0.7
	Pediatric Risk	0.0	0.0	.	0.3	0.5	.	0.0	0.0	0.3	0.8	0.3	0.7
	Unk	24.3	23.1	.	16.7	22.7	.	1.0	17.6	7.7	19.0	8.7	18.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		78.3	100.0	27.0	100.0	105.3	100.0	50.7	100.0	22.7	100.0	73.3	100.0
Risk	MSM	48.0	61.3	0.0	0.0	48.0	45.6	26.3	52.0	0.0	0.0	26.3	35.9
	IDU	1.3	1.7	0.7	2.5	2.0	1.9	2.3	4.6	1.3	5.9	3.7	5.0
	MSM/IDU	1.3	1.7	0.0	0.0	1.3	1.3	1.7	3.3	0.0	0.0	1.7	2.3
	Heterosexual	3.3	4.3	9.3	34.6	12.7	12.0	3.7	7.2	9.0	39.7	12.7	17.3
	Fem Pres Het Cont	0.0	0.0	17.0	63.0	17.0	16.1	0.0	0.0	12.0	52.9	12.0	16.4
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	0.3	0.5
	Unk	24.3	31.1	0.0	0.0	24.3	23.1	16.7	32.9	0.0	0.0	16.7	22.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	253	.	148	148
1987	.	142	.	101	101
1988	.	190	.	114	114
1989	.	226	.	149	149
1990	.	225	.	151	151
1991	.	244	.	190	190
1992	.	294	.	193	193
1993	.	301	.	201	201
1994	.	255	.	240	240
1995	.	296	.	226	226
1996	.	231	.	134	134
1997	.	163	.	80	80
1998	.	149	.	68	68
1999	.	151	.	74	74
2000*	153	161	4	61	65
2001	152	155	6	68	74
2002	126	147	7	56	63
2003	112	126	7	79	86
2004	108	118	10	56	66
2005	115	93	13	55	68
2006	110	93	8	54	62
2007	98	95	9	61	70
2008	134	93	8	41	49
2009	87	88	6	40	46
2010	97	79	10	43	53
2011	116	70	6	36	42
2012	103	71	1	42	43

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		89	100.0	41.4	96	100.0	44.6	185	100.0	86.0	215,124
Sex at Birth	Male	60	67.4	.	63	65.6	.	123	66.5	.	.
	Female	29	32.6	.	33	34.4	.	62	33.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	3.4	.	1	1.0	.	4	2.2	.	.
	20-24	5	5.6	.	2	2.1	.	7	3.8	.	.
	25-29	10	11.2	.	7	7.3	.	17	9.2	.	.
	30-39	18	20.2	.	9	9.4	.	27	14.6	.	.
	40-49	26	29.2	.	32	33.3	.	58	31.4	.	.
	50-59	21	23.6	.	33	34.4	.	54	29.2	.	.
	60+	6	6.7	.	12	12.5	.	18	9.7	.	.
Race/Ethnicity	White	46	51.7	.	48	50.0	.	94	50.8	.	.
	Black	25	28.1	.	27	28.1	.	52	28.1	.	.
	Hispanic	9	10.1	.	9	9.4	.	18	9.7	.	.
	Multi Race	9	10.1	.	12	12.5	.	21	11.4	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	40	44.9	.	38	39.6	.	78	42.2	.	.
	IDU	12	13.5	.	20	20.8	.	32	17.3	.	.
	MSM/IDU	5	5.6	.	7	7.3	.	12	6.5	.	.
	Heterosexual	19	21.3	.	23	24.0	.	42	22.7	.	.
	Fem Pres Het Cont	9	10.1	.	2	2.1	.	11	5.9	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.1	.	3	1.6	.	.
	Unk	4	4.5	.	3	3.1	.	7	3.8	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		60	100.0	29	100.0	89	100.0	63	100.0	33	100.0	96	100.0	123	100.0	62	100.0	185	100.0
Risk	MSM	40	66.7	0	0.0	40	44.9	38	60.3	0	0.0	38	39.6	78	63.4	0	0.0	78	42.2
	IDU	9	15.0	3	10.3	12	13.5	11	17.5	9	27.3	20	20.8	20	16.3	12	19.4	32	17.3
	MSM/IDU	5	8.3	0	0.0	5	5.6	7	11.1	0	0.0	7	7.3	12	9.8	0	0.0	12	6.5
	Heterosexual	2	3.3	17	58.6	19	21.3	3	4.8	20	60.6	23	24.0	5	4.1	37	59.7	42	22.7
	Fem Pres Het Cont	0	0.0	9	31.0	9	10.1	0	0.0	2	6.1	2	2.1	0	0.0	11	17.7	11	5.9
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.6	2	6.1	3	3.1	1	0.8	2	3.2	3	1.6
	Unk	4	6.7	0	0.0	4	4.5	3	4.8	0	0.0	3	3.1	7	5.7	0	0.0	7	3.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		8.7	100.0	4.0	5.3	100.0	2.5	0.7	100.0	2.7	100.0	3.3	100.0
Sex at Birth	Male	6.7	76.9	.	4.3	81.3	.	0.3	50.0	2.7	100.0	3.0	90.0
	Female	2.0	23.1	.	1.0	18.8	.	0.3	50.0	0.0	0.0	0.3	10.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	11.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	19.2	.	1.0	18.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	15.4	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	11.5	.	1.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.3	26.9	.	1.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	7.7	.	1.0	18.8	.	0.7	100.0	2.0	75.0	2.7	80.0
	60+	0.7	7.7	.	0.3	6.3	.	0.0	0.0	0.7	25.0	0.7	20.0
Race/Ethnicity	White	4.3	50.0	.	2.7	50.0	.	0.3	50.0	0.7	25.0	1.0	30.0
	Black	4.0	46.2	.	2.0	37.5	.	0.3	50.0	0.7	25.0	1.0	30.0
	Hispanic	0.0	0.0	.	0.3	6.3	.	0.0	0.0	1.3	50.0	1.3	40.0
	Multi Race	0.3	3.8	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.0	57.7	.	2.7	50.0	.	0.0	0.0	0.7	25.0	0.7	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.3	50.0	1.7	62.5	2.0	60.0
	MSM/IDU	0.7	7.7	.	1.0	18.8	.	0.3	50.0	0.3	12.5	0.7	20.0
	Heterosexual	2.3	26.9	.	1.0	18.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	7.7	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.7	100.0	2.0	100.0	8.7	100.0	4.3	100.0	1.0	100.0	5.3	100.0
Risk	MSM	5.0	75.0	0.0	0.0	5.0	57.7	2.7	61.5	0.0	0.0	2.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.7	10.0	0.0	0.0	0.7	7.7	1.0	23.1	0.0	0.0	1.0	18.8
	Heterosexual	1.0	15.0	1.3	66.7	2.3	26.9	0.3	7.7	0.7	66.7	1.0	18.8
	Fem Pres Het Cont	0.0	0.0	0.7	33.3	0.7	7.7	0.0	0.0	0.3	33.3	0.3	6.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.7	0.0	0.0	0.3	6.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	6	.	4	4
1987	.	5	.	3	3
1988	.	6	.	3	3
1989	.	14	.	8	8
1990	.	21	.	10	10
1991	.	18	.	13	13
1992	.	17	.	21	21
1993	.	22	.	11	11
1994	.	8	.	20	20
1995	.	15	.	9	9
1996	.	11	.	6	6
1997	.	14	.	9	9
1998	.	10	.	4	4
1999	.	6	.	2	2
2000*	7	12	1	4	5
2001	3	11	.	4	4
2002	8	5	1	1	2
2003	9	11	.	3	3
2004	11	8	.	5	5
2005	18	11	.	13	13
2006	9	7	.	4	4
2007	5	7	1	2	3
2008	9	8	.	4	4
2009	6	2	1	4	5
2010	10	4	1	2	3
2011	10	8	1	3	4
2012	6	4	.	3	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		112	100.0	48.0	171	100.0	73.2	283	100.0	121.2	233,556
Sex at Birth	Male	62	55.4	.	107	62.6	.	169	59.7	.	.
	Female	50	44.6	.	64	37.4	.	114	40.3	.	.
Current Age	12 & under	1	0.9	.	0	0.0	.	1	0.4	.	.
	13-19	2	1.8	.	1	0.6	.	3	1.1	.	.
	20-24	8	7.1	.	2	1.2	.	10	3.5	.	.
	25-29	11	9.8	.	5	2.9	.	16	5.7	.	.
	30-39	26	23.2	.	25	14.6	.	51	18.0	.	.
	40-49	28	25.0	.	61	35.7	.	89	31.4	.	.
	50-59	24	21.4	.	51	29.8	.	75	26.5	.	.
	60+	12	10.7	.	26	15.2	.	38	13.4	.	.
Race/Ethnicity	White	49	43.8	.	86	50.3	.	135	47.7	.	.
	Black	26	23.2	.	47	27.5	.	73	25.8	.	.
	Hispanic	23	20.5	.	19	11.1	.	42	14.8	.	.
	Multi Race	8	7.1	.	16	9.4	.	24	8.5	.	.
	Others	6	5.4	.	3	1.8	.	9	3.2	.	.
Risk	MSM	40	35.7	.	63	36.8	.	103	36.4	.	.
	IDU	9	8.0	.	29	17.0	.	38	13.4	.	.
	MSM/IDU	1	0.9	.	9	5.3	.	10	3.5	.	.
	Heterosexual	28	25.0	.	30	17.5	.	58	20.5	.	.
	Fem Pres Het Cont	22	19.6	.	25	14.6	.	47	16.6	.	.
	Blood Prod	0	0.0	.	1	0.6	.	1	0.4	.	.
	Pediatric Risk	2	1.8	.	4	2.3	.	6	2.1	.	.
	Unk	10	8.9	.	10	5.8	.	20	7.1	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		62	100.0	50	100.0	112	100.0	107	100.0	64	100.0	171	100.0	169	100.0	114	100.0	283	100.0
Risk	MSM	40	64.5	0	0.0	40	35.7	63	58.9	0	0.0	63	36.8	103	60.9	0	0.0	103	36.4
	IDU	5	8.1	4	8.0	9	8.0	18	16.8	11	17.2	29	17.0	23	13.6	15	13.2	38	13.4
	MSM/IDU	1	1.6	0	0.0	1	0.9	9	8.4	0	0.0	9	5.3	10	5.9	0	0.0	10	3.5
	Heterosexual	6	9.7	22	44.0	28	25.0	3	2.8	27	42.2	30	17.5	9	5.3	49	43.0	58	20.5
	Fem Pres Het Cont	0	0.0	22	44.0	22	19.6	0	0.0	25	39.1	25	14.6	0	0.0	47	41.2	47	16.6
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.6	1	0.6	0	0.0	1	0.4
	Pediatric Risk	0	0.0	2	4.0	2	1.8	3	2.8	1	1.6	4	2.3	3	1.8	3	2.6	6	2.1
	Unk	10	16.1	0	0.0	10	8.9	10	9.3	0	0.0	10	5.8	20	11.8	0	0.0	20	7.1

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		11.0	100.0	4.7	6.3	100.0	2.7	2.0	100.0	3.3	100.0	5.3	100.0
Sex at Birth	Male	5.7	51.5	.	4.0	63.2	.	1.0	50.0	2.3	70.0	3.3	62.5
	Female	5.3	48.5	.	2.3	36.8	.	1.0	50.0	1.0	30.0	2.0	37.5
Age at Diagnosis	12 & under	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	21.2	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	6.3
	25-29	1.0	9.1	.	0.7	10.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	18.2	.	0.7	10.5	.	0.0	0.0	0.3	10.0	0.3	6.3
	40-49	3.0	27.3	.	2.7	42.1	.	0.3	16.7	1.0	30.0	1.3	25.0
	50-59	1.3	12.1	.	1.7	26.3	.	1.0	50.0	1.7	50.0	2.7	50.0
	60+	0.7	6.1	.	0.7	10.5	.	0.7	33.3	0.0	0.0	0.7	12.5
Race/Ethnicity	White	5.7	51.5	.	3.7	57.9	.	0.3	16.7	1.3	40.0	1.7	31.3
	Black	2.7	24.2	.	0.7	10.5	.	1.3	66.7	1.3	40.0	2.7	50.0
	Hispanic	2.0	18.2	.	0.7	10.5	.	0.0	0.0	0.7	20.0	0.7	12.5
	Multi Race	0.3	3.0	.	1.0	15.8	.	0.3	16.7	0.0	0.0	0.3	6.3
	Others	0.3	3.0	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	30.3	.	2.7	42.1	.	0.3	16.7	1.0	30.0	1.3	25.0
	IDU	0.3	3.0	.	0.0	0.0	.	0.7	33.3	0.7	20.0	1.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	20.0	0.7	12.5
	Heterosexual	3.3	30.3	.	1.3	21.1	.	0.7	33.3	0.3	10.0	1.0	18.8
	Fem Pres Het Cont	2.0	18.2	.	1.3	21.1	.	0.3	16.7	0.0	0.0	0.3	6.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	6.3
	Unk	1.7	15.2	.	1.0	15.8	.	0.0	0.0	0.3	10.0	0.3	6.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.7	100.0	5.3	100.0	11.0	100.0	4.0	100.0	2.3	100.0	6.3	100.0
Risk	MSM	3.3	58.8	0.0	0.0	3.3	30.3	2.7	66.7	0.0	0.0	2.7	42.1
	IDU	0.0	0.0	0.3	6.3	0.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	11.8	2.7	50.0	3.3	30.3	0.3	8.3	1.0	42.9	1.3	21.1
	Fem Pres Het Cont	0.0	0.0	2.0	37.5	2.0	18.2	0.0	0.0	1.3	57.1	1.3	21.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	6.3	0.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	29.4	0.0	0.0	1.7	15.2	1.0	25.0	0.0	0.0	1.0	15.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	11	.	6	6
1987	.	6	.	4	4
1988	.	10	.	5	5
1989	.	12	.	9	9
1990	.	24	.	9	9
1991	.	21	.	11	11
1992	.	34	.	14	14
1993	.	39	.	28	28
1994	.	20	.	20	20
1995	.	23	.	18	18
1996	.	21	.	21	21
1997	.	17	.	10	10
1998	.	14	.	6	6
1999	.	19	.	7	7
2000*	7	14	.	9	9
2001	8	5	1	5	6
2002	14	10	.	3	3
2003	13	15	2	6	8
2004	15	13	2	4	6
2005	11	13	1	8	9
2006	7	7	.	1	1
2007	11	11	2	9	11
2008	9	13	.	5	5
2009	13	12	3	4	7
2010	13	4	3	4	7
2011	9	5	.	1	1
2012	11	10	3	5	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		391	100.0	83.8	560	100.0	120.0	951	100.0	203.7	466,852
Sex at Birth	Male	248	63.4	.	380	67.9	.	628	66.0	.	.
	Female	143	36.6	.	180	32.1	.	323	34.0	.	.
Current Age	12 & under	4	1.0	.	0	0.0	.	4	0.4	.	.
	13-19	8	2.0	.	0	0.0	.	8	0.8	.	.
	20-24	35	9.0	.	5	0.9	.	40	4.2	.	.
	25-29	43	11.0	.	19	3.4	.	62	6.5	.	.
	30-39	77	19.7	.	58	10.4	.	135	14.2	.	.
	40-49	113	28.9	.	183	32.7	.	296	31.1	.	.
	50-59	87	22.3	.	224	40.0	.	311	32.7	.	.
	60+	24	6.1	.	71	12.7	.	95	10.0	.	.
Race/Ethnicity	White	174	44.5	.	255	45.5	.	429	45.1	.	.
	Black	149	38.1	.	190	33.9	.	339	35.6	.	.
	Hispanic	38	9.7	.	57	10.2	.	95	10.0	.	.
	Multi Race	25	6.4	.	49	8.8	.	74	7.8	.	.
	Others	5	1.3	.	9	1.6	.	14	1.5	.	.
Risk	MSM	171	43.7	.	225	40.2	.	396	41.6	.	.
	IDU	39	10.0	.	83	14.8	.	122	12.8	.	.
	MSM/IDU	3	0.8	.	29	5.2	.	32	3.4	.	.
	Heterosexual	103	26.3	.	151	27.0	.	254	26.7	.	.
	Fem Pres Het Cont	32	8.2	.	21	3.8	.	53	5.6	.	.
	Blood Prod	0	0.0	.	5	0.9	.	5	0.5	.	.
	Pediatric Risk	15	3.8	.	5	0.9	.	20	2.1	.	.
	Unk	28	7.2	.	41	7.3	.	69	7.3	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		248	100.0	143	100.0	391	100.0	380	100.0	180	100.0	560	100.0	628	100.0	323	100.0	951	100.0
Risk	MSM	171	69.0	0	0.0	171	43.7	225	59.2	0	0.0	225	40.2	396	63.1	0	0.0	396	41.6
	IDU	21	8.5	18	12.6	39	10.0	46	12.1	37	20.6	83	14.8	67	10.7	55	17.0	122	12.8
	MSM/IDU	3	1.2	0	0.0	3	0.8	29	7.6	0	0.0	29	5.2	32	5.1	0	0.0	32	3.4
	Heterosexual	17	6.9	86	60.1	103	26.3	34	8.9	117	65.0	151	27.0	51	8.1	203	62.8	254	26.7
	Fem Pres Het Cont	0	0.0	32	22.4	32	8.2	0	0.0	21	11.7	21	3.8	0	0.0	53	16.4	53	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	5	1.3	0	0.0	5	0.9	5	0.8	0	0.0	5	0.5
	Pediatric Risk	8	3.2	7	4.9	15	3.8	2	0.5	3	1.7	5	0.9	10	1.6	10	3.1	20	2.1
	Unk	28	11.3	0	0.0	28	7.2	39	10.3	2	1.1	41	7.3	67	10.7	2	0.6	69	7.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		43.0	100.0	9.2	25.0	100.0	5.4	2.7	100.0	16.3	100.0	19.0	100.0
Sex at Birth	Male	31.0	72.1	.	18.0	72.0	.	2.0	75.0	13.3	81.6	15.3	80.7
	Female	12.0	27.9	.	7.0	28.0	.	0.7	25.0	3.0	18.4	3.7	19.3
Age at Diagnosis	12 & under	1.0	2.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	2.3	5.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	7.7	17.8	.	1.0	4.0	.	0.0	0.0	0.7	4.1	0.7	3.5
	25-29	8.0	18.6	.	4.0	16.0	.	0.0	0.0	0.3	2.0	0.3	1.8
	30-39	6.0	14.0	.	5.3	21.3	.	0.0	0.0	0.7	4.1	0.7	3.5
	40-49	9.3	21.7	.	7.3	29.3	.	0.0	0.0	3.7	22.4	3.7	19.3
	50-59	6.3	14.7	.	6.0	24.0	.	0.7	25.0	7.3	44.9	8.0	42.1
	60+	2.3	5.4	.	1.3	5.3	.	2.0	75.0	3.7	22.4	5.7	29.8
Race/Ethnicity	White	16.0	37.2	.	9.0	36.0	.	1.3	50.0	8.0	49.0	9.3	49.1
	Black	19.3	45.0	.	10.0	40.0	.	0.3	12.5	4.3	26.5	4.7	24.6
	Hispanic	5.0	11.6	.	2.7	10.7	.	0.7	25.0	2.3	14.3	3.0	15.8
	Multi Race	2.3	5.4	.	2.7	10.7	.	0.3	12.5	1.7	10.2	2.0	10.5
	Others	0.3	0.8	.	0.7	2.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	21.7	50.4	.	10.3	41.3	.	0.3	12.5	6.3	38.8	6.7	35.1
	IDU	2.0	4.7	.	1.7	6.7	.	0.7	25.0	3.3	20.4	4.0	21.1
	MSM/IDU	0.7	1.6	.	1.0	4.0	.	0.3	12.5	0.3	2.0	0.7	3.5
	Heterosexual	7.0	16.3	.	6.0	24.0	.	0.7	25.0	3.0	18.4	3.7	19.3
	Fem Pres Het Cont	5.7	13.2	.	1.7	6.7	.	0.0	0.0	0.7	4.1	0.7	3.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	2.0	0.3	1.8
	Pediatric Risk	1.0	2.3	.	0.0	0.0	.	0.0	0.0	0.3	2.0	0.3	1.8
	Unk	5.0	11.6	.	4.3	17.3	.	0.7	25.0	2.0	12.2	2.7	14.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		31.0	100.0	12.0	100.0	43.0	100.0	18.0	100.0	7.0	100.0	25.0	100.0
Risk	MSM	21.7	69.9	0.0	0.0	21.7	50.4	10.3	57.4	0.0	0.0	10.3	41.3
	IDU	1.7	5.4	0.3	2.8	2.0	4.7	1.3	7.4	0.3	4.8	1.7	6.7
	MSM/IDU	0.7	2.2	0.0	0.0	0.7	1.6	1.0	5.6	0.0	0.0	1.0	4.0
	Heterosexual	1.7	5.4	5.3	44.4	7.0	16.3	1.0	5.6	5.0	71.4	6.0	24.0
	Fem Pres Het Cont	0.0	0.0	5.7	47.2	5.7	13.2	0.0	0.0	1.7	23.8	1.7	6.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	1.1	0.7	5.6	1.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	5.0	16.1	0.0	0.0	5.0	11.6	4.3	24.1	0.0	0.0	4.3	17.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	46	.	34	34
1987	.	24	.	12	12
1988	.	33	.	24	24
1989	.	42	.	24	24
1990	.	49	.	21	21
1991	.	58	.	34	34
1992	.	119	.	53	53
1993	.	110	.	56	56
1994	.	76	.	79	79
1995	.	78	.	65	65
1996	.	83	.	57	57
1997	.	54	.	19	19
1998	.	32	.	20	20
1999	.	43	.	20	20
2000*	26	73	.	24	24
2001	45	39	2	17	19
2002	43	37	4	16	20
2003	56	40	4	14	18
2004	44	31	4	13	17
2005	42	37	4	12	16
2006	33	27	1	19	20
2007	32	36	4	23	27
2008	44	35	4	25	29
2009	29	26	4	18	22
2010	35	19	2	21	23
2011	45	31	1	16	17
2012	49	25	5	12	17

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		46	100.0	42.4	42	100.0	38.7	88	100.0	81.1	108,519
Sex at Birth	Male	29	63.0	.	28	66.7	.	57	64.8	.	.
	Female	17	37.0	.	14	33.3	.	31	35.2	.	.
Current Age	20-24	3	6.5	.	0	0.0	.	3	3.4	.	.
	25-29	1	2.2	.	1	2.4	.	2	2.3	.	.
	30-39	11	23.9	.	4	9.5	.	15	17.0	.	.
	40-49	10	21.7	.	15	35.7	.	25	28.4	.	.
	50-59	18	39.1	.	15	35.7	.	33	37.5	.	.
	60+	3	6.5	.	7	16.7	.	10	11.4	.	.
Race/Ethnicity	White	29	63.0	.	25	59.5	.	54	61.4	.	.
	Black	6	13.0	.	6	14.3	.	12	13.6	.	.
	Hispanic	9	19.6	.	10	23.8	.	19	21.6	.	.
	Multi Race	2	4.3	.	1	2.4	.	3	3.4	.	.
Risk	MSM	19	41.3	.	16	38.1	.	35	39.8	.	.
	IDU	3	6.5	.	2	4.8	.	5	5.7	.	.
	MSM/IDU	0	0.0	.	2	4.8	.	2	2.3	.	.
	Heterosexual	10	21.7	.	12	28.6	.	22	25.0	.	.
	Fem Pres Het Cont	7	15.2	.	5	11.9	.	12	13.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	7	15.2	.	5	11.9	.	12	13.6	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	17	100.0	46	100.0	28	100.0	14	100.0	42	100.0	57	100.0	31	100.0	88	100.0
Risk	MSM	19	65.5	0	0.0	19	41.3	16	57.1	0	0.0	16	38.1	35	61.4	0	0.0	35	39.8
	IDU	2	6.9	1	5.9	3	6.5	2	7.1	0	0.0	2	4.8	4	7.0	1	3.2	5	5.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	7.1	0	0.0	2	4.8	2	3.5	0	0.0	2	2.3
	Heterosexual	1	3.4	9	52.9	10	21.7	3	10.7	9	64.3	12	28.6	4	7.0	18	58.1	22	25.0
	Fem Pres Het Cont	0	0.0	7	41.2	7	15.2	0	0.0	5	35.7	5	11.9	0	0.0	12	38.7	12	13.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	7	24.1	0	0.0	7	15.2	5	17.9	0	0.0	5	11.9	12	21.1	0	0.0	12	13.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	3.7	1.3	100.0	1.2	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	3.7	91.7	.	1.3	100.0	.	0.0	0.0	1.3	100.0	1.3	100.0
	Female	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	1.0	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	16.7	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	16.7	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	1.3	33.3	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	60+	0.3	8.3	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	25.0
Race/Ethnicity	White	3.3	83.3	.	0.7	50.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Hispanic	0.3	8.3	.	0.7	50.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Multi Race	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	75.0	.	1.0	75.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	16.7	.	0.3	25.0	.	0.0	0.0	0.7	50.0	0.7	50.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.3	100.0	4.0	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	3.0	81.8	0.0	0.0	3.0	75.0	1.0	75.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	8.3	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	0.0	0.0	0.7	16.7	0.3	25.0	0.0	0.0	0.3	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	.	.
1987	.	1	.	1	1
1988	.	2	.	1	1
1989	.	2	.	1	1
1990	.	2	.	2	2
1991	.	1	.	.	.
1992	.	4	.	2	2
1993	.	6	.	6	6
1994	.	6	.	2	2
1995	.	6	.	3	3
1996	.	2	.	1	1
1997	.	1	.	2	2
1998	.	7	.	1	1
1999	.	1	.	.	.
2000*	1
2001	4	4	.	1	1
2002	8	4	1	1	2
2003	3	4	.	.	.
2004	3	2	.	.	.
2005	4	4	2	2	4
2006	2	4	.	1	1
2007	5	1	.	.	.
2008	3	1	.	.	.
2009	1	3	.	2	2
2010	4	1	.	2	2
2011	1	1	.	.	.
2012	7	2	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		310	100.0	82.8	492	100.0	131.4	802	100.0	214.1	374,512
Sex at Birth	Male	187	60.3	.	329	66.9	.	516	64.3	.	.
	Female	123	39.7	.	163	33.1	.	286	35.7	.	.
Current Age	12 & under	3	1.0	.	0	0.0	.	3	0.4	.	.
	13-19	6	1.9	.	1	0.2	.	7	0.9	.	.
	20-24	17	5.5	.	17	3.5	.	34	4.2	.	.
	25-29	24	7.7	.	8	1.6	.	32	4.0	.	.
	30-39	48	15.5	.	37	7.5	.	85	10.6	.	.
	40-49	81	26.1	.	139	28.3	.	220	27.4	.	.
	50-59	97	31.3	.	203	41.3	.	300	37.4	.	.
	60+	33	10.6	.	87	17.7	.	120	15.0	.	.
	Unk	1	0.3	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	108	34.8	.	123	25.0	.	231	28.8	.	.
	Black	75	24.2	.	151	30.7	.	226	28.2	.	.
	Hispanic	88	28.4	.	148	30.1	.	236	29.4	.	.
	Multi Race	36	11.6	.	69	14.0	.	105	13.1	.	.
	Others	3	1.0	.	1	0.2	.	4	0.5	.	.
Risk	MSM	98	31.6	.	94	19.1	.	192	23.9	.	.
	IDU	33	10.6	.	136	27.6	.	169	21.1	.	.
	MSM/IDU	8	2.6	.	22	4.5	.	30	3.7	.	.
	Heterosexual	108	34.8	.	186	37.8	.	294	36.7	.	.
	Fem Pres Het Cont	26	8.4	.	11	2.2	.	37	4.6	.	.
	Blood Prod	1	0.3	.	4	0.8	.	5	0.6	.	.
	Pediatric Risk	11	3.5	.	15	3.0	.	26	3.2	.	.
	Unk	25	8.1	.	24	4.9	.	49	6.1	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		187	100.0	123	100.0	310	100.0	329	100.0	163	100.0	492	100.0	516	100.0	286	100.0	802	100.0
Risk	MSM	98	52.4	0	0.0	98	31.6	94	28.6	0	0.0	94	19.1	192	37.2	0	0.0	192	23.9
	IDU	22	11.8	11	8.9	33	10.6	102	31.0	34	20.9	136	27.6	124	24.0	45	15.7	169	21.1
	MSM/IDU	8	4.3	0	0.0	8	2.6	22	6.7	0	0.0	22	4.5	30	5.8	0	0.0	30	3.7
	Heterosexual	26	13.9	82	66.7	108	34.8	77	23.4	109	66.9	186	37.8	103	20.0	191	66.8	294	36.7
	Fem Pres Het Cont	0	0.0	26	21.1	26	8.4	0	0.0	11	6.7	11	2.2	0	0.0	37	12.9	37	4.6
	Blood Prod	1	0.5	0	0.0	1	0.3	2	0.6	2	1.2	4	0.8	3	0.6	2	0.7	5	0.6
	Pediatric Risk	7	3.7	4	3.3	11	3.5	8	2.4	7	4.3	15	3.0	15	2.9	11	3.8	26	3.2
	Unk	25	13.4	0	0.0	25	8.1	24	7.3	0	0.0	24	4.9	49	9.5	0	0.0	49	6.1

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		19.3	100.0	5.2	18.0	100.0	4.8	1.7	100.0	10.7	100.0	12.3	100.0
Sex at Birth	Male	12.3	63.8	.	11.0	61.1	.	1.3	80.0	8.0	75.0	9.3	75.7
	Female	7.0	36.2	.	7.0	38.9	.	0.3	20.0	2.7	25.0	3.0	24.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	3.4	.	0.7	3.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.0	20.7	.	1.3	7.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	3.4	.	1.3	7.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	4.0	20.7	.	4.7	25.9	.	0.3	20.0	0.7	6.3	1.0	8.1
	40-49	5.3	27.6	.	5.7	31.5	.	0.0	0.0	1.7	15.6	1.7	13.5
	50-59	2.3	12.1	.	3.3	18.5	.	0.3	20.0	3.7	34.4	4.0	32.4
	60+	2.3	12.1	.	1.0	5.6	.	1.0	60.0	4.7	43.8	5.7	45.9
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.3	17.2	.	4.7	25.9	.	0.0	0.0	2.0	18.8	2.0	16.2
	Black	6.7	34.5	.	5.3	29.6	.	1.0	60.0	2.3	21.9	3.3	27.0
	Hispanic	6.0	31.0	.	5.7	31.5	.	0.3	20.0	2.7	25.0	3.0	24.3
	Multi Race	3.0	15.5	.	2.0	11.1	.	0.3	20.0	3.7	34.4	4.0	32.4
	Others	0.3	1.7	.	0.3	1.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.0	41.4	.	5.3	29.6	.	0.0	0.0	2.7	25.0	2.7	21.6
	IDU	1.3	6.9	.	3.0	16.7	.	1.0	60.0	3.3	31.3	4.3	35.1
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	9.4	1.0	8.1
	Heterosexual	9.3	48.3	.	8.3	46.3	.	0.3	20.0	3.3	31.3	3.7	29.7
	Fem Pres Het Cont	0.3	1.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	3.7	.	0.3	20.0	0.0	0.0	0.3	2.7
	Unk	0.3	1.7	.	0.7	3.7	.	0.0	0.0	0.3	3.1	0.3	2.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12.3	100.0	7.0	100.0	19.3	100.0	11.0	100.0	7.0	100.0	18.0	100.0
Risk	MSM	8.0	64.9	0.0	0.0	8.0	41.4	5.3	48.5	0.0	0.0	5.3	29.6
	IDU	0.3	2.7	1.0	14.3	1.3	6.9	1.3	12.1	1.7	23.8	3.0	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	3.7	29.7	5.7	81.0	9.3	48.3	3.0	27.3	5.3	76.2	8.3	46.3
	Fem Pres Het Cont	0.0	0.0	0.3	4.8	0.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.1	0.0	0.0	0.7	3.7
	Unk	0.3	2.7	0.0	0.0	0.3	1.7	0.7	6.1	0.0	0.0	0.7	3.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	32	.	20	20
1987	.	30	.	18	18
1988	.	36	.	21	21
1989	.	53	.	40	40
1990	.	72	.	30	30
1991	.	88	.	58	58
1992	.	89	.	60	60
1993	.	93	.	68	68
1994	.	109	.	60	60
1995	.	74	.	83	83
1996	.	54	.	44	44
1997	.	59	.	34	34
1998	.	36	.	23	23
1999	.	46	.	24	24
2000*	37	48	2	30	32
2001	39	40	2	17	19
2002	30	42	1	17	18
2003	40	56	4	23	27
2004	35	41	7	21	28
2005	43	41	2	23	25
2006	39	28	3	21	24
2007	32	28	.	18	18
2008	28	30	2	23	25
2009	32	28	4	13	17
2010	23	18	.	11	11
2011	19	20	3	9	12
2012	16	16	2	12	14

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		17	100.0	39.7	28	100.0	65.4	45	100.0	105.1	42,836
Sex at Birth	Male	10	58.8	.	18	64.3	.	28	62.2	.	.
	Female	7	41.2	.	10	35.7	.	17	37.8	.	.
Current Age	13-19	0	0.0	.	2	7.1	.	2	4.4	.	.
	20-24	2	11.8	.	1	3.6	.	3	6.7	.	.
	25-29	2	11.8	.	2	7.1	.	4	8.9	.	.
	30-39	6	35.3	.	3	10.7	.	9	20.0	.	.
	40-49	4	23.5	.	8	28.6	.	12	26.7	.	.
	50-59	2	11.8	.	11	39.3	.	13	28.9	.	.
	60+	1	5.9	.	1	3.6	.	2	4.4	.	.
Race/Ethnicity	White	9	52.9	.	15	53.6	.	24	53.3	.	.
	Black	2	11.8	.	10	35.7	.	12	26.7	.	.
	Hispanic	6	35.3	.	3	10.7	.	9	20.0	.	.
	Multi Race	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	7	41.2	.	12	42.9	.	19	42.2	.	.
	IDU	2	11.8	.	3	10.7	.	5	11.1	.	.
	MSM/IDU	0	0.0	.	2	7.1	.	2	4.4	.	.
	Heterosexual	2	11.8	.	2	7.1	.	4	8.9	.	.
	Fem Pres Het Cont	4	23.5	.	7	25.0	.	11	24.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	11.8	.	2	7.1	.	4	8.9	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		10	100.0	7	100.0	17	100.0	18	100.0	10	100.0	28	100.0	28	100.0	17	100.0	45	100.0
Risk	MSM	7	70.0	0	0.0	7	41.2	12	66.7	0	0.0	12	42.9	19	67.9	0	0.0	19	42.2
	IDU	1	10.0	1	14.3	2	11.8	2	11.1	1	10.0	3	10.7	3	10.7	2	11.8	5	11.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	11.1	0	0.0	2	7.1	2	7.1	0	0.0	2	4.4
	Heterosexual	0	0.0	2	28.6	2	11.8	0	0.0	2	20.0	2	7.1	0	0.0	4	23.5	4	8.9
	Fem Pres Het Cont	0	0.0	4	57.1	4	23.5	0	0.0	7	70.0	7	25.0	0	0.0	11	64.7	11	24.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	20.0	0	0.0	2	11.8	2	11.1	0	0.0	2	7.1	4	14.3	0	0.0	4	8.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	8.6	2.7	100.0	6.2	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.3	63.6	.	1.7	62.5	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	1.3	36.4	.	1.0	37.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	27.3	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	18.2	.	1.0	37.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	2.0	54.5	.	0.7	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black	1.0	27.3	.	1.7	62.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Hispanic	0.7	18.2	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	45.5	.	1.3	50.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	12.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Heterosexual	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.0	27.3	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	1.3	100.0	3.7	100.0	1.7	100.0	1.0	100.0	2.7	100.0
Risk	MSM	1.7	71.4	0.0	0.0	1.7	45.5	1.3	80.0	0.0	0.0	1.3	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.0	0.0	0.3	12.5
	Heterosexual	0.0	0.0	0.3	25.0	0.3	9.1	0.0	0.0	0.3	33.3	0.3	12.5
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	27.3	0.0	0.0	0.7	66.7	0.7	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	0.0	0.0	0.7	18.2	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1990	.	4	.	.	.
1991	.	3	.	2	2
1992	.	2	.	4	4
1993	.	.	.	2	2
1994	.	5	.	.	.
1995	.	4	.	3	3
1996	.	3	.	2	2
1997	.	4	.	1	1
1998	.	1	.	1	1
1999	.	.	.	1	1
2000*	1	2	.	.	.
2001	2
2002	1	3	.	1	1
2003	3	3	.	.	.
2004	1	2	.	2	2
2005	2	2	.	3	3
2006	2	1	.	1	1
2007	2	3	1	.	1
2008	.	2	.	.	.
2009	1	1	.	1	1
2010	1	2	.	1	1
2011	7	3	.	.	.
2012	3	3	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		39	100.0	32.0	53	100.0	43.5	92	100.0	75.6	121,700
Sex at Birth	Male	31	79.5	.	47	88.7	.	78	84.8	.	.
	Female	8	20.5	.	6	11.3	.	14	15.2	.	.
Current Age	13-19	1	2.6	.	0	0.0	.	1	1.1	.	.
	20-24	1	2.6	.	3	5.7	.	4	4.3	.	.
	25-29	4	10.3	.	1	1.9	.	5	5.4	.	.
	30-39	8	20.5	.	6	11.3	.	14	15.2	.	.
	40-49	13	33.3	.	23	43.4	.	36	39.1	.	.
	50-59	8	20.5	.	14	26.4	.	22	23.9	.	.
	60+	4	10.3	.	6	11.3	.	10	10.9	.	.
Race/Ethnicity	White	34	87.2	.	43	81.1	.	77	83.7	.	.
	Black	1	2.6	.	4	7.5	.	5	5.4	.	.
	Hispanic	2	5.1	.	4	7.5	.	6	6.5	.	.
	Multi Race	2	5.1	.	2	3.8	.	4	4.3	.	.
Risk	MSM	26	66.7	.	33	62.3	.	59	64.1	.	.
	IDU	0	0.0	.	4	7.5	.	4	4.3	.	.
	MSM/IDU	2	5.1	.	2	3.8	.	4	4.3	.	.
	Heterosexual	7	17.9	.	8	15.1	.	15	16.3	.	.
	Fem Pres Het Cont	2	5.1	.	1	1.9	.	3	3.3	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	5.1	.	5	9.4	.	7	7.6	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		31	100.0	8	100.0	39	100.0	47	100.0	6	100.0	53	100.0	78	100.0	14	100.0	92	100.0
Risk	MSM	26	83.9	0	0.0	26	66.7	33	70.2	0	0.0	33	62.3	59	75.6	0	0.0	59	64.1
	IDU	0	0.0	0	0.0	0	0.0	4	8.5	0	0.0	4	7.5	4	5.1	0	0.0	4	4.3
	MSM/IDU	2	6.5	0	0.0	2	5.1	2	4.3	0	0.0	2	3.8	4	5.1	0	0.0	4	4.3
	Heterosexual	1	3.2	6	75.0	7	17.9	3	6.4	5	83.3	8	15.1	4	5.1	11	78.6	15	16.3
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.1	0	0.0	1	16.7	1	1.9	0	0.0	3	21.4	3	3.3
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	6.5	0	0.0	2	5.1	5	10.6	0	0.0	5	9.4	7	9.0	0	0.0	7	7.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	3.0	4.3	100.0	3.6	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	3.3	90.9	.	3.7	84.6	.	0.0	0.0	1.0	75.0	1.0	75.0
	Female	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.3	25.0	0.3	25.0
Age at Diagnosis	13-19	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	27.3	.	0.7	15.4	.	0.0	0.0	0.7	50.0	0.7	50.0
	40-49	0.7	18.2	.	1.0	23.1	.	0.0	0.0	0.3	25.0	0.3	25.0
	50-59	0.7	18.2	.	0.7	15.4	.	0.0	0.0	0.3	25.0	0.3	25.0
	60+	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.0	81.8	.	3.3	76.9	.	0.0	0.0	1.0	75.0	1.0	75.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Hispanic	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	81.8	.	3.0	69.2	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.3	25.0	0.3	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.3	100.0	3.7	100.0	3.7	100.0	0.7	100.0	4.3	100.0
Risk	MSM	3.0	90.0	0.0	0.0	3.0	81.8	3.0	81.8	0.0	0.0	3.0	69.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.0	0.0	0.3	7.7
	Heterosexual	0.0	0.0	0.3	100.0	0.3	9.1	0.0	0.0	0.3	50.0	0.3	7.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	7.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	10.0	0.0	0.0	0.3	9.1	0.3	9.1	0.0	0.0	0.3	7.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	4	.	2	2
1987	.	.	.	1	1
1988	.	4	.	.	.
1989	.	8	.	6	6
1990	.	2	.	3	3
1991	.	4	.	4	4
1992	.	9	.	2	2
1993	.	5	.	7	7
1994	.	3	.	2	2
1995	.	7	.	4	4
1996	.	4	.	4	4
1997	.	6	.	.	.
1998	.	2	.	.	.
1999	.	6	.	1	1
2000*	1	1	.	1	1
2001	3	1	.	1	1
2002	11	8	.	.	.
2003	4	1	.	4	4
2004	3	4	.	.	.
2005	3	7	2	4	6
2006	3	4	.	1	1
2007	5	1	.	1	1
2008	5
2009	6	3	.	3	3
2010	6	7	.	2	2
2011	3	3	.	1	1
2012	2	3	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		26	100.0	42.1	29	100.0	47.0	55	100.0	89.1	61,709
Sex at Birth	Male	19	73.1	.	18	62.1	.	37	67.3	.	.
	Female	7	26.9	.	11	37.9	.	18	32.7	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	7.7	.	0	0.0	.	2	3.6	.	.
	25-29	2	7.7	.	1	3.4	.	3	5.5	.	.
	30-39	4	15.4	.	4	13.8	.	8	14.5	.	.
	40-49	8	30.8	.	7	24.1	.	15	27.3	.	.
	50-59	7	26.9	.	7	24.1	.	14	25.5	.	.
	60+	3	11.5	.	10	34.5	.	13	23.6	.	.
Race/Ethnicity	White	14	53.8	.	19	65.5	.	33	60.0	.	.
	Black	5	19.2	.	2	6.9	.	7	12.7	.	.
	Hispanic	3	11.5	.	5	17.2	.	8	14.5	.	.
	Multi Race	3	11.5	.	3	10.3	.	6	10.9	.	.
	Others	1	3.8	.	0	0.0	.	1	1.8	.	.
Risk	MSM	9	34.6	.	12	41.4	.	21	38.2	.	.
	IDU	2	7.7	.	3	10.3	.	5	9.1	.	.
	MSM/IDU	0	0.0	.	1	3.4	.	1	1.8	.	.
	Heterosexual	7	26.9	.	7	24.1	.	14	25.5	.	.
	Fem Pres Het Cont	2	7.7	.	3	10.3	.	5	9.1	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	23.1	.	3	10.3	.	9	16.4	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	7	100.0	26	100.0	18	100.0	11	100.0	29	100.0	37	100.0	18	100.0	55	100.0
Risk	MSM	9	47.4	0	0.0	9	34.6	12	66.7	0	0.0	12	41.4	21	56.8	0	0.0	21	38.2
	IDU	1	5.3	1	14.3	2	7.7	1	5.6	2	18.2	3	10.3	2	5.4	3	16.7	5	9.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	3.4	1	2.7	0	0.0	1	1.8
	Heterosexual	3	15.8	4	57.1	7	26.9	1	5.6	6	54.5	7	24.1	4	10.8	10	55.6	14	25.5
	Fem Pres Het Cont	0	0.0	2	28.6	2	7.7	0	0.0	3	27.3	3	10.3	0	0.0	5	27.8	5	9.1
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	31.6	0	0.0	6	23.1	3	16.7	0	0.0	3	10.3	9	24.3	0	0.0	9	16.4

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	3.2	1.0	100.0	1.6	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.7	83.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.7	100.0	0.7	100.0
Age at Diagnosis	13-19	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	50.0	.	0.7	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	1.3	66.7	.	1.0	100.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	33.3	.	0.3	33.3	.	0.0	0.0	0.7	100.0	0.7	100.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	50.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	0.3	20.0	0.0	0.0	0.3	16.7	0.3	50.0	0.0	0.0	0.3	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	0.3	100.0	0.7	33.3	0.0	0.0	0.3	100.0	0.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	60.0	0.0	0.0	1.0	50.0	0.3	50.0	0.0	0.0	0.3	33.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	1	1
1987	.	1	.	.	.
1988	.	3	.	2	2
1989	.	10	.	3	3
1990	.	2	.	4	4
1991	.	4	.	4	4
1992	.	5	.	3	3
1993	.	5	.	.	.
1994	.	2	.	4	4
1995	.	6	.	6	6
1996	.	6	.	4	4
1997	.	2	.	.	.
1998	.	1	.	.	.
1999	.	2	.	2	2
2000*	5	4	.	2	2
2001	4
2002	5	2	.	1	1
2003	3	5	.	.	.
2004	2	2	.	2	2
2005	2	5	.	1	1
2006	3	2	.	5	5
2007	3	1	.	1	1
2008	1	1	.	3	3
2009	.	2	.	.	.
2010	4	1	.	.	.
2011	1	1	.	2	2
2012	1	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		46	100.0	46.2	87	100.0	87.3	133	100.0	133.5	99,607
Sex at Birth	Male	32	69.6	.	59	67.8	.	91	68.4	.	.
	Female	14	30.4	.	28	32.2	.	42	31.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.1	.	1	0.8	.	.
	20-24	1	2.2	.	1	1.1	.	2	1.5	.	.
	25-29	2	4.3	.	1	1.1	.	3	2.3	.	.
	30-39	8	17.4	.	9	10.3	.	17	12.8	.	.
	40-49	21	45.7	.	19	21.8	.	40	30.1	.	.
	50-59	10	21.7	.	37	42.5	.	47	35.3	.	.
	60+	4	8.7	.	19	21.8	.	23	17.3	.	.
Race/Ethnicity	White	21	45.7	.	48	55.2	.	69	51.9	.	.
	Black	9	19.6	.	13	14.9	.	22	16.5	.	.
	Hispanic	12	26.1	.	22	25.3	.	34	25.6	.	.
	Multi Race	3	6.5	.	4	4.6	.	7	5.3	.	.
	Others	1	2.2	.	0	0.0	.	1	0.8	.	.
Risk	MSM	20	43.5	.	35	40.2	.	55	41.4	.	.
	IDU	9	19.6	.	17	19.5	.	26	19.5	.	.
	MSM/IDU	1	2.2	.	3	3.4	.	4	3.0	.	.
	Heterosexual	9	19.6	.	22	25.3	.	31	23.3	.	.
	Fem Pres Het Cont	1	2.2	.	4	4.6	.	5	3.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.4	.	3	2.3	.	.
	Unk	6	13.0	.	3	3.4	.	9	6.8	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		32	100.0	14	100.0	46	100.0	59	100.0	28	100.0	87	100.0	91	100.0	42	100.0	133	100.0
Risk	MSM	20	62.5	0	0.0	20	43.5	35	59.3	0	0.0	35	40.2	55	60.4	0	0.0	55	41.4
	IDU	2	6.3	7	50.0	9	19.6	6	10.2	11	39.3	17	19.5	8	8.8	18	42.9	26	19.5
	MSM/IDU	1	3.1	0	0.0	1	2.2	3	5.1	0	0.0	3	3.4	4	4.4	0	0.0	4	3.0
	Heterosexual	3	9.4	6	42.9	9	19.6	11	18.6	11	39.3	22	25.3	14	15.4	17	40.5	31	23.3
	Fem Pres Het Cont	0	0.0	1	7.1	1	2.2	0	0.0	4	14.3	4	4.6	0	0.0	5	11.9	5	3.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.7	2	7.1	3	3.4	1	1.1	2	4.8	3	2.3
	Unk	6	18.8	0	0.0	6	13.0	3	5.1	0	0.0	3	3.4	9	9.9	0	0.0	9	6.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	5.0	4.0	100.0	4.0	0.0	0.0	1.7	100.0	1.7	100.0
Sex at Birth	Male	3.3	66.7	.	2.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	Female	1.7	33.3	.	2.0	50.0	.	0.0	0.0	0.7	40.0	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	13.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	13.3	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	40.0	.	1.7	41.7	.	0.0	0.0	0.7	40.0	0.7	40.0
	50-59	0.7	13.3	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	13.3	.	0.3	8.3	.	0.0	0.0	1.0	60.0	1.0	60.0
Race/Ethnicity	White	3.3	66.7	.	2.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	Black	0.0	0.0	.	1.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	1.3	26.7	.	0.7	16.7	.	0.0	0.0	0.7	40.0	0.7	40.0
	Multi Race	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	53.3	.	1.7	41.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	13.3	.	1.3	33.3	.	0.0	0.0	0.7	40.0	0.7	40.0
	Fem Pres Het Cont	1.0	20.0	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	13.3	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	40.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	1.7	100.0	5.0	100.0	2.0	100.0	2.0	100.0	4.0	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	53.3	1.7	83.3	0.0	0.0	1.7	41.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	40.0	0.7	13.3	0.3	16.7	1.0	50.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	1.0	60.0	1.0	20.0	0.0	0.0	0.7	33.3	0.7	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.3	8.3
	Unk	0.7	20.0	0.0	0.0	0.7	13.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	9	.	8	8
1987	.	8	.	5	5
1988	.	10	.	5	5
1989	.	7	.	4	4
1990	.	9	.	7	7
1991	.	12	.	3	3
1992	.	16	.	7	7
1993	.	11	.	15	15
1994	.	12	.	13	13
1995	.	17	.	14	14
1996	.	11	.	6	6
1997	.	6	.	3	3
1998	.	10	.	4	4
1999	.	10	.	1	1
2000*	9	4	.	2	2
2001	3	5	.	.	.
2002	3	2	.	2	2
2003	4	4	.	1	1
2004	2	2	1	1	2
2005	3	1	.	1	1
2006	5	5	1	.	1
2007	5	8	.	1	1
2008	2	3	.	1	1
2009	9	3	1	1	2
2010	6	6	.	.	.
2011	4	2	.	3	3
2012	5	4	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		99	100.0	61.9	141	100.0	88.2	240	100.0	150.2	159,835
Sex at Birth	Male	60	60.6	.	99	70.2	.	159	66.3	.	.
	Female	39	39.4	.	42	29.8	.	81	33.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	0	0.0	.	1	0.4	.	.
	20-24	6	6.1	.	2	1.4	.	8	3.3	.	.
	25-29	8	8.1	.	3	2.1	.	11	4.6	.	.
	30-39	17	17.2	.	15	10.6	.	32	13.3	.	.
	40-49	35	35.4	.	43	30.5	.	78	32.5	.	.
	50-59	23	23.2	.	54	38.3	.	77	32.1	.	.
	60+	9	9.1	.	24	17.0	.	33	13.8	.	.
Race/Ethnicity	White	53	53.5	.	78	55.3	.	131	54.6	.	.
	Black	21	21.2	.	33	23.4	.	54	22.5	.	.
	Hispanic	13	13.1	.	16	11.3	.	29	12.1	.	.
	Multi Race	11	11.1	.	13	9.2	.	24	10.0	.	.
	Others	1	1.0	.	1	0.7	.	2	0.8	.	.
Risk	MSM	42	42.4	.	51	36.2	.	93	38.8	.	.
	IDU	6	6.1	.	19	13.5	.	25	10.4	.	.
	MSM/IDU	6	6.1	.	7	5.0	.	13	5.4	.	.
	Heterosexual	23	23.2	.	26	18.4	.	49	20.4	.	.
	Fem Pres Het Cont	13	13.1	.	11	7.8	.	24	10.0	.	.
	Blood Prod	0	0.0	.	2	1.4	.	2	0.8	.	.
	Pediatric Risk	1	1.0	.	3	2.1	.	4	1.7	.	.
	Unk	8	8.1	.	22	15.6	.	30	12.5	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		60	100.0	39	100.0	99	100.0	99	100.0	42	100.0	141	100.0	159	100.0	81	100.0	240	100.0
Risk	MSM	42	70.0	0	0.0	42	42.4	51	51.5	0	0.0	51	36.2	93	58.5	0	0.0	93	38.8
	IDU	2	3.3	4	10.3	6	6.1	10	10.1	9	21.4	19	13.5	12	7.5	13	16.0	25	10.4
	MSM/IDU	6	10.0	0	0.0	6	6.1	7	7.1	0	0.0	7	5.0	13	8.2	0	0.0	13	5.4
	Heterosexual	1	1.7	22	56.4	23	23.2	7	7.1	19	45.2	26	18.4	8	5.0	41	50.6	49	20.4
	Fem Pres Het Cont	0	0.0	13	33.3	13	13.1	0	0.0	11	26.2	11	7.8	0	0.0	24	29.6	24	10.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.0	1	2.4	2	1.4	1	0.6	1	1.2	2	0.8
	Pediatric Risk	1	1.7	0	0.0	1	1.0	1	1.0	2	4.8	3	2.1	2	1.3	2	2.5	4	1.7
	Unk	8	13.3	0	0.0	8	8.1	22	22.2	0	0.0	22	15.6	30	18.9	0	0.0	30	12.5

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		8.7	100.0	5.4	6.3	100.0	4.0	1.3	100.0	4.7	100.0	6.0	100.0
Sex at Birth	Male	6.7	76.9	.	6.0	94.7	.	0.7	50.0	4.0	85.7	4.7	77.8
	Female	2.0	23.1	.	0.3	5.3	.	0.7	50.0	0.7	14.3	1.3	22.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	19.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	11.5	.	1.0	15.8	.	0.3	25.0	0.0	0.0	0.3	5.6
	30-39	0.7	7.7	.	0.7	10.5	.	0.0	0.0	0.3	7.1	0.3	5.6
	40-49	3.0	34.6	.	1.3	21.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.3	15.4	.	1.7	26.3	.	0.3	25.0	3.3	71.4	3.7	61.1
	60+	0.7	7.7	.	1.7	26.3	.	0.7	50.0	1.0	21.4	1.7	27.8
Race/Ethnicity	White	3.7	42.3	.	3.7	57.9	.	0.3	25.0	2.0	42.9	2.3	38.9
	Black	3.7	42.3	.	2.3	36.8	.	0.7	50.0	1.0	21.4	1.7	27.8
	Hispanic	0.7	7.7	.	0.3	5.3	.	0.0	0.0	0.7	14.3	0.7	11.1
	Multi Race	0.7	7.7	.	0.0	0.0	.	0.3	25.0	1.0	21.4	1.3	22.2
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.0	46.2	.	2.0	31.6	.	0.0	0.0	1.0	21.4	1.0	16.7
	IDU	0.0	0.0	.	0.3	5.3	.	0.3	25.0	2.7	57.1	3.0	50.0
	MSM/IDU	0.3	3.8	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	11.5	.	0.7	10.5	.	0.3	25.0	0.3	7.1	0.7	11.1
	Fem Pres Het Cont	1.7	19.2	.	0.3	5.3	.	0.3	25.0	0.0	0.0	0.3	5.6
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	19.2	.	2.7	42.1	.	0.3	25.0	0.7	14.3	1.0	16.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.7	100.0	2.0	100.0	8.7	100.0	6.0	100.0	0.3	100.0	6.3	100.0
Risk	MSM	4.0	60.0	0.0	0.0	4.0	46.2	2.0	33.3	0.0	0.0	2.0	31.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.6	0.0	0.0	0.3	5.3
	MSM/IDU	0.3	5.0	0.0	0.0	0.3	3.8	0.3	5.6	0.0	0.0	0.3	5.3
	Heterosexual	0.7	10.0	0.3	16.7	1.0	11.5	0.7	11.1	0.0	0.0	0.7	10.5
	Fem Pres Het Cont	0.0	0.0	1.7	83.3	1.7	19.2	0.0	0.0	0.3	100.0	0.3	5.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	25.0	0.0	0.0	1.7	19.2	2.7	44.4	0.0	0.0	2.7	42.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	5	.	2	2
1987	.	5	.	4	4
1988	.	6	.	4	4
1989	.	13	.	3	3
1990	.	13	.	8	8
1991	.	20	.	10	10
1992	.	28	.	11	11
1993	.	19	.	17	17
1994	.	20	.	11	11
1995	.	21	.	14	14
1996	.	19	.	12	12
1997	.	4	.	8	8
1998	.	8	.	2	2
1999	.	12	.	5	5
2000*	10	12	.	5	5
2001	8	6	1	7	8
2002	14	15	.	4	4
2003	13	14	.	6	6
2004	20	15	1	5	6
2005	10	7	3	7	10
2006	8	10	.	5	5
2007	9	11	.	3	3
2008	15	7	2	4	6
2009	6	3	1	4	5
2010	13	9	3	5	8
2011	7	5	1	7	8
2012	6	5	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		253	100.0	79.6	432	100.0	136.0	685	100.0	215.6	317,757
Sex at Birth	Male	151	59.7	.	286	66.2	.	437	63.8	.	.
	Female	102	40.3	.	146	33.8	.	248	36.2	.	.
Current Age	12 & under	2	0.8	.	0	0.0	.	2	0.3	.	.
	13-19	14	5.5	.	5	1.2	.	19	2.8	.	.
	20-24	7	2.8	.	10	2.3	.	17	2.5	.	.
	25-29	10	4.0	.	5	1.2	.	15	2.2	.	.
	30-39	51	20.2	.	32	7.4	.	83	12.1	.	.
	40-49	76	30.0	.	115	26.6	.	191	27.9	.	.
	50-59	61	24.1	.	174	40.3	.	235	34.3	.	.
	60+	32	12.6	.	91	21.1	.	123	18.0	.	.
Race/Ethnicity	White	53	20.9	.	89	20.6	.	142	20.7	.	.
	Black	103	40.7	.	191	44.2	.	294	42.9	.	.
	Hispanic	68	26.9	.	95	22.0	.	163	23.8	.	.
	Multi Race	27	10.7	.	57	13.2	.	84	12.3	.	.
	Others	2	0.8	.	0	0.0	.	2	0.3	.	.
Risk	MSM	66	26.1	.	87	20.1	.	153	22.3	.	.
	IDU	21	8.3	.	70	16.2	.	91	13.3	.	.
	MSM/IDU	6	2.4	.	22	5.1	.	28	4.1	.	.
	Heterosexual	104	41.1	.	174	40.3	.	278	40.6	.	.
	Fem Pres Het Cont	13	5.1	.	16	3.7	.	29	4.2	.	.
	Blood Prod	0	0.0	.	2	0.5	.	2	0.3	.	.
	Pediatric Risk	17	6.7	.	12	2.8	.	29	4.2	.	.
	Unk	26	10.3	.	49	11.3	.	75	10.9	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		151	100.0	102	100.0	253	100.0	286	100.0	146	100.0	432	100.0	437	100.0	248	100.0	685	100.0
Risk	MSM	66	43.7	0	0.0	66	26.1	87	30.4	0	0.0	87	20.1	153	35.0	0	0.0	153	22.3
	IDU	11	7.3	10	9.8	21	8.3	47	16.4	23	15.8	70	16.2	58	13.3	33	13.3	91	13.3
	MSM/IDU	6	4.0	0	0.0	6	2.4	22	7.7	0	0.0	22	5.1	28	6.4	0	0.0	28	4.1
	Heterosexual	34	22.5	70	68.6	104	41.1	72	25.2	102	69.9	174	40.3	106	24.3	172	69.4	278	40.6
	Fem Pres Het Cont	0	0.0	13	12.7	13	5.1	0	0.0	16	11.0	16	3.7	0	0.0	29	11.7	29	4.2
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.3	1	0.7	2	0.5	1	0.2	1	0.4	2	0.3
	Pediatric Risk	8	5.3	9	8.8	17	6.7	8	2.8	4	2.7	12	2.8	16	3.7	13	5.2	29	4.2
	Unk	26	17.2	0	0.0	26	10.3	49	17.1	0	0.0	49	11.3	75	17.2	0	0.0	75	10.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		21.3	100.0	6.7	14.0	100.0	4.4	2.3	100.0	10.0	100.0	12.3	100.0
Sex at Birth	Male	14.0	65.6	.	9.3	66.7	.	2.3	100.0	7.3	73.3	9.7	78.4
	Female	7.3	34.4	.	4.7	33.3	.	0.0	0.0	2.7	26.7	2.7	21.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	3.1	.	0.3	2.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	7.8	.	1.3	9.5	.	0.0	0.0	0.3	3.3	0.3	2.7
	25-29	3.3	15.6	.	0.7	4.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	4.3	20.3	.	2.7	19.0	.	0.3	14.3	1.3	13.3	1.7	13.5
	40-49	5.7	26.6	.	3.7	26.2	.	0.3	14.3	2.0	20.0	2.3	18.9
	50-59	2.3	10.9	.	3.7	26.2	.	0.7	28.6	3.3	33.3	4.0	32.4
	60+	3.3	15.6	.	1.7	11.9	.	1.0	42.9	3.0	30.0	4.0	32.4
Race/Ethnicity	White	3.7	17.2	.	3.7	26.2	.	0.3	14.3	2.7	26.7	3.0	24.3
	Black	10.0	46.9	.	6.7	47.6	.	1.3	57.1	4.0	40.0	5.3	43.2
	Hispanic	6.0	28.1	.	3.0	21.4	.	0.3	14.3	2.3	23.3	2.7	21.6
	Multi Race	1.7	7.8	.	0.7	4.8	.	0.3	14.3	1.0	10.0	1.3	10.8
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	6.3	29.7	.	3.7	26.2	.	0.3	14.3	2.3	23.3	2.7	21.6
	IDU	1.3	6.3	.	1.7	11.9	.	0.3	14.3	1.7	16.7	2.0	16.2
	MSM/IDU	1.0	4.7	.	0.3	2.4	.	0.3	14.3	0.0	0.0	0.3	2.7
	Heterosexual	11.7	54.7	.	6.3	45.2	.	1.3	57.1	4.7	46.7	6.0	48.6
	Fem Pres Het Cont	0.3	1.6	.	0.7	4.8	.	0.0	0.0	0.3	3.3	0.3	2.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	2.4	.	0.0	0.0	0.3	3.3	0.3	2.7
	Unk	0.7	3.1	.	1.0	7.1	.	0.0	0.0	0.7	6.7	0.7	5.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14.0	100.0	7.3	100.0	21.3	100.0	9.3	100.0	4.7	100.0	14.0	100.0
Risk	MSM	6.3	45.2	0.0	0.0	6.3	29.7	3.7	39.3	0.0	0.0	3.7	26.2
	IDU	0.7	4.8	0.7	9.1	1.3	6.3	1.3	14.3	0.3	7.1	1.7	11.9
	MSM/IDU	1.0	7.1	0.0	0.0	1.0	4.7	0.3	3.6	0.0	0.0	0.3	2.4
	Heterosexual	5.3	38.1	6.3	86.4	11.7	54.7	2.7	28.6	3.7	78.6	6.3	45.2
	Fem Pres Het Cont	0.0	0.0	0.3	4.5	0.3	1.6	0.0	0.0	0.7	14.3	0.7	4.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.6	0.0	0.0	0.3	2.4
	Unk	0.7	4.8	0.0	0.0	0.7	3.1	1.0	10.7	0.0	0.0	1.0	7.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	51	.	35	35
1987	.	28	.	16	16
1988	.	29	.	17	17
1989	.	46	.	33	33
1990	.	30	.	27	27
1991	.	52	.	20	20
1992	.	90	.	47	47
1993	.	79	.	49	49
1994	.	64	.	48	48
1995	.	56	.	46	46
1996	.	54	.	27	27
1997	.	35	.	15	15
1998	.	41	.	19	19
1999	.	28	.	20	20
2000*	28	44	.	13	13
2001	30	38	.	19	19
2002	20	26	1	20	21
2003	26	25	4	22	26
2004	31	29	4	12	16
2005	36	42	1	10	11
2006	31	24	2	10	12
2007	13	19	1	3	4
2008	22	17	2	8	10
2009	19	19	1	11	12
2010	19	13	.	11	11
2011	25	14	4	8	12
2012	20	15	3	11	14

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		36	100.0	32.2	46	100.0	41.2	82	100.0	73.4	111,690
Sex at Birth	Male	25	69.4	.	32	69.6	.	57	69.5	.	.
	Female	11	30.6	.	14	30.4	.	25	30.5	.	.
Current Age	13-19	1	2.8	.	0	0.0	.	1	1.2	.	.
	20-24	1	2.8	.	0	0.0	.	1	1.2	.	.
	25-29	2	5.6	.	0	0.0	.	2	2.4	.	.
	30-39	8	22.2	.	7	15.2	.	15	18.3	.	.
	40-49	13	36.1	.	14	30.4	.	27	32.9	.	.
	50-59	6	16.7	.	17	37.0	.	23	28.0	.	.
	60+	5	13.9	.	8	17.4	.	13	15.9	.	.
Race/Ethnicity	White	26	72.2	.	34	73.9	.	60	73.2	.	.
	Black	4	11.1	.	4	8.7	.	8	9.8	.	.
	Hispanic	4	11.1	.	6	13.0	.	10	12.2	.	.
	Multi Race	2	5.6	.	2	4.3	.	4	4.9	.	.
Risk	MSM	14	38.9	.	19	41.3	.	33	40.2	.	.
	IDU	3	8.3	.	2	4.3	.	5	6.1	.	.
	MSM/IDU	2	5.6	.	2	4.3	.	4	4.9	.	.
	Heterosexual	5	13.9	.	10	21.7	.	15	18.3	.	.
	Fem Pres Het Cont	5	13.9	.	6	13.0	.	11	13.4	.	.
	Blood Prod	1	2.8	.	0	0.0	.	1	1.2	.	.
	Pediatric Risk	1	2.8	.	0	0.0	.	1	1.2	.	.
	Unk	5	13.9	.	7	15.2	.	12	14.6	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25	100.0	11	100.0	36	100.0	32	100.0	14	100.0	46	100.0	57	100.0	25	100.0	82	100.0
Risk	MSM	14	56.0	0	0.0	14	38.9	19	59.4	0	0.0	19	41.3	33	57.9	0	0.0	33	40.2
	IDU	3	12.0	0	0.0	3	8.3	2	6.3	0	0.0	2	4.3	5	8.8	0	0.0	5	6.1
	MSM/IDU	2	8.0	0	0.0	2	5.6	2	6.3	0	0.0	2	4.3	4	7.0	0	0.0	4	4.9
	Heterosexual	0	0.0	5	45.5	5	13.9	2	6.3	8	57.1	10	21.7	2	3.5	13	52.0	15	18.3
	Fem Pres Het Cont	0	0.0	5	45.5	5	13.9	0	0.0	6	42.9	6	13.0	0	0.0	11	44.0	11	13.4
	Blood Prod	1	4.0	0	0.0	1	2.8	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	1.2
	Pediatric Risk	0	0.0	1	9.1	1	2.8	0	0.0	0	0.0	0	0.0	0	0.0	1	4.0	1	1.2
	Unk	5	20.0	0	0.0	5	13.9	7	21.9	0	0.0	7	15.2	12	21.1	0	0.0	12	14.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	2.4	1.3	100.0	1.2	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	2.3	87.5	.	1.0	75.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	37.5	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	0.7	25.0	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.7	66.7	0.7	66.7
Race/Ethnicity	White	2.0	75.0	.	1.0	75.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	75.0	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	2.0	85.7	0.0	0.0	2.0	75.0	0.7	66.7	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	12.5	0.0	0.0	0.3	100.0	0.3	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	0.0	0.0	0.3	12.5	0.3	33.3	0.0	0.0	0.3	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	3	.	2	2
1987	.	2	.	.	.
1988	.	.	.	1	1
1989	.	4	.	4	4
1990	.	3	.	2	2
1991	.	5	.	3	3
1992	.	5	.	3	3
1993	.	2	.	1	1
1994	.	3	.	4	4
1995	.	1	.	1	1
1996	.	3	.	1	1
1997	.	1	.	.	.
1998	.	8	.	.	.
1999	.	5	.	2	2
2000*	5	6	.	1	1
2001	3	3	.	1	1
2002	4	3	.	1	1
2003	4	5	.	.	.
2004	5	4	.	2	2
2005	1	3	.	3	3
2006	2	2	1	1	2
2007	.	4	1	.	1
2008	1	1	1	1	2
2009	2	4	.	1	1
2010	2	.	.	3	3
2011	3	1	.	.	.
2012	3	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		75	100.0	33.8	94	100.0	42.3	169	100.0	76.1	222,133
Sex at Birth	Male	65	86.7	.	71	75.5	.	136	80.5	.	.
	Female	10	13.3	.	23	24.5	.	33	19.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	2	2.1	.	2	1.2	.	.
	20-24	4	5.3	.	0	0.0	.	4	2.4	.	.
	25-29	4	5.3	.	3	3.2	.	7	4.1	.	.
	30-39	7	9.3	.	7	7.4	.	14	8.3	.	.
	40-49	25	33.3	.	23	24.5	.	48	28.4	.	.
	50-59	27	36.0	.	41	43.6	.	68	40.2	.	.
	60+	8	10.7	.	18	19.1	.	26	15.4	.	.
Race/Ethnicity	White	57	76.0	.	61	64.9	.	118	69.8	.	.
	Black	8	10.7	.	13	13.8	.	21	12.4	.	.
	Hispanic	4	5.3	.	13	13.8	.	17	10.1	.	.
	Multi Race	6	8.0	.	7	7.4	.	13	7.7	.	.
Risk	MSM	46	61.3	.	41	43.6	.	87	51.5	.	.
	IDU	6	8.0	.	11	11.7	.	17	10.1	.	.
	MSM/IDU	3	4.0	.	8	8.5	.	11	6.5	.	.
	Heterosexual	5	6.7	.	16	17.0	.	21	12.4	.	.
	Fem Pres Het Cont	3	4.0	.	6	6.4	.	9	5.3	.	.
	Blood Prod	0	0.0	.	3	3.2	.	3	1.8	.	.
	Pediatric Risk	2	2.7	.	4	4.3	.	6	3.6	.	.
	Unk	10	13.3	.	5	5.3	.	15	8.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		65	100.0	10	100.0	75	100.0	71	100.0	23	100.0	94	100.0	136	100.0	33	100.0	169	100.0
Risk	MSM	46	70.8	0	0.0	46	61.3	41	57.7	0	0.0	41	43.6	87	64.0	0	0.0	87	51.5
	IDU	3	4.6	3	30.0	6	8.0	7	9.9	4	17.4	11	11.7	10	7.4	7	21.2	17	10.1
	MSM/IDU	3	4.6	0	0.0	3	4.0	8	11.3	0	0.0	8	8.5	11	8.1	0	0.0	11	6.5
	Heterosexual	1	1.5	4	40.0	5	6.7	5	7.0	11	47.8	16	17.0	6	4.4	15	45.5	21	12.4
	Fem Pres Het Cont	0	0.0	3	30.0	3	4.0	0	0.0	6	26.1	6	6.4	0	0.0	9	27.3	9	5.3
	Blood Prod	0	0.0	0	0.0	0	0.0	2	2.8	1	4.3	3	3.2	2	1.5	1	3.0	3	1.8
	Pediatric Risk	2	3.1	0	0.0	2	2.7	3	4.2	1	4.3	4	4.3	5	3.7	1	3.0	6	3.6
	Unk	10	15.4	0	0.0	10	13.3	5	7.0	0	0.0	5	5.3	15	11.0	0	0.0	15	8.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	1.7	4.7	100.0	2.1	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	3.3	90.9	.	3.3	71.4	.	0.3	50.0	0.7	66.7	1.0	60.0
	Female	0.3	9.1	.	1.3	28.6	.	0.3	50.0	0.3	33.3	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	9.1	.	0.7	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	9.1	.	0.3	7.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	36.4	.	1.3	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	18.2	.	0.7	14.3	.	0.3	50.0	0.7	66.7	1.0	60.0
	50-59	0.7	18.2	.	1.0	21.4	.	0.0	0.0	0.3	33.3	0.3	20.0
	60+	0.0	0.0	.	0.7	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
Race/Ethnicity	White	2.7	72.7	.	2.3	50.0	.	0.3	50.0	0.3	33.3	0.7	40.0
	Black	0.7	18.2	.	1.0	21.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	9.1	.	0.7	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.7	14.3	.	0.0	0.0	0.7	66.7	0.7	40.0
Risk	MSM	2.0	54.5	.	2.0	42.9	.	0.0	0.0	0.3	33.3	0.3	20.0
	IDU	0.0	0.0	.	0.3	7.1	.	0.3	50.0	0.0	0.0	0.3	20.0
	MSM/IDU	0.3	9.1	.	0.3	7.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	1.3	28.6	.	0.3	50.0	0.3	33.3	0.7	40.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Pediatric Risk	0.0	0.0	.	0.7	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.3	100.0	3.7	100.0	3.3	100.0	1.3	100.0	4.7	100.0
Risk	MSM	2.0	60.0	0.0	0.0	2.0	54.5	2.0	60.0	0.0	0.0	2.0	42.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.0	0.0	0.3	7.1
	MSM/IDU	0.3	10.0	0.0	0.0	0.3	9.1	0.3	10.0	0.0	0.0	0.3	7.1
	Heterosexual	0.0	0.0	0.3	100.0	0.3	9.1	0.3	10.0	1.0	75.0	1.3	28.6
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.3	25.0	0.7	14.3
	Unk	1.0	30.0	0.0	0.0	1.0	27.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	6	.	3	3
1987	.	5	.	5	5
1988	.	3	.	2	2
1989	.	8	.	5	5
1990	.	12	.	3	3
1991	.	15	.	7	7
1992	.	14	.	11	11
1993	.	14	.	7	7
1994	.	15	.	16	16
1995	.	12	.	12	12
1996	.	8	.	4	4
1997	.	10	.	5	5
1998	.	7	.	4	4
1999	.	7	.	1	1
2000*	4	5	1	4	5
2001	10	7	.	7	7
2002	4	6	2	3	5
2003	9	13	1	3	4
2004	7	10	.	4	4
2005	7	10	1	3	4
2006	9	4	.	4	4
2007	7	5	.	1	1
2008	5	1	.	2	2
2009	7	3	1	2	3
2010	4	4	.	1	1
2011	5	8	.	.	.
2012	2	2	2	2	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		176	100.0	113.5	204	100.0	131.5	380	100.0	245.0	155,124
Sex at Birth	Male	86	48.9	.	114	55.9	.	200	52.6	.	.
	Female	90	51.1	.	90	44.1	.	180	47.4	.	.
Current Age	12 & under	3	1.7	.	0	0.0	.	3	0.8	.	.
	13-19	2	1.1	.	0	0.0	.	2	0.5	.	.
	20-24	4	2.3	.	3	1.5	.	7	1.8	.	.
	25-29	13	7.4	.	6	2.9	.	19	5.0	.	.
	30-39	29	16.5	.	18	8.8	.	47	12.4	.	.
	40-49	54	30.7	.	79	38.7	.	133	35.0	.	.
	50-59	56	31.8	.	64	31.4	.	120	31.6	.	.
	60+	15	8.5	.	34	16.7	.	49	12.9	.	.
Race/Ethnicity	White	59	33.5	.	64	31.4	.	123	32.4	.	.
	Black	45	25.6	.	57	27.9	.	102	26.8	.	.
	Hispanic	34	19.3	.	43	21.1	.	77	20.3	.	.
	Multi Race	36	20.5	.	38	18.6	.	74	19.5	.	.
	Others	2	1.1	.	2	1.0	.	4	1.1	.	.
Risk	MSM	44	25.0	.	48	23.5	.	92	24.2	.	.
	IDU	22	12.5	.	47	23.0	.	69	18.2	.	.
	MSM/IDU	3	1.7	.	14	6.9	.	17	4.5	.	.
	Heterosexual	58	33.0	.	62	30.4	.	120	31.6	.	.
	Fem Pres Het Cont	32	18.2	.	15	7.4	.	47	12.4	.	.
	Blood Prod	0	0.0	.	1	0.5	.	1	0.3	.	.
	Pediatric Risk	6	3.4	.	2	1.0	.	8	2.1	.	.
	Unk	11	6.3	.	15	7.4	.	26	6.8	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		86	100.0	90	100.0	176	100.0	114	100.0	90	100.0	204	100.0	200	100.0	180	100.0	380	100.0
Risk	MSM	44	51.2	0	0.0	44	25.0	48	42.1	0	0.0	48	23.5	92	46.0	0	0.0	92	24.2
	IDU	9	10.5	13	14.4	22	12.5	23	20.2	24	26.7	47	23.0	32	16.0	37	20.6	69	18.2
	MSM/IDU	3	3.5	0	0.0	3	1.7	14	12.3	0	0.0	14	6.9	17	8.5	0	0.0	17	4.5
	Heterosexual	16	18.6	42	46.7	58	33.0	13	11.4	49	54.4	62	30.4	29	14.5	91	50.6	120	31.6
	Fem Pres Het Cont	0	0.0	32	35.6	32	18.2	0	0.0	15	16.7	15	7.4	0	0.0	47	26.1	47	12.4
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.5	1	0.5	0	0.0	1	0.3
	Pediatric Risk	3	3.5	3	3.3	6	3.4	0	0.0	2	2.2	2	1.0	3	1.5	5	2.8	8	2.1
	Unk	11	12.8	0	0.0	11	6.3	15	13.2	0	0.0	15	7.4	26	13.0	0	0.0	26	6.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		11.3	100.0	7.3	10.3	100.0	6.7	0.7	100.0	6.7	100.0	7.3	100.0
Sex at Birth	Male	7.0	61.8	.	7.0	67.7	.	0.3	50.0	2.7	40.0	3.0	40.9
	Female	4.3	38.2	.	3.3	32.3	.	0.3	50.0	4.0	60.0	4.3	59.1
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	11.8	.	0.7	6.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	8.8	.	1.0	9.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	5.9	.	2.0	19.4	.	0.0	0.0	0.7	10.0	0.7	9.1
	40-49	5.0	44.1	.	3.7	35.5	.	0.0	0.0	2.0	30.0	2.0	27.3
	50-59	2.7	23.5	.	1.7	16.1	.	0.3	50.0	1.7	25.0	2.0	27.3
	60+	0.7	5.9	.	1.3	12.9	.	0.3	50.0	2.3	35.0	2.7	36.4
Race/Ethnicity	White	3.3	29.4	.	5.0	48.4	.	0.0	0.0	2.3	35.0	2.3	31.8
	Black	3.7	32.4	.	2.7	25.8	.	0.3	50.0	3.0	45.0	3.3	45.5
	Hispanic	2.7	23.5	.	1.7	16.1	.	0.0	0.0	0.3	5.0	0.3	4.5
	Multi Race	1.3	11.8	.	1.0	9.7	.	0.3	50.0	1.0	15.0	1.3	18.2
	Others	0.3	2.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.3	20.6	.	3.0	29.0	.	0.3	50.0	1.0	15.0	1.3	18.2
	IDU	1.0	8.8	.	2.7	25.8	.	0.0	0.0	2.3	35.0	2.3	31.8
	MSM/IDU	1.3	11.8	.	1.3	12.9	.	0.0	0.0	0.7	10.0	0.7	9.1
	Heterosexual	3.7	32.4	.	2.0	19.4	.	0.0	0.0	1.3	20.0	1.3	18.2
	Fem Pres Het Cont	1.7	14.7	.	0.3	3.2	.	0.3	50.0	1.3	20.0	1.7	22.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	3.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	11.8	.	0.7	6.5	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.0	100.0	4.3	100.0	11.3	100.0	7.0	100.0	3.3	100.0	10.3	100.0
Risk	MSM	2.3	33.3	0.0	0.0	2.3	20.6	3.0	42.9	0.0	0.0	3.0	29.0
	IDU	0.3	4.8	0.7	15.4	1.0	8.8	1.3	19.0	1.3	40.0	2.7	25.8
	MSM/IDU	1.3	19.0	0.0	0.0	1.3	11.8	1.3	19.0	0.0	0.0	1.3	12.9
	Heterosexual	1.7	23.8	2.0	46.2	3.7	32.4	0.7	9.5	1.3	40.0	2.0	19.4
	Fem Pres Het Cont	0.0	0.0	1.7	38.5	1.7	14.7	0.0	0.0	0.3	10.0	0.3	3.2
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.3	3.2
	Unk	1.3	19.0	0.0	0.0	1.3	11.8	0.7	9.5	0.0	0.0	0.7	6.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	24	.	16	16
1987	.	5	.	5	5
1988	.	8	.	6	6
1989	.	16	.	9	9
1990	.	26	.	17	17
1991	.	27	.	14	14
1992	.	19	.	21	21
1993	.	26	.	11	11
1994	.	35	.	21	21
1995	.	36	.	16	16
1996	.	22	.	21	21
1997	.	25	.	10	10
1998	.	23	.	11	11
1999	.	11	.	8	8
2000*	9	22	2	8	10
2001	18	13	2	6	8
2002	26	17	.	11	11
2003	21	16	.	4	4
2004	24	20	3	8	11
2005	15	17	1	8	9
2006	17	20	1	8	9
2007	12	11	.	7	7
2008	10	8	.	7	7
2009	7	4	1	6	7
2010	12	14	1	5	6
2011	16	10	.	7	7
2012	6	7	1	8	9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		11	100.0	34.3	15	100.0	46.7	26	100.0	81.0	32,099
Sex at Birth	Male	8	72.7	.	10	66.7	.	18	69.2	.	.
	Female	3	27.3	.	5	33.3	.	8	30.8	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	2	18.2	.	3	20.0	.	5	19.2	.	.
	40-49	5	45.5	.	3	20.0	.	8	30.8	.	.
	50-59	3	27.3	.	6	40.0	.	9	34.6	.	.
	60+	1	9.1	.	3	20.0	.	4	15.4	.	.
Race/Ethnicity	White	5	45.5	.	10	66.7	.	15	57.7	.	.
	Black	3	27.3	.	3	20.0	.	6	23.1	.	.
	Hispanic	2	18.2	.	1	6.7	.	3	11.5	.	.
	Multi Race	0	0.0	.	1	6.7	.	1	3.8	.	.
	Others	1	9.1	.	0	0.0	.	1	3.8	.	.
Risk	MSM	6	54.5	.	5	33.3	.	11	42.3	.	.
	IDU	0	0.0	.	3	20.0	.	3	11.5	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	18.2	.	3	20.0	.	5	19.2	.	.
	Fem Pres Het Cont	2	18.2	.	1	6.7	.	3	11.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	1	9.1	.	3	20.0	.	4	15.4	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8	100.0	3	100.0	11	100.0	10	100.0	5	100.0	15	100.0	18	100.0	8	100.0	26	100.0
Risk	MSM	6	75.0	0	0.0	6	54.5	5	50.0	0	0.0	5	33.3	11	61.1	0	0.0	11	42.3
	IDU	0	0.0	0	0.0	0	0.0	2	20.0	1	20.0	3	20.0	2	11.1	1	12.5	3	11.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	12.5	1	33.3	2	18.2	0	0.0	3	60.0	3	20.0	1	5.6	4	50.0	5	19.2
	Fem Pres Het Cont	0	0.0	2	66.7	2	18.2	0	0.0	1	20.0	1	6.7	0	0.0	3	37.5	3	11.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	1	12.5	0	0.0	1	9.1	3	30.0	0	0.0	3	20.0	4	22.2	0	0.0	4	15.4

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.0	0.3	100.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	2	2
1988	.	1	.	.	.
1989	.	1	.	1	1
1990	.	3	.	1	1
1991	.	4	.	3	3
1992	.	3	.	1	1
1993	.	6	.	5	5
1994	.	4	.	2	2
1995	.	2	.	4	4
1996	.	1	.	3	3
1999	.	3	.	2	2
2000*	.	.	.	1	1
2001	2
2002	5
2003	1	1	.	.	.
2004	2	1	1	.	1
2006	1	2	.	.	.
2007	1	1	.	.	.
2008	2	2	.	.	.
2009	.	2	.	.	.
2012	1	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		8	100.0	43.2	7	100.0	37.8	15	100.0	81.0	18,514
Sex at Birth	Male	6	75.0	.	6	85.7	.	12	80.0	.	.
	Female	2	25.0	.	1	14.3	.	3	20.0	.	.
Current Age	25-29	1	12.5	.	1	14.3	.	2	13.3	.	.
	30-39	0	0.0	.	0	0.0	.	0	0.0	.	.
	40-49	4	50.0	.	1	14.3	.	5	33.3	.	.
	50-59	2	25.0	.	4	57.1	.	6	40.0	.	.
	60+	1	12.5	.	1	14.3	.	2	13.3	.	.
Race/Ethnicity	White	6	75.0	.	3	42.9	.	9	60.0	.	.
	Black	1	12.5	.	1	14.3	.	2	13.3	.	.
	Hispanic	1	12.5	.	3	42.9	.	4	26.7	.	.
Risk	MSM	6	75.0	.	4	57.1	.	10	66.7	.	.
	IDU	0	0.0	.	2	28.6	.	2	13.3	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	25.0	.	0	0.0	.	2	13.3	.	.
	Unk	0	0.0	.	1	14.3	.	1	6.7	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6	100.0	2	100.0	8	100.0	6	100.0	1	100.0	7	100.0	12	100.0	3	100.0	15	100.0
Risk	MSM	6	100.0	0	0.0	6	75.0	4	66.7	0	0.0	4	57.1	10	83.3	0	0.0	10	66.7
	IDU	0	0.0	0	0.0	0	0.0	1	16.7	1	100.0	2	28.6	1	8.3	1	33.3	2	13.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	0	0.0	2	100.0	2	25.0	0	0.0	0	0.0	0	0.0	0	0.0	2	66.7	2	13.3
	Unk	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	1	14.3	1	8.3	0	0.0	1	6.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		0.7	100.0	3.6	0.7	100.0	3.6	0.3	100.0	0.0	0.0	0.3	100.0
Sex at Birth	Male	0.7	100.0	.	0.7	100.0	.	0.3	100.0	0.0	0.0	0.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	50.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0
Race/Ethnicity	White	0.7	100.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0
	Black	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.0	0.0	0.7	100.0	0.7	100.0	0.0	0.0	0.7	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	0.0	0.0	0.3	50.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1987	.	1	.	1	1
1989	.	1	.	.	.
1990	.	2	.	.	.
1991	.	1	.	2	2
1992	.	1	.	1	1
1993	.	3	.	4	4
1994	.	1	.	.	.
1995	.	.	.	1	1
1996	.	.	.	1	1
2001	.	1	.	.	.
2003	2
2004	.	.	1	.	1
2005	1	1	.	.	.
2006	1
2007	1	1	.	.	.
2010	1	1	1	.	1
2011	.	1	.	.	.
2012	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		17	100.0	48.2	9	100.0	25.5	26	100.0	73.6	35,305
Sex at Birth	Male	13	76.5	.	6	66.7	.	19	73.1	.	.
	Female	4	23.5	.	3	33.3	.	7	26.9	.	.
Current Age	20-24	0	0.0	.	1	11.1	.	1	3.8	.	.
	25-29	1	5.9	.	0	0.0	.	1	3.8	.	.
	30-39	3	17.6	.	1	11.1	.	4	15.4	.	.
	40-49	6	35.3	.	4	44.4	.	10	38.5	.	.
	50-59	5	29.4	.	3	33.3	.	8	30.8	.	.
	60+	2	11.8	.	0	0.0	.	2	7.7	.	.
Race/Ethnicity	White	10	58.8	.	6	66.7	.	16	61.5	.	.
	Black	3	17.6	.	0	0.0	.	3	11.5	.	.
	Hispanic	4	23.5	.	0	0.0	.	4	15.4	.	.
	Multi Race	0	0.0	.	3	33.3	.	3	11.5	.	.
Risk	MSM	6	35.3	.	4	44.4	.	10	38.5	.	.
	IDU	3	17.6	.	1	11.1	.	4	15.4	.	.
	Heterosexual	2	11.8	.	2	22.2	.	4	15.4	.	.
	Fem Pres Het Cont	1	5.9	.	0	0.0	.	1	3.8	.	.
	Blood Prod	0	0.0	.	1	11.1	.	1	3.8	.	.
	Pediatric Risk	0	0.0	.	1	11.1	.	1	3.8	.	.
	Unk	5	29.4	.	0	0.0	.	5	19.2	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13	100.0	4	100.0	17	100.0	6	100.0	3	100.0	9	100.0	19	100.0	7	100.0	26	100.0
Risk	MSM	6	46.2	0	0.0	6	35.3	4	66.7	0	0.0	4	44.4	10	52.6	0	0.0	10	38.5
	IDU	0	0.0	3	75.0	3	17.6	0	0.0	1	33.3	1	11.1	0	0.0	4	57.1	4	15.4
	Heterosexual	2	15.4	0	0.0	2	11.8	1	16.7	1	33.3	2	22.2	3	15.8	1	14.3	4	15.4
	Fem Pres Het Cont	0	0.0	1	25.0	1	5.9	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	3.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	1	11.1	1	5.3	0	0.0	1	3.8
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	11.1	0	0.0	1	14.3	1	3.8
	Unk	5	38.5	0	0.0	5	29.4	0	0.0	0	0.0	0	0.0	5	26.3	0	0.0	5	19.2

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.8	0.3	100.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	33.3	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	100.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1987	.	1	.	.	.
1988	.	1	.	1	1
1990	.	1	.	1	1
1992	.	2	.	1	1
1993	.	1	.	2	2
1994	.	2	.	.	.
1995	.	2	.	1	1
1996	.	2	.	2	2
1997	.	.	.	1	1
1998	.	1	.	.	.
2000*	2	1	.	.	.
2001	1
2002	2	.	1	2	3
2003	2	2	.	.	.
2004	2
2005	1	2	.	.	.
2007	1	.	.	1	1
2008	2	2	.	.	.
2010	2	1	.	.	.
2011	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		34	100.0	34.3	37	100.0	37.3	71	100.0	71.7	99,063
Sex at Birth	Male	27	79.4	.	26	70.3	.	53	74.6	.	.
	Female	7	20.6	.	11	29.7	.	18	25.4	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.9	.	0	0.0	.	1	1.4	.	.
	25-29	5	14.7	.	2	5.4	.	7	9.9	.	.
	30-39	5	14.7	.	7	18.9	.	12	16.9	.	.
	40-49	8	23.5	.	10	27.0	.	18	25.4	.	.
	50-59	9	26.5	.	9	24.3	.	18	25.4	.	.
	60+	6	17.6	.	9	24.3	.	15	21.1	.	.
Race/Ethnicity	White	22	64.7	.	25	67.6	.	47	66.2	.	.
	Black	8	23.5	.	7	18.9	.	15	21.1	.	.
	Hispanic	1	2.9	.	3	8.1	.	4	5.6	.	.
	Multi Race	2	5.9	.	2	5.4	.	4	5.6	.	.
	Others	1	2.9	.	0	0.0	.	1	1.4	.	.
Risk	MSM	17	50.0	.	14	37.8	.	31	43.7	.	.
	IDU	5	14.7	.	5	13.5	.	10	14.1	.	.
	MSM/IDU	0	0.0	.	2	5.4	.	2	2.8	.	.
	Heterosexual	7	20.6	.	11	29.7	.	18	25.4	.	.
	Fem Pres Het Cont	2	5.9	.	3	8.1	.	5	7.0	.	.
	Blood Prod	0	0.0	.	1	2.7	.	1	1.4	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	3	8.8	.	1	2.7	.	4	5.6	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	7	100.0	34	100.0	26	100.0	11	100.0	37	100.0	53	100.0	18	100.0	71	100.0
Risk	MSM	17	63.0	0	0.0	17	50.0	14	53.8	0	0.0	14	37.8	31	58.5	0	0.0	31	43.7
	IDU	5	18.5	0	0.0	5	14.7	4	15.4	1	9.1	5	13.5	9	17.0	1	5.6	10	14.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	7.7	0	0.0	2	5.4	2	3.8	0	0.0	2	2.8
	Heterosexual	2	7.4	5	71.4	7	20.6	5	19.2	6	54.5	11	29.7	7	13.2	11	61.1	18	25.4
	Fem Pres Het Cont	0	0.0	2	28.6	2	5.9	0	0.0	3	27.3	3	8.1	0	0.0	5	27.8	5	7.0
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	1	2.7	0	0.0	1	5.6	1	1.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	3	11.1	0	0.0	3	8.8	1	3.8	0	0.0	1	2.7	4	7.5	0	0.0	4	5.6

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	2.4	1.7	100.0	1.7	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	2.0	85.7	.	1.3	80.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	57.1	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.0	85.7	.	1.7	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	85.7	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	2.0	100.0	0.0	0.0	2.0	85.7	1.0	75.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	14.3	0.0	0.0	0.3	100.0	0.3	20.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	3	.	2	2
1987	.	3	.	3	3
1988	.	4	.	3	3
1989	.	4	.	.	.
1990	.	4	.	3	3
1991	.	5	.	3	3
1992	.	9	.	6	6
1993	.	5	.	4	4
1994	.	3	.	3	3
1995	.	3	.	5	5
1996	.	5	.	5	5
1997	.	3	.	1	1
1998	.	8	.	1	1
1999	.	4	.	3	3
2000*	4	3	.	.	.
2001	4	2	.	1	1
2002	1	2	.	3	3
2003	2	2	1	.	1
2004	1	2	1	2	3
2005	1	2	.	2	2
2006	3	1	.	.	.
2007	2	2	1	.	1
2008	3	5	2	3	5
2009	3	2	.	1	1
2010	3	3	.	1	1
2011	2	1	.	.	.
2012	2	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		1,176	100.0	78.4	1,700	100.0	113.4	2,876	100.0	191.8	1,499,273
Sex at Birth	Male	779	66.2	.	1,186	69.8	.	1,965	68.3	.	.
	Female	397	33.8	.	514	30.2	.	911	31.7	.	.
Current Age	12 & under	10	0.9	.	0	0.0	.	10	0.3	.	.
	13-19	20	1.7	.	6	0.4	.	26	0.9	.	.
	20-24	65	5.5	.	33	1.9	.	98	3.4	.	.
	25-29	105	8.9	.	58	3.4	.	163	5.7	.	.
	30-39	206	17.5	.	181	10.6	.	387	13.5	.	.
	40-49	348	29.6	.	510	30.0	.	858	29.8	.	.
	50-59	287	24.4	.	604	35.5	.	891	31.0	.	.
	60+	132	11.2	.	308	18.1	.	440	15.3	.	.
	Unk	3	0.3	.	0	0.0	.	3	0.1	.	.
Race/Ethnicity	White	481	40.9	.	619	36.4	.	1,100	38.2	.	.
	Black	297	25.3	.	450	26.5	.	747	26.0	.	.
	Hispanic	300	25.5	.	456	26.8	.	756	26.3	.	.
	Multi Race	82	7.0	.	164	9.6	.	246	8.6	.	.
	Others	13	1.1	.	11	0.6	.	24	0.8	.	.
	Unk	3	0.3	.	0	0.0	.	3	0.1	.	.
Risk	MSM	511	43.5	.	680	40.0	.	1,191	41.4	.	.
	IDU	94	8.0	.	290	17.1	.	384	13.4	.	.
	MSM/IDU	36	3.1	.	81	4.8	.	117	4.1	.	.
	Heterosexual	245	20.8	.	310	18.2	.	555	19.3	.	.
	Fem Pres Het Cont	110	9.4	.	121	7.1	.	231	8.0	.	.
	Blood Prod	6	0.5	.	8	0.5	.	14	0.5	.	.
	Pediatric Risk	53	4.5	.	47	2.8	.	100	3.5	.	.
	Unk	121	10.3	.	163	9.6	.	284	9.9	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		779	100.0	397	100.0	1,176	100.0	1,186	100.0	514	100.0	1,700	100.0	1,965	100.0	911	100.0	2,876	100.0
Risk	MSM	511	65.6	0	0.0	511	43.5	680	57.3	0	0.0	680	40.0	1,191	60.6	0	0.0	1,191	41.4
	IDU	45	5.8	49	12.3	94	8.0	175	14.8	115	22.4	290	17.1	220	11.2	164	18.0	384	13.4
	MSM/IDU	36	4.6	0	0.0	36	3.1	81	6.8	0	0.0	81	4.8	117	6.0	0	0.0	117	4.1
	Heterosexual	37	4.7	208	52.4	245	20.8	53	4.5	257	50.0	310	18.2	90	4.6	465	51.0	555	19.3
	Fem Pres Het Cont	0	0.0	110	27.7	110	9.4	0	0.0	121	23.5	121	7.1	0	0.0	231	25.4	231	8.0
	Blood Prod	4	0.5	2	0.5	6	0.5	7	0.6	1	0.2	8	0.5	11	0.6	3	0.3	14	0.5
	Pediatric Risk	26	3.3	27	6.8	53	4.5	28	2.4	19	3.7	47	2.8	54	2.7	46	5.0	100	3.5
	Unk	120	15.4	1	0.3	121	10.3	162	13.7	1	0.2	163	9.6	282	14.4	2	0.2	284	9.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		96.0	100.0	6.4	62.0	100.0	4.1	7.0	100.0	38.0	100.0	45.0	100.0
Sex at Birth	Male	77.3	80.6	.	49.0	79.0	.	5.0	71.4	24.7	64.9	29.7	65.9
	Female	18.7	19.4	.	13.0	21.0	.	2.0	28.6	13.3	35.1	15.3	34.1
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.3	3.5	.	1.0	1.6	.	0.3	4.8	0.0	0.0	0.3	0.7
	20-24	15.0	15.6	.	3.7	5.9	.	0.3	4.8	0.7	1.8	1.0	2.2
	25-29	15.7	16.3	.	6.7	10.8	.	0.0	0.0	0.7	1.8	0.7	1.5
	30-39	23.3	24.3	.	13.7	22.0	.	1.0	14.3	2.7	7.0	3.7	8.1
	40-49	23.0	24.0	.	19.0	30.6	.	1.7	23.8	9.0	23.7	10.7	23.7
	50-59	12.0	12.5	.	12.7	20.4	.	1.3	19.0	16.3	43.0	17.7	39.3
	60+	3.3	3.5	.	5.3	8.6	.	2.3	33.3	8.7	22.8	11.0	24.4
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	34.0	35.4	.	17.7	28.5	.	4.7	66.7	12.3	32.5	17.0	37.8
	Black	21.0	21.9	.	17.3	28.0	.	1.7	23.8	10.7	28.1	12.3	27.4
	Hispanic	31.7	33.0	.	18.7	30.1	.	0.3	4.8	10.3	27.2	10.7	23.7
	Multi Race	8.0	8.3	.	7.7	12.4	.	0.3	4.8	4.7	12.3	5.0	11.1
	Others	1.3	1.4	.	0.7	1.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	57.0	59.4	.	34.0	54.8	.	1.3	19.0	10.0	26.3	11.3	25.2
	IDU	1.7	1.7	.	4.7	7.5	.	1.3	19.0	15.0	39.5	16.3	36.3
	MSM/IDU	3.0	3.1	.	2.0	3.2	.	0.0	0.0	4.0	10.5	4.0	8.9
	Heterosexual	14.7	15.3	.	9.7	15.6	.	1.7	23.8	3.0	7.9	4.7	10.4
	Fem Pres Het Cont	6.3	6.6	.	3.0	4.8	.	0.7	9.5	2.3	6.1	3.0	6.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.3	4.8	0.3	0.9	0.7	1.5
	Pediatric Risk	0.3	0.3	.	1.3	2.2	.	0.0	0.0	1.0	2.6	1.0	2.2
	Unk	13.0	13.5	.	7.3	11.8	.	1.7	23.8	2.3	6.1	4.0	8.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		77.3	100.0	18.7	100.0	96.0	100.0	49.0	100.0	13.0	100.0	62.0	100.0
Risk	MSM	57.0	73.7	0.0	0.0	57.0	59.4	34.0	69.4	0.0	0.0	34.0	54.8
	IDU	0.7	0.9	1.0	5.4	1.7	1.7	1.7	3.4	3.0	23.1	4.7	7.5
	MSM/IDU	3.0	3.9	0.0	0.0	3.0	3.1	2.0	4.1	0.0	0.0	2.0	3.2
	Heterosexual	3.3	4.3	11.3	60.7	14.7	15.3	2.7	5.4	7.0	53.8	9.7	15.6
	Fem Pres Het Cont	0.0	0.0	6.3	33.9	6.3	6.6	0.0	0.0	3.0	23.1	3.0	4.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.4	0.0	0.0	0.3	0.3	1.3	2.7	0.0	0.0	1.3	2.2
	Unk	13.0	16.8	0.0	0.0	13.0	13.5	7.3	15.0	0.0	0.0	7.3	11.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	208	.	130	130
1987	.	147	.	81	81
1988	.	190	.	128	128
1989	.	189	.	136	136
1990	.	212	.	142	142
1991	.	272	.	166	166
1992	.	270	.	212	212
1993	.	335	.	198	198
1994	.	302	.	226	226
1995	.	313	.	208	208
1996	.	250	.	157	157
1997	.	183	.	92	92
1998	.	138	.	79	79
1999	.	137	.	75	75
2000*	87	134	2	59	61
2001	129	127	12	68	80
2002	120	117	8	72	80
2003	143	129	11	66	77
2004	133	109	18	64	82
2005	125	101	14	78	92
2006	109	95	9	55	64
2007	122	106	9	54	63
2008	110	103	5	41	46
2009	106	78	10	38	48
2010	110	62	10	40	50
2011	102	76	6	44	50
2012	76	48	5	30	35

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		103	100.0	134.1	160	100.0	208.4	263	100.0	342.5	76,793
Sex at Birth	Male	62	60.2	.	90	56.3	.	152	57.8	.	.
	Female	41	39.8	.	70	43.8	.	111	42.2	.	.
Current Age	12 & under	1	1.0	.	0	0.0	.	1	0.4	.	.
	13-19	2	1.9	.	1	0.6	.	3	1.1	.	.
	20-24	7	6.8	.	0	0.0	.	7	2.7	.	.
	25-29	9	8.7	.	1	0.6	.	10	3.8	.	.
	30-39	15	14.6	.	10	6.3	.	25	9.5	.	.
	40-49	29	28.2	.	42	26.3	.	71	27.0	.	.
	50-59	22	21.4	.	64	40.0	.	86	32.7	.	.
	60+	18	17.5	.	42	26.3	.	60	22.8	.	.
Race/Ethnicity	White	29	28.2	.	40	25.0	.	69	26.2	.	.
	Black	30	29.1	.	45	28.1	.	75	28.5	.	.
	Hispanic	28	27.2	.	44	27.5	.	72	27.4	.	.
	Multi Race	13	12.6	.	31	19.4	.	44	16.7	.	.
	Others	3	2.9	.	0	0.0	.	3	1.1	.	.
Risk	MSM	22	21.4	.	33	20.6	.	55	20.9	.	.
	IDU	27	26.2	.	58	36.3	.	85	32.3	.	.
	MSM/IDU	8	7.8	.	7	4.4	.	15	5.7	.	.
	Heterosexual	30	29.1	.	43	26.9	.	73	27.8	.	.
	Fem Pres Het Cont	6	5.8	.	8	5.0	.	14	5.3	.	.
	Blood Prod	0	0.0	.	1	0.6	.	1	0.4	.	.
	Pediatric Risk	3	2.9	.	3	1.9	.	6	2.3	.	.
	Unk	7	6.8	.	7	4.4	.	14	5.3	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		62	100.0	41	100.0	103	100.0	90	100.0	70	100.0	160	100.0	152	100.0	111	100.0	263	100.0
Risk	MSM	22	35.5	0	0.0	22	21.4	33	36.7	0	0.0	33	20.6	55	36.2	0	0.0	55	20.9
	IDU	17	27.4	10	24.4	27	26.2	39	43.3	19	27.1	58	36.3	56	36.8	29	26.1	85	32.3
	MSM/IDU	8	12.9	0	0.0	8	7.8	7	7.8	0	0.0	7	4.4	15	9.9	0	0.0	15	5.7
	Heterosexual	8	12.9	22	53.7	30	29.1	4	4.4	39	55.7	43	26.9	12	7.9	61	55.0	73	27.8
	Fem Pres Het Cont	0	0.0	6	14.6	6	5.8	0	0.0	8	11.4	8	5.0	0	0.0	14	12.6	14	5.3
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.6	0	0.0	1	0.9	1	0.4
	Pediatric Risk	0	0.0	3	7.3	3	2.9	0	0.0	3	4.3	3	1.9	0	0.0	6	5.4	6	2.3
	Unk	7	11.3	0	0.0	7	6.8	7	7.8	0	0.0	7	4.4	14	9.2	0	0.0	14	5.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	3.5	1.7	100.0	2.2	1.7	100.0	4.0	100.0	5.7	100.0
Sex at Birth	Male	1.7	62.5	.	1.0	60.0	.	0.7	40.0	2.7	66.7	3.3	58.8
	Female	1.0	37.5	.	0.7	40.0	.	1.0	60.0	1.3	33.3	2.3	41.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	37.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	25.0	.	1.0	60.0	.	0.3	20.0	1.0	25.0	1.3	23.5
	50-59	0.0	0.0	.	0.0	0.0	.	1.3	80.0	0.7	16.7	2.0	35.3
	60+	0.0	0.0	.	0.7	40.0	.	0.0	0.0	2.3	58.3	2.3	41.2
Race/Ethnicity	White	0.3	12.5	.	0.7	40.0	.	0.3	20.0	0.3	8.3	0.7	11.8
	Black	0.3	12.5	.	0.3	20.0	.	0.0	0.0	1.3	33.3	1.3	23.5
	Hispanic	1.0	37.5	.	0.7	40.0	.	0.7	40.0	1.3	33.3	2.0	35.3
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.7	40.0	1.0	25.0	1.7	29.4
	Others	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.7	16.7	0.7	11.8
	IDU	1.0	37.5	.	1.0	60.0	.	1.0	60.0	1.7	41.7	2.7	47.1
	MSM/IDU	0.3	12.5	.	0.3	20.0	.	0.0	0.0	0.3	8.3	0.3	5.9
	Heterosexual	0.7	25.0	.	0.3	20.0	.	0.7	40.0	1.0	25.0	1.7	29.4
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	8.3	0.3	5.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	1.0	100.0	2.7	100.0	1.0	100.0	0.7	100.0	1.7	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	40.0	0.3	33.3	1.0	37.5	0.7	66.7	0.3	50.0	1.0	60.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	12.5	0.3	33.3	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.7	66.7	0.7	25.0	0.0	0.0	0.3	50.0	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	20	.	9	9
1987	.	13	.	12	12
1988	.	23	.	17	17
1989	.	26	.	19	19
1990	.	21	.	16	16
1991	.	31	.	17	17
1992	.	45	.	26	26
1993	.	62	.	22	22
1994	.	49	.	37	37
1995	.	31	.	43	43
1996	.	20	.	22	22
1997	.	13	.	13	13
1998	.	12	.	6	6
1999	.	18	.	6	6
2000*	12	12	.	16	16
2001	14	15	.	10	10
2002	11	18	.	8	8
2003	12	12	2	8	10
2004	17	12	4	4	8
2005	7	11	1	6	7
2006	8	9	.	5	5
2007	11	9	4	1	5
2008	8	10	.	5	5
2009	1	4	1	1	2
2010	3	.	.	4	4
2011	3	4	3	5	8
2012	2	1	2	3	5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		16	100.0	31.7	19	100.0	37.6	35	100.0	69.3	50,478
Sex at Birth	Male	11	68.8	.	13	68.4	.	24	68.6	.	.
	Female	5	31.3	.	6	31.6	.	11	31.4	.	.
Current Age	20-24	0	0.0	.	1	5.3	.	1	2.9	.	.
	25-29	1	6.3	.	0	0.0	.	1	2.9	.	.
	30-39	6	37.5	.	1	5.3	.	7	20.0	.	.
	40-49	5	31.3	.	7	36.8	.	12	34.3	.	.
	50-59	2	12.5	.	7	36.8	.	9	25.7	.	.
	60+	2	12.5	.	3	15.8	.	5	14.3	.	.
Race/Ethnicity	White	14	87.5	.	14	73.7	.	28	80.0	.	.
	Black	1	6.3	.	1	5.3	.	2	5.7	.	.
	Hispanic	0	0.0	.	3	15.8	.	3	8.6	.	.
	Multi Race	1	6.3	.	1	5.3	.	2	5.7	.	.
Risk	MSM	7	43.8	.	8	42.1	.	15	42.9	.	.
	IDU	0	0.0	.	4	21.1	.	4	11.4	.	.
	MSM/IDU	1	6.3	.	0	0.0	.	1	2.9	.	.
	Heterosexual	3	18.8	.	4	21.1	.	7	20.0	.	.
	Fem Pres Het Cont	2	12.5	.	1	5.3	.	3	8.6	.	.
	Pediatric Risk	0	0.0	.	1	5.3	.	1	2.9	.	.
	Unk	3	18.8	.	1	5.3	.	4	11.4	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	5	100.0	16	100.0	13	100.0	6	100.0	19	100.0	24	100.0	11	100.0	35	100.0
Risk	MSM	7	63.6	0	0.0	7	43.8	8	61.5	0	0.0	8	42.1	15	62.5	0	0.0	15	42.9
	IDU	0	0.0	0	0.0	0	0.0	3	23.1	1	16.7	4	21.1	3	12.5	1	9.1	4	11.4
	MSM/IDU	1	9.1	0	0.0	1	6.3	0	0.0	0	0.0	0	0.0	1	4.2	0	0.0	1	2.9
	Heterosexual	0	0.0	3	60.0	3	18.8	1	7.7	3	50.0	4	21.1	1	4.2	6	54.5	7	20.0
	Fem Pres Het Cont	0	0.0	2	40.0	2	12.5	0	0.0	1	16.7	1	5.3	0	0.0	3	27.3	3	8.6
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	5.3	0	0.0	1	9.1	1	2.9
	Unk	3	27.3	0	0.0	3	18.8	1	7.7	0	0.0	1	5.3	4	16.7	0	0.0	4	11.4

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.0	0.7	100.0	1.3	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	66.7
	Female	0.7	66.7	.	0.7	100.0	.	0.3	100.0	0.0	0.0	0.3	33.3
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	33.3	.	0.3	50.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.3	50.0	0.3	33.3
Race/Ethnicity	White	0.7	66.7	.	0.3	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Heterosexual	0.3	33.3	.	0.3	50.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Fem Pres Het Cont	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.7	100.0	1.0	100.0	0.0	0.0	0.7	100.0	0.7	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.3	50.0	0.3	50.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	1	.	1	1
1987	.	1	.	.	.
1988	.	2	.	.	.
1989	.	1	.	2	2
1990	.	3	.	2	2
1991	.	3	.	.	.
1992	.	1	.	2	2
1993	.	2	.	4	4
1994	.	1	.	1	1
1995	.	4	.	.	.
1996	.	1	.	2	2
1997	.	.	.	1	1
2000*	1	1	.	.	.
2001	4	2	1	1	2
2002	.	.	.	1	1
2003	2	4	.	.	.
2004	2	1	.	.	.
2005	3	1	.	.	.
2006	1
2007	.	1	.	.	.
2008	3	5	.	.	.
2009	1	1	.	.	.
2010	1	1	1	1	2
2011	1
2012	1	1	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		59	100.0	57.5	80	100.0	78.0	139	100.0	135.5	102,554
Sex at Birth	Male	37	62.7	.	59	73.8	.	96	69.1	.	.
	Female	22	37.3	.	21	26.3	.	43	30.9	.	.
Current Age	12 & under	1	1.7	.	0	0.0	.	1	0.7	.	.
	13-19	1	1.7	.	0	0.0	.	1	0.7	.	.
	20-24	3	5.1	.	0	0.0	.	3	2.2	.	.
	25-29	2	3.4	.	6	7.5	.	8	5.8	.	.
	30-39	12	20.3	.	9	11.3	.	21	15.1	.	.
	40-49	23	39.0	.	31	38.8	.	54	38.8	.	.
	50-59	12	20.3	.	22	27.5	.	34	24.5	.	.
	60+	5	8.5	.	12	15.0	.	17	12.2	.	.
Race/Ethnicity	White	36	61.0	.	49	61.3	.	85	61.2	.	.
	Black	10	16.9	.	13	16.3	.	23	16.5	.	.
	Hispanic	7	11.9	.	11	13.8	.	18	12.9	.	.
	Multi Race	1	1.7	.	6	7.5	.	7	5.0	.	.
	Others	5	8.5	.	1	1.3	.	6	4.3	.	.
Risk	MSM	29	49.2	.	40	50.0	.	69	49.6	.	.
	IDU	1	1.7	.	6	7.5	.	7	5.0	.	.
	MSM/IDU	2	3.4	.	7	8.8	.	9	6.5	.	.
	Heterosexual	10	16.9	.	15	18.8	.	25	18.0	.	.
	Fem Pres Het Cont	10	16.9	.	6	7.5	.	16	11.5	.	.
	Blood Prod	0	0.0	.	1	1.3	.	1	0.7	.	.
	Pediatric Risk	1	1.7	.	0	0.0	.	1	0.7	.	.
	Unk	6	10.2	.	5	6.3	.	11	7.9	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		37	100.0	22	100.0	59	100.0	59	100.0	21	100.0	80	100.0	96	100.0	43	100.0	139	100.0
Risk	MSM	29	78.4	0	0.0	29	49.2	40	67.8	0	0.0	40	50.0	69	71.9	0	0.0	69	49.6
	IDU	0	0.0	1	4.5	1	1.7	4	6.8	2	9.5	6	7.5	4	4.2	3	7.0	7	5.0
	MSM/IDU	2	5.4	0	0.0	2	3.4	7	11.9	0	0.0	7	8.8	9	9.4	0	0.0	9	6.5
	Heterosexual	1	2.7	9	40.9	10	16.9	2	3.4	13	61.9	15	18.8	3	3.1	22	51.2	25	18.0
	Fem Pres Het Cont	0	0.0	10	45.5	10	16.9	0	0.0	6	28.6	6	7.5	0	0.0	16	37.2	16	11.5
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	1.3	1	1.0	0	0.0	1	0.7
	Pediatric Risk	0	0.0	1	4.5	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	1	0.7
	Unk	5	13.5	1	4.5	6	10.2	5	8.5	0	0.0	5	6.3	10	10.4	1	2.3	11	7.9

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	4.6	1.3	100.0	1.3	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	3.3	71.4	.	0.7	50.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	1.3	28.6	.	0.7	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	42.9	.	0.3	25.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	50-59	0.7	14.3	.	0.3	25.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	60+	0.3	7.1	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White	3.0	64.3	.	1.0	75.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	Black	1.0	21.4	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	14.3	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	57.1	.	0.3	25.0	.	0.3	100.0	0.0	0.0	0.3	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Heterosexual	0.7	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	14.3	.	0.3	25.0	.	0.0	0.0	0.7	50.0	0.7	40.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	1.3	100.0	4.7	100.0	0.7	100.0	0.7	100.0	1.3	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	57.1	0.3	50.0	0.0	0.0	0.3	25.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	50.0	0.7	14.3	0.0	0.0	0.3	50.0	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	0.7	50.0	0.7	14.3	0.0	0.0	0.3	50.0	0.3	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	0.0	0.0	0.7	14.3	0.3	50.0	0.0	0.0	0.3	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	4	.	3	3
1987	.	4	.	2	2
1988	.	5	.	5	5
1989	.	5	.	2	2
1990	.	8	.	4	4
1991	.	7	.	6	6
1992	.	12	.	5	5
1993	.	5	.	5	5
1994	.	10	.	7	7
1995	.	7	.	4	4
1996	.	13	.	5	5
1997	.	7	.	4	4
1998	.	7	.	3	3
1999	.	5	.	2	2
2000*	4	4	.	1	1
2001	3	4	.	2	2
2002	10	8	.	.	.
2003	5	3	1	2	3
2004	5	3	.	2	2
2005	6	4	.	1	1
2006	8	4	.	2	2
2007	4	9	.	.	.
2008	6	4	.	1	1
2009	5	4	1	1	2
2010	3	3	.	2	2
2011	4	1	1	.	1
2012	7	.	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		153	100.0	84.2	238	100.0	130.9	391	100.0	215.1	181,791
Sex at Birth	Male	94	61.4	.	153	64.3	.	247	63.2	.	.
	Female	59	38.6	.	85	35.7	.	144	36.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	0.7	.	0	0.0	.	1	0.3	.	.
	20-24	5	3.3	.	5	2.1	.	10	2.6	.	.
	25-29	7	4.6	.	4	1.7	.	11	2.8	.	.
	30-39	23	15.0	.	16	6.7	.	39	10.0	.	.
	40-49	46	30.1	.	79	33.2	.	125	32.0	.	.
	50-59	51	33.3	.	88	37.0	.	139	35.5	.	.
	60+	20	13.1	.	46	19.3	.	66	16.9	.	.
Race/Ethnicity	White	96	62.7	.	109	45.8	.	205	52.4	.	.
	Black	26	17.0	.	45	18.9	.	71	18.2	.	.
	Hispanic	19	12.4	.	56	23.5	.	75	19.2	.	.
	Multi Race	12	7.8	.	27	11.3	.	39	10.0	.	.
	Others	0	0.0	.	1	0.4	.	1	0.3	.	.
Risk	MSM	45	29.4	.	63	26.5	.	108	27.6	.	.
	IDU	33	21.6	.	62	26.1	.	95	24.3	.	.
	MSM/IDU	6	3.9	.	16	6.7	.	22	5.6	.	.
	Heterosexual	44	28.8	.	64	26.9	.	108	27.6	.	.
	Fem Pres Het Cont	9	5.9	.	12	5.0	.	21	5.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	0.7	.	6	2.5	.	7	1.8	.	.
	Unk	15	9.8	.	15	6.3	.	30	7.7	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		94	100.0	59	100.0	153	100.0	153	100.0	85	100.0	238	100.0	247	100.0	144	100.0	391	100.0
Risk	MSM	45	47.9	0	0.0	45	29.4	63	41.2	0	0.0	63	26.5	108	43.7	0	0.0	108	27.6
	IDU	19	20.2	14	23.7	33	21.6	42	27.5	20	23.5	62	26.1	61	24.7	34	23.6	95	24.3
	MSM/IDU	6	6.4	0	0.0	6	3.9	16	10.5	0	0.0	16	6.7	22	8.9	0	0.0	22	5.6
	Heterosexual	8	8.5	36	61.0	44	28.8	16	10.5	48	56.5	64	26.9	24	9.7	84	58.3	108	27.6
	Fem Pres Het Cont	0	0.0	9	15.3	9	5.9	0	0.0	12	14.1	12	5.0	0	0.0	21	14.6	21	5.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.1	0	0.0	1	0.7	1	0.7	5	5.9	6	2.5	2	0.8	5	3.5	7	1.8
	Unk	15	16.0	0	0.0	15	9.8	15	9.8	0	0.0	15	6.3	30	12.1	0	0.0	30	7.7

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		8.0	100.0	4.4	5.3	100.0	2.9	2.7	100.0	6.0	100.0	8.7	100.0
Sex at Birth	Male	7.0	87.5	.	4.7	87.5	.	2.0	75.0	4.7	77.8	6.7	76.9
	Female	1.0	12.5	.	0.7	12.5	.	0.7	25.0	1.3	22.2	2.0	23.1
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	4.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	20.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	12.5	.	0.7	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	3.0	37.5	.	3.0	56.3	.	1.0	37.5	1.0	16.7	2.0	23.1
	50-59	1.0	12.5	.	1.3	25.0	.	1.3	50.0	2.3	38.9	3.7	42.3
	60+	0.3	4.2	.	0.3	6.3	.	0.3	12.5	2.7	44.4	3.0	34.6
Race/Ethnicity	White	5.7	70.8	.	3.3	62.5	.	2.7	100.0	1.7	27.8	4.3	50.0
	Black	0.7	8.3	.	0.3	6.3	.	0.0	0.0	1.3	22.2	1.3	15.4
	Hispanic	1.3	16.7	.	1.7	31.3	.	0.0	0.0	2.0	33.3	2.0	23.1
	Multi Race	0.3	4.2	.	0.0	0.0	.	0.0	0.0	1.0	16.7	1.0	11.5
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.0	62.5	.	3.0	56.3	.	1.3	50.0	1.3	22.2	2.7	30.8
	IDU	0.7	8.3	.	0.7	12.5	.	0.0	0.0	3.3	55.6	3.3	38.5
	MSM/IDU	0.0	0.0	.	0.3	6.3	.	0.3	12.5	0.0	0.0	0.3	3.8
	Heterosexual	0.7	8.3	.	0.7	12.5	.	0.3	12.5	0.3	5.6	0.7	7.7
	Fem Pres Het Cont	0.3	4.2	.	0.0	0.0	.	0.3	12.5	0.3	5.6	0.7	7.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	16.7	.	0.7	12.5	.	0.3	12.5	0.7	11.1	1.0	11.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.0	100.0	1.0	100.0	8.0	100.0	4.7	100.0	0.7	100.0	5.3	100.0
Risk	MSM	5.0	71.4	0.0	0.0	5.0	62.5	3.0	64.3	0.0	0.0	3.0	56.3
	IDU	0.7	9.5	0.0	0.0	0.7	8.3	0.7	14.3	0.0	0.0	0.7	12.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.1	0.0	0.0	0.3	6.3
	Heterosexual	0.0	0.0	0.7	66.7	0.7	8.3	0.0	0.0	0.7	100.0	0.7	12.5
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	4.2	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	19.0	0.0	0.0	1.3	16.7	0.7	14.3	0.0	0.0	0.7	12.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	14	.	9	9
1987	.	20	.	9	9
1988	.	19	.	10	10
1989	.	37	.	14	14
1990	.	40	.	23	23
1991	.	50	.	24	24
1992	.	46	.	32	32
1993	.	56	.	36	36
1994	.	57	.	35	35
1995	.	51	.	30	30
1996	.	21	.	36	36
1997	.	21	.	18	18
1998	.	20	.	7	7
1999	.	23	.	8	8
2000*	10	22	.	14	14
2001	15	25	1	14	15
2002	16	11	1	10	11
2003	18	18	1	7	8
2004	16	19	3	11	14
2005	18	9	2	6	8
2006	20	16	2	6	8
2007	4	8	2	8	10
2008	12	8	1	11	12
2009	10	14	2	7	9
2010	9	5	6	6	12
2011	12	7	1	10	11
2012	3	4	1	2	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		35	100.0	53.4	40	100.0	61.0	75	100.0	114.4	65,538
Sex at Birth	Male	28	80.0	.	30	75.0	.	58	77.3	.	.
	Female	7	20.0	.	10	25.0	.	17	22.7	.	.
Current Age	12 & under	2	5.7	.	0	0.0	.	2	2.7	.	.
	20-24	3	8.6	.	2	5.0	.	5	6.7	.	.
	25-29	0	0.0	.	2	5.0	.	2	2.7	.	.
	30-39	8	22.9	.	4	10.0	.	12	16.0	.	.
	40-49	11	31.4	.	12	30.0	.	23	30.7	.	.
	50-59	7	20.0	.	13	32.5	.	20	26.7	.	.
	60+	4	11.4	.	7	17.5	.	11	14.7	.	.
Race/Ethnicity	White	24	68.6	.	23	57.5	.	47	62.7	.	.
	Black	0	0.0	.	2	5.0	.	2	2.7	.	.
	Hispanic	8	22.9	.	11	27.5	.	19	25.3	.	.
	Multi Race	2	5.7	.	4	10.0	.	6	8.0	.	.
	Others	1	2.9	.	0	0.0	.	1	1.3	.	.
Risk	MSM	17	48.6	.	16	40.0	.	33	44.0	.	.
	IDU	2	5.7	.	9	22.5	.	11	14.7	.	.
	MSM/IDU	1	2.9	.	0	0.0	.	1	1.3	.	.
	Heterosexual	5	14.3	.	7	17.5	.	12	16.0	.	.
	Fem Pres Het Cont	2	5.7	.	3	7.5	.	5	6.7	.	.
	Blood Prod	0	0.0	.	2	5.0	.	2	2.7	.	.
	Pediatric Risk	4	11.4	.	3	7.5	.	7	9.3	.	.
	Unk	4	11.4	.	0	0.0	.	4	5.3	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		28	100.0	7	100.0	35	100.0	30	100.0	10	100.0	40	100.0	58	100.0	17	100.0	75	100.0
Risk	MSM	17	60.7	0	0.0	17	48.6	16	53.3	0	0.0	16	40.0	33	56.9	0	0.0	33	44.0
	IDU	2	7.1	0	0.0	2	5.7	8	26.7	1	10.0	9	22.5	10	17.2	1	5.9	11	14.7
	MSM/IDU	1	3.6	0	0.0	1	2.9	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	1.3
	Heterosexual	0	0.0	5	71.4	5	14.3	2	6.7	5	50.0	7	17.5	2	3.4	10	58.8	12	16.0
	Fem Pres Het Cont	0	0.0	2	28.6	2	5.7	0	0.0	3	30.0	3	7.5	0	0.0	5	29.4	5	6.7
	Blood Prod	0	0.0	0	0.0	0	0.0	2	6.7	0	0.0	2	5.0	2	3.4	0	0.0	2	2.7
	Pediatric Risk	4	14.3	0	0.0	4	11.4	2	6.7	1	10.0	3	7.5	6	10.3	1	5.9	7	9.3
	Unk	4	14.3	0	0.0	4	11.4	0	0.0	0	0.0	0	0.0	4	6.9	0	0.0	4	5.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.6	1.3	100.0	2.0	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	1.3	57.1	.	0.0	0.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	1.0	42.9	.	1.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	42.9	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	60+	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White	2.0	85.7	.	1.0	75.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Black	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	28.6	.	0.7	50.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Fem Pres Het Cont	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	1.0	100.0	2.3	100.0	0.0	0.0	1.3	100.0	1.3	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	66.7	0.7	28.6	0.0	0.0	0.7	50.0	0.7	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	14.3	0.0	0.0	0.3	25.0	0.3	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	25.0
	Unk	0.7	50.0	0.0	0.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	4	.	3	3
1987	.	1	.	2	2
1988	.	4	.	.	.
1989	.	2	.	.	.
1990	.	4	.	5	5
1991	.	2	.	5	5
1992	.	5	.	1	1
1993	.	4	.	1	1
1994	.	3	.	3	3
1995	.	7	.	1	1
1996	.	3	.	4	4
1997	.	3	.	.	.
1998	.	5	.	.	.
1999	.	2	.	.	.
2000*	2	2	.	1	1
2001	5	4	.	5	5
2002	5	5	.	.	.
2003	3	.	.	2	2
2004	4	4	1	1	2
2005	1	3	1	3	4
2006	1	.	.	1	1
2007	2	3	.	1	1
2008	1	2	.	3	3
2009	2	2	.	.	.
2010	3	4	.	1	1
2011	1	.	.	1	1
2012	3	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		18	100.0	28.6	18	100.0	28.6	36	100.0	57.2	62,934
Sex at Birth	Male	12	66.7	.	10	55.6	.	22	61.1	.	.
	Female	6	33.3	.	8	44.4	.	14	38.9	.	.
Current Age	12 & under	1	5.6	.	0	0.0	.	1	2.8	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	16.7	.	0	0.0	.	3	8.3	.	.
	25-29	1	5.6	.	0	0.0	.	1	2.8	.	.
	30-39	2	11.1	.	2	11.1	.	4	11.1	.	.
	40-49	3	16.7	.	9	50.0	.	12	33.3	.	.
	50-59	7	38.9	.	4	22.2	.	11	30.6	.	.
	60+	1	5.6	.	3	16.7	.	4	11.1	.	.
Race/Ethnicity	White	12	66.7	.	15	83.3	.	27	75.0	.	.
	Black	2	11.1	.	1	5.6	.	3	8.3	.	.
	Hispanic	1	5.6	.	2	11.1	.	3	8.3	.	.
	Multi Race	3	16.7	.	0	0.0	.	3	8.3	.	.
Risk	MSM	8	44.4	.	7	38.9	.	15	41.7	.	.
	IDU	2	11.1	.	0	0.0	.	2	5.6	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	11.1	.	8	44.4	.	10	27.8	.	.
	Fem Pres Het Cont	2	11.1	.	2	11.1	.	4	11.1	.	.
	Blood Prod	0	0.0	.	1	5.6	.	1	2.8	.	.
	Pediatric Risk	1	5.6	.	0	0.0	.	1	2.8	.	.
	Unk	3	16.7	.	0	0.0	.	3	8.3	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12	100.0	6	100.0	18	100.0	10	100.0	8	100.0	18	100.0	22	100.0	14	100.0	36	100.0
Risk	MSM	8	66.7	0	0.0	8	44.4	7	70.0	0	0.0	7	38.9	15	68.2	0	0.0	15	41.7
	IDU	0	0.0	2	33.3	2	11.1	0	0.0	0	0.0	0	0.0	0	0.0	2	14.3	2	5.6
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	8.3	1	16.7	2	11.1	2	20.0	6	75.0	8	44.4	3	13.6	7	50.0	10	27.8
	Fem Pres Het Cont	0	0.0	2	33.3	2	11.1	0	0.0	2	25.0	2	11.1	0	0.0	4	28.6	4	11.1
	Blood Prod	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	1	5.6	1	4.5	0	0.0	1	2.8
	Pediatric Risk	0	0.0	1	16.7	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	1	2.8
	Unk	3	25.0	0	0.0	3	16.7	0	0.0	0	0.0	0	0.0	3	13.6	0	0.0	3	8.3

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.7	1.7	100.0	2.6	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	1.7	71.4	.	1.3	80.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.7	28.6	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.0	85.7	.	1.3	80.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	42.9	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	42.9	.	1.0	60.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Fem Pres Het Cont	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	1.0	60.0	0.0	0.0	1.0	42.9	0.3	25.0	0.0	0.0	0.3	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	40.0	0.3	50.0	1.0	42.9	1.0	75.0	0.0	0.0	1.0	60.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	14.3	0.0	0.0	0.3	100.0	0.3	20.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	2	.	1	1
1987	.	2	.	1	1
1988	.	4	.	1	1
1989	.	1	.	3	3
1990	.	4	.	1	1
1991	.	3	.	3	3
1992	.	3	.	4	4
1993	.	1	.	3	3
1994	.	3	.	1	1
1995	.	3	.	1	1
1996	.	.	.	1	1
1997	.	3	.	2	2
2000*	1	3	.	.	.
2001	1	2	.	1	1
2002	.	2	.	.	.
2003	2
2004	1	2	.	2	2
2005	1	1	.	1	1
2006	2
2007	.	1	.	1	1
2009	1
2010	3	2	.	1	1
2011	3	1	.	.	.
2012	1	2	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		59	100.0	63.5	58	100.0	62.4	117	100.0	125.9	92,962
Sex at Birth	Male	41	69.5	.	42	72.4	.	83	70.9	.	.
	Female	18	30.5	.	16	27.6	.	34	29.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.7	.	0	0.0	.	1	0.9	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	3.4	.	1	1.7	.	3	2.6	.	.
	30-39	8	13.6	.	7	12.1	.	15	12.8	.	.
	40-49	20	33.9	.	17	29.3	.	37	31.6	.	.
	50-59	18	30.5	.	22	37.9	.	40	34.2	.	.
	60+	10	16.9	.	11	19.0	.	21	17.9	.	.
Race/Ethnicity	White	33	55.9	.	35	60.3	.	68	58.1	.	.
	Black	16	27.1	.	12	20.7	.	28	23.9	.	.
	Hispanic	6	10.2	.	8	13.8	.	14	12.0	.	.
	Multi Race	4	6.8	.	3	5.2	.	7	6.0	.	.
Risk	MSM	22	37.3	.	13	22.4	.	35	29.9	.	.
	IDU	2	3.4	.	9	15.5	.	11	9.4	.	.
	MSM/IDU	3	5.1	.	3	5.2	.	6	5.1	.	.
	Heterosexual	13	22.0	.	18	31.0	.	31	26.5	.	.
	Fem Pres Het Cont	7	11.9	.	4	6.9	.	11	9.4	.	.
	Pediatric Risk	1	1.7	.	0	0.0	.	1	0.9	.	.
	Unk	11	18.6	.	11	19.0	.	22	18.8	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		41	100.0	18	100.0	59	100.0	42	100.0	16	100.0	58	100.0	83	100.0	34	100.0	117	100.0
Risk	MSM	22	53.7	0	0.0	22	37.3	13	31.0	0	0.0	13	22.4	35	42.2	0	0.0	35	29.9
	IDU	2	4.9	0	0.0	2	3.4	7	16.7	2	12.5	9	15.5	9	10.8	2	5.9	11	9.4
	MSM/IDU	3	7.3	0	0.0	3	5.1	3	7.1	0	0.0	3	5.2	6	7.2	0	0.0	6	5.1
	Heterosexual	3	7.3	10	55.6	13	22.0	8	19.0	10	62.5	18	31.0	11	13.3	20	58.8	31	26.5
	Fem Pres Het Cont	0	0.0	7	38.9	7	11.9	0	0.0	4	25.0	4	6.9	0	0.0	11	32.4	11	9.4
	Pediatric Risk	0	0.0	1	5.6	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.9
	Unk	11	26.8	0	0.0	11	18.6	11	26.2	0	0.0	11	19.0	22	26.5	0	0.0	22	18.8

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	5.0	3.7	100.0	3.9	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	3.7	78.6	.	3.0	81.8	.	0.0	0.0	1.0	100.0	1.0	75.0
	Female	1.0	21.4	.	0.7	18.2	.	0.3	100.0	0.0	0.0	0.3	25.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	7.1	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	7.1	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	42.9	.	1.0	27.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.0	21.4	.	1.3	36.4	.	0.3	100.0	0.7	66.7	1.0	75.0
	60+	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.3	33.3	0.3	25.0
Race/Ethnicity	White	3.7	78.6	.	2.7	72.7	.	0.3	100.0	0.3	33.3	0.7	50.0
	Black	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.3	33.3	0.3	25.0
	Hispanic	0.3	7.1	.	0.7	18.2	.	0.0	0.0	0.3	33.3	0.3	25.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	35.7	.	1.0	27.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	9.1	.	0.0	0.0	0.3	33.3	0.3	25.0
	MSM/IDU	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	14.3	.	0.7	18.2	.	0.3	100.0	0.0	0.0	0.3	25.0
	Fem Pres Het Cont	0.7	14.3	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	21.4	.	0.7	18.2	.	0.0	0.0	0.7	66.7	0.7	50.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.0	100.0	4.7	100.0	3.0	100.0	0.7	100.0	3.7	100.0
Risk	MSM	1.7	45.5	0.0	0.0	1.7	35.7	1.0	33.3	0.0	0.0	1.0	27.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.1	0.0	0.0	0.3	9.1
	MSM/IDU	0.7	18.2	0.0	0.0	0.7	14.3	0.3	11.1	0.0	0.0	0.3	9.1
	Heterosexual	0.3	9.1	0.3	33.3	0.7	14.3	0.7	22.2	0.0	0.0	0.7	18.2
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	14.3	0.0	0.0	0.7	100.0	0.7	18.2
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	27.3	0.0	0.0	1.0	21.4	0.7	22.2	0.0	0.0	0.7	18.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	7	.	4	4
1987	.	1	.	1	1
1988	.	2	.	2	2
1989	.	1	.	3	3
1990	.	5	.	2	2
1991	.	4	.	4	4
1992	.	8	.	2	2
1993	.	7	.	8	8
1994	.	5	.	5	5
1995	.	5	.	5	5
1996	.	6	.	1	1
1997	.	6	.	.	.
1998	.	7	.	2	2
1999	.	2	.	3	3
2000*	5	4	.	.	.
2001	7	6	.	2	2
2002	8	3	.	1	1
2003	3	2	.	1	1
2004	4	3	1	1	2
2005	6	3	.	2	2
2006	9	7	.	1	1
2007	3	2	1	1	2
2008	4	2	.	1	1
2009	5	4	1	1	2
2010	5	2	.	2	2
2011	4	5	1	.	1
2012	5	4	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		1,207	100.0	125.5	2,050	100.0	213.2	3,257	100.0	338.7	961,670
Sex at Birth	Male	771	63.9	.	1,328	64.8	.	2,099	64.4	.	.
	Female	436	36.1	.	722	35.2	.	1,158	35.6	.	.
Current Age	12 & under	7	0.6	.	0	0.0	.	7	0.2	.	.
	13-19	21	1.7	.	7	0.3	.	28	0.9	.	.
	20-24	64	5.3	.	26	1.3	.	90	2.8	.	.
	25-29	96	8.0	.	59	2.9	.	155	4.8	.	.
	30-39	235	19.5	.	186	9.1	.	421	12.9	.	.
	40-49	322	26.7	.	596	29.1	.	918	28.2	.	.
	50-59	302	25.0	.	748	36.5	.	1,050	32.2	.	.
	60+	157	13.0	.	426	20.8	.	583	17.9	.	.
	Unk	3	0.2	.	2	0.1	.	5	0.2	.	.
Race/Ethnicity	White	284	23.5	.	391	19.1	.	675	20.7	.	.
	Black	475	39.4	.	787	38.4	.	1,262	38.7	.	.
	Hispanic	334	27.7	.	617	30.1	.	951	29.2	.	.
	Multi Race	104	8.6	.	247	12.0	.	351	10.8	.	.
	Others	10	0.8	.	8	0.4	.	18	0.6	.	.
Risk	MSM	446	37.0	.	558	27.2	.	1,004	30.8	.	.
	IDU	110	9.1	.	522	25.5	.	632	19.4	.	.
	MSM/IDU	22	1.8	.	97	4.7	.	119	3.7	.	.
	Heterosexual	376	31.2	.	638	31.1	.	1,014	31.1	.	.
	Fem Pres Het Cont	105	8.7	.	80	3.9	.	185	5.7	.	.
	Blood Prod	1	0.1	.	6	0.3	.	7	0.2	.	.
	Pediatric Risk	34	2.8	.	31	1.5	.	65	2.0	.	.
	Unk	113	9.4	.	118	5.8	.	231	7.1	.	.

¹ Data as of April 2014² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		771	100.0	436	100.0	1,207	100.0	1,328	100.0	722	100.0	2,050	100.0	2,099	100.0	1,158	100.0	3,257	100.0
Risk	MSM	446	57.8	0	0.0	446	37.0	558	42.0	0	0.0	558	27.2	1,004	47.8	0	0.0	1,004	30.8
	IDU	67	8.7	43	9.9	110	9.1	335	25.2	187	25.9	522	25.5	402	19.2	230	19.9	632	19.4
	MSM/IDU	22	2.9	0	0.0	22	1.8	97	7.3	0	0.0	97	4.7	119	5.7	0	0.0	119	3.7
	Heterosexual	102	13.2	274	62.8	376	31.2	203	15.3	435	60.2	638	31.1	305	14.5	709	61.2	1,014	31.1
	Fem Pres Het Cont	0	0.0	105	24.1	105	8.7	0	0.0	80	11.1	80	3.9	0	0.0	185	16.0	185	5.7
	Blood Prod	1	0.1	0	0.0	1	0.1	3	0.2	3	0.4	6	0.3	4	0.2	3	0.3	7	0.2
	Pediatric Risk	20	2.6	14	3.2	34	2.8	14	1.1	17	2.4	31	1.5	34	1.6	31	2.7	65	2.0
	Unk	113	14.7	0	0.0	113	9.4	118	8.9	0	0.0	118	5.8	231	11.0	0	0.0	231	7.1

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		103.0	100.0	10.7	71.0	100.0	7.4	7.7	100.0	53.0	100.0	60.7	100.0
Sex at Birth	Male	77.7	75.4	.	48.3	68.1	.	6.3	82.6	34.7	65.4	41.0	67.6
	Female	25.3	24.6	.	22.7	31.9	.	1.3	17.4	18.3	34.6	19.7	32.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	4.3	4.2	.	2.0	2.8	.	0.3	4.3	0.3	0.6	0.7	1.1
	20-24	16.3	15.9	.	4.7	6.6	.	0.0	0.0	0.7	1.3	0.7	1.1
	25-29	13.3	12.9	.	6.0	8.5	.	0.3	4.3	0.7	1.3	1.0	1.6
	30-39	22.0	21.4	.	16.3	23.0	.	1.0	13.0	4.0	7.5	5.0	8.2
	40-49	21.3	20.7	.	17.3	24.4	.	2.3	30.4	10.3	19.5	12.7	20.9
	50-59	16.7	16.2	.	17.0	23.9	.	3.3	43.5	22.7	42.8	26.0	42.9
	60+	9.0	8.7	.	7.7	10.8	.	0.3	4.3	14.3	27.0	14.7	24.2
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	13.7	13.3	.	9.0	12.7	.	1.7	21.7	8.3	15.7	10.0	16.5
	Black	39.7	38.5	.	26.0	36.6	.	4.0	52.2	26.3	49.7	30.3	50.0
	Hispanic	34.3	33.3	.	23.3	32.9	.	1.3	17.4	12.0	22.6	13.3	22.0
	Multi Race	14.3	13.9	.	12.0	16.9	.	0.7	8.7	6.3	11.9	7.0	11.5
	Others	1.0	1.0	.	0.7	0.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	51.3	49.8	.	24.7	34.7	.	2.7	34.8	11.0	20.8	13.7	22.5
	IDU	4.7	4.5	.	8.3	11.7	.	1.0	13.0	22.3	42.1	23.3	38.5
	MSM/IDU	1.3	1.3	.	1.7	2.3	.	0.3	4.3	3.3	6.3	3.7	6.0
	Heterosexual	27.7	26.9	.	22.7	31.9	.	2.0	26.1	12.0	22.6	14.0	23.1
	Fem Pres Het Cont	7.3	7.1	.	6.0	8.5	.	0.0	0.0	1.7	3.1	1.7	2.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.6	0.3	0.5
	Pediatric Risk	0.0	0.0	.	0.3	0.5	.	0.0	0.0	0.7	1.3	0.7	1.1
	Unk	10.7	10.4	.	7.3	10.3	.	1.7	21.7	1.7	3.1	3.3	5.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		77.7	100.0	25.3	100.0	103.0	100.0	48.3	100.0	22.7	100.0	71.0	100.0
Risk	MSM	51.3	66.1	0.0	0.0	51.3	49.8	24.7	51.0	0.0	0.0	24.7	34.7
	IDU	3.7	4.7	1.0	3.9	4.7	4.5	5.0	10.3	3.3	14.7	8.3	11.7
	MSM/IDU	1.3	1.7	0.0	0.0	1.3	1.3	1.7	3.4	0.0	0.0	1.7	2.3
	Heterosexual	10.7	13.7	17.0	67.1	27.7	26.9	9.3	19.3	13.3	58.8	22.7	31.9
	Fem Pres Het Cont	0.0	0.0	7.3	28.9	7.3	7.1	0.0	0.0	6.0	26.5	6.0	8.5
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.3	0.5
	Unk	10.7	13.7	0.0	0.0	10.7	10.4	7.3	15.2	0.0	0.0	7.3	10.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
<1987	.	221	.	131	131
1987	.	173	.	107	107
1988	.	191	.	129	129
1989	.	234	.	157	157
1990	.	249	.	189	189
1991	.	296	.	187	187
1992	.	394	.	226	226
1993	.	341	.	226	226
1994	.	350	.	262	262
1995	.	337	.	260	260
1996	.	276	.	169	169
1997	.	224	.	100	100
1998	.	214	.	102	102
1999	.	168	.	87	87
2000*	193	187	4	112	116
2001	144	171	8	66	74
2002	139	167	8	75	83
2003	130	168	16	90	106
2004	152	143	12	70	82
2005	111	130	13	71	84
2006	140	119	9	61	70
2007	127	121	10	66	76
2008	127	101	11	72	83
2009	111	91	6	60	66
2010	116	86	10	65	75
2011	97	61	4	47	51
2012	96	66	9	47	56

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		6	100.0	14.3	5	100.0	11.9	11	100.0	26.3	41,892
Sex at Birth	Male	5	83.3	.	3	60.0	.	8	72.7	.	.
	Female	1	16.7	.	2	40.0	.	3	27.3	.	.
Current Age	13-19	1	16.7	.	1	20.0	.	2	18.2	.	.
	25-29	1	16.7	.	0	0.0	.	1	9.1	.	.
	30-39	1	16.7	.	0	0.0	.	1	9.1	.	.
	40-49	2	33.3	.	2	40.0	.	4	36.4	.	.
	50-59	0	0.0	.	1	20.0	.	1	9.1	.	.
	60+	1	16.7	.	1	20.0	.	2	18.2	.	.
Race/Ethnicity	White	5	83.3	.	2	40.0	.	7	63.6	.	.
	Black	0	0.0	.	1	20.0	.	1	9.1	.	.
	Multi Race	1	16.7	.	1	20.0	.	2	18.2	.	.
	Others	0	0.0	.	1	20.0	.	1	9.1	.	.
Risk	MSM	4	66.7	.	1	20.0	.	5	45.5	.	.
	IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	0	0.0	.	2	40.0	.	2	18.2	.	.
	Fem Pres Het Cont	1	16.7	.	0	0.0	.	1	9.1	.	.
	Blood Prod	0	0.0	.	1	20.0	.	1	9.1	.	.
	Pediatric Risk	1	16.7	.	1	20.0	.	2	18.2	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5	100.0	1	100.0	6	100.0	3	100.0	2	100.0	5	100.0	8	100.0	3	100.0	11	100.0
Risk	MSM	4	80.0	0	0.0	4	66.7	1	33.3	0	0.0	1	20.0	5	62.5	0	0.0	5	45.5
	IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	2	40.0	0	0.0	2	66.7	2	18.2
	Fem Pres Het Cont	0	0.0	1	100.0	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	9.1
	Blood Prod	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0	1	20.0	1	12.5	0	0.0	1	9.1
	Pediatric Risk	1	20.0	0	0.0	1	16.7	1	33.3	0	0.0	1	20.0	2	25.0	0	0.0	2	18.2

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	0.8	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²***by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.0	0.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1988	.	1	.	1	1
1990	.	1	.	.	.
1991	.	.	.	1	1
1993	.	4	.	2	2
1994	.	2	.	2	2
1995	.	1	.	.	.
1996	.	1	.	.	.
1998	.	2	.	1	1
1999	.	2	.	.	.
2000*	2	1	.	.	.
2003	1	.	.	1	1
2005	1
2007	.	.	.	1	1
2011	1	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		5	100.0	19.7	6	100.0	23.7	11	100.0	43.4	25,344
Sex at Birth	Male	3	60.0	.	2	33.3	.	5	45.5	.	.
	Female	2	40.0	.	4	66.7	.	6	54.5	.	.
Current Age	25-29	2	40.0	.	1	16.7	.	3	27.3	.	.
	30-39	0	0.0	.	0	0.0	.	0	0.0	.	.
	40-49	1	20.0	.	1	16.7	.	2	18.2	.	.
	50-59	2	40.0	.	2	33.3	.	4	36.4	.	.
	60+	0	0.0	.	2	33.3	.	2	18.2	.	.
Race/Ethnicity	White	1	20.0	.	6	100.0	.	7	63.6	.	.
	Black	4	80.0	.	0	0.0	.	4	36.4	.	.
	Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Multi Race	0	0.0	.	0	0.0	.	0	0.0	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	1	20.0	.	0	0.0	.	1	9.1	.	.
	IDU	0	0.0	.	3	50.0	.	3	27.3	.	.
	MSM/IDU	0	0.0	.	1	16.7	.	1	9.1	.	.
	Heterosexual	1	20.0	.	0	0.0	.	1	9.1	.	.
	Fem Pres Het Cont	1	20.0	.	2	33.3	.	3	27.3	.	.
	Unk	2	40.0	.	0	0.0	.	2	18.2	.	.

¹ Data as of April 2014

² Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹***by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	2	100.0	4	100.0	6	100.0	5	100.0	6	100.0	11	100.0
Risk	MSM	1	33.3	0	0.0	1	20.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	1	9.1
	IDU	0	0.0	0	0.0	0	0.0	1	50.0	2	50.0	3	50.0	1	20.0	2	33.3	3	27.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	16.7	1	20.0	0	0.0	1	9.1
	Heterosexual	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	9.1
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	2	50.0	2	33.3	0	0.0	3	50.0	3	27.3
	Unk	2	66.7	0	0.0	2	40.0	0	0.0	0	0.0	0	0.0	2	40.0	0	0.0	2	18.2

¹ Data as of April 2014

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates

Year	HIV Diagnoses ³	AIDS Diagnoses	Deaths Among HIV Cases ⁴	Deaths Among AIDS Cases ⁴	Deaths Among HIV and AIDS Cases ⁴
1989	.	1	.	.	.
1991	.	2	.	2	2
1992	.	1	.	.	.
1993	.	2	.	2	2
1994	.	1	.	2	2
1995	.	2	.	.	.
1996	.	.	.	1	1
2000*	1
2002	1
2003	2	1	.	.	.
2004	1	1	.	1	1
2006	2	1	1	.	1
2008	.	1	1	.	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available.

⁴ Death may be due to causes other than HIV or AIDS.