


**New York State
HIV/AIDS County
Surveillance Report
(Excludes State Prison Inmates)**



**For Cases Diagnosed
Through December 2013**

**Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health
August 2015**

TABLE OF CONTENTS
Excludes State Prison Inmates

	Page
Introduction to the New York State HIV/AIDS County Surveillance Report	3-7
Technical Notes on the New York State HIV/AIDS County Surveillance Report.....	8-12
Definition of Terms Used in this Report.....	13-16
Guide to the Tables	17-20

NYS, EXCLUDING NYC, by County

Summary Table A: Average Annual Newly Diagnosed HIV Cases by County	21-22
Summary Table B: AIDS Cases by county of Residence at Diagnosis and Year of Diagnosis	23-24
Summary Table C: HIV Cases, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis.....	25-26
Summary Table D1: Deaths Among HIV Cases by County of Residence at Diagnosis and Year of Death	27-28
Summary Table D2: Deaths Among AIDS Cases by County of Residence at Diagnosis and Year of Death	29-30
Summary Table D3: Deaths Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death	31-32

Counties in New York State

The following tables have been generated for each of the counties in New York State:

- 1A** - Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- 1B** - Living HIV and AIDS Cases by Sex at Birth and Risk
- 2A** - Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS
Cases, 2010-2012, by Sex at Birth, Age, Race Ethnicity and Risk
- 2B** – Newly Diagnosed HIV and AIDS Cases, 2010-2012, by Sex at Birth and Risk
- 3** – Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among Persons
Living with HIV and AIDS Cases by Year of Death

Introduction to the New York State HIV/AIDS County Surveillance Report

Important Changes in this Year's Report

This report for calendar year 2013 introduces a new method for counting newly diagnosed HIV cases. Effective May 2015, the NYSDOH Bureau of HIV/AIDS Epidemiology (BHAЕ) has changed the method used to classify people as new HIV diagnoses in New York State. This affects cases reported as new HIV diagnoses for years 2009 and following.

Newly identified cases whose surveillance records lacked clear dates of initial HIV diagnosis were not included in previous reports of new diagnoses. Under the new method, such cases diagnosed in 2009 and later are included as new diagnoses. However, they are not included in calculation of concurrency of HIV/AIDS diagnoses (See *Guide to the Tables, Summary Table "A"*), which requires precise knowledge of the date of diagnosis.

Counts of new diagnoses from this report should not be combined with counts from earlier reports to produce historical series that include the years 2009-2013. Summary Table "C" presents HIV counts by county by year of diagnosis using the new counting method. Please contact BHAЕ (bhae@health.ny.gov) to obtain additional historical series data.¹

The new method is not applied to cases through 2008. Application of the new method to data from earlier years of HIV reporting would result in falsely elevated counts, since many people newly reported in that period had actually been diagnosed years earlier. HIV reporting began in June 2000, and the expansion of reporting of HIV related laboratory tests began June 2005. Thus, it was only in the years after 2005 that New York State Department of Health (NYSDOH) was able to build a comprehensive picture of persons living in NYS with diagnosed HIV infection. Other major changes in data collection that were put in place through 2009 included: (a) 2009 was the first year both NYSDOH and the New York City Department of Health and Mental Hygiene (NYCDOHMH) used the new Centers for Disease Control and Prevention (CDC) eHARS data system for reporting cases to the CDC, allowing enhanced data matching between the two surveillance systems and improving data completeness; (b) electronic reporting of all HIV/AIDS laboratory results became mandatory in NYS in July 2008.

On average, the total annual number of new HIV diagnoses in each of the past five years increases by about 330 under the new method. Even with these higher numbers, the downward trajectory of new HIV diagnoses in NYS over time remains accurate. Classifying new diagnoses based on the new method has little impact on the relative distribution of cases across gender, age, race/ethnicity, and transmission risk groups.

New HIV Diagnoses, New York State, 2001-2008

Diagnosis Year	
2001	6,793
2002	6,070
2003	5,535
2004	5,149
2005	5,180
2006	4,878
2007	4,783
2008	4,641

New HIV Diagnoses, 2009-2013

Diagnosis Year	Old Method	New Method
2009	4,244	4,609
2010	3,854	4,165
2011	3,674	3,996
2012	3,403	3,706
2013	3,174	3,512

The revised method for counting newly diagnosed HIV cases has no impact on the major goals for the *Ending the Epidemic*¹ initiative. Estimates of new infections are determined by a CDC methodology that is not affected by how NYS categorizes new diagnoses. The additional persons classified as new diagnoses have always been included in NYS analyses of persons living with diagnosed HIV infection and measures of HIV care.

Important changes in HIV surveillance in 2013 and 2014 have required procedural adaptations. Applying these changes to data on new diagnoses from 2009 and beyond is reasonable and allows the community of persons interested in the HIV epidemic to follow the trends of the last few years. Furthermore, NYS's *Ending the Epidemic* efforts create a compelling impetus for more complete characterization of the newly reported and likely newly-diagnosed cases. *Ending*

¹ http://www.health.ny.gov/diseases/aids/ending_the_epidemic/

the Epidemic will require that we understand better the path of every HIV-infected individual in terms of opportunities for diagnosis, linkage, retention, and viral suppression.

Recent changes which affect surveillance data, and particularly new diagnoses, include:

- The newly recommended HIV Diagnostic Testing Algorithm
 - Many more laboratories are eligible to conduct and report this testing
 - These multiple tests are often conducted at different times and by different laboratories, which makes aggregating results for a single patient specimen more challenging.
- The April 2014 CDC case definition update had important changes that impacted HIV diagnosis date calculations.
- The CDC-sponsored national case deduplication process, which helps states determine the earliest diagnosis date for persons moving between states, has undergone recent substantial methodological changes.

The layout and content of the tables showing new diagnoses, such as Summary Table A, have changed. Please see “Guide to the Tables”, below.

HIV/AIDS Surveillance Annual County Report - Overview

The County Surveillance Report presents recent data on newly diagnosed HIV cases, persons living with HIV/AIDS and deaths among AIDS cases in the counties of New York State. The County Report is a companion piece to the NYS HIV/AIDS Annual Surveillance Report (available at <http://www.health.ny.gov/diseases/aids/general/statistics/annual/index.htm>). Like the Annual Surveillance Report, the County Report divides new HIV diagnoses into subcategories based on concurrent or subsequent AIDS diagnoses, and displays diagnosis and prevalence rates.

Format of the Report

The report covers the individual counties of New York State, except for the five boroughs of New York City, which are covered in the Annual Surveillance Report, and Hamilton County, which has too few HIV/AIDS cases to populate the tables. The report is issued in two parallel sections, one including and one excluding inmates in state correctional facilities. The sections contain six summary tables listing all counties, followed by sets of detailed tables for each individual county. The summary tables (A-D) are:

- (A) Average Annual Newly Diagnosed HIV Cases by Diagnosis Type,
- (B) AIDS Cases by Year of Diagnosis,
- (C) Newly Diagnosed HIV Cases by Year of Diagnosis, and
- (D) Deaths among HIV and AIDS Cases by Year of Death.

The county detail tables (1-3) are:

- (1) Living HIV and AIDS Cases
- (2) Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases
- (3) Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among HIV and AIDS Cases by Year of Death.

Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The tables feature **prevalence rates** (living cases per 100,000 population) and show the population.
- Age is **current age** for the time point being reported, e.g. December 2013.

Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- New HIV diagnoses are categorized by AIDS diagnosis status. “HIV Non-AIDS” refers to cases without a subsequent AIDS diagnosis or with an AIDS diagnosis at least one month later than the date of HIV diagnosis. Cases with an AIDS diagnosis within one month of the date of HIV diagnosis are classified as “Concurrent HIV and AIDS”. “Uncertain concurrency” refers to cases whose date of diagnosis is not known with confidence; concurrency cannot be calculated for these cases.
- Concurrent HIV and AIDS diagnoses are also shown as percent of total new HIV Non-AIDS + Concurrent diagnoses. (Summary Table “A”)
- **Case rates** (cases per 100,000 population per year) are given for new all HIV diagnoses.

Newly Diagnosed AIDS Cases

- Case rates are given.
- Cumulative AIDS cases, which were featured in previous editions of the County Reports, have been dropped.

Deaths Among HIV Cases and AIDS Cases

- Deaths from all cases are shown separately for HIV, AIDS and total cases

Technical Notes on the New York State HIV/AIDS County Surveillance Report

Introduction

This HIV/AIDS County Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.health.ny.gov/diseases/aids/general/statistics/annual/index.htm#counties>

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073
(518) 474-4284
bhae@health.ny.gov

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH).

Source Data

This report was produced using the April 2015 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection, HIV-related illness and AIDS to the NYS Commissioner of Health.² Under the amended HIV

² HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection. In 2014, the laboratory reporting law was revised to clarify reporting requirements for the new CDC/APHL diagnostic testing algorithm. Laboratories conducting HIV-related testing must report electronically to the NYSDOH. For more information call 518-474-4284 or see: <http://www.wadsworth.org/labcert/regaffairs/clinical/commdiseaseguide.pdf>.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 3/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.ny.gov/diseases/aids/>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition³, designating AIDS as “stage 3 HIV infection”. This County Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it did not materially affect case counts.

In April 2014, CDC again revised the HIV case definition⁴. Under the 2014 definition, (1) adult and pediatric definitions are covered under a single rubric; (2) “stage 0 HIV infection” is used to denote cases with a negative HIV test within 6 months of diagnosis; (3) laboratory criteria for

³ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008; MMWR, Dec. 5 2008, vol. 57, No. RR-10

⁴ Revised Surveillance Case Definition for HIV Infection --- United States, 2014:MMWR, Apr. 11, 2008, vol.63, No. 3

“stage 3 HIV infection” refer to CD4 + T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and, (4) laboratory criteria for defining a confirmed case now accommodate the multitest algorithm which entered widespread use in 2013. The new case definition went into effect after the preparation of data for this report and is not reflected in these tabulations.

Deduplication:

The HIV/AIDS case data used in this County Report have undergone both inter- and intra-state deduplication.

New York participates in CDC's Routine Interstate Duplicate Review (RIDR) program. RIDR is an ongoing effort to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case is assigned to for national tabulations. Cases in the New York registry that are known through RIDR to have been initially diagnosed while in another state are excluded from the County Report.

The County Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAЕ. In NYC, HIV/AIDS surveillance is conducted by the NYC DOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is counted only once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAЕ following an algorithm similar to that used by CDC. Since May 2010, BHAЕ has performed further adjustments to the data using information from an intra-state extension of the RIDR process. This removes several hundred additional duplicate records, but importantly, returns to the analysis files some 3,000 unique cases that are excluded by the base procedure.

Ongoing refinement of the data may also contribute to geographical reassignment of cases at the state, regional, and/or county and local levels.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic or other key variables, including risk factors, are investigated by NYS or NYC staff who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases identified through laboratory report of a positive test result from an approved diagnostic test and/or reported by a provider indicating an HIV diagnosis or an HIV illness.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported living individuals who have ever met CDC criteria for Stage 3 HIV disease (AIDS).
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes new HIV cases concurrently diagnosed with AIDS and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases. (See Summary Table “B”.)

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. The date of diagnosis is unrelated to the timing of

initial HIV infection or disease acquisition.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (FPHC)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as “pediatric” if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive

- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined risk category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus a portion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e., HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record reviews, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and from the Social Security Death Master File and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. For cases diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In some counties prisoners make up a significant but shifting proportion of new diagnoses and living cases, and the local HIV burden is better represented by removing prisoner cases from the tabulations. The County Reports present HIV surveillance data both including and excluding prisoners. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2013 and diagnosed with AIDS in Monroe County in 2014, would be included among living HIV cases in Albany County in the County Report for December 2013.

(Note: BHAE is able to supply counts of living cases by current residence, rather than residence at diagnosis. Please contact bhae@health.ny.gov.)

Guide to the Tables

There are two types of tables in the County Reports. Summary tables contain one row for each of the 56 counties (all NYS counties, excluding the five boroughs of New York City and Hamilton County.) The summary tables present newly diagnosed HIV cases by type and year of diagnosis, and HIV and AIDS cases by year of diagnosis and year of death among HIV and AIDS cases. The county detail tables present demographic and risk breakouts for new and living HIV and AIDS cases, as well as deaths among HIV and AIDS cases.

The tables of newly diagnosed cases and deaths present 3-year averages. Case counts in smaller counties may show great variation across years; the 3-year average is more stable and representative than any one year.

Guide to the Tables

Summary Table A

New York State Excluding New York City

Summary Table A

Average Annual Newly Diagnosed HIV Cases (January 2011 - December 2013), by County
Excludes State Prison Inmates*

	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrency C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
County	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate***	%
Albany	22.7	8.0	1.3	32.0	10.4	26.1
Allegany	.	.	.	2.0	0.4	.
Broome	5.3	4.7	1.0	11.0	5.6	46.7
Cattaraugus	.	.	.	3.3	4.2	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2013), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

HIV Non-AIDS: HIV without subsequent AIDS diagnosis or with AIDS diagnosis more than one month after HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis **within one month** of the HIV diagnosis date.

Uncertain Concurrency: Newly diagnosed HIV cases without a confident diagnosis date for calculation of concurrency.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population (i.e. Case rate=new diagnoses divided by the county population x 100,000. County populations are shown on Table 1A of each of the individual counties.)

Percent Concurrent: Concurrent HIV and AIDS diagnoses are shown as a percent of total new HIV Non-AIDS + Concurrent diagnoses.

Guide to the Tables

Detail Table 1A

Albany County Table 1A

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		475	100.0	154.8	558	100.0	181.8	1,033	100.0	336.5	306,945
Sex at Birth	Male	315	66.3	.	374	67.0	.	689	66.7	.	.
	Female	160	33.7	.	184	33.0	.	344	33.3	.	.
Current Age	12 & under	4	0.8	.	0	0.0	.	4	0.4	.	.

Living HIV/AIDS Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2013). These are summed to produce a total count of people living with HIV and AIDS.

Prevalence Rate: The number of living cases per 100,000 population. Rates are not presented for population sub-groups because in most cases the numbers are too small to be statistically meaningful.

Area Population: National Center for Health Statistics, Bridged-Race Vintage 2013 Postcensal File (Released 2014)

Guide to the Tables

Detail Table 2A

Albany County Table 2A

Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013**
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		32.0	100.0	10.4	19.0	100.0	6.2	1.0	100.0	10.7	100.0	11.7	100.0
Sex at Birth	Male	25.0	78.1	.	14.0	73.7	.	0.7	66.7	7.7	71.9	8.3	71.4
	Female	7.0	21.9	.	5.0	26.3	.	0.3	33.3	3.0	28.1	3.3	28.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period, and those AIDS diagnoses will be reported in the AIDS diagnosis column.

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to Summary Table A).

Deaths Among HIV Cases, AIDS Cases and Deaths Among HIV and AIDS Cases: In each instance, the annual average of the referenced reporting period (in this case 2011-2013) is reported.

Note: For population subgroups that did not have any HIV or AIDS diagnoses or deaths in the reporting period, no line appears in the table.

Summary Table A
Average Annual Newly Diagnosed HIV Cases* (January 2011 - December 2013), by County
Excludes State Prison Inmates

County	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrence C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate***	%
Albany	22.7	8.0	1.3	32.0	10.4	26.1
Allegany	.	.	.	2.0	0.4	.
Broome	5.3	4.7	1.0	11.0	5.6	46.7
Cattaraugus	.	.	.	3.3	4.2	.
Cayuga	.	.	.	3.7	4.6	.
Chautauqua	.	.	.	5.0	3.8	.
Chemung	.	.	.	5.7	6.4	.
Chenango	.	.	.	2.3	5.0	.
Clinton	.	.	.	2.0	2.5	.
Columbia	.	.	.	5.0	8.0	.
Cortland	.	.	.	2.3	4.8	.
Delaware	.	.	.	1.3	2.9	.
Dutchess	.	.	.	24.3	8.2	.
Erie	69.3	23.0	6.3	98.7	10.7	24.9
Essex	.	.	.	1.0	2.6	.
Franklin	.	.	.	3.3	6.4	.
Fulton	.	.	.	3.3	6.1	.
Genesee	.	.	.	2.7	4.5	.
Greene	.	.	.	1.7	3.4	.
Herkimer	.	.	.	2.3	3.6	.
Jefferson	2.3	1.7	1.0	5.0	4.2	41.7
Lewis	.	.	.	0.3	1.2	.
Livingston	.	.	.	1.0	1.5	.
Madison	.	.	.	2.0	2.8	.
Monroe	59.3	20.7	4.3	84.3	11.3	25.8
Montgomery	.	.	.	2.3	4.7	.
Nassau	83.3	34.3	6.3	124.0	9.2	29.2
Niagara	7.7	2.7	1.0	11.3	5.3	25.8
Oneida	.	.	.	9.7	4.1	.

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

** Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

*** Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases* (January 2011 - December 2013), by County
Excludes State Prison Inmates

County	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrence C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate***	%
Onondaga	33.3	11.3	2.7	47.3	10.1	25.4
Ontario	.	.	.	2.7	2.4	.
Orange	13.3	6.3	2.0	21.7	5.8	32.2
Orleans	.	.	.	3.3	7.9	.
Oswego	.	.	.	3.3	2.8	.
Otsego	.	.	.	2.3	3.8	.
Putnam	.	.	.	4.7	4.7	.
Rensselaer	4.3	3.7	1.0	9.0	5.6	45.8
Rockland	.	.	.	25.3	7.9	.
St Lawrence	.	.	.	4.3	3.9	.
Saratoga	.	.	.	5.3	2.4	.
Schenectady	8.7	2.7	2.0	13.3	8.6	23.5
Schoharie	.	.	.	0.7	2.1	.
Schuyler	.	.	.	1.3	7.2	.
Seneca	.	.	.	1.0	2.8	.
Steuben	.	.	.	3.7	3.7	.
Suffolk	71.3	28.7	5.7	105.7	7.0	28.7
Sullivan	2.3	2.0	1.0	5.3	7.0	46.2
Tioga	.	.	.	1.3	2.7	.
Tompkins	.	.	.	6.3	6.1	.
Ulster	.	.	.	10.3	5.7	.
Warren	.	.	.	2.3	3.6	.
Washington	.	.	.	2.7	4.2	.
Wayne	1.7	1.3	1.0	4.0	4.3	44.4
Westchester	76.0	28.3	7.0	111.3	11.5	27.2
Wyoming	.	.	.	0.3	0.8	.
Yates	.	.	.	0.0	0.0	.

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

** Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

*** Per 100,000 population

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis*
Excludes State Prison Inmates

County	< 1988	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Cumulative
Albany	59	32	49	53	74	90	93	70	72	66	54	43	42	43	33	48	42	55	29	37	21	28	20	26	16	22	19	1,237
Allegany	2	0	1	1	1	1	0	1	4	2	0	1	1	0	0	4	1	1	0	1	0	1	3	0	1	2	1	30
Broome	12	10	11	18	24	20	22	17	16	22	22	13	10	12	15	15	14	18	13	25	21	10	16	9	7	8	12	412
Cattaraugus	4	1	2	2	5	4	4	3	2	3	2	3	0	2	1	1	1	3	3	3	5	1	2	0	2	2	1	62
Cayuga	7	2	3	3	3	7	4	4	7	5	3	5	2	5	4	2	5	3	2	3	5	5	2	2	2	2	3	100
Chautauqua	3	2	4	2	4	9	9	8	12	6	3	9	6	7	8	12	3	8	9	5	8	6	7	3	3	2	1	159
Chemung	7	4	9	9	14	12	11	12	13	4	6	3	0	3	3	0	5	2	10	1	2	3	1	4	2	6	4	151
Chenango	1	2	0	1	1	4	2	0	6	3	2	0	0	3	5	5	2	1	1	0	0	2	2	1	2	2	0	48
Clinton	5	1	2	5	5	2	8	2	6	4	1	3	3	1	1	3	1	3	2	2	5	3	1	0	1	1	0	71
Columbia	6	2	4	5	9	14	5	4	10	2	4	2	3	4	2	1	3	5	5	2	4	1	4	2	3	2	2	110
Cortland	2	0	1	0	1	0	2	1	1	1	2	3	0	0	1	5	0	5	0	1	1	1	1	1	0	0	0	30
Delaware	0	1	2	4	1	3	3	3	6	4	2	0	1	0	4	4	5	1	3	0	1	3	0	4	4	2	0	61
Dutchess	56	32	41	48	65	66	103	93	62	66	30	25	37	39	29	23	23	36	24	21	13	17	18	11	10	14	12	1,014
Erie	77	56	82	78	105	121	172	160	162	144	80	86	101	129	95	67	86	66	69	59	82	55	61	54	68	59	48	2,423
Essex	4	4	3	2	1	2	3	2	6	1	1	0	0	1	0	2	1	0	1	1	0	1	0	1	0	2	0	39
Franklin	1	1	1	0	4	1	1	4	5	3	3	0	0	2	3	1	0	2	0	2	1	1	2	1	2	1	0	42
Fulton	4	3	0	2	4	4	1	2	3	1	1	4	3	2	1	1	2	4	1	3	2	4	1	1	3	2	1	60
Genesee	2	1	1	4	3	4	2	4	5	1	1	2	5	2	2	3	1	0	1	0	3	3	2	1	4	0	2	59
Greene	3	4	4	2	5	6	5	4	7	3	3	2	5	2	4	3	7	3	1	3	2	4	1	4	1	2	2	92
Herkimer	2	3	3	1	5	1	2	2	5	3	0	2	1	0	2	0	2	1	4	2	2	0	0	5	3	0	0	51
Jefferson	4	1	3	2	1	7	10	6	4	4	1	4	3	4	2	2	3	0	3	6	4	2	5	8	2	2	2	95
Lewis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
Livingston	4	6	3	2	5	2	6	7	3	0	2	3	2	1	4	2	2	0	1	2	4	2	1	1	2	1	3	71
Madison	2	1	1	5	4	0	6	0	2	2	3	3	0	4	0	0	0	1	2	1	0	1	1	3	1	2	0	45
Monroe	111	72	79	89	121	162	194	202	202	138	113	80	93	79	110	94	70	79	97	78	88	73	61	42	61	44	42	2,676
Montgomery	3	4	2	1	7	6	4	8	3	5	5	5	3	2	2	4	2	2	4	2	2	3	0	1	2	2	0	84
Nassau	392	191	227	225	245	294	299	258	295	232	165	147	150	171	153	147	127	116	93	95	92	95	85	78	70	71	56	4,573
Niagara	11	6	14	21	18	17	22	8	15	11	14	10	6	14	11	5	10	8	11	7	7	7	2	4	7	4	9	279
Oneida	17	10	13	23	21	34	39	20	23	22	16	14	19	14	5	10	15	13	13	7	10	13	12	4	5	10	4	406

*Data as of April 2015

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis*
Excludes State Prison Inmates

County	< 1988	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Cumulative
Onondaga	70	33	42	49	58	119	110	76	80	83	54	33	43	76	38	36	40	30	37	27	36	34	26	19	31	26	17	1,323
Ontario	2	2	2	2	1	4	6	6	6	2	1	7	2	0	4	4	4	2	4	4	1	1	3	1	1	2	0	74
Orange	62	35	52	71	89	89	93	109	72	53	59	36	44	46	41	42	55	42	41	28	28	30	28	17	20	16	12	1,313
Orleans	0	0	0	4	3	2	0	5	4	3	3	1	0	2	0	3	3	2	2	1	3	2	1	2	2	3	1	52
Oswego	4	4	8	2	4	9	5	3	7	4	6	2	6	1	1	8	1	4	7	4	1	0	3	7	3	3	5	112
Otsego	2	3	10	2	4	5	5	2	6	6	2	2	2	4	0	2	5	2	5	2	1	1	2	1	1	1	1	79
Putnam	16	10	7	9	12	16	11	12	17	11	6	10	10	4	5	2	4	2	1	5	8	3	3	6	2	5	2	200
Rensselaer	10	6	13	13	20	28	19	19	22	20	4	8	12	11	5	15	14	15	7	10	11	7	3	9	5	5	7	319
Rockland	78	30	46	29	52	88	81	64	57	53	35	41	28	50	39	26	26	29	43	24	18	19	19	13	14	14	10	1,029
St Lawrence	5	0	4	3	5	5	2	3	1	3	1	9	4	7	3	3	5	3	3	2	4	1	4	0	1	4	2	87
Saratoga	10	3	8	12	15	13	14	15	12	8	10	7	8	7	7	6	13	10	10	4	5	1	3	3	8	2	4	218
Schenectady	29	8	16	26	26	19	26	35	36	21	24	24	13	24	13	17	17	20	17	21	13	8	4	14	9	6	8	495
Schoharie	2	1	1	3	4	3	6	4	2	1	0	0	3	0	0	0	1	1	0	2	1	2	2	0	0	2	0	41
Schuyler	1	0	1	2	1	1	3	1	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	1	1	0	0	15
Seneca	1	1	0	1	0	2	1	2	2	1	0	1	0	1	0	0	2	0	2	0	0	2	0	1	0	0	1	21
Steuben	6	4	4	4	5	9	5	3	3	5	3	8	5	3	1	2	2	3	2	1	2	6	1	3	1	1	1	93
Suffolk	357	189	191	210	271	273	335	307	304	246	186	141	138	150	124	118	128	106	98	92	105	104	79	60	76	48	73	4,510
Sullivan	33	23	26	21	31	44	62	50	31	20	14	13	18	11	15	18	12	12	11	9	10	9	5	0	4	1	7	510
Tioga	2	2	1	3	3	1	2	1	4	1	0	0	0	1	2	0	4	1	1	0	1	5	1	1	0	1	0	38
Tompkins	8	5	5	8	7	12	5	10	7	13	7	7	5	4	4	8	3	3	4	4	9	4	4	3	1	0	2	152
Ulster	32	19	38	38	49	46	56	57	50	20	21	20	24	23	26	11	18	20	10	16	8	8	14	5	7	5	5	649
Warren	5	3	2	4	2	5	4	3	7	3	3	5	2	2	5	5	0	4	3	0	2	2	2	3	0	0	1	77
Washington	4	4	1	4	3	3	1	3	3	0	3	0	0	4	2	2	0	2	1	0	1	0	0	2	1	2	1	47
Wayne	8	2	1	5	4	8	7	5	5	6	6	7	2	4	6	3	2	3	3	7	2	2	4	2	5	3	2	114
Westchester	391	189	232	248	297	394	342	352	337	278	224	210	170	184	172	166	170	144	129	118	122	101	90	87	63	67	62	5,344
Wyoming	0	1	0	1	0	0	4	2	1	1	0	1	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	15
Yates	0	0	1	0	2	1	2	1	2	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	0	1	14

Summary Table C
HIV Cases*, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	30	46	53	45	49	38	30	35	43	36	39	27	40	29
Allegany	1	1	3	0	1	2	2	0	1	2	0	2	2	2
Broome	13	20	14	15	13	16	16	12	8	15	10	12	10	11
Cattaraugus	1	2	3	3	1	1	3	5	2	2	1	4	2	4
Cayuga	10	8	3	4	2	5	4	4	2	9	3	7	3	1
Chautauqua	6	14	11	3	10	12	5	9	10	9	9	7	3	5
Chemung	4	5	4	6	5	7	6	2	7	5	5	4	7	6
Chenango	0	2	3	1	2	1	1	0	0	0	0	3	2	2
Clinton	5	4	3	2	2	2	3	6	3	0	0	2	3	1
Columbia	2	2	1	6	4	4	5	5	2	4	4	5	2	8
Cortland	0	1	2	0	0	1	1	3	2	1	3	1	4	2
Delaware	1	3	7	2	2	0	2	2	4	0	3	1	1	2
Dutchess	31	33	18	17	29	34	24	15	13	19	14	21	26	26
Erie	69	89	80	76	89	82	97	102	87	110	105	96	95	105
Essex	1	1	2	3	1	0	0	0	0	2	2	1	1	1
Franklin	2	4	0	1	3	0	0	1	0	3	1	2	1	7
Fulton	2	2	1	3	4	2	0	3	5	1	4	5	3	2
Genesee	1	6	5	3	0	1	3	2	1	2	4	4	0	4
Greene	2	6	2	2	3	1	3	5	3	5	0	0	4	1
Herkimer	1	2	2	3	0	2	2	1	2	0	6	4	2	1
Jefferson	4	2	3	4	2	3	3	3	4	1	9	3	4	8
Lewis	0	1	0	1	0	0	0	0	0	0	0	0	1	0
Livingston	2	7	0	3	1	1	1	3	1	4	2	2	0	1
Madison	1	1	0	2	2	3	4	0	2	2	2	2	1	3
Monroe	82	161	114	98	99	82	77	100	89	108	81	101	75	77
Montgomery	2	2	5	3	2	3	3	1	4	3	2	1	2	4
Nassau	153	154	128	119	109	116	108	101	138	100	113	126	131	115
Niagara	7	4	9	8	11	18	9	5	11	6	11	13	7	14
Oneida	7	8	14	13	15	11	7	12	9	17	13	11	13	5
Onondaga	26	44	42	57	45	43	34	32	45	36	37	45	49	48
Ontario	1	5	7	3	3	4	2	5	3	2	4	1	6	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***HIV reporting began in June 2000. No earlier data are available

Summary Table C
HIV Cases*, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Orange	39	38	30	40	35	43	40	33	29	39	30	23	20	22
Orleans	1	4	1	2	1	3	2	2	0	1	1	6	3	1
Oswego	2	3	11	4	3	3	4	5	5	7	6	3	2	5
Otsego	5	4	5	3	2	2	3	3	1	1	3	1	1	5
Putnam	9	4	4	4	2	3	6	5	2	10	7	4	6	4
Rensselaer	10	8	14	13	20	9	8	9	14	6	13	8	8	11
Rockland	30	30	19	24	32	37	31	13	22	21	21	29	22	25
St Lawrence	5	3	4	4	5	2	2	0	1	4	4	3	4	6
Saratoga	4	10	4	9	7	7	8	7	6	7	4	6	5	5
Schenectady	10	19	25	22	24	15	17	15	11	8	11	18	8	14
Schoharie	0	2	5	1	2	0	1	1	2	1	0	0	1	1
Schuyler	0	1	0	2	0	1	1	1	0	0	1	0	1	3
Seneca	2	2	2	2	2	0	0	1	2	0	2	1	0	2
Steuben	4	4	1	2	1	1	3	2	3	4	4	4	4	3
Suffolk	87	132	123	147	133	126	108	122	112	119	119	108	90	119
Sullivan	12	14	10	14	17	7	8	11	8	2	6	6	3	7
Tioga	1	4	0	2	2	3	1	0	3	1	1	1	1	2
Tompkins	4	3	10	5	5	6	8	4	6	6	4	5	9	5
Ulster	11	15	17	18	16	18	20	4	13	12	11	15	4	12
Warren	2	5	5	2	4	2	3	3	2	3	2	2	4	1
Washington	1	1	0	2	1	1	2	0	0	2	3	3	3	2
Wayne	5	8	9	4	4	7	9	3	4	5	5	7	4	1
Westchester	193	143	141	132	152	112	143	128	126	127	133	116	110	108
Wyoming	3	1	0	1	0	1	0	0	0	0	0	1	0	0
Yates	1	0	1	2	1	0	3	0	0	0	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***HIV reporting began in June 2000. No earlier data are available

Summary Table D1
Deaths* Among HIV Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	2	5	4	3	5	4	4	4	5	0	4	2	1	0
Allegany	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Broome	0	1	1	0	3	4	1	1	1	0	1	1	1	0
Cattaraugus	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Cayuga	1	1	1	0	0	0	0	0	0	0	2	1	0	0
Chautauqua	0	0	0	0	1	1	1	1	0	0	1	0	0	0
Chemung	0	0	1	1	0	0	0	0	1	0	0	0	2	0
Chenango	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Clinton	0	0	0	0	0	0	0	1	1	0	0	0	0	1
Columbia	1	0	0	1	1	1	0	0	0	0	0	0	0	1
Cortland	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Delaware	0	0	0	1	1	0	1	0	2	1	0	0	1	0
Dutchess	0	3	3	3	2	4	2	1	1	4	5	3	7	0
Erie	1	1	4	7	5	7	7	10	10	9	6	9	8	8
Essex	0	0	0	0	1	0	0	2	0	0	0	0	0	0
Franklin	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Fulton	1	1	0	0	0	1	0	0	1	0	0	0	0	2
Genesee	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Greene	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Herkimer	0	0	0	1	1	0	0	0	0	0	0	0	1	1
Jefferson	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Livingston	0	0	0	0	0	1	1	0	0	0	1	0	0	0
Madison	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Monroe	1	12	6	6	7	11	9	4	9	6	12	7	9	6
Montgomery	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Nassau	2	6	7	6	10	13	8	9	8	6	10	7	4	3
Niagara	0	0	1	0	0	0	0	1	0	1	1	1	0	0
Oneida	0	1	0	2	2	1	0	2	0	3	3	0	3	1
Onondaga	0	2	4	4	4	4	1	4	4	4	2	1	5	0
Ontario	0	0	1	0	0	2	0	0	0	0	0	0	0	0
Orange	2	2	1	4	7	2	3	0	2	4	0	3	3	1

*Death may be due to causes other than HIV

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D1
Deaths* Among HIV Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Orleans	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Oswego	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Otsego	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Putnam	0	0	0	0	1	0	1	0	0	1	0	0	0	0
Rensselaer	0	1	0	0	1	3	0	0	2	1	3	1	0	0
Rockland	0	0	1	4	4	1	2	1	2	1	0	4	3	1
St Lawrence	0	0	0	0	0	0	1	1	1	0	0	0	0	1
Saratoga	1	0	2	1	0	1	0	0	0	1	0	0	2	0
Schenectady	2	2	0	0	3	1	1	0	0	1	1	0	1	2
Schoharie	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Seneca	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Steuben	0	0	0	1	1	0	0	1	2	0	0	0	1	0
Suffolk	2	12	8	11	18	14	8	9	5	10	10	6	6	7
Sullivan	0	0	0	2	4	1	0	4	0	1	0	3	2	2
Tioga	0	1	0	0	0	0	0	0	0	0	1	0	0	0
Tompkins	0	0	0	1	0	0	0	0	0	1	0	1	1	0
Ulster	0	1	1	1	3	2	2	3	1	2	6	2	1	0
Warren	0	0	0	0	1	1	0	0	0	0	0	0	1	0
Washington	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wayne	0	0	0	0	1	0	0	1	0	1	0	1	0	0
Westchester	3	8	8	15	11	13	8	10	11	6	10	4	11	3
Wyoming	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Yates	0	0	0	0	0	0	1	0	1	0	0	0	0	0

*Death may be due to causes other than HIV

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D2
Deaths* Among AIDS Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
Albany	22	10	14	22	37	35	49	49	61	49	42	31	25	21	22	21	13	16	20	12	20	16	13	12	19	10	8	14	
Allegany	2	0	0	0	1	0	0	1	0	2	3	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2	0	
Broome	5	4	4	6	6	15	15	12	11	18	17	3	6	3	4	7	5	7	11	6	5	6	6	1	6	2	4	3	
Cattaraugus	2	1	0	1	2	2	1	1	4	2	3	1	0	2	0	2	1	1	0	0	1	1	0	0	0	0	1	1	
Cayuga	3	2	3	2	2	1	4	3	3	5	3	1	0	1	1	0	1	0	1	2	2	2	0	0	1	0	0	5	
Chautauqua	2	0	1	4	0	1	1	7	6	7	7	3	2	5	1	1	2	1	5	3	2	2	2	4	4	4	0	1	
Chemung	2	2	3	7	6	5	11	8	12	10	8	1	0	1	1	4	4	1	2	1	2	3	2	0	1	2	2	2	
Chenango	0	0	2	1	0	0	2	0	1	4	2	0	0	0	1	1	1	0	1	0	2	0	0	0	1	2	0	1	
Clinton	3	1	0	1	0	3	6	2	6	2	1	1	2	0	0	2	0	0	0	3	0	1	0	0	0	0	2	2	
Columbia	3	1	1	4	2	7	9	5	2	3	5	2	1	1	3	1	2	0	1	0	1	0	0	1	1	1	2	0	
Cortland	0	0	0	3	0	0	0	2	0	1	0	0	2	1	0	0	1	2	1	2	0	0	0	0	0	0	0	0	
Delaware	0	0	0	1	2	1	2	3	1	1	3	0	1	1	0	2	1	1	0	2	0	0	0	0	0	2	2	1	0
Dutchess	14	16	23	33	18	37	33	50	59	67	47	23	16	27	15	17	23	16	18	10	16	10	8	11	12	10	4	13	
Erie	27	19	19	49	63	70	80	71	113	153	81	49	39	41	47	51	30	50	38	37	36	37	29	35	30	25	30	39	
Essex	3	0	1	2	1	1	4	2	1	1	2	2	0	0	0	0	2	0	0	1	1	0	0	0	0	0	0	0	
Franklin	0	1	1	1	0	1	1	2	2	2	1	1	0	0	0	1	2	0	1	0	1	0	0	2	0	0	0	0	
Fulton	3	0	1	1	0	3	2	1	4	1	0	1	0	1	0	1	0	1	0	1	0	1	1	0	0	1	1	0	
Genesee	0	0	1	3	1	3	3	2	2	1	2	0	1	1	0	0	2	0	0	2	1	0	0	1	1	1	1	0	
Greene	1	1	2	5	0	1	4	1	6	2	2	1	1	0	5	2	1	0	3	2	1	0	3	2	1	1	1	2	
Herkimer	1	0	2	1	1	1	4	3	0	2	2	0	0	0	0	0	0	1	2	1	0	0	0	0	0	1	1	1	
Jefferson	0	3	1	0	2	1	3	3	2	7	4	1	2	2	0	1	0	1	2	1	1	2	0	0	0	1	0	1	
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Livingston	2	2	1	0	3	2	4	4	1	2	3	1	1	1	1	2	1	0	0	1	0	0	1	2	0	1	0	2	
Madison	1	0	1	1	1	2	1	2	2	3	1	1	0	1	0	1	1	0	1	3	0	0	1	0	1	1	1	0	
Monroe	34	26	31	46	50	85	96	78	115	123	97	59	46	51	52	38	46	41	54	41	42	40	37	25	27	33	31	26	
Montgomery	1	0	1	4	2	1	5	3	5	5	3	1	0	1	3	1	0	3	1	2	0	0	3	3	0	1	1	2	
Nassau	148	101	114	149	151	190	193	202	240	226	134	80	68	74	61	68	56	79	57	55	53	61	41	40	43	35	51	26	
Niagara	4	3	3	8	10	13	21	11	20	9	6	9	4	2	4	4	1	3	5	13	4	2	4	4	2	3	3	3	
Oneida	6	4	5	9	9	11	14	28	20	18	21	10	6	7	9	5	3	6	4	8	1	9	5	4	4	1	5	3	
Onondaga	34	12	24	24	21	34	53	56	79	65	57	19	20	20	24	17	16	14	13	12	19	23	25	18	21	16	12	14	
Ontario	0	1	1	1	2	0	2	6	2	3	1	2	1	0	0	1	1	0	0	2	1	0	0	2	2	0	2	1	
Orange	20	18	21	39	30	58	60	68	60	83	44	34	23	24	30	17	17	23	21	23	21	18	23	13	11	10	13	11	

*Death may be due to causes other than AIDS

**Data as of April 2015

Summary Table D2
Deaths* Among AIDS Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Orleans	0	0	0	0	0	2	4	2	0	3	2	1	1	0	0	0	1	0	2	3	1	0	0	1	1	0	0	1
Oswego	2	1	0	6	3	4	2	7	2	4	4	0	0	1	1	1	0	4	0	4	1	1	0	3	2	1	1	1
Otsego	1	0	2	3	4	4	3	0	4	6	4	0	0	2	2	0	1	0	1	1	5	1	3	0	0	2	0	2
Putnam	8	5	5	4	7	3	7	15	13	14	6	3	4	1	2	0	2	1	1	1	0	1	1	1	0	3	2	1
Rensselaer	2	4	4	3	8	10	11	17	11	14	12	8	2	5	5	7	4	6	5	7	5	3	4	4	5	7	3	3
Rockland	36	16	17	34	27	20	47	49	48	46	27	15	19	20	13	19	20	22	12	11	10	3	8	11	11	8	11	6
St Lawrence	2	0	1	4	2	3	3	1	4	1	1	0	0	2	1	1	1	0	2	3	1	0	1	1	3	0	0	1
Saratoga	2	5	2	5	3	7	11	7	16	12	4	5	4	1	4	7	3	3	4	3	4	1	2	2	1	0	3	1
Schenectady	16	5	6	9	17	14	21	11	21	16	21	10	11	8	8	6	10	4	8	8	8	7	7	6	5	7	8	2
Schoharie	2	0	0	1	1	3	1	5	2	4	3	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Schuyler	0	1	0	0	0	2	1	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Seneca	0	0	1	0	1	0	1	2	0	1	2	1	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	1
Steuben	2	3	3	0	3	3	6	4	3	5	5	1	1	3	0	1	3	0	2	2	0	0	3	1	1	0	0	3
Suffolk	132	81	128	136	142	166	213	197	226	208	157	92	78	76	59	68	72	65	64	77	56	54	41	38	40	43	38	32
Sullivan	9	12	17	19	16	17	26	22	37	43	22	13	6	6	16	10	7	8	4	6	5	1	5	1	4	5	3	6
Tioga	1	0	0	2	2	0	2	4	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1	1
Tompkins	3	2	5	2	4	6	5	5	7	4	5	4	3	2	1	2	0	2	2	1	2	0	1	1	2	0	1	1
Ulster	9	9	10	14	23	24	32	35	35	30	36	18	7	8	14	14	10	7	11	6	6	8	11	7	6	11	4	4
Warren	3	2	0	0	5	5	1	1	3	1	4	0	0	0	1	5	0	2	1	3	1	1	3	0	1	1	1	2
Washington	1	1	1	3	1	3	4	3	1	1	1	2	0	0	0	1	0	0	2	1	0	1	0	0	1	0	0	0
Wayne	4	1	2	3	2	4	2	8	5	5	1	0	2	3	0	2	1	1	1	2	1	1	1	1	2	0	1	1
Westchester	131	106	128	157	189	188	226	226	262	257	168	100	103	87	112	66	74	90	68	71	61	66	72	60	66	46	53	33
Wyoming	0	0	1	0	0	1	0	2	2	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0
Yates	0	0	0	0	0	2	0	2	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1

*Death may be due to causes other than AIDS

**Data as of April 2015

Summary Table D3
Total Deaths* Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	24	26	17	19	25	16	24	20	18	12	23	12	9	14
Allegany	1	0	0	1	0	0	0	0	0	0	0	0	2	0
Broome	4	8	6	7	14	10	6	7	7	1	7	3	5	3
Cattaraugus	0	2	1	1	0	0	1	1	0	0	0	1	1	1
Cayuga	2	1	2	0	1	2	2	2	0	0	3	1	0	5
Chautauqua	1	1	2	1	6	4	3	3	2	4	5	4	0	1
Chemung	1	4	5	2	2	1	2	3	3	0	1	2	4	2
Chenango	1	1	1	0	1	0	2	0	0	0	1	2	0	1
Clinton	0	2	0	0	0	3	0	2	1	0	0	0	2	3
Columbia	4	1	2	1	2	1	1	0	0	1	1	1	2	1
Cortland	0	0	1	2	1	2	0	0	0	0	0	0	1	0
Delaware	0	2	1	2	1	2	1	0	2	1	2	2	2	0
Dutchess	15	20	26	19	20	14	18	11	9	15	17	13	11	13
Erie	48	52	34	57	43	44	43	47	39	44	36	34	38	47
Essex	0	0	2	0	1	1	1	2	0	0	0	0	0	0
Franklin	0	1	2	0	2	0	1	0	0	2	0	0	0	0
Fulton	1	2	0	1	0	2	0	1	2	0	0	1	1	2
Genesee	0	0	2	0	0	2	1	0	0	1	2	1	1	0
Greene	5	2	1	0	3	3	1	0	3	2	1	1	1	2
Herkimer	0	0	0	2	3	1	0	0	0	0	0	1	2	2
Jefferson	0	1	0	1	2	1	1	2	0	0	0	2	0	1
Lewis	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Livingston	1	2	1	0	0	2	1	0	1	2	1	1	0	2
Madison	0	1	1	0	1	3	0	0	1	0	1	1	2	0
Monroe	53	50	52	47	61	52	51	44	46	31	39	40	40	32
Montgomery	3	1	0	3	1	2	0	1	3	3	0	1	1	3
Nassau	63	74	63	85	67	68	61	70	49	46	53	42	55	29
Niagara	4	4	2	3	5	13	4	3	4	5	3	4	3	3
Oneida	9	6	3	8	6	9	1	11	5	7	7	1	8	4
Onondaga	24	19	20	18	17	16	20	27	29	22	23	17	17	14
Ontario	0	1	2	0	0	4	1	0	0	2	2	0	2	1
Orange	32	19	18	27	28	25	24	18	25	17	11	13	16	12
Orleans	0	0	1	0	2	3	1	1	0	1	1	0	0	2
Oswego	1	1	0	4	0	6	1	1	0	3	2	1	1	1
Otsego	2	0	1	0	1	1	5	1	3	0	0	2	0	2

*Death may be due to causes other than HIV infection

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D3
Total Deaths* Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death**
Excludes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Putnam	2	0	2	1	2	1	1	1	1	2	0	3	2	1
Rensselaer	5	8	4	6	6	10	5	3	6	5	8	8	3	3
Rockland	13	19	21	26	16	12	12	4	10	12	11	12	14	7
St Lawrence	1	1	1	0	2	3	2	1	2	1	3	0	0	2
Saratoga	5	7	5	4	4	4	4	1	2	3	1	0	5	1
Schenectady	10	8	10	4	11	9	9	7	7	7	6	7	9	4
Schoharie	1	0	0	0	1	0	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Seneca	0	0	3	0	0	0	0	1	0	0	0	0	0	1
Steuben	0	1	3	1	3	2	0	1	5	1	1	0	1	3
Suffolk	61	80	80	76	82	91	64	63	46	48	50	49	44	39
Sullivan	16	10	7	10	8	7	5	5	5	2	4	8	5	8
Tioga	0	2	1	0	0	0	0	0	0	0	2	0	1	1
Tompkins	1	2	0	3	2	1	2	0	1	2	2	1	2	1
Ulster	14	15	11	8	14	8	8	11	12	9	12	13	5	4
Warren	1	5	0	2	2	4	1	1	3	0	1	1	2	2
Washington	0	1	0	0	2	1	0	1	0	0	1	0	0	0
Wayne	0	2	1	1	2	2	1	2	1	2	2	1	1	1
Westchester	115	74	82	105	79	84	69	76	83	66	76	50	64	36
Wyoming	0	0	0	1	0	0	0	1	0	0	0	1	0	0
Yates	0	0	0	0	1	0	1	0	1	0	0	0	0	1

*Death may be due to causes other than HIV infection

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		475	100.0	154.8	558	100.0	181.8	1,033	100.0	336.5	306,945
Sex at Birth	Male	315	66.3	.	374	67.0	.	689	66.7	.	.
	Female	160	33.7	.	184	33.0	.	344	33.3	.	.
Current Age	12 & under	4	0.8	.	0	0.0	.	4	0.4	.	.
	13-19	3	0.6	.	3	0.5	.	6	0.6	.	.
	20-24	23	4.8	.	9	1.6	.	32	3.1	.	.
	25-29	34	7.2	.	7	1.3	.	41	4.0	.	.
	30-39	74	15.6	.	65	11.6	.	139	13.5	.	.
	40-49	152	32.0	.	171	30.6	.	323	31.3	.	.
	50-59	130	27.4	.	211	37.8	.	341	33.0	.	.
	60+	54	11.4	.	92	16.5	.	146	14.1	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White Not-Hispanic	196	41.3	.	181	32.4	.	377	36.5	.	.
	Black Not-Hispanic	174	36.6	.	213	38.2	.	387	37.5	.	.
	Hispanic	58	12.2	.	87	15.6	.	145	14.0	.	.
	Multi Race	42	8.8	.	72	12.9	.	114	11.0	.	.
	Others	5	1.1	.	5	0.9	.	10	1.0	.	.
Risk	MSM	204	42.9	.	207	37.1	.	411	39.8	.	.
	IDU	46	9.7	.	98	17.6	.	144	13.9	.	.
	MSM/IDU	18	3.8	.	31	5.6	.	49	4.7	.	.
	Heterosexual	98	20.6	.	118	21.1	.	216	20.9	.	.
	Fem Pres Het Cont	56	11.8	.	54	9.7	.	110	10.6	.	.
	Blood Prod	2	0.4	.	0	0.0	.	2	0.2	.	.
	Pediatric Risk	11	2.3	.	11	2.0	.	22	2.1	.	.
	Unk	40	8.4	.	39	7.0	.	79	7.6	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		315	100.0	160	100.0	475	100.0	374	100.0	184	100.0	558	100.0	689	100.0	344	100.0	1,033	100.0
Risk	MSM	204	64.8	0	0.0	204	42.9	207	55.3	0	0.0	207	37.1	411	59.7	0	0.0	411	39.8
	IDU	24	7.6	22	13.8	46	9.7	60	16.0	38	20.7	98	17.6	84	12.2	60	17.4	144	13.9
	MSM/IDU	18	5.7	0	0.0	18	3.8	31	8.3	0	0.0	31	5.6	49	7.1	0	0.0	49	4.7
	Heterosexual	22	7.0	76	47.5	98	20.6	31	8.3	87	47.3	118	21.1	53	7.7	163	47.4	216	20.9
	Fem Pres Het Cont	0	0.0	56	35.0	56	11.8	0	0.0	54	29.3	54	9.7	0	0.0	110	32.0	110	10.6
	Blood Prod	2	0.6	0	0.0	2	0.4	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	2	0.2
	Pediatric Risk	5	1.6	6	3.8	11	2.3	6	1.6	5	2.7	11	2.0	11	1.6	11	3.2	22	2.1
	Unk	40	12.7	0	0.0	40	8.4	39	10.4	0	0.0	39	7.0	79	11.5	0	0.0	79	7.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		32.0	100.0	10.4	19.0	100.0	6.2	1.0	100.0	10.7	100.0	11.7	100.0
Sex at Birth	Male	25.0	78.1	.	14.0	73.7	.	0.7	66.7	7.7	71.9	8.3	71.4
	Female	7.0	21.9	.	5.0	26.3	.	0.3	33.3	3.0	28.1	3.3	28.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.3	4.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	5.0	15.6	.	1.7	8.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	5.0	15.6	.	0.7	3.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	6.7	20.8	.	5.0	26.3	.	0.0	0.0	1.7	15.6	1.7	14.3
	40-49	6.7	20.8	.	7.0	36.8	.	0.0	0.0	3.0	28.1	3.0	25.7
	50-59	5.0	15.6	.	3.3	17.5	.	0.7	66.7	4.3	40.6	5.0	42.9
	60+	2.3	7.3	.	1.3	7.0	.	0.3	33.3	1.7	15.6	2.0	17.1
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	12.3	38.5	.	5.0	26.3	.	0.7	66.7	3.0	28.1	3.7	31.4
	Black Not-Hispanic	12.7	39.6	.	8.0	42.1	.	0.3	33.3	3.7	34.4	4.0	34.3
	Hispanic	5.0	15.6	.	3.0	15.8	.	0.0	0.0	2.7	25.0	2.7	22.9
	Multi Race	1.7	5.2	.	2.7	14.0	.	0.0	0.0	1.3	12.5	1.3	11.4
	Others	0.3	1.0	.	0.3	1.8	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	14.0	43.8	.	5.0	26.3	.	0.0	0.0	2.3	21.9	2.3	20.0
	IDU	0.3	1.0	.	1.3	7.0	.	0.0	0.0	3.7	34.4	3.7	31.4
	MSM/IDU	2.7	8.3	.	3.0	15.8	.	0.7	66.7	0.7	6.3	1.3	11.4
	Heterosexual	4.3	13.5	.	3.0	15.8	.	0.3	33.3	2.3	21.9	2.7	22.9
	Fem Pres Het Cont	4.7	14.6	.	2.7	14.0	.	0.0	0.0	0.3	3.1	0.3	2.9
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	1.0	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.0	18.8	.	3.0	15.8	.	0.0	0.0	1.3	12.5	1.3	11.4

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25.0	100.0	7.0	100.0	32.0	100.0	14.0	100.0	5.0	100.0	19.0	100.0
Risk	MSM	14.0	56.0	0.0	0.0	14.0	43.8	5.0	35.7	0.0	0.0	5.0	26.3
	IDU	0.0	0.0	0.3	4.8	0.3	1.0	1.0	7.1	0.3	6.7	1.3	7.0
	MSM/IDU	2.7	10.7	0.0	0.0	2.7	8.3	3.0	21.4	0.0	0.0	3.0	15.8
	Heterosexual	2.3	9.3	2.0	28.6	4.3	13.5	1.3	9.5	1.7	33.3	3.0	15.8
	Fem Pres Het Cont	0.0	0.0	4.7	66.7	4.7	14.6	0.0	0.0	2.7	53.3	2.7	14.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	0.3	6.7	1.0	5.3
	Unk	6.0	24.0	0.0	0.0	6.0	18.8	3.0	21.4	0.0	0.0	3.0	15.8

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	34	0	22	22
1987	0	26	0	10	10
1988	0	32	0	14	14
1989	0	49	0	22	22
1990	0	53	0	37	37
1991	0	74	0	35	35
1992	0	90	0	49	49
1993	0	93	0	49	49
1994	0	70	0	61	61
1995	0	72	0	49	49
1996	0	66	0	42	42
1997	0	54	0	31	31
1998	0	43	0	25	25
1999	0	42	0	21	21
2000	30	43	2	22	24
2001	46	33	5	21	26
2002	53	48	4	13	17
2003	45	42	3	16	19
2004	49	55	5	20	25
2005	38	29	4	12	16
2006	30	37	4	20	24
2007	35	21	4	16	20
2008	43	28	5	13	18
2009	36	20	0	12	12
2010	39	26	4	19	23
2011	27	16	2	10	12
2012	40	22	1	8	9
2013	29	19	0	14	14

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		11	100.0	2.3	17	100.0	3.5	28	100.0	5.8	481,097
Sex at Birth	Male	9	81.8	.	12	70.6	.	21	75.0	.	.
	Female	2	18.2	.	5	29.4	.	7	25.0	.	.
Current Age	20-24	1	9.1	.	0	0.0	.	1	3.6	.	.
	25-29	2	18.2	.	1	5.9	.	3	10.7	.	.
	30-39	2	18.2	.	2	11.8	.	4	14.3	.	.
	40-49	2	18.2	.	4	23.5	.	6	21.4	.	.
	50-59	2	18.2	.	10	58.8	.	12	42.9	.	.
	60+	2	18.2	.	0	0.0	.	2	7.1	.	.
Race/Ethnicity	White Not-Hispanic	10	90.9	.	11	64.7	.	21	75.0	.	.
	Black Not-Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Hispanic	0	0.0	.	1	5.9	.	1	3.6	.	.
	Multi Race	1	9.1	.	5	29.4	.	6	21.4	.	.
Risk	MSM	7	63.6	.	9	52.9	.	16	57.1	.	.
	IDU	3	27.3	.	0	0.0	.	3	10.7	.	.
	MSM/IDU	0	0.0	.	1	5.9	.	1	3.6	.	.
	Heterosexual	1	9.1	.	3	17.6	.	4	14.3	.	.
	Fem Pres Het Cont	0	0.0	.	1	5.9	.	1	3.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	5.9	.	1	3.6	.	.
	Unk	0	0.0	.	2	11.8	.	2	7.1	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9	100.0	2	100.0	11	100.0	12	100.0	5	100.0	17	100.0	21	100.0	7	100.0	28	100.0
Risk	MSM	7	77.8	0	0.0	7	63.6	9	75.0	0	0.0	9	52.9	16	76.2	0	0.0	16	57.1
	IDU	2	22.2	1	50.0	3	27.3	0	0.0	0	0.0	0	0.0	2	9.5	1	14.3	3	10.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	1	5.9	1	4.8	0	0.0	1	3.6
	Heterosexual	0	0.0	1	50.0	1	9.1	0	0.0	3	60.0	3	17.6	0	0.0	4	57.1	4	14.3
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.9	0	0.0	1	14.3	1	3.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.9	0	0.0	1	14.3	1	3.6
	Unk	0	0.0	0	0.0	0	0.0	2	16.7	0	0.0	2	11.8	2	9.5	0	0.0	2	7.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	0.4	1.3	100.0	0.3	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Risk	MSM	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.0	0.0	2.0	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	2.0	100.0	0.0	0.0	2.0	100.0	1.0	100.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	25.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1989	0	1	0	0	0
1990	0	1	0	1	1
1991	0	1	0	0	0
1992	0	1	0	0	0
1993	0	0	0	1	1
1994	0	1	0	0	0
1995	0	4	0	2	2
1996	0	2	0	3	3
1998	0	1	0	0	0
1999	0	1	0	0	0
2000	1	0	0	1	1
2001	1	0	0	0	0
2002	3	4	0	0	0
2003	0	1	0	1	1
2004	1	1	0	0	0
2005	2	0	0	0	0
2006	2	1	0	0	0
2008	1	1	0	0	0
2009	2	3	0	0	0
2011	2	1	0	0	0
2012	2	2	0	2	2
2013	2	1	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		144	100.0	72.9	215	100.0	108.8	359	100.0	181.7	197,534
Sex at Birth	Male	90	62.5	.	149	69.3	.	239	66.6	.	.
	Female	54	37.5	.	66	30.7	.	120	33.4	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	2.1	.	0	0.0	.	3	0.8	.	.
	20-24	2	1.4	.	8	3.7	.	10	2.8	.	.
	25-29	13	9.0	.	8	3.7	.	21	5.8	.	.
	30-39	29	20.1	.	28	13.0	.	57	15.9	.	.
	40-49	45	31.3	.	60	27.9	.	105	29.2	.	.
	50-59	32	22.2	.	79	36.7	.	111	30.9	.	.
	60+	20	13.9	.	32	14.9	.	52	14.5	.	.
Race/Ethnicity	White Not-Hispanic	72	50.0	.	109	50.7	.	181	50.4	.	.
	Black Not-Hispanic	39	27.1	.	49	22.8	.	88	24.5	.	.
	Hispanic	23	16.0	.	38	17.7	.	61	17.0	.	.
	Multi Race	10	6.9	.	19	8.8	.	29	8.1	.	.
Risk	MSM	54	37.5	.	81	37.7	.	135	37.6	.	.
	IDU	21	14.6	.	35	16.3	.	56	15.6	.	.
	MSM/IDU	3	2.1	.	12	5.6	.	15	4.2	.	.
	Heterosexual	30	20.8	.	40	18.6	.	70	19.5	.	.
	Fem Pres Het Cont	23	16.0	.	16	7.4	.	39	10.9	.	.
	Blood Prod	1	0.7	.	1	0.5	.	2	0.6	.	.
	Pediatric Risk	2	1.4	.	4	1.9	.	6	1.7	.	.
	Unk	10	6.9	.	26	12.1	.	36	10.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		90	100.0	54	100.0	144	100.0	149	100.0	66	100.0	215	100.0	239	100.0	120	100.0	359	100.0
Risk	MSM	54	60.0	0	0.0	54	37.5	81	54.4	0	0.0	81	37.7	135	56.5	0	0.0	135	37.6
	IDU	14	15.6	7	13.0	21	14.6	20	13.4	15	22.7	35	16.3	34	14.2	22	18.3	56	15.6
	MSM/IDU	3	3.3	0	0.0	3	2.1	12	8.1	0	0.0	12	5.6	15	6.3	0	0.0	15	4.2
	Heterosexual	7	7.8	23	42.6	30	20.8	8	5.4	32	48.5	40	18.6	15	6.3	55	45.8	70	19.5
	Fem Pres Het Cont	0	0.0	23	42.6	23	16.0	0	0.0	16	24.2	16	7.4	0	0.0	39	32.5	39	10.9
	Blood Prod	0	0.0	1	1.9	1	0.7	1	0.7	0	0.0	1	0.5	1	0.4	1	0.8	2	0.6
	Pediatric Risk	2	2.2	0	0.0	2	1.4	2	1.3	2	3.0	4	1.9	4	1.7	2	1.7	6	1.7
	Unk	10	11.1	0	0.0	10	6.9	25	16.8	1	1.5	26	12.1	35	14.6	1	0.8	36	10.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		11.0	100.0	5.6	9.0	100.0	4.6	0.7	100.0	3.0	100.0	3.7	100.0
Sex at Birth	Male	8.0	72.7	.	6.3	70.4	.	0.3	50.0	2.3	77.8	2.7	72.7
	Female	3.0	27.3	.	2.7	29.6	.	0.3	50.0	0.7	22.2	1.0	27.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	6.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	21.2	.	2.0	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	2.7	24.2	.	1.0	11.1	.	0.3	50.0	0.3	11.1	0.7	18.2
	30-39	2.7	24.2	.	1.7	18.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	6.1	.	1.3	14.8	.	0.0	0.0	1.0	33.3	1.0	27.3
	50-59	1.3	12.1	.	2.0	22.2	.	0.0	0.0	1.7	55.6	1.7	45.5
	60+	0.7	6.1	.	1.0	11.1	.	0.3	50.0	0.0	0.0	0.3	9.1
Race/Ethnicity	White Not-Hispanic	5.3	48.5	.	4.0	44.4	.	0.7	100.0	1.7	55.6	2.3	63.6
	Black Not-Hispanic	3.0	27.3	.	2.7	29.6	.	0.0	0.0	0.3	11.1	0.3	9.1
	Hispanic	1.0	9.1	.	1.0	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	1.7	15.2	.	1.3	14.8	.	0.0	0.0	1.0	33.3	1.0	27.3
Risk	MSM	5.0	45.5	.	4.3	48.1	.	0.3	50.0	0.7	22.2	1.0	27.3
	IDU	0.7	6.1	.	1.0	11.1	.	0.0	0.0	0.7	22.2	0.7	18.2
	MSM/IDU	0.7	6.1	.	0.0	0.0	.	0.0	0.0	0.7	22.2	0.7	18.2
	Heterosexual	2.7	24.2	.	2.7	29.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.0	9.1	.	0.0	0.0	.	0.3	50.0	0.7	22.2	1.0	27.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	9.1	.	1.0	11.1	.	0.0	0.0	0.3	11.1	0.3	9.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.0	100.0	3.0	100.0	11.0	100.0	6.3	100.0	2.7	100.0	9.0	100.0
Risk	MSM	5.0	62.5	0.0	0.0	5.0	45.5	4.3	68.4	0.0	0.0	4.3	48.1
	IDU	0.7	8.3	0.0	0.0	0.7	6.1	0.7	10.5	0.3	12.5	1.0	11.1
	MSM/IDU	0.7	8.3	0.0	0.0	0.7	6.1	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	8.3	2.0	66.7	2.7	24.2	0.3	5.3	2.3	87.5	2.7	29.6
	Fem Pres Het Cont	0.0	0.0	1.0	33.3	1.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	12.5	0.0	0.0	1.0	9.1	1.0	15.8	0.0	0.0	1.0	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	5	5
1987	0	6	0	4	4
1988	0	10	0	4	4
1989	0	11	0	6	6
1990	0	18	0	6	6
1991	0	24	0	15	15
1992	0	20	0	15	15
1993	0	22	0	12	12
1994	0	17	0	11	11
1995	0	16	0	18	18
1996	0	22	0	17	17
1997	0	22	0	3	3
1998	0	13	0	6	6
1999	0	10	0	3	3
2000	13	12	0	4	4
2001	20	15	1	7	8
2002	14	15	1	5	6
2003	15	14	0	7	7
2004	13	18	3	11	14
2005	16	13	4	6	10
2006	16	25	1	5	6
2007	12	21	1	6	7
2008	8	10	1	6	7
2009	15	16	0	1	1
2010	10	9	1	6	7
2011	12	7	1	2	3
2012	10	8	1	4	5
2013	11	12	0	3	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		24	100.0	30.4	32	100.0	40.6	56	100.0	71.0	78,892
Sex at Birth	Male	14	58.3	.	26	81.3	.	40	71.4	.	.
	Female	10	41.7	.	6	18.8	.	16	28.6	.	.
Current Age	20-24	1	4.2	.	0	0.0	.	1	1.8	.	.
	25-29	2	8.3	.	0	0.0	.	2	3.6	.	.
	30-39	6	25.0	.	4	12.5	.	10	17.9	.	.
	40-49	8	33.3	.	16	50.0	.	24	42.9	.	.
	50-59	2	8.3	.	10	31.3	.	12	21.4	.	.
	60+	5	20.8	.	2	6.3	.	7	12.5	.	.
Race/Ethnicity	White Not-Hispanic	21	87.5	.	24	75.0	.	45	80.4	.	.
	Black Not-Hispanic	2	8.3	.	3	9.4	.	5	8.9	.	.
	Hispanic	1	4.2	.	1	3.1	.	2	3.6	.	.
	Multi Race	0	0.0	.	3	9.4	.	3	5.4	.	.
	Others	0	0.0	.	1	3.1	.	1	1.8	.	.
Risk	MSM	11	45.8	.	16	50.0	.	27	48.2	.	.
	IDU	0	0.0	.	3	9.4	.	3	5.4	.	.
	MSM/IDU	1	4.2	.	4	12.5	.	5	8.9	.	.
	Heterosexual	9	37.5	.	4	12.5	.	13	23.2	.	.
	Fem Pres Het Cont	2	8.3	.	3	9.4	.	5	8.9	.	.
	Blood Prod	0	0.0	.	1	3.1	.	1	1.8	.	.
	Unk	1	4.2	.	1	3.1	.	2	3.6	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	10	100.0	24	100.0	26	100.0	6	100.0	32	100.0	40	100.0	16	100.0	56	100.0
Risk	MSM	11	78.6	0	0.0	11	45.8	16	61.5	0	0.0	16	50.0	27	67.5	0	0.0	27	48.2
	IDU	0	0.0	0	0.0	0	0.0	3	11.5	0	0.0	3	9.4	3	7.5	0	0.0	3	5.4
	MSM/IDU	1	7.1	0	0.0	1	4.2	4	15.4	0	0.0	4	12.5	5	12.5	0	0.0	5	8.9
	Heterosexual	1	7.1	8	80.0	9	37.5	1	3.8	3	50.0	4	12.5	2	5.0	11	68.8	13	23.2
	Fem Pres Het Cont	0	0.0	2	20.0	2	8.3	0	0.0	3	50.0	3	9.4	0	0.0	5	31.3	5	8.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.1	1	2.5	0	0.0	1	1.8
	Unk	1	7.1	0	0.0	1	4.2	1	3.8	0	0.0	1	3.1	2	5.0	0	0.0	2	3.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	4.2	1.7	100.0	2.1	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	2.3	70.0	.	1.0	60.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Female	1.0	30.0	.	0.7	40.0	.	0.0	0.0	0.7	100.0	0.7	66.7
Age at Diagnosis	20-24	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	30.0	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	30.0	.	0.7	40.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	50-59	0.7	20.0	.	0.3	20.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.7	80.0	.	1.3	80.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	10.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	60.0	.	1.0	60.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Fem Pres Het Cont	1.0	30.0	.	0.7	40.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	1.0	100.0	3.3	100.0	1.0	100.0	0.7	100.0	1.7	100.0
Risk	MSM	2.0	85.7	0.0	0.0	2.0	60.0	1.0	100.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	1.0	100.0	1.0	30.0	0.0	0.0	0.7	100.0	0.7	40.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	0.0	0.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	2	2
1987	0	1	0	1	1
1988	0	1	0	0	0
1989	0	2	0	1	1
1990	0	2	0	2	2
1991	0	5	0	2	2
1992	0	4	0	1	1
1993	0	4	0	1	1
1994	0	3	0	4	4
1995	0	2	0	2	2
1996	0	3	0	3	3
1997	0	2	0	1	1
1998	0	3	0	0	0
1999	0	0	0	2	2
2000	1	2	0	0	0
2001	2	1	0	2	2
2002	3	1	0	1	1
2003	3	1	0	1	1
2004	1	3	0	0	0
2005	1	3	0	0	0
2006	3	3	0	1	1
2007	5	5	0	1	1
2008	2	1	0	0	0
2009	2	2	0	0	0
2010	1	0	0	0	0
2011	4	2	1	0	1
2012	2	2	0	1	1
2013	4	1	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		40	100.0	50.3	53	100.0	66.7	93	100.0	117.0	79,477
Sex at Birth	Male	28	70.0	.	40	75.5	.	68	73.1	.	.
	Female	12	30.0	.	13	24.5	.	25	26.9	.	.
Current Age	13-19	1	2.5	.	0	0.0	.	1	1.1	.	.
	20-24	5	12.5	.	1	1.9	.	6	6.5	.	.
	25-29	2	5.0	.	0	0.0	.	2	2.2	.	.
	30-39	9	22.5	.	0	0.0	.	9	9.7	.	.
	40-49	9	22.5	.	15	28.3	.	24	25.8	.	.
	50-59	10	25.0	.	25	47.2	.	35	37.6	.	.
	60+	4	10.0	.	12	22.6	.	16	17.2	.	.
Race/Ethnicity	White Not-Hispanic	30	75.0	.	30	56.6	.	60	64.5	.	.
	Black Not-Hispanic	7	17.5	.	16	30.2	.	23	24.7	.	.
	Hispanic	2	5.0	.	5	9.4	.	7	7.5	.	.
	Multi Race	1	2.5	.	2	3.8	.	3	3.2	.	.
Risk	MSM	22	55.0	.	19	35.8	.	41	44.1	.	.
	IDU	1	2.5	.	6	11.3	.	7	7.5	.	.
	MSM/IDU	3	7.5	.	4	7.5	.	7	7.5	.	.
	Heterosexual	7	17.5	.	12	22.6	.	19	20.4	.	.
	Fem Pres Het Cont	4	10.0	.	3	5.7	.	7	7.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.5	.	0	0.0	.	1	1.1	.	.
	Unk	2	5.0	.	9	17.0	.	11	11.8	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		28	100.0	12	100.0	40	100.0	40	100.0	13	100.0	53	100.0	68	100.0	25	100.0	93	100.0
Risk	MSM	22	78.6	0	0.0	22	55.0	19	47.5	0	0.0	19	35.8	41	60.3	0	0.0	41	44.1
	IDU	0	0.0	1	8.3	1	2.5	4	10.0	2	15.4	6	11.3	4	5.9	3	12.0	7	7.5
	MSM/IDU	3	10.7	0	0.0	3	7.5	4	10.0	0	0.0	4	7.5	7	10.3	0	0.0	7	7.5
	Heterosexual	0	0.0	7	58.3	7	17.5	4	10.0	8	61.5	12	22.6	4	5.9	15	60.0	19	20.4
	Fem Pres Het Cont	0	0.0	4	33.3	4	10.0	0	0.0	3	23.1	3	5.7	0	0.0	7	28.0	7	7.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.6	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	1	1.1
	Unk	2	7.1	0	0.0	2	5.0	9	22.5	0	0.0	9	17.0	11	16.2	0	0.0	11	11.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	4.6	2.3	100.0	2.9	0.3	100.0	1.7	100.0	2.0	100.0
Sex at Birth	Male	2.7	72.7	.	1.3	57.1	.	0.3	100.0	1.0	60.0	1.3	66.7
	Female	1.0	27.3	.	1.0	42.9	.	0.0	0.0	0.7	40.0	0.7	33.3
Age at Diagnosis	13-19	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	36.4	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	27.3	.	0.7	28.6	.	0.0	0.0	0.3	20.0	0.3	16.7
	50-59	0.7	18.2	.	1.3	57.1	.	0.3	100.0	1.0	60.0	1.3	66.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	16.7
Race/Ethnicity	White Not-Hispanic	3.0	81.8	.	1.7	71.4	.	0.3	100.0	1.3	80.0	1.7	83.3
	Black Not-Hispanic	0.7	18.2	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	16.7
Risk	MSM	2.7	72.7	.	1.0	42.9	.	0.3	100.0	0.7	40.0	1.0	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	18.2	.	0.7	28.6	.	0.0	0.0	1.0	60.0	1.0	50.0
	Fem Pres Het Cont	0.3	9.1	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	1.0	100.0	3.7	100.0	1.3	100.0	1.0	100.0	2.3	100.0
Risk	MSM	2.7	100.0	0.0	0.0	2.7	72.7	1.0	75.0	0.0	0.0	1.0	42.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	14.3
	Heterosexual	0.0	0.0	0.7	66.7	0.7	18.2	0.0	0.0	0.7	66.7	0.7	28.6
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	9.1	0.0	0.0	0.3	33.3	0.3	14.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	5	0	3	3
1987	0	2	0	2	2
1988	0	2	0	3	3
1989	0	3	0	2	2
1990	0	3	0	2	2
1991	0	3	0	1	1
1992	0	7	0	4	4
1993	0	4	0	3	3
1994	0	4	0	3	3
1995	0	7	0	5	5
1996	0	5	0	3	3
1997	0	3	0	1	1
1998	0	5	0	0	0
1999	0	2	0	1	1
2000	10	5	1	1	2
2001	8	4	1	0	1
2002	3	2	1	1	2
2003	4	5	0	0	0
2004	2	3	0	1	1
2005	5	2	0	2	2
2006	4	3	0	2	2
2007	4	5	0	2	2
2008	2	5	0	0	0
2009	9	2	0	0	0
2010	3	2	2	1	3
2011	7	2	1	0	1
2012	3	2	0	0	0
2013	1	3	0	5	5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		95	100.0	71.4	83	100.0	62.4	178	100.0	133.8	133,080
Sex at Birth	Male	59	62.1	.	60	72.3	.	119	66.9	.	.
	Female	36	37.9	.	23	27.7	.	59	33.1	.	.
Current Age	12 & under	1	1.1	.	0	0.0	.	1	0.6	.	.
	13-19	2	2.1	.	0	0.0	.	2	1.1	.	.
	20-24	5	5.3	.	3	3.6	.	8	4.5	.	.
	25-29	8	8.4	.	2	2.4	.	10	5.6	.	.
	30-39	23	24.2	.	13	15.7	.	36	20.2	.	.
	40-49	26	27.4	.	26	31.3	.	52	29.2	.	.
	50-59	25	26.3	.	18	21.7	.	43	24.2	.	.
	60+	5	5.3	.	21	25.3	.	26	14.6	.	.
Race/Ethnicity	White Not-Hispanic	50	52.6	.	43	51.8	.	93	52.2	.	.
	Black Not-Hispanic	9	9.5	.	9	10.8	.	18	10.1	.	.
	Hispanic	31	32.6	.	21	25.3	.	52	29.2	.	.
	Multi Race	5	5.3	.	10	12.0	.	15	8.4	.	.
Risk	MSM	38	40.0	.	40	48.2	.	78	43.8	.	.
	IDU	10	10.5	.	10	12.0	.	20	11.2	.	.
	MSM/IDU	5	5.3	.	9	10.8	.	14	7.9	.	.
	Heterosexual	30	31.6	.	18	21.7	.	48	27.0	.	.
	Fem Pres Het Cont	5	5.3	.	2	2.4	.	7	3.9	.	.
	Blood Prod	0	0.0	.	1	1.2	.	1	0.6	.	.
	Pediatric Risk	5	5.3	.	1	1.2	.	6	3.4	.	.
	Unk	2	2.1	.	2	2.4	.	4	2.2	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		59	100.0	36	100.0	95	100.0	60	100.0	23	100.0	83	100.0	119	100.0	59	100.0	178	100.0
Risk	MSM	38	64.4	0	0.0	38	40.0	40	66.7	0	0.0	40	48.2	78	65.5	0	0.0	78	43.8
	IDU	5	8.5	5	13.9	10	10.5	7	11.7	3	13.0	10	12.0	12	10.1	8	13.6	20	11.2
	MSM/IDU	5	8.5	0	0.0	5	5.3	9	15.0	0	0.0	9	10.8	14	11.8	0	0.0	14	7.9
	Heterosexual	5	8.5	25	69.4	30	31.6	0	0.0	18	78.3	18	21.7	5	4.2	43	72.9	48	27.0
	Fem Pres Het Cont	0	0.0	5	13.9	5	5.3	0	0.0	2	8.7	2	2.4	0	0.0	7	11.9	7	3.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	1.2	1	0.8	0	0.0	1	0.6
	Pediatric Risk	4	6.8	1	2.8	5	5.3	1	1.7	0	0.0	1	1.2	5	4.2	1	1.7	6	3.4
	Unk	2	3.4	0	0.0	2	2.1	2	3.3	0	0.0	2	2.4	4	3.4	0	0.0	4	2.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	3.8	2.0	100.0	1.5	0.0	0.0	1.7	100.0	1.7	100.0
Sex at Birth	Male	3.7	73.3	.	1.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	Female	1.3	26.7	.	1.0	50.0	.	0.0	0.0	0.7	40.0	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	26.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	20.0	.	0.3	16.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	40-49	0.7	13.3	.	0.3	16.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	50-59	1.7	33.3	.	0.7	33.3	.	0.0	0.0	1.0	60.0	1.0	60.0
	60+	0.3	6.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	40.0	.	0.7	33.3	.	0.0	0.0	1.0	60.0	1.0	60.0
	Black Not-Hispanic	0.7	13.3	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	2.3	46.7	.	1.0	50.0	.	0.0	0.0	0.7	40.0	0.7	40.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	40.0	.	0.7	33.3	.	0.0	0.0	1.0	60.0	1.0	60.0
	IDU	0.7	13.3	.	0.3	16.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	MSM/IDU	0.3	6.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	13.3	.	0.7	33.3	.	0.0	0.0	0.3	20.0	0.3	20.0
	Fem Pres Het Cont	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	13.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.3	100.0	5.0	100.0	1.0	100.0	1.0	100.0	2.0	100.0
Risk	MSM	2.0	54.5	0.0	0.0	2.0	40.0	0.7	66.7	0.0	0.0	0.7	33.3
	IDU	0.3	9.1	0.3	25.0	0.7	13.3	0.0	0.0	0.3	33.3	0.3	16.7
	MSM/IDU	0.3	9.1	0.0	0.0	0.3	6.7	0.3	33.3	0.0	0.0	0.3	16.7
	Heterosexual	0.0	0.0	0.7	50.0	0.7	13.3	0.0	0.0	0.7	66.7	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	25.0	0.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	9.1	0.0	0.0	0.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	0.0	0.0	0.7	13.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1987	0	1	0	0	0
1988	0	2	0	1	1
1989	0	4	0	4	4
1990	0	2	0	0	0
1991	0	4	0	1	1
1992	0	9	0	1	1
1993	0	9	0	7	7
1994	0	8	0	6	6
1995	0	12	0	7	7
1996	0	6	0	7	7
1997	0	3	0	3	3
1998	0	9	0	2	2
1999	0	6	0	5	5
2000	6	7	0	1	1
2001	14	8	0	1	1
2002	11	12	0	2	2
2003	3	3	0	1	1
2004	10	8	1	5	6
2005	12	9	1	3	4
2006	5	5	1	2	3
2007	9	8	1	2	3
2008	10	6	0	2	2
2009	9	7	0	4	4
2010	9	3	1	4	5
2011	7	3	0	4	4
2012	3	2	0	0	0
2013	5	1	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		69	100.0	78.0	48	100.0	54.2	117	100.0	132.2	88,506
Sex at Birth	Male	46	66.7	.	38	79.2	.	84	71.8	.	.
	Female	23	33.3	.	10	20.8	.	33	28.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	4	5.8	.	0	0.0	.	4	3.4	.	.
	25-29	7	10.1	.	1	2.1	.	8	6.8	.	.
	30-39	13	18.8	.	12	25.0	.	25	21.4	.	.
	40-49	27	39.1	.	13	27.1	.	40	34.2	.	.
	50-59	11	15.9	.	14	29.2	.	25	21.4	.	.
	60+	7	10.1	.	8	16.7	.	15	12.8	.	.
Race/Ethnicity	White Not-Hispanic	43	62.3	.	29	60.4	.	72	61.5	.	.
	Black Not-Hispanic	12	17.4	.	12	25.0	.	24	20.5	.	.
	Hispanic	6	8.7	.	4	8.3	.	10	8.5	.	.
	Multi Race	7	10.1	.	2	4.2	.	9	7.7	.	.
	Others	1	1.4	.	1	2.1	.	2	1.7	.	.
Risk	MSM	27	39.1	.	21	43.8	.	48	41.0	.	.
	IDU	5	7.2	.	10	20.8	.	15	12.8	.	.
	MSM/IDU	5	7.2	.	1	2.1	.	6	5.1	.	.
	Heterosexual	14	20.3	.	10	20.8	.	24	20.5	.	.
	Fem Pres Het Cont	7	10.1	.	2	4.2	.	9	7.7	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	11	15.9	.	4	8.3	.	15	12.8	.	.

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		46	100.0	23	100.0	69	100.0	38	100.0	10	100.0	48	100.0	84	100.0	33	100.0	117	100.0
Risk	MSM	27	58.7	0	0.0	27	39.1	21	55.3	0	0.0	21	43.8	48	57.1	0	0.0	48	41.0
	IDU	2	4.3	3	13.0	5	7.2	7	18.4	3	30.0	10	20.8	9	10.7	6	18.2	15	12.8
	MSM/IDU	5	10.9	0	0.0	5	7.2	1	2.6	0	0.0	1	2.1	6	7.1	0	0.0	6	5.1
	Heterosexual	1	2.2	13	56.5	14	20.3	5	13.2	5	50.0	10	20.8	6	7.1	18	54.5	24	20.5
	Fem Pres Het Cont	0	0.0	7	30.4	7	10.1	0	0.0	2	20.0	2	4.2	0	0.0	9	27.3	9	7.7
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	11	23.9	0	0.0	11	15.9	4	10.5	0	0.0	4	8.3	15	17.9	0	0.0	15	12.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.7	100.0	6.4	4.0	100.0	4.5	0.7	100.0	2.0	100.0	2.7	100.0
Sex at Birth	Male	4.3	76.5	.	3.3	83.3	.	0.7	100.0	1.3	66.7	2.0	75.0
	Female	1.3	23.5	.	0.7	16.7	.	0.0	0.0	0.7	33.3	0.7	25.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	5.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	17.6	.	0.3	8.3	.	0.3	50.0	0.0	0.0	0.3	12.5
	25-29	1.0	17.6	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	35.3	.	1.3	33.3	.	0.0	0.0	0.3	16.7	0.3	12.5
	40-49	1.0	17.6	.	1.0	25.0	.	0.0	0.0	1.0	50.0	1.0	37.5
	50-59	0.3	5.9	.	0.7	16.7	.	0.3	50.0	0.7	33.3	1.0	37.5
	60+	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.3	58.8	.	2.0	50.0	.	0.3	50.0	1.3	66.7	1.7	62.5
	Black Not-Hispanic	1.3	23.5	.	1.0	25.0	.	0.3	50.0	0.7	33.3	1.0	37.5
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.7	11.8	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	5.9	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	47.1	.	1.7	41.7	.	0.3	50.0	1.0	50.0	1.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	16.7	0.7	25.0
	MSM/IDU	0.3	5.9	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	12.5
	Heterosexual	1.3	23.5	.	1.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	11.8	.	0.3	8.3	.	0.0	0.0	0.3	16.7	0.3	12.5
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	11.8	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.3	100.0	1.3	100.0	5.7	100.0	3.3	100.0	0.7	100.0	4.0	100.0
Risk	MSM	2.7	61.5	0.0	0.0	2.7	47.1	1.7	50.0	0.0	0.0	1.7	41.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	7.7	0.0	0.0	0.3	5.9	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	15.4	0.7	50.0	1.3	23.5	1.0	30.0	0.3	50.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.7	50.0	0.7	11.8	0.0	0.0	0.3	50.0	0.3	8.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	15.4	0.0	0.0	0.7	11.8	0.7	20.0	0.0	0.0	0.7	16.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	5	0	2	2
1987	0	3	0	2	2
1988	0	4	0	3	3
1989	0	9	0	7	7
1990	0	9	0	6	6
1991	0	14	0	5	5
1992	0	12	0	11	11
1993	0	11	0	8	8
1994	0	12	0	12	12
1995	0	13	0	10	10
1996	0	4	0	8	8
1997	0	6	0	1	1
1998	0	3	0	0	0
1999	0	0	0	1	1
2000	4	3	0	1	1
2001	5	3	0	4	4
2002	4	0	1	4	5
2003	6	5	1	1	2
2004	5	2	0	2	2
2005	7	10	0	1	1
2006	6	1	0	2	2
2007	2	2	0	3	3
2008	7	3	1	2	3
2009	5	1	0	0	0
2010	5	4	0	1	1
2011	4	2	0	2	2
2012	7	6	2	2	4
2013	6	4	0	2	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		20	100.0	42.8	28	100.0	59.9	48	100.0	102.7	46,722
Sex at Birth	Male	14	70.0	.	23	82.1	.	37	77.1	.	.
	Female	6	30.0	.	5	17.9	.	11	22.9	.	.
Current Age	13-19	1	5.0	.	0	0.0	.	1	2.1	.	.
	20-24	2	10.0	.	1	3.6	.	3	6.3	.	.
	25-29	1	5.0	.	0	0.0	.	1	2.1	.	.
	30-39	2	10.0	.	1	3.6	.	3	6.3	.	.
	40-49	4	20.0	.	7	25.0	.	11	22.9	.	.
	50-59	9	45.0	.	14	50.0	.	23	47.9	.	.
	60+	1	5.0	.	5	17.9	.	6	12.5	.	.
Race/Ethnicity	White Not-Hispanic	15	75.0	.	23	82.1	.	38	79.2	.	.
	Black Not-Hispanic	3	15.0	.	1	3.6	.	4	8.3	.	.
	Hispanic	1	5.0	.	1	3.6	.	2	4.2	.	.
	Multi Race	0	0.0	.	3	10.7	.	3	6.3	.	.
	Others	1	5.0	.	0	0.0	.	1	2.1	.	.
Risk	MSM	8	40.0	.	18	64.3	.	26	54.2	.	.
	IDU	5	25.0	.	3	10.7	.	8	16.7	.	.
	MSM/IDU	1	5.0	.	1	3.6	.	2	4.2	.	.
	Heterosexual	1	5.0	.	4	14.3	.	5	10.4	.	.
	Fem Pres Het Cont	1	5.0	.	1	3.6	.	2	4.2	.	.
	Blood Prod	1	5.0	.	0	0.0	.	1	2.1	.	.
	Pediatric Risk	2	10.0	.	0	0.0	.	2	4.2	.	.
	Unk	1	5.0	.	1	3.6	.	2	4.2	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	6	100.0	20	100.0	23	100.0	5	100.0	28	100.0	37	100.0	11	100.0	48	100.0
Risk	MSM	8	57.1	0	0.0	8	40.0	18	78.3	0	0.0	18	64.3	26	70.3	0	0.0	26	54.2
	IDU	3	21.4	2	33.3	5	25.0	2	8.7	1	20.0	3	10.7	5	13.5	3	27.3	8	16.7
	MSM/IDU	1	7.1	0	0.0	1	5.0	1	4.3	0	0.0	1	3.6	2	5.4	0	0.0	2	4.2
	Heterosexual	0	0.0	1	16.7	1	5.0	1	4.3	3	60.0	4	14.3	1	2.7	4	36.4	5	10.4
	Fem Pres Het Cont	0	0.0	1	16.7	1	5.0	0	0.0	1	20.0	1	3.6	0	0.0	2	18.2	2	4.2
	Blood Prod	1	7.1	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0	1	2.7	0	0.0	1	2.1
	Pediatric Risk	0	0.0	2	33.3	2	10.0	0	0.0	0	0.0	0	0.0	0	0.0	2	18.2	2	4.2
	Unk	1	7.1	0	0.0	1	5.0	1	4.3	0	0.0	1	3.6	2	5.4	0	0.0	2	4.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	5.0	1.3	100.0	2.9	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	1.7	71.4	.	1.3	100.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Female	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Age at Diagnosis	13-19	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	28.6	.	0.7	50.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	1.3	100.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Black Not-Hispanic	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.7	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	71.4	0.7	50.0	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.3	50.0	0.3	14.3	0.3	25.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1988	0	2	0	2	2
1989	0	0	0	1	1
1990	0	1	0	0	0
1991	0	1	0	0	0
1992	0	4	0	2	2
1993	0	2	0	0	0
1994	0	0	0	1	1
1995	0	6	0	4	4
1996	0	3	0	2	2
1997	0	2	0	0	0
2000	0	3	0	1	1
2001	2	5	0	1	1
2002	3	5	0	1	1
2003	1	2	0	0	0
2004	2	1	0	1	1
2005	1	1	0	0	0
2006	1	0	0	2	2
2008	0	2	0	0	0
2009	0	2	0	0	0
2010	0	1	0	1	1
2011	3	2	0	2	2
2012	2	2	0	0	0
2013	2	0	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		34	100.0	41.7	33	100.0	40.4	67	100.0	82.1	81,591
Sex at Birth	Male	30	88.2	.	27	81.8	.	57	85.1	.	.
	Female	4	11.8	.	6	18.2	.	10	14.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	3.0	.	1	1.5	.	.
	20-24	2	5.9	.	0	0.0	.	2	3.0	.	.
	25-29	2	5.9	.	0	0.0	.	2	3.0	.	.
	30-39	1	2.9	.	5	15.2	.	6	9.0	.	.
	40-49	7	20.6	.	13	39.4	.	20	29.9	.	.
	50-59	16	47.1	.	10	30.3	.	26	38.8	.	.
	60+	6	17.6	.	4	12.1	.	10	14.9	.	.
Race/Ethnicity	White Not-Hispanic	24	70.6	.	24	72.7	.	48	71.6	.	.
	Black Not-Hispanic	6	17.6	.	2	6.1	.	8	11.9	.	.
	Hispanic	2	5.9	.	4	12.1	.	6	9.0	.	.
	Multi Race	1	2.9	.	3	9.1	.	4	6.0	.	.
	Others	1	2.9	.	0	0.0	.	1	1.5	.	.
Risk	MSM	20	58.8	.	15	45.5	.	35	52.2	.	.
	IDU	2	5.9	.	5	15.2	.	7	10.4	.	.
	MSM/IDU	0	0.0	.	4	12.1	.	4	6.0	.	.
	Heterosexual	2	5.9	.	2	6.1	.	4	6.0	.	.
	Fem Pres Het Cont	2	5.9	.	2	6.1	.	4	6.0	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	3.0	.	1	1.5	.	.
	Unk	8	23.5	.	4	12.1	.	12	17.9	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		30	100.0	4	100.0	34	100.0	27	100.0	6	100.0	33	100.0	57	100.0	10	100.0	67	100.0
Risk	MSM	20	66.7	0	0.0	20	58.8	15	55.6	0	0.0	15	45.5	35	61.4	0	0.0	35	52.2
	IDU	2	6.7	0	0.0	2	5.9	3	11.1	2	33.3	5	15.2	5	8.8	2	20.0	7	10.4
	MSM/IDU	0	0.0	0	0.0	0	0.0	4	14.8	0	0.0	4	12.1	4	7.0	0	0.0	4	6.0
	Heterosexual	0	0.0	2	50.0	2	5.9	0	0.0	2	33.3	2	6.1	0	0.0	4	40.0	4	6.0
	Fem Pres Het Cont	0	0.0	2	50.0	2	5.9	0	0.0	2	33.3	2	6.1	0	0.0	4	40.0	4	6.0
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	3.0	1	1.8	0	0.0	1	1.5
	Unk	8	26.7	0	0.0	8	23.5	4	14.8	0	0.0	4	12.1	12	21.1	0	0.0	12	17.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	2.5	0.7	100.0	0.8	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.0	50.0	.	0.3	50.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	1.0	50.0	.	0.3	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	16.7	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	16.7	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	20.0
	50-59	0.7	33.3	.	0.3	50.0	.	0.0	0.0	1.3	100.0	1.3	80.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.7	83.3	.	0.7	100.0	.	0.3	100.0	1.3	100.0	1.7	100.0
	Black Not-Hispanic	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	33.3	.	0.3	50.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	IDU	0.3	16.7	.	0.3	50.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	1.0	100.0	2.0	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	0.7	66.7	0.0	0.0	0.7	33.3	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	0.3	33.3	0.3	16.7	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	3	3
1987	0	2	0	1	1
1988	0	1	0	0	0
1989	0	2	0	1	1
1990	0	5	0	0	0
1991	0	5	0	3	3
1992	0	2	0	6	6
1993	0	8	0	2	2
1994	0	2	0	6	6
1995	0	6	0	2	2
1996	0	4	0	1	1
1997	0	1	0	1	1
1998	0	3	0	2	2
1999	0	3	0	0	0
2000	5	1	0	0	0
2001	4	1	0	2	2
2002	3	3	0	0	0
2003	2	1	0	0	0
2004	2	3	0	0	0
2005	2	2	0	3	3
2006	3	2	0	0	0
2007	6	5	1	1	2
2008	3	3	1	0	1
2009	0	1	0	0	0
2011	2	1	0	0	0
2012	3	1	0	2	2
2013	1	0	1	2	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		63	100.0	101.2	59	100.0	94.8	122	100.0	196.0	62,243
Sex at Birth	Male	44	69.8	.	45	76.3	.	89	73.0	.	.
	Female	19	30.2	.	14	23.7	.	33	27.0	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	3.2	.	0	0.0	.	2	1.6	.	.
	20-24	6	9.5	.	2	3.4	.	8	6.6	.	.
	25-29	3	4.8	.	1	1.7	.	4	3.3	.	.
	30-39	8	12.7	.	4	6.8	.	12	9.8	.	.
	40-49	8	12.7	.	12	20.3	.	20	16.4	.	.
	50-59	20	31.7	.	22	37.3	.	42	34.4	.	.
	60+	16	25.4	.	18	30.5	.	34	27.9	.	.
Race/Ethnicity	White Not-Hispanic	36	57.1	.	36	61.0	.	72	59.0	.	.
	Black Not-Hispanic	11	17.5	.	5	8.5	.	16	13.1	.	.
	Hispanic	9	14.3	.	16	27.1	.	25	20.5	.	.
	Multi Race	6	9.5	.	2	3.4	.	8	6.6	.	.
	Others	1	1.6	.	0	0.0	.	1	0.8	.	.
Risk	MSM	38	60.3	.	27	45.8	.	65	53.3	.	.
	IDU	3	4.8	.	11	18.6	.	14	11.5	.	.
	MSM/IDU	0	0.0	.	1	1.7	.	1	0.8	.	.
	Heterosexual	9	14.3	.	14	23.7	.	23	18.9	.	.
	Fem Pres Het Cont	9	14.3	.	0	0.0	.	9	7.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	3	4.8	.	1	1.7	.	4	3.3	.	.
	Unk	1	1.6	.	5	8.5	.	6	4.9	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		44	100.0	19	100.0	63	100.0	45	100.0	14	100.0	59	100.0	89	100.0	33	100.0	122	100.0
Risk	MSM	38	86.4	0	0.0	38	60.3	27	60.0	0	0.0	27	45.8	65	73.0	0	0.0	65	53.3
	IDU	3	6.8	0	0.0	3	4.8	8	17.8	3	21.4	11	18.6	11	12.4	3	9.1	14	11.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	1	1.7	1	1.1	0	0.0	1	0.8
	Heterosexual	1	2.3	8	42.1	9	14.3	4	8.9	10	71.4	14	23.7	5	5.6	18	54.5	23	18.9
	Fem Pres Het Cont	0	0.0	9	47.4	9	14.3	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	9	7.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	2.3	2	10.5	3	4.8	0	0.0	1	7.1	1	1.7	1	1.1	3	9.1	4	3.3
	Unk	1	2.3	0	0.0	1	1.6	5	11.1	0	0.0	5	8.5	6	6.7	0	0.0	6	4.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	8.0	2.3	100.0	3.7	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	3.0	60.0	.	1.3	57.1	.	0.0	0.0	1.0	100.0	1.0	75.0
	Female	2.0	40.0	.	1.0	42.9	.	0.3	100.0	0.0	0.0	0.3	25.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	6.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	26.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	26.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	6.7	.	0.3	14.3	.	0.0	0.0	0.7	66.7	0.7	50.0
	40-49	0.3	6.7	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	25.0
	50-59	0.3	6.7	.	0.3	14.3	.	0.3	100.0	0.0	0.0	0.3	25.0
	60+	1.0	20.0	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.0	60.0	.	1.7	71.4	.	0.0	0.0	0.3	33.3	0.3	25.0
	Black Not-Hispanic	0.3	6.7	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	25.0
	Hispanic	1.3	26.7	.	0.7	28.6	.	0.0	0.0	0.7	66.7	0.7	50.0
	Multi Race	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	40.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.3	6.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.3	26.7	.	1.0	42.9	.	0.0	0.0	0.7	66.7	0.7	50.0
	Fem Pres Het Cont	1.0	20.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	25.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	6.7	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	2.0	100.0	5.0	100.0	1.3	100.0	1.0	100.0	2.3	100.0
Risk	MSM	2.0	66.7	0.0	0.0	2.0	40.0	0.3	25.0	0.0	0.0	0.3	14.3
	IDU	0.3	11.1	0.0	0.0	0.3	6.7	0.3	25.0	0.0	0.0	0.3	14.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	11.1	1.0	50.0	1.3	26.7	0.3	25.0	0.7	66.7	1.0	42.9
	Fem Pres Het Cont	0.0	0.0	1.0	50.0	1.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	14.3
	Unk	0.3	11.1	0.0	0.0	0.3	6.7	0.3	25.0	0.0	0.0	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	5	0	3	3
1987	0	1	0	1	1
1988	0	2	0	1	1
1989	0	4	0	4	4
1990	0	5	0	2	2
1991	0	9	0	7	7
1992	0	14	0	9	9
1993	0	5	0	5	5
1994	0	4	0	2	2
1995	0	10	0	3	3
1996	0	2	0	5	5
1997	0	4	0	2	2
1998	0	2	0	1	1
1999	0	3	0	1	1
2000	2	4	1	3	4
2001	2	2	0	1	1
2002	1	1	0	2	2
2003	6	3	1	0	1
2004	4	5	1	1	2
2005	4	5	1	0	1
2006	5	2	0	1	1
2007	5	4	0	0	0
2008	2	1	0	0	0
2009	4	4	0	1	1
2010	4	2	0	1	1
2011	5	3	0	1	1
2012	2	2	0	2	2
2013	8	2	1	0	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		21	100.0	42.9	15	100.0	30.6	36	100.0	73.5	48,976
Sex at Birth	Male	17	81.0	.	12	80.0	.	29	80.6	.	.
	Female	4	19.0	.	3	20.0	.	7	19.4	.	.
Current Age	20-24	2	9.5	.	0	0.0	.	2	5.6	.	.
	25-29	2	9.5	.	1	6.7	.	3	8.3	.	.
	30-39	5	23.8	.	2	13.3	.	7	19.4	.	.
	40-49	3	14.3	.	6	40.0	.	9	25.0	.	.
	50-59	4	19.0	.	3	20.0	.	7	19.4	.	.
	60+	5	23.8	.	3	20.0	.	8	22.2	.	.
Race/Ethnicity	White Not-Hispanic	17	81.0	.	11	73.3	.	28	77.8	.	.
	Black Not-Hispanic	1	4.8	.	1	6.7	.	2	5.6	.	.
	Hispanic	1	4.8	.	3	20.0	.	4	11.1	.	.
	Multi Race	2	9.5	.	0	0.0	.	2	5.6	.	.
Risk	MSM	13	61.9	.	7	46.7	.	20	55.6	.	.
	IDU	3	14.3	.	1	6.7	.	4	11.1	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	9.5	.	3	20.0	.	5	13.9	.	.
	Fem Pres Het Cont	2	9.5	.	0	0.0	.	2	5.6	.	.
	Blood Prod	0	0.0	.	1	6.7	.	1	2.8	.	.
	Unk	1	4.8	.	3	20.0	.	4	11.1	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	4	100.0	21	100.0	12	100.0	3	100.0	15	100.0	29	100.0	7	100.0	36	100.0
Risk	MSM	13	76.5	0	0.0	13	61.9	7	58.3	0	0.0	7	46.7	20	69.0	0	0.0	20	55.6
	IDU	2	11.8	1	25.0	3	14.3	1	8.3	0	0.0	1	6.7	3	10.3	1	14.3	4	11.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	5.9	1	25.0	2	9.5	1	8.3	2	66.7	3	20.0	2	6.9	3	42.9	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	9.5	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	6.7	0	0.0	1	14.3	1	2.8
	Unk	1	5.9	0	0.0	1	4.8	3	25.0	0	0.0	3	20.0	4	13.8	0	0.0	4	11.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.8	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
Sex at Birth	Male	2.0	85.7	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0
	Female	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	1.0	42.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	28.6	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0
Race/Ethnicity	White Not-Hispanic	2.3	100.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	57.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	100.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	66.7	0.0	0.0	1.3	57.1	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.3	16.7	0.3	100.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	2	0	0	0
1989	0	1	0	3	3
1991	0	1	0	0	0
1993	0	2	0	2	2
1994	0	1	0	0	0
1995	0	1	0	1	1
1996	0	1	0	0	0
1997	0	2	0	0	0
1998	0	3	0	2	2
1999	0	0	0	1	1
2001	1	1	0	0	0
2002	2	5	0	1	1
2003	0	0	0	2	2
2004	0	5	0	1	1
2005	1	0	0	2	2
2006	1	1	0	0	0
2007	3	1	0	0	0
2008	2	1	0	0	0
2009	1	1	0	0	0
2010	3	1	0	0	0
2011	1	0	0	0	0
2012	4	0	1	0	1
2013	2	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		15	100.0	32.1	36	100.0	77.1	51	100.0	109.2	46,722
Sex at Birth	Male	11	73.3	.	26	72.2	.	37	72.5	.	.
	Female	4	26.7	.	10	27.8	.	14	27.5	.	.
Current Age	20-24	2	13.3	.	1	2.8	.	3	5.9	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	0	0.0	.	3	8.3	.	3	5.9	.	.
	40-49	6	40.0	.	11	30.6	.	17	33.3	.	.
	50-59	3	20.0	.	13	36.1	.	16	31.4	.	.
	60+	4	26.7	.	8	22.2	.	12	23.5	.	.
Race/Ethnicity	White Not-Hispanic	11	73.3	.	23	63.9	.	34	66.7	.	.
	Black Not-Hispanic	2	13.3	.	4	11.1	.	6	11.8	.	.
	Hispanic	2	13.3	.	3	8.3	.	5	9.8	.	.
	Multi Race	0	0.0	.	5	13.9	.	5	9.8	.	.
	Others	0	0.0	.	1	2.8	.	1	2.0	.	.
Risk	MSM	5	33.3	.	16	44.4	.	21	41.2	.	.
	IDU	1	6.7	.	7	19.4	.	8	15.7	.	.
	MSM/IDU	1	6.7	.	2	5.6	.	3	5.9	.	.
	Heterosexual	4	26.7	.	5	13.9	.	9	17.6	.	.
	Fem Pres Het Cont	0	0.0	.	1	2.8	.	1	2.0	.	.
	Blood Prod	0	0.0	.	1	2.8	.	1	2.0	.	.
	Pediatric Risk	0	0.0	.	1	2.8	.	1	2.0	.	.
	Unk	4	26.7	.	3	8.3	.	7	13.7	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	4	100.0	15	100.0	26	100.0	10	100.0	36	100.0	37	100.0	14	100.0	51	100.0
Risk	MSM	5	45.5	0	0.0	5	33.3	16	61.5	0	0.0	16	44.4	21	56.8	0	0.0	21	41.2
	IDU	0	0.0	1	25.0	1	6.7	4	15.4	3	30.0	7	19.4	4	10.8	4	28.6	8	15.7
	MSM/IDU	1	9.1	0	0.0	1	6.7	2	7.7	0	0.0	2	5.6	3	8.1	0	0.0	3	5.9
	Heterosexual	1	9.1	3	75.0	4	26.7	0	0.0	5	50.0	5	13.9	1	2.7	8	57.1	9	17.6
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	2.8	0	0.0	1	7.1	1	2.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	2.8	1	2.7	0	0.0	1	2.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	2.8	0	0.0	1	7.1	1	2.0
	Unk	4	36.4	0	0.0	4	26.7	3	11.5	0	0.0	3	8.3	7	18.9	0	0.0	7	13.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.9	2.0	100.0	4.3	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	1.3	100.0	.	1.7	83.3	.	0.3	100.0	1.0	100.0	1.3	100.0
	Female	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	16.7	.	0.0	0.0	0.3	33.3	0.3	25.0
	40-49	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	25.0	.	1.3	66.7	.	0.3	100.0	0.7	66.7	1.0	75.0
	60+	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	75.0	.	1.3	66.7	.	0.3	100.0	1.0	100.0	1.3	100.0
	Black Not-Hispanic	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	50.0	.	1.3	66.7	.	0.3	100.0	0.7	66.7	1.0	75.0
	IDU	0.3	25.0	.	0.7	33.3	.	0.0	0.0	0.3	33.3	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.7	100.0	0.3	100.0	2.0	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	50.0	1.3	80.0	0.0	0.0	1.3	66.7
	IDU	0.3	25.0	0.0	0.0	0.3	25.0	0.3	20.0	0.3	100.0	0.7	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1988	0	1	0	0	0
1989	0	2	0	1	1
1990	0	4	0	2	2
1991	0	1	0	1	1
1992	0	3	0	2	2
1993	0	3	0	3	3
1994	0	3	0	1	1
1995	0	6	0	1	1
1996	0	4	0	3	3
1997	0	2	0	0	0
1998	0	0	0	1	1
1999	0	1	0	1	1
2000	1	0	0	0	0
2001	3	4	0	2	2
2002	7	4	0	1	1
2003	2	5	1	1	2
2004	2	1	1	0	1
2005	0	3	0	2	2
2006	2	0	1	0	1
2007	2	1	0	0	0
2008	4	3	2	0	2
2009	0	0	1	0	1
2010	3	4	0	2	2
2011	1	4	0	2	2
2012	1	2	1	1	2
2013	2	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		260	100.0	87.6	369	100.0	124.3	629	100.0	211.8	296,916
Sex at Birth	Male	166	63.8	.	246	66.7	.	412	65.5	.	.
	Female	94	36.2	.	123	33.3	.	217	34.5	.	.
Current Age	12 & under	3	1.2	.	0	0.0	.	3	0.5	.	.
	13-19	5	1.9	.	0	0.0	.	5	0.8	.	.
	20-24	17	6.5	.	7	1.9	.	24	3.8	.	.
	25-29	20	7.7	.	11	3.0	.	31	4.9	.	.
	30-39	34	13.1	.	36	9.8	.	70	11.1	.	.
	40-49	62	23.8	.	91	24.7	.	153	24.3	.	.
	50-59	86	33.1	.	153	41.5	.	239	38.0	.	.
	60+	33	12.7	.	71	19.2	.	104	16.5	.	.
Race/Ethnicity	White Not-Hispanic	99	38.1	.	117	31.7	.	216	34.3	.	.
	Black Not-Hispanic	79	30.4	.	124	33.6	.	203	32.3	.	.
	Hispanic	42	16.2	.	85	23.0	.	127	20.2	.	.
	Multi Race	35	13.5	.	41	11.1	.	76	12.1	.	.
	Others	4	1.5	.	2	0.5	.	6	1.0	.	.
	Unk	1	0.4	.	0	0.0	.	1	0.2	.	.
Risk	MSM	98	37.7	.	102	27.6	.	200	31.8	.	.
	IDU	38	14.6	.	94	25.5	.	132	21.0	.	.
	MSM/IDU	8	3.1	.	17	4.6	.	25	4.0	.	.
	Heterosexual	72	27.7	.	97	26.3	.	169	26.9	.	.
	Fem Pres Het Cont	15	5.8	.	19	5.1	.	34	5.4	.	.
	Blood Prod	0	0.0	.	3	0.8	.	3	0.5	.	.
	Pediatric Risk	14	5.4	.	8	2.2	.	22	3.5	.	.
	Unk	15	5.8	.	29	7.9	.	44	7.0	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		166	100.0	94	100.0	260	100.0	246	100.0	123	100.0	369	100.0	412	100.0	217	100.0	629	100.0
Risk	MSM	98	59.0	0	0.0	98	37.7	102	41.5	0	0.0	102	27.6	200	48.5	0	0.0	200	31.8
	IDU	18	10.8	20	21.3	38	14.6	64	26.0	30	24.4	94	25.5	82	19.9	50	23.0	132	21.0
	MSM/IDU	8	4.8	0	0.0	8	3.1	17	6.9	0	0.0	17	4.6	25	6.1	0	0.0	25	4.0
	Heterosexual	19	11.4	53	56.4	72	27.7	29	11.8	68	55.3	97	26.3	48	11.7	121	55.8	169	26.9
	Fem Pres Het Cont	0	0.0	15	16.0	15	5.8	0	0.0	19	15.4	19	5.1	0	0.0	34	15.7	34	5.4
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.4	2	1.6	3	0.8	1	0.2	2	0.9	3	0.5
	Pediatric Risk	8	4.8	6	6.4	14	5.4	5	2.0	3	2.4	8	2.2	13	3.2	9	4.1	22	3.5
	Unk	15	9.0	0	0.0	15	5.8	28	11.4	1	0.8	29	7.9	43	10.4	1	0.5	44	7.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		24.3	100.0	8.2	12.0	100.0	4.0	3.3	100.0	9.0	100.0	12.3	100.0
Sex at Birth	Male	19.0	78.1	.	8.7	72.2	.	1.3	40.0	7.0	77.8	8.3	67.6
	Female	5.3	21.9	.	3.3	27.8	.	2.0	60.0	2.0	22.2	4.0	32.4
Age at Diagnosis	12 & under	0.7	2.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	2.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.3	17.8	.	0.7	5.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	3.3	13.7	.	1.3	11.1	.	0.0	0.0	0.3	3.7	0.3	2.7
	30-39	3.3	13.7	.	2.0	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	5.7	23.3	.	3.7	30.6	.	1.0	30.0	1.3	14.8	2.3	18.9
	50-59	5.0	20.5	.	3.7	30.6	.	1.7	50.0	4.7	51.9	6.3	51.4
	60+	1.3	5.5	.	0.7	5.6	.	0.7	20.0	2.7	29.6	3.3	27.0
Race/Ethnicity	White Not-Hispanic	7.0	28.8	.	5.0	41.7	.	1.0	30.0	3.7	40.7	4.7	37.8
	Black Not-Hispanic	7.7	31.5	.	3.0	25.0	.	1.7	50.0	3.7	40.7	5.3	43.2
	Hispanic	5.3	21.9	.	2.0	16.7	.	0.3	10.0	1.0	11.1	1.3	10.8
	Multi Race	3.7	15.1	.	1.7	13.9	.	0.3	10.0	0.7	7.4	1.0	8.1
	Others	0.7	2.7	.	0.3	2.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	12.0	49.3	.	4.7	38.9	.	0.0	0.0	1.3	14.8	1.3	10.8
	IDU	2.7	11.0	.	2.3	19.4	.	0.7	20.0	5.7	63.0	6.3	51.4
	MSM/IDU	0.3	1.4	.	0.7	5.6	.	0.3	10.0	0.3	3.7	0.7	5.4
	Heterosexual	3.3	13.7	.	2.3	19.4	.	1.0	30.0	0.7	7.4	1.7	13.5
	Fem Pres Het Cont	3.0	12.3	.	1.0	8.3	.	0.7	20.0	0.3	3.7	1.0	8.1
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	2.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	9.6	.	1.0	8.3	.	0.7	20.0	0.7	7.4	1.3	10.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19.0	100.0	5.3	100.0	24.3	100.0	8.7	100.0	3.3	100.0	12.0	100.0
Risk	MSM	12.0	63.2	0.0	0.0	12.0	49.3	4.7	53.8	0.0	0.0	4.7	38.9
	IDU	2.3	12.3	0.3	6.3	2.7	11.0	1.7	19.2	0.7	20.0	2.3	19.4
	MSM/IDU	0.3	1.8	0.0	0.0	0.3	1.4	0.7	7.7	0.0	0.0	0.7	5.6
	Heterosexual	1.3	7.0	2.0	37.5	3.3	13.7	0.7	7.7	1.7	50.0	2.3	19.4
	Fem Pres Het Cont	0.0	0.0	3.0	56.3	3.0	12.3	0.0	0.0	1.0	30.0	1.0	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	3.5	0.0	0.0	0.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	12.3	0.0	0.0	2.3	9.6	1.0	11.5	0.0	0.0	1.0	8.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	28	0	14	14
1987	0	28	0	16	16
1988	0	32	0	23	23
1989	0	41	0	33	33
1990	0	48	0	18	18
1991	0	65	0	37	37
1992	0	66	0	33	33
1993	0	103	0	50	50
1994	0	93	0	59	59
1995	0	62	0	67	67
1996	0	66	0	47	47
1997	0	30	0	23	23
1998	0	25	0	16	16
1999	0	37	0	27	27
2000	31	39	0	15	15
2001	33	29	3	17	20
2002	18	23	3	23	26
2003	17	23	3	16	19
2004	29	36	2	18	20
2005	34	24	4	10	14
2006	24	21	2	16	18
2007	15	13	1	10	11
2008	13	17	1	8	9
2009	19	18	4	11	15
2010	14	11	5	12	17
2011	21	10	3	10	13
2012	26	14	7	4	11
2013	26	12	0	13	13

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		954	100.0	103.7	1,052	100.0	114.4	2,006	100.0	218.1	919,866
Sex at Birth	Male	640	67.1	.	720	68.4	.	1,360	67.8	.	.
	Female	314	32.9	.	332	31.6	.	646	32.2	.	.
Current Age	12 & under	6	0.6	.	1	0.1	.	7	0.3	.	.
	13-19	12	1.3	.	3	0.3	.	15	0.7	.	.
	20-24	50	5.2	.	21	2.0	.	71	3.5	.	.
	25-29	96	10.1	.	25	2.4	.	121	6.0	.	.
	30-39	221	23.2	.	126	12.0	.	347	17.3	.	.
	40-49	269	28.2	.	339	32.2	.	608	30.3	.	.
	50-59	221	23.2	.	365	34.7	.	586	29.2	.	.
	60+	79	8.3	.	172	16.3	.	251	12.5	.	.
Race/Ethnicity	White Not-Hispanic	330	34.6	.	339	32.2	.	669	33.3	.	.
	Black Not-Hispanic	374	39.2	.	450	42.8	.	824	41.1	.	.
	Hispanic	137	14.4	.	151	14.4	.	288	14.4	.	.
	Multi Race	90	9.4	.	92	8.7	.	182	9.1	.	.
	Others	23	2.4	.	20	1.9	.	43	2.1	.	.
Risk	MSM	453	47.5	.	441	41.9	.	894	44.6	.	.
	IDU	98	10.3	.	158	15.0	.	256	12.8	.	.
	MSM/IDU	34	3.6	.	68	6.5	.	102	5.1	.	.
	Heterosexual	261	27.4	.	308	29.3	.	569	28.4	.	.
	Fem Pres Het Cont	44	4.6	.	28	2.7	.	72	3.6	.	.
	Blood Prod	2	0.2	.	5	0.5	.	7	0.3	.	.
	Pediatric Risk	13	1.4	.	12	1.1	.	25	1.2	.	.
	Unk	49	5.1	.	32	3.0	.	81	4.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		640	100.0	314	100.0	954	100.0	720	100.0	332	100.0	1,052	100.0	1,360	100.0	646	100.0	2,006	100.0
Risk	MSM	453	70.8	0	0.0	453	47.5	441	61.3	0	0.0	441	41.9	894	65.7	0	0.0	894	44.6
	IDU	49	7.7	49	15.6	98	10.3	93	12.9	65	19.6	158	15.0	142	10.4	114	17.6	256	12.8
	MSM/IDU	34	5.3	0	0.0	34	3.6	68	9.4	0	0.0	68	6.5	102	7.5	0	0.0	102	5.1
	Heterosexual	47	7.3	214	68.2	261	27.4	77	10.7	231	69.6	308	29.3	124	9.1	445	68.9	569	28.4
	Fem Pres Het Cont	0	0.0	44	14.0	44	4.6	0	0.0	28	8.4	28	2.7	0	0.0	72	11.1	72	3.6
	Blood Prod	2	0.3	0	0.0	2	0.2	5	0.7	0	0.0	5	0.5	7	0.5	0	0.0	7	0.3
	Pediatric Risk	6	0.9	7	2.2	13	1.4	5	0.7	7	2.1	12	1.1	11	0.8	14	2.2	25	1.2
	Unk	49	7.7	0	0.0	49	5.1	31	4.3	1	0.3	32	3.0	80	5.9	1	0.2	81	4.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		98.7	100.0	10.7	58.3	100.0	6.3	8.3	100.0	31.3	100.0	39.7	100.0
Sex at Birth	Male	69.3	70.3	.	35.0	60.0	.	7.0	84.0	21.0	67.0	28.0	70.6
	Female	29.3	29.7	.	23.3	40.0	.	1.3	16.0	10.3	33.0	11.7	29.4
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	5.1	.	1.0	1.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	14.0	14.2	.	4.7	8.0	.	0.0	0.0	1.0	3.2	1.0	2.5
	25-29	13.0	13.2	.	4.3	7.4	.	0.3	4.0	0.0	0.0	0.3	0.8
	30-39	27.3	27.7	.	15.0	25.7	.	1.0	12.0	2.0	6.4	3.0	7.6
	40-49	24.7	25.0	.	19.0	32.6	.	1.7	20.0	6.7	21.3	8.3	21.0
	50-59	12.0	12.2	.	9.3	16.0	.	2.7	32.0	13.0	41.5	15.7	39.5
	60+	2.3	2.4	.	5.0	8.6	.	2.7	32.0	8.7	27.7	11.3	28.6
Race/Ethnicity	White Not-Hispanic	33.0	33.4	.	16.7	28.6	.	5.0	60.0	8.7	27.7	13.7	34.5
	Black Not-Hispanic	43.3	43.9	.	26.0	44.6	.	2.3	28.0	13.7	43.6	16.0	40.3
	Hispanic	13.7	13.9	.	8.3	14.3	.	1.0	12.0	4.7	14.9	5.7	14.3
	Multi Race	6.0	6.1	.	4.3	7.4	.	0.0	0.0	4.0	12.8	4.0	10.1
	Others	2.7	2.7	.	3.0	5.1	.	0.0	0.0	0.3	1.1	0.3	0.8
Risk	MSM	50.7	51.4	.	21.3	36.6	.	2.7	32.0	10.7	34.0	13.3	33.6
	IDU	6.7	6.8	.	8.7	14.9	.	1.3	16.0	9.7	30.9	11.0	27.7
	MSM/IDU	2.7	2.7	.	3.0	5.1	.	1.0	12.0	2.3	7.4	3.3	8.4
	Heterosexual	21.7	22.0	.	18.3	31.4	.	2.0	24.0	6.7	21.3	8.7	21.8
	Fem Pres Het Cont	7.3	7.4	.	3.3	5.7	.	0.3	4.0	0.3	1.1	0.7	1.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.7	2.1	0.7	1.7
	Unk	9.3	9.5	.	3.7	6.3	.	1.0	12.0	1.0	3.2	2.0	5.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		69.3	100.0	29.3	100.0	98.7	100.0	35.0	100.0	23.3	100.0	58.3	100.0
Risk	MSM	50.7	73.1	0.0	0.0	50.7	51.4	21.3	61.0	0.0	0.0	21.3	36.6
	IDU	3.3	4.8	3.3	11.4	6.7	6.8	3.7	10.5	5.0	21.4	8.7	14.9
	MSM/IDU	2.7	3.8	0.0	0.0	2.7	2.7	3.0	8.6	0.0	0.0	3.0	5.1
	Heterosexual	3.3	4.8	18.3	62.5	21.7	22.0	3.3	9.5	15.0	64.3	18.3	31.4
	Fem Pres Het Cont	0.0	0.0	7.3	25.0	7.3	7.4	0.0	0.0	3.3	14.3	3.3	5.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	9.3	13.5	0.0	0.0	9.3	9.5	3.7	10.5	0.0	0.0	3.7	6.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	43	0	27	27
1987	0	35	0	19	19
1988	0	56	0	19	19
1989	0	82	0	49	49
1990	0	78	0	63	63
1991	0	105	0	70	70
1992	0	121	0	80	80
1993	0	172	0	71	71
1994	0	160	0	113	113
1995	0	162	0	153	153
1996	0	144	0	81	81
1997	0	80	0	49	49
1998	0	86	0	39	39
1999	0	101	0	41	41
2000	69	129	1	47	48
2001	89	95	1	51	52
2002	80	67	4	30	34
2003	76	86	7	50	57
2004	89	66	5	38	43
2005	82	69	7	37	44
2006	97	59	7	36	43
2007	102	82	10	37	47
2008	87	55	10	29	39
2009	110	61	9	35	44
2010	105	54	6	30	36
2011	96	68	9	25	34
2012	95	59	8	30	38
2013	105	48	8	39	47

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		14	100.0	36.1	16	100.0	41.3	30	100.0	77.4	38,762
Sex at Birth	Male	11	78.6	.	11	68.8	.	22	73.3	.	.
	Female	3	21.4	.	5	31.3	.	8	26.7	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	7.1	.	0	0.0	.	1	3.3	.	.
	25-29	1	7.1	.	0	0.0	.	1	3.3	.	.
	30-39	0	0.0	.	1	6.3	.	1	3.3	.	.
	40-49	1	7.1	.	9	56.3	.	10	33.3	.	.
	50-59	6	42.9	.	5	31.3	.	11	36.7	.	.
	60+	5	35.7	.	1	6.3	.	6	20.0	.	.
Race/Ethnicity	White Not-Hispanic	6	42.9	.	7	43.8	.	13	43.3	.	.
	Black Not-Hispanic	1	7.1	.	3	18.8	.	4	13.3	.	.
	Hispanic	7	50.0	.	4	25.0	.	11	36.7	.	.
	Multi Race	0	0.0	.	2	12.5	.	2	6.7	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	6	42.9	.	4	25.0	.	10	33.3	.	.
	IDU	4	28.6	.	5	31.3	.	9	30.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	3	21.4	.	5	31.3	.	8	26.7	.	.
	Fem Pres Het Cont	1	7.1	.	1	6.3	.	2	6.7	.	.
	Unk	0	0.0	.	1	6.3	.	1	3.3	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	3	100.0	14	100.0	11	100.0	5	100.0	16	100.0	22	100.0	8	100.0	30	100.0
Risk	MSM	6	54.5	0	0.0	6	42.9	4	36.4	0	0.0	4	25.0	10	45.5	0	0.0	10	33.3
	IDU	4	36.4	0	0.0	4	28.6	4	36.4	1	20.0	5	31.3	8	36.4	1	12.5	9	30.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	9.1	2	66.7	3	21.4	2	18.2	3	60.0	5	31.3	3	13.6	5	62.5	8	26.7
	Fem Pres Het Cont	0	0.0	1	33.3	1	7.1	0	0.0	1	20.0	1	6.3	0	0.0	2	25.0	2	6.7
	Unk	0	0.0	0	0.0	0	0.0	1	9.1	0	0.0	1	6.3	1	4.5	0	0.0	1	3.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.6	0.7	100.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	33.3	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	66.7	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	33.3	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.0	0.0	0.7	100.0	0.7	100.0
Risk	MSM	0.7	100.0	0.0	0.0	0.7	66.7	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.7	100.0	0.7	100.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	3	3
1987	0	1	0	0	0
1988	0	4	0	1	1
1989	0	3	0	2	2
1990	0	2	0	1	1
1991	0	1	0	1	1
1992	0	2	0	4	4
1993	0	3	0	2	2
1994	0	2	0	1	1
1995	0	6	0	1	1
1996	0	1	0	2	2
1997	0	1	0	2	2
2000	1	1	0	0	0
2001	1	0	0	0	0
2002	2	2	0	2	2
2003	3	1	0	0	0
2004	1	0	1	0	1
2005	0	1	0	1	1
2006	0	1	0	1	1
2007	0	0	2	0	2
2008	0	1	0	0	0
2009	2	0	0	0	0
2010	2	1	0	0	0
2011	1	0	0	0	0
2012	1	2	0	0	0
2013	1	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		19	100.0	36.8	23	100.0	44.5	42	100.0	81.3	51,688
Sex at Birth	Male	15	78.9	.	18	78.3	.	33	78.6	.	.
	Female	4	21.1	.	5	21.7	.	9	21.4	.	.
Current Age	20-24	1	5.3	.	0	0.0	.	1	2.4	.	.
	25-29	2	10.5	.	0	0.0	.	2	4.8	.	.
	30-39	1	5.3	.	4	17.4	.	5	11.9	.	.
	40-49	6	31.6	.	8	34.8	.	14	33.3	.	.
	50-59	5	26.3	.	8	34.8	.	13	31.0	.	.
	60+	4	21.1	.	3	13.0	.	7	16.7	.	.
Race/Ethnicity	White Not-Hispanic	12	63.2	.	15	65.2	.	27	64.3	.	.
	Black Not-Hispanic	1	5.3	.	0	0.0	.	1	2.4	.	.
	Hispanic	5	26.3	.	5	21.7	.	10	23.8	.	.
	Multi Race	0	0.0	.	2	8.7	.	2	4.8	.	.
	Others	1	5.3	.	1	4.3	.	2	4.8	.	.
Risk	MSM	9	47.4	.	14	60.9	.	23	54.8	.	.
	IDU	3	15.8	.	3	13.0	.	6	14.3	.	.
	MSM/IDU	0	0.0	.	1	4.3	.	1	2.4	.	.
	Heterosexual	3	15.8	.	4	17.4	.	7	16.7	.	.
	Fem Pres Het Cont	1	5.3	.	1	4.3	.	2	4.8	.	.
	Unk	3	15.8	.	0	0.0	.	3	7.1	.	.

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		15	100.0	4	100.0	19	100.0	18	100.0	5	100.0	23	100.0	33	100.0	9	100.0	42	100.0
Risk	MSM	9	60.0	0	0.0	9	47.4	14	77.8	0	0.0	14	60.9	23	69.7	0	0.0	23	54.8
	IDU	3	20.0	0	0.0	3	15.8	1	5.6	2	40.0	3	13.0	4	12.1	2	22.2	6	14.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	4.3	1	3.0	0	0.0	1	2.4
	Heterosexual	0	0.0	3	75.0	3	15.8	2	11.1	2	40.0	4	17.4	2	6.1	5	55.6	7	16.7
	Fem Pres Het Cont	0	0.0	1	25.0	1	5.3	0	0.0	1	20.0	1	4.3	0	0.0	2	22.2	2	4.8
	Unk	3	20.0	0	0.0	3	15.8	0	0.0	0	0.0	0	0.0	3	9.1	0	0.0	3	7.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	6.4	1.0	100.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	3.0	90.0	.	1.0	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	20.0	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	30.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	20.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	10.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	10.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.3	70.0	.	1.0	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	0.3	100.0	3.3	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	2.3	77.8	0.0	0.0	2.3	70.0	1.0	100.0	0.0	0.0	1.0	100.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	22.2	0.0	0.0	0.7	20.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	0	0	1	1
1988	0	1	0	1	1
1989	0	1	0	1	1
1991	0	4	0	1	1
1992	0	1	0	1	1
1993	0	1	0	2	2
1994	0	4	0	2	2
1995	0	5	0	2	2
1996	0	3	0	1	1
1997	0	3	0	1	1
2000	2	2	0	0	0
2001	4	3	0	1	1
2002	0	1	0	2	2
2003	1	0	0	0	0
2004	3	2	1	1	2
2006	0	2	0	1	1
2007	1	1	0	0	0
2008	0	1	0	0	0
2009	3	2	0	2	2
2010	1	1	0	0	0
2011	2	2	0	0	0
2012	1	1	0	0	0
2013	7	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		37	100.0	67.8	36	100.0	66.0	73	100.0	133.7	54,586
Sex at Birth	Male	23	62.2	.	29	80.6	.	52	71.2	.	.
	Female	14	37.8	.	7	19.4	.	21	28.8	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.7	.	2	5.6	.	3	4.1	.	.
	25-29	4	10.8	.	0	0.0	.	4	5.5	.	.
	30-39	5	13.5	.	6	16.7	.	11	15.1	.	.
	40-49	14	37.8	.	8	22.2	.	22	30.1	.	.
	50-59	8	21.6	.	11	30.6	.	19	26.0	.	.
	60+	5	13.5	.	9	25.0	.	14	19.2	.	.
Race/Ethnicity	White Not-Hispanic	23	62.2	.	24	66.7	.	47	64.4	.	.
	Black Not-Hispanic	1	2.7	.	3	8.3	.	4	5.5	.	.
	Hispanic	10	27.0	.	5	13.9	.	15	20.5	.	.
	Multi Race	3	8.1	.	2	5.6	.	5	6.8	.	.
	Others	0	0.0	.	2	5.6	.	2	2.7	.	.
Risk	MSM	14	37.8	.	16	44.4	.	30	41.1	.	.
	IDU	6	16.2	.	2	5.6	.	8	11.0	.	.
	MSM/IDU	0	0.0	.	1	2.8	.	1	1.4	.	.
	Heterosexual	11	29.7	.	5	13.9	.	16	21.9	.	.
	Fem Pres Het Cont	3	8.1	.	3	8.3	.	6	8.2	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	5.6	.	2	2.7	.	.
	Unk	3	8.1	.	7	19.4	.	10	13.7	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		23	100.0	14	100.0	37	100.0	29	100.0	7	100.0	36	100.0	52	100.0	21	100.0	73	100.0
Risk	MSM	14	60.9	0	0.0	14	37.8	16	55.2	0	0.0	16	44.4	30	57.7	0	0.0	30	41.1
	IDU	3	13.0	3	21.4	6	16.2	2	6.9	0	0.0	2	5.6	5	9.6	3	14.3	8	11.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	1	2.8	1	1.9	0	0.0	1	1.4
	Heterosexual	3	13.0	8	57.1	11	29.7	3	10.3	2	28.6	5	13.9	6	11.5	10	47.6	16	21.9
	Fem Pres Het Cont	0	0.0	3	21.4	3	8.1	0	0.0	3	42.9	3	8.3	0	0.0	6	28.6	6	8.2
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	5.6	0	0.0	2	9.5	2	2.7
	Unk	3	13.0	0	0.0	3	8.1	7	24.1	0	0.0	7	19.4	10	19.2	0	0.0	10	13.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	6.1	2.0	100.0	3.7	0.7	100.0	0.7	100.0	1.3	100.0
Sex at Birth	Male	2.7	80.0	.	2.0	100.0	.	0.3	50.0	0.3	50.0	0.7	50.0
	Female	0.7	20.0	.	0.0	0.0	.	0.3	50.0	0.3	50.0	0.7	50.0
Age at Diagnosis	13-19	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	40.0	.	1.0	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	40.0	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	25.0
	50-59	0.3	10.0	.	0.3	16.7	.	0.7	100.0	0.3	50.0	1.0	75.0
	60+	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	1.3	66.7	.	0.3	50.0	0.7	100.0	1.0	75.0
	Black Not-Hispanic	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	1.3	40.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	16.7	.	0.3	50.0	0.0	0.0	0.3	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	30.0	.	1.0	50.0	.	0.3	50.0	0.3	50.0	0.7	50.0
	IDU	1.3	40.0	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	25.0
	Fem Pres Het Cont	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	10.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.0	37.5	0.0	0.0	1.0	30.0	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	1.0	37.5	0.3	50.0	1.3	40.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	Heterosexual	0.3	12.5	0.0	0.0	0.3	10.0	0.3	16.7	0.0	0.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	0.0	0.0	0.3	10.0	0.3	16.7	0.0	0.0	0.3	16.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1988	0	3	0	1	1
1989	0	0	0	1	1
1990	0	2	0	0	0
1991	0	4	0	3	3
1992	0	4	0	2	2
1993	0	1	0	1	1
1994	0	2	0	4	4
1995	0	3	0	1	1
1996	0	1	0	0	0
1997	0	1	0	1	1
1998	0	4	0	0	0
1999	0	3	0	1	1
2000	2	2	1	0	1
2001	2	1	1	1	2
2002	1	1	0	0	0
2003	3	2	0	1	1
2004	4	4	0	0	0
2005	2	1	1	1	2
2006	0	3	0	0	0
2007	3	2	0	1	1
2008	5	4	1	1	2
2009	1	1	0	0	0
2010	4	1	0	0	0
2011	5	3	0	1	1
2012	3	2	0	1	1
2013	2	1	2	0	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		23	100.0	38.7	30	100.0	50.5	53	100.0	89.1	59,454
Sex at Birth	Male	17	73.9	.	26	86.7	.	43	81.1	.	.
	Female	6	26.1	.	4	13.3	.	10	18.9	.	.
Current Age	20-24	2	8.7	.	0	0.0	.	2	3.8	.	.
	25-29	0	0.0	.	1	3.3	.	1	1.9	.	.
	30-39	7	30.4	.	5	16.7	.	12	22.6	.	.
	40-49	4	17.4	.	7	23.3	.	11	20.8	.	.
	50-59	8	34.8	.	13	43.3	.	21	39.6	.	.
	60+	2	8.7	.	4	13.3	.	6	11.3	.	.
Race/Ethnicity	White Not-Hispanic	11	47.8	.	15	50.0	.	26	49.1	.	.
	Black Not-Hispanic	4	17.4	.	4	13.3	.	8	15.1	.	.
	Hispanic	4	17.4	.	9	30.0	.	13	24.5	.	.
	Multi Race	3	13.0	.	2	6.7	.	5	9.4	.	.
	Others	1	4.3	.	0	0.0	.	1	1.9	.	.
Risk	MSM	8	34.8	.	11	36.7	.	19	35.8	.	.
	IDU	4	17.4	.	7	23.3	.	11	20.8	.	.
	MSM/IDU	1	4.3	.	2	6.7	.	3	5.7	.	.
	Heterosexual	5	21.7	.	5	16.7	.	10	18.9	.	.
	Fem Pres Het Cont	2	8.7	.	0	0.0	.	2	3.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	3.3	.	1	1.9	.	.
	Unk	3	13.0	.	4	13.3	.	7	13.2	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	6	100.0	23	100.0	26	100.0	4	100.0	30	100.0	43	100.0	10	100.0	53	100.0
Risk	MSM	8	47.1	0	0.0	8	34.8	11	42.3	0	0.0	11	36.7	19	44.2	0	0.0	19	35.8
	IDU	4	23.5	0	0.0	4	17.4	5	19.2	2	50.0	7	23.3	9	20.9	2	20.0	11	20.8
	MSM/IDU	1	5.9	0	0.0	1	4.3	2	7.7	0	0.0	2	6.7	3	7.0	0	0.0	3	5.7
	Heterosexual	1	5.9	4	66.7	5	21.7	4	15.4	1	25.0	5	16.7	5	11.6	5	50.0	10	18.9
	Fem Pres Het Cont	0	0.0	2	33.3	2	8.7	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	3.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	1	3.3	0	0.0	1	10.0	1	1.9
	Unk	3	17.6	0	0.0	3	13.0	4	15.4	0	0.0	4	13.3	7	16.3	0	0.0	7	13.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.5	2.0	100.0	3.4	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.3	87.5	.	1.3	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	0.3	12.5	.	0.7	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	20-24	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	37.5	.	1.0	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	50-59	0.7	25.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.7	62.5	.	1.3	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Hispanic	1.0	37.5	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	37.5	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Heterosexual	0.7	25.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	37.5	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.3	100.0	0.7	100.0	2.0	100.0
Risk	MSM	1.0	42.9	0.0	0.0	1.0	37.5	0.7	50.0	0.0	0.0	0.7	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	14.3	0.3	100.0	0.7	25.0	0.3	25.0	0.3	50.0	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	42.9	0.0	0.0	1.0	37.5	0.3	25.0	0.0	0.0	0.3	16.7

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	1	0	0	0
1988	0	1	0	1	1
1989	0	1	0	3	3
1990	0	4	0	1	1
1991	0	3	0	3	3
1992	0	4	0	3	3
1993	0	2	0	2	2
1994	0	4	0	2	2
1995	0	5	0	1	1
1996	0	1	0	2	2
1997	0	1	0	0	0
1998	0	2	0	1	1
1999	0	5	0	1	1
2000	1	2	0	0	0
2001	6	2	0	0	0
2002	5	3	0	2	2
2003	3	1	0	0	0
2005	1	1	0	2	2
2006	3	0	0	1	1
2007	2	3	0	0	0
2008	1	3	0	0	0
2009	2	2	0	1	1
2010	4	1	1	1	2
2011	4	4	0	1	1
2012	0	0	0	1	1
2013	4	2	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		34	100.0	70.2	41	100.0	84.6	75	100.0	154.8	48,455
Sex at Birth	Male	25	73.5	.	31	75.6	.	56	74.7	.	.
	Female	9	26.5	.	10	24.4	.	19	25.3	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	2.4	.	1	1.3	.	.
	25-29	1	2.9	.	1	2.4	.	2	2.7	.	.
	30-39	3	8.8	.	3	7.3	.	6	8.0	.	.
	40-49	12	35.3	.	7	17.1	.	19	25.3	.	.
	50-59	13	38.2	.	20	48.8	.	33	44.0	.	.
	60+	5	14.7	.	9	22.0	.	14	18.7	.	.
Race/Ethnicity	White Not-Hispanic	25	73.5	.	29	70.7	.	54	72.0	.	.
	Black Not-Hispanic	3	8.8	.	2	4.9	.	5	6.7	.	.
	Hispanic	5	14.7	.	5	12.2	.	10	13.3	.	.
	Multi Race	1	2.9	.	5	12.2	.	6	8.0	.	.
Risk	MSM	19	55.9	.	19	46.3	.	38	50.7	.	.
	IDU	2	5.9	.	4	9.8	.	6	8.0	.	.
	MSM/IDU	0	0.0	.	2	4.9	.	2	2.7	.	.
	Heterosexual	8	23.5	.	9	22.0	.	17	22.7	.	.
	Fem Pres Het Cont	3	8.8	.	3	7.3	.	6	8.0	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	2.4	.	1	1.3	.	.
	Unk	2	5.9	.	3	7.3	.	5	6.7	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25	100.0	9	100.0	34	100.0	31	100.0	10	100.0	41	100.0	56	100.0	19	100.0	75	100.0
Risk	MSM	19	76.0	0	0.0	19	55.9	19	61.3	0	0.0	19	46.3	38	67.9	0	0.0	38	50.7
	IDU	2	8.0	0	0.0	2	5.9	4	12.9	0	0.0	4	9.8	6	10.7	0	0.0	6	8.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0	2	4.9	2	3.6	0	0.0	2	2.7
	Heterosexual	2	8.0	6	66.7	8	23.5	2	6.5	7	70.0	9	22.0	4	7.1	13	68.4	17	22.7
	Fem Pres Het Cont	0	0.0	3	33.3	3	8.8	0	0.0	3	30.0	3	7.3	0	0.0	6	31.6	6	8.0
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0	1	2.4	1	1.8	0	0.0	1	1.3
	Unk	2	8.0	0	0.0	2	5.9	3	9.7	0	0.0	3	7.3	5	8.9	0	0.0	5	6.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	3.4	1.7	100.0	3.4	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	1.3	80.0	.	0.7	40.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Female	0.3	20.0	.	1.0	60.0	.	0.0	0.0	0.7	50.0	0.7	50.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	40.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	60+	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.3	25.0	0.3	25.0
Race/Ethnicity	White Not-Hispanic	1.0	60.0	.	1.0	60.0	.	0.0	0.0	1.3	100.0	1.3	100.0
	Black Not-Hispanic	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	80.0	.	0.7	40.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.7	40.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Fem Pres Het Cont	0.3	20.0	.	0.3	20.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.3	100.0	1.7	100.0	0.7	100.0	1.0	100.0	1.7	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	80.0	0.7	100.0	0.0	0.0	0.7	40.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	66.7	0.7	40.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	20.0	0.0	0.0	0.3	33.3	0.3	20.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	2	0	1	1
1988	0	4	0	2	2
1989	0	4	0	5	5
1990	0	2	0	0	0
1991	0	5	0	1	1
1992	0	6	0	4	4
1993	0	5	0	1	1
1994	0	4	0	6	6
1995	0	7	0	2	2
1996	0	3	0	2	2
1997	0	3	0	1	1
1998	0	2	0	1	1
1999	0	5	0	0	0
2000	2	2	0	5	5
2001	6	4	0	2	2
2002	2	3	0	1	1
2003	2	7	0	0	0
2004	3	3	0	3	3
2005	1	1	1	2	3
2006	3	3	0	1	1
2007	5	2	0	0	0
2008	3	4	0	3	3
2009	5	1	0	2	2
2010	0	4	0	1	1
2011	0	1	0	1	1
2012	4	2	0	1	1
2013	1	2	0	2	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		22	100.0	34.3	28	100.0	43.6	50	100.0	77.9	64,181
Sex at Birth	Male	17	77.3	.	23	82.1	.	40	80.0	.	.
	Female	5	22.7	.	5	17.9	.	10	20.0	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	3	13.6	.	4	14.3	.	7	14.0	.	.
	30-39	4	18.2	.	0	0.0	.	4	8.0	.	.
	40-49	7	31.8	.	10	35.7	.	17	34.0	.	.
	50-59	5	22.7	.	8	28.6	.	13	26.0	.	.
	60+	3	13.6	.	6	21.4	.	9	18.0	.	.
Race/Ethnicity	White Not-Hispanic	17	77.3	.	16	57.1	.	33	66.0	.	.
	Black Not-Hispanic	2	9.1	.	3	10.7	.	5	10.0	.	.
	Hispanic	2	9.1	.	2	7.1	.	4	8.0	.	.
	Multi Race	1	4.5	.	5	17.9	.	6	12.0	.	.
	Others	0	0.0	.	2	7.1	.	2	4.0	.	.
Risk	MSM	15	68.2	.	13	46.4	.	28	56.0	.	.
	IDU	1	4.5	.	3	10.7	.	4	8.0	.	.
	MSM/IDU	0	0.0	.	1	3.6	.	1	2.0	.	.
	Heterosexual	3	13.6	.	4	14.3	.	7	14.0	.	.
	Fem Pres Het Cont	2	9.1	.	3	10.7	.	5	10.0	.	.
	Pediatric Risk	0	0.0	.	1	3.6	.	1	2.0	.	.
	Unk	1	4.5	.	3	10.7	.	4	8.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	5	100.0	22	100.0	23	100.0	5	100.0	28	100.0	40	100.0	10	100.0	50	100.0
Risk	MSM	15	88.2	0	0.0	15	68.2	13	56.5	0	0.0	13	46.4	28	70.0	0	0.0	28	56.0
	IDU	1	5.9	0	0.0	1	4.5	3	13.0	0	0.0	3	10.7	4	10.0	0	0.0	4	8.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0	1	3.6	1	2.5	0	0.0	1	2.0
	Heterosexual	0	0.0	3	60.0	3	13.6	2	8.7	2	40.0	4	14.3	2	5.0	5	50.0	7	14.0
	Fem Pres Het Cont	0	0.0	2	40.0	2	9.1	0	0.0	3	60.0	3	10.7	0	0.0	5	50.0	5	10.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0	1	3.6	1	2.5	0	0.0	1	2.0
	Unk	1	5.9	0	0.0	1	4.5	3	13.0	0	0.0	3	10.7	4	10.0	0	0.0	4	8.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.6	1.0	100.0	1.6	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	1.7	71.4	.	1.0	100.0	.	0.7	100.0	0.7	66.7	1.3	80.0
	Female	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	28.6	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	42.9	.	0.7	66.7	.	0.3	50.0	0.3	33.3	0.7	40.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	33.3	0.7	40.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	0.7	66.7	.	0.3	50.0	0.3	33.3	0.7	40.0
	Black Not-Hispanic	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Hispanic	0.3	14.3	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	20.0
	Multi Race	0.3	14.3	.	0.3	33.3	.	0.0	0.0	0.3	33.3	0.3	20.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	57.1	.	0.7	66.7	.	0.3	50.0	0.7	66.7	1.0	60.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	14.3	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Fem Pres Het Cont	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	1.3	80.0	0.0	0.0	1.3	57.1	0.7	66.7	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	14.3	0.3	33.3	0.0	0.0	0.3	33.3
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	100.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1988	0	3	0	2	2
1989	0	3	0	1	1
1990	0	1	0	1	1
1991	0	5	0	1	1
1992	0	1	0	4	4
1993	0	2	0	3	3
1994	0	2	0	0	0
1995	0	5	0	2	2
1996	0	3	0	2	2
1998	0	2	0	0	0
1999	0	1	0	0	0
2000	1	0	0	0	0
2001	2	2	0	0	0
2002	2	0	0	0	0
2003	3	2	1	1	2
2004	0	1	1	2	3
2005	2	4	0	1	1
2006	2	2	0	0	0
2007	1	2	0	0	0
2008	2	0	0	0	0
2010	6	5	0	0	0
2011	4	3	0	1	1
2012	2	0	1	1	2
2013	1	0	1	1	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		33	100.0	27.6	54	100.0	45.2	87	100.0	72.8	119,504
Sex at Birth	Male	19	57.6	.	34	63.0	.	53	60.9	.	.
	Female	14	42.4	.	20	37.0	.	34	39.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	3.0	.	1	1.9	.	2	2.3	.	.
	25-29	2	6.1	.	0	0.0	.	2	2.3	.	.
	30-39	11	33.3	.	8	14.8	.	19	21.8	.	.
	40-49	11	33.3	.	19	35.2	.	30	34.5	.	.
	50-59	6	18.2	.	18	33.3	.	24	27.6	.	.
	60+	2	6.1	.	8	14.8	.	10	11.5	.	.
Race/Ethnicity	White Not-Hispanic	14	42.4	.	34	63.0	.	48	55.2	.	.
	Black Not-Hispanic	10	30.3	.	9	16.7	.	19	21.8	.	.
	Hispanic	5	15.2	.	6	11.1	.	11	12.6	.	.
	Multi Race	3	9.1	.	4	7.4	.	7	8.0	.	.
	Others	1	3.0	.	1	1.9	.	2	2.3	.	.
Risk	MSM	11	33.3	.	16	29.6	.	27	31.0	.	.
	IDU	2	6.1	.	8	14.8	.	10	11.5	.	.
	MSM/IDU	1	3.0	.	2	3.7	.	3	3.4	.	.
	Heterosexual	10	30.3	.	13	24.1	.	23	26.4	.	.
	Fem Pres Het Cont	5	15.2	.	6	11.1	.	11	12.6	.	.
	Blood Prod	0	0.0	.	1	1.9	.	1	1.1	.	.
	Pediatric Risk	0	0.0	.	1	1.9	.	1	1.1	.	.
	Unk	4	12.1	.	7	13.0	.	11	12.6	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	14	100.0	33	100.0	34	100.0	20	100.0	54	100.0	53	100.0	34	100.0	87	100.0
Risk	MSM	11	57.9	0	0.0	11	33.3	16	47.1	0	0.0	16	29.6	27	50.9	0	0.0	27	31.0
	IDU	1	5.3	1	7.1	2	6.1	7	20.6	1	5.0	8	14.8	8	15.1	2	5.9	10	11.5
	MSM/IDU	1	5.3	0	0.0	1	3.0	2	5.9	0	0.0	2	3.7	3	5.7	0	0.0	3	3.4
	Heterosexual	2	10.5	8	57.1	10	30.3	1	2.9	12	60.0	13	24.1	3	5.7	20	58.8	23	26.4
	Fem Pres Het Cont	0	0.0	5	35.7	5	15.2	0	0.0	6	30.0	6	11.1	0	0.0	11	32.4	11	12.6
	Blood Prod	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0	1	1.9	1	1.9	0	0.0	1	1.1
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	1	1.9	0	0.0	1	2.9	1	1.1
	Unk	4	21.1	0	0.0	4	12.1	7	20.6	0	0.0	7	13.0	11	20.8	0	0.0	11	12.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	4.2	2.0	100.0	1.7	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	3.0	60.0	.	1.0	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Female	2.0	40.0	.	1.0	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	13.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	26.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	26.7	.	1.0	50.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	50-59	1.0	20.0	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	33.3
	60+	0.3	6.7	.	0.3	16.7	.	0.3	100.0	0.0	0.0	0.3	33.3
Race/Ethnicity	White Not-Hispanic	2.3	46.7	.	1.3	66.7	.	0.3	100.0	0.7	100.0	1.0	100.0
	Black Not-Hispanic	1.7	33.3	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	13.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	6.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	33.3	.	1.0	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	IDU	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	13.3	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.3	26.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	2.0	100.0	5.0	100.0	1.0	100.0	1.0	100.0	2.0	100.0
Risk	MSM	1.7	55.6	0.0	0.0	1.7	33.3	1.0	100.0	0.0	0.0	1.0	50.0
	IDU	0.3	11.1	0.0	0.0	0.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	33.3	0.7	13.3	0.0	0.0	0.7	66.7	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	1.3	66.7	1.3	26.7	0.0	0.0	0.3	33.3	0.3	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	33.3	0.0	0.0	1.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	3	0	3	3
1988	0	1	0	1	1
1989	0	3	0	0	0
1990	0	2	0	2	2
1991	0	1	0	1	1
1992	0	7	0	3	3
1993	0	10	0	3	3
1994	0	6	0	2	2
1995	0	4	0	7	7
1996	0	4	0	4	4
1997	0	1	0	1	1
1998	0	4	0	2	2
1999	0	3	0	2	2
2000	4	4	0	0	0
2001	2	2	0	1	1
2002	3	2	0	0	0
2003	4	3	0	1	1
2004	2	0	0	2	2
2005	3	3	0	1	1
2006	3	6	0	1	1
2007	3	4	0	2	2
2008	4	2	0	0	0
2009	1	5	0	0	0
2010	9	8	0	0	0
2011	3	2	1	1	2
2012	4	2	0	0	0
2013	8	2	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		5	100.0	18.4	1	100.0	3.7	6	100.0	22.1	27,149
Sex at Birth	Male	3	60.0	.	1	100.0	.	4	66.7	.	.
	Female	2	40.0	.	0	0.0	.	2	33.3	.	.
Current Age	20-24	1	20.0	.	0	0.0	.	1	16.7	.	.
	40-49	1	20.0	.	1	100.0	.	2	33.3	.	.
	50-59	2	40.0	.	0	0.0	.	2	33.3	.	.
	60+	1	20.0	.	0	0.0	.	1	16.7	.	.
Race/Ethnicity	White Not-Hispanic	4	80.0	.	1	100.0	.	5	83.3	.	.
	Black Not-Hispanic	1	20.0	.	0	0.0	.	1	16.7	.	.
Risk	MSM	3	60.0	.	0	0.0	.	3	50.0	.	.
	Heterosexual	1	20.0	.	1	100.0	.	2	33.3	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	16.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	1	100.0	0	0.0	1	100.0	4	100.0	2	100.0	6	100.0
Risk	MSM	3	100.0	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	3	75.0	0	0.0	3	50.0
	Heterosexual	0	0.0	1	50.0	1	20.0	1	100.0	0	0.0	1	100.0	1	25.0	1	50.0	2	33.3
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	16.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
2001	1	0	0	0	0
2003	1	1	0	0	0
2009	0	0	0	1	1
2012	1	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		19	100.0	29.4	33	100.0	51.0	52	100.0	80.4	64,705
Sex at Birth	Male	14	73.7	.	22	66.7	.	36	69.2	.	.
	Female	5	26.3	.	11	33.3	.	16	30.8	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	2	6.1	.	2	3.8	.	.
	25-29	0	0.0	.	1	3.0	.	1	1.9	.	.
	30-39	2	10.5	.	3	9.1	.	5	9.6	.	.
	40-49	10	52.6	.	10	30.3	.	20	38.5	.	.
	50-59	2	10.5	.	12	36.4	.	14	26.9	.	.
	60+	5	26.3	.	5	15.2	.	10	19.2	.	.
Race/Ethnicity	White Not-Hispanic	15	78.9	.	24	72.7	.	39	75.0	.	.
	Black Not-Hispanic	1	5.3	.	1	3.0	.	2	3.8	.	.
	Hispanic	2	10.5	.	6	18.2	.	8	15.4	.	.
	Multi Race	1	5.3	.	1	3.0	.	2	3.8	.	.
	Others	0	0.0	.	1	3.0	.	1	1.9	.	.
Risk	MSM	8	42.1	.	13	39.4	.	21	40.4	.	.
	IDU	0	0.0	.	2	6.1	.	2	3.8	.	.
	MSM/IDU	2	10.5	.	1	3.0	.	3	5.8	.	.
	Heterosexual	2	10.5	.	9	27.3	.	11	21.2	.	.
	Fem Pres Het Cont	3	15.8	.	3	9.1	.	6	11.5	.	.
	Blood Prod	0	0.0	.	1	3.0	.	1	1.9	.	.
	Pediatric Risk	0	0.0	.	1	3.0	.	1	1.9	.	.
	Unk	4	21.1	.	3	9.1	.	7	13.5	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	5	100.0	19	100.0	22	100.0	11	100.0	33	100.0	36	100.0	16	100.0	52	100.0
Risk	MSM	8	57.1	0	0.0	8	42.1	13	59.1	0	0.0	13	39.4	21	58.3	0	0.0	21	40.4
	IDU	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0	2	6.1	2	5.6	0	0.0	2	3.8
	MSM/IDU	2	14.3	0	0.0	2	10.5	1	4.5	0	0.0	1	3.0	3	8.3	0	0.0	3	5.8
	Heterosexual	0	0.0	2	40.0	2	10.5	2	9.1	7	63.6	9	27.3	2	5.6	9	56.3	11	21.2
	Fem Pres Het Cont	0	0.0	3	60.0	3	15.8	0	0.0	3	27.3	3	9.1	0	0.0	6	37.5	6	11.5
	Blood Prod	0	0.0	0	0.0	0	0.0	1	4.5	0	0.0	1	3.0	1	2.8	0	0.0	1	1.9
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	1	3.0	0	0.0	1	6.3	1	1.9
	Unk	4	28.6	0	0.0	4	21.1	3	13.6	0	0.0	3	9.1	7	19.4	0	0.0	7	13.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	1.5	2.0	100.0	3.1	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	0.3	33.3	.	0.3	16.7	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.7	66.7	.	1.7	83.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	33.3	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	40-49	0.7	66.7	.	1.3	66.7	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.7	66.7	.	1.7	83.3	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.3	33.3	.	0.3	16.7	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	MSM/IDU	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	66.7	.	1.3	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.7	100.0	1.0	100.0	0.3	100.0	1.7	100.0	2.0	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	16.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	100.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	100.0	0.7	66.7	0.0	0.0	1.3	80.0	1.3	66.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.3	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1987	0	2	0	2	2
1988	0	6	0	1	1
1989	0	3	0	0	0
1990	0	2	0	3	3
1991	0	5	0	2	2
1992	0	2	0	4	4
1993	0	6	0	4	4
1994	0	7	0	1	1
1995	0	3	0	2	2
1996	0	0	0	3	3
1997	0	2	0	1	1
1998	0	3	0	1	1
1999	0	2	0	1	1
2000	2	1	0	1	1
2001	7	4	0	2	2
2002	0	2	0	1	1
2003	3	2	0	0	0
2004	1	0	0	0	0
2005	1	1	1	1	2
2006	1	2	1	0	1
2007	3	4	0	0	0
2008	1	2	0	1	1
2009	4	1	0	2	2
2010	2	1	1	0	1
2011	2	2	0	1	1
2012	0	1	0	0	0
2013	1	3	0	2	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		23	100.0	31.8	18	100.0	24.9	41	100.0	56.6	72,382
Sex at Birth	Male	19	82.6	.	11	61.1	.	30	73.2	.	.
	Female	4	17.4	.	7	38.9	.	11	26.8	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	4	17.4	.	0	0.0	.	4	9.8	.	.
	30-39	3	13.0	.	2	11.1	.	5	12.2	.	.
	40-49	9	39.1	.	7	38.9	.	16	39.0	.	.
	50-59	6	26.1	.	6	33.3	.	12	29.3	.	.
	60+	1	4.3	.	3	16.7	.	4	9.8	.	.
Race/Ethnicity	White Not-Hispanic	16	69.6	.	13	72.2	.	29	70.7	.	.
	Black Not-Hispanic	5	21.7	.	0	0.0	.	5	12.2	.	.
	Hispanic	2	8.7	.	2	11.1	.	4	9.8	.	.
	Multi Race	0	0.0	.	2	11.1	.	2	4.9	.	.
	Others	0	0.0	.	1	5.6	.	1	2.4	.	.
Risk	MSM	15	65.2	.	7	38.9	.	22	53.7	.	.
	IDU	0	0.0	.	3	16.7	.	3	7.3	.	.
	MSM/IDU	0	0.0	.	2	11.1	.	2	4.9	.	.
	Heterosexual	2	8.7	.	4	22.2	.	6	14.6	.	.
	Fem Pres Het Cont	2	8.7	.	1	5.6	.	3	7.3	.	.
	Blood Prod	0	0.0	.	1	5.6	.	1	2.4	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	4	17.4	.	0	0.0	.	4	9.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	4	100.0	23	100.0	11	100.0	7	100.0	18	100.0	30	100.0	11	100.0	41	100.0
Risk	MSM	15	78.9	0	0.0	15	65.2	7	63.6	0	0.0	7	38.9	22	73.3	0	0.0	22	53.7
	IDU	0	0.0	0	0.0	0	0.0	1	9.1	2	28.6	3	16.7	1	3.3	2	18.2	3	7.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	18.2	0	0.0	2	11.1	2	6.7	0	0.0	2	4.9
	Heterosexual	0	0.0	2	50.0	2	8.7	0	0.0	4	57.1	4	22.2	0	0.0	6	54.5	6	14.6
	Fem Pres Het Cont	0	0.0	2	50.0	2	8.7	0	0.0	1	14.3	1	5.6	0	0.0	3	27.3	3	7.3
	Blood Prod	0	0.0	0	0.0	0	0.0	1	9.1	0	0.0	1	5.6	1	3.3	0	0.0	1	2.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	4	21.1	0	0.0	4	17.4	0	0.0	0	0.0	0	0.0	4	13.3	0	0.0	4	9.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	2.8	1.0	100.0	1.4	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	1.7	83.3	.	1.0	100.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Female	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	16.7	.	0.7	66.7	.	0.3	100.0	0.7	100.0	1.0	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	50.0	.	0.7	66.7	.	0.0	0.0	0.7	100.0	0.7	66.7
	Black Not-Hispanic	0.7	33.3	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Hispanic	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	83.3	.	0.7	66.7	.	0.3	100.0	0.7	100.0	1.0	100.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	83.3	0.7	66.7	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	33.3
	Heterosexual	0.0	0.0	0.3	100.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1988	0	1	0	1	1
1989	0	1	0	1	1
1990	0	5	0	1	1
1991	0	4	0	2	2
1992	0	0	0	1	1
1993	0	6	0	2	2
1994	0	0	0	2	2
1995	0	2	0	3	3
1996	0	2	0	1	1
1997	0	3	0	1	1
1998	0	3	0	0	0
1999	0	0	0	1	1
2000	1	4	0	0	0
2001	1	0	0	1	1
2002	0	0	0	1	1
2003	2	0	0	0	0
2004	2	1	0	1	1
2005	3	2	0	3	3
2006	4	1	0	0	0
2008	2	1	0	1	1
2009	2	1	0	0	0
2010	2	3	0	1	1
2011	2	1	0	1	1
2012	1	2	1	1	2
2013	3	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		991	100.0	132.2	1,212	100.0	161.7	2,203	100.0	293.9	749,606
Sex at Birth	Male	731	73.8	.	843	69.6	.	1,574	71.4	.	.
	Female	260	26.2	.	369	30.4	.	629	28.6	.	.
Current Age	12 & under	3	0.3	.	1	0.1	.	4	0.2	.	.
	13-19	11	1.1	.	4	0.3	.	15	0.7	.	.
	20-24	57	5.8	.	23	1.9	.	80	3.6	.	.
	25-29	94	9.5	.	36	3.0	.	130	5.9	.	.
	30-39	184	18.6	.	97	8.0	.	281	12.8	.	.
	40-49	256	25.8	.	350	28.9	.	606	27.5	.	.
	50-59	257	25.9	.	471	38.9	.	728	33.0	.	.
	60+	129	13.0	.	230	19.0	.	359	16.3	.	.
Race/Ethnicity	White Not-Hispanic	351	35.4	.	407	33.6	.	758	34.4	.	.
	Black Not-Hispanic	406	41.0	.	509	42.0	.	915	41.5	.	.
	Hispanic	162	16.3	.	195	16.1	.	357	16.2	.	.
	Multi Race	66	6.7	.	100	8.3	.	166	7.5	.	.
	Others	6	0.6	.	1	0.1	.	7	0.3	.	.
Risk	MSM	497	50.2	.	462	38.1	.	959	43.5	.	.
	IDU	95	9.6	.	223	18.4	.	318	14.4	.	.
	MSM/IDU	27	2.7	.	55	4.5	.	82	3.7	.	.
	Heterosexual	150	15.1	.	205	16.9	.	355	16.1	.	.
	Fem Pres Het Cont	113	11.4	.	121	10.0	.	234	10.6	.	.
	Blood Prod	0	0.0	.	7	0.6	.	7	0.3	.	.
	Pediatric Risk	14	1.4	.	14	1.2	.	28	1.3	.	.
	Unk	95	9.6	.	125	10.3	.	220	10.0	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		731	100.0	260	100.0	991	100.0	843	100.0	369	100.0	1,212	100.0	1,574	100.0	629	100.0	2,203	100.0
Risk	MSM	497	68.0	0	0.0	497	50.2	462	54.8	0	0.0	462	38.1	959	60.9	0	0.0	959	43.5
	IDU	61	8.3	34	13.1	95	9.6	130	15.4	93	25.2	223	18.4	191	12.1	127	20.2	318	14.4
	MSM/IDU	27	3.7	0	0.0	27	2.7	55	6.5	0	0.0	55	4.5	82	5.2	0	0.0	82	3.7
	Heterosexual	47	6.4	103	39.6	150	15.1	58	6.9	147	39.8	205	16.9	105	6.7	250	39.7	355	16.1
	Fem Pres Het Cont	0	0.0	113	43.5	113	11.4	0	0.0	121	32.8	121	10.0	0	0.0	234	37.2	234	10.6
	Blood Prod	0	0.0	0	0.0	0	0.0	4	0.5	3	0.8	7	0.6	4	0.3	3	0.5	7	0.3
	Pediatric Risk	7	1.0	7	2.7	14	1.4	9	1.1	5	1.4	14	1.2	16	1.0	12	1.9	28	1.3
	Unk	92	12.6	3	1.2	95	9.6	125	14.8	0	0.0	125	10.3	217	13.8	3	0.5	220	10.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		84.3	100.0	11.3	49.0	100.0	6.5	7.3	100.0	30.0	100.0	37.3	100.0
Sex at Birth	Male	66.3	78.7	.	37.0	75.5	.	6.0	81.8	21.3	71.1	27.3	73.2
	Female	18.0	21.3	.	12.0	24.5	.	1.3	18.2	8.7	28.9	10.0	26.8
Age at Diagnosis	12 & under	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	5.9	.	1.3	2.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	14.7	17.4	.	5.7	11.6	.	0.0	0.0	0.3	1.1	0.3	0.9
	25-29	12.7	15.0	.	2.7	5.4	.	0.0	0.0	0.7	2.2	0.7	1.8
	30-39	17.0	20.2	.	9.7	19.7	.	0.0	0.0	2.0	6.7	2.0	5.4
	40-49	14.7	17.4	.	12.3	25.2	.	1.0	13.6	4.3	14.4	5.3	14.3
	50-59	12.0	14.2	.	11.0	22.4	.	3.7	50.0	11.7	38.9	15.3	41.1
	60+	7.7	9.1	.	6.3	12.9	.	2.7	36.4	11.0	36.7	13.7	36.6
Race/Ethnicity	White Not-Hispanic	25.3	30.0	.	15.0	30.6	.	2.3	31.8	9.0	30.0	11.3	30.4
	Black Not-Hispanic	37.7	44.7	.	21.3	43.5	.	3.7	50.0	13.7	45.6	17.3	46.4
	Hispanic	16.0	19.0	.	8.7	17.7	.	0.3	4.5	3.7	12.2	4.0	10.7
	Multi Race	4.7	5.5	.	4.0	8.2	.	1.0	13.6	3.3	11.1	4.3	11.6
	Others	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.3	1.1	0.3	0.9
Risk	MSM	46.7	55.3	.	21.0	42.9	.	2.0	27.3	8.3	27.8	10.3	27.7
	IDU	4.7	5.5	.	5.3	10.9	.	2.3	31.8	12.0	40.0	14.3	38.4
	MSM/IDU	1.7	2.0	.	2.3	4.8	.	1.0	13.6	0.7	2.2	1.7	4.5
	Heterosexual	11.0	13.0	.	7.0	14.3	.	0.3	4.5	1.7	5.6	2.0	5.4
	Fem Pres Het Cont	9.7	11.5	.	6.7	13.6	.	0.7	9.1	4.0	13.3	4.7	12.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	10.0	11.9	.	6.7	13.6	.	1.0	13.6	3.3	11.1	4.3	11.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		66.3	100.0	18.0	100.0	84.3	100.0	37.0	100.0	12.0	100.0	49.0	100.0
Risk	MSM	46.7	70.4	0.0	0.0	46.7	55.3	21.0	56.8	0.0	0.0	21.0	42.9
	IDU	3.0	4.5	1.7	9.3	4.7	5.5	4.3	11.7	1.0	8.3	5.3	10.9
	MSM/IDU	1.7	2.5	0.0	0.0	1.7	2.0	2.3	6.3	0.0	0.0	2.3	4.8
	Heterosexual	4.7	7.0	6.3	35.2	11.0	13.0	2.7	7.2	4.3	36.1	7.0	14.3
	Fem Pres Het Cont	0.0	0.0	9.7	53.7	9.7	11.5	0.0	0.0	6.7	55.6	6.7	13.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.5	0.3	1.9	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	10.0	15.1	0.0	0.0	10.0	11.9	6.7	18.0	0.0	0.0	6.7	13.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	63	0	34	34
1987	0	50	0	26	26
1988	0	72	0	31	31
1989	0	79	0	46	46
1990	0	89	0	50	50
1991	0	121	0	85	85
1992	0	162	0	96	96
1993	0	194	0	78	78
1994	0	202	0	115	115
1995	0	202	0	123	123
1996	0	138	0	97	97
1997	0	113	0	59	59
1998	0	80	0	46	46
1999	0	93	0	51	51
2000	82	79	1	52	53
2001	161	110	12	38	50
2002	114	94	6	46	52
2003	98	70	6	41	47
2004	99	79	7	54	61
2005	82	97	11	41	52
2006	77	78	9	42	51
2007	100	88	4	40	44
2008	89	73	9	37	46
2009	108	61	6	25	31
2010	81	42	12	27	39
2011	101	61	7	33	40
2012	75	44	9	31	40
2013	77	42	6	26	32

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		31	100.0	62.1	33	100.0	66.1	64	100.0	128.3	49,897
Sex at Birth	Male	18	58.1	.	18	54.5	.	36	56.3	.	.
	Female	13	41.9	.	15	45.5	.	28	43.8	.	.
Current Age	20-24	1	3.2	.	0	0.0	.	1	1.6	.	.
	25-29	2	6.5	.	0	0.0	.	2	3.1	.	.
	30-39	4	12.9	.	3	9.1	.	7	10.9	.	.
	40-49	11	35.5	.	16	48.5	.	27	42.2	.	.
	50-59	9	29.0	.	10	30.3	.	19	29.7	.	.
	60+	4	12.9	.	4	12.1	.	8	12.5	.	.
Race/Ethnicity	White Not-Hispanic	12	38.7	.	12	36.4	.	24	37.5	.	.
	Black Not-Hispanic	1	3.2	.	3	9.1	.	4	6.3	.	.
	Hispanic	16	51.6	.	16	48.5	.	32	50.0	.	.
	Multi Race	2	6.5	.	2	6.1	.	4	6.3	.	.
Risk	MSM	8	25.8	.	4	12.1	.	12	18.8	.	.
	IDU	6	19.4	.	8	24.2	.	14	21.9	.	.
	MSM/IDU	1	3.2	.	3	9.1	.	4	6.3	.	.
	Heterosexual	12	38.7	.	9	27.3	.	21	32.8	.	.
	Fem Pres Het Cont	3	9.7	.	3	9.1	.	6	9.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	1	3.2	.	6	18.2	.	7	10.9	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		18	100.0	13	100.0	31	100.0	18	100.0	15	100.0	33	100.0	36	100.0	28	100.0	64	100.0
Risk	MSM	8	44.4	0	0.0	8	25.8	4	22.2	0	0.0	4	12.1	12	33.3	0	0.0	12	18.8
	IDU	4	22.2	2	15.4	6	19.4	4	22.2	4	26.7	8	24.2	8	22.2	6	21.4	14	21.9
	MSM/IDU	1	5.6	0	0.0	1	3.2	3	16.7	0	0.0	3	9.1	4	11.1	0	0.0	4	6.3
	Heterosexual	4	22.2	8	61.5	12	38.7	1	5.6	8	53.3	9	27.3	5	13.9	16	57.1	21	32.8
	Fem Pres Het Cont	0	0.0	3	23.1	3	9.7	0	0.0	3	20.0	3	9.1	0	0.0	6	21.4	6	9.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	1	5.6	0	0.0	1	3.2	6	33.3	0	0.0	6	18.2	7	19.4	0	0.0	7	10.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.7	1.3	100.0	2.7	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.7	71.4	.	1.0	75.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Female	0.7	28.6	.	0.3	25.0	.	0.3	100.0	0.3	25.0	0.7	40.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	28.6	.	0.7	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	60+	0.0	0.0	.	0.0	0.0	.	0.3	100.0	1.0	75.0	1.3	80.0
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	0.7	50.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	Black Not-Hispanic	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	28.6	.	0.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Risk	MSM	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.3	14.3	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	MSM/IDU	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	28.6	0.3	33.3	0.0	0.0	0.3	25.0
	IDU	0.3	20.0	0.0	0.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	14.3	0.3	33.3	0.0	0.0	0.3	25.0
	Heterosexual	0.0	0.0	0.7	100.0	0.7	28.6	0.0	0.0	0.3	100.0	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	20.0	0.0	0.0	0.3	14.3	0.3	33.3	0.0	0.0	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	2	0	0	0
1988	0	4	0	1	1
1989	0	2	0	4	4
1990	0	1	0	2	2
1991	0	7	0	1	1
1992	0	6	0	5	5
1993	0	4	0	3	3
1994	0	8	0	5	5
1995	0	3	0	5	5
1996	0	5	0	3	3
1997	0	5	0	1	1
1998	0	5	0	0	0
1999	0	3	0	1	1
2000	2	2	0	3	3
2001	2	2	0	1	1
2002	5	4	0	0	0
2003	3	2	0	3	3
2004	2	2	0	1	1
2005	3	4	0	2	2
2006	3	2	0	0	0
2007	1	2	1	0	1
2008	4	3	0	3	3
2009	3	0	0	3	3
2010	2	1	0	0	0
2011	1	2	0	1	1
2012	2	2	0	1	1
2013	4	0	1	2	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		1,204	100.0	89.0	1,783	100.0	131.9	2,987	100.0	220.9	1,352,146
Sex at Birth	Male	786	65.3	.	1,222	68.5	.	2,008	67.2	.	.
	Female	418	34.7	.	561	31.5	.	979	32.8	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	21	1.7	.	10	0.6	.	31	1.0	.	.
	20-24	58	4.8	.	24	1.3	.	82	2.7	.	.
	25-29	104	8.6	.	66	3.7	.	170	5.7	.	.
	30-39	235	19.5	.	163	9.1	.	398	13.3	.	.
	40-49	309	25.7	.	479	26.9	.	788	26.4	.	.
	50-59	321	26.7	.	662	37.1	.	983	32.9	.	.
	60+	151	12.5	.	379	21.3	.	530	17.7	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	377	31.3	.	502	28.2	.	879	29.4	.	.
	Black Not-Hispanic	458	38.0	.	687	38.5	.	1,145	38.3	.	.
	Hispanic	279	23.2	.	418	23.4	.	697	23.3	.	.
	Multi Race	73	6.1	.	162	9.1	.	235	7.9	.	.
	Others	17	1.4	.	14	0.8	.	31	1.0	.	.
	Unk	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	433	36.0	.	540	30.3	.	973	32.6	.	.
	IDU	90	7.5	.	281	15.8	.	371	12.4	.	.
	MSM/IDU	30	2.5	.	56	3.1	.	86	2.9	.	.
	Heterosexual	227	18.9	.	360	20.2	.	587	19.7	.	.
	Fem Pres Het Cont	186	15.4	.	199	11.2	.	385	12.9	.	.
	Blood Prod	2	0.2	.	15	0.8	.	17	0.6	.	.
	Pediatric Risk	35	2.9	.	38	2.1	.	73	2.4	.	.
	Unk	201	16.7	.	294	16.5	.	495	16.6	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		786	100.0	418	100.0	1,204	100.0	1,222	100.0	561	100.0	1,783	100.0	2,008	100.0	979	100.0	2,987	100.0
Risk	MSM	433	55.1	0	0.0	433	36.0	540	44.2	0	0.0	540	30.3	973	48.5	0	0.0	973	32.6
	IDU	55	7.0	35	8.4	90	7.5	192	15.7	89	15.9	281	15.8	247	12.3	124	12.7	371	12.4
	MSM/IDU	30	3.8	0	0.0	30	2.5	56	4.6	0	0.0	56	3.1	86	4.3	0	0.0	86	2.9
	Heterosexual	53	6.7	174	41.6	227	18.9	108	8.8	252	44.9	360	20.2	161	8.0	426	43.5	587	19.7
	Fem Pres Het Cont	0	0.0	186	44.5	186	15.4	0	0.0	199	35.5	199	11.2	0	0.0	385	39.3	385	12.9
	Blood Prod	0	0.0	2	0.5	2	0.2	9	0.7	6	1.1	15	0.8	9	0.4	8	0.8	17	0.6
	Pediatric Risk	14	1.8	21	5.0	35	2.9	23	1.9	15	2.7	38	2.1	37	1.8	36	3.7	73	2.4
	Unk	201	25.6	0	0.0	201	16.7	294	24.1	0	0.0	294	16.5	495	24.7	0	0.0	495	16.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		124.0	100.0	9.2	65.7	100.0	4.9	4.7	100.0	37.3	100.0	42.0	100.0
Sex at Birth	Male	92.7	74.7	.	45.7	69.5	.	2.3	50.0	23.7	63.4	26.0	61.9
	Female	31.3	25.3	.	20.0	30.5	.	2.3	50.0	13.7	36.6	16.0	38.1
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	4.3	3.5	.	1.0	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	17.3	14.0	.	5.0	7.6	.	0.0	0.0	0.3	0.9	0.3	0.8
	25-29	15.3	12.4	.	4.3	6.6	.	0.0	0.0	0.7	1.8	0.7	1.6
	30-39	28.3	22.8	.	11.3	17.3	.	0.3	7.1	3.0	8.0	3.3	7.9
	40-49	26.3	21.2	.	19.3	29.4	.	1.3	28.6	9.3	25.0	10.7	25.4
	50-59	22.3	18.0	.	17.7	26.9	.	1.0	21.4	10.3	27.7	11.3	27.0
	60+	9.7	7.8	.	7.0	10.7	.	2.0	42.9	13.7	36.6	15.7	37.3
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	28.3	22.8	.	14.0	21.3	.	2.3	50.0	11.0	29.5	13.3	31.7
	Black Not-Hispanic	48.3	39.0	.	26.3	40.1	.	1.7	35.7	14.0	37.5	15.7	37.3
	Hispanic	39.3	31.7	.	20.0	30.5	.	0.7	14.3	8.3	22.3	9.0	21.4
	Multi Race	6.3	5.1	.	4.7	7.1	.	0.0	0.0	4.0	10.7	4.0	9.5
	Others	1.7	1.3	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	57.3	46.2	.	25.7	39.1	.	0.7	14.3	9.3	25.0	10.0	23.8
	IDU	3.7	3.0	.	2.7	4.1	.	1.0	21.4	8.7	23.2	9.7	23.0
	MSM/IDU	2.7	2.2	.	2.0	3.0	.	0.0	0.0	0.3	0.9	0.3	0.8
	Heterosexual	15.3	12.4	.	9.3	14.2	.	1.3	28.6	8.3	22.3	9.7	23.0
	Fem Pres Het Cont	19.3	15.6	.	11.0	16.8	.	0.7	14.3	3.3	8.9	4.0	9.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.3	.	0.7	1.0	.	0.0	0.0	0.3	0.9	0.3	0.8
	Unk	25.3	20.4	.	14.3	21.8	.	1.0	21.4	7.0	18.8	8.0	19.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		92.7	100.0	31.3	100.0	124.0	100.0	45.7	100.0	20.0	100.0	65.7	100.0
Risk	MSM	57.3	61.9	0.0	0.0	57.3	46.2	25.7	56.2	0.0	0.0	25.7	39.1
	IDU	2.7	2.9	1.0	3.2	3.7	3.0	1.3	2.9	1.3	6.7	2.7	4.1
	MSM/IDU	2.7	2.9	0.0	0.0	2.7	2.2	2.0	4.4	0.0	0.0	2.0	3.0
	Heterosexual	4.7	5.0	10.7	34.0	15.3	12.4	2.0	4.4	7.3	36.7	9.3	14.2
	Fem Pres Het Cont	0.0	0.0	19.3	61.7	19.3	15.6	0.0	0.0	11.0	55.0	11.0	16.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	1.1	0.3	0.3	0.3	0.7	0.3	1.7	0.7	1.0
	Unk	25.3	27.3	0.0	0.0	25.3	20.4	14.3	31.4	0.0	0.0	14.3	21.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	254	0	148	148
1987	0	142	0	101	101
1988	0	191	0	114	114
1989	0	227	0	149	149
1990	0	225	0	151	151
1991	0	245	0	190	190
1992	0	294	0	193	193
1993	0	299	0	202	202
1994	0	258	0	240	240
1995	0	295	0	226	226
1996	0	232	0	134	134
1997	0	165	0	80	80
1998	0	147	0	68	68
1999	0	150	0	74	74
2000	153	171	2	61	63
2001	154	153	6	68	74
2002	128	147	7	56	63
2003	119	127	6	79	85
2004	109	116	10	57	67
2005	116	93	13	55	68
2006	108	95	8	53	61
2007	101	92	9	61	70
2008	138	95	8	41	49
2009	100	85	6	40	46
2010	113	78	10	43	53
2011	126	70	7	35	42
2012	131	71	4	51	55
2013	115	56	3	26	29

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		98	100.0	45.7	101	100.0	47.1	199	100.0	92.9	214,249
Sex at Birth	Male	70	71.4	.	67	66.3	.	137	68.8	.	.
	Female	28	28.6	.	34	33.7	.	62	31.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	1	1.0	.	2	1.0	.	.
	20-24	7	7.1	.	2	2.0	.	9	4.5	.	.
	25-29	10	10.2	.	9	8.9	.	19	9.5	.	.
	30-39	16	16.3	.	11	10.9	.	27	13.6	.	.
	40-49	30	30.6	.	26	25.7	.	56	28.1	.	.
	50-59	26	26.5	.	34	33.7	.	60	30.2	.	.
	60+	8	8.2	.	18	17.8	.	26	13.1	.	.
Race/Ethnicity	White Not-Hispanic	52	53.1	.	49	48.5	.	101	50.8	.	.
	Black Not-Hispanic	26	26.5	.	28	27.7	.	54	27.1	.	.
	Hispanic	10	10.2	.	9	8.9	.	19	9.5	.	.
	Multi Race	10	10.2	.	15	14.9	.	25	12.6	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	42	42.9	.	43	42.6	.	85	42.7	.	.
	IDU	12	12.2	.	18	17.8	.	30	15.1	.	.
	MSM/IDU	10	10.2	.	7	6.9	.	17	8.5	.	.
	Heterosexual	18	18.4	.	25	24.8	.	43	21.6	.	.
	Fem Pres Het Cont	9	9.2	.	2	2.0	.	11	5.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.0	.	3	1.5	.	.
	Unk	7	7.1	.	3	3.0	.	10	5.0	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		70	100.0	28	100.0	98	100.0	67	100.0	34	100.0	101	100.0	137	100.0	62	100.0	199	100.0
Risk	MSM	42	60.0	0	0.0	42	42.9	43	64.2	0	0.0	43	42.6	85	62.0	0	0.0	85	42.7
	IDU	9	12.9	3	10.7	12	12.2	10	14.9	8	23.5	18	17.8	19	13.9	11	17.7	30	15.1
	MSM/IDU	10	14.3	0	0.0	10	10.2	7	10.4	0	0.0	7	6.9	17	12.4	0	0.0	17	8.5
	Heterosexual	2	2.9	16	57.1	18	18.4	3	4.5	22	64.7	25	24.8	5	3.6	38	61.3	43	21.6
	Fem Pres Het Cont	0	0.0	9	32.1	9	9.2	0	0.0	2	5.9	2	2.0	0	0.0	11	17.7	11	5.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.5	2	5.9	3	3.0	1	0.7	2	3.2	3	1.5
	Unk	7	10.0	0	0.0	7	7.1	3	4.5	0	0.0	3	3.0	10	7.3	0	0.0	10	5.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		11.3	100.0	5.3	6.7	100.0	3.1	0.3	100.0	3.0	100.0	3.3	100.0
Sex at Birth	Male	9.3	82.4	.	5.0	75.0	.	0.3	100.0	2.3	77.8	2.7	80.0
	Female	2.0	17.6	.	1.7	25.0	.	0.0	0.0	0.7	22.2	0.7	20.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	8.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	14.7	.	0.7	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.7	14.7	.	1.0	15.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.7	23.5	.	2.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.3	20.6	.	1.0	15.0	.	0.0	0.0	1.0	33.3	1.0	30.0
	50-59	1.7	14.7	.	1.0	15.0	.	0.3	100.0	1.7	55.6	2.0	60.0
	60+	0.3	2.9	.	0.3	5.0	.	0.0	0.0	0.3	11.1	0.3	10.0
Race/Ethnicity	White Not-Hispanic	5.0	44.1	.	3.0	45.0	.	0.3	100.0	1.0	33.3	1.3	40.0
	Black Not-Hispanic	4.7	41.2	.	1.7	25.0	.	0.0	0.0	0.3	11.1	0.3	10.0
	Hispanic	1.0	8.8	.	1.0	15.0	.	0.0	0.0	1.3	44.4	1.3	40.0
	Multi Race	0.7	5.9	.	1.0	15.0	.	0.0	0.0	0.3	11.1	0.3	10.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.7	50.0	.	3.7	55.0	.	0.0	0.0	1.0	33.3	1.0	30.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	44.4	1.3	40.0
	MSM/IDU	2.0	17.6	.	0.7	10.0	.	0.3	100.0	0.3	11.1	0.7	20.0
	Heterosexual	1.7	14.7	.	1.7	25.0	.	0.0	0.0	0.3	11.1	0.3	10.0
	Fem Pres Het Cont	1.0	8.8	.	0.3	5.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	8.8	.	0.3	5.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9.3	100.0	2.0	100.0	11.3	100.0	5.0	100.0	1.7	100.0	6.7	100.0
Risk	MSM	5.7	60.7	0.0	0.0	5.7	50.0	3.7	73.3	0.0	0.0	3.7	55.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	2.0	21.4	0.0	0.0	2.0	17.6	0.7	13.3	0.0	0.0	0.7	10.0
	Heterosexual	0.7	7.1	1.0	50.0	1.7	14.7	0.3	6.7	1.3	80.0	1.7	25.0
	Fem Pres Het Cont	0.0	0.0	1.0	50.0	1.0	8.8	0.0	0.0	0.3	20.0	0.3	5.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	10.7	0.0	0.0	1.0	8.8	0.3	6.7	0.0	0.0	0.3	5.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	4	4
1987	0	5	0	3	3
1988	0	6	0	3	3
1989	0	14	0	8	8
1990	0	21	0	10	10
1991	0	18	0	13	13
1992	0	17	0	21	21
1993	0	22	0	11	11
1994	0	8	0	20	20
1995	0	15	0	9	9
1996	0	11	0	6	6
1997	0	14	0	9	9
1998	0	10	0	4	4
1999	0	6	0	2	2
2000	7	14	0	4	4
2001	4	11	0	4	4
2002	9	5	1	1	2
2003	8	10	0	3	3
2004	11	8	0	5	5
2005	18	11	0	13	13
2006	9	7	0	4	4
2007	5	7	1	2	3
2008	11	7	0	4	4
2009	6	2	1	4	5
2010	11	4	1	2	3
2011	13	7	1	3	4
2012	7	4	0	3	3
2013	14	9	0	3	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		113	100.0	48.4	171	100.0	73.2	284	100.0	121.6	233,585
Sex at Birth	Male	66	58.4	.	109	63.7	.	175	61.6	.	.
	Female	47	41.6	.	62	36.3	.	109	38.4	.	.
Current Age	12 & under	1	0.9	.	0	0.0	.	1	0.4	.	.
	13-19	1	0.9	.	1	0.6	.	2	0.7	.	.
	20-24	5	4.4	.	2	1.2	.	7	2.5	.	.
	25-29	13	11.5	.	5	2.9	.	18	6.3	.	.
	30-39	26	23.0	.	24	14.0	.	50	17.6	.	.
	40-49	28	24.8	.	53	31.0	.	81	28.5	.	.
	50-59	25	22.1	.	58	33.9	.	83	29.2	.	.
	60+	14	12.4	.	28	16.4	.	42	14.8	.	.
Race/Ethnicity	White Not-Hispanic	51	45.1	.	87	50.9	.	138	48.6	.	.
	Black Not-Hispanic	25	22.1	.	45	26.3	.	70	24.6	.	.
	Hispanic	23	20.4	.	20	11.7	.	43	15.1	.	.
	Multi Race	8	7.1	.	16	9.4	.	24	8.5	.	.
	Others	6	5.3	.	3	1.8	.	9	3.2	.	.
Risk	MSM	42	37.2	.	63	36.8	.	105	37.0	.	.
	IDU	9	8.0	.	29	17.0	.	38	13.4	.	.
	MSM/IDU	1	0.9	.	9	5.3	.	10	3.5	.	.
	Heterosexual	25	22.1	.	32	18.7	.	57	20.1	.	.
	Fem Pres Het Cont	21	18.6	.	22	12.9	.	43	15.1	.	.
	Blood Prod	0	0.0	.	1	0.6	.	1	0.4	.	.
	Pediatric Risk	2	1.8	.	4	2.3	.	6	2.1	.	.
	Unk	13	11.5	.	11	6.4	.	24	8.5	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		66	100.0	47	100.0	113	100.0	109	100.0	62	100.0	171	100.0	175	100.0	109	100.0	284	100.0
Risk	MSM	42	63.6	0	0.0	42	37.2	63	57.8	0	0.0	63	36.8	105	60.0	0	0.0	105	37.0
	IDU	5	7.6	4	8.5	9	8.0	18	16.5	11	17.7	29	17.0	23	13.1	15	13.8	38	13.4
	MSM/IDU	1	1.5	0	0.0	1	0.9	9	8.3	0	0.0	9	5.3	10	5.7	0	0.0	10	3.5
	Heterosexual	5	7.6	20	42.6	25	22.1	4	3.7	28	45.2	32	18.7	9	5.1	48	44.0	57	20.1
	Fem Pres Het Cont	0	0.0	21	44.7	21	18.6	0	0.0	22	35.5	22	12.9	0	0.0	43	39.4	43	15.1
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.6	1	0.6	0	0.0	1	0.4
	Pediatric Risk	0	0.0	2	4.3	2	1.8	3	2.8	1	1.6	4	2.3	3	1.7	3	2.8	6	2.1
	Unk	13	19.7	0	0.0	13	11.5	11	10.1	0	0.0	11	6.4	24	13.7	0	0.0	24	8.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		9.7	100.0	4.1	6.3	100.0	2.7	1.3	100.0	3.0	100.0	4.3	100.0
Sex at Birth	Male	6.0	62.1	.	4.0	63.2	.	0.7	50.0	2.0	66.7	2.7	61.5
	Female	3.7	37.9	.	2.3	36.8	.	0.7	50.0	1.0	33.3	1.7	38.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	13.8	.	0.3	5.3	.	0.0	0.0	0.3	11.1	0.3	7.7
	25-29	1.3	13.8	.	0.7	10.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	10.3	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	3.3	34.5	.	2.7	42.1	.	0.3	25.0	1.3	44.4	1.7	38.5
	50-59	2.0	20.7	.	1.7	26.3	.	0.3	25.0	1.0	33.3	1.3	30.8
	60+	0.3	3.4	.	0.7	10.5	.	0.7	50.0	0.3	11.1	1.0	23.1
Race/Ethnicity	White Not-Hispanic	4.3	44.8	.	3.7	57.9	.	0.3	25.0	1.3	44.4	1.7	38.5
	Black Not-Hispanic	2.3	24.1	.	0.7	10.5	.	1.0	75.0	1.0	33.3	2.0	46.2
	Hispanic	2.3	24.1	.	1.0	15.8	.	0.0	0.0	0.7	22.2	0.7	15.4
	Multi Race	0.0	0.0	.	0.7	10.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.7	6.9	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	34.5	.	2.7	42.1	.	0.3	25.0	1.3	44.4	1.7	38.5
	IDU	0.3	3.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	11.1	0.3	7.7
	Heterosexual	2.0	20.7	.	1.7	26.3	.	0.7	50.0	0.0	0.0	0.7	15.4
	Fem Pres Het Cont	1.3	13.8	.	1.0	15.8	.	0.3	25.0	0.7	22.2	1.0	23.1
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	11.1	0.3	7.7
	Unk	2.7	27.6	.	1.0	15.8	.	0.0	0.0	0.3	11.1	0.3	7.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.0	100.0	3.7	100.0	9.7	100.0	4.0	100.0	2.3	100.0	6.3	100.0
Risk	MSM	3.3	55.6	0.0	0.0	3.3	34.5	2.7	66.7	0.0	0.0	2.7	42.1
	IDU	0.0	0.0	0.3	9.1	0.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	2.0	54.5	2.0	20.7	0.3	8.3	1.3	57.1	1.7	26.3
	Fem Pres Het Cont	0.0	0.0	1.3	36.4	1.3	13.8	0.0	0.0	1.0	42.9	1.0	15.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.7	44.4	0.0	0.0	2.7	27.6	1.0	25.0	0.0	0.0	1.0	15.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	11	0	6	6
1987	0	6	0	4	4
1988	0	10	0	5	5
1989	0	13	0	9	9
1990	0	23	0	9	9
1991	0	21	0	11	11
1992	0	34	0	14	14
1993	0	39	0	28	28
1994	0	20	0	20	20
1995	0	23	0	18	18
1996	0	22	0	21	21
1997	0	16	0	10	10
1998	0	14	0	6	6
1999	0	19	0	7	7
2000	7	14	0	9	9
2001	8	5	1	5	6
2002	14	10	0	3	3
2003	13	15	2	6	8
2004	15	13	2	4	6
2005	11	13	1	8	9
2006	7	7	0	1	1
2007	12	10	2	9	11
2008	9	13	0	5	5
2009	17	12	3	4	7
2010	13	4	3	4	7
2011	11	5	0	1	1
2012	13	10	3	5	8
2013	5	4	1	3	4

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		412	100.0	88.0	566	100.0	120.8	978	100.0	208.8	468,387
Sex at Birth	Male	260	63.1	.	388	68.6	.	648	66.3	.	.
	Female	152	36.9	.	178	31.4	.	330	33.7	.	.
Current Age	12 & under	3	0.7	.	0	0.0	.	3	0.3	.	.
	13-19	6	1.5	.	0	0.0	.	6	0.6	.	.
	20-24	35	8.5	.	4	0.7	.	39	4.0	.	.
	25-29	45	10.9	.	21	3.7	.	66	6.7	.	.
	30-39	87	21.1	.	59	10.4	.	146	14.9	.	.
	40-49	112	27.2	.	165	29.2	.	277	28.3	.	.
	50-59	91	22.1	.	240	42.4	.	331	33.8	.	.
	60+	33	8.0	.	77	13.6	.	110	11.2	.	.
Race/Ethnicity	White Not-Hispanic	179	43.4	.	253	44.7	.	432	44.2	.	.
	Black Not-Hispanic	155	37.6	.	191	33.7	.	346	35.4	.	.
	Hispanic	43	10.4	.	60	10.6	.	103	10.5	.	.
	Multi Race	28	6.8	.	53	9.4	.	81	8.3	.	.
	Others	7	1.7	.	9	1.6	.	16	1.6	.	.
Risk	MSM	177	43.0	.	233	41.2	.	410	41.9	.	.
	IDU	41	10.0	.	80	14.1	.	121	12.4	.	.
	MSM/IDU	6	1.5	.	29	5.1	.	35	3.6	.	.
	Heterosexual	107	26.0	.	147	26.0	.	254	26.0	.	.
	Fem Pres Het Cont	36	8.7	.	25	4.4	.	61	6.2	.	.
	Blood Prod	0	0.0	.	5	0.9	.	5	0.5	.	.
	Pediatric Risk	13	3.2	.	5	0.9	.	18	1.8	.	.
	Unk	32	7.8	.	42	7.4	.	74	7.6	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		260	100.0	152	100.0	412	100.0	388	100.0	178	100.0	566	100.0	648	100.0	330	100.0	978	100.0
Risk	MSM	177	68.1	0	0.0	177	43.0	233	60.1	0	0.0	233	41.2	410	63.3	0	0.0	410	41.9
	IDU	20	7.7	21	13.8	41	10.0	44	11.3	36	20.2	80	14.1	64	9.9	57	17.3	121	12.4
	MSM/IDU	6	2.3	0	0.0	6	1.5	29	7.5	0	0.0	29	5.1	35	5.4	0	0.0	35	3.6
	Heterosexual	17	6.5	90	59.2	107	26.0	35	9.0	112	62.9	147	26.0	52	8.0	202	61.2	254	26.0
	Fem Pres Het Cont	0	0.0	36	23.7	36	8.7	0	0.0	25	14.0	25	4.4	0	0.0	61	18.5	61	6.2
	Blood Prod	0	0.0	0	0.0	0	0.0	5	1.3	0	0.0	5	0.9	5	0.8	0	0.0	5	0.5
	Pediatric Risk	8	3.1	5	3.3	13	3.2	2	0.5	3	1.7	5	0.9	10	1.5	8	2.4	18	1.8
	Unk	32	12.3	0	0.0	32	7.8	40	10.3	2	1.1	42	7.4	72	11.1	2	0.6	74	7.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		47.3	100.0	10.1	24.7	100.0	5.3	2.0	100.0	14.0	100.0	16.0	100.0
Sex at Birth	Male	33.3	70.4	.	17.3	70.3	.	1.3	66.7	10.7	76.2	12.0	75.0
	Female	14.0	29.6	.	7.3	29.7	.	0.7	33.3	3.3	23.8	4.0	25.0
Age at Diagnosis	12 & under	0.7	1.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	2.0	4.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	8.0	16.9	.	1.3	5.4	.	0.0	0.0	0.3	2.4	0.3	2.1
	25-29	9.3	19.7	.	4.3	17.6	.	0.0	0.0	0.3	2.4	0.3	2.1
	30-39	8.3	17.6	.	5.7	23.0	.	0.0	0.0	1.3	9.5	1.3	8.3
	40-49	11.0	23.2	.	7.3	29.7	.	0.0	0.0	3.7	26.2	3.7	22.9
	50-59	6.3	13.4	.	4.3	17.6	.	0.3	16.7	4.3	31.0	4.7	29.2
	60+	1.7	3.5	.	1.7	6.8	.	1.7	83.3	4.0	28.6	5.7	35.4
Race/Ethnicity	White Not-Hispanic	16.3	34.5	.	9.0	36.5	.	1.0	50.0	7.3	52.4	8.3	52.1
	Black Not-Hispanic	19.0	40.1	.	9.0	36.5	.	0.0	0.0	2.7	19.0	2.7	16.7
	Hispanic	7.3	15.5	.	3.7	14.9	.	0.7	33.3	2.3	16.7	3.0	18.8
	Multi Race	3.3	7.0	.	2.3	9.5	.	0.3	16.7	1.7	11.9	2.0	12.5
	Others	1.3	2.8	.	0.7	2.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	23.3	49.3	.	11.0	44.6	.	0.3	16.7	6.0	42.9	6.3	39.6
	IDU	2.3	4.9	.	1.3	5.4	.	0.7	33.3	2.3	16.7	3.0	18.8
	MSM/IDU	1.3	2.8	.	1.0	4.1	.	0.0	0.0	0.3	2.4	0.3	2.1
	Heterosexual	5.3	11.3	.	6.0	24.3	.	0.7	33.3	4.0	28.6	4.7	29.2
	Fem Pres Het Cont	8.0	16.9	.	2.3	9.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	2.4	0.3	2.1
	Pediatric Risk	0.7	1.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.3	13.4	.	3.0	12.2	.	0.3	16.7	1.0	7.1	1.3	8.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		33.3	100.0	14.0	100.0	47.3	100.0	17.3	100.0	7.3	100.0	24.7	100.0
Risk	MSM	23.3	70.0	0.0	0.0	23.3	49.3	11.0	63.5	0.0	0.0	11.0	44.6
	IDU	1.3	4.0	1.0	7.1	2.3	4.9	1.0	5.8	0.3	4.5	1.3	5.4
	MSM/IDU	1.3	4.0	0.0	0.0	1.3	2.8	1.0	5.8	0.0	0.0	1.0	4.1
	Heterosexual	0.7	2.0	4.7	33.3	5.3	11.3	1.3	7.7	4.7	63.6	6.0	24.3
	Fem Pres Het Cont	0.0	0.0	8.0	57.1	8.0	16.9	0.0	0.0	2.3	31.8	2.3	9.5
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	1.0	0.3	2.4	0.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.3	19.0	0.0	0.0	6.3	13.4	3.0	17.3	0.0	0.0	3.0	12.2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	46	0	34	34
1987	0	24	0	12	12
1988	0	33	0	24	24
1989	0	42	0	24	24
1990	0	49	0	21	21
1991	0	58	0	34	34
1992	0	119	0	53	53
1993	0	110	0	56	56
1994	0	76	0	79	79
1995	0	80	0	65	65
1996	0	83	0	57	57
1997	0	54	0	19	19
1998	0	33	0	20	20
1999	0	43	0	20	20
2000	26	76	0	24	24
2001	44	38	2	17	19
2002	42	36	4	16	20
2003	57	40	4	14	18
2004	45	30	4	13	17
2005	43	37	4	12	16
2006	34	27	1	19	20
2007	32	36	4	23	27
2008	45	34	4	25	29
2009	36	26	4	18	22
2010	37	19	2	21	23
2011	45	31	1	16	17
2012	49	26	5	12	17
2013	48	17	0	14	14

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		46	100.0	42.2	42	100.0	38.5	88	100.0	80.7	109,103
Sex at Birth	Male	29	63.0	.	27	64.3	.	56	63.6	.	.
	Female	17	37.0	.	15	35.7	.	32	36.4	.	.
Current Age	20-24	2	4.3	.	0	0.0	.	2	2.3	.	.
	25-29	2	4.3	.	1	2.4	.	3	3.4	.	.
	30-39	9	19.6	.	4	9.5	.	13	14.8	.	.
	40-49	13	28.3	.	12	28.6	.	25	28.4	.	.
	50-59	17	37.0	.	16	38.1	.	33	37.5	.	.
	60+	3	6.5	.	9	21.4	.	12	13.6	.	.
Race/Ethnicity	White Not-Hispanic	29	63.0	.	26	61.9	.	55	62.5	.	.
	Black Not-Hispanic	7	15.2	.	5	11.9	.	12	13.6	.	.
	Hispanic	8	17.4	.	10	23.8	.	18	20.5	.	.
	Multi Race	2	4.3	.	1	2.4	.	3	3.4	.	.
Risk	MSM	18	39.1	.	16	38.1	.	34	38.6	.	.
	IDU	4	8.7	.	2	4.8	.	6	6.8	.	.
	MSM/IDU	1	2.2	.	2	4.8	.	3	3.4	.	.
	Heterosexual	10	21.7	.	12	28.6	.	22	25.0	.	.
	Fem Pres Het Cont	7	15.2	.	6	14.3	.	13	14.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	13.0	.	4	9.5	.	10	11.4	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	17	100.0	46	100.0	27	100.0	15	100.0	42	100.0	56	100.0	32	100.0	88	100.0
Risk	MSM	18	62.1	0	0.0	18	39.1	16	59.3	0	0.0	16	38.1	34	60.7	0	0.0	34	38.6
	IDU	3	10.3	1	5.9	4	8.7	2	7.4	0	0.0	2	4.8	5	8.9	1	3.1	6	6.8
	MSM/IDU	1	3.4	0	0.0	1	2.2	2	7.4	0	0.0	2	4.8	3	5.4	0	0.0	3	3.4
	Heterosexual	1	3.4	9	52.9	10	21.7	3	11.1	9	60.0	12	28.6	4	7.1	18	56.3	22	25.0
	Fem Pres Het Cont	0	0.0	7	41.2	7	15.2	0	0.0	6	40.0	6	14.3	0	0.0	13	40.6	13	14.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	20.7	0	0.0	6	13.0	4	14.8	0	0.0	4	9.5	10	17.9	0	0.0	10	11.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	2.4	1.0	100.0	0.9	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	2.3	87.5	.	1.0	100.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	25.0	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	60+	0.3	12.5	.	0.3	33.3	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White Not-Hispanic	2.3	87.5	.	0.7	66.7	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	50.0	.	0.7	66.7	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	37.5	.	0.3	33.3	.	0.0	0.0	0.7	66.7	0.7	66.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	1.3	57.1	0.0	0.0	1.3	50.0	0.7	66.7	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	42.9	0.0	0.0	1.0	37.5	0.3	33.3	0.0	0.0	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	1	0	1	1
1988	0	2	0	1	1
1989	0	2	0	1	1
1990	0	2	0	2	2
1991	0	1	0	0	0
1992	0	4	0	2	2
1993	0	6	0	6	6
1994	0	6	0	2	2
1995	0	6	0	3	3
1996	0	2	0	1	1
1997	0	1	0	2	2
1998	0	7	0	1	1
1999	0	2	0	0	0
2000	1	0	0	0	0
2001	5	4	0	1	1
2002	7	4	1	1	2
2003	3	4	0	0	0
2004	3	2	0	0	0
2005	4	4	2	2	4
2006	2	4	0	1	1
2007	5	1	0	0	0
2008	3	1	0	0	0
2009	2	3	0	2	2
2010	4	1	0	2	2
2011	1	1	0	0	0
2012	6	2	0	2	2
2013	1	0	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		318	100.0	84.7	486	100.0	129.4	804	100.0	214.1	375,592
Sex at Birth	Male	193	60.7	.	319	65.6	.	512	63.7	.	.
	Female	125	39.3	.	167	34.4	.	292	36.3	.	.
Current Age	12 & under	1	0.3	.	0	0.0	.	1	0.1	.	.
	13-19	6	1.9	.	2	0.4	.	8	1.0	.	.
	20-24	16	5.0	.	14	2.9	.	30	3.7	.	.
	25-29	22	6.9	.	9	1.9	.	31	3.9	.	.
	30-39	59	18.6	.	35	7.2	.	94	11.7	.	.
	40-49	73	23.0	.	126	25.9	.	199	24.8	.	.
	50-59	100	31.4	.	203	41.8	.	303	37.7	.	.
	60+	41	12.9	.	97	20.0	.	138	17.2	.	.
Race/Ethnicity	White Not-Hispanic	110	34.6	.	122	25.1	.	232	28.9	.	.
	Black Not-Hispanic	78	24.5	.	149	30.7	.	227	28.2	.	.
	Hispanic	92	28.9	.	143	29.4	.	235	29.2	.	.
	Multi Race	37	11.6	.	71	14.6	.	108	13.4	.	.
	Others	1	0.3	.	1	0.2	.	2	0.2	.	.
Risk	MSM	101	31.8	.	96	19.8	.	197	24.5	.	.
	IDU	32	10.1	.	128	26.3	.	160	19.9	.	.
	MSM/IDU	10	3.1	.	20	4.1	.	30	3.7	.	.
	Heterosexual	114	35.8	.	189	38.9	.	303	37.7	.	.
	Fem Pres Het Cont	27	8.5	.	11	2.3	.	38	4.7	.	.
	Blood Prod	1	0.3	.	4	0.8	.	5	0.6	.	.
	Pediatric Risk	9	2.8	.	15	3.1	.	24	3.0	.	.
	Unk	24	7.5	.	23	4.7	.	47	5.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		193	100.0	125	100.0	318	100.0	319	100.0	167	100.0	486	100.0	512	100.0	292	100.0	804	100.0
Risk	MSM	101	52.3	0	0.0	101	31.8	96	30.1	0	0.0	96	19.8	197	38.5	0	0.0	197	24.5
	IDU	21	10.9	11	8.8	32	10.1	95	29.8	33	19.8	128	26.3	116	22.7	44	15.1	160	19.9
	MSM/IDU	10	5.2	0	0.0	10	3.1	20	6.3	0	0.0	20	4.1	30	5.9	0	0.0	30	3.7
	Heterosexual	29	15.0	85	68.0	114	35.8	75	23.5	114	68.3	189	38.9	104	20.3	199	68.2	303	37.7
	Fem Pres Het Cont	0	0.0	27	21.6	27	8.5	0	0.0	11	6.6	11	2.3	0	0.0	38	13.0	38	4.7
	Blood Prod	1	0.5	0	0.0	1	0.3	2	0.6	2	1.2	4	0.8	3	0.6	2	0.7	5	0.6
	Pediatric Risk	7	3.6	2	1.6	9	2.8	8	2.5	7	4.2	15	3.1	15	2.9	9	3.1	24	3.0
	Unk	24	12.4	0	0.0	24	7.5	23	7.2	0	0.0	23	4.7	47	9.2	0	0.0	47	5.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		21.7	100.0	5.8	16.0	100.0	4.3	2.3	100.0	11.3	100.0	13.7	100.0
Sex at Birth	Male	12.7	58.5	.	8.3	52.1	.	2.0	85.7	8.3	73.5	10.3	75.6
	Female	9.0	41.5	.	7.7	47.9	.	0.3	14.3	3.0	26.5	3.3	24.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	3.1	.	1.0	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.0	18.5	.	1.0	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	4.6	.	1.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	5.0	23.1	.	3.7	22.9	.	0.3	14.3	0.7	5.9	1.0	7.3
	40-49	5.3	24.6	.	4.3	27.1	.	0.3	14.3	1.0	8.8	1.3	9.8
	50-59	4.0	18.5	.	3.3	20.8	.	0.0	0.0	5.7	50.0	5.7	41.5
	60+	1.7	7.7	.	1.3	8.3	.	1.7	71.4	4.0	35.3	5.7	41.5
Race/Ethnicity	White Not-Hispanic	3.7	16.9	.	3.7	22.9	.	0.0	0.0	2.3	20.6	2.3	17.1
	Black Not-Hispanic	6.3	29.2	.	5.3	33.3	.	1.7	71.4	3.0	26.5	4.7	34.1
	Hispanic	8.0	36.9	.	4.3	27.1	.	0.3	14.3	3.0	26.5	3.3	24.4
	Multi Race	3.3	15.4	.	2.3	14.6	.	0.3	14.3	3.0	26.5	3.3	24.4
	Others	0.3	1.5	.	0.3	2.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.0	36.9	.	4.0	25.0	.	0.0	0.0	2.3	20.6	2.3	17.1
	IDU	0.7	3.1	.	2.0	12.5	.	1.3	57.1	5.0	44.1	6.3	46.3
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	8.8	1.0	7.3
	Heterosexual	11.3	52.3	.	8.7	54.2	.	0.3	14.3	2.7	23.5	3.0	22.0
	Fem Pres Het Cont	0.7	3.1	.	0.3	2.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	4.2	.	0.3	14.3	0.0	0.0	0.3	2.4
	Unk	1.0	4.6	.	0.3	2.1	.	0.3	14.3	0.3	2.9	0.7	4.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12.7	100.0	9.0	100.0	21.7	100.0	8.3	100.0	7.7	100.0	16.0	100.0
Risk	MSM	8.0	63.2	0.0	0.0	8.0	36.9	4.0	48.0	0.0	0.0	4.0	25.0
	IDU	0.3	2.6	0.3	3.7	0.7	3.1	1.0	12.0	1.0	13.0	2.0	12.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	3.3	26.3	8.0	88.9	11.3	52.3	2.3	28.0	6.3	82.6	8.7	54.2
	Fem Pres Het Cont	0.0	0.0	0.7	7.4	0.7	3.1	0.0	0.0	0.3	4.3	0.3	2.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8.0	0.0	0.0	0.7	4.2
	Unk	1.0	7.9	0.0	0.0	1.0	4.6	0.3	4.0	0.0	0.0	0.3	2.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	35	0	20	20
1987	0	30	0	18	18
1988	0	35	0	21	21
1989	0	52	0	39	39
1990	0	71	0	30	30
1991	0	89	0	58	58
1992	0	89	0	60	60
1993	0	93	0	68	68
1994	0	109	0	60	60
1995	0	72	0	83	83
1996	0	53	0	44	44
1997	0	59	0	34	34
1998	0	36	0	23	23
1999	0	44	0	24	24
2000	39	46	2	30	32
2001	38	41	2	17	19
2002	30	42	1	17	18
2003	40	55	4	23	27
2004	35	42	7	21	28
2005	43	41	2	23	25
2006	40	28	3	21	24
2007	33	28	0	18	18
2008	29	30	2	23	25
2009	39	28	4	13	17
2010	30	17	0	11	11
2011	23	20	3	10	13
2012	20	16	3	13	16
2013	22	12	1	11	12

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		18	100.0	42.6	28	100.0	66.3	46	100.0	108.9	42,235
Sex at Birth	Male	11	61.1	.	19	67.9	.	30	65.2	.	.
	Female	7	38.9	.	9	32.1	.	16	34.8	.	.
Current Age	13-19	0	0.0	.	1	3.6	.	1	2.2	.	.
	20-24	3	16.7	.	1	3.6	.	4	8.7	.	.
	25-29	1	5.6	.	2	7.1	.	3	6.5	.	.
	30-39	6	33.3	.	3	10.7	.	9	19.6	.	.
	40-49	4	22.2	.	9	32.1	.	13	28.3	.	.
	50-59	3	16.7	.	11	39.3	.	14	30.4	.	.
	60+	1	5.6	.	1	3.6	.	2	4.3	.	.
Race/Ethnicity	White Not-Hispanic	8	44.4	.	15	53.6	.	23	50.0	.	.
	Black Not-Hispanic	5	27.8	.	9	32.1	.	14	30.4	.	.
	Hispanic	5	27.8	.	4	14.3	.	9	19.6	.	.
	Multi Race	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	8	44.4	.	13	46.4	.	21	45.7	.	.
	IDU	2	11.1	.	3	10.7	.	5	10.9	.	.
	MSM/IDU	0	0.0	.	2	7.1	.	2	4.3	.	.
	Heterosexual	2	11.1	.	1	3.6	.	3	6.5	.	.
	Fem Pres Het Cont	4	22.2	.	7	25.0	.	11	23.9	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	11.1	.	2	7.1	.	4	8.7	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	7	100.0	18	100.0	19	100.0	9	100.0	28	100.0	30	100.0	16	100.0	46	100.0
Risk	MSM	8	72.7	0	0.0	8	44.4	13	68.4	0	0.0	13	46.4	21	70.0	0	0.0	21	45.7
	IDU	1	9.1	1	14.3	2	11.1	2	10.5	1	11.1	3	10.7	3	10.0	2	12.5	5	10.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	10.5	0	0.0	2	7.1	2	6.7	0	0.0	2	4.3
	Heterosexual	0	0.0	2	28.6	2	11.1	0	0.0	1	11.1	1	3.6	0	0.0	3	18.8	3	6.5
	Fem Pres Het Cont	0	0.0	4	57.1	4	22.2	0	0.0	7	77.8	7	25.0	0	0.0	11	68.8	11	23.9
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	18.2	0	0.0	2	11.1	2	10.5	0	0.0	2	7.1	4	13.3	0	0.0	4	8.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	7.9	2.0	100.0	4.7	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	2.7	80.0	.	1.7	83.3	.	0.3	100.0	0.3	100.0	0.7	100.0
	Female	0.7	20.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	30.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	30.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	30-39	0.7	20.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	20.0	.	1.0	50.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	0.7	33.3	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black Not-Hispanic	1.0	30.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	10.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	60.0	.	1.7	83.3	.	0.3	100.0	0.3	100.0	0.7	100.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	10.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	1.7	100.0	0.3	100.0	2.0	100.0
Risk	MSM	2.0	75.0	0.0	0.0	2.0	60.0	1.7	100.0	0.0	0.0	1.7	83.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	100.0	0.3	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	20.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1990	0	4	0	0	0
1991	0	3	0	2	2
1992	0	2	0	4	4
1993	0	0	0	2	2
1994	0	5	0	0	0
1995	0	4	0	3	3
1996	0	3	0	2	2
1997	0	3	0	1	1
1998	0	1	0	1	1
2000	1	2	0	0	0
2001	4	0	0	0	0
2002	1	3	0	1	1
2003	2	3	0	0	0
2004	1	2	0	2	2
2005	3	2	0	3	3
2006	2	1	0	1	1
2007	2	3	1	0	1
2008	0	2	0	0	0
2009	1	1	0	1	1
2010	1	2	0	1	1
2011	6	2	0	0	0
2012	3	3	0	0	0
2013	1	1	1	1	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		39	100.0	32.2	57	100.0	47.0	96	100.0	79.2	121,165
Sex at Birth	Male	31	79.5	.	50	87.7	.	81	84.4	.	.
	Female	8	20.5	.	7	12.3	.	15	15.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	7.7	.	1	1.8	.	4	4.2	.	.
	25-29	3	7.7	.	4	7.0	.	7	7.3	.	.
	30-39	8	20.5	.	7	12.3	.	15	15.6	.	.
	40-49	12	30.8	.	21	36.8	.	33	34.4	.	.
	50-59	8	20.5	.	18	31.6	.	26	27.1	.	.
	60+	5	12.8	.	6	10.5	.	11	11.5	.	.
Race/Ethnicity	White Not-Hispanic	33	84.6	.	44	77.2	.	77	80.2	.	.
	Black Not-Hispanic	1	2.6	.	6	10.5	.	7	7.3	.	.
	Hispanic	3	7.7	.	4	7.0	.	7	7.3	.	.
	Multi Race	2	5.1	.	3	5.3	.	5	5.2	.	.
Risk	MSM	25	64.1	.	35	61.4	.	60	62.5	.	.
	IDU	0	0.0	.	5	8.8	.	5	5.2	.	.
	MSM/IDU	2	5.1	.	2	3.5	.	4	4.2	.	.
	Heterosexual	7	17.9	.	8	14.0	.	15	15.6	.	.
	Fem Pres Het Cont	2	5.1	.	1	1.8	.	3	3.1	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	3	7.7	.	6	10.5	.	9	9.4	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		31	100.0	8	100.0	39	100.0	50	100.0	7	100.0	57	100.0	81	100.0	15	100.0	96	100.0
Risk	MSM	25	80.6	0	0.0	25	64.1	35	70.0	0	0.0	35	61.4	60	74.1	0	0.0	60	62.5
	IDU	0	0.0	0	0.0	0	0.0	4	8.0	1	14.3	5	8.8	4	4.9	1	6.7	5	5.2
	MSM/IDU	2	6.5	0	0.0	2	5.1	2	4.0	0	0.0	2	3.5	4	4.9	0	0.0	4	4.2
	Heterosexual	1	3.2	6	75.0	7	17.9	3	6.0	5	71.4	8	14.0	4	4.9	11	73.3	15	15.6
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.1	0	0.0	1	14.3	1	1.8	0	0.0	3	20.0	3	3.1
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	3	9.7	0	0.0	3	7.7	6	12.0	0	0.0	6	10.5	9	11.1	0	0.0	9	9.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	2.8	3.7	100.0	3.0	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	2.7	80.0	.	3.0	81.8	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	20.0	.	1.0	27.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	40-49	0.7	20.0	.	1.3	36.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.7	66.7	0.7	66.7
	60+	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	2.3	63.6	.	0.0	0.0	0.7	66.7	0.7	66.7
	Black Not-Hispanic	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.7	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	60.0	.	2.0	54.5	.	0.0	0.0	0.7	66.7	0.7	66.7
	IDU	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.3	33.3	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	3.0	100.0	0.7	100.0	3.7	100.0
Risk	MSM	2.0	75.0	0.0	0.0	2.0	60.0	2.0	66.7	0.0	0.0	2.0	54.5
	IDU	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.1	0.0	0.0	0.3	9.1
	Heterosexual	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	20.0	0.7	22.2	0.0	0.0	0.7	18.2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	2	2
1987	0	0	0	1	1
1988	0	4	0	0	0
1989	0	8	0	6	6
1990	0	2	0	3	3
1991	0	4	0	4	4
1992	0	9	0	2	2
1993	0	5	0	7	7
1994	0	3	0	2	2
1995	0	7	0	4	4
1996	0	4	0	4	4
1997	0	6	0	0	0
1998	0	2	0	0	0
1999	0	6	0	1	1
2000	2	1	0	1	1
2001	3	1	0	1	1
2002	11	8	0	0	0
2003	4	1	0	4	4
2004	3	4	0	0	0
2005	3	7	2	4	6
2006	4	4	0	1	1
2007	5	1	0	1	1
2008	5	0	0	0	0
2009	7	3	0	3	3
2010	6	7	0	2	2
2011	3	3	0	1	1
2012	2	3	0	1	1
2013	5	5	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		28	100.0	45.4	29	100.0	47.0	57	100.0	92.4	61,683
Sex at Birth	Male	22	78.6	.	18	62.1	.	40	70.2	.	.
	Female	6	21.4	.	11	37.9	.	17	29.8	.	.
Current Age	20-24	2	7.1	.	0	0.0	.	2	3.5	.	.
	25-29	2	7.1	.	1	3.4	.	3	5.3	.	.
	30-39	3	10.7	.	4	13.8	.	7	12.3	.	.
	40-49	10	35.7	.	8	27.6	.	18	31.6	.	.
	50-59	8	28.6	.	6	20.7	.	14	24.6	.	.
	60+	3	10.7	.	10	34.5	.	13	22.8	.	.
Race/Ethnicity	White Not-Hispanic	16	57.1	.	19	65.5	.	35	61.4	.	.
	Black Not-Hispanic	4	14.3	.	2	6.9	.	6	10.5	.	.
	Hispanic	4	14.3	.	6	20.7	.	10	17.5	.	.
	Multi Race	3	10.7	.	2	6.9	.	5	8.8	.	.
	Others	1	3.6	.	0	0.0	.	1	1.8	.	.
Risk	MSM	12	42.9	.	12	41.4	.	24	42.1	.	.
	IDU	2	7.1	.	3	10.3	.	5	8.8	.	.
	MSM/IDU	0	0.0	.	1	3.4	.	1	1.8	.	.
	Heterosexual	6	21.4	.	7	24.1	.	13	22.8	.	.
	Fem Pres Het Cont	2	7.1	.	3	10.3	.	5	8.8	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	21.4	.	3	10.3	.	9	15.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		22	100.0	6	100.0	28	100.0	18	100.0	11	100.0	29	100.0	40	100.0	17	100.0	57	100.0
Risk	MSM	12	54.5	0	0.0	12	42.9	12	66.7	0	0.0	12	41.4	24	60.0	0	0.0	24	42.1
	IDU	1	4.5	1	16.7	2	7.1	1	5.6	2	18.2	3	10.3	2	5.0	3	17.6	5	8.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	3.4	1	2.5	0	0.0	1	1.8
	Heterosexual	3	13.6	3	50.0	6	21.4	1	5.6	6	54.5	7	24.1	4	10.0	9	52.9	13	22.8
	Fem Pres Het Cont	0	0.0	2	33.3	2	7.1	0	0.0	3	27.3	3	10.3	0	0.0	5	29.4	5	8.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	27.3	0	0.0	6	21.4	3	16.7	0	0.0	3	10.3	9	22.5	0	0.0	9	15.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.8	1.0	100.0	1.6	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	2.3	100.0	.	1.0	100.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
Age at Diagnosis	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.7	71.4	.	0.7	66.7	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
Race/Ethnicity	White Not-Hispanic	1.7	71.4	.	1.0	100.0	.	0.0	0.0	1.0	75.0	1.0	75.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.7	66.7	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.0	0.0	2.3	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	1.7	71.4	0.0	0.0	1.7	71.4	0.7	66.7	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	0.0	0.0	0.7	28.6	0.3	33.3	0.0	0.0	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	1	0	0	0
1988	0	3	0	2	2
1989	0	10	0	3	3
1990	0	2	0	4	4
1991	0	4	0	4	4
1992	0	5	0	3	3
1993	0	5	0	0	0
1994	0	2	0	4	4
1995	0	6	0	6	6
1996	0	6	0	4	4
1997	0	2	0	0	0
1998	0	2	0	0	0
1999	0	2	0	2	2
2000	5	4	0	2	2
2001	4	0	0	0	0
2002	5	2	0	1	1
2003	3	5	0	0	0
2004	2	2	0	1	1
2005	2	5	0	1	1
2006	3	2	0	5	5
2007	3	1	0	1	1
2008	1	1	0	3	3
2009	1	2	0	0	0
2010	3	1	0	0	0
2011	1	1	0	2	2
2012	1	1	0	0	0
2013	5	1	0	2	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		50	100.0	50.2	89	100.0	89.3	139	100.0	139.5	99,645
Sex at Birth	Male	35	70.0	.	61	68.5	.	96	69.1	.	.
	Female	15	30.0	.	28	31.5	.	43	30.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.1	.	1	0.7	.	.
	20-24	1	2.0	.	1	1.1	.	2	1.4	.	.
	25-29	1	2.0	.	1	1.1	.	2	1.4	.	.
	30-39	10	20.0	.	7	7.9	.	17	12.2	.	.
	40-49	20	40.0	.	21	23.6	.	41	29.5	.	.
	50-59	14	28.0	.	36	40.4	.	50	36.0	.	.
	60+	4	8.0	.	22	24.7	.	26	18.7	.	.
Race/Ethnicity	White Not-Hispanic	21	42.0	.	47	52.8	.	68	48.9	.	.
	Black Not-Hispanic	11	22.0	.	14	15.7	.	25	18.0	.	.
	Hispanic	14	28.0	.	23	25.8	.	37	26.6	.	.
	Multi Race	4	8.0	.	5	5.6	.	9	6.5	.	.
Risk	MSM	23	46.0	.	36	40.4	.	59	42.4	.	.
	IDU	10	20.0	.	17	19.1	.	27	19.4	.	.
	MSM/IDU	1	2.0	.	3	3.4	.	4	2.9	.	.
	Heterosexual	9	18.0	.	22	24.7	.	31	22.3	.	.
	Fem Pres Het Cont	1	2.0	.	4	4.5	.	5	3.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.4	.	3	2.2	.	.
	Unk	6	12.0	.	4	4.5	.	10	7.2	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		35	100.0	15	100.0	50	100.0	61	100.0	28	100.0	89	100.0	96	100.0	43	100.0	139	100.0
Risk	MSM	23	65.7	0	0.0	23	46.0	36	59.0	0	0.0	36	40.4	59	61.5	0	0.0	59	42.4
	IDU	2	5.7	8	53.3	10	20.0	6	9.8	11	39.3	17	19.1	8	8.3	19	44.2	27	19.4
	MSM/IDU	1	2.9	0	0.0	1	2.0	3	4.9	0	0.0	3	3.4	4	4.2	0	0.0	4	2.9
	Heterosexual	3	8.6	6	40.0	9	18.0	11	18.0	11	39.3	22	24.7	14	14.6	17	39.5	31	22.3
	Fem Pres Het Cont	0	0.0	1	6.7	1	2.0	0	0.0	4	14.3	4	4.5	0	0.0	5	11.6	5	3.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.6	2	7.1	3	3.4	1	1.0	2	4.7	3	2.2
	Unk	6	17.1	0	0.0	6	12.0	4	6.6	0	0.0	4	4.5	10	10.4	0	0.0	10	7.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	4.7	3.0	100.0	3.0	0.0	0.0	2.0	100.0	2.0	100.0
Sex at Birth	Male	3.7	78.6	.	2.0	66.7	.	0.0	0.0	1.3	66.7	1.3	66.7
	Female	1.0	21.4	.	1.0	33.3	.	0.0	0.0	0.7	33.3	0.7	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	14.3	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	28.6	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	16.7
	40-49	1.3	28.6	.	1.3	44.4	.	0.0	0.0	0.7	33.3	0.7	33.3
	50-59	0.7	14.3	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	14.3	.	0.3	11.1	.	0.0	0.0	1.0	50.0	1.0	50.0
Race/Ethnicity	White Not-Hispanic	2.0	42.9	.	1.7	55.6	.	0.0	0.0	1.0	50.0	1.0	50.0
	Black Not-Hispanic	0.3	7.1	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	2.0	42.9	.	0.7	22.2	.	0.0	0.0	1.0	50.0	1.0	50.0
	Multi Race	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	64.3	.	1.7	55.6	.	0.0	0.0	0.7	33.3	0.7	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	33.3	0.7	33.3
	Fem Pres Het Cont	1.0	21.4	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	14.3	.	0.3	11.1	.	0.0	0.0	0.7	33.3	0.7	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.0	100.0	4.7	100.0	2.0	100.0	1.0	100.0	3.0	100.0
Risk	MSM	3.0	81.8	0.0	0.0	3.0	64.3	1.7	83.3	0.0	0.0	1.7	55.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	1.0	100.0	1.0	21.4	0.0	0.0	0.7	66.7	0.7	22.2
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	11.1
	Unk	0.7	18.2	0.0	0.0	0.7	14.3	0.3	16.7	0.0	0.0	0.3	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	9	0	8	8
1987	0	8	0	5	5
1988	0	10	0	5	5
1989	0	7	0	4	4
1990	0	9	0	7	7
1991	0	12	0	3	3
1992	0	16	0	7	7
1993	0	11	0	15	15
1994	0	12	0	13	13
1995	0	17	0	14	14
1996	0	11	0	6	6
1997	0	6	0	3	3
1998	0	10	0	4	4
1999	0	10	0	1	1
2000	9	4	0	2	2
2001	4	5	0	0	0
2002	4	2	0	2	2
2003	4	4	0	1	1
2004	2	2	1	1	2
2005	3	1	0	1	1
2006	6	5	1	0	1
2007	5	8	0	1	1
2008	2	3	0	1	1
2009	10	3	1	1	2
2010	7	6	0	0	0
2011	4	2	0	3	3
2012	6	5	0	2	2
2013	4	2	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		101	100.0	63.2	142	100.0	88.8	243	100.0	152.0	159,918
Sex at Birth	Male	62	61.4	.	102	71.8	.	164	67.5	.	.
	Female	39	38.6	.	40	28.2	.	79	32.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	0	0.0	.	1	0.4	.	.
	20-24	1	1.0	.	2	1.4	.	3	1.2	.	.
	25-29	12	11.9	.	4	2.8	.	16	6.6	.	.
	30-39	19	18.8	.	18	12.7	.	37	15.2	.	.
	40-49	28	27.7	.	35	24.6	.	63	25.9	.	.
	50-59	28	27.7	.	57	40.1	.	85	35.0	.	.
	60+	12	11.9	.	26	18.3	.	38	15.6	.	.
Race/Ethnicity	White Not-Hispanic	54	53.5	.	76	53.5	.	130	53.5	.	.
	Black Not-Hispanic	20	19.8	.	35	24.6	.	55	22.6	.	.
	Hispanic	12	11.9	.	19	13.4	.	31	12.8	.	.
	Multi Race	14	13.9	.	12	8.5	.	26	10.7	.	.
	Others	1	1.0	.	0	0.0	.	1	0.4	.	.
Risk	MSM	42	41.6	.	55	38.7	.	97	39.9	.	.
	IDU	6	5.9	.	16	11.3	.	22	9.1	.	.
	MSM/IDU	6	5.9	.	6	4.2	.	12	4.9	.	.
	Heterosexual	23	22.8	.	27	19.0	.	50	20.6	.	.
	Fem Pres Het Cont	13	12.9	.	11	7.7	.	24	9.9	.	.
	Blood Prod	0	0.0	.	2	1.4	.	2	0.8	.	.
	Pediatric Risk	1	1.0	.	3	2.1	.	4	1.6	.	.
	Unk	10	9.9	.	22	15.5	.	32	13.2	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		62	100.0	39	100.0	101	100.0	102	100.0	40	100.0	142	100.0	164	100.0	79	100.0	243	100.0
Risk	MSM	42	67.7	0	0.0	42	41.6	55	53.9	0	0.0	55	38.7	97	59.1	0	0.0	97	39.9
	IDU	2	3.2	4	10.3	6	5.9	9	8.8	7	17.5	16	11.3	11	6.7	11	13.9	22	9.1
	MSM/IDU	6	9.7	0	0.0	6	5.9	6	5.9	0	0.0	6	4.2	12	7.3	0	0.0	12	4.9
	Heterosexual	1	1.6	22	56.4	23	22.8	8	7.8	19	47.5	27	19.0	9	5.5	41	51.9	50	20.6
	Fem Pres Het Cont	0	0.0	13	33.3	13	12.9	0	0.0	11	27.5	11	7.7	0	0.0	24	30.4	24	9.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.0	1	2.5	2	1.4	1	0.6	1	1.3	2	0.8
	Pediatric Risk	1	1.6	0	0.0	1	1.0	1	1.0	2	5.0	3	2.1	2	1.2	2	2.5	4	1.6
	Unk	10	16.1	0	0.0	10	9.9	22	21.6	0	0.0	22	15.5	32	19.5	0	0.0	32	13.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		9.0	100.0	5.6	5.7	100.0	3.5	0.3	100.0	4.3	100.0	4.7	100.0
Sex at Birth	Male	6.7	74.1	.	5.0	88.2	.	0.3	100.0	3.0	69.2	3.3	71.4
	Female	2.3	25.9	.	0.7	11.8	.	0.0	0.0	1.3	30.8	1.3	28.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	2.0	22.2	.	1.7	29.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	14.8	.	0.7	11.8	.	0.0	0.0	0.3	7.7	0.3	7.1
	40-49	2.0	22.2	.	1.3	23.5	.	0.0	0.0	0.3	7.7	0.3	7.1
	50-59	1.3	14.8	.	1.0	17.6	.	0.0	0.0	2.3	53.8	2.3	50.0
	60+	1.3	14.8	.	1.0	17.6	.	0.3	100.0	1.3	30.8	1.7	35.7
Race/Ethnicity	White Not-Hispanic	4.3	48.1	.	2.7	47.1	.	0.0	0.0	2.0	46.2	2.0	42.9
	Black Not-Hispanic	2.7	29.6	.	2.0	35.3	.	0.3	100.0	0.3	7.7	0.7	14.3
	Hispanic	1.3	14.8	.	1.0	17.6	.	0.0	0.0	0.3	7.7	0.3	7.1
	Multi Race	0.7	7.4	.	0.0	0.0	.	0.0	0.0	1.7	38.5	1.7	35.7
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.3	48.1	.	3.0	52.9	.	0.0	0.0	0.7	15.4	0.7	14.3
	IDU	0.0	0.0	.	0.3	5.9	.	0.0	0.0	2.3	53.8	2.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	7.7	0.3	7.1
	Heterosexual	0.7	7.4	.	1.0	17.6	.	0.0	0.0	0.7	15.4	0.7	14.3
	Fem Pres Het Cont	2.0	22.2	.	0.3	5.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.0	22.2	.	1.0	17.6	.	0.3	100.0	0.3	7.7	0.7	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.7	100.0	2.3	100.0	9.0	100.0	5.0	100.0	0.7	100.0	5.7	100.0
Risk	MSM	4.3	65.0	0.0	0.0	4.3	48.1	3.0	60.0	0.0	0.0	3.0	52.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.7	0.0	0.0	0.3	5.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	5.0	0.3	14.3	0.7	7.4	0.7	13.3	0.3	50.0	1.0	17.6
	Fem Pres Het Cont	0.0	0.0	2.0	85.7	2.0	22.2	0.0	0.0	0.3	50.0	0.3	5.9
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.0	30.0	0.0	0.0	2.0	22.2	1.0	20.0	0.0	0.0	1.0	17.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	2	2
1987	0	5	0	4	4
1988	0	6	0	4	4
1989	0	13	0	3	3
1990	0	13	0	8	8
1991	0	20	0	10	10
1992	0	28	0	11	11
1993	0	19	0	17	17
1994	0	19	0	11	11
1995	0	22	0	14	14
1996	0	20	0	12	12
1997	0	4	0	8	8
1998	0	8	0	2	2
1999	0	12	0	5	5
2000	10	11	0	5	5
2001	8	5	1	7	8
2002	14	15	0	4	4
2003	13	14	0	6	6
2004	20	15	1	5	6
2005	9	7	3	7	10
2006	8	10	0	5	5
2007	9	11	0	3	3
2008	14	7	2	4	6
2009	6	3	1	4	5
2010	13	9	3	5	8
2011	8	5	1	7	8
2012	8	5	0	3	3
2013	11	7	0	3	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		269	100.0	83.8	443	100.0	138.0	712	100.0	221.9	320,903
Sex at Birth	Male	162	60.2	.	294	66.4	.	456	64.0	.	.
	Female	107	39.8	.	149	33.6	.	256	36.0	.	.
Current Age	12 & under	3	1.1	.	0	0.0	.	3	0.4	.	.
	13-19	12	4.5	.	6	1.4	.	18	2.5	.	.
	20-24	6	2.2	.	8	1.8	.	14	2.0	.	.
	25-29	16	5.9	.	7	1.6	.	23	3.2	.	.
	30-39	53	19.7	.	30	6.8	.	83	11.7	.	.
	40-49	77	28.6	.	106	23.9	.	183	25.7	.	.
	50-59	64	23.8	.	185	41.8	.	249	35.0	.	.
	60+	38	14.1	.	101	22.8	.	139	19.5	.	.
Race/Ethnicity	White Not-Hispanic	54	20.1	.	88	19.9	.	142	19.9	.	.
	Black Not-Hispanic	112	41.6	.	192	43.3	.	304	42.7	.	.
	Hispanic	73	27.1	.	101	22.8	.	174	24.4	.	.
	Multi Race	28	10.4	.	62	14.0	.	90	12.6	.	.
	Others	2	0.7	.	0	0.0	.	2	0.3	.	.
Risk	MSM	70	26.0	.	88	19.9	.	158	22.2	.	.
	IDU	21	7.8	.	70	15.8	.	91	12.8	.	.
	MSM/IDU	6	2.2	.	20	4.5	.	26	3.7	.	.
	Heterosexual	114	42.4	.	178	40.2	.	292	41.0	.	.
	Fem Pres Het Cont	13	4.8	.	18	4.1	.	31	4.4	.	.
	Blood Prod	0	0.0	.	2	0.5	.	2	0.3	.	.
	Pediatric Risk	16	5.9	.	14	3.2	.	30	4.2	.	.
	Unk	29	10.8	.	53	12.0	.	82	11.5	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		162	100.0	107	100.0	269	100.0	294	100.0	149	100.0	443	100.0	456	100.0	256	100.0	712	100.0
Risk	MSM	70	43.2	0	0.0	70	26.0	88	29.9	0	0.0	88	19.9	158	34.6	0	0.0	158	22.2
	IDU	11	6.8	10	9.3	21	7.8	47	16.0	23	15.4	70	15.8	58	12.7	33	12.9	91	12.8
	MSM/IDU	6	3.7	0	0.0	6	2.2	20	6.8	0	0.0	20	4.5	26	5.7	0	0.0	26	3.7
	Heterosexual	40	24.7	74	69.2	114	42.4	76	25.9	102	68.5	178	40.2	116	25.4	176	68.8	292	41.0
	Fem Pres Het Cont	0	0.0	13	12.1	13	4.8	0	0.0	18	12.1	18	4.1	0	0.0	31	12.1	31	4.4
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.3	1	0.7	2	0.5	1	0.2	1	0.4	2	0.3
	Pediatric Risk	6	3.7	10	9.3	16	5.9	9	3.1	5	3.4	14	3.2	15	3.3	15	5.9	30	4.2
	Unk	29	17.9	0	0.0	29	10.8	53	18.0	0	0.0	53	12.0	82	18.0	0	0.0	82	11.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		25.3	100.0	7.9	12.7	100.0	3.9	2.7	100.0	8.3	100.0	11.0	100.0
Sex at Birth	Male	18.3	72.4	.	10.0	78.9	.	2.3	87.5	6.3	76.0	8.7	78.8
	Female	7.0	27.6	.	2.7	21.1	.	0.3	12.5	2.0	24.0	2.3	21.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.9	.	0.3	2.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	9.2	.	1.0	7.9	.	0.0	0.0	0.3	4.0	0.3	3.0
	25-29	4.0	15.8	.	0.3	2.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	6.7	26.3	.	2.3	18.4	.	0.3	12.5	1.0	12.0	1.3	12.1
	40-49	6.0	23.7	.	3.3	26.3	.	0.3	12.5	1.3	16.0	1.7	15.2
	50-59	3.0	11.8	.	4.3	34.2	.	0.7	25.0	3.7	44.0	4.3	39.4
	60+	2.3	9.2	.	1.0	7.9	.	1.3	50.0	2.0	24.0	3.3	30.3
Race/Ethnicity	White Not-Hispanic	3.7	14.5	.	3.3	26.3	.	0.3	12.5	3.0	36.0	3.3	30.3
	Black Not-Hispanic	10.7	42.1	.	5.0	39.5	.	1.7	62.5	2.0	24.0	3.7	33.3
	Hispanic	9.0	35.5	.	3.0	23.7	.	0.3	12.5	2.3	28.0	2.7	24.2
	Multi Race	2.0	7.9	.	1.3	10.5	.	0.3	12.5	1.0	12.0	1.3	12.1
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.0	31.6	.	3.7	28.9	.	0.3	12.5	3.0	36.0	3.3	30.3
	IDU	1.0	3.9	.	1.3	10.5	.	0.3	12.5	1.3	16.0	1.7	15.2
	MSM/IDU	0.7	2.6	.	0.3	2.6	.	0.3	12.5	0.3	4.0	0.7	6.1
	Heterosexual	13.7	53.9	.	6.0	47.4	.	1.7	62.5	3.0	36.0	4.7	42.4
	Fem Pres Het Cont	0.7	2.6	.	0.3	2.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	4.0	0.3	3.0
	Unk	1.3	5.3	.	1.0	7.9	.	0.0	0.0	0.3	4.0	0.3	3.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		18.3	100.0	7.0	100.0	25.3	100.0	10.0	100.0	2.7	100.0	12.7	100.0
Risk	MSM	8.0	43.6	0.0	0.0	8.0	31.6	3.7	36.7	0.0	0.0	3.7	28.9
	IDU	0.7	3.6	0.3	4.8	1.0	3.9	1.0	10.0	0.3	12.5	1.3	10.5
	MSM/IDU	0.7	3.6	0.0	0.0	0.7	2.6	0.3	3.3	0.0	0.0	0.3	2.6
	Heterosexual	7.7	41.8	6.0	85.7	13.7	53.9	4.0	40.0	2.0	75.0	6.0	47.4
	Fem Pres Het Cont	0.0	0.0	0.7	9.5	0.7	2.6	0.0	0.0	0.3	12.5	0.3	2.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	7.3	0.0	0.0	1.3	5.3	1.0	10.0	0.0	0.0	1.0	7.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	55	0	36	36
1987	0	26	0	16	16
1988	0	30	0	17	17
1989	0	46	0	34	34
1990	0	29	0	27	27
1991	0	52	0	20	20
1992	0	88	0	47	47
1993	0	81	0	49	49
1994	0	64	0	48	48
1995	0	57	0	46	46
1996	0	53	0	27	27
1997	0	35	0	15	15
1998	0	41	0	19	19
1999	0	28	0	20	20
2000	30	50	0	13	13
2001	30	39	0	19	19
2002	19	26	1	20	21
2003	24	26	4	22	26
2004	32	29	4	12	16
2005	37	43	1	11	12
2006	31	24	2	10	12
2007	13	18	1	3	4
2008	22	19	2	8	10
2009	21	19	1	11	12
2010	21	13	0	11	11
2011	29	14	4	8	12
2012	22	14	3	11	14
2013	25	10	1	6	7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		40	100.0	35.7	48	100.0	42.9	88	100.0	78.6	111,963
Sex at Birth	Male	29	72.5	.	35	72.9	.	64	72.7	.	.
	Female	11	27.5	.	13	27.1	.	24	27.3	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	5.0	.	0	0.0	.	2	2.3	.	.
	25-29	1	2.5	.	0	0.0	.	1	1.1	.	.
	30-39	9	22.5	.	4	8.3	.	13	14.8	.	.
	40-49	12	30.0	.	18	37.5	.	30	34.1	.	.
	50-59	11	27.5	.	18	37.5	.	29	33.0	.	.
	60+	5	12.5	.	8	16.7	.	13	14.8	.	.
Race/Ethnicity	White Not-Hispanic	28	70.0	.	37	77.1	.	65	73.9	.	.
	Black Not-Hispanic	4	10.0	.	3	6.3	.	7	8.0	.	.
	Hispanic	5	12.5	.	6	12.5	.	11	12.5	.	.
	Multi Race	3	7.5	.	2	4.2	.	5	5.7	.	.
Risk	MSM	17	42.5	.	22	45.8	.	39	44.3	.	.
	IDU	3	7.5	.	1	2.1	.	4	4.5	.	.
	MSM/IDU	2	5.0	.	1	2.1	.	3	3.4	.	.
	Heterosexual	6	15.0	.	10	20.8	.	16	18.2	.	.
	Fem Pres Het Cont	5	12.5	.	6	12.5	.	11	12.5	.	.
	Blood Prod	1	2.5	.	0	0.0	.	1	1.1	.	.
	Pediatric Risk	1	2.5	.	0	0.0	.	1	1.1	.	.
	Unk	5	12.5	.	8	16.7	.	13	14.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	11	100.0	40	100.0	35	100.0	13	100.0	48	100.0	64	100.0	24	100.0	88	100.0
Risk	MSM	17	58.6	0	0.0	17	42.5	22	62.9	0	0.0	22	45.8	39	60.9	0	0.0	39	44.3
	IDU	3	10.3	0	0.0	3	7.5	1	2.9	0	0.0	1	2.1	4	6.3	0	0.0	4	4.5
	MSM/IDU	2	6.9	0	0.0	2	5.0	1	2.9	0	0.0	1	2.1	3	4.7	0	0.0	3	3.4
	Heterosexual	1	3.4	5	45.5	6	15.0	3	8.6	7	53.8	10	20.8	4	6.3	12	50.0	16	18.2
	Fem Pres Het Cont	0	0.0	5	45.5	5	12.5	0	0.0	6	46.2	6	12.5	0	0.0	11	45.8	11	12.5
	Blood Prod	1	3.4	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0	1	1.1
	Pediatric Risk	0	0.0	1	9.1	1	2.5	0	0.0	0	0.0	0	0.0	0	0.0	1	4.2	1	1.1
	Unk	5	17.2	0	0.0	5	12.5	8	22.9	0	0.0	8	16.7	13	20.3	0	0.0	13	14.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		4.3	100.0	3.9	2.3	100.0	2.1	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	4.0	92.3	.	2.0	85.7	.	0.3	100.0	0.0	0.0	0.3	50.0
	Female	0.3	7.7	.	0.3	14.3	.	0.0	0.0	0.3	100.0	0.3	50.0
Age at Diagnosis	13-19	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	40-49	2.3	53.8	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.3	30.8	.	1.0	42.9	.	0.3	100.0	0.0	0.0	0.3	50.0
	60+	0.3	7.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.0	69.2	.	2.0	85.7	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black Not-Hispanic	0.3	7.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.7	15.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	69.2	.	1.3	57.1	.	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	15.4	.	0.3	14.3	.	0.0	0.0	0.3	100.0	0.3	50.0
	Fem Pres Het Cont	0.3	7.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.0	100.0	0.3	100.0	4.3	100.0	2.0	100.0	0.3	100.0	2.3	100.0
Risk	MSM	3.0	75.0	0.0	0.0	3.0	69.2	1.3	66.7	0.0	0.0	1.3	57.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	16.7	0.0	0.0	0.7	15.4	0.3	16.7	0.0	0.0	0.3	14.3
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	7.7	0.0	0.0	0.3	100.0	0.3	14.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	8.3	0.0	0.0	0.3	7.7	0.3	16.7	0.0	0.0	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	2	2
1987	0	2	0	0	0
1988	0	0	0	1	1
1989	0	4	0	4	4
1990	0	3	0	2	2
1991	0	5	0	3	3
1992	0	5	0	3	3
1993	0	2	0	1	1
1994	0	3	0	4	4
1995	0	1	0	1	1
1996	0	3	0	1	1
1997	0	1	0	0	0
1998	0	9	0	0	0
1999	0	4	0	2	2
2000	5	7	0	1	1
2001	3	3	0	1	1
2002	4	3	0	1	1
2003	4	5	0	0	0
2004	5	3	0	2	2
2005	2	3	0	3	3
2006	2	2	1	1	2
2007	0	4	1	0	1
2008	1	1	1	1	2
2009	4	4	0	1	1
2010	4	0	0	3	3
2011	3	1	0	0	0
2012	4	4	0	0	0
2013	6	2	1	1	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		75	100.0	33.5	98	100.0	43.8	173	100.0	77.3	223,865
Sex at Birth	Male	64	85.3	.	74	75.5	.	138	79.8	.	.
	Female	11	14.7	.	24	24.5	.	35	20.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.3	.	2	2.0	.	3	1.7	.	.
	20-24	4	5.3	.	0	0.0	.	4	2.3	.	.
	25-29	2	2.7	.	3	3.1	.	5	2.9	.	.
	30-39	6	8.0	.	9	9.2	.	15	8.7	.	.
	40-49	21	28.0	.	23	23.5	.	44	25.4	.	.
	50-59	32	42.7	.	41	41.8	.	73	42.2	.	.
	60+	9	12.0	.	20	20.4	.	29	16.8	.	.
Race/Ethnicity	White Not-Hispanic	55	73.3	.	64	65.3	.	119	68.8	.	.
	Black Not-Hispanic	11	14.7	.	14	14.3	.	25	14.5	.	.
	Hispanic	3	4.0	.	13	13.3	.	16	9.2	.	.
	Multi Race	5	6.7	.	7	7.1	.	12	6.9	.	.
	Others	1	1.3	.	0	0.0	.	1	0.6	.	.
Risk	MSM	45	60.0	.	44	44.9	.	89	51.4	.	.
	IDU	6	8.0	.	10	10.2	.	16	9.2	.	.
	MSM/IDU	3	4.0	.	8	8.2	.	11	6.4	.	.
	Heterosexual	6	8.0	.	17	17.3	.	23	13.3	.	.
	Fem Pres Het Cont	3	4.0	.	7	7.1	.	10	5.8	.	.
	Blood Prod	0	0.0	.	2	2.0	.	2	1.2	.	.
	Pediatric Risk	2	2.7	.	4	4.1	.	6	3.5	.	.
	Unk	10	13.3	.	6	6.1	.	16	9.2	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		64	100.0	11	100.0	75	100.0	74	100.0	24	100.0	98	100.0	138	100.0	35	100.0	173	100.0
Risk	MSM	45	70.3	0	0.0	45	60.0	44	59.5	0	0.0	44	44.9	89	64.5	0	0.0	89	51.4
	IDU	3	4.7	3	27.3	6	8.0	6	8.1	4	16.7	10	10.2	9	6.5	7	20.0	16	9.2
	MSM/IDU	3	4.7	0	0.0	3	4.0	8	10.8	0	0.0	8	8.2	11	8.0	0	0.0	11	6.4
	Heterosexual	2	3.1	4	36.4	6	8.0	6	8.1	11	45.8	17	17.3	8	5.8	15	42.9	23	13.3
	Fem Pres Het Cont	0	0.0	3	27.3	3	4.0	0	0.0	7	29.2	7	7.1	0	0.0	10	28.6	10	5.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.4	1	4.2	2	2.0	1	0.7	1	2.9	2	1.2
	Pediatric Risk	2	3.1	0	0.0	2	2.7	3	4.1	1	4.2	4	4.1	5	3.6	1	2.9	6	3.5
	Unk	9	14.1	1	9.1	10	13.3	6	8.1	0	0.0	6	6.1	15	10.9	1	2.9	16	9.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	2.4	4.7	100.0	2.1	0.7	100.0	1.3	100.0	2.0	100.0
Sex at Birth	Male	4.3	81.3	.	3.7	78.6	.	0.3	50.0	1.3	100.0	1.7	83.3
	Female	1.0	18.8	.	1.0	21.4	.	0.3	50.0	0.0	0.0	0.3	16.7
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	7.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.7	31.3	.	1.7	35.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	25.0	.	1.0	21.4	.	0.3	50.0	0.3	25.0	0.7	33.3
	50-59	1.7	31.3	.	1.0	21.4	.	0.0	0.0	0.7	50.0	0.7	33.3
	60+	0.3	6.3	.	0.7	14.3	.	0.3	50.0	0.3	25.0	0.7	33.3
Race/Ethnicity	White Not-Hispanic	3.3	62.5	.	3.3	71.4	.	0.3	50.0	1.0	75.0	1.3	66.7
	Black Not-Hispanic	1.0	18.8	.	0.3	7.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	12.5	.	0.7	14.3	.	0.3	50.0	0.0	0.0	0.3	16.7
	Multi Race	0.0	0.0	.	0.3	7.1	.	0.0	0.0	0.3	25.0	0.3	16.7
	Others	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	56.3	.	2.3	50.0	.	0.0	0.0	0.3	25.0	0.3	16.7
	IDU	0.0	0.0	.	0.3	7.1	.	0.3	50.0	0.3	25.0	0.7	33.3
	MSM/IDU	0.0	0.0	.	0.3	7.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	18.8	.	1.7	35.7	.	0.3	50.0	0.0	0.0	0.3	16.7
	Fem Pres Het Cont	0.7	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	33.3
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.3	100.0	1.0	100.0	5.3	100.0	3.7	100.0	1.0	100.0	4.7	100.0
Risk	MSM	3.0	69.2	0.0	0.0	3.0	56.3	2.3	63.6	0.0	0.0	2.3	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.0	0.0	0.3	7.1
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.0	0.0	0.3	7.1
	Heterosexual	0.7	15.4	0.3	33.3	1.0	18.8	0.7	18.2	1.0	100.0	1.7	35.7
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	12.5	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	15.4	0.0	0.0	0.7	12.5	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	5	0	2	2
1987	0	5	0	5	5
1988	0	3	0	2	2
1989	0	8	0	5	5
1990	0	12	0	3	3
1991	0	15	0	7	7
1992	0	13	0	11	11
1993	0	14	0	7	7
1994	0	15	0	16	16
1995	0	12	0	12	12
1996	0	8	0	4	4
1997	0	10	0	5	5
1998	0	7	0	4	4
1999	0	8	0	1	1
2000	4	7	1	4	5
2001	10	7	0	7	7
2002	4	6	2	3	5
2003	9	13	1	3	4
2004	7	10	0	4	4
2005	7	10	1	3	4
2006	8	4	0	4	4
2007	7	5	0	1	1
2008	6	1	0	2	2
2009	7	3	1	2	3
2010	4	3	0	1	1
2011	6	8	0	0	0
2012	5	2	2	3	5
2013	5	4	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		183	100.0	117.8	216	100.0	139.1	399	100.0	256.9	155,333
Sex at Birth	Male	90	49.2	.	122	56.5	.	212	53.1	.	.
	Female	93	50.8	.	94	43.5	.	187	46.9	.	.
Current Age	12 & under	1	0.5	.	0	0.0	.	1	0.3	.	.
	13-19	3	1.6	.	2	0.9	.	5	1.3	.	.
	20-24	5	2.7	.	3	1.4	.	8	2.0	.	.
	25-29	18	9.8	.	2	0.9	.	20	5.0	.	.
	30-39	27	14.8	.	19	8.8	.	46	11.5	.	.
	40-49	54	29.5	.	78	36.1	.	132	33.1	.	.
	50-59	60	32.8	.	76	35.2	.	136	34.1	.	.
	60+	15	8.2	.	36	16.7	.	51	12.8	.	.
Race/Ethnicity	White Not-Hispanic	61	33.3	.	67	31.0	.	128	32.1	.	.
	Black Not-Hispanic	50	27.3	.	60	27.8	.	110	27.6	.	.
	Hispanic	34	18.6	.	45	20.8	.	79	19.8	.	.
	Multi Race	35	19.1	.	42	19.4	.	77	19.3	.	.
	Others	3	1.6	.	2	0.9	.	5	1.3	.	.
Risk	MSM	48	26.2	.	53	24.5	.	101	25.3	.	.
	IDU	20	10.9	.	50	23.1	.	70	17.5	.	.
	MSM/IDU	2	1.1	.	14	6.5	.	16	4.0	.	.
	Heterosexual	60	32.8	.	65	30.1	.	125	31.3	.	.
	Fem Pres Het Cont	35	19.1	.	15	6.9	.	50	12.5	.	.
	Blood Prod	0	0.0	.	1	0.5	.	1	0.3	.	.
	Pediatric Risk	5	2.7	.	3	1.4	.	8	2.0	.	.
	Unk	13	7.1	.	15	6.9	.	28	7.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		90	100.0	93	100.0	183	100.0	122	100.0	94	100.0	216	100.0	212	100.0	187	100.0	399	100.0
Risk	MSM	48	53.3	0	0.0	48	26.2	53	43.4	0	0.0	53	24.5	101	47.6	0	0.0	101	25.3
	IDU	9	10.0	11	11.8	20	10.9	25	20.5	25	26.6	50	23.1	34	16.0	36	19.3	70	17.5
	MSM/IDU	2	2.2	0	0.0	2	1.1	14	11.5	0	0.0	14	6.5	16	7.5	0	0.0	16	4.0
	Heterosexual	15	16.7	45	48.4	60	32.8	14	11.5	51	54.3	65	30.1	29	13.7	96	51.3	125	31.3
	Fem Pres Het Cont	0	0.0	35	37.6	35	19.1	0	0.0	15	16.0	15	6.9	0	0.0	50	26.7	50	12.5
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.5	1	0.5	0	0.0	1	0.3
	Pediatric Risk	3	3.3	2	2.2	5	2.7	0	0.0	3	3.2	3	1.4	3	1.4	5	2.7	8	2.0
	Unk	13	14.4	0	0.0	13	7.1	15	12.3	0	0.0	15	6.9	28	13.2	0	0.0	28	7.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		13.3	100.0	8.6	7.7	100.0	4.9	1.0	100.0	5.7	100.0	6.7	100.0
Sex at Birth	Male	8.3	62.5	.	5.0	65.2	.	1.0	100.0	2.0	35.3	3.0	45.0
	Female	5.0	37.5	.	2.7	34.8	.	0.0	0.0	3.7	64.7	3.7	55.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	5.0	.	0.3	4.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.7	20.0	.	0.3	4.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	7.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	15.0	.	1.3	17.4	.	0.0	0.0	0.7	11.8	0.7	10.0
	40-49	5.3	40.0	.	3.7	47.8	.	0.0	0.0	1.3	23.5	1.3	20.0
	50-59	1.3	10.0	.	0.7	8.7	.	0.3	33.3	1.3	23.5	1.7	25.0
	60+	0.3	2.5	.	1.3	17.4	.	0.7	66.7	2.3	41.2	3.0	45.0
Race/Ethnicity	White Not-Hispanic	3.7	27.5	.	3.3	43.5	.	0.0	0.0	2.3	41.2	2.3	35.0
	Black Not-Hispanic	5.0	37.5	.	2.0	26.1	.	0.7	66.7	2.7	47.1	3.3	50.0
	Hispanic	2.7	20.0	.	1.7	21.7	.	0.0	0.0	0.3	5.9	0.3	5.0
	Multi Race	1.3	10.0	.	0.7	8.7	.	0.3	33.3	0.3	5.9	0.7	10.0
	Others	0.7	5.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	25.0	.	1.7	21.7	.	0.3	33.3	0.7	11.8	1.0	15.0
	IDU	0.3	2.5	.	2.0	26.1	.	0.0	0.0	2.0	35.3	2.0	30.0
	MSM/IDU	1.7	12.5	.	1.3	17.4	.	0.3	33.3	0.7	11.8	1.0	15.0
	Heterosexual	3.7	27.5	.	1.3	17.4	.	0.3	33.3	1.0	17.6	1.3	20.0
	Fem Pres Het Cont	2.0	15.0	.	0.3	4.3	.	0.0	0.0	1.3	23.5	1.3	20.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	17.5	.	1.0	13.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports.

Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.3	100.0	5.0	100.0	13.3	100.0	5.0	100.0	2.7	100.0	7.7	100.0
Risk	MSM	3.3	40.0	0.0	0.0	3.3	25.0	1.7	33.3	0.0	0.0	1.7	21.7
	IDU	0.0	0.0	0.3	6.7	0.3	2.5	1.0	20.0	1.0	37.5	2.0	26.1
	MSM/IDU	1.7	20.0	0.0	0.0	1.7	12.5	1.3	26.7	0.0	0.0	1.3	17.4
	Heterosexual	1.0	12.0	2.7	53.3	3.7	27.5	0.0	0.0	1.3	50.0	1.3	17.4
	Fem Pres Het Cont	0.0	0.0	2.0	40.0	2.0	15.0	0.0	0.0	0.3	12.5	0.3	4.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	28.0	0.0	0.0	2.3	17.5	1.0	20.0	0.0	0.0	1.0	13.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	25	0	16	16
1987	0	5	0	5	5
1988	0	8	0	6	6
1989	0	16	0	9	9
1990	0	26	0	17	17
1991	0	26	0	14	14
1992	0	19	0	21	21
1993	0	26	0	11	11
1994	0	35	0	21	21
1995	0	36	0	16	16
1996	0	21	0	21	21
1997	0	24	0	10	10
1998	0	24	0	11	11
1999	0	13	0	8	8
2000	10	24	2	8	10
2001	19	13	2	6	8
2002	25	17	0	10	10
2003	22	17	0	4	4
2004	24	20	3	8	11
2005	15	17	1	8	9
2006	17	21	1	8	9
2007	15	13	0	7	7
2008	11	8	0	7	7
2009	8	4	1	6	7
2010	11	14	1	5	6
2011	18	9	0	7	7
2012	8	6	1	8	9
2013	14	8	2	2	4

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		11	100.0	34.5	16	100.0	50.2	27	100.0	84.8	31,844
Sex at Birth	Male	8	72.7	.	11	68.8	.	19	70.4	.	.
	Female	3	27.3	.	5	31.3	.	8	29.6	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	2	18.2	.	3	18.8	.	5	18.5	.	.
	40-49	5	45.5	.	4	25.0	.	9	33.3	.	.
	50-59	2	18.2	.	4	25.0	.	6	22.2	.	.
	60+	2	18.2	.	5	31.3	.	7	25.9	.	.
Race/Ethnicity	White Not-Hispanic	5	45.5	.	11	68.8	.	16	59.3	.	.
	Black Not-Hispanic	3	27.3	.	3	18.8	.	6	22.2	.	.
	Hispanic	2	18.2	.	1	6.3	.	3	11.1	.	.
	Multi Race	0	0.0	.	1	6.3	.	1	3.7	.	.
	Others	1	9.1	.	0	0.0	.	1	3.7	.	.
Risk	MSM	5	45.5	.	5	31.3	.	10	37.0	.	.
	IDU	0	0.0	.	4	25.0	.	4	14.8	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	18.2	.	3	18.8	.	5	18.5	.	.
	Fem Pres Het Cont	2	18.2	.	1	6.3	.	3	11.1	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	18.2	.	3	18.8	.	5	18.5	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8	100.0	3	100.0	11	100.0	11	100.0	5	100.0	16	100.0	19	100.0	8	100.0	27	100.0
Risk	MSM	5	62.5	0	0.0	5	45.5	5	45.5	0	0.0	5	31.3	10	52.6	0	0.0	10	37.0
	IDU	0	0.0	0	0.0	0	0.0	3	27.3	1	20.0	4	25.0	3	15.8	1	12.5	4	14.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	12.5	1	33.3	2	18.2	0	0.0	3	60.0	3	18.8	1	5.3	4	50.0	5	18.5
	Fem Pres Het Cont	0	0.0	2	66.7	2	18.2	0	0.0	1	20.0	1	6.3	0	0.0	3	37.5	3	11.1
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	25.0	0	0.0	2	18.2	3	27.3	0	0.0	3	18.8	5	26.3	0	0.0	5	18.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		0.7	100.0	2.1	0.7	100.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.7	100.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	50.0	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.7	100.0	0.7	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.3	100.0	0.3	50.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1988	0	1	0	0	0
1989	0	1	0	1	1
1990	0	3	0	1	1
1991	0	4	0	3	3
1992	0	3	0	1	1
1993	0	6	0	5	5
1994	0	4	0	2	2
1995	0	2	0	4	4
1996	0	1	0	3	3
1999	0	3	0	2	2
2000	0	0	0	1	1
2001	2	0	0	0	0
2002	5	0	0	0	0
2003	1	1	0	0	0
2004	2	1	1	0	1
2006	1	2	0	0	0
2007	1	1	0	0	0
2008	2	2	0	0	0
2009	1	2	0	0	0
2012	1	2	0	0	0
2013	1	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		11	100.0	59.6	6	100.0	32.5	17	100.0	92.1	18,460
Sex at Birth	Male	9	81.8	.	6	100.0	.	15	88.2	.	.
	Female	2	18.2	.	0	0.0	.	2	11.8	.	.
Current Age	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	3	27.3	.	0	0.0	.	3	17.6	.	.
	40-49	4	36.4	.	1	16.7	.	5	29.4	.	.
	50-59	3	27.3	.	4	66.7	.	7	41.2	.	.
	60+	1	9.1	.	1	16.7	.	2	11.8	.	.
Race/Ethnicity	White Not-Hispanic	9	81.8	.	3	50.0	.	12	70.6	.	.
	Black Not-Hispanic	1	9.1	.	1	16.7	.	2	11.8	.	.
	Hispanic	1	9.1	.	2	33.3	.	3	17.6	.	.
Risk	MSM	8	72.7	.	4	66.7	.	12	70.6	.	.
	IDU	0	0.0	.	1	16.7	.	1	5.9	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	18.2	.	0	0.0	.	2	11.8	.	.
	Unk	1	9.1	.	1	16.7	.	2	11.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9	100.0	2	100.0	11	100.0	6	100.0	0	0.0	6	100.0	15	100.0	2	100.0	17	100.0
Risk	MSM	8	88.9	0	0.0	8	72.7	4	66.7	0	0.0	4	66.7	12	80.0	0	0.0	12	70.6
	IDU	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	1	16.7	1	6.7	0	0.0	1	5.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	0	0.0	2	100.0	2	18.2	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	2	11.8
	Unk	1	11.1	0	0.0	1	9.1	1	16.7	0	0.0	1	16.7	2	13.3	0	0.0	2	11.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	7.2	0.3	100.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	1.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	1.0	75.0	0.0	0.0	1.0	75.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	1	0	1	1
1989	0	1	0	0	0
1990	0	2	0	0	0
1991	0	1	0	2	2
1992	0	1	0	1	1
1993	0	3	0	4	4
1994	0	1	0	0	0
1995	0	0	0	1	1
1996	0	0	0	1	1
2001	1	1	0	0	0
2003	2	0	0	0	0
2004	0	0	1	0	1
2005	1	1	0	0	0
2006	1	0	0	0	0
2007	1	1	0	0	0
2010	1	1	1	0	1
2011	0	1	0	0	0
2012	1	0	0	0	0
2013	3	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		15	100.0	42.4	8	100.0	22.6	23	100.0	65.0	35,409
Sex at Birth	Male	12	80.0	.	5	62.5	.	17	73.9	.	.
	Female	3	20.0	.	3	37.5	.	6	26.1	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	13.3	.	1	12.5	.	3	13.0	.	.
	30-39	3	20.0	.	1	12.5	.	4	17.4	.	.
	40-49	4	26.7	.	2	25.0	.	6	26.1	.	.
	50-59	4	26.7	.	4	50.0	.	8	34.8	.	.
	60+	2	13.3	.	0	0.0	.	2	8.7	.	.
Race/Ethnicity	White Not-Hispanic	9	60.0	.	6	75.0	.	15	65.2	.	.
	Black Not-Hispanic	3	20.0	.	0	0.0	.	3	13.0	.	.
	Hispanic	3	20.0	.	0	0.0	.	3	13.0	.	.
	Multi Race	0	0.0	.	2	25.0	.	2	8.7	.	.
Risk	MSM	6	40.0	.	4	50.0	.	10	43.5	.	.
	IDU	2	13.3	.	1	12.5	.	3	13.0	.	.
	MSM/IDU	1	6.7	.	0	0.0	.	1	4.3	.	.
	Heterosexual	2	13.3	.	2	25.0	.	4	17.4	.	.
	Fem Pres Het Cont	1	6.7	.	0	0.0	.	1	4.3	.	.
	Pediatric Risk	0	0.0	.	1	12.5	.	1	4.3	.	.
	Unk	3	20.0	.	0	0.0	.	3	13.0	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12	100.0	3	100.0	15	100.0	5	100.0	3	100.0	8	100.0	17	100.0	6	100.0	23	100.0
Risk	MSM	6	50.0	0	0.0	6	40.0	4	80.0	0	0.0	4	50.0	10	58.8	0	0.0	10	43.5
	IDU	0	0.0	2	66.7	2	13.3	0	0.0	1	33.3	1	12.5	0	0.0	3	50.0	3	13.0
	MSM/IDU	1	8.3	0	0.0	1	6.7	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	1	4.3
	Heterosexual	2	16.7	0	0.0	2	13.3	1	20.0	1	33.3	2	25.0	3	17.6	1	16.7	4	17.4
	Fem Pres Het Cont	0	0.0	1	33.3	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	4.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	12.5	0	0.0	1	16.7	1	4.3
	Unk	3	25.0	0	0.0	3	20.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0	3	13.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.8	0.3	100.0	0.9	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.7	66.7	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	33.3	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.7	66.7	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	50.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	0.0	0.0	0.3	33.3	0.3	100.0	0.0	0.0	0.3	100.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	1	0	0	0
1988	0	1	0	1	1
1990	0	1	0	1	1
1992	0	2	0	1	1
1993	0	1	0	2	2
1994	0	2	0	0	0
1995	0	2	0	1	1
1996	0	1	0	2	2
1997	0	0	0	1	1
1998	0	1	0	0	0
2000	2	1	0	0	0
2001	2	0	0	0	0
2002	2	0	1	2	3
2003	2	2	0	0	0
2004	2	0	0	0	0
2005	0	2	0	0	0
2007	1	0	0	1	1
2008	2	2	0	0	0
2010	2	1	0	0	0
2011	1	0	0	0	0
2013	2	1	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		33	100.0	33.5	37	100.0	37.5	70	100.0	71.0	98,650
Sex at Birth	Male	26	78.8	.	25	67.6	.	51	72.9	.	.
	Female	7	21.2	.	12	32.4	.	19	27.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	3.0	.	0	0.0	.	1	1.4	.	.
	25-29	4	12.1	.	2	5.4	.	6	8.6	.	.
	30-39	4	12.1	.	5	13.5	.	9	12.9	.	.
	40-49	8	24.2	.	8	21.6	.	16	22.9	.	.
	50-59	10	30.3	.	13	35.1	.	23	32.9	.	.
	60+	6	18.2	.	9	24.3	.	15	21.4	.	.
Race/Ethnicity	White Not-Hispanic	22	66.7	.	23	62.2	.	45	64.3	.	.
	Black Not-Hispanic	6	18.2	.	7	18.9	.	13	18.6	.	.
	Hispanic	2	6.1	.	4	10.8	.	6	8.6	.	.
	Multi Race	1	3.0	.	3	8.1	.	4	5.7	.	.
	Others	2	6.1	.	0	0.0	.	2	2.9	.	.
Risk	MSM	17	51.5	.	12	32.4	.	29	41.4	.	.
	IDU	4	12.1	.	7	18.9	.	11	15.7	.	.
	MSM/IDU	0	0.0	.	2	5.4	.	2	2.9	.	.
	Heterosexual	8	24.2	.	10	27.0	.	18	25.7	.	.
	Fem Pres Het Cont	2	6.1	.	3	8.1	.	5	7.1	.	.
	Blood Prod	0	0.0	.	1	2.7	.	1	1.4	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	6.1	.	2	5.4	.	4	5.7	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		26	100.0	7	100.0	33	100.0	25	100.0	12	100.0	37	100.0	51	100.0	19	100.0	70	100.0
Risk	MSM	17	65.4	0	0.0	17	51.5	12	48.0	0	0.0	12	32.4	29	56.9	0	0.0	29	41.4
	IDU	4	15.4	0	0.0	4	12.1	6	24.0	1	8.3	7	18.9	10	19.6	1	5.3	11	15.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	8.0	0	0.0	2	5.4	2	3.9	0	0.0	2	2.9
	Heterosexual	3	11.5	5	71.4	8	24.2	3	12.0	7	58.3	10	27.0	6	11.8	12	63.2	18	25.7
	Fem Pres Het Cont	0	0.0	2	28.6	2	6.1	0	0.0	3	25.0	3	8.1	0	0.0	5	26.3	5	7.1
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	8.3	1	2.7	0	0.0	1	5.3	1	1.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	7.7	0	0.0	2	6.1	2	8.0	0	0.0	2	5.4	4	7.8	0	0.0	4	5.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	3.7	1.0	100.0	1.0	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	3.7	100.0	.	1.0	100.0	.	0.3	100.0	1.0	100.0	1.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	18.2	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	50-59	0.7	18.2	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	9.1	.	0.0	0.0	.	0.3	100.0	0.7	66.7	1.0	75.0
Race/Ethnicity	White Not-Hispanic	2.3	63.6	.	0.7	66.7	.	0.0	0.0	1.0	100.0	1.0	75.0
	Black Not-Hispanic	0.3	9.1	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	25.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.7	18.2	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	72.7	.	0.3	33.3	.	0.0	0.0	0.7	66.7	0.7	50.0
	IDU	0.7	18.2	.	0.3	33.3	.	0.3	100.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.0	0.0	3.7	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	2.7	72.7	0.0	0.0	2.7	72.7	0.3	33.3	0.0	0.0	0.3	33.3
	IDU	0.7	18.2	0.0	0.0	0.7	18.2	0.3	33.3	0.0	0.0	0.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	33.3
	Heterosexual	0.3	9.1	0.0	0.0	0.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	2	2
1987	0	3	0	3	3
1988	0	4	0	3	3
1989	0	4	0	0	0
1990	0	4	0	3	3
1991	0	5	0	3	3
1992	0	9	0	6	6
1993	0	5	0	4	4
1994	0	3	0	3	3
1995	0	3	0	5	5
1996	0	5	0	5	5
1997	0	3	0	1	1
1998	0	8	0	1	1
1999	0	5	0	3	3
2000	4	3	0	0	0
2001	4	1	0	1	1
2002	1	2	0	3	3
2003	2	2	1	0	1
2004	1	3	1	2	3
2005	1	2	0	2	2
2006	3	1	0	0	0
2007	2	2	1	0	1
2008	3	6	2	3	5
2009	4	1	0	1	1
2010	4	3	0	1	1
2011	4	1	0	0	0
2012	4	1	1	0	1
2013	3	1	0	3	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		1,216	100.0	81.1	1,739	100.0	116.0	2,955	100.0	197.0	1,499,738
Sex at Birth	Male	820	67.4	.	1,213	69.8	.	2,033	68.8	.	.
	Female	396	32.6	.	526	30.2	.	922	31.2	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	16	1.3	.	6	0.3	.	22	0.7	.	.
	20-24	71	5.8	.	33	1.9	.	104	3.5	.	.
	25-29	119	9.8	.	66	3.8	.	185	6.3	.	.
	30-39	206	16.9	.	175	10.1	.	381	12.9	.	.
	40-49	322	26.5	.	480	27.6	.	802	27.1	.	.
	50-59	316	26.0	.	648	37.3	.	964	32.6	.	.
	60+	161	13.2	.	331	19.0	.	492	16.6	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	490	40.3	.	635	36.5	.	1,125	38.1	.	.
	Black Not-Hispanic	292	24.0	.	454	26.1	.	746	25.2	.	.
	Hispanic	325	26.7	.	466	26.8	.	791	26.8	.	.
	Multi Race	95	7.8	.	173	9.9	.	268	9.1	.	.
	Others	11	0.9	.	11	0.6	.	22	0.7	.	.
	Unk	3	0.2	.	0	0.0	.	3	0.1	.	.
Risk	MSM	539	44.3	.	707	40.7	.	1,246	42.2	.	.
	IDU	93	7.6	.	276	15.9	.	369	12.5	.	.
	MSM/IDU	41	3.4	.	77	4.4	.	118	4.0	.	.
	Heterosexual	247	20.3	.	317	18.2	.	564	19.1	.	.
	Fem Pres Het Cont	121	10.0	.	125	7.2	.	246	8.3	.	.
	Blood Prod	6	0.5	.	7	0.4	.	13	0.4	.	.
	Pediatric Risk	37	3.0	.	55	3.2	.	92	3.1	.	.
	Unk	132	10.9	.	175	10.1	.	307	10.4	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		820	100.0	396	100.0	1,216	100.0	1,213	100.0	526	100.0	1,739	100.0	2,033	100.0	922	100.0	2,955	100.0
Risk	MSM	539	65.7	0	0.0	539	44.3	707	58.3	0	0.0	707	40.7	1,246	61.3	0	0.0	1,246	42.2
	IDU	44	5.4	49	12.4	93	7.6	166	13.7	110	20.9	276	15.9	210	10.3	159	17.2	369	12.5
	MSM/IDU	41	5.0	0	0.0	41	3.4	77	6.3	0	0.0	77	4.4	118	5.8	0	0.0	118	4.0
	Heterosexual	40	4.9	207	52.3	247	20.3	54	4.5	263	50.0	317	18.2	94	4.6	470	51.0	564	19.1
	Fem Pres Het Cont	0	0.0	121	30.6	121	10.0	0	0.0	125	23.8	125	7.2	0	0.0	246	26.7	246	8.3
	Blood Prod	4	0.5	2	0.5	6	0.5	6	0.5	1	0.2	7	0.4	10	0.5	3	0.3	13	0.4
	Pediatric Risk	21	2.6	16	4.0	37	3.0	30	2.5	25	4.8	55	3.2	51	2.5	41	4.4	92	3.1
	Unk	131	16.0	1	0.3	132	10.9	173	14.3	2	0.4	175	10.1	304	15.0	3	0.3	307	10.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		105.7	100.0	7.0	65.7	100.0	4.4	6.3	100.0	37.7	100.0	44.0	100.0
Sex at Birth	Male	82.3	77.9	.	50.0	76.1	.	3.7	57.9	23.3	61.9	27.0	61.4
	Female	23.3	22.1	.	15.7	23.9	.	2.7	42.1	14.3	38.1	17.0	38.6
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.3	3.2	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	17.7	16.7	.	3.0	4.6	.	0.3	5.3	0.0	0.0	0.3	0.8
	25-29	16.0	15.1	.	8.7	13.2	.	0.0	0.0	1.0	2.7	1.0	2.3
	30-39	24.0	22.7	.	15.0	22.8	.	1.0	15.8	2.7	7.1	3.7	8.3
	40-49	21.3	20.2	.	18.3	27.9	.	0.7	10.5	6.7	17.7	7.3	16.7
	50-59	16.7	15.8	.	14.3	21.8	.	2.7	42.1	15.3	40.7	18.0	40.9
	60+	6.3	6.0	.	5.7	8.6	.	1.7	26.3	12.0	31.9	13.7	31.1
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	38.7	36.6	.	21.7	33.0	.	3.7	57.9	10.7	28.3	14.3	32.6
	Black Not-Hispanic	21.3	20.2	.	16.0	24.4	.	2.0	31.6	11.0	29.2	13.0	29.5
	Hispanic	36.7	34.7	.	19.3	29.4	.	0.3	5.3	10.7	28.3	11.0	25.0
	Multi Race	8.7	8.2	.	8.0	12.2	.	0.3	5.3	5.3	14.2	5.7	12.9
	Others	0.3	0.3	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	56.3	53.3	.	34.0	51.8	.	1.3	21.1	9.3	24.8	10.7	24.2
	IDU	2.0	1.9	.	4.0	6.1	.	1.0	15.8	15.0	39.8	16.0	36.4
	MSM/IDU	3.0	2.8	.	1.7	2.5	.	0.0	0.0	3.7	9.7	3.7	8.3
	Heterosexual	12.7	12.0	.	9.7	14.7	.	1.7	26.3	4.7	12.4	6.3	14.4
	Fem Pres Het Cont	12.0	11.4	.	5.0	7.6	.	0.7	10.5	2.7	7.1	3.3	7.6
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.9	0.3	0.8
	Pediatric Risk	0.7	0.6	.	1.7	2.5	.	0.0	0.0	0.3	0.9	0.3	0.8
	Unk	19.0	18.0	.	9.7	14.7	.	1.7	26.3	1.7	4.4	3.3	7.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		82.3	100.0	23.3	100.0	105.7	100.0	50.0	100.0	15.7	100.0	65.7	100.0
Risk	MSM	56.3	68.4	0.0	0.0	56.3	53.3	34.0	68.0	0.0	0.0	34.0	51.8
	IDU	0.7	0.8	1.3	5.7	2.0	1.9	1.7	3.3	2.3	14.9	4.0	6.1
	MSM/IDU	3.0	3.6	0.0	0.0	3.0	2.8	1.7	3.3	0.0	0.0	1.7	2.5
	Heterosexual	3.0	3.6	9.7	41.4	12.7	12.0	2.7	5.3	7.0	44.7	9.7	14.7
	Fem Pres Het Cont	0.0	0.0	12.0	51.4	12.0	11.4	0.0	0.0	5.0	31.9	5.0	7.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.8	0.0	0.0	0.7	0.6	0.7	1.3	1.0	6.4	1.7	2.5
	Unk	18.7	22.7	0.3	1.4	19.0	18.0	9.3	18.7	0.3	2.1	9.7	14.7

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	211	0	132	132
1987	0	147	0	81	81
1988	0	189	0	128	128
1989	0	191	0	136	136
1990	0	210	0	142	142
1991	0	271	0	166	166
1992	0	273	0	213	213
1993	0	335	0	197	197
1994	0	307	0	226	226
1995	0	304	0	208	208
1996	0	246	0	157	157
1997	0	186	0	92	92
1998	0	141	0	78	78
1999	0	138	0	76	76
2000	87	150	2	59	61
2001	132	124	12	68	80
2002	123	118	8	72	80
2003	147	128	11	65	76
2004	133	106	18	64	82
2005	126	98	14	77	91
2006	108	92	8	56	64
2007	122	105	9	54	63
2008	112	104	5	41	46
2009	119	79	10	38	48
2010	119	60	10	40	50
2011	108	76	6	43	49
2012	90	48	6	38	44
2013	119	73	7	32	39

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		104	100.0	135.7	164	100.0	213.9	268	100.0	349.6	76,665
Sex at Birth	Male	65	62.5	.	92	56.1	.	157	58.6	.	.
	Female	39	37.5	.	72	43.9	.	111	41.4	.	.
Current Age	12 & under	1	1.0	.	0	0.0	.	1	0.4	.	.
	13-19	1	1.0	.	1	0.6	.	2	0.7	.	.
	20-24	5	4.8	.	2	1.2	.	7	2.6	.	.
	25-29	10	9.6	.	2	1.2	.	12	4.5	.	.
	30-39	15	14.4	.	10	6.1	.	25	9.3	.	.
	40-49	28	26.9	.	36	22.0	.	64	23.9	.	.
	50-59	20	19.2	.	67	40.9	.	87	32.5	.	.
	60+	24	23.1	.	46	28.0	.	70	26.1	.	.
Race/Ethnicity	White Not-Hispanic	29	27.9	.	42	25.6	.	71	26.5	.	.
	Black Not-Hispanic	30	28.8	.	47	28.7	.	77	28.7	.	.
	Hispanic	27	26.0	.	45	27.4	.	72	26.9	.	.
	Multi Race	15	14.4	.	30	18.3	.	45	16.8	.	.
	Others	3	2.9	.	0	0.0	.	3	1.1	.	.
Risk	MSM	23	22.1	.	35	21.3	.	58	21.6	.	.
	IDU	26	25.0	.	57	34.8	.	83	31.0	.	.
	MSM/IDU	9	8.7	.	6	3.7	.	15	5.6	.	.
	Heterosexual	31	29.8	.	44	26.8	.	75	28.0	.	.
	Fem Pres Het Cont	6	5.8	.	9	5.5	.	15	5.6	.	.
	Blood Prod	0	0.0	.	1	0.6	.	1	0.4	.	.
	Pediatric Risk	2	1.9	.	4	2.4	.	6	2.2	.	.
	Unk	7	6.7	.	8	4.9	.	15	5.6	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		65	100.0	39	100.0	104	100.0	92	100.0	72	100.0	164	100.0	157	100.0	111	100.0	268	100.0
Risk	MSM	23	35.4	0	0.0	23	22.1	35	38.0	0	0.0	35	21.3	58	36.9	0	0.0	58	21.6
	IDU	17	26.2	9	23.1	26	25.0	38	41.3	19	26.4	57	34.8	55	35.0	28	25.2	83	31.0
	MSM/IDU	9	13.8	0	0.0	9	8.7	6	6.5	0	0.0	6	3.7	15	9.6	0	0.0	15	5.6
	Heterosexual	9	13.8	22	56.4	31	29.8	5	5.4	39	54.2	44	26.8	14	8.9	61	55.0	75	28.0
	Fem Pres Het Cont	0	0.0	6	15.4	6	5.8	0	0.0	9	12.5	9	5.5	0	0.0	15	13.5	15	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.6	0	0.0	1	0.9	1	0.4
	Pediatric Risk	0	0.0	2	5.1	2	1.9	0	0.0	4	5.6	4	2.4	0	0.0	6	5.4	6	2.2
	Unk	7	10.8	0	0.0	7	6.7	8	8.7	0	0.0	8	4.9	15	9.6	0	0.0	15	5.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	7.0	4.0	100.0	5.2	2.3	100.0	4.7	100.0	7.0	100.0
Sex at Birth	Male	3.0	56.3	.	2.0	50.0	.	1.0	42.9	2.3	50.0	3.3	47.6
	Female	2.3	43.8	.	2.0	50.0	.	1.3	57.1	2.3	50.0	3.7	52.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	18.8	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	18.8	.	0.3	8.3	.	0.3	14.3	0.0	0.0	0.3	4.8
	30-39	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	25.0	.	1.0	25.0	.	0.7	28.6	1.0	21.4	1.7	23.8
	50-59	1.0	18.8	.	1.0	25.0	.	1.3	57.1	1.0	21.4	2.3	33.3
	60+	0.7	12.5	.	1.0	25.0	.	0.0	0.0	2.7	57.1	2.7	38.1
Race/Ethnicity	White Not-Hispanic	2.3	43.8	.	1.7	41.7	.	0.7	28.6	0.7	14.3	1.3	19.0
	Black Not-Hispanic	0.7	12.5	.	1.0	25.0	.	0.3	14.3	1.3	28.6	1.7	23.8
	Hispanic	1.7	31.3	.	1.3	33.3	.	0.7	28.6	1.7	35.7	2.3	33.3
	Multi Race	0.7	12.5	.	0.0	0.0	.	0.7	28.6	1.0	21.4	1.7	23.8
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	18.8	.	0.3	8.3	.	0.3	14.3	0.3	7.1	0.7	9.5
	IDU	1.7	31.3	.	1.3	33.3	.	1.0	42.9	2.0	42.9	3.0	42.9
	MSM/IDU	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.3	7.1	0.3	4.8
	Heterosexual	1.7	31.3	.	1.3	33.3	.	1.0	42.9	1.7	35.7	2.7	38.1
	Fem Pres Het Cont	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	12.5	.	0.3	8.3	.	0.0	0.0	0.3	7.1	0.3	4.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	2.3	100.0	5.3	100.0	2.0	100.0	2.0	100.0	4.0	100.0
Risk	MSM	1.0	33.3	0.0	0.0	1.0	18.8	0.3	16.7	0.0	0.0	0.3	8.3
	IDU	1.0	33.3	0.7	28.6	1.7	31.3	0.7	33.3	0.7	33.3	1.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	8.3
	Heterosexual	0.3	11.1	1.3	57.1	1.7	31.3	0.3	16.7	1.0	50.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	14.3	0.3	6.3	0.0	0.0	0.3	16.7	0.3	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	22.2	0.0	0.0	0.7	12.5	0.3	16.7	0.0	0.0	0.3	8.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	20	0	9	9
1987	0	13	0	12	12
1988	0	23	0	17	17
1989	0	26	0	19	19
1990	0	21	0	16	16
1991	0	31	0	17	17
1992	0	44	0	26	26
1993	0	62	0	22	22
1994	0	50	0	37	37
1995	0	31	0	43	43
1996	0	20	0	22	22
1997	0	14	0	13	13
1998	0	13	0	6	6
1999	0	18	0	6	6
2000	12	11	0	16	16
2001	14	15	0	10	10
2002	10	18	0	7	7
2003	14	12	2	8	10
2004	17	12	4	4	8
2005	7	11	1	6	7
2006	8	9	0	5	5
2007	11	10	4	1	5
2008	8	9	0	5	5
2009	2	5	1	1	2
2010	6	0	0	4	4
2011	6	4	3	5	8
2012	3	1	2	3	5
2013	7	7	2	6	8

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		18	100.0	35.8	19	100.0	37.8	37	100.0	73.6	50,243
Sex at Birth	Male	13	72.2	.	12	63.2	.	25	67.6	.	.
	Female	5	27.8	.	7	36.8	.	12	32.4	.	.
Current Age	20-24	0	0.0	.	1	5.3	.	1	2.7	.	.
	25-29	1	5.6	.	0	0.0	.	1	2.7	.	.
	30-39	8	44.4	.	2	10.5	.	10	27.0	.	.
	40-49	5	27.8	.	6	31.6	.	11	29.7	.	.
	50-59	2	11.1	.	7	36.8	.	9	24.3	.	.
	60+	2	11.1	.	3	15.8	.	5	13.5	.	.
Race/Ethnicity	White Not-Hispanic	15	83.3	.	13	68.4	.	28	75.7	.	.
	Black Not-Hispanic	1	5.6	.	1	5.3	.	2	5.4	.	.
	Hispanic	1	5.6	.	4	21.1	.	5	13.5	.	.
	Multi Race	1	5.6	.	1	5.3	.	2	5.4	.	.
Risk	MSM	7	38.9	.	7	36.8	.	14	37.8	.	.
	IDU	0	0.0	.	4	21.1	.	4	10.8	.	.
	MSM/IDU	2	11.1	.	0	0.0	.	2	5.4	.	.
	Heterosexual	3	16.7	.	5	26.3	.	8	21.6	.	.
	Fem Pres Het Cont	2	11.1	.	1	5.3	.	3	8.1	.	.
	Pediatric Risk	0	0.0	.	1	5.3	.	1	2.7	.	.
	Unk	4	22.2	.	1	5.3	.	5	13.5	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13	100.0	5	100.0	18	100.0	12	100.0	7	100.0	19	100.0	25	100.0	12	100.0	37	100.0
Risk	MSM	7	53.8	0	0.0	7	38.9	7	58.3	0	0.0	7	36.8	14	56.0	0	0.0	14	37.8
	IDU	0	0.0	0	0.0	0	0.0	3	25.0	1	14.3	4	21.1	3	12.0	1	8.3	4	10.8
	MSM/IDU	2	15.4	0	0.0	2	11.1	0	0.0	0	0.0	0	0.0	2	8.0	0	0.0	2	5.4
	Heterosexual	0	0.0	3	60.0	3	16.7	1	8.3	4	57.1	5	26.3	1	4.0	7	58.3	8	21.6
	Fem Pres Het Cont	0	0.0	2	40.0	2	11.1	0	0.0	1	14.3	1	5.3	0	0.0	3	25.0	3	8.1
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	5.3	0	0.0	1	8.3	1	2.7
	Unk	4	30.8	0	0.0	4	22.2	1	8.3	0	0.0	1	5.3	5	20.0	0	0.0	5	13.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.7	0.3	100.0	0.7	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	75.0	.	0.3	100.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Heterosexual	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	0.3	100.0	0.3	100.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	1	0	0	0
1988	0	2	0	0	0
1989	0	1	0	2	2
1990	0	3	0	2	2
1991	0	3	0	0	0
1992	0	1	0	2	2
1993	0	2	0	4	4
1994	0	1	0	1	1
1995	0	4	0	0	0
1996	0	1	0	2	2
1997	0	0	0	1	1
2000	1	1	0	0	0
2001	4	2	1	1	2
2002	0	0	0	1	1
2003	2	4	0	0	0
2004	2	1	0	0	0
2005	3	1	0	0	0
2006	1	0	0	0	0
2007	0	1	0	0	0
2008	3	5	0	0	0
2009	1	1	0	0	0
2010	1	1	1	1	2
2011	1	0	0	0	0
2012	1	1	0	1	1
2013	2	0	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		63	100.0	60.8	81	100.0	78.2	144	100.0	139.0	103,617
Sex at Birth	Male	40	63.5	.	59	72.8	.	99	68.8	.	.
	Female	23	36.5	.	22	27.2	.	45	31.3	.	.
Current Age	13-19	1	1.6	.	0	0.0	.	1	0.7	.	.
	20-24	4	6.3	.	0	0.0	.	4	2.8	.	.
	25-29	4	6.3	.	4	4.9	.	8	5.6	.	.
	30-39	9	14.3	.	11	13.6	.	20	13.9	.	.
	40-49	23	36.5	.	26	32.1	.	49	34.0	.	.
	50-59	16	25.4	.	25	30.9	.	41	28.5	.	.
	60+	6	9.5	.	15	18.5	.	21	14.6	.	.
Race/Ethnicity	White Not-Hispanic	38	60.3	.	49	60.5	.	87	60.4	.	.
	Black Not-Hispanic	10	15.9	.	13	16.0	.	23	16.0	.	.
	Hispanic	7	11.1	.	11	13.6	.	18	12.5	.	.
	Multi Race	2	3.2	.	7	8.6	.	9	6.3	.	.
	Others	6	9.5	.	1	1.2	.	7	4.9	.	.
Risk	MSM	31	49.2	.	39	48.1	.	70	48.6	.	.
	IDU	1	1.6	.	6	7.4	.	7	4.9	.	.
	MSM/IDU	3	4.8	.	8	9.9	.	11	7.6	.	.
	Heterosexual	10	15.9	.	16	19.8	.	26	18.1	.	.
	Fem Pres Het Cont	11	17.5	.	6	7.4	.	17	11.8	.	.
	Blood Prod	0	0.0	.	1	1.2	.	1	0.7	.	.
	Pediatric Risk	1	1.6	.	0	0.0	.	1	0.7	.	.
	Unk	6	9.5	.	5	6.2	.	11	7.6	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		40	100.0	23	100.0	63	100.0	59	100.0	22	100.0	81	100.0	99	100.0	45	100.0	144	100.0
Risk	MSM	31	77.5	0	0.0	31	49.2	39	66.1	0	0.0	39	48.1	70	70.7	0	0.0	70	48.6
	IDU	0	0.0	1	4.3	1	1.6	4	6.8	2	9.1	6	7.4	4	4.0	3	6.7	7	4.9
	MSM/IDU	3	7.5	0	0.0	3	4.8	8	13.6	0	0.0	8	9.9	11	11.1	0	0.0	11	7.6
	Heterosexual	1	2.5	9	39.1	10	15.9	2	3.4	14	63.6	16	19.8	3	3.0	23	51.1	26	18.1
	Fem Pres Het Cont	0	0.0	11	47.8	11	17.5	0	0.0	6	27.3	6	7.4	0	0.0	17	37.8	17	11.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0	1	1.2	1	1.0	0	0.0	1	0.7
	Pediatric Risk	0	0.0	1	4.3	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	1	0.7
	Unk	5	12.5	1	4.3	6	9.5	5	8.5	0	0.0	5	6.2	10	10.1	1	2.2	11	7.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		6.3	100.0	6.1	1.0	100.0	1.0	0.7	100.0	0.7	100.0	1.3	100.0
Sex at Birth	Male	4.7	73.7	.	0.3	33.3	.	0.7	100.0	0.7	100.0	1.3	100.0
	Female	1.7	26.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	21.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	10.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	5.3	.	0.7	66.7	.	0.3	50.0	0.0	0.0	0.3	25.0
	40-49	2.7	42.1	.	0.3	33.3	.	0.3	50.0	0.3	50.0	0.7	50.0
	50-59	1.3	21.1	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	25.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.3	52.6	.	0.3	33.3	.	0.3	50.0	0.7	100.0	1.0	75.0
	Black Not-Hispanic	1.3	21.1	.	0.3	33.3	.	0.3	50.0	0.0	0.0	0.3	25.0
	Hispanic	0.7	10.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	1.0	15.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.0	63.2	.	0.3	33.3	.	0.7	100.0	0.3	50.0	1.0	75.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	25.0
	Heterosexual	0.7	10.5	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.3	21.1	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	5.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	1.7	100.0	6.3	100.0	0.3	100.0	0.7	100.0	1.0	100.0
Risk	MSM	4.0	85.7	0.0	0.0	4.0	63.2	0.3	100.0	0.0	0.0	0.3	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	7.1	0.3	20.0	0.7	10.5	0.0	0.0	0.3	50.0	0.3	33.3
	Fem Pres Het Cont	0.0	0.0	1.3	80.0	1.3	21.1	0.0	0.0	0.3	50.0	0.3	33.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.1	0.0	0.0	0.3	5.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1987	0	4	0	2	2
1988	0	5	0	5	5
1989	0	5	0	2	2
1990	0	8	0	4	4
1991	0	7	0	6	6
1992	0	12	0	5	5
1993	0	5	0	5	5
1994	0	10	0	7	7
1995	0	7	0	4	4
1996	0	13	0	5	5
1997	0	7	0	4	4
1998	0	7	0	3	3
1999	0	5	0	2	2
2000	4	4	0	1	1
2001	3	4	0	2	2
2002	10	8	0	0	0
2003	5	3	1	2	3
2004	5	3	0	2	2
2005	6	4	0	1	1
2006	8	4	0	2	2
2007	4	9	0	0	0
2008	6	4	0	1	1
2009	6	4	1	1	2
2010	4	3	0	2	2
2011	5	1	1	0	1
2012	9	0	1	1	2
2013	5	2	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		158	100.0	87.3	240	100.0	132.6	398	100.0	219.9	180,998
Sex at Birth	Male	97	61.4	.	154	64.2	.	251	63.1	.	.
	Female	61	38.6	.	86	35.8	.	147	36.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	1.3	.	0	0.0	.	2	0.5	.	.
	20-24	3	1.9	.	5	2.1	.	8	2.0	.	.
	25-29	11	7.0	.	5	2.1	.	16	4.0	.	.
	30-39	20	12.7	.	13	5.4	.	33	8.3	.	.
	40-49	48	30.4	.	69	28.8	.	117	29.4	.	.
	50-59	52	32.9	.	96	40.0	.	148	37.2	.	.
	60+	22	13.9	.	52	21.7	.	74	18.6	.	.
Race/Ethnicity	White Not-Hispanic	98	62.0	.	109	45.4	.	207	52.0	.	.
	Black Not-Hispanic	26	16.5	.	44	18.3	.	70	17.6	.	.
	Hispanic	20	12.7	.	60	25.0	.	80	20.1	.	.
	Multi Race	14	8.9	.	26	10.8	.	40	10.1	.	.
	Others	0	0.0	.	1	0.4	.	1	0.3	.	.
Risk	MSM	47	29.7	.	64	26.7	.	111	27.9	.	.
	IDU	32	20.3	.	60	25.0	.	92	23.1	.	.
	MSM/IDU	6	3.8	.	17	7.1	.	23	5.8	.	.
	Heterosexual	45	28.5	.	65	27.1	.	110	27.6	.	.
	Fem Pres Het Cont	12	7.6	.	12	5.0	.	24	6.0	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	2	1.3	.	6	2.5	.	8	2.0	.	.
	Unk	14	8.9	.	16	6.7	.	30	7.5	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		97	100.0	61	100.0	158	100.0	154	100.0	86	100.0	240	100.0	251	100.0	147	100.0	398	100.0
Risk	MSM	47	48.5	0	0.0	47	29.7	64	41.6	0	0.0	64	26.7	111	44.2	0	0.0	111	27.9
	IDU	18	18.6	14	23.0	32	20.3	40	26.0	20	23.3	60	25.0	58	23.1	34	23.1	92	23.1
	MSM/IDU	6	6.2	0	0.0	6	3.8	17	11.0	0	0.0	17	7.1	23	9.2	0	0.0	23	5.8
	Heterosexual	10	10.3	35	57.4	45	28.5	16	10.4	49	57.0	65	27.1	26	10.4	84	57.1	110	27.6
	Fem Pres Het Cont	0	0.0	12	19.7	12	7.6	0	0.0	12	14.0	12	5.0	0	0.0	24	16.3	24	6.0
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	2	2.1	0	0.0	2	1.3	1	0.6	5	5.8	6	2.5	3	1.2	5	3.4	8	2.0
	Unk	14	14.4	0	0.0	14	8.9	16	10.4	0	0.0	16	6.7	30	12.0	0	0.0	30	7.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		10.3	100.0	5.7	5.7	100.0	3.1	1.0	100.0	6.3	100.0	7.3	100.0
Sex at Birth	Male	8.7	83.9	.	5.0	88.2	.	0.3	33.3	4.7	73.7	5.0	68.2
	Female	1.7	16.1	.	0.7	11.8	.	0.7	66.7	1.7	26.3	2.3	31.8
Age at Diagnosis	12 & under	0.3	3.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	6.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	12.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	12.9	.	1.0	17.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	3.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	4.3	41.9	.	3.0	52.9	.	0.0	0.0	1.0	15.8	1.0	13.6
	50-59	1.3	12.9	.	1.0	17.6	.	0.3	33.3	3.3	52.6	3.7	50.0
	60+	0.7	6.5	.	0.7	11.8	.	0.7	66.7	2.0	31.6	2.7	36.4
Race/Ethnicity	White Not-Hispanic	6.7	64.5	.	3.0	52.9	.	1.0	100.0	3.0	47.4	4.0	54.5
	Black Not-Hispanic	0.7	6.5	.	0.0	0.0	.	0.0	0.0	1.0	15.8	1.0	13.6
	Hispanic	2.0	19.4	.	2.7	47.1	.	0.0	0.0	1.3	21.1	1.3	18.2
	Multi Race	1.0	9.7	.	0.0	0.0	.	0.0	0.0	1.0	15.8	1.0	13.6
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.3	51.6	.	3.7	64.7	.	0.0	0.0	2.3	36.8	2.3	31.8
	IDU	1.0	9.7	.	0.3	5.9	.	0.0	0.0	3.0	47.4	3.0	40.9
	MSM/IDU	0.3	3.2	.	0.7	11.8	.	0.0	0.0	0.3	5.3	0.3	4.5
	Heterosexual	1.0	9.7	.	0.3	5.9	.	0.3	33.3	0.3	5.3	0.7	9.1
	Fem Pres Het Cont	1.0	9.7	.	0.3	5.9	.	0.3	33.3	0.3	5.3	0.7	9.1
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	3.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	12.9	.	0.3	5.9	.	0.3	33.3	0.0	0.0	0.3	4.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.7	100.0	1.7	100.0	10.3	100.0	5.0	100.0	0.7	100.0	5.7	100.0
Risk	MSM	5.3	61.5	0.0	0.0	5.3	51.6	3.7	73.3	0.0	0.0	3.7	64.7
	IDU	0.7	7.7	0.3	20.0	1.0	9.7	0.3	6.7	0.0	0.0	0.3	5.9
	MSM/IDU	0.3	3.8	0.0	0.0	0.3	3.2	0.7	13.3	0.0	0.0	0.7	11.8
	Heterosexual	0.7	7.7	0.3	20.0	1.0	9.7	0.0	0.0	0.3	50.0	0.3	5.9
	Fem Pres Het Cont	0.0	0.0	1.0	60.0	1.0	9.7	0.0	0.0	0.3	50.0	0.3	5.9
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	3.8	0.0	0.0	0.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	15.4	0.0	0.0	1.3	12.9	0.3	6.7	0.0	0.0	0.3	5.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	17	0	9	9
1987	0	18	0	9	9
1988	0	19	0	10	10
1989	0	38	0	14	14
1990	0	38	0	23	23
1991	0	49	0	24	24
1992	0	46	0	32	32
1993	0	56	0	35	35
1994	0	57	0	35	35
1995	0	50	0	30	30
1996	0	20	0	36	36
1997	0	21	0	18	18
1998	0	20	0	7	7
1999	0	24	0	8	8
2000	11	23	0	14	14
2001	15	26	1	14	15
2002	17	11	1	10	11
2003	18	18	1	7	8
2004	16	20	3	11	14
2005	18	10	2	6	8
2006	20	16	2	6	8
2007	4	8	3	8	11
2008	13	8	1	11	12
2009	12	14	2	7	9
2010	11	5	6	6	12
2011	15	7	2	11	13
2012	4	5	1	4	5
2013	12	5	0	4	4

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		33	100.0	50.5	36	100.0	55.1	69	100.0	105.6	65,337
Sex at Birth	Male	26	78.8	.	29	80.6	.	55	79.7	.	.
	Female	7	21.2	.	7	19.4	.	14	20.3	.	.
Current Age	12 & under	1	3.0	.	0	0.0	.	1	1.4	.	.
	20-24	2	6.1	.	1	2.8	.	3	4.3	.	.
	25-29	0	0.0	.	2	5.6	.	2	2.9	.	.
	30-39	8	24.2	.	3	8.3	.	11	15.9	.	.
	40-49	10	30.3	.	11	30.6	.	21	30.4	.	.
	50-59	8	24.2	.	13	36.1	.	21	30.4	.	.
	60+	4	12.1	.	6	16.7	.	10	14.5	.	.
Race/Ethnicity	White Not-Hispanic	22	66.7	.	22	61.1	.	44	63.8	.	.
	Black Not-Hispanic	0	0.0	.	2	5.6	.	2	2.9	.	.
	Hispanic	8	24.2	.	8	22.2	.	16	23.2	.	.
	Multi Race	2	6.1	.	4	11.1	.	6	8.7	.	.
	Others	1	3.0	.	0	0.0	.	1	1.4	.	.
Risk	MSM	18	54.5	.	16	44.4	.	34	49.3	.	.
	IDU	2	6.1	.	7	19.4	.	9	13.0	.	.
	MSM/IDU	0	0.0	.	1	2.8	.	1	1.4	.	.
	Heterosexual	5	15.2	.	6	16.7	.	11	15.9	.	.
	Fem Pres Het Cont	2	6.1	.	1	2.8	.	3	4.3	.	.
	Blood Prod	0	0.0	.	2	5.6	.	2	2.9	.	.
	Pediatric Risk	2	6.1	.	3	8.3	.	5	7.2	.	.
	Unk	4	12.1	.	0	0.0	.	4	5.8	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		26	100.0	7	100.0	33	100.0	29	100.0	7	100.0	36	100.0	55	100.0	14	100.0	69	100.0
Risk	MSM	18	69.2	0	0.0	18	54.5	16	55.2	0	0.0	16	44.4	34	61.8	0	0.0	34	49.3
	IDU	2	7.7	0	0.0	2	6.1	6	20.7	1	14.3	7	19.4	8	14.5	1	7.1	9	13.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	1	2.8	1	1.8	0	0.0	1	1.4
	Heterosexual	0	0.0	5	71.4	5	15.2	2	6.9	4	57.1	6	16.7	2	3.6	9	64.3	11	15.9
	Fem Pres Het Cont	0	0.0	2	28.6	2	6.1	0	0.0	1	14.3	1	2.8	0	0.0	3	21.4	3	4.3
	Blood Prod	0	0.0	0	0.0	0	0.0	2	6.9	0	0.0	2	5.6	2	3.6	0	0.0	2	2.9
	Pediatric Risk	2	7.7	0	0.0	2	6.1	2	6.9	1	14.3	3	8.3	4	7.3	1	7.1	5	7.2
	Unk	4	15.4	0	0.0	4	12.1	0	0.0	0	0.0	0	0.0	4	7.3	0	0.0	4	5.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.6	0.3	100.0	0.5	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	2.3	100.0	.	0.3	100.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Female	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.3	25.0	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	57.1	.	0.3	100.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	0.3	14.3	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	60+	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White Not-Hispanic	2.0	85.7	.	0.3	100.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.0	0.0	2.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	1.7	71.4	0.0	0.0	1.7	71.4	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	0.0	0.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1987	0	1	0	2	2
1988	0	3	0	0	0
1989	0	2	0	0	0
1990	0	4	0	5	5
1991	0	2	0	5	5
1992	0	5	0	1	1
1993	0	4	0	1	1
1994	0	3	0	3	3
1995	0	7	0	1	1
1996	0	3	0	4	4
1997	0	3	0	0	0
1998	0	5	0	0	0
1999	0	2	0	0	0
2000	2	2	0	1	1
2001	5	5	0	5	5
2002	5	5	0	0	0
2003	2	0	0	2	2
2004	4	4	1	1	2
2005	2	3	1	3	4
2006	3	0	0	1	1
2007	3	2	0	1	1
2008	2	2	0	3	3
2009	3	2	0	0	0
2010	2	3	0	1	1
2011	2	0	0	1	1
2012	4	0	1	1	2
2013	1	1	0	2	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		22	100.0	34.9	20	100.0	31.7	42	100.0	66.6	63,093
Sex at Birth	Male	14	63.6	.	12	60.0	.	26	61.9	.	.
	Female	8	36.4	.	8	40.0	.	16	38.1	.	.
Current Age	12 & under	1	4.5	.	0	0.0	.	1	2.4	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	13.6	.	0	0.0	.	3	7.1	.	.
	25-29	1	4.5	.	0	0.0	.	1	2.4	.	.
	30-39	4	18.2	.	1	5.0	.	5	11.9	.	.
	40-49	3	13.6	.	9	45.0	.	12	28.6	.	.
	50-59	8	36.4	.	7	35.0	.	15	35.7	.	.
	60+	2	9.1	.	3	15.0	.	5	11.9	.	.
Race/Ethnicity	White Not-Hispanic	17	77.3	.	17	85.0	.	34	81.0	.	.
	Black Not-Hispanic	2	9.1	.	1	5.0	.	3	7.1	.	.
	Hispanic	1	4.5	.	2	10.0	.	3	7.1	.	.
	Multi Race	2	9.1	.	0	0.0	.	2	4.8	.	.
Risk	MSM	8	36.4	.	9	45.0	.	17	40.5	.	.
	IDU	2	9.1	.	0	0.0	.	2	4.8	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	4	18.2	.	8	40.0	.	12	28.6	.	.
	Fem Pres Het Cont	3	13.6	.	2	10.0	.	5	11.9	.	.
	Blood Prod	0	0.0	.	1	5.0	.	1	2.4	.	.
	Pediatric Risk	1	4.5	.	0	0.0	.	1	2.4	.	.
	Unk	4	18.2	.	0	0.0	.	4	9.5	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	8	100.0	22	100.0	12	100.0	8	100.0	20	100.0	26	100.0	16	100.0	42	100.0
Risk	MSM	8	57.1	0	0.0	8	36.4	9	75.0	0	0.0	9	45.0	17	65.4	0	0.0	17	40.5
	IDU	0	0.0	2	25.0	2	9.1	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	2	4.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	2	14.3	2	25.0	4	18.2	2	16.7	6	75.0	8	40.0	4	15.4	8	50.0	12	28.6
	Fem Pres Het Cont	0	0.0	3	37.5	3	13.6	0	0.0	2	25.0	2	10.0	0	0.0	5	31.3	5	11.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	1	5.0	1	3.8	0	0.0	1	2.4
	Pediatric Risk	0	0.0	1	12.5	1	4.5	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	1	2.4
	Unk	4	28.6	0	0.0	4	18.2	0	0.0	0	0.0	0	0.0	4	15.4	0	0.0	4	9.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.2	1.3	100.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	2.0	75.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.0	37.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.7	100.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	50.0	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.7	100.0	2.7	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	1.3	66.7	0.0	0.0	1.3	50.0	0.7	66.7	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	0.0	0.0	0.3	12.5	0.3	33.3	0.0	0.0	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	0.7	100.0	0.7	25.0	0.0	0.0	0.3	100.0	0.3	25.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1987	0	2	0	1	1
1988	0	4	0	1	1
1989	0	1	0	3	3
1990	0	4	0	1	1
1991	0	3	0	3	3
1992	0	3	0	4	4
1993	0	1	0	3	3
1994	0	3	0	1	1
1995	0	3	0	1	1
1996	0	0	0	1	1
1997	0	3	0	2	2
2000	1	4	0	0	0
2001	1	2	0	1	1
2002	0	2	0	0	0
2003	2	0	0	0	0
2004	1	2	0	2	2
2005	1	1	0	1	1
2006	2	0	0	0	0
2007	0	1	0	1	1
2009	2	0	0	0	0
2010	3	2	0	1	1
2011	3	1	0	0	0
2012	3	2	0	0	0
2013	2	1	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		59	100.0	63.8	57	100.0	61.6	116	100.0	125.4	92,473
Sex at Birth	Male	40	67.8	.	41	71.9	.	81	69.8	.	.
	Female	19	32.2	.	16	28.1	.	35	30.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	3.4	.	0	0.0	.	2	1.7	.	.
	25-29	1	1.7	.	1	1.8	.	2	1.7	.	.
	30-39	8	13.6	.	7	12.3	.	15	12.9	.	.
	40-49	17	28.8	.	16	28.1	.	33	28.4	.	.
	50-59	18	30.5	.	22	38.6	.	40	34.5	.	.
	60+	13	22.0	.	11	19.3	.	24	20.7	.	.
Race/Ethnicity	White Not-Hispanic	31	52.5	.	34	59.6	.	65	56.0	.	.
	Black Not-Hispanic	16	27.1	.	13	22.8	.	29	25.0	.	.
	Hispanic	8	13.6	.	7	12.3	.	15	12.9	.	.
	Multi Race	4	6.8	.	3	5.3	.	7	6.0	.	.
Risk	MSM	22	37.3	.	13	22.8	.	35	30.2	.	.
	IDU	3	5.1	.	8	14.0	.	11	9.5	.	.
	MSM/IDU	2	3.4	.	2	3.5	.	4	3.4	.	.
	Heterosexual	12	20.3	.	18	31.6	.	30	25.9	.	.
	Fem Pres Het Cont	7	11.9	.	4	7.0	.	11	9.5	.	.
	Pediatric Risk	1	1.7	.	0	0.0	.	1	0.9	.	.
	Unk	12	20.3	.	12	21.1	.	24	20.7	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		40	100.0	19	100.0	59	100.0	41	100.0	16	100.0	57	100.0	81	100.0	35	100.0	116	100.0
Risk	MSM	22	55.0	0	0.0	22	37.3	13	31.7	0	0.0	13	22.8	35	43.2	0	0.0	35	30.2
	IDU	2	5.0	1	5.3	3	5.1	6	14.6	2	12.5	8	14.0	8	9.9	3	8.6	11	9.5
	MSM/IDU	2	5.0	0	0.0	2	3.4	2	4.9	0	0.0	2	3.5	4	4.9	0	0.0	4	3.4
	Heterosexual	2	5.0	10	52.6	12	20.3	8	19.5	10	62.5	18	31.6	10	12.3	20	57.1	30	25.9
	Fem Pres Het Cont	0	0.0	7	36.8	7	11.9	0	0.0	4	25.0	4	7.0	0	0.0	11	31.4	11	9.5
	Pediatric Risk	0	0.0	1	5.3	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.9
	Unk	12	30.0	0	0.0	12	20.3	12	29.3	0	0.0	12	21.1	24	29.6	0	0.0	24	20.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	4.3	3.3	100.0	3.6	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	2.7	66.7	.	2.7	80.0	.	0.0	0.0	0.7	100.0	0.7	66.7
	Female	1.3	33.3	.	0.7	20.0	.	0.3	100.0	0.0	0.0	0.3	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	25.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.3	33.3	.	1.3	40.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	60+	0.7	16.7	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
Race/Ethnicity	White Not-Hispanic	1.7	41.7	.	2.0	60.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	Black Not-Hispanic	2.0	50.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	16.7	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	MSM/IDU	0.3	8.3	.	0.3	10.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Heterosexual	0.7	16.7	.	0.7	20.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Fem Pres Het Cont	1.0	25.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	33.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	1.3	100.0	4.0	100.0	2.7	100.0	0.7	100.0	3.3	100.0
Risk	MSM	0.7	25.0	0.0	0.0	0.7	16.7	0.7	25.0	0.0	0.0	0.7	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.5	0.0	0.0	0.3	10.0
	MSM/IDU	0.3	12.5	0.0	0.0	0.3	8.3	0.3	12.5	0.0	0.0	0.3	10.0
	Heterosexual	0.3	12.5	0.3	25.0	0.7	16.7	0.7	25.0	0.0	0.0	0.7	20.0
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	25.0	0.0	0.0	0.7	100.0	0.7	20.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	50.0	0.0	0.0	1.3	33.3	0.7	25.0	0.0	0.0	0.7	20.0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	7	0	4	4
1987	0	1	0	1	1
1988	0	2	0	2	2
1989	0	1	0	3	3
1990	0	5	0	2	2
1991	0	4	0	4	4
1992	0	8	0	2	2
1993	0	7	0	8	8
1994	0	5	0	5	5
1995	0	5	0	5	5
1996	0	6	0	1	1
1997	0	6	0	0	0
1998	0	7	0	2	2
1999	0	2	0	3	3
2000	5	4	0	0	0
2001	8	6	0	2	2
2002	9	3	0	1	1
2003	4	2	0	1	1
2004	4	3	1	1	2
2005	7	3	0	2	2
2006	9	7	0	1	1
2007	3	2	1	1	2
2008	4	2	0	1	1
2009	5	4	1	1	2
2010	5	2	0	2	2
2011	7	5	1	0	1
2012	4	3	0	1	1
2013	1	2	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		1,246	100.0	128.6	2,085	100.0	215.2	3,331	100.0	343.8	968,802
Sex at Birth	Male	812	65.2	.	1,352	64.8	.	2,164	65.0	.	.
	Female	434	34.8	.	733	35.2	.	1,167	35.0	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	21	1.7	.	6	0.3	.	27	0.8	.	.
	20-24	54	4.3	.	26	1.2	.	80	2.4	.	.
	25-29	117	9.4	.	55	2.6	.	172	5.2	.	.
	30-39	234	18.8	.	189	9.1	.	423	12.7	.	.
	40-49	321	25.8	.	544	26.1	.	865	26.0	.	.
	50-59	318	25.5	.	790	37.9	.	1,108	33.3	.	.
	60+	180	14.4	.	475	22.8	.	655	19.7	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	290	23.3	.	393	18.8	.	683	20.5	.	.
	Black Not-Hispanic	479	38.4	.	789	37.8	.	1,268	38.1	.	.
	Hispanic	354	28.4	.	623	29.9	.	977	29.3	.	.
	Multi Race	113	9.1	.	271	13.0	.	384	11.5	.	.
	Others	10	0.8	.	9	0.4	.	19	0.6	.	.
Risk	MSM	483	38.8	.	581	27.9	.	1,064	31.9	.	.
	IDU	110	8.8	.	512	24.6	.	622	18.7	.	.
	MSM/IDU	25	2.0	.	102	4.9	.	127	3.8	.	.
	Heterosexual	376	30.2	.	652	31.3	.	1,028	30.9	.	.
	Fem Pres Het Cont	113	9.1	.	81	3.9	.	194	5.8	.	.
	Blood Prod	1	0.1	.	6	0.3	.	7	0.2	.	.
	Pediatric Risk	24	1.9	.	33	1.6	.	57	1.7	.	.
	Unk	114	9.1	.	118	5.7	.	232	7.0	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		812	100.0	434	100.0	1,246	100.0	1,352	100.0	733	100.0	2,085	100.0	2,164	100.0	1,167	100.0	3,331	100.0
Risk	MSM	483	59.5	0	0.0	483	38.8	581	43.0	0	0.0	581	27.9	1,064	49.2	0	0.0	1,064	31.9
	IDU	68	8.4	42	9.7	110	8.8	324	24.0	188	25.6	512	24.6	392	18.1	230	19.7	622	18.7
	MSM/IDU	25	3.1	0	0.0	25	2.0	102	7.5	0	0.0	102	4.9	127	5.9	0	0.0	127	3.8
	Heterosexual	107	13.2	269	62.0	376	30.2	210	15.5	442	60.3	652	31.3	317	14.6	711	60.9	1,028	30.9
	Fem Pres Het Cont	0	0.0	113	26.0	113	9.1	0	0.0	81	11.1	81	3.9	0	0.0	194	16.6	194	5.8
	Blood Prod	1	0.1	0	0.0	1	0.1	3	0.2	3	0.4	6	0.3	4	0.2	3	0.3	7	0.2
	Pediatric Risk	14	1.7	10	2.3	24	1.9	14	1.0	19	2.6	33	1.6	28	1.3	29	2.5	57	1.7
	Unk	114	14.0	0	0.0	114	9.1	118	8.7	0	0.0	118	5.7	232	10.7	0	0.0	232	7.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		111.3	100.0	11.5	64.0	100.0	6.6	6.0	100.0	44.0	100.0	50.0	100.0
Sex at Birth	Male	84.0	75.4	.	43.0	67.2	.	4.7	77.8	28.7	65.2	33.3	66.7
	Female	27.3	24.6	.	21.0	32.8	.	1.3	22.2	15.3	34.8	16.7	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	4.5	.	1.3	2.1	.	0.3	5.6	0.0	0.0	0.3	0.7
	20-24	17.7	15.9	.	4.7	7.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	14.3	12.9	.	6.3	9.9	.	0.3	5.6	0.3	0.8	0.7	1.3
	30-39	22.7	20.4	.	14.3	22.4	.	0.3	5.6	3.3	7.6	3.7	7.3
	40-49	20.7	18.6	.	15.0	23.4	.	0.7	11.1	7.3	16.7	8.0	16.0
	50-59	22.0	19.8	.	15.0	23.4	.	3.7	61.1	19.0	43.2	22.7	45.3
	60+	9.0	8.1	.	7.3	11.5	.	0.7	11.1	14.0	31.8	14.7	29.3
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	19.0	17.1	.	8.7	13.5	.	1.7	27.8	8.0	18.2	9.7	19.3
	Black Not-Hispanic	45.0	40.4	.	23.0	35.9	.	3.3	55.6	19.3	43.9	22.7	45.3
	Hispanic	32.3	29.0	.	20.7	32.3	.	0.7	11.1	12.0	27.3	12.7	25.3
	Multi Race	13.0	11.7	.	10.7	16.7	.	0.3	5.6	4.7	10.6	5.0	10.0
	Others	2.0	1.8	.	1.0	1.6	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	53.7	48.2	.	24.0	37.5	.	1.3	22.2	9.7	22.0	11.0	22.0
	IDU	5.0	4.5	.	5.3	8.3	.	0.7	11.1	18.7	42.4	19.3	38.7
	MSM/IDU	1.3	1.2	.	0.3	0.5	.	0.3	5.6	3.0	6.8	3.3	6.7
	Heterosexual	25.3	22.8	.	20.3	31.8	.	2.3	38.9	9.3	21.2	11.7	23.3
	Fem Pres Het Cont	13.0	11.7	.	6.3	9.9	.	0.0	0.0	1.7	3.8	1.7	3.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	1.0	1.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	13.0	11.7	.	6.7	10.4	.	1.3	22.2	1.7	3.8	3.0	6.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		84.0	100.0	27.3	100.0	111.3	100.0	43.0	100.0	21.0	100.0	64.0	100.0
Risk	MSM	53.7	63.9	0.0	0.0	53.7	48.2	24.0	55.8	0.0	0.0	24.0	37.5
	IDU	4.0	4.8	1.0	3.7	5.0	4.5	3.3	7.8	2.0	9.5	5.3	8.3
	MSM/IDU	1.3	1.6	0.0	0.0	1.3	1.2	0.3	0.8	0.0	0.0	0.3	0.5
	Heterosexual	12.0	14.3	13.3	48.8	25.3	22.8	8.0	18.6	12.3	58.7	20.3	31.8
	Fem Pres Het Cont	0.0	0.0	13.0	47.6	13.0	11.7	0.0	0.0	6.3	30.2	6.3	9.9
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.6	0.3	1.6	1.0	1.6
	Unk	13.0	15.5	0.0	0.0	13.0	11.7	6.7	15.5	0.0	0.0	6.7	10.4

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way*

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	224	0	131	131
1987	0	172	0	106	106
1988	0	189	0	128	128
1989	0	232	0	157	157
1990	0	248	0	189	189
1991	0	297	0	188	188
1992	0	394	0	226	226
1993	0	342	0	226	226
1994	0	352	0	262	262
1995	0	337	0	257	257
1996	0	278	0	168	168
1997	0	224	0	100	100
1998	0	210	0	103	103
1999	0	170	0	87	87
2000	193	184	3	112	115
2001	143	172	8	66	74
2002	141	166	8	74	82
2003	132	170	15	90	105
2004	152	144	11	68	79
2005	112	129	13	71	84
2006	143	118	8	61	69
2007	128	122	10	66	76
2008	126	101	11	72	83
2009	127	90	6	60	66
2010	133	87	10	66	76
2011	116	63	4	46	50
2012	110	67	11	53	64
2013	108	62	3	33	36

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		5	100.0	12.0	5	100.0	12.0	10	100.0	24.1	41,531
Sex at Birth	Male	4	80.0	.	4	80.0	.	8	80.0	.	.
	Female	1	20.0	.	1	20.0	.	2	20.0	.	.
Current Age	13-19	0	0.0	.	2	40.0	.	2	20.0	.	.
	30-39	2	40.0	.	0	0.0	.	2	20.0	.	.
	40-49	2	40.0	.	1	20.0	.	3	30.0	.	.
	50-59	0	0.0	.	1	20.0	.	1	10.0	.	.
	60+	1	20.0	.	1	20.0	.	2	20.0	.	.
Race/Ethnicity	White Not-Hispanic	5	100.0	.	2	40.0	.	7	70.0	.	.
	Multi Race	0	0.0	.	2	40.0	.	2	20.0	.	.
	Others	0	0.0	.	1	20.0	.	1	10.0	.	.
Risk	MSM	4	80.0	.	1	20.0	.	5	50.0	.	.
	IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	0	0.0	.	1	20.0	.	1	10.0	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	10.0	.	.
	Blood Prod	0	0.0	.	1	20.0	.	1	10.0	.	.
	Pediatric Risk	0	0.0	.	2	40.0	.	2	20.0	.	.

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4	100.0	1	100.0	5	100.0	4	100.0	1	100.0	5	100.0	8	100.0	2	100.0	10	100.0
Risk	MSM	4	100.0	0	0.0	4	80.0	1	25.0	0	0.0	1	20.0	5	62.5	0	0.0	5	50.0
	IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0	1	20.0	0	0.0	1	50.0	1	10.0
	Fem Pres Het Cont	0	0.0	1	100.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	10.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	1	20.0	1	12.5	0	0.0	1	10.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	2	50.0	0	0.0	2	40.0	2	25.0	0	0.0	2	20.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	0.8	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.0	0.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1988	0	1	0	1	1
1990	0	1	0	0	0
1991	0	0	0	1	1
1993	0	4	0	2	2
1994	0	2	0	2	2
1995	0	1	0	0	0
1996	0	1	0	0	0
1998	0	1	0	1	1
1999	0	2	0	0	0
2000	3	1	0	0	0
2001	1	1	0	0	0
2003	1	0	0	1	1
2005	1	0	0	0	0
2007	0	0	0	1	1
2011	1	0	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		5	100.0	19.9	6	100.0	23.9	11	100.0	43.7	25,156
Sex at Birth	Male	3	60.0	.	3	50.0	.	6	54.5	.	.
	Female	2	40.0	.	3	50.0	.	5	45.5	.	.
Current Age	25-29	0	0.0	.	1	16.7	.	1	9.1	.	.
	30-39	2	40.0	.	1	16.7	.	3	27.3	.	.
	40-49	1	20.0	.	1	16.7	.	2	18.2	.	.
	50-59	2	40.0	.	2	33.3	.	4	36.4	.	.
	60+	0	0.0	.	1	16.7	.	1	9.1	.	.
Race/Ethnicity	White Not-Hispanic	1	20.0	.	6	100.0	.	7	63.6	.	.
	Black Not-Hispanic	4	80.0	.	0	0.0	.	4	36.4	.	.
	Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Multi Race	0	0.0	.	0	0.0	.	0	0.0	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	1	20.0	.	0	0.0	.	1	9.1	.	.
	IDU	0	0.0	.	3	50.0	.	3	27.3	.	.
	MSM/IDU	0	0.0	.	1	16.7	.	1	9.1	.	.
	Heterosexual	1	20.0	.	0	0.0	.	1	9.1	.	.
	Fem Pres Het Cont	1	20.0	.	2	33.3	.	3	27.3	.	.
	Unk	2	40.0	.	0	0.0	.	2	18.2	.	.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Excludes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	3	100.0	3	100.0	6	100.0	6	100.0	5	100.0	11	100.0
Risk	MSM	1	33.3	0	0.0	1	20.0	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	1	9.1
	IDU	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3	3	50.0	2	33.3	1	20.0	3	27.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0	1	16.7	1	16.7	0	0.0	1	9.1
	Heterosexual	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	9.1
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	2	66.7	2	33.3	0	0.0	3	60.0	3	27.3
	Unk	2	66.7	0	0.0	2	40.0	0	0.0	0	0.0	0	0.0	2	33.3	0	0.0	2	18.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates**

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		0.0	0.0	0.0	0.3	100.0	1.3	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Age at Diagnosis	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Race/Ethnicity	White Not-Hispanic	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Excludes State Prison Inmates***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Excludes State Prison Inmates***

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1989	0	1	0	0	0
1991	0	2	0	2	2
1992	0	1	0	0	0
1993	0	2	0	2	2
1994	0	1	0	2	2
1995	0	2	0	0	0
1996	0	0	0	1	1
2000	1	0	0	0	0
2002	1	0	0	0	0
2003	2	1	0	0	0
2004	1	1	0	1	1
2006	3	1	1	0	1
2008	0	1	1	0	1
2013	0	1	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.