


**New York State
HIV/AIDS County
Surveillance Report
(Includes State Prison Inmates)**



**For Cases Diagnosed
Through December 2011**

**Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health
August 2013**

TABLE OF CONTENTS

Includes State Prison Inmates

	Page
Introduction to the New York State HIV/AIDS County Surveillance Report.....	3-4
Technical Notes on the New York State HIV/AIDS County Surveillance Report.....	5-9
Definition of Terms Used in this Report.....	10-13
Guide to the Tables.....	14-18

NYS, EXCLUDING NYC, by County

Summary Table A Average Annual Newly Diagnosed HIV Cases by County.....	19-21
Summary Table B AIDS Cases by county of Residence at Diagnosis and Year of Diagnosis.....	22-23
Summary Table C HIV Cases, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis.....	24-25
Summary Table D Deaths Among AIDS Cases by County of Residence at Diagnosis and Year of Death.....	26-27

Counties in New York State

The following tables have been generated for each of the counties in New York State:

- 1A** - Living HIV and AIDS Cases by Gender, Age, Race/Ethnicity and Risk
- 1B** - Living HIV and AIDS Cases by Gender and Risk
- 2A** - Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Gender,
Age, Race/Ethnicity and Risk
- 2B** – Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Gender and Risk
- 3** – Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths of AIDS Cases by
Year

Introduction to the New York State HIV/AIDS County Surveillance Report

Overview

The County Surveillance Report presents recent data on newly diagnosed HIV cases, persons living with HIV/AIDS and deaths among AIDS cases in the counties of New York State. The County Report is a companion piece to the NYS HIV/AIDS Annual Surveillance Report (available at <http://www.health.state.ny.us/diseases/aids/statistics/annual/index.htm>). Like the Annual Surveillance Report, the County Report divides new HIV diagnoses into subcategories based on concurrent or subsequent AIDS diagnoses, and displays diagnosis and prevalence rates.

Format of the Report

The report covers the individual counties of New York State, except for the five boroughs of New York City, which are covered in the Annual Surveillance Report, and Hamilton County, which has too few HIV/AIDS cases to populate the tables. The report is issued in two parallel sections, one including and one excluding inmates in state correctional facilities. The sections contain four summary tables listing all counties, followed by sets of detailed tables for each individual county. The summary tables (A-D) are:

- (A) Average Annual Newly Diagnosed HIV Cases by Diagnosis Type,
- (B) AIDS Cases by Year of Diagnosis,
- (C) Newly Diagnosed HIV Cases by Year of Diagnosis, and
- (D) Deaths among AIDS Cases by Year of Death.

The county detail tables (1-3) are:

- (1) Living HIV and AIDS Cases
- (2) Average Annual Newly Diagnosed HIV and AIDS Cases, and
- (3) Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths of AIDS Cases by Year of Death

Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The tables feature **prevalence rates** (living cases per 100,000 population) and show the population.
- Age is **current age** for the time point being reported, e.g. December 2012.

Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis) or "other late" (AIDS diagnosis within 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis – are reported as "other".
- Late and concurrent HIV diagnoses are also presented as a percent of total new HIV diagnoses.
- **Case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.

Newly Diagnosed AIDS Cases

- Case rates are given.
- Cumulative AIDS cases are shown next to new AIDS diagnoses.

Special Note

Criteria for the inclusion of cases in this report have changed. In previous reports, persons living with diagnosed HIV infection (PLWDHI) whose initial HIV diagnosis occurred outside the United States were included in the tabulations only if they were subsequently diagnosed with AIDS in NYS. Foreign-diagnosed cases are now included regardless of AIDS status. In previous reports, persons diagnosed with HIV in other US states and diagnosed with AIDS in New York were included in the tabulations of PLWDHI regardless of the date of the AIDS diagnosis. Such cases are now included only if the AIDS diagnosis date was before the end of the calendar year of the report. The net result of these changes is an increase of 700 cases in the statewide tally of PLWDHI over what would have been shown.

Technical Notes on the New York State HIV/AIDS County Surveillance Report

Introduction

This HIV/AIDS County Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAEE), AIDS Institute, New York State Department of Health (NYSDOH).

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073
(518) 474-4284
bhae@health.state.ny.us

Information presented in this report is generated from data collected and maintained by BHAEE and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH).

Source Data

This report was produced using the March 2013 BHAEE Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection, HIV-related illness and AIDS to the NYS Commissioner of Health.¹ Under the amended HIV

¹ HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection.

Laboratories conducting HIV-related testing must report electronically to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 3/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.state.ny.us/diseases/aids/>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research

P.O. Box 2073, ESP Station

Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a confirmed case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition², designating AIDS as “stage 3 HIV infection”. This County Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it is not expected to affect case counts.

Deduplication:

The HIV/AIDS case data used in this County Report have undergone both inter- and intra-state deduplication.

² Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

CDC's process for interstate deduplication of HIV/AIDS cases, known as Routine Interstate Duplicate Review (RIDR), is conducted twice annually. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case is assigned to for national tabulations. Cases in the New York registry that are known through RIDR to have been initially diagnosed in another state are excluded from the County Report.

The County Report case data have also been deduplicated between NYC and the rest of NYS. In all of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYC DOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is counted only once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has performed further adjustments to the data using information from an intrastate extension of the RIDR process. This removes several hundred additional duplicate records, but importantly, returns to the analysis files some 3,000 unique cases that are excluded by the base procedure.

Ongoing refinement of the data may also contribute to geographical reassignment of cases at the state, regional, and/or county and local levels.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases

may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases reported by a provider indicating an HIV diagnosis or an HIV illness and/or by a laboratory reporting a confirmatory test result.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed after then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes HIV cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (FPHC)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as “pediatric” if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient

- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined risk category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus a portion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e., HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record reviews, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and from Social Security death data and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. For cases diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than pre-incarceration home address. In some counties prisoners make up a significant but shifting proportion of new diagnoses and living cases, and the local HIV burden is better represented by removing prisoner cases from the tabulations. The County Reports present HIV surveillance data both including and excluding prisoners. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2010 and diagnosed with AIDS in Monroe County in 2012, would be included among living HIV cases in Albany County in the County Report for December 2011.

Guide to the Tables

There are two types of tables in the County Reports. Summary tables contain one row for each of the 56 counties (all NYS counties, excluding the five boroughs of New York City and Hamilton County.) The summary tables present newly diagnosed HIV cases by type and year of diagnosis, and AIDS cases by year of diagnosis and year of death. The county detail tables present demographic and risk breakouts for new and living HIV and AIDS cases.

The tables of newly diagnosed cases present 3-year averages. Case counts in smaller counties may show great variation across years; the 3-year average is more stable and representative than any one year.

Guide to the Tables

Summary Table A

*New York State Excluding New York City**Summary Table A**Average Annual Newly Diagnosed HIV Cases¹ (January 2009 - December 2011), by County**Excludes State Prison Inmates*

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	Case Rate ³	%	%
Albany	8.7	1.3	10.0	21.0	31.0	10.2	28.0	32.3
Allegany	1.3	2.7	.	.
Broome	11.0	5.5	.	.
Cattaraugus	2.0	2.5	.	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January 2009-December 2011), and those AIDS diagnoses will be reported in the AIDS diagnosis tables (Summary Table B, County Tables 2A, 2B, 3).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis. For counties where the 3-year total of each of the subcategories (Concurrent HIV/AIDS, Other Late and Other) is at least 3 cases, the sub-category averages are displayed.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis *within a month* of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis *2 to 12 months after* the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis *more than 12 months after* the HIV diagnosis date.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population (i.e. Case rate=new diagnoses divided by the county population x 100,000. County populations are shown on Table 1A of each of the individual counties.)

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS *within one month* of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS *within twelve months* of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

Detail Table 1A

Albany County Table 1A

Living HIV and AIDS Cases as of December 2011¹

*by Gender, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		440	100.0	144.9	547	100.0	180.2	987	100.0	325.1	303,565
Gender	Male	288	65.5	.	367	67.1	.	655	66.4	.	.
	Female	152	34.5	.	180	32.9	.	332	33.6	.	.
Current Age	12 & under	6	1.4	.	0	0.0	.	6	0.6	.	.
	13-19	8	1.8	.	4	0.7	.	12	1.2	.	.
	20-24	19	4.3	.	6	1.1	.	25	2.5	.	.

Living HIV/AIDS Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2011). These are summed to produce a total count of people living with HIV and AIDS.

Prevalence Rate: The number of living cases per 100,000 population. Rates are not presented for population sub-groups because in most cases the numbers are too small to be statistically meaningful.

Area Population: Estimated population in 2010. Source: U.S. Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race and Hispanic Origin, 2011.

Guide to the Tables

Detail Table 2A

Albany County Table 2A

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Population
Total		31.0	100.0	10.2	21.3	100.0	7.0	1,196	100.0	303,565
Gender	Male	20.7	66.7	.	14.7	68.8	.	893	74.7	.
	Female	10.3	33.3	.	6.7	31.3	.	303	25.3	.
Age at Diagnosis	12 & under	0.3	1.1	.	0.0	0.0	.	14	1.2	.
	13-19	1.0	3.2	.	0.3	1.6	.	11	0.9	.
	20-24	3.0	9.7	.	0.7	3.1	.	32	2.7	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period, and those AIDS diagnoses will be reported in the AIDS diagnosis column.

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to Summary Table A).

Note: For population subgroups that did not have any HIV or AIDS diagnoses in the reporting period, no line appears in the table.

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2009 - December 2011), by County
Includes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Albany	9.7	1.7	11.3	22.3	33.7	11.1	28.7	33.7
Allegany	1.3	2.7	.	.
Broome	11.7	5.9	.	.
Cattaraugus	2.3	2.9	.	.
Cayuga	1.0	1.3	2.3	4.3	6.7	8.4	15.0	35.0
Chautauqua	7.7	5.7	.	.
Chemung	4.7	5.3	.	.
Chenango	1.0	2.0	.	.
Clinton	1.0	1.2	.	.
Columbia	4.0	6.4	.	.
Cortland	1.3	2.7	.	.
Delaware	2.0	4.2	.	.
Dutchess	5.0	2.3	7.3	12.0	19.3	6.5	25.9	37.9
Erie	27.7	6.0	33.7	68.0	101.7	11.1	27.2	33.1
Essex	1.7	4.3	.	.
Franklin	3.0	5.8	.	.
Fulton	2.7	4.8	.	.
Genessee	4.3	7.2	.	.
Greene	2.7	5.4	.	.
Herkimer	3.3	5.2	.	.
Jefferson	2.7	1.0	3.7	1.0	4.7	4.0	57.1	78.6

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2009 - December 2011), by County
Includes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Lewis	0.0	0.0	.	.
Livingston	3.0	4.6	.	.
Madison	1.3	1.8	.	.
Monroe	19.0	6.7	25.7	64.7	90.3	12.1	21.0	28.4
Montgomery	1.3	2.7	.	.
Nassau	39.7	7.0	46.7	58.7	105.3	7.8	37.7	44.3
Niagara	1.3	2.0	3.3	5.7	9.0	4.2	14.8	37.0
Oneida	3.3	1.3	4.7	8.0	12.7	5.4	26.3	36.8
Onondaga	10.0	3.3	13.3	27.0	40.3	8.6	24.8	33.1
Ontario	2.0	1.8	.	.
Orange	8.7	3.3	12.0	15.0	27.0	7.2	32.1	44.4
Orleans	2.7	6.3	.	.
Oswego	5.0	4.1	.	.
Otsego	1.7	2.7	.	.
Putnam	6.7	6.7	.	.
Rensselaer	10.0	6.3	.	.
Rockland	7.0	1.3	8.3	16.3	24.7	7.8	28.4	33.8
St Lawrence	3.0	2.7	.	.
Saratoga	5.7	2.6	.	.
Schenectady	3.3	1.7	5.0	6.7	11.7	7.5	28.6	42.9
Schoharie	0.0	0.0	.	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2009 - December 2011), by County
Includes State Prison Inmates

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Schuyler	0.3	1.8	.	.
Seneca	1.0	2.8	.	.
Steuben	2.7	2.7	.	.
Suffolk	32.7	6.7	39.3	71.7	111.0	7.4	29.4	35.4
Sullivan	3.3	4.3	.	.
Tioga	1.0	2.0	.	.
Tompkins	4.0	3.9	.	.
Ulster	11.3	6.2	.	.
Warren	1.3	2.0	.	.
Washington	3.3	5.3	.	.
Wayne	5.0	5.4	.	.
Westchester	28.3	7.0	35.3	74.3	109.7	11.5	25.8	32.2
Wyoming	1.0	2.4	.	.
Yates	0.0	0.0	.	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Includes State Prison Inmates

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Cumulative
Albany	17	16	27	33	48	59	82	96	96	76	83	67	55	45	50	54	42	53	50	60	36	45	33	32	24	34	19	1,332
Allegany	2	0	0	0	1	1	1	1	0	1	4	2	0	1	2	0	0	4	1	1	0	2	0	1	3	0	1	29
Broome	4	2	6	10	11	18	24	20	23	20	17	23	24	13	11	13	18	15	14	17	16	29	25	10	16	9	7	415
Cattaraugus	1	2	1	1	2	2	6	4	6	6	6	7	6	3	2	3	3	3	6	4	4	3	6	2	3	1	3	96
Cayuga	20	8	9	10	29	15	19	18	24	20	30	22	13	9	7	9	5	8	10	9	8	6	6	6	4	5	4	333
Chautauqua	2	0	1	2	4	3	9	11	10	9	13	9	6	11	7	7	10	19	5	9	11	7	8	7	8	4	5	197
Chemung	7	11	9	9	12	15	19	28	27	25	28	10	15	8	1	6	6	3	11	7	20	5	4	3	2	7	5	303
Chenango	1	0	1	2	0	3	2	4	2	1	7	4	4	3	2	5	5	5	3	2	3	0	2	2	2	1	2	68
Clinton	27	20	29	27	28	40	26	29	38	41	36	23	20	13	15	6	8	13	7	13	8	3	5	5	2	0	1	483
Columbia	3	5	2	5	8	9	11	21	7	10	16	4	5	2	5	5	4	1	3	6	6	2	5	1	5	2	4	157
Cortland	0	0	2	0	1	0	1	0	2	1	1	1	2	3	0	0	1	5	0	5	0	2	1	1	1	1	0	31
Delaware	0	0	0	1	2	4	1	3	2	3	6	4	2	0	2	0	5	5	4	2	3	2	2	3	0	3	4	63
Dutchess	65	41	65	63	88	102	123	132	172	141	113	110	55	39	47	66	60	50	44	56	56	28	29	25	20	16	17	1,823
Erie	26	26	43	59	95	93	113	138	192	184	190	167	87	96	111	139	111	76	95	74	77	63	91	62	63	58	77	2,606
Essex	13	7	5	14	16	14	13	9	14	12	18	9	9	3	6	3	4	3	3	1	4	1	0	1	0	1	1	184
Franklin	0	2	6	10	13	21	35	42	36	38	45	31	24	5	10	9	11	13	11	11	15	7	8	5	3	1	3	415
Fulton	3	1	0	3	0	2	5	4	1	2	5	1	2	4	3	3	1	1	2	4	3	3	2	4	1	1	3	64
Genesee	0	1	1	1	1	4	3	4	3	4	6	1	2	3	6	3	2	3	1	0	2	0	4	4	4	2	4	69
Greene	2	0	13	8	15	12	12	10	20	12	16	19	9	8	11	8	8	10	13	6	7	8	3	6	2	3	2	243
Herkimer	0	2	0	3	3	1	5	1	2	2	5	3	0	2	1	0	1	0	2	1	4	3	3	0	0	5	3	52
Jefferson	6	4	4	11	14	12	12	17	21	31	31	31	13	12	8	6	9	11	7	3	12	7	6	4	6	8	7	313
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
Livingston	4	2	7	13	5	12	17	23	25	16	17	13	16	7	5	6	6	5	5	3	3	4	4	4	1	1	4	228
Madison	0	2	1	1	2	5	4	0	8	0	3	2	6	9	2	4	1	0	1	1	2	1	0	1	1	3	1	61
Monroe	23	38	51	75	79	90	125	169	210	216	207	150	122	85	98	91	125	107	80	90	107	85	97	80	67	51	73	2,791
Montgomery	1	0	2	4	2	1	7	7	4	8	4	6	5	5	4	2	3	4	2	2	4	2	2	3	0	2	2	88
Nassau	136	119	143	192	233	231	251	300	312	258	306	247	169	156	155	177	167	160	127	124	104	95	100	95	89	83	73	4,602
Niagara	2	4	5	6	14	21	18	17	22	9	16	12	15	11	6	13	13	5	14	8	13	7	7	9	2	4	8	281
Oneida	9	9	11	23	36	59	75	94	110	70	77	84	55	37	33	35	26	26	27	21	26	16	16	17	18	9	8	1,027
Onondaga	34	12	24	34	42	49	59	121	116	78	83	89	55	33	46	79	42	43	43	33	44	32	41	39	28	22	34	1,355

¹ Data as of March 2013

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Includes State Prison Inmates

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	Cumulative
Ontario	0	1	1	2	2	2	1	4	6	6	6	2	1	7	3	1	4	4	4	2	4	4	1	1	2	1	1	73
Orange	31	30	45	48	64	82	95	116	115	121	100	69	70	39	52	62	57	50	82	51	50	30	31	34	30	19	20	1,593
Orleans	8	2	8	11	14	18	26	36	30	44	28	28	27	12	14	7	11	11	12	6	6	3	7	6	3	4	5	387
Oswego	2	2	0	4	8	2	4	9	5	3	8	5	6	2	6	2	1	8	1	4	7	4	1	0	3	7	3	107
Otsego	1	0	1	3	10	2	4	5	5	2	8	7	2	1	5	5	0	2	5	2	5	3	1	1	2	1	1	84
Putnam	7	2	9	10	8	9	12	16	12	12	17	11	7	10	10	5	5	2	5	2	1	5	8	3	3	6	2	199
Rensselaer	2	3	6	6	13	14	20	29	19	21	22	22	6	9	11	14	5	17	16	15	10	11	12	8	5	10	4	330
Rockland	31	20	28	29	44	30	51	92	81	67	57	57	36	43	34	81	56	33	27	32	48	27	20	21	19	17	15	1,096
St Lawrence	5	4	8	8	11	15	15	31	28	26	21	29	28	13	12	12	16	7	12	6	11	5	9	4	4	1	4	345
Saratoga	10	6	10	9	13	27	28	27	24	23	18	21	15	10	7	8	11	11	15	10	11	5	5	1	3	4	8	340
Schenectady	14	10	5	8	16	26	27	19	27	36	35	26	26	25	13	22	14	22	21	22	20	23	13	10	4	19	13	516
Schoharie	1	1	0	1	1	3	4	3	7	4	2	2	0	1	3	1	1	0	1	1	0	2	1	2	2	0	0	44
Schuyler	0	0	1	0	1	2	1	1	3	1	0	1	0	0	0	0	1	1	0	0	1	0	1	0	0	1	1	17
Seneca	0	0	1	1	0	2	1	4	3	3	5	10	3	7	2	3	4	10	9	6	7	2	1	3	4	2	1	94
Steuben	1	2	3	4	4	4	5	9	5	3	2	5	3	8	5	3	1	2	4	3	3	1	3	6	1	3	2	95
Suffolk	106	103	145	191	192	216	281	289	348	316	322	265	196	142	142	153	133	122	139	113	112	107	109	106	82	67	80	4,577
Sullivan	18	16	18	34	33	37	48	63	78	66	46	38	23	17	21	19	21	25	17	17	15	11	11	14	7	1	5	719
Tioga	1	0	1	2	1	3	3	1	2	1	4	1	0	0	0	1	2	0	4	1	1	0	1	5	1	1	0	37
Tompkins	2	2	4	5	5	8	7	12	6	10	7	14	7	7	6	5	6	9	3	3	4	4	9	5	4	4	1	159
Ulster	20	13	36	37	60	49	72	75	82	85	77	53	40	34	37	40	39	28	37	22	18	24	18	10	15	6	12	1,039
Warren	2	2	1	4	2	4	2	5	3	2	8	4	3	5	2	2	4	5	0	5	3	0	3	2	2	4	0	79
Washington	8	14	24	25	24	34	17	28	11	23	30	13	6	1	2	6	7	7	1	3	9	3	1	1	2	2	1	303
Wayne	4	3	1	2	1	5	5	10	12	5	7	7	10	8	2	4	7	3	2	3	3	8	2	2	5	2	4	127
Westchester	161	129	191	215	249	265	320	440	397	392	385	323	252	244	185	203	207	187	193	157	161	133	135	114	93	93	63	5,887
Wyoming	16	13	17	18	18	17	23	24	30	29	33	36	8	14	10	4	5	4	8	4	9	0	5	4	2	0	2	353
Yates	0	0	0	0	1	0	2	1	2	1	2	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	13

¹ Data as of March 2013

Summary Table C

HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Albany	37	56	54	55	54	41	35	40	45	35	34	32
Allegany	1	1	3	0	1	2	2	0	1	2	0	2
Broome	15	24	14	14	13	18	18	14	8	14	9	12
Cattaraugus	1	3	7	5	1	1	3	7	4	2	0	5
Cayuga	12	7	4	8	5	5	7	5	2	11	4	5
Chautauqua	12	19	11	5	10	15	8	12	10	8	9	6
Chemung	8	6	6	7	7	9	6	2	7	3	4	7
Chenango	2	2	3	1	1	1	1	1	0	0	0	3
Clinton	8	4	8	2	6	4	4	6	5	1	0	2
Columbia	4	3	2	5	4	3	6	4	2	4	3	5
Cortland	0	1	1	0	0	1	1	3	2	1	2	1
Delaware	1	4	8	2	1	0	2	2	4	0	5	1
Dutchess	44	51	25	27	37	39	27	21	19	21	14	23
Erie	80	102	83	86	92	84	96	101	84	105	100	100
Essex	6	4	5	4	1	2	1	0	1	3	2	0
Franklin	8	7	7	7	4	3	1	3	1	4	1	4
Fulton	5	2	0	3	4	2	0	2	5	1	3	4
Genessee	1	5	5	3	0	2	3	5	1	3	4	6
Greene	0	7	4	5	6	4	5	6	4	7	1	0
Herkimer	1	2	1	2	0	1	3	1	2	0	6	4
Jefferson	11	7	8	5	4	3	5	4	3	2	10	2
Lewis	0	1	0	1	0	0	0	0	0	0	0	0
Livingston	9	4	2	6	3	3	3	3	2	4	2	3
Madison	1	2	1	2	1	3	4	1	1	2	1	1
Monroe	80	100	113	98	104	85	76	101	95	90	75	106
Montgomery	3	2	4	3	2	3	3	2	4	2	1	1
Nassau	155	158	135	115	115	128	111	101	136	92	103	121
Niagara	8	3	7	10	12	19	9	5	10	7	10	10
Oneida	26	24	22	20	20	14	17	17	14	16	13	9
Onondaga	28	51	46	58	49	49	33	37	46	33	39	49

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ HIV reporting began in June 2000. No earlier data are available

Summary Table C

HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Ontario	1	6	6	3	2	4	2	5	3	1	3	2
Orange	43	42	34	46	36	46	40	39	31	33	26	22
Orleans	17	6	6	6	3	3	5	3	5	2	1	5
Oswego	1	5	11	3	3	3	3	5	4	7	5	3
Otsego	5	4	5	2	2	2	3	3	1	0	4	1
Putnam	7	3	3	5	1	2	5	5	2	9	7	4
Rensselaer	11	8	14	13	22	10	9	9	11	8	14	8
Rockland	28	30	23	30	37	37	35	15	26	22	23	29
St Lawrence	16	7	4	8	6	2	5	1	1	3	3	3
Saratoga	5	11	5	11	9	9	7	7	5	7	3	7
Schenectady	11	18	27	25	26	20	17	12	13	7	12	16
Schoharie	1	2	6	1	2	1	0	1	3	0	0	0
Schuyler	0	0	1	2	0	1	1	1	1	0	1	0
Seneca	5	4	9	5	3	1	2	3	2	0	2	1
Steuben	6	5	2	2	1	2	2	2	3	3	3	2
Suffolk	95	133	123	151	141	128	116	131	111	112	115	106
Sullivan	13	20	13	15	22	9	9	11	12	3	3	4
Tioga	1	4	0	2	2	3	1	0	3	1	1	1
Tompkins	4	3	10	4	6	5	7	5	7	4	5	3
Ulster	17	21	22	22	20	21	22	10	13	11	10	13
Warren	2	4	5	4	5	1	1	2	1	1	3	0
Washington	3	6	1	2	2	3	4	1	1	3	3	4
Wayne	5	7	10	3	4	9	10	3	4	6	5	4
Westchester	236	152	145	133	157	120	151	138	140	111	118	100
Wyoming	6	1	1	7	0	2	0	2	1	0	1	2
Yates	1	0	1	3	1	0	2	0	0	0	0	0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ HIV reporting began in June 2000. No earlier data are available

Summary Table D
Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²
Includes State Prison Inmates

County	< 1985	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Albany	2	7	13	10	14	22	38	34	52	52	62	52	45	33	26	24	25	22	16	15	20	17	25	19	13	14	17	11
Allegany	0	0	2	0	0	0	1	0	0	1	0	2	3	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
Broome	1	0	4	4	4	6	6	15	15	12	11	18	17	4	6	3	4	7	5	6	12	6	7	7	6	1	6	3
Cattaraugus	0	0	2	1	0	1	2	2	1	1	4	2	3	3	0	5	1	3	1	2	0	1	2	1	0	0	0	0
Cayuga	6	7	8	7	9	12	10	17	13	8	16	17	11	6	6	4	3	1	4	3	6	4	5	4	2	3	1	2
Chautauqua	0	0	2	0	1	4	0	2	2	7	6	9	7	3	2	5	1	1	2	1	8	3	2	2	2	5	5	4
Chemung	2	1	5	6	9	10	10	8	18	14	21	21	14	8	0	2	1	6	4	4	2	2	2	3	3	1	3	1
Chenango	0	0	0	0	3	1	0	0	2	1	3	4	2	0	0	1	2	2	1	1	2	1	2	1	0	0	1	3
Clinton	11	8	12	13	19	18	16	22	28	16	25	25	17	10	7	2	3	5	2	9	3	8	2	3	4	3	3	1
Columbia	0	1	4	2	1	6	5	8	12	5	4	8	8	2	2	3	4	1	2	1	2	0	1	1	0	2	1	1
Cortland	0	0	0	0	0	3	0	0	0	2	0	1	0	0	2	1	0	0	1	2	1	2	0	0	0	0	0	1
Delaware	0	0	0	0	0	1	2	1	2	3	1	1	3	0	1	1	0	2	1	1	1	2	0	0	0	0	1	1
Dutchess	22	19	34	40	44	61	57	73	59	86	96	115	70	32	36	36	22	27	32	21	25	18	25	16	15	16	21	17
Erie	7	12	13	23	25	55	71	76	90	83	123	166	90	52	46	47	50	56	32	52	41	41	41	44	35	42	38	27
Essex	5	6	5	4	4	11	5	6	15	8	9	14	6	3	0	1	1	0	2	1	2	1	4	1	3	1	2	0
Franklin	0	0	1	5	7	2	5	13	16	21	20	21	25	8	8	4	1	11	8	6	11	4	6	7	6	5	2	4
Fulton	0	1	2	0	1	1	0	3	2	1	4	1	0	1	0	1	0	2	0	1	0	1	1	2	1	0	0	0
Genesee	0	0	0	0	1	3	1	3	3	2	2	1	3	0	1	1	1	0	2	1	0	2	1	0	0	1	1	1
Greene	1	0	1	7	5	7	8	9	8	8	9	5	13	4	1	2	7	2	5	7	5	4	3	3	2	4	2	2
Herkimer	0	0	1	0	2	1	1	1	4	3	0	2	2	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1
Jefferson	0	1	3	6	8	2	7	7	10	9	12	20	14	8	7	6	1	3	2	6	7	3	2	7	3	6	3	1
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Livingston	0	3	3	7	4	1	7	8	14	11	5	12	10	3	10	5	4	5	3	1	2	4	4	3	3	4	1	1
Madison	0	0	1	1	1	1	1	2	1	3	3	4	1	1	0	1	0	1	1	0	1	4	1	3	1	0	2	1
Monroe	6	10	18	27	31	46	51	86	97	79	120	126	103	60	48	53	56	39	50	46	55	48	54	45	41	32	27	37
Montgomery	1	0	0	0	1	4	2	1	5	3	5	5	3	1	1	1	3	2	0	3	1	2	0	0	2	3	1	1
Nassau	41	38	70	102	114	149	152	193	196	203	241	235	138	81	69	76	64	72	58	84	62	60	56	64	45	43	46	30
Niagara	0	0	4	3	3	8	10	13	21	11	20	9	6	9	4	3	4	5	1	5	5	14	4	2	6	4	2	3
Oneida	1	3	5	8	13	21	21	41	39	73	54	52	59	21	15	20	15	14	14	16	13	13	7	22	10	12	17	3

¹ Death may be due to causes other than AIDS² Data as of March 2013

Summary Table D
Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²
Includes State Prison Inmates

County	< 1985	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Onondaga	5	13	16	12	24	24	21	34	53	56	83	67	58	20	20	20	25	17	17	15	14	12	22	25	28	22	21	18
Ontario	0	0	0	1	1	1	2	0	2	6	2	3	1	2	1	0	0	1	1	0	0	2	1	0	0	2	2	0
Orange	8	11	16	30	30	48	34	65	69	74	65	96	54	39	26	26	33	21	20	30	21	28	21	24	27	19	14	7
Orleans	0	4	2	3	5	9	4	12	15	19	14	24	10	5	4	6	3	3	7	5	3	7	8	2	3	5	2	2
Oswego	0	0	2	1	0	6	3	4	2	7	2	4	4	0	0	1	1	1	0	4	0	4	1	1	1	3	2	1
Otsego	1	0	0	0	2	3	4	4	3	0	4	6	4	0	0	2	2	0	1	0	2	1	5	1	3	1	0	2
Putnam	1	4	3	6	5	4	8	3	7	15	12	14	6	3	4	1	3	0	2	2	1	1	0	1	1	1	0	2
Rensselaer	1	0	1	4	4	3	8	10	12	17	11	14	12	8	2	5	5	7	5	6	6	7	5	4	6	5	6	7
Rockland	11	8	16	15	17	33	27	20	46	49	48	46	28	15	18	21	14	21	21	22	12	14	14	5	10	13	10	8
St Lawrence	0	2	3	5	8	7	7	10	12	13	16	14	8	6	6	4	2	7	5	5	7	6	4	5	6	5	5	1
Saratoga	2	1	6	8	5	10	5	14	17	19	23	22	9	10	6	1	8	8	7	3	5	6	4	1	2	3	1	1
Schenectady	4	2	10	5	6	9	17	14	21	11	22	17	21	10	11	9	8	6	11	4	9	9	11	7	8	6	5	7
Schoharie	0	1	1	0	0	1	1	3	1	5	2	4	3	0	0	2	2	0	0	0	1	0	0	0	0	0	0	0
Schuyler	0	0	0	1	0	0	0	2	1	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Seneca	0	0	0	0	1	0	1	0	1	2	0	1	2	2	0	2	0	1	4	4	1	0	0	3	3	1	0	2
Steuben	0	0	2	3	3	0	3	3	6	4	3	5	5	1	1	3	0	1	3	1	2	2	0	0	3	0	1	0
Suffolk	25	35	71	81	126	137	142	167	214	202	231	216	166	97	80	74	60	73	76	71	64	80	61	61	45	45	45	35
Sullivan	5	6	7	17	21	23	26	25	36	33	44	53	30	15	6	8	18	13	11	10	9	6	9	4	6	3	8	6
Tioga	0	1	0	0	0	2	2	0	2	4	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0
Tompkins	1	0	2	2	5	2	4	6	5	5	7	4	5	4	3	2	1	2	0	2	2	1	2	0	1	1	3	0
Ulster	5	9	8	17	18	28	36	36	42	51	46	38	49	28	13	13	16	20	11	14	15	14	15	11	15	11	7	8
Warren	1	1	1	2	0	0	5	5	1	1	3	1	4	0	0	1	1	5	0	2	1	3	1	1	3	0	1	1
Washington	3	2	11	16	7	13	16	27	19	19	17	7	7	7	4	4	2	3	4	2	4	3	2	1	1	5	1	1
Wayne	1	2	1	1	2	3	2	4	2	9	6	6	3	2	2	3	0	2	1	3	2	2	1	1	1	1	4	0
Westchester	34	63	92	119	143	164	197	201	240	247	288	290	182	107	118	95	122	74	83	95	74	78	68	74	85	72	67	49
Wyoming	3	10	6	14	10	8	13	15	11	16	17	19	9	12	8	2	6	2	3	5	9	3	3	2	2	4	4	2
Yates	0	0	0	0	0	0	0	2	0	2	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

¹ Death may be due to causes other than AIDS² Data as of March 2013

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		488	100.0	160.8	638	100.0	210.2	1,126	100.0	370.9	303,565
Gender	Male	323	66.2	.	434	68.0	.	757	67.2	.	.
	Female	165	33.8	.	204	32.0	.	369	32.8	.	.
Current Age	12 & under	6	1.2	.	0	0.0	.	6	0.5	.	.
	13-19	8	1.6	.	4	0.6	.	12	1.1	.	.
	20-24	19	3.9	.	6	0.9	.	25	2.2	.	.
	25-29	27	5.5	.	9	1.4	.	36	3.2	.	.
	30-39	86	17.6	.	75	11.8	.	161	14.3	.	.
	40-49	173	35.5	.	255	40.0	.	428	38.0	.	.
	50-59	116	23.8	.	213	33.4	.	329	29.2	.	.
	60+	52	10.7	.	76	11.9	.	128	11.4	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	200	41.0	.	195	30.6	.	395	35.1	.	.
	Black	197	40.4	.	253	39.7	.	450	40.0	.	.
	Hispanic	49	10.0	.	106	16.6	.	155	13.8	.	.
	Multi Race	37	7.6	.	79	12.4	.	116	10.3	.	.
	Others	5	1.0	.	5	0.8	.	10	0.9	.	.
Risk	MSM	198	40.6	.	209	32.8	.	407	36.1	.	.
	IDU	65	13.3	.	144	22.6	.	209	18.6	.	.
	MSM/IDU	18	3.7	.	41	6.4	.	59	5.2	.	.
	Heterosexual	98	20.1	.	132	20.7	.	230	20.4	.	.
	Fem Pres Het Cont	52	10.7	.	53	8.3	.	105	9.3	.	.
	Blood Prod.	2	0.4	.	0	0.0	.	2	0.2	.	.
	Pediatric Risk	16	3.3	.	8	1.3	.	24	2.1	.	.
	Unk	39	8.0	.	51	8.0	.	90	8.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		323	100.0	165	100.0	488	100.0	434	100.0	204	100.0	638	100.0	757	100.0	369	100.0	1,126	100.0
Risk	MSM	198	61.3	0	0.0	198	40.6	209	48.2	0	0.0	209	32.8	407	53.8	0	0.0	407	36.1
	IDU	39	12.1	26	15.8	65	13.3	90	20.7	54	26.5	144	22.6	129	17.0	80	21.7	209	18.6
	MSM/IDU	18	5.6	0	0.0	18	3.7	41	9.4	0	0.0	41	6.4	59	7.8	0	0.0	59	5.2
	Heterosexual	18	5.6	80	48.5	98	20.1	39	9.0	93	45.6	132	20.7	57	7.5	173	46.9	230	20.4
	Fem Pres Het Cont	0	0.0	52	31.5	52	10.7	0	0.0	53	26.0	53	8.3	0	0.0	105	28.5	105	9.3
	Blood Prod.	2	0.6	0	0.0	2	0.4	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	2	0.2
	Pediatric Risk	9	2.8	7	4.2	16	3.3	4	0.9	4	2.0	8	1.3	13	1.7	11	3.0	24	2.1
	Unk	39	12.1	0	0.0	39	8.0	51	11.8	0	0.0	51	8.0	90	11.9	0	0.0	90	8.0

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		33.7	100.0	11.1	25.7	100.0	8.5	1,332	100.0	303,565
Gender	Male	23.0	68.3	.	18.0	70.1	.	1,001	75.2	.
	Female	10.7	31.7	.	7.7	29.9	.	331	24.8	.
Age at Diagnosis	12 & under	0.3	1.0	.	0.0	0.0	.	14	1.1	.
	13-19	1.0	3.0	.	0.3	1.3	.	11	0.8	.
	20-24	3.0	8.9	.	0.7	2.6	.	34	2.6	.
	25-29	3.7	10.9	.	1.3	5.2	.	178	13.4	.
	30-39	9.3	27.7	.	5.7	22.1	.	516	38.7	.
	40-49	8.7	25.7	.	10.0	39.0	.	414	31.1	.
	50-59	5.0	14.9	.	6.3	24.7	.	141	10.6	.
	60+	2.7	7.9	.	1.3	5.2	.	24	1.8	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	13.0	38.6	.	6.0	23.4	.	492	36.9	.
	Black	14.7	43.6	.	13.3	51.9	.	532	39.9	.
	Hispanic	2.7	7.9	.	3.0	11.7	.	200	15.0	.
	Multi Race	2.3	6.9	.	3.0	11.7	.	102	7.7	.
	Others	1.0	3.0	.	0.3	1.3	.	6	0.5	.
Risk	MSM	13.7	40.6	.	7.3	28.6	.	452	33.9	.
	IDU	2.0	5.9	.	3.7	14.3	.	412	30.9	.
	MSM/IDU	0.3	1.0	.	1.3	5.2	.	81	6.1	.
	Heterosexual	8.3	24.8	.	7.7	29.9	.	194	14.6	.
	Fem Pres Het Cont	4.0	11.9	.	1.3	5.2	.	71	5.3	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	8	0.6	.
	Pediatric Risk	0.3	1.0	.	0.3	1.3	.	18	1.4	.
	Unk	5.0	14.9	.	4.0	15.6	.	96	7.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		23.0	100.0	10.7	100.0	33.7	100.0	18.0	100.0	7.7	100.0	25.7	100.0	1,001	100.0	331	100.0	1,332	100.0
Risk	MSM	13.7	59.4	0.0	0.0	13.7	40.6	7.3	40.7	0.0	0.0	7.3	28.6	452	45.2	0	0.0	452	33.9
	IDU	1.7	7.2	0.3	3.1	2.0	5.9	2.0	11.1	1.7	21.7	3.7	14.3	287	28.7	125	37.8	412	30.9
	MSM/IDU	0.3	1.4	0.0	0.0	0.3	1.0	1.3	7.4	0.0	0.0	1.3	5.2	81	8.1	0	0.0	81	6.1
	Heterosexual	2.0	8.7	6.3	59.4	8.3	24.8	3.0	16.7	4.7	60.9	7.7	29.9	66	6.6	128	38.7	194	14.6
	Fem Pres Het Cont	0.0	0.0	4.0	37.5	4.0	11.9	0.0	0.0	1.3	17.4	1.3	5.2	0	0.0	71	21.5	71	5.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	0.7	1	0.3	8	0.6
	Pediatric Risk	0.3	1.4	0.0	0.0	0.3	1.0	0.3	1.9	0.0	0.0	0.3	1.3	12	1.2	6	1.8	18	1.4
	Unk	5.0	21.7	0.0	0.0	5.0	14.9	4.0	22.2	0.0	0.0	4.0	15.6	96	9.6	0	0.0	96	7.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	17	9
1986	.	16	13
1987	.	27	10
1988	.	33	14
1989	.	48	22
1990	.	59	38
1991	.	82	34
1992	.	96	52
1993	.	96	52
1994	.	76	62
1995	.	83	52
1996	.	67	45
1997	.	55	33
1998	.	45	26
1999	.	50	24
2000*	37	54	25
2001	56	42	22
2002	54	53	16
2003	55	50	15
2004	54	60	20
2005	41	36	17
2006	35	45	25
2007	40	33	19
2008	45	32	13
2009	35	24	14
2010	34	34	17
2011	32	19	11

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		10	100.0	20.5	18	100.0	36.9	28	100.0	57.4	48,778
Gender	Male	7	70.0	.	13	72.2	.	20	71.4	.	.
	Female	3	30.0	.	5	27.8	.	8	28.6	.	.
Current Age	20-24	1	10.0	.	0	0.0	.	1	3.6	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	3	30.0	.	2	11.1	.	5	17.9	.	.
	40-49	1	10.0	.	10	55.6	.	11	39.3	.	.
	50-59	3	30.0	.	5	27.8	.	8	28.6	.	.
	60+	2	20.0	.	1	5.6	.	3	10.7	.	.
Race/Ethnicity	White	8	80.0	.	10	55.6	.	18	64.3	.	.
	Black	0	0.0	.	1	5.6	.	1	3.6	.	.
	Hispanic	0	0.0	.	2	11.1	.	2	7.1	.	.
	Multi Race	2	20.0	.	5	27.8	.	7	25.0	.	.
Risk	MSM	5	50.0	.	8	44.4	.	13	46.4	.	.
	IDU	3	30.0	.	1	5.6	.	4	14.3	.	.
	MSM/IDU	0	0.0	.	1	5.6	.	1	3.6	.	.
	Heterosexual	2	20.0	.	5	27.8	.	7	25.0	.	.
	Fem Pres Het Cont	0	0.0	.	1	5.6	.	1	3.6	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	0	0.0	.	2	11.1	.	2	7.1	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7	100.0	3	100.0	10	100.0	13	100.0	5	100.0	18	100.0	20	100.0	8	100.0	28	100.0
Risk	MSM	5	71.4	0	0.0	5	50.0	8	61.5	0	0.0	8	44.4	13	65.0	0	0.0	13	46.4
	IDU	2	28.6	1	33.3	3	30.0	1	7.7	0	0.0	1	5.6	3	15.0	1	12.5	4	14.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	7.7	0	0.0	1	5.6	1	5.0	0	0.0	1	3.6
	Heterosexual	0	0.0	2	66.7	2	20.0	1	7.7	4	80.0	5	27.8	1	5.0	6	75.0	7	25.0
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.6	0	0.0	1	12.5	1	3.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0	0.0	0	0.0	0	0.0	2	15.4	0	0.0	2	11.1	2	10.0	0	0.0	2	7.1

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.3	100.0	2.7	1.3	100.0	2.7	29	100.0	48,778
Gender	Male	1.3	100.0	.	1.3	100.0	.	22	75.9	.
	Female	0.0	0.0	.	0.0	0.0	.	7	24.1	.
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	2	6.9	.
	25-29	0.0	0.0	.	0.0	0.0	.	4	13.8	.
	30-39	0.3	25.0	.	0.0	0.0	.	12	41.4	.
	40-49	0.7	50.0	.	0.7	50.0	.	7	24.1	.
	50-59	0.3	25.0	.	0.7	50.0	.	2	6.9	.
	60+	0.0	0.0	.	0.0	0.0	.	2	6.9	.
Race/Ethnicity	White	0.7	50.0	.	0.3	25.0	.	19	65.5	.
	Black	0.0	0.0	.	0.0	0.0	.	2	6.9	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	3	10.3	.
	Multi Race	0.7	50.0	.	1.0	75.0	.	5	17.2	.
Risk	MSM	1.3	100.0	.	1.3	100.0	.	13	44.8	.
	IDU	0.0	0.0	.	0.0	0.0	.	4	13.8	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	6.9	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	5	17.2	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	1	3.4	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	3.4	.
	Unk	0.0	0.0	.	0.0	0.0	.	3	10.3	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0	22	100.0	7	100.0	29	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0	13	59.1	0	0.0	13	44.8
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	13.6	1	14.3	4	13.8
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	9.1	0	0.0	2	6.9
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	4.5	4	57.1	5	17.2
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	14.3	1	3.4
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	14.3	1	3.4
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	13.6	0	0.0	3	10.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	.
1986	.	.	2
1989	.	1	.
1990	.	1	1
1991	.	1	.
1992	.	1	.
1993	.	.	1
1994	.	1	.
1995	.	4	2
1996	.	2	3
1998	.	1	.
1999	.	2	.
2000*	1	.	1
2001	1	.	.
2002	3	4	.
2003	.	1	1
2004	1	1	.
2005	2	.	.
2006	2	2	.
2008	1	1	.
2009	2	3	.
2011	2	1	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		149	100.0	74.9	221	100.0	111.0	370	100.0	185.9	199,031
Gender	Male	91	61.1	.	154	69.7	.	245	66.2	.	.
	Female	58	38.9	.	67	30.3	.	125	33.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	2.0	.	0	0.0	.	3	0.8	.	.
	20-24	8	5.4	.	4	1.8	.	12	3.2	.	.
	25-29	11	7.4	.	7	3.2	.	18	4.9	.	.
	30-39	30	20.1	.	32	14.5	.	62	16.8	.	.
	40-49	48	32.2	.	73	33.0	.	121	32.7	.	.
	50-59	34	22.8	.	80	36.2	.	114	30.8	.	.
	60+	15	10.1	.	25	11.3	.	40	10.8	.	.
Race/Ethnicity	White	73	49.0	.	108	48.9	.	181	48.9	.	.
	Black	40	26.8	.	53	24.0	.	93	25.1	.	.
	Hispanic	22	14.8	.	39	17.6	.	61	16.5	.	.
	Multi Race	12	8.1	.	21	9.5	.	33	8.9	.	.
	Others	2	1.3	.	0	0.0	.	2	0.5	.	.
Risk	MSM	54	36.2	.	71	32.1	.	125	33.8	.	.
	IDU	20	13.4	.	48	21.7	.	68	18.4	.	.
	MSM/IDU	3	2.0	.	14	6.3	.	17	4.6	.	.
	Heterosexual	33	22.1	.	35	15.8	.	68	18.4	.	.
	Fem Pres Het Cont	24	16.1	.	16	7.2	.	40	10.8	.	.
	Blood Prod.	0	0.0	.	1	0.5	.	1	0.3	.	.
	Pediatric Risk	3	2.0	.	4	1.8	.	7	1.9	.	.
	Unk	12	8.1	.	32	14.5	.	44	11.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		91	100.0	58	100.0	149	100.0	154	100.0	67	100.0	221	100.0	245	100.0	125	100.0	370	100.0
Risk	MSM	54	59.3	0	0.0	54	36.2	71	46.1	0	0.0	71	32.1	125	51.0	0	0.0	125	33.8
	IDU	12	13.2	8	13.8	20	13.4	28	18.2	20	29.9	48	21.7	40	16.3	28	22.4	68	18.4
	MSM/IDU	3	3.3	0	0.0	3	2.0	14	9.1	0	0.0	14	6.3	17	6.9	0	0.0	17	4.6
	Heterosexual	7	7.7	26	44.8	33	22.1	7	4.5	28	41.8	35	15.8	14	5.7	54	43.2	68	18.4
	Fem Pres Het Cont	0	0.0	24	41.4	24	16.1	0	0.0	16	23.9	16	7.2	0	0.0	40	32.0	40	10.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.5	1	0.4	0	0.0	1	0.3
	Pediatric Risk	3	3.3	0	0.0	3	2.0	2	1.3	2	3.0	4	1.8	5	2.0	2	1.6	7	1.9
	Unk	12	13.2	0	0.0	12	8.1	31	20.1	1	1.5	32	14.5	43	17.6	1	0.8	44	11.9

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		11.7	100.0	5.9	10.7	100.0	5.4	415	100.0	199,031
Gender	Male	8.3	71.4	.	7.3	68.8	.	302	72.8	.
	Female	3.3	28.6	.	3.3	31.3	.	113	27.2	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	2	0.5	.
	13-19	0.3	2.9	.	0.7	6.3	.	7	1.7	.
	20-24	2.3	20.0	.	0.7	6.3	.	19	4.6	.
	25-29	1.0	8.6	.	0.3	3.1	.	47	11.3	.
	30-39	3.3	28.6	.	2.0	18.8	.	162	39.0	.
	40-49	2.0	17.1	.	4.7	43.8	.	123	29.6	.
	50-59	2.3	20.0	.	2.3	21.9	.	48	11.6	.
	60+	0.3	2.9	.	0.0	0.0	.	7	1.7	.
Race/Ethnicity	White	6.3	54.3	.	5.7	53.1	.	234	56.4	.
	Black	3.0	25.7	.	2.7	25.0	.	89	21.4	.
	Hispanic	1.7	14.3	.	2.0	18.8	.	63	15.2	.
	Multi Race	0.3	2.9	.	0.3	3.1	.	29	7.0	.
	Others	0.3	2.9	.	0.0	0.0	.	0	0.0	.
Risk	MSM	5.0	42.9	.	3.0	28.1	.	151	36.4	.
	IDU	0.7	5.7	.	2.3	21.9	.	102	24.6	.
	MSM/IDU	0.7	5.7	.	1.0	9.4	.	28	6.7	.
	Heterosexual	2.7	22.9	.	1.7	15.6	.	53	12.8	.
	Fem Pres Het Cont	1.0	8.6	.	0.0	0.0	.	24	5.8	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	0.5	.
	Pediatric Risk	0.0	0.0	.	0.7	6.3	.	7	1.7	.
	Unk	1.7	14.3	.	2.0	18.8	.	48	11.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.3	100.0	3.3	100.0	11.7	100.0	7.3	100.0	3.3	100.0	10.7	100.0	302	100.0	113	100.0	415	100.0
Risk	MSM	5.0	60.0	0.0	0.0	5.0	42.9	3.0	40.9	0.0	0.0	3.0	28.1	151	50.0	0	0.0	151	36.4
	IDU	0.3	4.0	0.3	10.0	0.7	5.7	1.0	13.6	1.3	40.0	2.3	21.9	64	21.2	38	33.6	102	24.6
	MSM/IDU	0.7	8.0	0.0	0.0	0.7	5.7	1.0	13.6	0.0	0.0	1.0	9.4	28	9.3	0	0.0	28	6.7
	Heterosexual	1.0	12.0	1.7	50.0	2.7	22.9	0.7	9.1	1.0	30.0	1.7	15.6	9	3.0	44	38.9	53	12.8
	Fem Pres Het Cont	0.0	0.0	1.0	30.0	1.0	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	24	21.2	24	5.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	0.7	0	0.0	2	0.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	20.0	0.7	6.3	2	0.7	5	4.4	7	1.7
	Unk	1.3	16.0	0.3	10.0	1.7	14.3	1.7	22.7	0.3	10.0	2.0	18.8	46	15.2	2	1.8	48	11.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	4	1
1986	.	2	4
1987	.	6	4
1988	.	10	4
1989	.	11	6
1990	.	18	6
1991	.	24	15
1992	.	20	15
1993	.	23	12
1994	.	20	11
1995	.	17	18
1996	.	23	17
1997	.	24	4
1998	.	13	6
1999	.	11	3
2000*	15	13	4
2001	24	18	7
2002	14	15	5
2003	14	14	6
2004	13	17	12
2005	18	16	6
2006	18	29	7
2007	14	25	7
2008	8	10	6
2009	14	16	1
2010	9	9	6
2011	12	7	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		36	100.0	45.1	58	100.0	72.7	94	100.0	117.7	79,832
Gender	Male	25	69.4	.	49	84.5	.	74	78.7	.	.
	Female	11	30.6	.	9	15.5	.	20	21.3	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	5.6	.	0	0.0	.	2	2.1	.	.
	25-29	1	2.8	.	1	1.7	.	2	2.1	.	.
	30-39	7	19.4	.	8	13.8	.	15	16.0	.	.
	40-49	10	27.8	.	27	46.6	.	37	39.4	.	.
	50-59	11	30.6	.	20	34.5	.	31	33.0	.	.
	60+	5	13.9	.	2	3.4	.	7	7.4	.	.
Race/Ethnicity	White	21	58.3	.	27	46.6	.	48	51.1	.	.
	Black	9	25.0	.	11	19.0	.	20	21.3	.	.
	Hispanic	5	13.9	.	15	25.9	.	20	21.3	.	.
	Multi Race	1	2.8	.	4	6.9	.	5	5.3	.	.
	Others	0	0.0	.	1	1.7	.	1	1.1	.	.
Risk	MSM	10	27.8	.	14	24.1	.	24	25.5	.	.
	IDU	10	27.8	.	17	29.3	.	27	28.7	.	.
	MSM/IDU	1	2.8	.	8	13.8	.	9	9.6	.	.
	Heterosexual	10	27.8	.	9	15.5	.	19	20.2	.	.
	Fem Pres Het Cont	1	2.8	.	3	5.2	.	4	4.3	.	.
	Blood Prod.	0	0.0	.	1	1.7	.	1	1.1	.	.
	Unk	4	11.1	.	6	10.3	.	10	10.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25	100.0	11	100.0	36	100.0	49	100.0	9	100.0	58	100.0	74	100.0	20	100.0	94	100.0
Risk	MSM	10	40.0	0	0.0	10	27.8	14	28.6	0	0.0	14	24.1	24	32.4	0	0.0	24	25.5
	IDU	8	32.0	2	18.2	10	27.8	17	34.7	0	0.0	17	29.3	25	33.8	2	10.0	27	28.7
	MSM/IDU	1	4.0	0	0.0	1	2.8	8	16.3	0	0.0	8	13.8	9	12.2	0	0.0	9	9.6
	Heterosexual	2	8.0	8	72.7	10	27.8	4	8.2	5	55.6	9	15.5	6	8.1	13	65.0	19	20.2
	Fem Pres Het Cont	0	0.0	1	9.1	1	2.8	0	0.0	3	33.3	3	5.2	0	0.0	4	20.0	4	4.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0	1	1.7	1	1.4	0	0.0	1	1.1
	Unk	4	16.0	0	0.0	4	11.1	5	10.2	1	11.1	6	10.3	9	12.2	1	5.0	10	10.6

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.3	100.0	2.9	2.3	100.0	2.9	96	100.0	79,832
Gender	Male	2.0	85.7	.	1.7	71.4	.	78	81.3	.
	Female	0.3	14.3	.	0.7	28.6	.	18	18.8	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	1.0	.
	20-24	0.3	14.3	.	0.0	0.0	.	3	3.1	.
	25-29	0.3	14.3	.	0.3	14.3	.	11	11.5	.
	30-39	0.7	28.6	.	1.0	42.9	.	50	52.1	.
	40-49	0.7	28.6	.	1.0	42.9	.	26	27.1	.
	50-59	0.3	14.3	.	0.0	0.0	.	3	3.1	.
	60+	0.0	0.0	.	0.0	0.0	.	2	2.1	.
Race/Ethnicity	White	2.3	100.0	.	1.7	71.4	.	51	53.1	.
	Black	0.0	0.0	.	0.3	14.3	.	22	22.9	.
	Hispanic	0.0	0.0	.	0.3	14.3	.	16	16.7	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	6	6.3	.
	Others	0.0	0.0	.	0.0	0.0	.	1	1.0	.
Risk	MSM	1.7	71.4	.	1.0	42.9	.	29	30.2	.
	IDU	0.3	14.3	.	0.7	28.6	.	27	28.1	.
	MSM/IDU	0.3	14.3	.	0.0	0.0	.	10	10.4	.
	Heterosexual	0.0	0.0	.	0.3	14.3	.	14	14.6	.
	Fem Pres Het Cont	0.0	0.0	.	0.3	14.3	.	4	4.2	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	2.1	.
	Unk	0.0	0.0	.	0.0	0.0	.	10	10.4	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	1.7	100.0	0.7	100.0	2.3	100.0	78	100.0	18	100.0	96	100.0
Risk	MSM	1.7	83.3	0.0	0.0	1.7	71.4	1.0	60.0	0.0	0.0	1.0	42.9	29	37.2	0	0.0	29	30.2
	IDU	0.0	0.0	0.3	100.0	0.3	14.3	0.7	40.0	0.0	0.0	0.7	28.6	24	30.8	3	16.7	27	28.1
	MSM/IDU	0.3	16.7	0.0	0.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0	10	12.8	0	0.0	10	10.4
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	14.3	4	5.1	10	55.6	14	14.6
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	14.3	0	0.0	4	22.2	4	4.2
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2.6	0	0.0	2	2.1
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	11.5	1	5.6	10	10.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	.
1986	.	2	2
1987	.	1	1
1988	.	1	.
1989	.	2	1
1990	.	2	2
1991	.	6	2
1992	.	4	1
1993	.	6	1
1994	.	6	4
1995	.	6	2
1996	.	7	3
1997	.	6	3
1998	.	3	.
1999	.	2	5
2000*	1	3	1
2001	3	3	3
2002	7	3	1
2003	5	6	2
2004	1	4	.
2005	1	4	1
2006	3	3	2
2007	7	6	1
2008	4	2	.
2009	2	3	.
2010	.	1	.
2011	5	3	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		90	100.0	112.9	139	100.0	174.3	229	100.0	287.2	79,738
Gender	Male	76	84.4	.	125	89.9	.	201	87.8	.	.
	Female	14	15.6	.	14	10.1	.	28	12.2	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	5	5.6	.	2	1.4	.	7	3.1	.	.
	25-29	3	3.3	.	2	1.4	.	5	2.2	.	.
	30-39	15	16.7	.	11	7.9	.	26	11.4	.	.
	40-49	31	34.4	.	58	41.7	.	89	38.9	.	.
	50-59	27	30.0	.	45	32.4	.	72	31.4	.	.
	60+	9	10.0	.	21	15.1	.	30	13.1	.	.
Race/Ethnicity	White	40	44.4	.	34	24.5	.	74	32.3	.	.
	Black	31	34.4	.	51	36.7	.	82	35.8	.	.
	Hispanic	17	18.9	.	45	32.4	.	62	27.1	.	.
	Multi Race	1	1.1	.	9	6.5	.	10	4.4	.	.
	Others	1	1.1	.	0	0.0	.	1	0.4	.	.
Risk	MSM	22	24.4	.	25	18.0	.	47	20.5	.	.
	IDU	24	26.7	.	44	31.7	.	68	29.7	.	.
	MSM/IDU	3	3.3	.	13	9.4	.	16	7.0	.	.
	Heterosexual	8	8.9	.	23	16.5	.	31	13.5	.	.
	Fem Pres Het Cont	5	5.6	.	2	1.4	.	7	3.1	.	.
	Blood Prod.	0	0.0	.	1	0.7	.	1	0.4	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	28	31.1	.	31	22.3	.	59	25.8	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		76	100.0	14	100.0	90	100.0	125	100.0	14	100.0	139	100.0	201	100.0	28	100.0	229	100.0
Risk	MSM	22	28.9	0	0.0	22	24.4	25	20.0	0	0.0	25	18.0	47	23.4	0	0.0	47	20.5
	IDU	22	28.9	2	14.3	24	26.7	41	32.8	3	21.4	44	31.7	63	31.3	5	17.9	68	29.7
	MSM/IDU	3	3.9	0	0.0	3	3.3	13	10.4	0	0.0	13	9.4	16	8.0	0	0.0	16	7.0
	Heterosexual	1	1.3	7	50.0	8	8.9	14	11.2	9	64.3	23	16.5	15	7.5	16	57.1	31	13.5
	Fem Pres Het Cont	0	0.0	5	35.7	5	5.6	0	0.0	2	14.3	2	1.4	0	0.0	7	25.0	7	3.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.5	0	0.0	1	0.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	28	36.8	0	0.0	28	31.1	31	24.8	0	0.0	31	22.3	59	29.4	0	0.0	59	25.8

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		6.7	100.0	8.4	4.3	100.0	5.4	333	100.0	79,738
Gender	Male	5.3	80.0	.	3.3	76.9	.	311	93.4	.
	Female	1.3	20.0	.	1.0	23.1	.	22	6.6	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	20-24	2.0	30.0	.	0.7	15.4	.	12	3.6	.
	25-29	1.0	15.0	.	0.0	0.0	.	36	10.8	.
	30-39	1.0	15.0	.	1.0	23.1	.	165	49.5	.
	40-49	1.7	25.0	.	1.3	30.8	.	100	30.0	.
	50-59	1.0	15.0	.	0.7	15.4	.	12	3.6	.
	60+	0.0	0.0	.	0.7	15.4	.	7	2.1	.
Race/Ethnicity	White	4.7	70.0	.	1.3	30.8	.	74	22.2	.
	Black	1.7	25.0	.	1.7	38.5	.	116	34.8	.
	Hispanic	0.0	0.0	.	1.0	23.1	.	129	38.7	.
	Multi Race	0.3	5.0	.	0.3	7.7	.	14	4.2	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	3.0	45.0	.	0.7	15.4	.	46	13.8	.
	IDU	0.0	0.0	.	0.3	7.7	.	169	50.8	.
	MSM/IDU	0.7	10.0	.	0.7	15.4	.	29	8.7	.
	Heterosexual	1.7	25.0	.	2.3	53.8	.	29	8.7	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	5	1.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	0.9	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Unk	1.3	20.0	.	0.3	7.7	.	51	15.3	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.3	100.0	1.3	100.0	6.7	100.0	3.3	100.0	1.0	100.0	4.3	100.0	311	100.0	22	100.0	333	100.0
Risk	MSM	3.0	56.3	0.0	0.0	3.0	45.0	0.7	20.0	0.0	0.0	0.7	15.4	46	14.8	0	0.0	46	13.8
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.0	0.0	0.3	7.7	165	53.1	4	18.2	169	50.8
	MSM/IDU	0.7	12.5	0.0	0.0	0.7	10.0	0.7	20.0	0.0	0.0	0.7	15.4	29	9.3	0	0.0	29	8.7
	Heterosexual	0.3	6.3	1.3	100.0	1.7	25.0	1.3	40.0	1.0	100.0	2.3	53.8	17	5.5	12	54.5	29	8.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	5	22.7	5	1.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	0.6	1	4.5	3	0.9
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.3	0	0.0	1	0.3
	Unk	1.3	25.0	0.0	0.0	1.3	20.0	0.3	10.0	0.0	0.0	0.3	7.7	51	16.4	0	0.0	51	15.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	20	13
1986	.	8	8
1987	.	9	7
1988	.	10	9
1989	.	29	12
1990	.	15	10
1991	.	19	17
1992	.	18	13
1993	.	24	8
1994	.	20	16
1995	.	30	17
1996	.	22	11
1997	.	13	6
1998	.	9	6
1999	.	7	4
2000*	12	9	3
2001	7	5	1
2002	4	8	4
2003	8	10	3
2004	5	9	6
2005	5	8	4
2006	7	6	5
2007	5	6	4
2008	2	6	2
2009	11	4	3
2010	4	5	1
2011	5	4	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		129	100.0	96.0	112	100.0	83.4	241	100.0	179.4	134,368
Gender	Male	80	62.0	.	86	76.8	.	166	68.9	.	.
	Female	49	38.0	.	26	23.2	.	75	31.1	.	.
Current Age	12 & under	1	0.8	.	0	0.0	.	1	0.4	.	.
	13-19	2	1.6	.	0	0.0	.	2	0.8	.	.
	20-24	5	3.9	.	1	0.9	.	6	2.5	.	.
	25-29	15	11.6	.	5	4.5	.	20	8.3	.	.
	30-39	29	22.5	.	20	17.9	.	49	20.3	.	.
	40-49	53	41.1	.	51	45.5	.	104	43.2	.	.
	50-59	20	15.5	.	21	18.8	.	41	17.0	.	.
	60+	4	3.1	.	14	12.5	.	18	7.5	.	.
Race/Ethnicity	White	57	44.2	.	48	42.9	.	105	43.6	.	.
	Black	16	12.4	.	19	17.0	.	35	14.5	.	.
	Hispanic	49	38.0	.	33	29.5	.	82	34.0	.	.
	Multi Race	7	5.4	.	12	10.7	.	19	7.9	.	.
Risk	MSM	38	29.5	.	44	39.3	.	82	34.0	.	.
	IDU	24	18.6	.	26	23.2	.	50	20.7	.	.
	MSM/IDU	5	3.9	.	10	8.9	.	15	6.2	.	.
	Heterosexual	37	28.7	.	20	17.9	.	57	23.7	.	.
	Fem Pres Het Cont	9	7.0	.	3	2.7	.	12	5.0	.	.
	Blood Prod.	0	0.0	.	1	0.9	.	1	0.4	.	.
	Pediatric Risk	3	2.3	.	0	0.0	.	3	1.2	.	.
	Unk	13	10.1	.	8	7.1	.	21	8.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹

by Gender and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		80	100.0	49	100.0	129	100.0	86	100.0	26	100.0	112	100.0	166	100.0	75	100.0	241	100.0
Risk	MSM	38	47.5	0	0.0	38	29.5	44	51.2	0	0.0	44	39.3	82	49.4	0	0.0	82	34.0
	IDU	14	17.5	10	20.4	24	18.6	20	23.3	6	23.1	26	23.2	34	20.5	16	21.3	50	20.7
	MSM/IDU	5	6.3	0	0.0	5	3.9	10	11.6	0	0.0	10	8.9	15	9.0	0	0.0	15	6.2
	Heterosexual	8	10.0	29	59.2	37	28.7	3	3.5	17	65.4	20	17.9	11	6.6	46	61.3	57	23.7
	Fem Pres Het Cont	0	0.0	9	18.4	9	7.0	0	0.0	3	11.5	3	2.7	0	0.0	12	16.0	12	5.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.9	1	0.6	0	0.0	1	0.4
	Pediatric Risk	2	2.5	1	2.0	3	2.3	0	0.0	0	0.0	0	0.0	2	1.2	1	1.3	3	1.2
	Unk	13	16.3	0	0.0	13	10.1	8	9.3	0	0.0	8	7.1	21	12.7	0	0.0	21	8.7

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		7.7	100.0	5.7	5.7	100.0	4.2	197	100.0	134,368
Gender	Male	5.3	69.6	.	5.0	88.2	.	150	76.1	.
	Female	2.3	30.4	.	0.7	11.8	.	47	23.9	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	13-19	0.0	0.0	.	0.3	5.9	.	4	2.0	.
	20-24	1.0	13.0	.	0.0	0.0	.	15	7.6	.
	25-29	1.0	13.0	.	0.7	11.8	.	30	15.2	.
	30-39	1.7	21.7	.	1.0	17.6	.	77	39.1	.
	40-49	3.3	43.5	.	2.3	41.2	.	44	22.3	.
	50-59	0.7	8.7	.	1.3	23.5	.	20	10.2	.
	60+	0.0	0.0	.	0.0	0.0	.	7	3.6	.
Race/Ethnicity	White	4.7	60.9	.	3.0	52.9	.	95	48.2	.
	Black	1.3	17.4	.	1.3	23.5	.	32	16.2	.
	Hispanic	1.3	17.4	.	1.0	17.6	.	55	27.9	.
	Multi Race	0.3	4.3	.	0.3	5.9	.	15	7.6	.
Risk	MSM	3.3	43.5	.	3.0	52.9	.	76	38.6	.
	IDU	1.7	21.7	.	1.0	17.6	.	50	25.4	.
	MSM/IDU	0.7	8.7	.	0.7	11.8	.	15	7.6	.
	Heterosexual	1.3	17.4	.	0.3	5.9	.	40	20.3	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	4	2.0	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	1.5	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.7	8.7	.	0.7	11.8	.	9	4.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.3	100.0	2.3	100.0	7.7	100.0	5.0	100.0	0.7	100.0	5.7	100.0	150	100.0	47	100.0	197	100.0
Risk	MSM	3.3	62.5	0.0	0.0	3.3	43.5	3.0	60.0	0.0	0.0	3.0	52.9	76	50.7	0	0.0	76	38.6
	IDU	0.7	12.5	1.0	42.9	1.7	21.7	0.7	13.3	0.3	50.0	1.0	17.6	40	26.7	10	21.3	50	25.4
	MSM/IDU	0.7	12.5	0.0	0.0	0.7	8.7	0.7	13.3	0.0	0.0	0.7	11.8	15	10.0	0	0.0	15	7.6
	Heterosexual	0.0	0.0	1.3	57.1	1.3	17.4	0.0	0.0	0.3	50.0	0.3	5.9	7	4.7	33	70.2	40	20.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	4	8.5	4	2.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2.0	0	0.0	3	1.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.7	12.5	0.0	0.0	0.7	8.7	0.7	13.3	0.0	0.0	0.7	11.8	9	6.0	0	0.0	9	4.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	.
1986	.	.	2
1987	.	1	.
1988	.	2	1
1989	.	4	4
1990	.	3	.
1991	.	9	2
1992	.	11	2
1993	.	10	7
1994	.	9	6
1995	.	13	9
1996	.	9	7
1997	.	6	3
1998	.	11	2
1999	.	7	5
2000*	12	7	1
2001	19	10	1
2002	11	19	2
2003	5	5	1
2004	10	9	8
2005	15	11	3
2006	8	7	2
2007	12	8	2
2008	10	7	2
2009	8	8	5
2010	9	4	5
2011	6	5	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		117	100.0	131.7	122	100.0	137.3	239	100.0	269.0	88,840
Gender	Male	94	80.3	.	109	89.3	.	203	84.9	.	.
	Female	23	19.7	.	13	10.7	.	36	15.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	0.9	.	0	0.0	.	1	0.4	.	.
	20-24	5	4.3	.	1	0.8	.	6	2.5	.	.
	25-29	3	2.6	.	3	2.5	.	6	2.5	.	.
	30-39	22	18.8	.	18	14.8	.	40	16.7	.	.
	40-49	48	41.0	.	40	32.8	.	88	36.8	.	.
	50-59	29	24.8	.	47	38.5	.	76	31.8	.	.
	60+	8	6.8	.	13	10.7	.	21	8.8	.	.
	Unk	1	0.9	.	0	0.0	.	1	0.4	.	.
Race/Ethnicity	White	48	41.0	.	36	29.5	.	84	35.1	.	.
	Black	34	29.1	.	44	36.1	.	78	32.6	.	.
	Hispanic	29	24.8	.	34	27.9	.	63	26.4	.	.
	Multi Race	6	5.1	.	8	6.6	.	14	5.9	.	.
Risk	MSM	29	24.8	.	25	20.5	.	54	22.6	.	.
	IDU	26	22.2	.	49	40.2	.	75	31.4	.	.
	MSM/IDU	9	7.7	.	13	10.7	.	22	9.2	.	.
	Heterosexual	16	13.7	.	6	4.9	.	22	9.2	.	.
	Fem Pres Het Cont	8	6.8	.	3	2.5	.	11	4.6	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	29	24.8	.	26	21.3	.	55	23.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		94	100.0	23	100.0	117	100.0	109	100.0	13	100.0	122	100.0	203	100.0	36	100.0	239	100.0
Risk	MSM	29	30.9	0	0.0	29	24.8	25	22.9	0	0.0	25	20.5	54	26.6	0	0.0	54	22.6
	IDU	22	23.4	4	17.4	26	22.2	43	39.4	6	46.2	49	40.2	65	32.0	10	27.8	75	31.4
	MSM/IDU	9	9.6	0	0.0	9	7.7	13	11.9	0	0.0	13	10.7	22	10.8	0	0.0	22	9.2
	Heterosexual	5	5.3	11	47.8	16	13.7	2	1.8	4	30.8	6	4.9	7	3.4	15	41.7	22	9.2
	Fem Pres Het Cont	0	0.0	8	34.8	8	6.8	0	0.0	3	23.1	3	2.5	0	0.0	11	30.6	11	4.6
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	29	30.9	0	0.0	29	24.8	26	23.9	0	0.0	26	21.3	55	27.1	0	0.0	55	23.0

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		4.7	100.0	5.3	4.7	100.0	5.3	303	100.0	88,840
Gender	Male	4.3	92.9	.	4.0	85.7	.	267	88.1	.
	Female	0.3	7.1	.	0.7	14.3	.	36	11.9	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	4	1.3	.
	13-19	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	20-24	1.0	21.4	.	0.3	7.1	.	10	3.3	.
	25-29	0.3	7.1	.	0.3	7.1	.	49	16.2	.
	30-39	1.3	28.6	.	1.7	35.7	.	139	45.9	.
	40-49	1.3	28.6	.	1.7	35.7	.	77	25.4	.
	50-59	0.7	14.3	.	0.7	14.3	.	20	6.6	.
	60+	0.0	0.0	.	0.0	0.0	.	3	1.0	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	2.0	42.9	.	2.3	50.0	.	112	37.0	.
	Black	1.7	35.7	.	1.7	35.7	.	104	34.3	.
	Hispanic	0.7	14.3	.	0.3	7.1	.	78	25.7	.
	Multi Race	0.3	7.1	.	0.3	7.1	.	9	3.0	.
Risk	MSM	2.3	50.0	.	1.7	35.7	.	75	24.8	.
	IDU	0.0	0.0	.	0.3	7.1	.	144	47.5	.
	MSM/IDU	0.3	7.1	.	0.3	7.1	.	18	5.9	.
	Heterosexual	0.3	7.1	.	0.0	0.0	.	18	5.9	.
	Fem Pres Het Cont	0.0	0.0	.	0.7	14.3	.	5	1.7	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	4	1.3	.
	Unk	1.7	35.7	.	1.7	35.7	.	39	12.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.3	100.0	0.3	100.0	4.7	100.0	4.0	100.0	0.7	100.0	4.7	100.0	267	100.0	36	100.0	303	100.0
Risk	MSM	2.3	53.8	0.0	0.0	2.3	50.0	1.7	41.7	0.0	0.0	1.7	35.7	75	28.1	0	0.0	75	24.8
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8.3	0.0	0.0	0.3	7.1	130	48.7	14	38.9	144	47.5
	MSM/IDU	0.3	7.7	0.0	0.0	0.3	7.1	0.3	8.3	0.0	0.0	0.3	7.1	18	6.7	0	0.0	18	5.9
	Heterosexual	0.0	0.0	0.3	100.0	0.3	7.1	0.0	0.0	0.0	0.0	0.0	0.0	4	1.5	14	38.9	18	5.9
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	100.0	0.7	14.3	0	0.0	5	13.9	5	1.7
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.4	3	8.3	4	1.3
	Unk	1.7	38.5	0.0	0.0	1.7	35.7	1.7	41.7	0.0	0.0	1.7	35.7	39	14.6	0	0.0	39	12.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	7	3
1986	.	11	5
1987	.	9	6
1988	.	9	9
1989	.	12	10
1990	.	15	10
1991	.	19	8
1992	.	28	18
1993	.	27	14
1994	.	25	21
1995	.	28	21
1996	.	10	14
1997	.	15	8
1998	.	8	.
1999	.	1	2
2000*	8	6	1
2001	6	6	6
2002	6	3	4
2003	7	11	4
2004	7	7	2
2005	9	20	2
2006	6	5	2
2007	2	4	3
2008	7	3	3
2009	3	2	1
2010	4	7	3
2011	7	5	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		19	100.0	37.9	37	100.0	73.8	56	100.0	111.7	50,118
Gender	Male	14	73.7	.	29	78.4	.	43	76.8	.	.
	Female	5	26.3	.	8	21.6	.	13	23.2	.	.
Current Age	13-19	1	5.3	.	0	0.0	.	1	1.8	.	.
	20-24	1	5.3	.	1	2.7	.	2	3.6	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	1	5.3	.	4	10.8	.	5	8.9	.	.
	40-49	6	31.6	.	12	32.4	.	18	32.1	.	.
	50-59	8	42.1	.	11	29.7	.	19	33.9	.	.
	60+	2	10.5	.	9	24.3	.	11	19.6	.	.
Race/Ethnicity	White	16	84.2	.	23	62.2	.	39	69.6	.	.
	Black	1	5.3	.	5	13.5	.	6	10.7	.	.
	Hispanic	2	10.5	.	5	13.5	.	7	12.5	.	.
	Multi Race	0	0.0	.	4	10.8	.	4	7.1	.	.
Risk	MSM	6	31.6	.	18	48.6	.	24	42.9	.	.
	IDU	7	36.8	.	5	13.5	.	12	21.4	.	.
	MSM/IDU	0	0.0	.	1	2.7	.	1	1.8	.	.
	Heterosexual	1	5.3	.	4	10.8	.	5	8.9	.	.
	Fem Pres Het Cont	0	0.0	.	3	8.1	.	3	5.4	.	.
	Blood Prod.	1	5.3	.	0	0.0	.	1	1.8	.	.
	Pediatric Risk	2	10.5	.	0	0.0	.	2	3.6	.	.
	Unk	2	10.5	.	6	16.2	.	8	14.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	5	100.0	19	100.0	29	100.0	8	100.0	37	100.0	43	100.0	13	100.0	56	100.0
Risk	MSM	6	42.9	0	0.0	6	31.6	18	62.1	0	0.0	18	48.6	24	55.8	0	0.0	24	42.9
	IDU	5	35.7	2	40.0	7	36.8	3	10.3	2	25.0	5	13.5	8	18.6	4	30.8	12	21.4
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	1	2.7	1	2.3	0	0.0	1	1.8
	Heterosexual	0	0.0	1	20.0	1	5.3	1	3.4	3	37.5	4	10.8	1	2.3	4	30.8	5	8.9
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	3	37.5	3	8.1	0	0.0	3	23.1	3	5.4
	Blood Prod.	1	7.1	0	0.0	1	5.3	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0	1	1.8
	Pediatric Risk	0	0.0	2	40.0	2	10.5	0	0.0	0	0.0	0	0.0	0	0.0	2	15.4	2	3.6
	Unk	2	14.3	0	0.0	2	10.5	6	20.7	0	0.0	6	16.2	8	18.6	0	0.0	8	14.3

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.0	100.0	2.0	1.7	100.0	3.3	68	100.0	50,118
Gender	Male	1.0	100.0	.	1.3	80.0	.	53	77.9	.
	Female	0.0	0.0	.	0.3	20.0	.	15	22.1	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	20-24	0.3	33.3	.	0.3	20.0	.	3	4.4	.
	25-29	0.0	0.0	.	0.0	0.0	.	7	10.3	.
	30-39	0.3	33.3	.	0.3	20.0	.	28	41.2	.
	40-49	0.3	33.3	.	0.3	20.0	.	20	29.4	.
	50-59	0.0	0.0	.	0.7	40.0	.	9	13.2	.
	60+	0.0	0.0	.	0.0	0.0	.	1	1.5	.
Race/Ethnicity	White	1.0	100.0	.	1.7	100.0	.	37	54.4	.
	Black	0.0	0.0	.	0.0	0.0	.	14	20.6	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	13	19.1	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	5.9	.
Risk	MSM	1.0	100.0	.	0.7	40.0	.	26	38.2	.
	IDU	0.0	0.0	.	0.0	0.0	.	18	26.5	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	2.9	.
	Heterosexual	0.0	0.0	.	0.7	40.0	.	9	13.2	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	5	7.4	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	1.5	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.0	0.0	.	0.3	20.0	.	7	10.3	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.0	0.0	1.0	100.0	1.3	100.0	0.3	100.0	1.7	100.0	53	100.0	15	100.0	68	100.0
Risk	MSM	1.0	100.0	0.0	0.0	1.0	100.0	0.7	50.0	0.0	0.0	0.7	40.0	26	49.1	0	0.0	26	38.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	26.4	4	26.7	18	26.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.8	0	0.0	2	2.9
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	100.0	0.7	40.0	4	7.5	5	33.3	9	13.2
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	5	33.3	5	7.4
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	6.7	1	1.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0	7	13.2	0	0.0	7	10.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	.
1987	.	1	.
1988	.	2	3
1989	.	.	1
1990	.	3	.
1991	.	2	.
1992	.	4	2
1993	.	2	1
1994	.	1	3
1995	.	7	4
1996	.	4	2
1997	.	4	.
1998	.	3	.
1999	.	2	1
2000*	2	5	2
2001	2	5	2
2002	3	5	1
2003	1	3	1
2004	1	2	2
2005	1	3	1
2006	1	.	2
2007	1	2	1
2008	.	2	.
2009	.	2	.
2010	.	1	1
2011	3	2	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		96	100.0	117.2	188	100.0	229.4	284	100.0	346.6	81,945
Gender	Male	89	92.7	.	179	95.2	.	268	94.4	.	.
	Female	7	7.3	.	9	4.8	.	16	5.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	0	0.0	.	1	0.4	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	4	4.2	.	1	0.5	.	5	1.8	.	.
	30-39	10	10.4	.	12	6.4	.	22	7.7	.	.
	40-49	31	32.3	.	66	35.1	.	97	34.2	.	.
	50-59	41	42.7	.	75	39.9	.	116	40.8	.	.
	60+	9	9.4	.	34	18.1	.	43	15.1	.	.
Race/Ethnicity	White	28	29.2	.	40	21.3	.	68	23.9	.	.
	Black	28	29.2	.	58	30.9	.	86	30.3	.	.
	Hispanic	34	35.4	.	81	43.1	.	115	40.5	.	.
	Multi Race	4	4.2	.	8	4.3	.	12	4.2	.	.
	Others	2	2.1	.	1	0.5	.	3	1.1	.	.
Risk	MSM	27	28.1	.	35	18.6	.	62	21.8	.	.
	IDU	31	32.3	.	94	50.0	.	125	44.0	.	.
	MSM/IDU	3	3.1	.	11	5.9	.	14	4.9	.	.
	Heterosexual	3	3.1	.	7	3.7	.	10	3.5	.	.
	Fem Pres Het Cont	3	3.1	.	4	2.1	.	7	2.5	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	1.0	.	0	0.0	.	1	0.4	.	.
	Unk	28	29.2	.	37	19.7	.	65	22.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		89	100.0	7	100.0	96	100.0	179	100.0	9	100.0	188	100.0	268	100.0	16	100.0	284	100.0
Risk	MSM	27	30.3	0	0.0	27	28.1	35	19.6	0	0.0	35	18.6	62	23.1	0	0.0	62	21.8
	IDU	30	33.7	1	14.3	31	32.3	92	51.4	2	22.2	94	50.0	122	45.5	3	18.8	125	44.0
	MSM/IDU	3	3.4	0	0.0	3	3.1	11	6.1	0	0.0	11	5.9	14	5.2	0	0.0	14	4.9
	Heterosexual	0	0.0	3	42.9	3	3.1	4	2.2	3	33.3	7	3.7	4	1.5	6	37.5	10	3.5
	Fem Pres Het Cont	0	0.0	3	42.9	3	3.1	0	0.0	4	44.4	4	2.1	0	0.0	7	43.8	7	2.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.1	0	0.0	1	1.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.4
	Unk	28	31.5	0	0.0	28	29.2	37	20.7	0	0.0	37	19.7	65	24.3	0	0.0	65	22.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.0	100.0	1.2	1.0	100.0	1.2	483	100.0	81,945
Gender	Male	0.7	66.7	.	0.7	66.7	.	466	96.5	.
	Female	0.3	33.3	.	0.3	33.3	.	17	3.5	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.2	.
	13-19	0.0	0.0	.	0.0	0.0	.	1	0.2	.
	20-24	0.0	0.0	.	0.0	0.0	.	13	2.7	.
	25-29	0.0	0.0	.	0.0	0.0	.	81	16.8	.
	30-39	0.3	33.3	.	0.7	66.7	.	221	45.8	.
	40-49	0.3	33.3	.	0.3	33.3	.	135	28.0	.
	50-59	0.3	33.3	.	0.0	0.0	.	27	5.6	.
	60+	0.0	0.0	.	0.0	0.0	.	4	0.8	.
Race/Ethnicity	White	0.7	66.7	.	0.7	66.7	.	100	20.7	.
	Black	0.3	33.3	.	0.3	33.3	.	143	29.6	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	226	46.8	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	13	2.7	.
	Others	0.0	0.0	.	0.0	0.0	.	1	0.2	.
Risk	MSM	0.3	33.3	.	0.3	33.3	.	59	12.2	.
	IDU	0.0	0.0	.	0.3	33.3	.	304	62.9	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	35	7.2	.
	Heterosexual	0.3	33.3	.	0.3	33.3	.	10	2.1	.
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	8	1.7	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.2	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.2	.
	Unk	0.0	0.0	.	0.0	0.0	.	65	13.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.7	100.0	0.3	100.0	1.0	100.0	466	100.0	17	100.0	483	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	33.3	0.3	50.0	0.0	0.0	0.3	33.3	59	12.7	0	0.0	59	12.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	33.3	300	64.4	4	23.5	304	62.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	7.5	0	0.0	35	7.2
	Heterosexual	0.3	50.0	0.0	0.0	0.3	33.3	0.3	50.0	0.0	0.0	0.3	33.3	6	1.3	4	23.5	10	2.1
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	8	47.1	8	1.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.2	0	0.0	1	0.2
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	5.9	1	0.2
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65	13.9	0	0.0	65	13.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	27	19
1986	.	20	12
1987	.	29	13
1988	.	27	19
1989	.	28	18
1990	.	40	16
1991	.	26	22
1992	.	29	28
1993	.	38	16
1994	.	41	25
1995	.	36	25
1996	.	23	17
1997	.	20	10
1998	.	13	7
1999	.	15	2
2000*	8	6	3
2001	4	8	5
2002	8	13	2
2003	2	7	9
2004	6	13	3
2005	4	8	8
2006	4	3	2
2007	6	5	3
2008	5	5	4
2009	1	2	3
2010	.	.	3
2011	2	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		75	100.0	119.9	77	100.0	123.1	152	100.0	243.0	62,550
Gender	Male	58	77.3	.	64	83.1	.	122	80.3	.	.
	Female	17	22.7	.	13	16.9	.	30	19.7	.	.
Current Age	12 & under	2	2.7	.	0	0.0	.	2	1.3	.	.
	13-19	2	2.7	.	0	0.0	.	2	1.3	.	.
	20-24	1	1.3	.	2	2.6	.	3	2.0	.	.
	25-29	1	1.3	.	1	1.3	.	2	1.3	.	.
	30-39	8	10.7	.	9	11.7	.	17	11.2	.	.
	40-49	17	22.7	.	23	29.9	.	40	26.3	.	.
	50-59	31	41.3	.	25	32.5	.	56	36.8	.	.
	60+	13	17.3	.	17	22.1	.	30	19.7	.	.
Race/Ethnicity	White	34	45.3	.	32	41.6	.	66	43.4	.	.
	Black	16	21.3	.	16	20.8	.	32	21.1	.	.
	Hispanic	16	21.3	.	26	33.8	.	42	27.6	.	.
	Multi Race	8	10.7	.	3	3.9	.	11	7.2	.	.
	Others	1	1.3	.	0	0.0	.	1	0.7	.	.
Risk	MSM	35	46.7	.	23	29.9	.	58	38.2	.	.
	IDU	14	18.7	.	19	24.7	.	33	21.7	.	.
	MSM/IDU	0	0.0	.	5	6.5	.	5	3.3	.	.
	Heterosexual	12	16.0	.	16	20.8	.	28	18.4	.	.
	Fem Pres Het Cont	9	12.0	.	0	0.0	.	9	5.9	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	3	4.0	.	0	0.0	.	3	2.0	.	.
	Unk	2	2.7	.	14	18.2	.	16	10.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		58	100.0	17	100.0	75	100.0	64	100.0	13	100.0	77	100.0	122	100.0	30	100.0	152	100.0
Risk	MSM	35	60.3	0	0.0	35	46.7	23	35.9	0	0.0	23	29.9	58	47.5	0	0.0	58	38.2
	IDU	14	24.1	0	0.0	14	18.7	16	25.0	3	23.1	19	24.7	30	24.6	3	10.0	33	21.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	5	7.8	0	0.0	5	6.5	5	4.1	0	0.0	5	3.3
	Heterosexual	6	10.3	6	35.3	12	16.0	6	9.4	10	76.9	16	20.8	12	9.8	16	53.3	28	18.4
	Fem Pres Het Cont	0	0.0	9	52.9	9	12.0	0	0.0	0	0.0	0	0.0	0	0.0	9	30.0	9	5.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.7	2	11.8	3	4.0	0	0.0	0	0.0	0	0.0	1	0.8	2	6.7	3	2.0
	Unk	2	3.4	0	0.0	2	2.7	14	21.9	0	0.0	14	18.2	16	13.1	0	0.0	16	10.5

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		4.0	100.0	6.4	3.7	100.0	5.9	157	100.0	62,550
Gender	Male	2.0	50.0	.	2.3	63.6	.	134	85.4	.
	Female	2.0	50.0	.	1.3	36.4	.	23	14.6	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.6	.
	13-19	0.3	8.3	.	0.0	0.0	.	0	0.0	.
	20-24	1.0	25.0	.	0.7	18.2	.	7	4.5	.
	25-29	0.3	8.3	.	0.3	9.1	.	7	4.5	.
	30-39	1.0	25.0	.	1.0	27.3	.	69	43.9	.
	40-49	0.3	8.3	.	0.3	9.1	.	49	31.2	.
	50-59	0.7	16.7	.	1.0	27.3	.	16	10.2	.
	60+	0.3	8.3	.	0.3	9.1	.	8	5.1	.
Race/Ethnicity	White	2.7	66.7	.	1.7	45.5	.	72	45.9	.
	Black	0.3	8.3	.	1.0	27.3	.	42	26.8	.
	Hispanic	0.7	16.7	.	1.0	27.3	.	37	23.6	.
	Multi Race	0.3	8.3	.	0.0	0.0	.	6	3.8	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	1.0	25.0	.	0.3	9.1	.	44	28.0	.
	IDU	0.3	8.3	.	0.7	18.2	.	59	37.6	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	11	7.0	.
	Heterosexual	2.0	50.0	.	2.0	54.5	.	18	11.5	.
	Fem Pres Het Cont	0.7	16.7	.	0.0	0.0	.	0	0.0	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.6	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.6	.
	Unk	0.0	0.0	.	0.7	18.2	.	23	14.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	2.0	100.0	4.0	100.0	2.3	100.0	1.3	100.0	3.7	100.0	134	100.0	23	100.0	157	100.0
Risk	MSM	1.0	50.0	0.0	0.0	1.0	25.0	0.3	14.3	0.0	0.0	0.3	9.1	44	32.8	0	0.0	44	28.0
	IDU	0.3	16.7	0.0	0.0	0.3	8.3	0.7	28.6	0.0	0.0	0.7	18.2	48	35.8	11	47.8	59	37.6
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	8.2	0	0.0	11	7.0
	Heterosexual	0.7	33.3	1.3	66.7	2.0	50.0	0.7	28.6	1.3	100.0	2.0	54.5	7	5.2	11	47.8	18	11.5
	Fem Pres Het Cont	0.0	0.0	0.7	33.3	0.7	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.7	0	0.0	1	0.6
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	4.3	1	0.6
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	28.6	0.0	0.0	0.7	18.2	23	17.2	0	0.0	23	14.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	3	1
1986	.	5	4
1987	.	2	2
1988	.	5	1
1989	.	8	6
1990	.	9	5
1991	.	11	8
1992	.	21	12
1993	.	7	5
1994	.	10	4
1995	.	16	8
1996	.	4	8
1997	.	5	2
1998	.	2	2
1999	.	5	3
2000*	4	5	4
2001	3	4	1
2002	2	1	2
2003	5	3	1
2004	4	6	2
2005	3	6	.
2006	6	2	1
2007	4	5	1
2008	2	1	.
2009	4	5	2
2010	3	2	1
2011	5	4	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		15	100.0	30.4	15	100.0	30.4	30	100.0	60.8	49,363
Gender	Male	12	80.0	.	12	80.0	.	24	80.0	.	.
	Female	3	20.0	.	3	20.0	.	6	20.0	.	.
Current Age	20-24	1	6.7	.	1	6.7	.	2	6.7	.	.
	25-29	1	6.7	.	0	0.0	.	1	3.3	.	.
	30-39	5	33.3	.	3	20.0	.	8	26.7	.	.
	40-49	2	13.3	.	5	33.3	.	7	23.3	.	.
	50-59	5	33.3	.	3	20.0	.	8	26.7	.	.
	60+	1	6.7	.	3	20.0	.	4	13.3	.	.
Race/Ethnicity	White	11	73.3	.	11	73.3	.	22	73.3	.	.
	Black	1	6.7	.	1	6.7	.	2	6.7	.	.
	Hispanic	1	6.7	.	3	20.0	.	4	13.3	.	.
	Multi Race	2	13.3	.	0	0.0	.	2	6.7	.	.
Risk	MSM	9	60.0	.	7	46.7	.	16	53.3	.	.
	IDU	1	6.7	.	1	6.7	.	2	6.7	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	13.3	.	3	20.0	.	5	16.7	.	.
	Fem Pres Het Cont	2	13.3	.	0	0.0	.	2	6.7	.	.
	Blood Prod.	0	0.0	.	1	6.7	.	1	3.3	.	.
	Unk	1	6.7	.	3	20.0	.	4	13.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12	100.0	3	100.0	15	100.0	12	100.0	3	100.0	15	100.0	24	100.0	6	100.0	30	100.0
Risk	MSM	9	75.0	0	0.0	9	60.0	7	58.3	0	0.0	7	46.7	16	66.7	0	0.0	16	53.3
	IDU	1	8.3	0	0.0	1	6.7	1	8.3	0	0.0	1	6.7	2	8.3	0	0.0	2	6.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	8.3	1	33.3	2	13.3	1	8.3	2	66.7	3	20.0	2	8.3	3	50.0	5	16.7
	Fem Pres Het Cont	0	0.0	2	66.7	2	13.3	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	2	6.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	6.7	0	0.0	1	16.7	1	3.3
	Unk	1	8.3	0	0.0	1	6.7	3	25.0	0	0.0	3	20.0	4	16.7	0	0.0	4	13.3

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.3	100.0	2.7	0.7	100.0	1.4	31	100.0	49,363
Gender	Male	1.3	100.0	.	0.7	100.0	.	25	80.6	.
	Female	0.0	0.0	.	0.0	0.0	.	6	19.4	.
Age at Diagnosis	20-24	0.7	50.0	.	0.3	50.0	.	4	12.9	.
	25-29	0.3	25.0	.	0.0	0.0	.	3	9.7	.
	30-39	0.0	0.0	.	0.0	0.0	.	12	38.7	.
	40-49	0.3	25.0	.	0.3	50.0	.	8	25.8	.
	50-59	0.0	0.0	.	0.0	0.0	.	4	12.9	.
	60+	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	1.3	100.0	.	0.3	50.0	.	25	80.6	.
	Black	0.0	0.0	.	0.3	50.0	.	2	6.5	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	3	9.7	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	1	3.2	.
Risk	MSM	1.3	100.0	.	0.3	50.0	.	13	41.9	.
	IDU	0.0	0.0	.	0.3	50.0	.	4	12.9	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	6.5	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	4	12.9	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	1	3.2	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	3.2	.
	Unk	0.0	0.0	.	0.0	0.0	.	6	19.4	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	0.7	100.0	0.0	0.0	0.7	100.0	25	100.0	6	100.0	31	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	100.0	0.3	50.0	0.0	0.0	0.3	50.0	13	52.0	0	0.0	13	41.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	50.0	3	12.0	1	16.7	4	12.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	8.0	0	0.0	2	6.5
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	4.0	3	50.0	4	12.9
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	16.7	1	3.2
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	16.7	1	3.2
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	24.0	0	0.0	6	19.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1987	.	2	.
1989	.	1	3
1991	.	1	.
1993	.	2	2
1994	.	1	.
1995	.	1	1
1996	.	1	.
1997	.	2	.
1998	.	3	2
1999	.	.	1
2001	1	1	.
2002	1	5	1
2003	.	.	2
2004	.	5	1
2005	1	.	2
2006	1	2	.
2007	3	1	.
2008	2	1	.
2009	1	1	.
2010	2	1	.
2011	1	.	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		19	100.0	40.0	39	100.0	82.0	58	100.0	122.0	47,559
Gender	Male	14	73.7	.	28	71.8	.	42	72.4	.	.
	Female	5	26.3	.	11	28.2	.	16	27.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	5.3	.	1	2.6	.	2	3.4	.	.
	25-29	1	5.3	.	0	0.0	.	1	1.7	.	.
	30-39	1	5.3	.	5	12.8	.	6	10.3	.	.
	40-49	9	47.4	.	11	28.2	.	20	34.5	.	.
	50-59	3	15.8	.	15	38.5	.	18	31.0	.	.
	60+	4	21.1	.	7	17.9	.	11	19.0	.	.
Race/Ethnicity	White	14	73.7	.	22	56.4	.	36	62.1	.	.
	Black	2	10.5	.	7	17.9	.	9	15.5	.	.
	Hispanic	3	15.8	.	5	12.8	.	8	13.8	.	.
	Multi Race	0	0.0	.	4	10.3	.	4	6.9	.	.
	Others	0	0.0	.	1	2.6	.	1	1.7	.	.
Risk	MSM	7	36.8	.	15	38.5	.	22	37.9	.	.
	IDU	4	21.1	.	12	30.8	.	16	27.6	.	.
	MSM/IDU	1	5.3	.	2	5.1	.	3	5.2	.	.
	Heterosexual	4	21.1	.	4	10.3	.	8	13.8	.	.
	Fem Pres Het Cont	0	0.0	.	2	5.1	.	2	3.4	.	.
	Blood Prod.	0	0.0	.	1	2.6	.	1	1.7	.	.
	Unk	3	15.8	.	3	7.7	.	6	10.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	5	100.0	19	100.0	28	100.0	11	100.0	39	100.0	42	100.0	16	100.0	58	100.0
Risk	MSM	7	50.0	0	0.0	7	36.8	15	53.6	0	0.0	15	38.5	22	52.4	0	0.0	22	37.9
	IDU	2	14.3	2	40.0	4	21.1	7	25.0	5	45.5	12	30.8	9	21.4	7	43.8	16	27.6
	MSM/IDU	1	7.1	0	0.0	1	5.3	2	7.1	0	0.0	2	5.1	3	7.1	0	0.0	3	5.2
	Heterosexual	1	7.1	3	60.0	4	21.1	0	0.0	4	36.4	4	10.3	1	2.4	7	43.8	8	13.8
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	2	18.2	2	5.1	0	0.0	2	12.5	2	3.4
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	1	2.6	1	2.4	0	0.0	1	1.7
	Unk	3	21.4	0	0.0	3	15.8	3	10.7	0	0.0	3	7.7	6	14.3	0	0.0	6	10.3

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.0	100.0	4.2	2.3	100.0	4.9	63	100.0	47,559
Gender	Male	1.3	66.7	.	2.0	85.7	.	50	79.4	.
	Female	0.7	33.3	.	0.3	14.3	.	13	20.6	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	1.6	.
	20-24	0.3	16.7	.	0.0	0.0	.	0	0.0	.
	25-29	0.0	0.0	.	0.0	0.0	.	3	4.8	.
	30-39	0.7	33.3	.	0.7	28.6	.	21	33.3	.
	40-49	0.3	16.7	.	0.7	28.6	.	30	47.6	.
	50-59	0.0	0.0	.	1.0	42.9	.	7	11.1	.
	60+	0.7	33.3	.	0.0	0.0	.	1	1.6	.
Race/Ethnicity	White	1.3	66.7	.	1.7	71.4	.	43	68.3	.
	Black	0.0	0.0	.	0.0	0.0	.	9	14.3	.
	Hispanic	0.7	33.3	.	0.3	14.3	.	5	7.9	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	5	7.9	.
	Others	0.0	0.0	.	0.3	14.3	.	1	1.6	.
Risk	MSM	0.7	33.3	.	1.3	57.1	.	26	41.3	.
	IDU	0.7	33.3	.	0.3	14.3	.	17	27.0	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	3	4.8	.
	Heterosexual	0.3	16.7	.	0.3	14.3	.	6	9.5	.
	Fem Pres Het Cont	0.3	16.7	.	0.0	0.0	.	3	4.8	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	1.6	.
	Unk	0.0	0.0	.	0.3	14.3	.	7	11.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.7	100.0	2.0	100.0	2.0	100.0	0.3	100.0	2.3	100.0	50	100.0	13	100.0	63	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	33.3	1.3	66.7	0.0	0.0	1.3	57.1	26	52.0	0	0.0	26	41.3
	IDU	0.3	25.0	0.3	50.0	0.7	33.3	0.0	0.0	0.3	100.0	0.3	14.3	12	24.0	5	38.5	17	27.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	6.0	0	0.0	3	4.8
	Heterosexual	0.3	25.0	0.0	0.0	0.3	16.7	0.3	16.7	0.0	0.0	0.3	14.3	1	2.0	5	38.5	6	9.5
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	3	23.1	3	4.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.0	0	0.0	1	1.6
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	14.3	7	14.0	0	0.0	7	11.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1988	.	1	.
1989	.	2	1
1990	.	4	2
1991	.	1	1
1992	.	3	2
1993	.	2	3
1994	.	3	1
1995	.	6	1
1996	.	4	3
1997	.	2	.
1998	.	.	1
1999	.	2	1
2000*	1	.	.
2001	4	5	2
2002	8	5	1
2003	2	4	1
2004	1	2	1
2005	.	3	2
2006	2	2	.
2007	2	2	.
2008	4	3	.
2010	5	3	1
2011	1	4	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		479	100.0	160.7	689	100.0	231.2	1,168	100.0	391.9	297,999
Gender	Male	350	73.1	.	541	78.5	.	891	76.3	.	.
	Female	129	26.9	.	148	21.5	.	277	23.7	.	.
Current Age	12 & under	1	0.2	.	0	0.0	.	1	0.1	.	.
	13-19	7	1.5	.	2	0.3	.	9	0.8	.	.
	20-24	15	3.1	.	10	1.5	.	25	2.1	.	.
	25-29	20	4.2	.	10	1.5	.	30	2.6	.	.
	30-39	51	10.6	.	47	6.8	.	98	8.4	.	.
	40-49	168	35.1	.	216	31.3	.	384	32.9	.	.
	50-59	171	35.7	.	297	43.1	.	468	40.1	.	.
	60+	46	9.6	.	107	15.5	.	153	13.1	.	.
Race/Ethnicity	White	117	24.4	.	141	20.5	.	258	22.1	.	.
	Black	188	39.2	.	270	39.2	.	458	39.2	.	.
	Hispanic	136	28.4	.	226	32.8	.	362	31.0	.	.
	Multi Race	33	6.9	.	49	7.1	.	82	7.0	.	.
	Others	4	0.8	.	3	0.4	.	7	0.6	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Risk	MSM	92	19.2	.	126	18.3	.	218	18.7	.	.
	IDU	159	33.2	.	286	41.5	.	445	38.1	.	.
	MSM/IDU	22	4.6	.	40	5.8	.	62	5.3	.	.
	Heterosexual	113	23.6	.	124	18.0	.	237	20.3	.	.
	Fem Pres Het Cont	13	2.7	.	22	3.2	.	35	3.0	.	.
	Blood Prod.	0	0.0	.	3	0.4	.	3	0.3	.	.
	Pediatric Risk	12	2.5	.	6	0.9	.	18	1.5	.	.
	Unk	68	14.2	.	82	11.9	.	150	12.8	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		350	100.0	129	100.0	479	100.0	541	100.0	148	100.0	689	100.0	891	100.0	277	100.0	1,168	100.0
Risk	MSM	92	26.3	0	0.0	92	19.2	126	23.3	0	0.0	126	18.3	218	24.5	0	0.0	218	18.7
	IDU	119	34.0	40	31.0	159	33.2	239	44.2	47	31.8	286	41.5	358	40.2	87	31.4	445	38.1
	MSM/IDU	22	6.3	0	0.0	22	4.6	40	7.4	0	0.0	40	5.8	62	7.0	0	0.0	62	5.3
	Heterosexual	43	12.3	70	54.3	113	23.6	51	9.4	73	49.3	124	18.0	94	10.5	143	51.6	237	20.3
	Fem Pres Het Cont	0	0.0	13	10.1	13	2.7	0	0.0	22	14.9	22	3.2	0	0.0	35	12.6	35	3.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.2	2	1.4	3	0.4	1	0.1	2	0.7	3	0.3
	Pediatric Risk	6	1.7	6	4.7	12	2.5	3	0.6	3	2.0	6	0.9	9	1.0	9	3.2	18	1.5
	Unk	68	19.4	0	0.0	68	14.2	81	15.0	1	0.7	82	11.9	149	16.7	1	0.4	150	12.8

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		19.3	100.0	6.5	17.7	100.0	5.9	1,823	100.0	297,999
Gender	Male	13.7	70.7	.	13.0	73.6	.	1,534	84.1	.
	Female	5.7	29.3	.	4.7	26.4	.	289	15.9	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	8	0.4	.
	13-19	1.0	5.2	.	0.3	1.9	.	13	0.7	.
	20-24	3.0	15.5	.	1.7	9.4	.	42	2.3	.
	25-29	2.3	12.1	.	1.7	9.4	.	160	8.8	.
	30-39	4.0	20.7	.	3.3	18.9	.	826	45.3	.
	40-49	4.3	22.4	.	5.7	32.1	.	564	30.9	.
	50-59	3.0	15.5	.	4.3	24.5	.	171	9.4	.
	60+	1.7	8.6	.	0.7	3.8	.	39	2.1	.
Race/Ethnicity	White	6.7	34.5	.	5.0	28.3	.	433	23.8	.
	Black	5.3	27.6	.	8.0	45.3	.	721	39.6	.
	Hispanic	4.7	24.1	.	3.3	18.9	.	588	32.3	.
	Multi Race	2.0	10.3	.	1.0	5.7	.	73	4.0	.
	Others	0.7	3.4	.	0.3	1.9	.	8	0.4	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	7.3	37.9	.	4.7	26.4	.	293	16.1	.
	IDU	3.7	19.0	.	3.3	18.9	.	1,039	57.0	.
	MSM/IDU	0.7	3.4	.	1.3	7.5	.	96	5.3	.
	Heterosexual	6.0	31.0	.	5.3	30.2	.	194	10.6	.
	Fem Pres Het Cont	0.7	3.4	.	1.0	5.7	.	34	1.9	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	13	0.7	.
	Pediatric Risk	0.0	0.0	.	0.3	1.9	.	13	0.7	.
	Unk	1.0	5.2	.	1.7	9.4	.	141	7.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13.7	100.0	5.7	100.0	19.3	100.0	13.0	100.0	4.7	100.0	17.7	100.0	1,534	100.0	289	100.0	1,823	100.0
Risk	MSM	7.3	53.7	0.0	0.0	7.3	37.9	4.7	35.9	0.0	0.0	4.7	26.4	293	19.1	0	0.0	293	16.1
	IDU	2.3	17.1	1.3	23.5	3.7	19.0	2.3	17.9	1.0	21.4	3.3	18.9	911	59.4	128	44.3	1,039	57.0
	MSM/IDU	0.7	4.9	0.0	0.0	0.7	3.4	1.3	10.3	0.0	0.0	1.3	7.5	96	6.3	0	0.0	96	5.3
	Heterosexual	2.3	17.1	3.7	64.7	6.0	31.0	3.0	23.1	2.3	50.0	5.3	30.2	79	5.1	115	39.8	194	10.6
	Fem Pres Het Cont	0.0	0.0	0.7	11.8	0.7	3.4	0.0	0.0	1.0	21.4	1.0	5.7	0	0.0	34	11.8	34	1.9
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	0.5	5	1.7	13	0.7
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.1	0.3	1.9	7	0.5	6	2.1	13	0.7
	Unk	1.0	7.3	0.0	0.0	1.0	5.2	1.7	12.8	0.0	0.0	1.7	9.4	140	9.1	1	0.3	141	7.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	65	41
1986	.	41	34
1987	.	65	40
1988	.	63	44
1989	.	88	61
1990	.	102	57
1991	.	123	73
1992	.	132	59
1993	.	172	86
1994	.	141	96
1995	.	113	115
1996	.	110	70
1997	.	55	32
1998	.	39	36
1999	.	47	36
2000*	44	66	22
2001	51	60	27
2002	25	50	32
2003	27	44	21
2004	37	56	25
2005	39	56	18
2006	27	28	25
2007	21	29	16
2008	19	25	15
2009	21	20	16
2010	14	16	21
2011	23	17	17

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		946	100.0	103.0	1,140	100.0	124.2	2,086	100.0	227.2	918,028
Gender	Male	635	67.1	.	819	71.8	.	1,454	69.7	.	.
	Female	311	32.9	.	321	28.2	.	632	30.3	.	.
Current Age	12 & under	8	0.8	.	2	0.2	.	10	0.5	.	.
	13-19	11	1.2	.	4	0.4	.	15	0.7	.	.
	20-24	48	5.1	.	22	1.9	.	70	3.4	.	.
	25-29	85	9.0	.	26	2.3	.	111	5.3	.	.
	30-39	205	21.7	.	142	12.5	.	347	16.6	.	.
	40-49	297	31.4	.	419	36.8	.	716	34.3	.	.
	50-59	225	23.8	.	373	32.7	.	598	28.7	.	.
	60+	67	7.1	.	152	13.3	.	219	10.5	.	.
Race/Ethnicity	White	298	31.5	.	336	29.5	.	634	30.4	.	.
	Black	392	41.4	.	505	44.3	.	897	43.0	.	.
	Hispanic	152	16.1	.	192	16.8	.	344	16.5	.	.
	Multi Race	86	9.1	.	93	8.2	.	179	8.6	.	.
	Others	18	1.9	.	14	1.2	.	32	1.5	.	.
Risk	MSM	376	39.7	.	446	39.1	.	822	39.4	.	.
	IDU	145	15.3	.	223	19.6	.	368	17.6	.	.
	MSM/IDU	39	4.1	.	71	6.2	.	110	5.3	.	.
	Heterosexual	260	27.5	.	309	27.1	.	569	27.3	.	.
	Fem Pres Het Cont	42	4.4	.	24	2.1	.	66	3.2	.	.
	Blood Prod.	2	0.2	.	5	0.4	.	7	0.3	.	.
	Pediatric Risk	15	1.6	.	14	1.2	.	29	1.4	.	.
	Unk	67	7.1	.	48	4.2	.	115	5.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		635	100.0	311	100.0	946	100.0	819	100.0	321	100.0	1,140	100.0	1,454	100.0	632	100.0	2,086	100.0
Risk	MSM	376	59.2	0	0.0	376	39.7	446	54.5	0	0.0	446	39.1	822	56.5	0	0.0	822	39.4
	IDU	86	13.5	59	19.0	145	15.3	154	18.8	69	21.5	223	19.6	240	16.5	128	20.3	368	17.6
	MSM/IDU	39	6.1	0	0.0	39	4.1	71	8.7	0	0.0	71	6.2	110	7.6	0	0.0	110	5.3
	Heterosexual	58	9.1	202	65.0	260	27.5	88	10.7	221	68.8	309	27.1	146	10.0	423	66.9	569	27.3
	Fem Pres Het Cont	0	0.0	42	13.5	42	4.4	0	0.0	24	7.5	24	2.1	0	0.0	66	10.4	66	3.2
	Blood Prod.	2	0.3	0	0.0	2	0.2	5	0.6	0	0.0	5	0.4	7	0.5	0	0.0	7	0.3
	Pediatric Risk	7	1.1	8	2.6	15	1.6	8	1.0	6	1.9	14	1.2	15	1.0	14	2.2	29	1.4
	Unk	67	10.6	0	0.0	67	7.1	47	5.7	1	0.3	48	4.2	114	7.8	1	0.2	115	5.5

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		101.7	100.0	11.1	66.0	100.0	7.2	2,606	100.0	918,028
Gender	Male	67.3	66.2	.	41.7	63.1	.	2,017	77.4	.
	Female	34.3	33.8	.	24.3	36.9	.	589	22.6	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	18	0.7	.
	13-19	4.0	3.9	.	0.7	1.0	.	24	0.9	.
	20-24	15.0	14.8	.	4.0	6.1	.	99	3.8	.
	25-29	12.0	11.8	.	5.3	8.1	.	275	10.6	.
	30-39	26.0	25.6	.	18.0	27.3	.	975	37.4	.
	40-49	27.7	27.2	.	23.3	35.4	.	831	31.9	.
	50-59	14.0	13.8	.	11.3	17.2	.	295	11.3	.
	60+	3.0	3.0	.	3.3	5.1	.	89	3.4	.
Race/Ethnicity	White	33.3	32.8	.	12.7	19.2	.	868	33.3	.
	Black	45.7	44.9	.	34.7	52.5	.	1,206	46.3	.
	Hispanic	13.0	12.8	.	10.7	16.2	.	391	15.0	.
	Multi Race	5.3	5.2	.	6.0	9.1	.	124	4.8	.
	Others	4.3	4.3	.	2.0	3.0	.	17	0.7	.
Risk	MSM	43.0	42.3	.	23.3	35.4	.	1,062	40.8	.
	IDU	8.7	8.5	.	10.0	15.2	.	723	27.7	.
	MSM/IDU	3.0	3.0	.	3.0	4.5	.	143	5.5	.
	Heterosexual	33.7	33.1	.	23.0	34.8	.	494	19.0	.
	Fem Pres Het Cont	5.3	5.2	.	3.3	5.1	.	36	1.4	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	23	0.9	.
	Pediatric Risk	0.3	0.3	.	0.7	1.0	.	29	1.1	.
	Unk	7.7	7.5	.	2.7	4.0	.	96	3.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		67.3	100.0	34.3	100.0	101.7	100.0	41.7	100.0	24.3	100.0	66.0	100.0	2,017	100.0	589	100.0	2,606	100.0
Risk	MSM	43.0	63.9	0.0	0.0	43.0	42.3	23.3	56.0	0.0	0.0	23.3	35.4	1,062	52.7	0	0.0	1,062	40.8
	IDU	4.7	6.9	4.0	11.7	8.7	8.5	5.3	12.8	4.7	19.2	10.0	15.2	550	27.3	173	29.4	723	27.7
	MSM/IDU	3.0	4.5	0.0	0.0	3.0	3.0	3.0	7.2	0.0	0.0	3.0	4.5	143	7.1	0	0.0	143	5.5
	Heterosexual	8.7	12.9	25.0	72.8	33.7	33.1	7.0	16.8	16.0	65.8	23.0	34.8	130	6.4	364	61.8	494	19.0
	Fem Pres Het Cont	0.0	0.0	5.3	15.5	5.3	5.2	0.0	0.0	3.3	13.7	3.3	5.1	0	0.0	36	6.1	36	1.4
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	1.0	3	0.5	23	0.9
	Pediatric Risk	0.3	0.5	0.0	0.0	0.3	0.3	0.3	0.8	0.3	1.4	0.7	1.0	19	0.9	10	1.7	29	1.1
	Unk	7.7	11.4	0.0	0.0	7.7	7.5	2.7	6.4	0.0	0.0	2.7	4.0	93	4.6	3	0.5	96	3.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	26	19
1986	.	26	13
1987	.	43	23
1988	.	59	25
1989	.	95	55
1990	.	93	71
1991	.	113	76
1992	.	138	90
1993	.	192	83
1994	.	184	123
1995	.	190	166
1996	.	167	90
1997	.	87	52
1998	.	96	46
1999	.	111	47
2000*	80	139	50
2001	102	111	56
2002	83	76	32
2003	86	95	52
2004	92	74	41
2005	84	77	41
2006	96	63	41
2007	101	91	44
2008	84	62	35
2009	105	63	42
2010	100	58	38
2011	100	77	27

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		47	100.0	120.0	65	100.0	165.9	112	100.0	285.9	39,181
Gender	Male	43	91.5	.	61	93.8	.	104	92.9	.	.
	Female	4	8.5	.	4	6.2	.	8	7.1	.	.
Current Age	20-24	1	2.1	.	0	0.0	.	1	0.9	.	.
	25-29	1	2.1	.	0	0.0	.	1	0.9	.	.
	30-39	10	21.3	.	6	9.2	.	16	14.3	.	.
	40-49	15	31.9	.	22	33.8	.	37	33.0	.	.
	50-59	12	25.5	.	32	49.2	.	44	39.3	.	.
	60+	8	17.0	.	5	7.7	.	13	11.6	.	.
Race/Ethnicity	White	10	21.3	.	10	15.4	.	20	17.9	.	.
	Black	16	34.0	.	23	35.4	.	39	34.8	.	.
	Hispanic	20	42.6	.	29	44.6	.	49	43.8	.	.
	Multi Race	1	2.1	.	3	4.6	.	4	3.6	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	6	12.8	.	5	7.7	.	11	9.8	.	.
	IDU	14	29.8	.	32	49.2	.	46	41.1	.	.
	MSM/IDU	3	6.4	.	3	4.6	.	6	5.4	.	.
	Heterosexual	7	14.9	.	7	10.8	.	14	12.5	.	.
	Fem Pres Het Cont	1	2.1	.	1	1.5	.	2	1.8	.	.
	Unk	16	34.0	.	17	26.2	.	33	29.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		43	100.0	4	100.0	47	100.0	61	100.0	4	100.0	65	100.0	104	100.0	8	100.0	112	100.0
Risk	MSM	6	14.0	0	0.0	6	12.8	5	8.2	0	0.0	5	7.7	11	10.6	0	0.0	11	9.8
	IDU	14	32.6	0	0.0	14	29.8	30	49.2	2	50.0	32	49.2	44	42.3	2	25.0	46	41.1
	MSM/IDU	3	7.0	0	0.0	3	6.4	3	4.9	0	0.0	3	4.6	6	5.8	0	0.0	6	5.4
	Heterosexual	4	9.3	3	75.0	7	14.9	6	9.8	1	25.0	7	10.8	10	9.6	4	50.0	14	12.5
	Fem Pres Het Cont	0	0.0	1	25.0	1	2.1	0	0.0	1	25.0	1	1.5	0	0.0	2	25.0	2	1.8
	Unk	16	37.2	0	0.0	16	34.0	17	27.9	0	0.0	17	26.2	33	31.7	0	0.0	33	29.5

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.7	100.0	4.3	0.7	100.0	1.7	184	100.0	39,181
Gender	Male	1.3	80.0	.	0.7	100.0	.	179	97.3	.
	Female	0.3	20.0	.	0.0	0.0	.	5	2.7	.
Age at Diagnosis	20-24	1.0	60.0	.	0.3	50.0	.	13	7.1	.
	25-29	0.3	20.0	.	0.0	0.0	.	28	15.2	.
	30-39	0.0	0.0	.	0.3	50.0	.	89	48.4	.
	40-49	0.0	0.0	.	0.0	0.0	.	42	22.8	.
	50-59	0.3	20.0	.	0.0	0.0	.	11	6.0	.
	60+	0.0	0.0	.	0.0	0.0	.	1	0.5	.
Race/Ethnicity	White	0.3	20.0	.	0.0	0.0	.	41	22.3	.
	Black	0.3	20.0	.	0.3	50.0	.	57	31.0	.
	Hispanic	1.0	60.0	.	0.3	50.0	.	81	44.0	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	2.2	.
	Others	0.0	0.0	.	0.0	0.0	.	1	0.5	.
Risk	MSM	0.7	40.0	.	0.3	50.0	.	25	13.6	.
	IDU	0.0	0.0	.	0.0	0.0	.	114	62.0	.
	MSM/IDU	0.3	20.0	.	0.3	50.0	.	7	3.8	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	9	4.9	.
	Fem Pres Het Cont	0.3	20.0	.	0.0	0.0	.	1	0.5	.
	Unk	0.3	20.0	.	0.0	0.0	.	28	15.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.3	100.0	1.7	100.0	0.7	100.0	0.0	0.0	0.7	100.0	179	100.0	5	100.0	184	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	40.0	0.3	50.0	0.0	0.0	0.3	50.0	25	14.0	0	0.0	25	13.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	112	62.6	2	40.0	114	62.0
	MSM/IDU	0.3	25.0	0.0	0.0	0.3	20.0	0.3	50.0	0.0	0.0	0.3	50.0	7	3.9	0	0.0	7	3.8
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	3.9	2	40.0	9	4.9
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	20.0	1	0.5
	Unk	0.3	25.0	0.0	0.0	0.3	20.0	0.0	0.0	0.0	0.0	0.0	0.0	28	15.6	0	0.0	28	15.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	13	11
1986	.	7	5
1987	.	5	4
1988	.	14	4
1989	.	16	11
1990	.	14	5
1991	.	13	6
1992	.	9	15
1993	.	14	8
1994	.	12	9
1995	.	18	14
1996	.	9	6
1997	.	9	3
1998	.	3	.
1999	.	6	1
2000*	6	3	1
2001	4	4	.
2002	5	3	2
2003	4	3	1
2004	1	1	2
2005	2	4	1
2006	1	1	4
2007	.	.	1
2008	1	1	3
2009	3	.	1
2010	2	1	2
2011	.	1	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		140	100.0	271.6	190	100.0	368.6	330	100.0	640.1	51,551
Gender	Male	133	95.0	.	182	95.8	.	315	95.5	.	.
	Female	7	5.0	.	8	4.2	.	15	4.5	.	.
Current Age	20-24	1	0.7	.	0	0.0	.	1	0.3	.	.
	25-29	1	0.7	.	3	1.6	.	4	1.2	.	.
	30-39	4	2.9	.	12	6.3	.	16	4.8	.	.
	40-49	45	32.1	.	75	39.5	.	120	36.4	.	.
	50-59	66	47.1	.	68	35.8	.	134	40.6	.	.
	60+	23	16.4	.	32	16.8	.	55	16.7	.	.
Race/Ethnicity	White	10	7.1	.	23	12.1	.	33	10.0	.	.
	Black	47	33.6	.	74	38.9	.	121	36.7	.	.
	Hispanic	78	55.7	.	84	44.2	.	162	49.1	.	.
	Multi Race	4	2.9	.	9	4.7	.	13	3.9	.	.
	Others	1	0.7	.	0	0.0	.	1	0.3	.	.
Risk	MSM	10	7.1	.	24	12.6	.	34	10.3	.	.
	IDU	73	52.1	.	92	48.4	.	165	50.0	.	.
	MSM/IDU	2	1.4	.	11	5.8	.	13	3.9	.	.
	Heterosexual	5	3.6	.	19	10.0	.	24	7.3	.	.
	Fem Pres Het Cont	3	2.1	.	3	1.6	.	6	1.8	.	.
	Unk	47	33.6	.	41	21.6	.	88	26.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		133	100.0	7	100.0	140	100.0	182	100.0	8	100.0	190	100.0	315	100.0	15	100.0	330	100.0
Risk	MSM	10	7.5	0	0.0	10	7.1	24	13.2	0	0.0	24	12.6	34	10.8	0	0.0	34	10.3
	IDU	71	53.4	2	28.6	73	52.1	89	48.9	3	37.5	92	48.4	160	50.8	5	33.3	165	50.0
	MSM/IDU	2	1.5	0	0.0	2	1.4	11	6.0	0	0.0	11	5.8	13	4.1	0	0.0	13	3.9
	Heterosexual	3	2.3	2	28.6	5	3.6	17	9.3	2	25.0	19	10.0	20	6.3	4	26.7	24	7.3
	Fem Pres Het Cont	0	0.0	3	42.9	3	2.1	0	0.0	3	37.5	3	1.6	0	0.0	6	40.0	6	1.8
	Unk	47	35.3	0	0.0	47	33.6	41	22.5	0	0.0	41	21.6	88	27.9	0	0.0	88	26.7

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.0	100.0	5.8	2.3	100.0	4.5	415	100.0	51,551
Gender	Male	2.7	88.9	.	2.0	85.7	.	399	96.1	.
	Female	0.3	11.1	.	0.3	14.3	.	16	3.9	.
Age at Diagnosis	20-24	0.3	11.1	.	0.0	0.0	.	11	2.7	.
	25-29	1.0	33.3	.	0.7	28.6	.	60	14.5	.
	30-39	0.7	22.2	.	1.0	42.9	.	186	44.8	.
	40-49	0.7	22.2	.	0.3	14.3	.	133	32.0	.
	50-59	0.3	11.1	.	0.3	14.3	.	23	5.5	.
	60+	0.0	0.0	.	0.0	0.0	.	2	0.5	.
Race/Ethnicity	White	1.3	44.4	.	2.0	85.7	.	54	13.0	.
	Black	0.7	22.2	.	0.0	0.0	.	150	36.1	.
	Hispanic	0.3	11.1	.	0.3	14.3	.	195	47.0	.
	Multi Race	0.3	11.1	.	0.0	0.0	.	15	3.6	.
	Others	0.3	11.1	.	0.0	0.0	.	1	0.2	.
Risk	MSM	2.0	66.7	.	2.0	85.7	.	38	9.2	.
	IDU	0.0	0.0	.	0.0	0.0	.	257	61.9	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	18	4.3	.
	Heterosexual	0.3	11.1	.	0.3	14.3	.	23	5.5	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	6	1.4	.
	Unk	0.7	22.2	.	0.0	0.0	.	73	17.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.3	100.0	3.0	100.0	2.0	100.0	0.3	100.0	2.3	100.0	399	100.0	16	100.0	415	100.0
Risk	MSM	2.0	75.0	0.0	0.0	2.0	66.7	2.0	100.0	0.0	0.0	2.0	85.7	38	9.5	0	0.0	38	9.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	250	62.7	7	43.8	257	61.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	4.5	0	0.0	18	4.3
	Heterosexual	0.0	0.0	0.3	100.0	0.3	11.1	0.0	0.0	0.3	100.0	0.3	14.3	20	5.0	3	18.8	23	5.5
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	6	37.5	6	1.4
	Unk	0.7	25.0	0.0	0.0	0.7	22.2	0.0	0.0	0.0	0.0	0.0	0.0	73	18.3	0	0.0	73	17.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1986	.	2	1
1987	.	6	5
1988	.	10	7
1989	.	13	2
1990	.	21	5
1991	.	35	13
1992	.	42	16
1993	.	36	21
1994	.	38	20
1995	.	45	21
1996	.	31	25
1997	.	24	8
1998	.	5	8
1999	.	10	4
2000*	8	9	1
2001	7	11	11
2002	7	13	8
2003	7	11	6
2004	4	11	11
2005	3	15	4
2006	1	7	6
2007	3	8	7
2008	1	5	6
2009	4	3	5
2010	1	1	2
2011	4	3	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		36	100.0	65.2	38	100.0	68.9	74	100.0	134.1	55,180
Gender	Male	21	58.3	.	28	73.7	.	49	66.2	.	.
	Female	15	41.7	.	10	26.3	.	25	33.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	2.8	.	0	0.0	.	1	1.4	.	.
	20-24	1	2.8	.	2	5.3	.	3	4.1	.	.
	25-29	3	8.3	.	0	0.0	.	3	4.1	.	.
	30-39	6	16.7	.	7	18.4	.	13	17.6	.	.
	40-49	13	36.1	.	9	23.7	.	22	29.7	.	.
	50-59	11	30.6	.	14	36.8	.	25	33.8	.	.
	60+	1	2.8	.	6	15.8	.	7	9.5	.	.
Race/Ethnicity	White	24	66.7	.	25	65.8	.	49	66.2	.	.
	Black	1	2.8	.	3	7.9	.	4	5.4	.	.
	Hispanic	7	19.4	.	7	18.4	.	14	18.9	.	.
	Multi Race	4	11.1	.	1	2.6	.	5	6.8	.	.
	Others	0	0.0	.	2	5.3	.	2	2.7	.	.
Risk	MSM	12	33.3	.	14	36.8	.	26	35.1	.	.
	IDU	4	11.1	.	5	13.2	.	9	12.2	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	11	30.6	.	5	13.2	.	16	21.6	.	.
	Fem Pres Het Cont	5	13.9	.	3	7.9	.	8	10.8	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	5.3	.	2	2.7	.	.
	Unk	4	11.1	.	9	23.7	.	13	17.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		21	100.0	15	100.0	36	100.0	28	100.0	10	100.0	38	100.0	49	100.0	25	100.0	74	100.0
Risk	MSM	12	57.1	0	0.0	12	33.3	14	50.0	0	0.0	14	36.8	26	53.1	0	0.0	26	35.1
	IDU	1	4.8	3	20.0	4	11.1	3	10.7	2	20.0	5	13.2	4	8.2	5	20.0	9	12.2
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	4	19.0	7	46.7	11	30.6	2	7.1	3	30.0	5	13.2	6	12.2	10	40.0	16	21.6
	Fem Pres Het Cont	0	0.0	5	33.3	5	13.9	0	0.0	3	30.0	3	7.9	0	0.0	8	32.0	8	10.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	5.3	0	0.0	2	8.0	2	2.7
	Unk	4	19.0	0	0.0	4	11.1	9	32.1	0	0.0	9	23.7	13	26.5	0	0.0	13	17.6

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.7	100.0	4.8	1.7	100.0	3.0	64	100.0	55,180
Gender	Male	1.7	62.5	.	1.7	100.0	.	49	76.6	.
	Female	1.0	37.5	.	0.0	0.0	.	15	23.4	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	1.6	.
	13-19	0.3	12.5	.	0.0	0.0	.	1	1.6	.
	20-24	0.3	12.5	.	0.0	0.0	.	2	3.1	.
	25-29	0.7	25.0	.	0.3	20.0	.	6	9.4	.
	30-39	0.3	12.5	.	0.7	40.0	.	24	37.5	.
	40-49	0.7	25.0	.	0.3	20.0	.	20	31.3	.
	50-59	0.3	12.5	.	0.0	0.0	.	8	12.5	.
	60+	0.0	0.0	.	0.3	20.0	.	2	3.1	.
Race/Ethnicity	White	2.7	100.0	.	0.7	40.0	.	45	70.3	.
	Black	0.0	0.0	.	0.7	40.0	.	6	9.4	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	9	14.1	.
	Multi Race	0.0	0.0	.	0.3	20.0	.	2	3.1	.
	Others	0.0	0.0	.	0.0	0.0	.	2	3.1	.
Risk	MSM	1.0	37.5	.	1.0	60.0	.	26	40.6	.
	IDU	0.0	0.0	.	0.0	0.0	.	11	17.2	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	3.1	.
	Heterosexual	0.7	25.0	.	0.3	20.0	.	9	14.1	.
	Fem Pres Het Cont	0.7	25.0	.	0.0	0.0	.	3	4.7	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	3.1	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	2	3.1	.
	Unk	0.3	12.5	.	0.3	20.0	.	9	14.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	1.0	100.0	2.7	100.0	1.7	100.0	0.0	0.0	1.7	100.0	49	100.0	15	100.0	64	100.0
Risk	MSM	1.0	60.0	0.0	0.0	1.0	37.5	1.0	60.0	0.0	0.0	1.0	60.0	26	53.1	0	0.0	26	40.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	18.4	2	13.3	11	17.2
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	4.1	0	0.0	2	3.1
	Heterosexual	0.3	20.0	0.3	33.3	0.7	25.0	0.3	20.0	0.0	0.0	0.3	20.0	2	4.1	7	46.7	9	14.1
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	3	20.0	3	4.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.0	1	6.7	2	3.1
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	2	13.3	2	3.1
	Unk	0.3	20.0	0.0	0.0	0.3	12.5	0.3	20.0	0.0	0.0	0.3	20.0	9	18.4	0	0.0	9	14.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	3	1
1986	.	1	2
1988	.	3	1
1989	.	.	1
1990	.	2	.
1991	.	5	3
1992	.	4	2
1993	.	1	1
1994	.	2	4
1995	.	5	1
1996	.	1	.
1997	.	2	1
1998	.	4	.
1999	.	3	1
2000*	5	3	.
2001	2	1	2
2002	.	1	.
2003	3	2	1
2004	4	4	.
2005	2	3	1
2006	.	3	1
2007	2	2	2
2008	5	4	1
2009	1	1	.
2010	3	1	.
2011	4	3	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		32	100.0	53.3	39	100.0	65.0	71	100.0	118.3	59,993
Gender	Male	24	75.0	.	37	94.9	.	61	85.9	.	.
	Female	8	25.0	.	2	5.1	.	10	14.1	.	.
Current Age	12 & under	1	3.1	.	0	0.0	.	1	1.4	.	.
	20-24	2	6.3	.	0	0.0	.	2	2.8	.	.
	25-29	0	0.0	.	1	2.6	.	1	1.4	.	.
	30-39	8	25.0	.	8	20.5	.	16	22.5	.	.
	40-49	15	46.9	.	17	43.6	.	32	45.1	.	.
	50-59	4	12.5	.	11	28.2	.	15	21.1	.	.
	60+	2	6.3	.	2	5.1	.	4	5.6	.	.
Race/Ethnicity	White	13	40.6	.	15	38.5	.	28	39.4	.	.
	Black	8	25.0	.	10	25.6	.	18	25.4	.	.
	Hispanic	6	18.8	.	11	28.2	.	17	23.9	.	.
	Multi Race	3	9.4	.	3	7.7	.	6	8.5	.	.
	Others	2	6.3	.	0	0.0	.	2	2.8	.	.
Risk	MSM	12	37.5	.	13	33.3	.	25	35.2	.	.
	IDU	6	18.8	.	9	23.1	.	15	21.1	.	.
	MSM/IDU	1	3.1	.	2	5.1	.	3	4.2	.	.
	Heterosexual	6	18.8	.	8	20.5	.	14	19.7	.	.
	Fem Pres Het Cont	2	6.3	.	0	0.0	.	2	2.8	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	3.1	.	0	0.0	.	1	1.4	.	.
	Unk	4	12.5	.	7	17.9	.	11	15.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		24	100.0	8	100.0	32	100.0	37	100.0	2	100.0	39	100.0	61	100.0	10	100.0	71	100.0
Risk	MSM	12	50.0	0	0.0	12	37.5	13	35.1	0	0.0	13	33.3	25	41.0	0	0.0	25	35.2
	IDU	5	20.8	1	12.5	6	18.8	8	21.6	1	50.0	9	23.1	13	21.3	2	20.0	15	21.1
	MSM/IDU	1	4.2	0	0.0	1	3.1	2	5.4	0	0.0	2	5.1	3	4.9	0	0.0	3	4.2
	Heterosexual	1	4.2	5	62.5	6	18.8	7	18.9	1	50.0	8	20.5	8	13.1	6	60.0	14	19.7
	Fem Pres Het Cont	0	0.0	2	25.0	2	6.3	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	2.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	4.2	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0	1	1.4
	Unk	4	16.7	0	0.0	4	12.5	7	18.9	0	0.0	7	17.9	11	18.0	0	0.0	11	15.5

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		4.3	100.0	7.2	3.3	100.0	5.6	69	100.0	59,993
Gender	Male	3.7	84.6	.	3.0	90.0	.	62	89.9	.
	Female	0.7	15.4	.	0.3	10.0	.	7	10.1	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	20-24	0.3	7.7	.	0.3	10.0	.	3	4.3	.
	25-29	0.3	7.7	.	0.0	0.0	.	6	8.7	.
	30-39	1.3	30.8	.	1.0	30.0	.	25	36.2	.
	40-49	1.7	38.5	.	2.0	60.0	.	26	37.7	.
	50-59	0.7	15.4	.	0.0	0.0	.	7	10.1	.
	60+	0.0	0.0	.	0.0	0.0	.	2	2.9	.
Race/Ethnicity	White	1.3	30.8	.	1.3	40.0	.	39	56.5	.
	Black	1.0	23.1	.	1.0	30.0	.	12	17.4	.
	Hispanic	1.3	30.8	.	1.0	30.0	.	13	18.8	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	5.8	.
	Others	0.7	15.4	.	0.0	0.0	.	1	1.4	.
Risk	MSM	1.3	30.8	.	0.7	20.0	.	31	44.9	.
	IDU	0.3	7.7	.	0.0	0.0	.	13	18.8	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	2.9	.
	Heterosexual	0.7	15.4	.	1.3	40.0	.	11	15.9	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	2	2.9	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	1.4	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	2.0	46.2	.	1.3	40.0	.	9	13.0	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.7	100.0	4.3	100.0	3.0	100.0	0.3	100.0	3.3	100.0	62	100.0	7	100.0	69	100.0
Risk	MSM	1.3	36.4	0.0	0.0	1.3	30.8	0.7	22.2	0.0	0.0	0.7	20.0	31	50.0	0	0.0	31	44.9
	IDU	0.0	0.0	0.3	50.0	0.3	7.7	0.0	0.0	0.0	0.0	0.0	0.0	11	17.7	2	28.6	13	18.8
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.2	0	0.0	2	2.9
	Heterosexual	0.3	9.1	0.3	50.0	0.7	15.4	1.0	33.3	0.3	100.0	1.3	40.0	8	12.9	3	42.9	11	15.9
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	2	28.6	2	2.9
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1.6	0	0.0	1	1.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2.0	54.5	0.0	0.0	2.0	46.2	1.3	44.4	0.0	0.0	1.3	40.0	9	14.5	0	0.0	9	13.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1986	.	1	.
1987	.	1	.
1988	.	1	1
1989	.	1	3
1990	.	4	1
1991	.	3	3
1992	.	4	3
1993	.	3	2
1994	.	4	2
1995	.	6	1
1996	.	1	3
1997	.	2	.
1998	.	3	1
1999	.	6	1
2000*	1	3	1
2001	5	2	.
2002	5	3	2
2003	3	1	1
2005	2	2	2
2006	3	.	1
2007	5	4	.
2008	1	4	.
2009	3	4	1
2010	4	2	1
2011	6	4	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		65	100.0	132.8	110	100.0	224.7	175	100.0	357.5	48,954
Gender	Male	54	83.1	.	99	90.0	.	153	87.4	.	.
	Female	11	16.9	.	11	10.0	.	22	12.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	3.1	.	0	0.0	.	2	1.1	.	.
	25-29	3	4.6	.	3	2.7	.	6	3.4	.	.
	30-39	8	12.3	.	10	9.1	.	18	10.3	.	.
	40-49	20	30.8	.	33	30.0	.	53	30.3	.	.
	50-59	20	30.8	.	48	43.6	.	68	38.9	.	.
	60+	12	18.5	.	16	14.5	.	28	16.0	.	.
Race/Ethnicity	White	24	36.9	.	33	30.0	.	57	32.6	.	.
	Black	22	33.8	.	37	33.6	.	59	33.7	.	.
	Hispanic	16	24.6	.	31	28.2	.	47	26.9	.	.
	Multi Race	3	4.6	.	9	8.2	.	12	6.9	.	.
Risk	MSM	17	26.2	.	19	17.3	.	36	20.6	.	.
	IDU	10	15.4	.	38	34.5	.	48	27.4	.	.
	MSM/IDU	2	3.1	.	7	6.4	.	9	5.1	.	.
	Heterosexual	12	18.5	.	14	12.7	.	26	14.9	.	.
	Fem Pres Het Cont	5	7.7	.	4	3.6	.	9	5.1	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	1.5	.	1	0.9	.	2	1.1	.	.
	Unk	18	27.7	.	27	24.5	.	45	25.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		54	100.0	11	100.0	65	100.0	99	100.0	11	100.0	110	100.0	153	100.0	22	100.0	175	100.0
Risk	MSM	17	31.5	0	0.0	17	26.2	19	19.2	0	0.0	19	17.3	36	23.5	0	0.0	36	20.6
	IDU	10	18.5	0	0.0	10	15.4	38	38.4	0	0.0	38	34.5	48	31.4	0	0.0	48	27.4
	MSM/IDU	2	3.7	0	0.0	2	3.1	7	7.1	0	0.0	7	6.4	9	5.9	0	0.0	9	5.1
	Heterosexual	6	11.1	6	54.5	12	18.5	7	7.1	7	63.6	14	12.7	13	8.5	13	59.1	26	14.9
	Fem Pres Het Cont	0	0.0	5	45.5	5	7.7	0	0.0	4	36.4	4	3.6	0	0.0	9	40.9	9	5.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.9	0	0.0	1	1.5	1	1.0	0	0.0	1	0.9	2	1.3	0	0.0	2	1.1
	Unk	18	33.3	0	0.0	18	27.7	27	27.3	0	0.0	27	24.5	45	29.4	0	0.0	45	25.7

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.7	100.0	5.4	2.3	100.0	4.8	243	100.0	48,954
Gender	Male	2.3	87.5	.	1.3	57.1	.	227	93.4	.
	Female	0.3	12.5	.	1.0	42.9	.	16	6.6	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	5	2.1	.
	20-24	0.3	12.5	.	0.0	0.0	.	9	3.7	.
	25-29	0.0	0.0	.	0.0	0.0	.	20	8.2	.
	30-39	0.3	12.5	.	0.3	14.3	.	96	39.5	.
	40-49	0.7	25.0	.	1.3	57.1	.	86	35.4	.
	50-59	1.0	37.5	.	0.7	28.6	.	24	9.9	.
	60+	0.3	12.5	.	0.0	0.0	.	3	1.2	.
Race/Ethnicity	White	1.3	50.0	.	1.7	71.4	.	70	28.8	.
	Black	0.7	25.0	.	0.3	14.3	.	71	29.2	.
	Hispanic	0.3	12.5	.	0.0	0.0	.	92	37.9	.
	Multi Race	0.3	12.5	.	0.3	14.3	.	10	4.1	.
Risk	MSM	0.7	25.0	.	0.3	14.3	.	38	15.6	.
	IDU	0.0	0.0	.	0.3	14.3	.	115	47.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	14	5.8	.
	Heterosexual	1.7	62.5	.	0.7	28.6	.	22	9.1	.
	Fem Pres Het Cont	0.0	0.0	.	0.3	14.3	.	5	2.1	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	0.8	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.4	.
	Unk	0.3	12.5	.	0.7	28.6	.	46	18.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.3	100.0	1.0	100.0	2.3	100.0	227	100.0	16	100.0	243	100.0
Risk	MSM	0.7	28.6	0.0	0.0	0.7	25.0	0.3	25.0	0.0	0.0	0.3	14.3	38	16.7	0	0.0	38	15.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	14.3	113	49.8	2	12.5	115	47.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	6.2	0	0.0	14	5.8
	Heterosexual	1.3	57.1	0.3	100.0	1.7	62.5	0.0	0.0	0.7	66.7	0.7	28.6	13	5.7	9	56.3	22	9.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	14.3	0	0.0	5	31.3	5	2.1
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	0.9	0	0.0	2	0.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.4	0	0.0	1	0.4
	Unk	0.3	14.3	0.0	0.0	0.3	12.5	0.7	50.0	0.0	0.0	0.7	28.6	46	20.3	0	0.0	46	18.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	1
1986	.	.	1
1987	.	13	7
1988	.	8	5
1989	.	15	7
1990	.	12	8
1991	.	12	9
1992	.	10	8
1993	.	20	8
1994	.	12	9
1995	.	16	5
1996	.	19	13
1997	.	9	4
1998	.	8	1
1999	.	11	2
2000*	.	8	7
2001	7	8	2
2002	4	10	5
2003	5	13	7
2004	6	6	5
2005	4	7	4
2006	5	8	3
2007	6	3	3
2008	4	6	2
2009	7	2	4
2010	1	3	2
2011	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		21	100.0	32.7	31	100.0	48.3	52	100.0	81.0	64,160
Gender	Male	17	81.0	.	26	83.9	.	43	82.7	.	.
	Female	4	19.0	.	5	16.1	.	9	17.3	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	2	6.5	.	2	3.8	.	.
	25-29	3	14.3	.	1	3.2	.	4	7.7	.	.
	30-39	2	9.5	.	0	0.0	.	2	3.8	.	.
	40-49	9	42.9	.	14	45.2	.	23	44.2	.	.
	50-59	4	19.0	.	8	25.8	.	12	23.1	.	.
	60+	3	14.3	.	6	19.4	.	9	17.3	.	.
Race/Ethnicity	White	17	81.0	.	18	58.1	.	35	67.3	.	.
	Black	1	4.8	.	4	12.9	.	5	9.6	.	.
	Hispanic	3	14.3	.	1	3.2	.	4	7.7	.	.
	Multi Race	0	0.0	.	6	19.4	.	6	11.5	.	.
	Others	0	0.0	.	2	6.5	.	2	3.8	.	.
Risk	MSM	14	66.7	.	16	51.6	.	30	57.7	.	.
	IDU	1	4.8	.	3	9.7	.	4	7.7	.	.
	MSM/IDU	0	0.0	.	1	3.2	.	1	1.9	.	.
	Heterosexual	3	14.3	.	5	16.1	.	8	15.4	.	.
	Fem Pres Het Cont	1	4.8	.	3	9.7	.	4	7.7	.	.
	Pediatric Risk	0	0.0	.	1	3.2	.	1	1.9	.	.
	Unk	2	9.5	.	2	6.5	.	4	7.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹

by Gender and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	4	100.0	21	100.0	26	100.0	5	100.0	31	100.0	43	100.0	9	100.0	52	100.0
Risk	MSM	14	82.4	0	0.0	14	66.7	16	61.5	0	0.0	16	51.6	30	69.8	0	0.0	30	57.7
	IDU	1	5.9	0	0.0	1	4.8	3	11.5	0	0.0	3	9.7	4	9.3	0	0.0	4	7.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.2	1	2.3	0	0.0	1	1.9
	Heterosexual	0	0.0	3	75.0	3	14.3	3	11.5	2	40.0	5	16.1	3	7.0	5	55.6	8	15.4
	Fem Pres Het Cont	0	0.0	1	25.0	1	4.8	0	0.0	3	60.0	3	9.7	0	0.0	4	44.4	4	7.7
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.2	1	2.3	0	0.0	1	1.9
	Unk	2	11.8	0	0.0	2	9.5	2	7.7	0	0.0	2	6.5	4	9.3	0	0.0	4	7.7

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.3	100.0	5.2	2.7	100.0	4.2	52	100.0	64,160
Gender	Male	3.0	90.0	.	2.0	75.0	.	43	82.7	.
	Female	0.3	10.0	.	0.7	25.0	.	9	17.3	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	1.9	.
	20-24	0.3	10.0	.	0.3	12.5	.	2	3.8	.
	25-29	0.3	10.0	.	0.3	12.5	.	3	5.8	.
	30-39	0.0	0.0	.	0.0	0.0	.	21	40.4	.
	40-49	2.0	60.0	.	1.3	50.0	.	18	34.6	.
	50-59	0.3	10.0	.	0.0	0.0	.	2	3.8	.
	60+	0.3	10.0	.	0.7	25.0	.	5	9.6	.
Race/Ethnicity	White	3.0	90.0	.	1.7	62.5	.	34	65.4	.
	Black	0.0	0.0	.	0.3	12.5	.	9	17.3	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	1	1.9	.
	Multi Race	0.3	10.0	.	0.7	25.0	.	6	11.5	.
	Others	0.0	0.0	.	0.0	0.0	.	2	3.8	.
Risk	MSM	2.3	70.0	.	1.0	37.5	.	30	57.7	.
	IDU	0.0	0.0	.	0.0	0.0	.	4	7.7	.
	MSM/IDU	0.3	10.0	.	0.3	12.5	.	1	1.9	.
	Heterosexual	0.3	10.0	.	1.0	37.5	.	8	15.4	.
	Fem Pres Het Cont	0.3	10.0	.	0.3	12.5	.	3	5.8	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	1.9	.
	Unk	0.0	0.0	.	0.0	0.0	.	5	9.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	0.3	100.0	3.3	100.0	2.0	100.0	0.7	100.0	2.7	100.0	43	100.0	9	100.0	52	100.0
Risk	MSM	2.3	77.8	0.0	0.0	2.3	70.0	1.0	50.0	0.0	0.0	1.0	37.5	30	69.8	0	0.0	30	57.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	7.0	1	11.1	4	7.7
	MSM/IDU	0.3	11.1	0.0	0.0	0.3	10.0	0.3	16.7	0.0	0.0	0.3	12.5	1	2.3	0	0.0	1	1.9
	Heterosexual	0.3	11.1	0.0	0.0	0.3	10.0	0.7	33.3	0.3	50.0	1.0	37.5	3	7.0	5	55.6	8	15.4
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	12.5	0	0.0	3	33.3	3	5.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.3	0	0.0	1	1.9
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	11.6	0	0.0	5	9.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1986	.	2	1
1988	.	3	2
1989	.	3	1
1990	.	1	1
1991	.	5	1
1992	.	1	4
1993	.	2	3
1994	.	2	.
1995	.	5	2
1996	.	3	2
1998	.	2	.
1999	.	1	.
2000*	1	.	.
2001	2	1	.
2002	1	.	.
2003	2	2	1
2004	.	1	2
2005	1	4	.
2006	3	3	.
2007	1	3	.
2008	2	.	.
2010	6	5	.
2011	4	3	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		156	100.0	132.3	149	100.0	126.4	305	100.0	258.7	117,910
Gender	Male	142	91.0	.	131	87.9	.	273	89.5	.	.
	Female	14	9.0	.	18	12.1	.	32	10.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	0.7	.	1	0.3	.	.
	25-29	4	2.6	.	2	1.3	.	6	2.0	.	.
	30-39	14	9.0	.	13	8.7	.	27	8.9	.	.
	40-49	52	33.3	.	52	34.9	.	104	34.1	.	.
	50-59	56	35.9	.	56	37.6	.	112	36.7	.	.
	60+	30	19.2	.	25	16.8	.	55	18.0	.	.
Race/Ethnicity	White	20	12.8	.	39	26.2	.	59	19.3	.	.
	Black	58	37.2	.	50	33.6	.	108	35.4	.	.
	Hispanic	74	47.4	.	48	32.2	.	122	40.0	.	.
	Multi Race	3	1.9	.	11	7.4	.	14	4.6	.	.
	Others	1	0.6	.	1	0.7	.	2	0.7	.	.
Risk	MSM	15	9.6	.	20	13.4	.	35	11.5	.	.
	IDU	29	18.6	.	50	33.6	.	79	25.9	.	.
	MSM/IDU	4	2.6	.	8	5.4	.	12	3.9	.	.
	Heterosexual	13	8.3	.	18	12.1	.	31	10.2	.	.
	Fem Pres Het Cont	5	3.2	.	5	3.4	.	10	3.3	.	.
	Blood Prod.	0	0.0	.	1	0.7	.	1	0.3	.	.
	Pediatric Risk	0	0.0	.	1	0.7	.	1	0.3	.	.
	Unk	90	57.7	.	46	30.9	.	136	44.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		142	100.0	14	100.0	156	100.0	131	100.0	18	100.0	149	100.0	273	100.0	32	100.0	305	100.0
Risk	MSM	15	10.6	0	0.0	15	9.6	20	15.3	0	0.0	20	13.4	35	12.8	0	0.0	35	11.5
	IDU	28	19.7	1	7.1	29	18.6	49	37.4	1	5.6	50	33.6	77	28.2	2	6.3	79	25.9
	MSM/IDU	4	2.8	0	0.0	4	2.6	8	6.1	0	0.0	8	5.4	12	4.4	0	0.0	12	3.9
	Heterosexual	5	3.5	8	57.1	13	8.3	7	5.3	11	61.1	18	12.1	12	4.4	19	59.4	31	10.2
	Fem Pres Het Cont	0	0.0	5	35.7	5	3.2	0	0.0	5	27.8	5	3.4	0	0.0	10	31.3	10	3.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.4	0	0.0	1	0.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6	1	0.7	0	0.0	1	3.1	1	0.3
	Unk	90	63.4	0	0.0	90	57.7	46	35.1	0	0.0	46	30.9	136	49.8	0	0.0	136	44.6

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		4.7	100.0	4.0	7.0	100.0	5.9	313	100.0	117,910
Gender	Male	2.7	57.1	.	4.7	66.7	.	283	90.4	.
	Female	2.0	42.9	.	2.3	33.3	.	30	9.6	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	13-19	0.0	0.0	.	0.3	4.8	.	2	0.6	.
	20-24	0.3	7.1	.	0.3	4.8	.	8	2.6	.
	25-29	0.0	0.0	.	0.7	9.5	.	33	10.5	.
	30-39	1.0	21.4	.	1.3	19.0	.	140	44.7	.
	40-49	1.7	35.7	.	1.7	23.8	.	91	29.1	.
	50-59	1.7	35.7	.	2.7	38.1	.	30	9.6	.
	60+	0.0	0.0	.	0.0	0.0	.	8	2.6	.
Race/Ethnicity	White	2.3	50.0	.	2.7	38.1	.	77	24.6	.
	Black	1.3	28.6	.	2.3	33.3	.	106	33.9	.
	Hispanic	0.7	14.3	.	0.7	9.5	.	113	36.1	.
	Multi Race	0.3	7.1	.	1.0	14.3	.	16	5.1	.
	Others	0.0	0.0	.	0.3	4.8	.	1	0.3	.
Risk	MSM	1.0	21.4	.	1.3	19.0	.	40	12.8	.
	IDU	1.0	21.4	.	2.0	28.6	.	152	48.6	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	16	5.1	.
	Heterosexual	1.0	21.4	.	1.7	23.8	.	27	8.6	.
	Fem Pres Het Cont	1.0	21.4	.	0.7	9.5	.	8	2.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Pediatric Risk	0.0	0.0	.	0.3	4.8	.	2	0.6	.
	Unk	0.7	14.3	.	1.0	14.3	.	67	21.4	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	2.0	100.0	4.7	100.0	4.7	100.0	2.3	100.0	7.0	100.0	283	100.0	30	100.0	313	100.0
Risk	MSM	1.0	37.5	0.0	0.0	1.0	21.4	1.3	28.6	0.0	0.0	1.3	19.0	40	14.1	0	0.0	40	12.8
	IDU	0.7	25.0	0.3	16.7	1.0	21.4	1.7	35.7	0.3	14.3	2.0	28.6	147	51.9	5	16.7	152	48.6
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	5.7	0	0.0	16	5.1
	Heterosexual	0.3	12.5	0.7	33.3	1.0	21.4	0.7	14.3	1.0	42.9	1.7	23.8	12	4.2	15	50.0	27	8.6
	Fem Pres Het Cont	0.0	0.0	1.0	50.0	1.0	21.4	0.0	0.0	0.7	28.6	0.7	9.5	0	0.0	8	26.7	8	2.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.4	0	0.0	1	0.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	14.3	0.3	4.8	0	0.0	2	6.7	2	0.6
	Unk	0.7	25.0	0.0	0.0	0.7	14.3	1.0	21.4	0.0	0.0	1.0	14.3	67	23.7	0	0.0	67	21.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	6	1
1986	.	4	3
1987	.	4	6
1988	.	11	8
1989	.	14	2
1990	.	12	7
1991	.	12	7
1992	.	17	10
1993	.	21	9
1994	.	31	12
1995	.	31	20
1996	.	31	14
1997	.	13	8
1998	.	12	7
1999	.	8	6
2000*	11	6	1
2001	7	9	3
2002	8	11	2
2003	5	7	6
2004	4	3	7
2005	3	12	3
2006	5	7	2
2007	4	6	7
2008	3	4	3
2009	2	6	6
2010	10	8	3
2011	2	7	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		5	100.0	18.5	1	100.0	3.7	6	100.0	22.2	27,072
Gender	Male	3	60.0	.	1	100.0	.	4	66.7	.	.
	Female	2	40.0	.	0	0.0	.	2	33.3	.	.
Current Age	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	0	0.0	.	0	0.0	.	0	0.0	.	.
	40-49	1	20.0	.	1	100.0	.	2	33.3	.	.
	50-59	4	80.0	.	0	0.0	.	4	66.7	.	.
Race/Ethnicity	White	3	60.0	.	1	100.0	.	4	66.7	.	.
	Black	1	20.0	.	0	0.0	.	1	16.7	.	.
	Hispanic	1	20.0	.	0	0.0	.	1	16.7	.	.
Risk	MSM	3	60.0	.	0	0.0	.	3	50.0	.	.
	Heterosexual	1	20.0	.	1	100.0	.	2	33.3	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	16.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	1	100.0	0	0.0	1	100.0	4	100.0	2	100.0	6	100.0
Risk	MSM	3	100.0	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	3	75.0	0	0.0	3	50.0
	Heterosexual	0	0.0	1	50.0	1	20.0	1	100.0	0	0.0	1	100.0	1	25.0	1	50.0	2	33.3
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	16.7

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		0.0	0.0	0.0	0.0	0.0	0.0	2	100.0	27,072
Gender	Male	0.0	0.0	.	0.0	0.0	.	2	100.0	.
	Female	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Age at Diagnosis	25-29	0.0	0.0	.	0.0	0.0	.	1	50.0	.
	30-39	0.0	0.0	.	0.0	0.0	.	1	50.0	.
	40-49	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	50-59	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	0.0	0.0	.	0.0	0.0	.	2	100.0	.
	Black	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	0.0	0.0	.	0.0	0.0	.	1	50.0	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	1	50.0	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0	0.0	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	100.0	0	0.0	2	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	50.0	0	0.0	1	50.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	50.0	0	0.0	1	50.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
2001	1	.	.
2003	1	1	.
2008	.	1	1

¹ *Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

² *Data as of March 2013*

³ *County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

⁴ *Deaths among AIDS cases. However, death may be due to causes other than AIDS.*

**HIV reporting began in June 2000. No earlier data are available.*

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		72	100.0	110.7	90	100.0	138.3	162	100.0	249.0	65,070
Gender	Male	54	75.0	.	79	87.8	.	133	82.1	.	.
	Female	18	25.0	.	11	12.2	.	29	17.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	2	2.2	.	2	1.2	.	.
	25-29	0	0.0	.	2	2.2	.	2	1.2	.	.
	30-39	5	6.9	.	3	3.3	.	8	4.9	.	.
	40-49	24	33.3	.	30	33.3	.	54	33.3	.	.
	50-59	29	40.3	.	36	40.0	.	65	40.1	.	.
	60+	14	19.4	.	17	18.9	.	31	19.1	.	.
Race/Ethnicity	White	21	29.2	.	27	30.0	.	48	29.6	.	.
	Black	23	31.9	.	22	24.4	.	45	27.8	.	.
	Hispanic	25	34.7	.	32	35.6	.	57	35.2	.	.
	Multi Race	3	4.2	.	8	8.9	.	11	6.8	.	.
	Others	0	0.0	.	1	1.1	.	1	0.6	.	.
Risk	MSM	9	12.5	.	14	15.6	.	23	14.2	.	.
	IDU	32	44.4	.	36	40.0	.	68	42.0	.	.
	MSM/IDU	3	4.2	.	2	2.2	.	5	3.1	.	.
	Heterosexual	4	5.6	.	12	13.3	.	16	9.9	.	.
	Fem Pres Het Cont	6	8.3	.	3	3.3	.	9	5.6	.	.
	Blood Prod.	0	0.0	.	2	2.2	.	2	1.2	.	.
	Pediatric Risk	0	0.0	.	1	1.1	.	1	0.6	.	.
	Unk	18	25.0	.	20	22.2	.	38	23.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		54	100.0	18	100.0	72	100.0	79	100.0	11	100.0	90	100.0	133	100.0	29	100.0	162	100.0
Risk	MSM	9	16.7	0	0.0	9	12.5	14	17.7	0	0.0	14	15.6	23	17.3	0	0.0	23	14.2
	IDU	23	42.6	9	50.0	32	44.4	35	44.3	1	9.1	36	40.0	58	43.6	10	34.5	68	42.0
	MSM/IDU	3	5.6	0	0.0	3	4.2	2	2.5	0	0.0	2	2.2	5	3.8	0	0.0	5	3.1
	Heterosexual	1	1.9	3	16.7	4	5.6	6	7.6	6	54.5	12	13.3	7	5.3	9	31.0	16	9.9
	Fem Pres Het Cont	0	0.0	6	33.3	6	8.3	0	0.0	3	27.3	3	3.3	0	0.0	9	31.0	9	5.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	2	2.5	0	0.0	2	2.2	2	1.5	0	0.0	2	1.2
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	1	1.1	0	0.0	1	3.4	1	0.6
	Unk	18	33.3	0	0.0	18	25.0	20	25.3	0	0.0	20	22.2	38	28.6	0	0.0	38	23.5

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.0	100.0	4.6	2.0	100.0	3.1	228	100.0	65,070
Gender	Male	2.0	66.7	.	1.3	66.7	.	201	88.2	.
	Female	1.0	33.3	.	0.7	33.3	.	27	11.8	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.4	.
	13-19	0.0	0.0	.	0.0	0.0	.	4	1.8	.
	20-24	0.0	0.0	.	0.3	16.7	.	6	2.6	.
	25-29	0.3	11.1	.	0.3	16.7	.	25	11.0	.
	30-39	0.7	22.2	.	0.0	0.0	.	93	40.8	.
	40-49	1.0	33.3	.	1.0	50.0	.	85	37.3	.
	50-59	0.3	11.1	.	0.0	0.0	.	11	4.8	.
	60+	0.7	22.2	.	0.3	16.7	.	3	1.3	.
Race/Ethnicity	White	2.0	66.7	.	1.0	50.0	.	66	28.9	.
	Black	0.3	11.1	.	0.3	16.7	.	57	25.0	.
	Hispanic	0.7	22.2	.	0.3	16.7	.	93	40.8	.
	Multi Race	0.0	0.0	.	0.3	16.7	.	11	4.8	.
	Others	0.0	0.0	.	0.0	0.0	.	1	0.4	.
Risk	MSM	0.7	22.2	.	0.7	33.3	.	29	12.7	.
	IDU	0.3	11.1	.	0.7	33.3	.	121	53.1	.
	MSM/IDU	0.3	11.1	.	0.0	0.0	.	9	3.9	.
	Heterosexual	0.7	22.2	.	0.7	33.3	.	13	5.7	.
	Fem Pres Het Cont	0.3	11.1	.	0.0	0.0	.	7	3.1	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	7	3.1	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	3	1.3	.
	Unk	0.7	22.2	.	0.0	0.0	.	39	17.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	1.0	100.0	3.0	100.0	1.3	100.0	0.7	100.0	2.0	100.0	201	100.0	27	100.0	228	100.0
Risk	MSM	0.7	33.3	0.0	0.0	0.7	22.2	0.7	50.0	0.0	0.0	0.7	33.3	29	14.4	0	0.0	29	12.7
	IDU	0.3	16.7	0.0	0.0	0.3	11.1	0.7	50.0	0.0	0.0	0.7	33.3	109	54.2	12	44.4	121	53.1
	MSM/IDU	0.3	16.7	0.0	0.0	0.3	11.1	0.0	0.0	0.0	0.0	0.0	0.0	9	4.5	0	0.0	9	3.9
	Heterosexual	0.0	0.0	0.7	66.7	0.7	22.2	0.0	0.0	0.7	100.0	0.7	33.3	6	3.0	7	25.9	13	5.7
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	7	25.9	7	3.1
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	3.5	0	0.0	7	3.1
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	1.0	1	3.7	3	1.3
	Unk	0.7	33.3	0.0	0.0	0.7	22.2	0.0	0.0	0.0	0.0	0.0	0.0	39	19.4	0	0.0	39	17.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	4	3
1986	.	2	3
1987	.	7	7
1988	.	13	4
1989	.	5	1
1990	.	12	7
1991	.	17	8
1992	.	23	14
1993	.	25	11
1994	.	16	5
1995	.	17	12
1996	.	13	10
1997	.	16	3
1998	.	7	10
1999	.	5	5
2000*	9	6	4
2001	4	6	5
2002	2	5	3
2003	6	5	1
2004	3	3	2
2005	3	3	4
2006	3	4	4
2007	3	4	3
2008	2	4	3
2009	4	1	4
2010	2	1	1
2011	3	4	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		22	100.0	30.0	25	100.0	34.1	47	100.0	64.1	73,365
Gender	Male	18	81.8	.	18	72.0	.	36	76.6	.	.
	Female	4	18.2	.	7	28.0	.	11	23.4	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	9.1	.	0	0.0	.	2	4.3	.	.
	30-39	3	13.6	.	3	12.0	.	6	12.8	.	.
	40-49	10	45.5	.	14	56.0	.	24	51.1	.	.
	50-59	5	22.7	.	5	20.0	.	10	21.3	.	.
	60+	2	9.1	.	3	12.0	.	5	10.6	.	.
Race/Ethnicity	White	16	72.7	.	12	48.0	.	28	59.6	.	.
	Black	4	18.2	.	3	12.0	.	7	14.9	.	.
	Hispanic	2	9.1	.	6	24.0	.	8	17.0	.	.
	Multi Race	0	0.0	.	3	12.0	.	3	6.4	.	.
	Others	0	0.0	.	1	4.0	.	1	2.1	.	.
Risk	MSM	12	54.5	.	6	24.0	.	18	38.3	.	.
	IDU	1	4.5	.	8	32.0	.	9	19.1	.	.
	MSM/IDU	0	0.0	.	2	8.0	.	2	4.3	.	.
	Heterosexual	1	4.5	.	4	16.0	.	5	10.6	.	.
	Fem Pres Het Cont	3	13.6	.	1	4.0	.	4	8.5	.	.
	Blood Prod.	0	0.0	.	1	4.0	.	1	2.1	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	5	22.7	.	3	12.0	.	8	17.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		18	100.0	4	100.0	22	100.0	18	100.0	7	100.0	25	100.0	36	100.0	11	100.0	47	100.0
Risk	MSM	12	66.7	0	0.0	12	54.5	6	33.3	0	0.0	6	24.0	18	50.0	0	0.0	18	38.3
	IDU	1	5.6	0	0.0	1	4.5	6	33.3	2	28.6	8	32.0	7	19.4	2	18.2	9	19.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	11.1	0	0.0	2	8.0	2	5.6	0	0.0	2	4.3
	Heterosexual	0	0.0	1	25.0	1	4.5	0	0.0	4	57.1	4	16.0	0	0.0	5	45.5	5	10.6
	Fem Pres Het Cont	0	0.0	3	75.0	3	13.6	0	0.0	1	14.3	1	4.0	0	0.0	4	36.4	4	8.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	5.6	0	0.0	1	4.0	1	2.8	0	0.0	1	2.1
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	5	27.8	0	0.0	5	22.7	3	16.7	0	0.0	3	12.0	8	22.2	0	0.0	8	17.0

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.3	100.0	1.8	1.7	100.0	2.3	61	100.0	73,365
Gender	Male	1.3	100.0	.	1.3	80.0	.	50	82.0	.
	Female	0.0	0.0	.	0.3	20.0	.	11	18.0	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	2	3.3	.
	25-29	0.0	0.0	.	0.3	20.0	.	10	16.4	.
	30-39	0.7	50.0	.	0.7	40.0	.	32	52.5	.
	40-49	0.0	0.0	.	0.3	20.0	.	9	14.8	.
	50-59	0.7	50.0	.	0.3	20.0	.	7	11.5	.
	60+	0.0	0.0	.	0.0	0.0	.	1	1.6	.
Race/Ethnicity	White	1.3	100.0	.	1.0	60.0	.	35	57.4	.
	Black	0.0	0.0	.	0.3	20.0	.	8	13.1	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	14	23.0	.
	Multi Race	0.0	0.0	.	0.3	20.0	.	3	4.9	.
	Others	0.0	0.0	.	0.0	0.0	.	1	1.6	.
Risk	MSM	1.3	100.0	.	1.0	60.0	.	18	29.5	.
	IDU	0.0	0.0	.	0.0	0.0	.	21	34.4	.
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	5	8.2	.
	Heterosexual	0.0	0.0	.	0.3	20.0	.	8	13.1	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	1	1.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	3.3	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	1.6	.
	Unk	0.0	0.0	.	0.0	0.0	.	5	8.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.3	100.0	0.3	100.0	1.7	100.0	50	100.0	11	100.0	61	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	100.0	1.0	75.0	0.0	0.0	1.0	60.0	18	36.0	0	0.0	18	29.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	34.0	4	36.4	21	34.4
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0	5	10.0	0	0.0	5	8.2
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	20.0	2	4.0	6	54.5	8	13.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	9.1	1	1.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	4.0	0	0.0	2	3.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.0	0	0.0	1	1.6
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	10.0	0	0.0	5	8.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1986	.	2	1
1987	.	1	1
1988	.	1	1
1989	.	2	1
1990	.	5	1
1991	.	4	2
1992	.	.	1
1993	.	8	3
1994	.	.	3
1995	.	3	4
1996	.	2	1
1997	.	6	1
1998	.	9	.
1999	.	2	1
2000*	1	4	.
2001	2	1	1
2002	1	.	1
2003	2	1	.
2004	1	1	1
2005	3	2	4
2006	4	1	1
2007	1	.	3
2008	1	1	1
2009	2	1	.
2010	1	3	2
2011	1	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		979	100.0	131.3	1,306	100.0	175.2	2,285	100.0	306.5	745,625
Gender	Male	717	73.2	.	920	70.4	.	1,637	71.6	.	.
	Female	262	26.8	.	386	29.6	.	648	28.4	.	.
Current Age	12 & under	0	0.0	.	1	0.1	.	1	0.0	.	.
	13-19	20	2.0	.	4	0.3	.	24	1.1	.	.
	20-24	69	7.0	.	28	2.1	.	97	4.2	.	.
	25-29	80	8.2	.	34	2.6	.	114	5.0	.	.
	30-39	167	17.1	.	113	8.7	.	280	12.3	.	.
	40-49	297	30.3	.	450	34.5	.	747	32.7	.	.
	50-59	256	26.1	.	474	36.3	.	730	31.9	.	.
	60+	90	9.2	.	202	15.5	.	292	12.8	.	.
Race/Ethnicity	White	347	35.4	.	431	33.0	.	778	34.0	.	.
	Black	407	41.6	.	562	43.0	.	969	42.4	.	.
	Hispanic	153	15.6	.	205	15.7	.	358	15.7	.	.
	Multi Race	68	6.9	.	105	8.0	.	173	7.6	.	.
	Others	4	0.4	.	3	0.2	.	7	0.3	.	.
Risk	MSM	456	46.6	.	450	34.5	.	906	39.6	.	.
	IDU	114	11.6	.	305	23.4	.	419	18.3	.	.
	MSM/IDU	33	3.4	.	60	4.6	.	93	4.1	.	.
	Heterosexual	141	14.4	.	195	14.9	.	336	14.7	.	.
	Fem Pres Het Cont	116	11.8	.	135	10.3	.	251	11.0	.	.
	Blood Prod.	1	0.1	.	6	0.5	.	7	0.3	.	.
	Pediatric Risk	15	1.5	.	14	1.1	.	29	1.3	.	.
	Unk	103	10.5	.	141	10.8	.	244	10.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		717	100.0	262	100.0	979	100.0	920	100.0	386	100.0	1,306	100.0	1,637	100.0	648	100.0	2,285	100.0
Risk	MSM	456	63.6	0	0.0	456	46.6	450	48.9	0	0.0	450	34.5	906	55.3	0	0.0	906	39.6
	IDU	75	10.5	39	14.9	114	11.6	196	21.3	109	28.2	305	23.4	271	16.6	148	22.8	419	18.3
	MSM/IDU	33	4.6	0	0.0	33	3.4	60	6.5	0	0.0	60	4.6	93	5.7	0	0.0	93	4.1
	Heterosexual	45	6.3	96	36.6	141	14.4	60	6.5	135	35.0	195	14.9	105	6.4	231	35.6	336	14.7
	Fem Pres Het Cont	0	0.0	116	44.3	116	11.8	0	0.0	135	35.0	135	10.3	0	0.0	251	38.7	251	11.0
	Blood Prod.	0	0.0	1	0.4	1	0.1	3	0.3	3	0.8	6	0.5	3	0.2	4	0.6	7	0.3
	Pediatric Risk	8	1.1	7	2.7	15	1.5	10	1.1	4	1.0	14	1.1	18	1.1	11	1.7	29	1.3
	Unk	100	13.9	3	1.1	103	10.5	141	15.3	0	0.0	141	10.8	241	14.7	3	0.5	244	10.7

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		90.3	100.0	12.1	63.7	100.0	8.5	2,791	100.0	745,625
Gender	Male	71.3	79.0	.	45.0	70.7	.	2,057	73.7	.
	Female	19.0	21.0	.	18.7	29.3	.	734	26.3	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	13	0.5	.
	13-19	7.0	7.7	.	1.7	2.6	.	18	0.6	.
	20-24	19.7	21.8	.	6.3	9.9	.	85	3.0	.
	25-29	12.3	13.7	.	3.3	5.2	.	297	10.6	.
	30-39	16.3	18.1	.	12.0	18.8	.	1,068	38.3	.
	40-49	18.7	20.7	.	19.0	29.8	.	896	32.1	.
	50-59	11.3	12.5	.	12.0	18.8	.	300	10.7	.
	60+	5.0	5.5	.	9.3	14.7	.	114	4.1	.
Race/Ethnicity	White	27.3	30.3	.	16.7	26.2	.	1,079	38.7	.
	Black	45.0	49.8	.	30.7	48.2	.	1,187	42.5	.
	Hispanic	13.3	14.8	.	10.3	16.2	.	388	13.9	.
	Multi Race	4.0	4.4	.	5.7	8.9	.	130	4.7	.
	Others	0.7	0.7	.	0.3	0.5	.	7	0.3	.
Risk	MSM	51.7	57.2	.	24.3	38.2	.	986	35.3	.
	IDU	6.7	7.4	.	9.7	15.2	.	866	31.0	.
	MSM/IDU	3.0	3.3	.	3.0	4.7	.	131	4.7	.
	Heterosexual	11.7	12.9	.	11.7	18.3	.	299	10.7	.
	Fem Pres Het Cont	9.3	10.3	.	8.3	13.1	.	197	7.1	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	22	0.8	.
	Pediatric Risk	0.0	0.0	.	0.7	1.0	.	20	0.7	.
	Unk	8.0	8.9	.	6.0	9.4	.	270	9.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		71.3	100.0	19.0	100.0	90.3	100.0	45.0	100.0	18.7	100.0	63.7	100.0	2,057	100.0	734	100.0	2,791	100.0
Risk	MSM	51.7	72.4	0.0	0.0	51.7	57.2	24.3	54.1	0.0	0.0	24.3	38.2	986	47.9	0	0.0	986	35.3
	IDU	4.3	6.1	2.3	12.3	6.7	7.4	5.3	11.9	4.3	23.2	9.7	15.2	558	27.1	308	42.0	866	31.0
	MSM/IDU	3.0	4.2	0.0	0.0	3.0	3.3	3.0	6.7	0.0	0.0	3.0	4.7	131	6.4	0	0.0	131	4.7
	Heterosexual	5.0	7.0	6.7	35.1	11.7	12.9	5.7	12.6	6.0	32.1	11.7	18.3	81	3.9	218	29.7	299	10.7
	Fem Pres Het Cont	0.0	0.0	9.3	49.1	9.3	10.3	0.0	0.0	8.3	44.6	8.3	13.1	0	0.0	197	26.8	197	7.1
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	0.8	6	0.8	22	0.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	0.0	0.0	0.7	1.0	15	0.7	5	0.7	20	0.7
	Unk	7.3	10.3	0.7	3.5	8.0	8.9	6.0	13.3	0.0	0.0	6.0	9.4	270	13.1	0	0.0	270	9.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	23	16
1986	.	38	18
1987	.	51	27
1988	.	75	31
1989	.	79	46
1990	.	90	51
1991	.	125	86
1992	.	169	97
1993	.	210	79
1994	.	216	120
1995	.	207	126
1996	.	150	103
1997	.	122	60
1998	.	85	48
1999	.	98	53
2000*	80	91	56
2001	100	125	39
2002	113	107	50
2003	98	80	46
2004	104	90	55
2005	85	107	48
2006	76	85	54
2007	101	97	45
2008	95	80	41
2009	90	67	32
2010	75	51	27
2011	106	73	37

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		34	100.0	68.1	38	100.0	76.1	72	100.0	144.2	49,916
Gender	Male	17	50.0	.	21	55.3	.	38	52.8	.	.
	Female	17	50.0	.	17	44.7	.	34	47.2	.	.
Current Age	20-24	3	8.8	.	0	0.0	.	3	4.2	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	5	14.7	.	5	13.2	.	10	13.9	.	.
	40-49	10	29.4	.	15	39.5	.	25	34.7	.	.
	50-59	10	29.4	.	15	39.5	.	25	34.7	.	.
	60+	6	17.6	.	3	7.9	.	9	12.5	.	.
Race/Ethnicity	White	11	32.4	.	13	34.2	.	24	33.3	.	.
	Black	3	8.8	.	3	7.9	.	6	8.3	.	.
	Hispanic	18	52.9	.	19	50.0	.	37	51.4	.	.
	Multi Race	2	5.9	.	3	7.9	.	5	6.9	.	.
Risk	MSM	7	20.6	.	6	15.8	.	13	18.1	.	.
	IDU	7	20.6	.	11	28.9	.	18	25.0	.	.
	MSM/IDU	1	2.9	.	2	5.3	.	3	4.2	.	.
	Heterosexual	12	35.3	.	10	26.3	.	22	30.6	.	.
	Fem Pres Het Cont	4	11.8	.	3	7.9	.	7	9.7	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.9	.	0	0.0	.	1	1.4	.	.
	Unk	2	5.9	.	6	15.8	.	8	11.1	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	17	100.0	34	100.0	21	100.0	17	100.0	38	100.0	38	100.0	34	100.0	72	100.0
Risk	MSM	7	41.2	0	0.0	7	20.6	6	28.6	0	0.0	6	15.8	13	34.2	0	0.0	13	18.1
	IDU	3	17.6	4	23.5	7	20.6	6	28.6	5	29.4	11	28.9	9	23.7	9	26.5	18	25.0
	MSM/IDU	1	5.9	0	0.0	1	2.9	2	9.5	0	0.0	2	5.3	3	7.9	0	0.0	3	4.2
	Heterosexual	4	23.5	8	47.1	12	35.3	1	4.8	9	52.9	10	26.3	5	13.2	17	50.0	22	30.6
	Fem Pres Het Cont	0	0.0	4	23.5	4	11.8	0	0.0	3	17.6	3	7.9	0	0.0	7	20.6	7	9.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	1	5.9	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	1.4
	Unk	2	11.8	0	0.0	2	5.9	6	28.6	0	0.0	6	15.8	8	21.1	0	0.0	8	11.1

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.3	100.0	2.7	1.3	100.0	2.7	88	100.0	49,916
Gender	Male	0.7	50.0	.	1.0	75.0	.	62	70.5	.
	Female	0.7	50.0	.	0.3	25.0	.	26	29.5	.
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	3	3.4	.
	25-29	0.7	50.0	.	0.0	0.0	.	13	14.8	.
	30-39	0.3	25.0	.	0.0	0.0	.	33	37.5	.
	40-49	0.0	0.0	.	0.7	50.0	.	21	23.9	.
	50-59	0.3	25.0	.	0.7	50.0	.	14	15.9	.
	60+	0.0	0.0	.	0.0	0.0	.	4	4.5	.
Race/Ethnicity	White	0.7	50.0	.	0.3	25.0	.	38	43.2	.
	Black	0.7	50.0	.	0.0	0.0	.	10	11.4	.
	Hispanic	0.0	0.0	.	1.0	75.0	.	36	40.9	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	4.5	.
Risk	MSM	0.3	25.0	.	0.3	25.0	.	18	20.5	.
	IDU	0.3	25.0	.	0.3	25.0	.	32	36.4	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	3	3.4	.
	Heterosexual	0.7	50.0	.	0.3	25.0	.	16	18.2	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	6	6.8	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	3.4	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.0	0.0	.	0.3	25.0	.	10	11.4	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.7	100.0	1.3	100.0	1.0	100.0	0.3	100.0	1.3	100.0	62	100.0	26	100.0	88	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	25.0	0.3	33.3	0.0	0.0	0.3	25.0	18	29.0	0	0.0	18	20.5
	IDU	0.0	0.0	0.3	50.0	0.3	25.0	0.3	33.3	0.0	0.0	0.3	25.0	22	35.5	10	38.5	32	36.4
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	4.8	0	0.0	3	3.4
	Heterosexual	0.3	50.0	0.3	50.0	0.7	50.0	0.0	0.0	0.3	100.0	0.3	25.0	6	9.7	10	38.5	16	18.2
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	6	23.1	6	6.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	4.8	0	0.0	3	3.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	25.0	10	16.1	0	0.0	10	11.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	1
1987	.	2	.
1988	.	4	1
1989	.	2	4
1990	.	1	2
1991	.	7	1
1992	.	7	5
1993	.	4	3
1994	.	8	5
1995	.	4	5
1996	.	6	3
1997	.	5	1
1998	.	5	1
1999	.	4	1
2000*	3	2	3
2001	2	3	2
2002	4	4	.
2003	3	2	3
2004	2	2	1
2005	3	4	2
2006	3	2	.
2007	2	2	.
2008	4	3	2
2009	2	.	3
2010	1	2	1
2011	1	2	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,134	100.0	84.3	1,824	100.0	135.7	2,958	100.0	220.0	1,344,436
Gender	Male	731	64.5	.	1,260	69.1	.	1,991	67.3	.	.
	Female	403	35.5	.	564	30.9	.	967	32.7	.	.
Current Age	12 & under	6	0.5	.	0	0.0	.	6	0.2	.	.
	13-19	36	3.2	.	7	0.4	.	43	1.5	.	.
	20-24	67	5.9	.	39	2.1	.	106	3.6	.	.
	25-29	79	7.0	.	56	3.1	.	135	4.6	.	.
	30-39	215	19.0	.	178	9.8	.	393	13.3	.	.
	40-49	321	28.3	.	584	32.0	.	905	30.6	.	.
	50-59	291	25.7	.	656	36.0	.	947	32.0	.	.
	60+	118	10.4	.	304	16.7	.	422	14.3	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White	372	32.8	.	529	29.0	.	901	30.5	.	.
	Black	445	39.2	.	739	40.5	.	1,184	40.0	.	.
	Hispanic	247	21.8	.	392	21.5	.	639	21.6	.	.
	Multi Race	57	5.0	.	150	8.2	.	207	7.0	.	.
	Others	13	1.1	.	14	0.8	.	27	0.9	.	.
	Unk	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	383	33.8	.	507	27.8	.	890	30.1	.	.
	IDU	94	8.3	.	332	18.2	.	426	14.4	.	.
	MSM/IDU	27	2.4	.	61	3.3	.	88	3.0	.	.
	Heterosexual	202	17.8	.	360	19.7	.	562	19.0	.	.
	Fem Pres Het Cont	185	16.3	.	202	11.1	.	387	13.1	.	.
	Blood Prod.	3	0.3	.	19	1.0	.	22	0.7	.	.
	Pediatric Risk	42	3.7	.	30	1.6	.	72	2.4	.	.
	Unk	198	17.5	.	313	17.2	.	511	17.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		731	100.0	403	100.0	1,134	100.0	1,260	100.0	564	100.0	1,824	100.0	1,991	100.0	967	100.0	2,958	100.0
Risk	MSM	383	52.4	0	0.0	383	33.8	507	40.2	0	0.0	507	27.8	890	44.7	0	0.0	890	30.1
	IDU	57	7.8	37	9.2	94	8.3	236	18.7	96	17.0	332	18.2	293	14.7	133	13.8	426	14.4
	MSM/IDU	27	3.7	0	0.0	27	2.4	61	4.8	0	0.0	61	3.3	88	4.4	0	0.0	88	3.0
	Heterosexual	47	6.4	155	38.5	202	17.8	112	8.9	248	44.0	360	19.7	159	8.0	403	41.7	562	19.0
	Fem Pres Het Cont	0	0.0	185	45.9	185	16.3	0	0.0	202	35.8	202	11.1	0	0.0	387	40.0	387	13.1
	Blood Prod.	0	0.0	3	0.7	3	0.3	13	1.0	6	1.1	19	1.0	13	0.7	9	0.9	22	0.7
	Pediatric Risk	19	2.6	23	5.7	42	3.7	18	1.4	12	2.1	30	1.6	37	1.9	35	3.6	72	2.4
	Unk	198	27.1	0	0.0	198	17.5	313	24.8	0	0.0	313	17.2	511	25.7	0	0.0	511	17.3

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		105.3	100.0	7.8	81.7	100.0	6.1	4,602	100.0	1,344,436
Gender	Male	78.3	74.4	.	56.3	69.0	.	3,399	73.9	.
	Female	27.0	25.6	.	25.3	31.0	.	1,203	26.1	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	46	1.0	.
	13-19	7.0	6.6	.	1.7	2.0	.	40	0.9	.
	20-24	19.7	18.7	.	8.3	10.2	.	143	3.1	.
	25-29	12.7	12.0	.	8.7	10.6	.	453	9.8	.
	30-39	22.3	21.2	.	17.0	20.8	.	1,813	39.4	.
	40-49	21.7	20.6	.	21.3	26.1	.	1,385	30.1	.
	50-59	17.3	16.5	.	19.3	23.7	.	509	11.1	.
	60+	4.7	4.4	.	5.3	6.5	.	213	4.6	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	26.7	25.3	.	13.3	16.3	.	1,807	39.3	.
	Black	42.0	39.9	.	35.3	43.3	.	1,947	42.3	.
	Hispanic	32.0	30.4	.	24.7	30.2	.	604	13.1	.
	Multi Race	3.0	2.8	.	7.3	9.0	.	217	4.7	.
	Others	1.7	1.6	.	1.0	1.2	.	26	0.6	.
	Unk	0.0	0.0	.	0.0	0.0	.	1	0.0	.
Risk	MSM	48.7	46.2	.	28.0	34.3	.	1,250	27.2	.
	IDU	2.0	1.9	.	5.0	6.1	.	1,479	32.1	.
	MSM/IDU	1.0	0.9	.	1.0	1.2	.	178	3.9	.
	Heterosexual	15.3	14.6	.	17.3	21.2	.	637	13.8	.
	Fem Pres Het Cont	17.0	16.1	.	13.3	16.3	.	317	6.9	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	67	1.5	.
	Pediatric Risk	0.0	0.0	.	1.3	1.6	.	71	1.5	.
	Unk	21.3	20.3	.	15.7	19.2	.	603	13.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		78.3	100.0	27.0	100.0	105.3	100.0	56.3	100.0	25.3	100.0	81.7	100.0	3,399	100.0	1,203	100.0	4,602	100.0
Risk	MSM	48.7	62.1	0.0	0.0	48.7	46.2	28.0	49.7	0.0	0.0	28.0	34.3	1,250	36.8	0	0.0	1,250	27.2
	IDU	1.7	2.1	0.3	1.2	2.0	1.9	4.0	7.1	1.0	3.9	5.0	6.1	1,091	32.1	388	32.3	1,479	32.1
	MSM/IDU	1.0	1.3	0.0	0.0	1.0	0.9	1.0	1.8	0.0	0.0	1.0	1.2	178	5.2	0	0.0	178	3.9
	Heterosexual	5.7	7.2	9.7	35.8	15.3	14.6	7.3	13.0	10.0	39.5	17.3	21.2	189	5.6	448	37.2	637	13.8
	Fem Pres Het Cont	0.0	0.0	17.0	63.0	17.0	16.1	0.0	0.0	13.3	52.6	13.3	16.3	0	0.0	317	26.4	317	6.9
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	1.5	17	1.4	67	1.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.0	3.9	1.3	1.6	40	1.2	31	2.6	71	1.5
	Unk	21.3	27.2	0.0	0.0	21.3	20.3	15.7	27.8	0.0	0.0	15.7	19.2	601	17.7	2	0.2	603	13.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	136	79
1986	.	119	70
1987	.	143	102
1988	.	192	114
1989	.	233	149
1990	.	231	152
1991	.	251	193
1992	.	300	196
1993	.	312	203
1994	.	258	241
1995	.	306	235
1996	.	247	138
1997	.	169	81
1998	.	156	69
1999	.	155	76
2000*	155	177	64
2001	158	167	72
2002	135	160	58
2003	115	127	84
2004	115	124	62
2005	128	104	60
2006	111	95	56
2007	101	100	64
2008	136	95	45
2009	92	89	43
2010	103	83	46
2011	121	73	30

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		90	100.0	41.7	102	100.0	47.2	192	100.0	88.9	216,011
Gender	Male	64	71.1	.	69	67.6	.	133	69.3	.	.
	Female	26	28.9	.	33	32.4	.	59	30.7	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	2.2	.	1	1.0	.	3	1.6	.	.
	20-24	4	4.4	.	3	2.9	.	7	3.6	.	.
	25-29	12	13.3	.	6	5.9	.	18	9.4	.	.
	30-39	19	21.1	.	10	9.8	.	29	15.1	.	.
	40-49	27	30.0	.	42	41.2	.	69	35.9	.	.
	50-59	20	22.2	.	30	29.4	.	50	26.0	.	.
	60+	6	6.7	.	10	9.8	.	16	8.3	.	.
Race/Ethnicity	White	45	50.0	.	47	46.1	.	92	47.9	.	.
	Black	28	31.1	.	32	31.4	.	60	31.3	.	.
	Hispanic	9	10.0	.	11	10.8	.	20	10.4	.	.
	Multi Race	8	8.9	.	12	11.8	.	20	10.4	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	40	44.4	.	40	39.2	.	80	41.7	.	.
	IDU	11	12.2	.	26	25.5	.	37	19.3	.	.
	MSM/IDU	5	5.6	.	5	4.9	.	10	5.2	.	.
	Heterosexual	19	21.1	.	24	23.5	.	43	22.4	.	.
	Fem Pres Het Cont	9	10.0	.	2	2.0	.	11	5.7	.	.
	Blood Prod.	1	1.1	.	0	0.0	.	1	0.5	.	.
	Pediatric Risk	0	0.0	.	3	2.9	.	3	1.6	.	.
	Unk	5	5.6	.	2	2.0	.	7	3.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		64	100.0	26	100.0	90	100.0	69	100.0	33	100.0	102	100.0	133	100.0	59	100.0	192	100.0
Risk	MSM	40	62.5	0	0.0	40	44.4	40	58.0	0	0.0	40	39.2	80	60.2	0	0.0	80	41.7
	IDU	9	14.1	2	7.7	11	12.2	17	24.6	9	27.3	26	25.5	26	19.5	11	18.6	37	19.3
	MSM/IDU	5	7.8	0	0.0	5	5.6	5	7.2	0	0.0	5	4.9	10	7.5	0	0.0	10	5.2
	Heterosexual	4	6.3	15	57.7	19	21.1	4	5.8	20	60.6	24	23.5	8	6.0	35	59.3	43	22.4
	Fem Pres Het Cont	0	0.0	9	34.6	9	10.0	0	0.0	2	6.1	2	2.0	0	0.0	11	18.6	11	5.7
	Blood Prod.	1	1.6	0	0.0	1	1.1	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.5
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.4	2	6.1	3	2.9	1	0.8	2	3.4	3	1.6
	Unk	5	7.8	0	0.0	5	5.6	2	2.9	0	0.0	2	2.0	7	5.3	0	0.0	7	3.6

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		9.0	100.0	4.2	4.7	100.0	2.2	281	100.0	216,011
Gender	Male	7.3	81.5	.	3.7	78.6	.	198	70.5	.
	Female	1.7	18.5	.	1.0	21.4	.	83	29.5	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	3	1.1	.
	13-19	0.7	7.4	.	0.0	0.0	.	5	1.8	.
	20-24	2.7	29.6	.	1.7	35.7	.	12	4.3	.
	25-29	1.0	11.1	.	0.0	0.0	.	34	12.1	.
	30-39	1.3	14.8	.	1.0	21.4	.	103	36.7	.
	40-49	2.3	25.9	.	1.3	28.6	.	90	32.0	.
	50-59	0.3	3.7	.	0.3	7.1	.	28	10.0	.
	60+	0.7	7.4	.	0.3	7.1	.	6	2.1	.
Race/Ethnicity	White	4.7	51.9	.	2.3	50.0	.	142	50.5	.
	Black	3.7	40.7	.	2.0	42.9	.	100	35.6	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	20	7.1	.
	Multi Race	0.7	7.4	.	0.3	7.1	.	17	6.0	.
	Others	0.0	0.0	.	0.0	0.0	.	2	0.7	.
Risk	MSM	5.7	63.0	.	2.7	57.1	.	102	36.3	.
	IDU	0.7	7.4	.	0.3	7.1	.	94	33.5	.
	MSM/IDU	0.3	3.7	.	0.3	7.1	.	16	5.7	.
	Heterosexual	2.0	22.2	.	1.0	21.4	.	46	16.4	.
	Fem Pres Het Cont	0.3	3.7	.	0.3	7.1	.	7	2.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	1.1	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	6	2.1	.
	Unk	0.0	0.0	.	0.0	0.0	.	7	2.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.3	100.0	1.7	100.0	9.0	100.0	3.7	100.0	1.0	100.0	4.7	100.0	198	100.0	83	100.0	281	100.0
Risk	MSM	5.7	77.3	0.0	0.0	5.7	63.0	2.7	72.7	0.0	0.0	2.7	57.1	102	51.5	0	0.0	102	36.3
	IDU	0.3	4.5	0.3	20.0	0.7	7.4	0.3	9.1	0.0	0.0	0.3	7.1	60	30.3	34	41.0	94	33.5
	MSM/IDU	0.3	4.5	0.0	0.0	0.3	3.7	0.3	9.1	0.0	0.0	0.3	7.1	16	8.1	0	0.0	16	5.7
	Heterosexual	1.0	13.6	1.0	60.0	2.0	22.2	0.3	9.1	0.7	66.7	1.0	21.4	8	4.0	38	45.8	46	16.4
	Fem Pres Het Cont	0.0	0.0	0.3	20.0	0.3	3.7	0.0	0.0	0.3	33.3	0.3	7.1	0	0.0	7	8.4	7	2.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.5	2	2.4	3	1.1
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	2.0	2	2.4	6	2.1
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	3.5	0	0.0	7	2.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	.
1986	.	4	4
1987	.	5	3
1988	.	6	3
1989	.	14	8
1990	.	21	10
1991	.	18	13
1992	.	17	21
1993	.	22	11
1994	.	9	20
1995	.	16	9
1996	.	12	6
1997	.	15	9
1998	.	11	4
1999	.	6	3
2000*	8	13	4
2001	3	13	5
2002	7	5	1
2003	10	14	5
2004	12	8	5
2005	19	13	14
2006	9	7	4
2007	5	7	2
2008	10	9	6
2009	7	2	4
2010	10	4	2
2011	10	8	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		295	100.0	125.9	426	100.0	181.8	721	100.0	307.7	234,287
Gender	Male	237	80.3	.	359	84.3	.	596	82.7	.	.
	Female	58	19.7	.	67	15.7	.	125	17.3	.	.
Current Age	12 & under	1	0.3	.	0	0.0	.	1	0.1	.	.
	13-19	2	0.7	.	2	0.5	.	4	0.6	.	.
	20-24	8	2.7	.	5	1.2	.	13	1.8	.	.
	25-29	17	5.8	.	5	1.2	.	22	3.1	.	.
	30-39	38	12.9	.	40	9.4	.	78	10.8	.	.
	40-49	98	33.2	.	153	35.9	.	251	34.8	.	.
	50-59	96	32.5	.	157	36.9	.	253	35.1	.	.
	60+	35	11.9	.	64	15.0	.	99	13.7	.	.
Race/Ethnicity	White	70	23.7	.	96	22.5	.	166	23.0	.	.
	Black	101	34.2	.	145	34.0	.	246	34.1	.	.
	Hispanic	105	35.6	.	156	36.6	.	261	36.2	.	.
	Multi Race	14	4.7	.	26	6.1	.	40	5.5	.	.
	Others	5	1.7	.	3	0.7	.	8	1.1	.	.
Risk	MSM	59	20.0	.	82	19.2	.	141	19.6	.	.
	IDU	85	28.8	.	138	32.4	.	223	30.9	.	.
	MSM/IDU	5	1.7	.	20	4.7	.	25	3.5	.	.
	Heterosexual	42	14.2	.	41	9.6	.	83	11.5	.	.
	Fem Pres Het Cont	29	9.8	.	26	6.1	.	55	7.6	.	.
	Blood Prod.	0	0.0	.	3	0.7	.	3	0.4	.	.
	Pediatric Risk	3	1.0	.	5	1.2	.	8	1.1	.	.
	Unk	72	24.4	.	111	26.1	.	183	25.4	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		237	100.0	58	100.0	295	100.0	359	100.0	67	100.0	426	100.0	596	100.0	125	100.0	721	100.0
Risk	MSM	59	24.9	0	0.0	59	20.0	82	22.8	0	0.0	82	19.2	141	23.7	0	0.0	141	19.6
	IDU	80	33.8	5	8.6	85	28.8	124	34.5	14	20.9	138	32.4	204	34.2	19	15.2	223	30.9
	MSM/IDU	5	2.1	0	0.0	5	1.7	20	5.6	0	0.0	20	4.7	25	4.2	0	0.0	25	3.5
	Heterosexual	20	8.4	22	37.9	42	14.2	16	4.5	25	37.3	41	9.6	36	6.0	47	37.6	83	11.5
	Fem Pres Het Cont	0	0.0	29	50.0	29	9.8	0	0.0	26	38.8	26	6.1	0	0.0	55	44.0	55	7.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0	3	0.7	3	0.5	0	0.0	3	0.4
	Pediatric Risk	1	0.4	2	3.4	3	1.0	3	0.8	2	3.0	5	1.2	4	0.7	4	3.2	8	1.1
	Unk	72	30.4	0	0.0	72	24.4	111	30.9	0	0.0	111	26.1	183	30.7	0	0.0	183	25.4

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		12.7	100.0	5.4	11.7	100.0	5.0	1,027	100.0	234,287
Gender	Male	7.0	55.3	.	7.7	65.7	.	900	87.6	.
	Female	5.7	44.7	.	4.0	34.3	.	127	12.4	.
Age at Diagnosis	12 & under	0.3	2.6	.	0.0	0.0	.	2	0.2	.
	13-19	0.7	5.3	.	0.3	2.9	.	7	0.7	.
	20-24	4.0	31.6	.	1.0	8.6	.	26	2.5	.
	25-29	1.0	7.9	.	1.3	11.4	.	124	12.1	.
	30-39	2.0	15.8	.	2.0	17.1	.	468	45.6	.
	40-49	3.0	23.7	.	4.3	37.1	.	316	30.8	.
	50-59	1.0	7.9	.	2.3	20.0	.	71	6.9	.
	60+	0.7	5.3	.	0.3	2.9	.	13	1.3	.
Race/Ethnicity	White	7.0	55.3	.	3.7	31.4	.	228	22.2	.
	Black	3.0	23.7	.	4.3	37.1	.	364	35.4	.
	Hispanic	1.7	13.2	.	2.3	20.0	.	390	38.0	.
	Multi Race	1.0	7.9	.	1.0	8.6	.	41	4.0	.
	Others	0.0	0.0	.	0.3	2.9	.	4	0.4	.
Risk	MSM	3.7	28.9	.	2.3	20.0	.	166	16.2	.
	IDU	2.0	15.8	.	2.3	20.0	.	497	48.4	.
	MSM/IDU	0.3	2.6	.	0.0	0.0	.	52	5.1	.
	Heterosexual	2.3	18.4	.	2.3	20.0	.	80	7.8	.
	Fem Pres Het Cont	3.0	23.7	.	1.3	11.4	.	37	3.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	7	0.7	.
	Pediatric Risk	0.3	2.6	.	0.3	2.9	.	8	0.8	.
	Unk	1.0	7.9	.	3.0	25.7	.	180	17.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.0	100.0	5.7	100.0	12.7	100.0	7.7	100.0	4.0	100.0	11.7	100.0	900	100.0	127	100.0	1,027	100.0
Risk	MSM	3.7	52.4	0.0	0.0	3.7	28.9	2.3	30.4	0.0	0.0	2.3	20.0	166	18.4	0	0.0	166	16.2
	IDU	1.3	19.0	0.7	11.8	2.0	15.8	1.7	21.7	0.7	16.7	2.3	20.0	457	50.8	40	31.5	497	48.4
	MSM/IDU	0.3	4.8	0.0	0.0	0.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	52	5.8	0	0.0	52	5.1
	Heterosexual	0.7	9.5	1.7	29.4	2.3	18.4	0.7	8.7	1.7	41.7	2.3	20.0	34	3.8	46	36.2	80	7.8
	Fem Pres Het Cont	0.0	0.0	3.0	52.9	3.0	23.7	0.0	0.0	1.3	33.3	1.3	11.4	0	0.0	37	29.1	37	3.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	0.8	0	0.0	7	0.7
	Pediatric Risk	0.0	0.0	0.3	5.9	0.3	2.6	0.0	0.0	0.3	8.3	0.3	2.9	4	0.4	4	3.1	8	0.8
	Unk	1.0	14.3	0.0	0.0	1.0	7.9	3.0	39.1	0.0	0.0	3.0	25.7	180	20.0	0	0.0	180	17.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	9	4
1986	.	9	5
1987	.	11	8
1988	.	23	13
1989	.	36	21
1990	.	59	21
1991	.	75	41
1992	.	94	39
1993	.	110	73
1994	.	70	54
1995	.	77	52
1996	.	84	59
1997	.	55	21
1998	.	37	15
1999	.	33	20
2000*	26	35	15
2001	24	26	14
2002	22	26	14
2003	20	27	16
2004	20	21	13
2005	14	26	13
2006	17	16	7
2007	17	16	22
2008	14	17	10
2009	16	18	12
2010	13	9	17
2011	9	8	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		386	100.0	82.7	598	100.0	128.1	984	100.0	210.7	466,960
Gender	Male	250	64.8	.	417	69.7	.	667	67.8	.	.
	Female	136	35.2	.	181	30.3	.	317	32.2	.	.
Current Age	12 & under	2	0.5	.	0	0.0	.	2	0.2	.	.
	13-19	13	3.4	.	0	0.0	.	13	1.3	.	.
	20-24	31	8.0	.	8	1.3	.	39	4.0	.	.
	25-29	36	9.3	.	16	2.7	.	52	5.3	.	.
	30-39	75	19.4	.	68	11.4	.	143	14.5	.	.
	40-49	120	31.1	.	225	37.6	.	345	35.1	.	.
	50-59	83	21.5	.	215	36.0	.	298	30.3	.	.
	60+	26	6.7	.	66	11.0	.	92	9.3	.	.
Race/Ethnicity	White	161	41.7	.	258	43.1	.	419	42.6	.	.
	Black	147	38.1	.	218	36.5	.	365	37.1	.	.
	Hispanic	38	9.8	.	61	10.2	.	99	10.1	.	.
	Multi Race	35	9.1	.	51	8.5	.	86	8.7	.	.
	Others	5	1.3	.	10	1.7	.	15	1.5	.	.
Risk	MSM	154	39.9	.	228	38.1	.	382	38.8	.	.
	IDU	48	12.4	.	106	17.7	.	154	15.7	.	.
	MSM/IDU	4	1.0	.	29	4.8	.	33	3.4	.	.
	Heterosexual	111	28.8	.	157	26.3	.	268	27.2	.	.
	Fem Pres Het Cont	23	6.0	.	21	3.5	.	44	4.5	.	.
	Blood Prod.	0	0.0	.	5	0.8	.	5	0.5	.	.
	Pediatric Risk	10	2.6	.	6	1.0	.	16	1.6	.	.
	Unk	36	9.3	.	46	7.7	.	82	8.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		250	100.0	136	100.0	386	100.0	417	100.0	181	100.0	598	100.0	667	100.0	317	100.0	984	100.0
Risk	MSM	154	61.6	0	0.0	154	39.9	228	54.7	0	0.0	228	38.1	382	57.3	0	0.0	382	38.8
	IDU	29	11.6	19	14.0	48	12.4	68	16.3	38	21.0	106	17.7	97	14.5	57	18.0	154	15.7
	MSM/IDU	4	1.6	0	0.0	4	1.0	29	7.0	0	0.0	29	4.8	33	4.9	0	0.0	33	3.4
	Heterosexual	21	8.4	90	66.2	111	28.8	40	9.6	117	64.6	157	26.3	61	9.1	207	65.3	268	27.2
	Fem Pres Het Cont	0	0.0	23	16.9	23	6.0	0	0.0	21	11.6	21	3.5	0	0.0	44	13.9	44	4.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0	5	0.8	5	0.7	0	0.0	5	0.5
	Pediatric Risk	6	2.4	4	2.9	10	2.6	3	0.7	3	1.7	6	1.0	9	1.3	7	2.2	16	1.6
	Unk	36	14.4	0	0.0	36	9.3	44	10.6	2	1.1	46	7.7	80	12.0	2	0.6	82	8.3

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		40.3	100.0	8.6	28.0	100.0	6.0	1,355	100.0	466,960
Gender	Male	30.0	74.4	.	20.7	73.8	.	1,034	76.3	.
	Female	10.3	25.6	.	7.3	26.2	.	321	23.7	.
Age at Diagnosis	12 & under	0.3	0.8	.	0.0	0.0	.	8	0.6	.
	13-19	3.0	7.4	.	0.3	1.2	.	15	1.1	.
	20-24	6.7	16.5	.	0.7	2.4	.	57	4.2	.
	25-29	6.0	14.9	.	3.0	10.7	.	159	11.7	.
	30-39	6.7	16.5	.	5.0	17.9	.	533	39.3	.
	40-49	9.0	22.3	.	11.3	40.5	.	413	30.5	.
	50-59	6.0	14.9	.	6.3	22.6	.	134	9.9	.
	60+	2.7	6.6	.	1.3	4.8	.	36	2.7	.
Race/Ethnicity	White	14.7	36.4	.	9.0	32.1	.	703	51.9	.
	Black	17.0	42.1	.	12.7	45.2	.	464	34.2	.
	Hispanic	5.0	12.4	.	3.3	11.9	.	111	8.2	.
	Multi Race	2.3	5.8	.	2.0	7.1	.	61	4.5	.
	Others	1.3	3.3	.	1.0	3.6	.	16	1.2	.
Risk	MSM	19.7	48.8	.	10.7	38.1	.	565	41.7	.
	IDU	1.3	3.3	.	2.7	9.5	.	305	22.5	.
	MSM/IDU	1.0	2.5	.	0.7	2.4	.	79	5.8	.
	Heterosexual	8.0	19.8	.	7.0	25.0	.	250	18.5	.
	Fem Pres Het Cont	3.3	8.3	.	1.0	3.6	.	38	2.8	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	26	1.9	.
	Pediatric Risk	0.3	0.8	.	0.3	1.2	.	12	0.9	.
	Unk	6.7	16.5	.	5.7	20.2	.	80	5.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		30.0	100.0	10.3	100.0	40.3	100.0	20.7	100.0	7.3	100.0	28.0	100.0	1,034	100.0	321	100.0	1,355	100.0
Risk	MSM	19.7	65.6	0.0	0.0	19.7	48.8	10.7	51.6	0.0	0.0	10.7	38.1	565	54.6	0	0.0	565	41.7
	IDU	1.3	4.4	0.0	0.0	1.3	3.3	2.3	11.3	0.3	4.5	2.7	9.5	212	20.5	93	29.0	305	22.5
	MSM/IDU	1.0	3.3	0.0	0.0	1.0	2.5	0.7	3.2	0.0	0.0	0.7	2.4	79	7.6	0	0.0	79	5.8
	Heterosexual	2.0	6.7	6.0	58.1	8.0	19.8	2.0	9.7	5.0	68.2	7.0	25.0	72	7.0	178	55.5	250	18.5
	Fem Pres Het Cont	0.0	0.0	3.3	32.3	3.3	8.3	0.0	0.0	1.0	13.6	1.0	3.6	0	0.0	38	11.8	38	2.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	2.0	5	1.6	26	1.9
	Pediatric Risk	0.0	0.0	0.3	3.2	0.3	0.8	0.0	0.0	0.3	4.5	0.3	1.2	7	0.7	5	1.6	12	0.9
	Unk	6.0	20.0	0.7	6.5	6.7	16.5	5.0	24.2	0.7	9.1	5.7	20.2	78	7.5	2	0.6	80	5.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	34	18
1986	.	12	16
1987	.	24	12
1988	.	34	24
1989	.	42	24
1990	.	49	21
1991	.	59	34
1992	.	121	53
1993	.	116	56
1994	.	78	83
1995	.	83	67
1996	.	89	58
1997	.	55	20
1998	.	33	20
1999	.	46	20
2000*	28	79	25
2001	51	42	17
2002	46	43	17
2003	58	43	15
2004	49	33	14
2005	49	44	12
2006	33	32	22
2007	37	41	25
2008	46	39	28
2009	33	28	22
2010	39	22	21
2011	49	34	18

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		45	100.0	41.5	42	100.0	38.7	87	100.0	80.2	108,525
Gender	Male	27	60.0	.	29	69.0	.	56	64.4	.	.
	Female	18	40.0	.	13	31.0	.	31	35.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.2	.	0	0.0	.	1	1.1	.	.
	25-29	2	4.4	.	1	2.4	.	3	3.4	.	.
	30-39	11	24.4	.	4	9.5	.	15	17.2	.	.
	40-49	12	26.7	.	16	38.1	.	28	32.2	.	.
	50-59	16	35.6	.	14	33.3	.	30	34.5	.	.
	60+	3	6.7	.	7	16.7	.	10	11.5	.	.
Race/Ethnicity	White	25	55.6	.	25	59.5	.	50	57.5	.	.
	Black	7	15.6	.	6	14.3	.	13	14.9	.	.
	Hispanic	12	26.7	.	9	21.4	.	21	24.1	.	.
	Multi Race	1	2.2	.	2	4.8	.	3	3.4	.	.
Risk	MSM	14	31.1	.	17	40.5	.	31	35.6	.	.
	IDU	7	15.6	.	3	7.1	.	10	11.5	.	.
	MSM/IDU	0	0.0	.	2	4.8	.	2	2.3	.	.
	Heterosexual	9	20.0	.	9	21.4	.	18	20.7	.	.
	Fem Pres Het Cont	7	15.6	.	7	16.7	.	14	16.1	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.2	.	0	0.0	.	1	1.1	.	.
	Unk	7	15.6	.	4	9.5	.	11	12.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹**by Gender and Risk****Includes State Prison Inmates²**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	18	100.0	45	100.0	29	100.0	13	100.0	42	100.0	56	100.0	31	100.0	87	100.0
Risk	MSM	14	51.9	0	0.0	14	31.1	17	58.6	0	0.0	17	40.5	31	55.4	0	0.0	31	35.6
	IDU	4	14.8	3	16.7	7	15.6	3	10.3	0	0.0	3	7.1	7	12.5	3	9.7	10	11.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	6.9	0	0.0	2	4.8	2	3.6	0	0.0	2	2.3
	Heterosexual	1	3.7	8	44.4	9	20.0	3	10.3	6	46.2	9	21.4	4	7.1	14	45.2	18	20.7
	Fem Pres Het Cont	0	0.0	7	38.9	7	15.6	0	0.0	7	53.8	7	16.7	0	0.0	14	45.2	14	16.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.7	0	0.0	1	2.2	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	1.1
	Unk	7	25.9	0	0.0	7	15.6	4	13.8	0	0.0	4	9.5	11	19.6	0	0.0	11	12.6

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.0	100.0	1.8	1.3	100.0	1.2	73	100.0	108,525
Gender	Male	2.0	100.0	.	1.0	75.0	.	56	76.7	.
	Female	0.0	0.0	.	0.3	25.0	.	17	23.3	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	1.4	.
	20-24	0.0	0.0	.	0.0	0.0	.	1	1.4	.
	25-29	0.0	0.0	.	0.0	0.0	.	7	9.6	.
	30-39	1.0	50.0	.	0.7	50.0	.	34	46.6	.
	40-49	0.3	16.7	.	0.0	0.0	.	22	30.1	.
	50-59	0.7	33.3	.	0.3	25.0	.	4	5.5	.
	60+	0.0	0.0	.	0.3	25.0	.	4	5.5	.
Race/Ethnicity	White	1.3	66.7	.	0.7	50.0	.	47	64.4	.
	Black	0.0	0.0	.	0.0	0.0	.	9	12.3	.
	Hispanic	0.7	33.3	.	0.7	50.0	.	15	20.5	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	2	2.7	.
Risk	MSM	1.7	83.3	.	1.0	75.0	.	31	42.5	.
	IDU	0.3	16.7	.	0.0	0.0	.	13	17.8	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	2.7	.
	Heterosexual	0.0	0.0	.	0.3	25.0	.	11	15.1	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	7	9.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	2.7	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.0	0.0	.	0.0	0.0	.	7	9.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.0	0.0	2.0	100.0	1.0	100.0	0.3	100.0	1.3	100.0	56	100.0	17	100.0	73	100.0
Risk	MSM	1.7	83.3	0.0	0.0	1.7	83.3	1.0	100.0	0.0	0.0	1.0	75.0	31	55.4	0	0.0	31	42.5
	IDU	0.3	16.7	0.0	0.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0	11	19.6	2	11.8	13	17.8
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.6	0	0.0	2	2.7
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	25.0	3	5.4	8	47.1	11	15.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	7	41.2	7	9.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.6	0	0.0	2	2.7
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	12.5	0	0.0	7	9.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1986	.	1	.
1987	.	1	1
1988	.	2	1
1989	.	2	1
1990	.	2	2
1991	.	1	.
1992	.	4	2
1993	.	6	6
1994	.	6	2
1995	.	6	3
1996	.	2	1
1997	.	1	2
1998	.	7	1
1999	.	3	.
2000*	1	1	.
2001	6	4	1
2002	6	4	1
2003	3	4	.
2004	2	2	.
2005	4	4	2
2006	2	4	1
2007	5	1	.
2008	3	1	.
2009	1	2	2
2010	3	1	2
2011	2	1	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		385	100.0	102.7	643	100.0	171.5	1,028	100.0	274.2	374,872
Gender	Male	258	67.0	.	475	73.9	.	733	71.3	.	.
	Female	127	33.0	.	168	26.1	.	295	28.7	.	.
Current Age	12 & under	3	0.8	.	0	0.0	.	3	0.3	.	.
	13-19	6	1.6	.	3	0.5	.	9	0.9	.	.
	20-24	21	5.5	.	14	2.2	.	35	3.4	.	.
	25-29	25	6.5	.	9	1.4	.	34	3.3	.	.
	30-39	54	14.0	.	46	7.2	.	100	9.7	.	.
	40-49	107	27.8	.	192	29.9	.	299	29.1	.	.
	50-59	126	32.7	.	275	42.8	.	401	39.0	.	.
	60+	42	10.9	.	104	16.2	.	146	14.2	.	.
	Unk	1	0.3	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	122	31.7	.	140	21.8	.	262	25.5	.	.
	Black	115	29.9	.	217	33.7	.	332	32.3	.	.
	Hispanic	116	30.1	.	223	34.7	.	339	33.0	.	.
	Multi Race	29	7.5	.	61	9.5	.	90	8.8	.	.
	Others	3	0.8	.	2	0.3	.	5	0.5	.	.
Risk	MSM	103	26.8	.	112	17.4	.	215	20.9	.	.
	IDU	73	19.0	.	221	34.4	.	294	28.6	.	.
	MSM/IDU	12	3.1	.	34	5.3	.	46	4.5	.	.
	Heterosexual	112	29.1	.	192	29.9	.	304	29.6	.	.
	Fem Pres Het Cont	26	6.8	.	15	2.3	.	41	4.0	.	.
	Blood Prod.	1	0.3	.	4	0.6	.	5	0.5	.	.
	Pediatric Risk	13	3.4	.	14	2.2	.	27	2.6	.	.
	Unk	45	11.7	.	51	7.9	.	96	9.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		258	100.0	127	100.0	385	100.0	475	100.0	168	100.0	643	100.0	733	100.0	295	100.0	1,028	100.0
Risk	MSM	103	39.9	0	0.0	103	26.8	112	23.6	0	0.0	112	17.4	215	29.3	0	0.0	215	20.9
	IDU	58	22.5	15	11.8	73	19.0	182	38.3	39	23.2	221	34.4	240	32.7	54	18.3	294	28.6
	MSM/IDU	12	4.7	0	0.0	12	3.1	34	7.2	0	0.0	34	5.3	46	6.3	0	0.0	46	4.5
	Heterosexual	31	12.0	81	63.8	112	29.1	87	18.3	105	62.5	192	29.9	118	16.1	186	63.1	304	29.6
	Fem Pres Het Cont	0	0.0	26	20.5	26	6.8	0	0.0	15	8.9	15	2.3	0	0.0	41	13.9	41	4.0
	Blood Prod.	1	0.4	0	0.0	1	0.3	2	0.4	2	1.2	4	0.6	3	0.4	2	0.7	5	0.5
	Pediatric Risk	8	3.1	5	3.9	13	3.4	7	1.5	7	4.2	14	2.2	15	2.0	12	4.1	27	2.6
	Unk	45	17.4	0	0.0	45	11.7	51	10.7	0	0.0	51	7.9	96	13.1	0	0.0	96	9.3

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		27.0	100.0	7.2	23.0	100.0	6.1	1,593	100.0	374,872
Gender	Male	19.3	71.6	.	14.7	63.8	.	1,240	77.8	.
	Female	7.7	28.4	.	8.3	36.2	.	353	22.2	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	16	1.0	.
	13-19	1.0	3.7	.	0.7	2.9	.	12	0.8	.
	20-24	3.7	13.6	.	1.0	4.3	.	34	2.1	.
	25-29	3.3	12.3	.	2.0	8.7	.	126	7.9	.
	30-39	5.7	21.0	.	7.0	30.4	.	619	38.9	.
	40-49	6.7	24.7	.	6.7	29.0	.	531	33.3	.
	50-59	4.0	14.8	.	4.7	20.3	.	195	12.2	.
	60+	2.7	9.9	.	1.0	4.3	.	60	3.8	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	5.0	18.5	.	5.0	21.7	.	442	27.7	.
	Black	11.7	43.2	.	8.3	36.2	.	560	35.2	.
	Hispanic	8.7	32.1	.	8.7	37.7	.	501	31.5	.
	Multi Race	1.3	4.9	.	0.7	2.9	.	88	5.5	.
	Others	0.3	1.2	.	0.3	1.4	.	2	0.1	.
Risk	MSM	12.0	44.4	.	6.7	29.0	.	273	17.1	.
	IDU	3.3	12.3	.	5.3	23.2	.	752	47.2	.
	MSM/IDU	0.3	1.2	.	0.3	1.4	.	77	4.8	.
	Heterosexual	9.7	35.8	.	9.0	39.1	.	295	18.5	.
	Fem Pres Het Cont	0.3	1.2	.	0.0	0.0	.	32	2.0	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	21	1.3	.
	Pediatric Risk	0.0	0.0	.	0.7	2.9	.	22	1.4	.
	Unk	1.3	4.9	.	1.0	4.3	.	121	7.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19.3	100.0	7.7	100.0	27.0	100.0	14.7	100.0	8.3	100.0	23.0	100.0	1,240	100.0	353	100.0	1,593	100.0
Risk	MSM	12.0	62.1	0.0	0.0	12.0	44.4	6.7	45.5	0.0	0.0	6.7	29.0	273	22.0	0	0.0	273	17.1
	IDU	2.3	12.1	1.0	13.0	3.3	12.3	3.0	20.5	2.3	28.0	5.3	23.2	627	50.6	125	35.4	752	47.2
	MSM/IDU	0.3	1.7	0.0	0.0	0.3	1.2	0.3	2.3	0.0	0.0	0.3	1.4	77	6.2	0	0.0	77	4.8
	Heterosexual	3.3	17.2	6.3	82.6	9.7	35.8	3.0	20.5	6.0	72.0	9.0	39.1	116	9.4	179	50.7	295	18.5
	Fem Pres Het Cont	0.0	0.0	0.3	4.3	0.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	32	9.1	32	2.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	1.2	6	1.7	21	1.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.5	0.0	0.0	0.7	2.9	11	0.9	11	3.1	22	1.4
	Unk	1.3	6.9	0.0	0.0	1.3	4.9	1.0	6.8	0.0	0.0	1.0	4.3	121	9.8	0	0.0	121	7.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	31	19
1986	.	30	16
1987	.	45	30
1988	.	48	30
1989	.	64	48
1990	.	82	34
1991	.	95	65
1992	.	116	69
1993	.	115	74
1994	.	121	65
1995	.	100	96
1996	.	69	54
1997	.	70	39
1998	.	39	26
1999	.	52	26
2000*	43	62	33
2001	42	57	21
2002	34	50	20
2003	46	82	30
2004	36	51	21
2005	46	50	28
2006	40	30	21
2007	39	31	24
2008	31	34	27
2009	33	30	19
2010	26	19	14
2011	22	20	7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		137	100.0	321.4	204	100.0	478.6	341	100.0	800.1	42,622
Gender	Male	27	19.7	.	65	31.9	.	92	27.0	.	.
	Female	110	80.3	.	139	68.1	.	249	73.0	.	.
Current Age	13-19	0	0.0	.	1	0.5	.	1	0.3	.	.
	20-24	1	0.7	.	1	0.5	.	2	0.6	.	.
	25-29	4	2.9	.	3	1.5	.	7	2.1	.	.
	30-39	14	10.2	.	12	5.9	.	26	7.6	.	.
	40-49	49	35.8	.	90	44.1	.	139	40.8	.	.
	50-59	53	38.7	.	74	36.3	.	127	37.2	.	.
	60+	16	11.7	.	23	11.3	.	39	11.4	.	.
Race/Ethnicity	White	14	10.2	.	23	11.3	.	37	10.9	.	.
	Black	47	34.3	.	95	46.6	.	142	41.6	.	.
	Hispanic	71	51.8	.	81	39.7	.	152	44.6	.	.
	Multi Race	5	3.6	.	5	2.5	.	10	2.9	.	.
Risk	MSM	10	7.3	.	19	9.3	.	29	8.5	.	.
	IDU	44	32.1	.	91	44.6	.	135	39.6	.	.
	MSM/IDU	3	2.2	.	5	2.5	.	8	2.3	.	.
	Heterosexual	8	5.8	.	27	13.2	.	35	10.3	.	.
	Fem Pres Het Cont	66	48.2	.	48	23.5	.	114	33.4	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	4.4	.	14	6.9	.	20	5.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	110	100.0	137	100.0	65	100.0	139	100.0	204	100.0	92	100.0	249	100.0	341	100.0
Risk	MSM	10	37.0	0	0.0	10	7.3	19	29.2	0	0.0	19	9.3	29	31.5	0	0.0	29	8.5
	IDU	8	29.6	36	32.7	44	32.1	22	33.8	69	49.6	91	44.6	30	32.6	105	42.2	135	39.6
	MSM/IDU	3	11.1	0	0.0	3	2.2	5	7.7	0	0.0	5	2.5	8	8.7	0	0.0	8	2.3
	Heterosexual	0	0.0	8	7.3	8	5.8	5	7.7	22	15.8	27	13.2	5	5.4	30	12.0	35	10.3
	Fem Pres Het Cont	0	0.0	66	60.0	66	48.2	0	0.0	48	34.5	48	23.5	0	0.0	114	45.8	114	33.4
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	22.2	0	0.0	6	4.4	14	21.5	0	0.0	14	6.9	20	21.7	0	0.0	20	5.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.7	100.0	6.3	4.0	100.0	9.4	387	100.0	42,622
Gender	Male	1.3	50.0	.	1.7	41.7	.	133	34.4	.
	Female	1.3	50.0	.	2.3	58.3	.	254	65.6	.
Age at Diagnosis	13-19	0.0	0.0	.	0.3	8.3	.	3	0.8	.
	20-24	0.3	12.5	.	0.3	8.3	.	17	4.4	.
	25-29	0.7	25.0	.	0.0	0.0	.	70	18.1	.
	30-39	1.3	50.0	.	1.0	25.0	.	184	47.5	.
	40-49	0.0	0.0	.	1.7	41.7	.	94	24.3	.
	50-59	0.3	12.5	.	0.7	16.7	.	15	3.9	.
	60+	0.0	0.0	.	0.0	0.0	.	4	1.0	.
Race/Ethnicity	White	1.7	62.5	.	0.7	16.7	.	46	11.9	.
	Black	1.0	37.5	.	2.0	50.0	.	174	45.0	.
	Hispanic	0.0	0.0	.	1.3	33.3	.	158	40.8	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	9	2.3	.
Risk	MSM	1.0	37.5	.	0.3	8.3	.	27	7.0	.
	IDU	0.3	12.5	.	0.7	16.7	.	220	56.8	.
	MSM/IDU	0.3	12.5	.	0.3	8.3	.	10	2.6	.
	Heterosexual	0.0	0.0	.	1.3	33.3	.	41	10.6	.
	Fem Pres Het Cont	1.0	37.5	.	1.0	25.0	.	64	16.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Unk	0.0	0.0	.	0.3	8.3	.	24	6.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	1.3	100.0	2.7	100.0	1.7	100.0	2.3	100.0	4.0	100.0	133	100.0	254	100.0	387	100.0
Risk	MSM	1.0	75.0	0.0	0.0	1.0	37.5	0.3	20.0	0.0	0.0	0.3	8.3	27	20.3	0	0.0	27	7.0
	IDU	0.0	0.0	0.3	25.0	0.3	12.5	0.0	0.0	0.7	28.6	0.7	16.7	66	49.6	154	60.6	220	56.8
	MSM/IDU	0.3	25.0	0.0	0.0	0.3	12.5	0.3	20.0	0.0	0.0	0.3	8.3	10	7.5	0	0.0	10	2.6
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.7	40.0	0.7	28.6	1.3	33.3	5	3.8	36	14.2	41	10.6
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	37.5	0.0	0.0	1.0	42.9	1.0	25.0	0	0.0	64	25.2	64	16.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.8	0	0.0	1	0.3
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.0	0.0	0.3	8.3	24	18.0	0	0.0	24	6.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	8	4
1986	.	2	2
1987	.	8	3
1988	.	11	5
1989	.	14	9
1990	.	18	4
1991	.	26	12
1992	.	36	15
1993	.	30	19
1994	.	44	14
1995	.	28	24
1996	.	28	10
1997	.	27	5
1998	.	12	4
1999	.	14	6
2000*	17	7	3
2001	6	11	3
2002	6	11	7
2003	6	12	5
2004	3	6	3
2005	3	6	7
2006	5	3	8
2007	3	7	2
2008	5	6	3
2009	2	3	5
2010	1	4	2
2011	5	5	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		38	100.0	31.1	53	100.0	43.4	91	100.0	74.5	122,228
Gender	Male	29	76.3	.	47	88.7	.	76	83.5	.	.
	Female	9	23.7	.	6	11.3	.	15	16.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.9	.	1	1.1	.	.
	20-24	1	2.6	.	2	3.8	.	3	3.3	.	.
	25-29	5	13.2	.	0	0.0	.	5	5.5	.	.
	30-39	9	23.7	.	12	22.6	.	21	23.1	.	.
	40-49	11	28.9	.	21	39.6	.	32	35.2	.	.
	50-59	9	23.7	.	12	22.6	.	21	23.1	.	.
	60+	3	7.9	.	5	9.4	.	8	8.8	.	.
Race/Ethnicity	White	34	89.5	.	42	79.2	.	76	83.5	.	.
	Black	1	2.6	.	5	9.4	.	6	6.6	.	.
	Hispanic	1	2.6	.	4	7.5	.	5	5.5	.	.
	Multi Race	2	5.3	.	2	3.8	.	4	4.4	.	.
Risk	MSM	22	57.9	.	31	58.5	.	53	58.2	.	.
	IDU	0	0.0	.	5	9.4	.	5	5.5	.	.
	MSM/IDU	3	7.9	.	2	3.8	.	5	5.5	.	.
	Heterosexual	8	21.1	.	8	15.1	.	16	17.6	.	.
	Fem Pres Het Cont	2	5.3	.	1	1.9	.	3	3.3	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	3	7.9	.	6	11.3	.	9	9.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	9	100.0	38	100.0	47	100.0	6	100.0	53	100.0	76	100.0	15	100.0	91	100.0
Risk	MSM	22	75.9	0	0.0	22	57.9	31	66.0	0	0.0	31	58.5	53	69.7	0	0.0	53	58.2
	IDU	0	0.0	0	0.0	0	0.0	5	10.6	0	0.0	5	9.4	5	6.6	0	0.0	5	5.5
	MSM/IDU	3	10.3	0	0.0	3	7.9	2	4.3	0	0.0	2	3.8	5	6.6	0	0.0	5	5.5
	Heterosexual	1	3.4	7	77.8	8	21.1	3	6.4	5	83.3	8	15.1	4	5.3	12	80.0	16	17.6
	Fem Pres Het Cont	0	0.0	2	22.2	2	5.3	0	0.0	1	16.7	1	1.9	0	0.0	3	20.0	3	3.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	3	10.3	0	0.0	3	7.9	6	12.8	0	0.0	6	11.3	9	11.8	0	0.0	9	9.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		5.0	100.0	4.1	4.3	100.0	3.5	107	100.0	122,228
Gender	Male	4.7	93.3	.	3.7	84.6	.	92	86.0	.
	Female	0.3	6.7	.	0.7	15.4	.	15	14.0	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.9	.
	13-19	0.0	0.0	.	0.3	7.7	.	2	1.9	.
	20-24	0.3	6.7	.	0.7	15.4	.	6	5.6	.
	25-29	1.3	26.7	.	0.7	15.4	.	11	10.3	.
	30-39	1.0	20.0	.	1.3	30.8	.	50	46.7	.
	40-49	1.0	20.0	.	0.7	15.4	.	27	25.2	.
	50-59	1.0	20.0	.	0.3	7.7	.	7	6.5	.
	60+	0.3	6.7	.	0.3	7.7	.	3	2.8	.
Race/Ethnicity	White	4.3	86.7	.	3.3	76.9	.	87	81.3	.
	Black	0.0	0.0	.	0.0	0.0	.	11	10.3	.
	Hispanic	0.3	6.7	.	0.7	15.4	.	4	3.7	.
	Multi Race	0.3	6.7	.	0.3	7.7	.	5	4.7	.
Risk	MSM	4.0	80.0	.	3.0	69.2	.	62	57.9	.
	IDU	0.0	0.0	.	0.0	0.0	.	12	11.2	.
	MSM/IDU	0.0	0.0	.	0.3	7.7	.	4	3.7	.
	Heterosexual	0.3	6.7	.	0.3	7.7	.	17	15.9	.
	Fem Pres Het Cont	0.0	0.0	.	0.3	7.7	.	1	0.9	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	2.8	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	2	1.9	.
	Unk	0.7	13.3	.	0.3	7.7	.	6	5.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	0.3	100.0	5.0	100.0	3.7	100.0	0.7	100.0	4.3	100.0	92	100.0	15	100.0	107	100.0
Risk	MSM	4.0	85.7	0.0	0.0	4.0	80.0	3.0	81.8	0.0	0.0	3.0	69.2	62	67.4	0	0.0	62	57.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	12.0	1	6.7	12	11.2
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.0	0.0	0.3	7.7	4	4.3	0	0.0	4	3.7
	Heterosexual	0.0	0.0	0.3	100.0	0.3	6.7	0.0	0.0	0.3	50.0	0.3	7.7	4	4.3	13	86.7	17	15.9
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	7.7	0	0.0	1	6.7	1	0.9
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	3.3	0	0.0	3	2.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2.2	0	0.0	2	1.9
	Unk	0.7	14.3	0.0	0.0	0.7	13.3	0.3	9.1	0.0	0.0	0.3	7.7	6	6.5	0	0.0	6	5.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	.
1986	.	2	2
1987	.	.	1
1988	.	4	.
1989	.	8	6
1990	.	2	3
1991	.	4	4
1992	.	9	2
1993	.	5	7
1994	.	3	2
1995	.	8	4
1996	.	5	4
1997	.	6	.
1998	.	2	.
1999	.	6	1
2000*	1	2	1
2001	5	1	1
2002	11	8	.
2003	3	1	4
2004	3	4	.
2005	3	7	4
2006	3	4	1
2007	5	1	1
2008	4	.	1
2009	7	3	3
2010	5	7	2
2011	3	3	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		23	100.0	37.1	35	100.0	56.5	58	100.0	93.7	61,917
Gender	Male	17	73.9	.	22	62.9	.	39	67.2	.	.
	Female	6	26.1	.	13	37.1	.	19	32.8	.	.
Current Age	13-19	1	4.3	.	0	0.0	.	1	1.7	.	.
	20-24	1	4.3	.	0	0.0	.	1	1.7	.	.
	25-29	2	8.7	.	1	2.9	.	3	5.2	.	.
	30-39	4	17.4	.	6	17.1	.	10	17.2	.	.
	40-49	6	26.1	.	8	22.9	.	14	24.1	.	.
	50-59	7	30.4	.	11	31.4	.	18	31.0	.	.
	60+	2	8.7	.	9	25.7	.	11	19.0	.	.
Race/Ethnicity	White	13	56.5	.	23	65.7	.	36	62.1	.	.
	Black	5	21.7	.	4	11.4	.	9	15.5	.	.
	Hispanic	3	13.0	.	4	11.4	.	7	12.1	.	.
	Multi Race	2	8.7	.	4	11.4	.	6	10.3	.	.
Risk	MSM	9	39.1	.	13	37.1	.	22	37.9	.	.
	IDU	2	8.7	.	4	11.4	.	6	10.3	.	.
	MSM/IDU	0	0.0	.	2	5.7	.	2	3.4	.	.
	Heterosexual	4	17.4	.	8	22.9	.	12	20.7	.	.
	Fem Pres Het Cont	3	13.0	.	4	11.4	.	7	12.1	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	5	21.7	.	4	11.4	.	9	15.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	6	100.0	23	100.0	22	100.0	13	100.0	35	100.0	39	100.0	19	100.0	58	100.0
Risk	MSM	9	52.9	0	0.0	9	39.1	13	59.1	0	0.0	13	37.1	22	56.4	0	0.0	22	37.9
	IDU	1	5.9	1	16.7	2	8.7	2	9.1	2	15.4	4	11.4	3	7.7	3	15.8	6	10.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0	2	5.7	2	5.1	0	0.0	2	3.4
	Heterosexual	2	11.8	2	33.3	4	17.4	1	4.5	7	53.8	8	22.9	3	7.7	9	47.4	12	20.7
	Fem Pres Het Cont	0	0.0	3	50.0	3	13.0	0	0.0	4	30.8	4	11.4	0	0.0	7	36.8	7	12.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	5	29.4	0	0.0	5	21.7	4	18.2	0	0.0	4	11.4	9	23.1	0	0.0	9	15.5

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.7	100.0	2.7	1.3	100.0	2.2	84	100.0	61,917
Gender	Male	1.3	80.0	.	1.0	75.0	.	62	73.8	.
	Female	0.3	20.0	.	0.3	25.0	.	22	26.2	.
Age at Diagnosis	13-19	0.3	20.0	.	0.0	0.0	.	2	2.4	.
	20-24	0.3	20.0	.	0.0	0.0	.	1	1.2	.
	25-29	0.0	0.0	.	0.0	0.0	.	12	14.3	.
	30-39	0.0	0.0	.	0.0	0.0	.	30	35.7	.
	40-49	0.7	40.0	.	0.3	25.0	.	26	31.0	.
	50-59	0.3	20.0	.	0.7	50.0	.	10	11.9	.
	60+	0.0	0.0	.	0.3	25.0	.	3	3.6	.
Race/Ethnicity	White	1.0	60.0	.	1.3	100.0	.	66	78.6	.
	Black	0.7	40.0	.	0.0	0.0	.	10	11.9	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	4	4.8	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	4.8	.
Risk	MSM	0.3	20.0	.	1.0	75.0	.	34	40.5	.
	IDU	0.0	0.0	.	0.0	0.0	.	12	14.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	5	6.0	.
	Heterosexual	0.7	40.0	.	0.3	25.0	.	16	19.0	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	5	6.0	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	3.6	.
	Unk	0.7	40.0	.	0.0	0.0	.	9	10.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.3	100.0	1.7	100.0	1.0	100.0	0.3	100.0	1.3	100.0	62	100.0	22	100.0	84	100.0
Risk	MSM	0.3	25.0	0.0	0.0	0.3	20.0	1.0	100.0	0.0	0.0	1.0	75.0	34	54.8	0	0.0	34	40.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	12.9	4	18.2	12	14.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	8.1	0	0.0	5	6.0
	Heterosexual	0.3	25.0	0.3	100.0	0.7	40.0	0.0	0.0	0.3	100.0	0.3	25.0	3	4.8	13	59.1	16	19.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	5	22.7	5	6.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	4.8	0	0.0	3	3.6
	Unk	0.7	50.0	0.0	0.0	0.7	40.0	0.0	0.0	0.0	0.0	0.0	0.0	9	14.5	0	0.0	9	10.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	1
1987	.	1	.
1988	.	3	2
1989	.	10	3
1990	.	2	4
1991	.	4	4
1992	.	5	3
1993	.	5	.
1994	.	2	4
1995	.	8	6
1996	.	7	4
1997	.	2	.
1998	.	1	.
1999	.	5	2
2000*	5	5	2
2001	4	.	.
2002	5	2	1
2003	2	5	.
2004	2	2	2
2005	2	5	1
2006	3	3	5
2007	3	1	1
2008	1	1	3
2009	.	2	1
2010	4	1	.
2011	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		42	100.0	42.0	90	100.0	90.1	132	100.0	132.1	99,933
Gender	Male	29	69.0	.	61	67.8	.	90	68.2	.	.
	Female	13	31.0	.	29	32.2	.	42	31.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.1	.	1	0.8	.	.
	20-24	1	2.4	.	1	1.1	.	2	1.5	.	.
	25-29	1	2.4	.	0	0.0	.	1	0.8	.	.
	30-39	9	21.4	.	11	12.2	.	20	15.2	.	.
	40-49	18	42.9	.	25	27.8	.	43	32.6	.	.
	50-59	10	23.8	.	38	42.2	.	48	36.4	.	.
	60+	3	7.1	.	14	15.6	.	17	12.9	.	.
Race/Ethnicity	White	20	47.6	.	49	54.4	.	69	52.3	.	.
	Black	8	19.0	.	15	16.7	.	23	17.4	.	.
	Hispanic	12	28.6	.	23	25.6	.	35	26.5	.	.
	Multi Race	2	4.8	.	3	3.3	.	5	3.8	.	.
Risk	MSM	15	35.7	.	35	38.9	.	50	37.9	.	.
	IDU	9	21.4	.	19	21.1	.	28	21.2	.	.
	MSM/IDU	3	7.1	.	3	3.3	.	6	4.5	.	.
	Heterosexual	8	19.0	.	24	26.7	.	32	24.2	.	.
	Fem Pres Het Cont	1	2.4	.	3	3.3	.	4	3.0	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	2.2	.	2	1.5	.	.
	Unk	6	14.3	.	4	4.4	.	10	7.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	13	100.0	42	100.0	61	100.0	29	100.0	90	100.0	90	100.0	42	100.0	132	100.0
Risk	MSM	15	51.7	0	0.0	15	35.7	35	57.4	0	0.0	35	38.9	50	55.6	0	0.0	50	37.9
	IDU	2	6.9	7	53.8	9	21.4	7	11.5	12	41.4	19	21.1	9	10.0	19	45.2	28	21.2
	MSM/IDU	3	10.3	0	0.0	3	7.1	3	4.9	0	0.0	3	3.3	6	6.7	0	0.0	6	4.5
	Heterosexual	3	10.3	5	38.5	8	19.0	11	18.0	13	44.8	24	26.7	14	15.6	18	42.9	32	24.2
	Fem Pres Het Cont	0	0.0	1	7.7	1	2.4	0	0.0	3	10.3	3	3.3	0	0.0	4	9.5	4	3.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.6	1	3.4	2	2.2	1	1.1	1	2.4	2	1.5
	Unk	6	20.7	0	0.0	6	14.3	4	6.6	0	0.0	4	4.4	10	11.1	0	0.0	10	7.6

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		6.7	100.0	6.7	3.7	100.0	3.7	199	100.0	99,933
Gender	Male	4.7	70.0	.	1.7	45.5	.	145	72.9	.
	Female	2.0	30.0	.	2.0	54.5	.	54	27.1	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	5	2.5	.
	13-19	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	20-24	0.3	5.0	.	0.0	0.0	.	3	1.5	.
	25-29	0.7	10.0	.	0.0	0.0	.	18	9.0	.
	30-39	1.7	25.0	.	1.0	27.3	.	70	35.2	.
	40-49	3.0	45.0	.	2.0	54.5	.	85	42.7	.
	50-59	1.0	15.0	.	0.7	18.2	.	11	5.5	.
	60+	0.0	0.0	.	0.0	0.0	.	7	3.5	.
Race/Ethnicity	White	3.7	55.0	.	2.0	54.5	.	125	62.8	.
	Black	0.3	5.0	.	1.0	27.3	.	29	14.6	.
	Hispanic	2.7	40.0	.	0.7	18.2	.	42	21.1	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	3	1.5	.
Risk	MSM	2.7	40.0	.	1.0	27.3	.	76	38.2	.
	IDU	0.0	0.0	.	0.0	0.0	.	61	30.7	.
	MSM/IDU	0.3	5.0	.	0.0	0.0	.	10	5.0	.
	Heterosexual	2.3	35.0	.	2.3	63.6	.	36	18.1	.
	Fem Pres Het Cont	0.3	5.0	.	0.3	9.1	.	3	1.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.5	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	5	2.5	.
	Unk	1.0	15.0	.	0.0	0.0	.	7	3.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	2.0	100.0	6.7	100.0	1.7	100.0	2.0	100.0	3.7	100.0	145	100.0	54	100.0	199	100.0
Risk	MSM	2.7	57.1	0.0	0.0	2.7	40.0	1.0	60.0	0.0	0.0	1.0	27.3	76	52.4	0	0.0	76	38.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	24.8	25	46.3	61	30.7
	MSM/IDU	0.3	7.1	0.0	0.0	0.3	5.0	0.0	0.0	0.0	0.0	0.0	0.0	10	6.9	0	0.0	10	5.0
	Heterosexual	0.7	14.3	1.7	83.3	2.3	35.0	0.7	40.0	1.7	83.3	2.3	63.6	14	9.7	22	40.7	36	18.1
	Fem Pres Het Cont	0.0	0.0	0.3	16.7	0.3	5.0	0.0	0.0	0.3	16.7	0.3	9.1	0	0.0	3	5.6	3	1.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.7	0	0.0	1	0.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.7	4	7.4	5	2.5
	Unk	1.0	21.4	0.0	0.0	1.0	15.0	0.0	0.0	0.0	0.0	0.0	0.0	7	4.8	0	0.0	7	3.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	7	5
1986	.	2	3
1987	.	9	6
1988	.	10	5
1989	.	8	4
1990	.	9	8
1991	.	12	3
1992	.	16	7
1993	.	12	15
1994	.	12	12
1995	.	17	14
1996	.	11	6
1997	.	7	3
1998	.	10	4
1999	.	10	1
2000*	7	5	3
2001	3	5	.
2002	3	2	2
2003	5	5	2
2004	1	2	1
2005	2	1	1
2006	5	5	.
2007	5	8	1
2008	2	3	1
2009	9	3	1
2010	7	6	.
2011	4	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		102	100.0	64.0	153	100.0	96.0	255	100.0	160.0	159,395
Gender	Male	63	61.8	.	109	71.2	.	172	67.5	.	.
	Female	39	38.2	.	44	28.8	.	83	32.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	2.0	.	1	0.7	.	3	1.2	.	.
	20-24	10	9.8	.	1	0.7	.	11	4.3	.	.
	25-29	5	4.9	.	4	2.6	.	9	3.5	.	.
	30-39	20	19.6	.	15	9.8	.	35	13.7	.	.
	40-49	32	31.4	.	58	37.9	.	90	35.3	.	.
	50-59	27	26.5	.	49	32.0	.	76	29.8	.	.
	60+	6	5.9	.	25	16.3	.	31	12.2	.	.
Race/Ethnicity	White	53	52.0	.	83	54.2	.	136	53.3	.	.
	Black	20	19.6	.	34	22.2	.	54	21.2	.	.
	Hispanic	15	14.7	.	18	11.8	.	33	12.9	.	.
	Multi Race	13	12.7	.	17	11.1	.	30	11.8	.	.
	Others	1	1.0	.	1	0.7	.	2	0.8	.	.
Risk	MSM	38	37.3	.	53	34.6	.	91	35.7	.	.
	IDU	11	10.8	.	25	16.3	.	36	14.1	.	.
	MSM/IDU	7	6.9	.	9	5.9	.	16	6.3	.	.
	Heterosexual	23	22.5	.	25	16.3	.	48	18.8	.	.
	Fem Pres Het Cont	12	11.8	.	13	8.5	.	25	9.8	.	.
	Blood Prod.	0	0.0	.	2	1.3	.	2	0.8	.	.
	Pediatric Risk	1	1.0	.	3	2.0	.	4	1.6	.	.
	Unk	10	9.8	.	23	15.0	.	33	12.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹

by Gender and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		63	100.0	39	100.0	102	100.0	109	100.0	44	100.0	153	100.0	172	100.0	83	100.0	255	100.0
Risk	MSM	38	60.3	0	0.0	38	37.3	53	48.6	0	0.0	53	34.6	91	52.9	0	0.0	91	35.7
	IDU	6	9.5	5	12.8	11	10.8	15	13.8	10	22.7	25	16.3	21	12.2	15	18.1	36	14.1
	MSM/IDU	7	11.1	0	0.0	7	6.9	9	8.3	0	0.0	9	5.9	16	9.3	0	0.0	16	6.3
	Heterosexual	1	1.6	22	56.4	23	22.5	7	6.4	18	40.9	25	16.3	8	4.7	40	48.2	48	18.8
	Fem Pres Het Cont	0	0.0	12	30.8	12	11.8	0	0.0	13	29.5	13	8.5	0	0.0	25	30.1	25	9.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.9	1	2.3	2	1.3	1	0.6	1	1.2	2	0.8
	Pediatric Risk	1	1.6	0	0.0	1	1.0	1	0.9	2	4.5	3	2.0	2	1.2	2	2.4	4	1.6
	Unk	10	15.9	0	0.0	10	9.8	23	21.1	0	0.0	23	15.0	33	19.2	0	0.0	33	12.9

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		10.0	100.0	6.3	6.3	100.0	4.0	330	100.0	159,395
Gender	Male	7.7	76.7	.	6.3	100.0	.	251	76.1	.
	Female	2.3	23.3	.	0.0	0.0	.	79	23.9	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	3	0.9	.
	13-19	0.7	6.7	.	0.0	0.0	.	3	0.9	.
	20-24	1.7	16.7	.	0.0	0.0	.	14	4.2	.
	25-29	1.7	16.7	.	0.7	10.5	.	40	12.1	.
	30-39	0.3	3.3	.	0.7	10.5	.	124	37.6	.
	40-49	3.7	36.7	.	2.0	31.6	.	95	28.8	.
	50-59	1.7	16.7	.	1.7	26.3	.	38	11.5	.
	60+	0.3	3.3	.	1.3	21.1	.	13	3.9	.
Race/Ethnicity	White	4.7	46.7	.	3.7	57.9	.	195	59.1	.
	Black	3.3	33.3	.	1.7	26.3	.	76	23.0	.
	Hispanic	1.0	10.0	.	1.0	15.8	.	36	10.9	.
	Multi Race	1.0	10.0	.	0.0	0.0	.	23	7.0	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	4.0	40.0	.	2.7	42.1	.	133	40.3	.
	IDU	0.7	6.7	.	0.3	5.3	.	73	22.1	.
	MSM/IDU	0.3	3.3	.	1.0	15.8	.	15	4.5	.
	Heterosexual	2.0	20.0	.	0.3	5.3	.	46	13.9	.
	Fem Pres Het Cont	0.7	6.7	.	0.0	0.0	.	18	5.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	5	1.5	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	4	1.2	.
	Unk	2.3	23.3	.	2.0	31.6	.	36	10.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.7	100.0	2.3	100.0	10.0	100.0	6.3	100.0	0.0	0.0	6.3	100.0	251	100.0	79	100.0	330	100.0
Risk	MSM	4.0	52.2	0.0	0.0	4.0	40.0	2.7	42.1	0.0	0.0	2.7	42.1	133	53.0	0	0.0	133	40.3
	IDU	0.3	4.3	0.3	14.3	0.7	6.7	0.3	5.3	0.0	0.0	0.3	5.3	53	21.1	20	25.3	73	22.1
	MSM/IDU	0.3	4.3	0.0	0.0	0.3	3.3	1.0	15.8	0.0	0.0	1.0	15.8	15	6.0	0	0.0	15	4.5
	Heterosexual	0.7	8.7	1.3	57.1	2.0	20.0	0.3	5.3	0.0	0.0	0.3	5.3	9	3.6	37	46.8	46	13.9
	Fem Pres Het Cont	0.0	0.0	0.7	28.6	0.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	18	22.8	18	5.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1.6	1	1.3	5	1.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.4	3	3.8	4	1.2
	Unk	2.3	30.4	0.0	0.0	2.3	23.3	2.0	31.6	0.0	0.0	2.0	31.6	36	14.3	0	0.0	36	10.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	1
1986	.	3	1
1987	.	6	4
1988	.	6	4
1989	.	13	3
1990	.	14	8
1991	.	20	10
1992	.	29	12
1993	.	19	17
1994	.	21	11
1995	.	22	14
1996	.	22	12
1997	.	6	8
1998	.	9	2
1999	.	11	5
2000*	11	14	5
2001	8	5	7
2002	14	17	5
2003	13	16	6
2004	22	15	6
2005	10	10	7
2006	9	11	5
2007	9	12	4
2008	11	8	6
2009	8	5	5
2010	14	10	6
2011	8	4	7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		259	100.0	82.2	514	100.0	163.1	773	100.0	245.3	315,158
Gender	Male	155	59.8	.	359	69.8	.	514	66.5	.	.
	Female	103	39.8	.	155	30.2	.	258	33.4	.	.
	Unk	1	0.4	.	0	0.0	.	1	0.1	.	.
Current Age	12 & under	3	1.2	.	0	0.0	.	3	0.4	.	.
	13-19	12	4.6	.	5	1.0	.	17	2.2	.	.
	20-24	8	3.1	.	10	1.9	.	18	2.3	.	.
	25-29	11	4.2	.	5	1.0	.	16	2.1	.	.
	30-39	47	18.1	.	43	8.4	.	90	11.6	.	.
	40-49	85	32.8	.	165	32.1	.	250	32.3	.	.
	50-59	65	25.1	.	188	36.6	.	253	32.7	.	.
	60+	28	10.8	.	98	19.1	.	126	16.3	.	.
Race/Ethnicity	White	56	21.6	.	97	18.9	.	153	19.8	.	.
	Black	110	42.5	.	232	45.1	.	342	44.2	.	.
	Hispanic	65	25.1	.	128	24.9	.	193	25.0	.	.
	Multi Race	26	10.0	.	57	11.1	.	83	10.7	.	.
	Others	2	0.8	.	0	0.0	.	2	0.3	.	.
Risk	MSM	64	24.7	.	100	19.5	.	164	21.2	.	.
	IDU	28	10.8	.	93	18.1	.	121	15.7	.	.
	MSM/IDU	5	1.9	.	23	4.5	.	28	3.6	.	.
	Heterosexual	112	43.2	.	198	38.5	.	310	40.1	.	.
	Fem Pres Het Cont	13	5.0	.	18	3.5	.	31	4.0	.	.
	Blood Prod.	0	0.0	.	3	0.6	.	3	0.4	.	.
	Pediatric Risk	15	5.8	.	12	2.3	.	27	3.5	.	.
	Unk	22	8.5	.	67	13.0	.	89	11.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		155	100.0	103	100.0	259	100.0	359	100.0	155	100.0	514	100.0	514	100.0	258	100.0	772	100.0
Risk	MSM	64	41.3	0	0.0	64	24.7	100	27.9	0	0.0	100	19.5	164	31.9	0	0.0	164	21.2
	IDU	15	9.7	12	11.7	28	10.8	66	18.4	27	17.4	93	18.1	81	15.8	39	15.1	120	15.5
	MSM/IDU	5	3.2	0	0.0	5	1.9	23	6.4	0	0.0	23	4.5	28	5.4	0	0.0	28	3.6
	Heterosexual	41	26.5	71	68.9	112	43.2	93	25.9	105	67.7	198	38.5	134	26.1	176	68.2	310	40.2
	Fem Pres Het Cont	0	0.0	13	12.6	13	5.0	0	0.0	18	11.6	18	3.5	0	0.0	31	12.0	31	4.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	2	0.6	1	0.6	3	0.6	2	0.4	1	0.4	3	0.4
	Pediatric Risk	8	5.2	7	6.8	15	5.8	8	2.2	4	2.6	12	2.3	16	3.1	11	4.3	27	3.5
	Unk	22	14.2	0	0.0	22	8.5	67	18.7	0	0.0	67	13.0	89	17.3	0	0.0	89	11.5

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		24.7	100.0	7.8	17.0	100.0	5.4	1,096	100.0	315,158
Gender	Male	15.3	62.2	.	10.7	62.7	.	797	72.7	.
	Female	9.3	37.8	.	6.3	37.3	.	299	27.3	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	21	1.9	.
	13-19	1.0	4.1	.	0.7	3.9	.	10	0.9	.
	20-24	2.0	8.1	.	1.0	5.9	.	23	2.1	.
	25-29	3.3	13.5	.	1.3	7.8	.	100	9.1	.
	30-39	4.7	18.9	.	2.7	15.7	.	391	35.7	.
	40-49	6.0	24.3	.	5.7	33.3	.	363	33.1	.
	50-59	3.0	12.2	.	2.7	15.7	.	118	10.8	.
	60+	4.7	18.9	.	3.0	17.6	.	70	6.4	.
Race/Ethnicity	White	5.0	20.3	.	3.3	19.6	.	326	29.7	.
	Black	11.0	44.6	.	7.0	41.2	.	482	44.0	.
	Hispanic	7.3	29.7	.	5.7	33.3	.	219	20.0	.
	Multi Race	1.3	5.4	.	1.0	5.9	.	66	6.0	.
	Others	0.0	0.0	.	0.0	0.0	.	3	0.3	.
Risk	MSM	6.0	24.3	.	2.3	13.7	.	275	25.1	.
	IDU	2.0	8.1	.	2.7	15.7	.	265	24.2	.
	MSM/IDU	1.0	4.1	.	0.0	0.0	.	44	4.0	.
	Heterosexual	13.7	55.4	.	9.0	52.9	.	297	27.1	.
	Fem Pres Het Cont	1.0	4.1	.	1.0	5.9	.	51	4.7	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	13	1.2	.
	Pediatric Risk	0.3	1.4	.	0.7	3.9	.	25	2.3	.
	Unk	0.7	2.7	.	1.3	7.8	.	126	11.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		15.3	100.0	9.3	100.0	24.7	100.0	10.7	100.0	6.3	100.0	17.0	100.0	797	100.0	299	100.0	1,096	100.0
Risk	MSM	6.0	39.1	0.0	0.0	6.0	24.3	2.3	21.9	0.0	0.0	2.3	13.7	275	34.5	0	0.0	275	25.1
	IDU	0.7	4.3	1.3	14.3	2.0	8.1	1.7	15.6	1.0	15.8	2.7	15.7	188	23.6	77	25.8	265	24.2
	MSM/IDU	1.0	6.5	0.0	0.0	1.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	44	5.5	0	0.0	44	4.0
	Heterosexual	7.0	45.7	6.7	71.4	13.7	55.4	5.0	46.9	4.0	63.2	9.0	52.9	140	17.6	157	52.5	297	27.1
	Fem Pres Het Cont	0.0	0.0	1.0	10.7	1.0	4.1	0.0	0.0	1.0	15.8	1.0	5.9	0	0.0	51	17.1	51	4.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1.1	4	1.3	13	1.2
	Pediatric Risk	0.0	0.0	0.3	3.6	0.3	1.4	0.3	3.1	0.3	5.3	0.7	3.9	15	1.9	10	3.3	25	2.3
	Unk	0.7	4.3	0.0	0.0	0.7	2.7	1.3	12.5	0.0	0.0	1.3	7.8	126	15.8	0	0.0	126	11.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	31	19
1986	.	20	16
1987	.	28	15
1988	.	29	17
1989	.	44	33
1990	.	30	27
1991	.	51	20
1992	.	92	46
1993	.	81	49
1994	.	67	48
1995	.	57	46
1996	.	57	28
1997	.	36	15
1998	.	43	18
1999	.	34	21
2000*	28	81	14
2001	30	56	21
2002	23	33	21
2003	30	27	22
2004	37	32	12
2005	37	48	14
2006	35	27	14
2007	15	20	5
2008	26	21	10
2009	22	19	13
2010	23	17	10
2011	29	15	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		130	100.0	116.4	167	100.0	149.5	297	100.0	265.9	111,690
Gender	Male	114	87.7	.	153	91.6	.	267	89.9	.	.
	Female	16	12.3	.	14	8.4	.	30	10.1	.	.
Current Age	12 & under	1	0.8	.	0	0.0	.	1	0.3	.	.
	13-19	1	0.8	.	0	0.0	.	1	0.3	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	6	4.6	.	4	2.4	.	10	3.4	.	.
	30-39	11	8.5	.	9	5.4	.	20	6.7	.	.
	40-49	50	38.5	.	72	43.1	.	122	41.1	.	.
	50-59	45	34.6	.	66	39.5	.	111	37.4	.	.
	60+	16	12.3	.	16	9.6	.	32	10.8	.	.
Race/Ethnicity	White	35	26.9	.	34	20.4	.	69	23.2	.	.
	Black	39	30.0	.	48	28.7	.	87	29.3	.	.
	Hispanic	52	40.0	.	76	45.5	.	128	43.1	.	.
	Multi Race	4	3.1	.	9	5.4	.	13	4.4	.	.
Risk	MSM	18	13.8	.	21	12.6	.	39	13.1	.	.
	IDU	32	24.6	.	53	31.7	.	85	28.6	.	.
	MSM/IDU	3	2.3	.	11	6.6	.	14	4.7	.	.
	Heterosexual	8	6.2	.	18	10.8	.	26	8.8	.	.
	Fem Pres Het Cont	7	5.4	.	6	3.6	.	13	4.4	.	.
	Blood Prod.	1	0.8	.	0	0.0	.	1	0.3	.	.
	Pediatric Risk	1	0.8	.	0	0.0	.	1	0.3	.	.
	Unk	60	46.2	.	58	34.7	.	118	39.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		114	100.0	16	100.0	130	100.0	153	100.0	14	100.0	167	100.0	267	100.0	30	100.0	297	100.0
Risk	MSM	18	15.8	0	0.0	18	13.8	21	13.7	0	0.0	21	12.6	39	14.6	0	0.0	39	13.1
	IDU	27	23.7	5	31.3	32	24.6	53	34.6	0	0.0	53	31.7	80	30.0	5	16.7	85	28.6
	MSM/IDU	3	2.6	0	0.0	3	2.3	11	7.2	0	0.0	11	6.6	14	5.2	0	0.0	14	4.7
	Heterosexual	4	3.5	4	25.0	8	6.2	10	6.5	8	57.1	18	10.8	14	5.2	12	40.0	26	8.8
	Fem Pres Het Cont	0	0.0	7	43.8	7	5.4	0	0.0	6	42.9	6	3.6	0	0.0	13	43.3	13	4.4
	Blood Prod.	1	0.9	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.3
	Pediatric Risk	1	0.9	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.3
	Unk	60	52.6	0	0.0	60	46.2	58	37.9	0	0.0	58	34.7	118	44.2	0	0.0	118	39.7

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.0	100.0	2.7	3.0	100.0	2.7	345	100.0	111,690
Gender	Male	2.7	88.9	.	2.3	77.8	.	327	94.8	.
	Female	0.3	11.1	.	0.7	22.2	.	18	5.2	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	13-19	0.0	0.0	.	0.0	0.0	.	2	0.6	.
	20-24	0.3	11.1	.	0.0	0.0	.	14	4.1	.
	25-29	0.3	11.1	.	0.3	11.1	.	37	10.7	.
	30-39	0.7	22.2	.	0.0	0.0	.	160	46.4	.
	40-49	0.7	22.2	.	1.7	55.6	.	103	29.9	.
	50-59	0.7	22.2	.	1.0	33.3	.	26	7.5	.
	60+	0.3	11.1	.	0.0	0.0	.	3	0.9	.
Race/Ethnicity	White	1.7	55.6	.	1.0	33.3	.	68	19.7	.
	Black	0.7	22.2	.	0.7	22.2	.	114	33.0	.
	Hispanic	0.3	11.1	.	0.7	22.2	.	149	43.2	.
	Multi Race	0.3	11.1	.	0.7	22.2	.	14	4.1	.
Risk	MSM	1.7	55.6	.	0.7	22.2	.	36	10.4	.
	IDU	0.0	0.0	.	1.3	44.4	.	157	45.5	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	25	7.2	.
	Heterosexual	0.3	11.1	.	0.3	11.1	.	26	7.5	.
	Fem Pres Het Cont	0.3	11.1	.	0.3	11.1	.	6	1.7	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	5	1.4	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.7	22.2	.	0.3	11.1	.	90	26.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.3	100.0	3.0	100.0	2.3	100.0	0.7	100.0	3.0	100.0	327	100.0	18	100.0	345	100.0
Risk	MSM	1.7	62.5	0.0	0.0	1.7	55.6	0.7	28.6	0.0	0.0	0.7	22.2	36	11.0	0	0.0	36	10.4
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	1.3	57.1	0.0	0.0	1.3	44.4	157	48.0	0	0.0	157	45.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	7.6	0	0.0	25	7.2
	Heterosexual	0.3	12.5	0.0	0.0	0.3	11.1	0.0	0.0	0.3	50.0	0.3	11.1	15	4.6	11	61.1	26	7.5
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	11.1	0.0	0.0	0.3	50.0	0.3	11.1	0	0.0	6	33.3	6	1.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1.2	1	5.6	5	1.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	22.2	0.3	14.3	0.0	0.0	0.3	11.1	90	27.5	0	0.0	90	26.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	5	2
1986	.	4	3
1987	.	8	5
1988	.	8	8
1989	.	11	7
1990	.	15	7
1991	.	15	10
1992	.	31	12
1993	.	28	13
1994	.	26	16
1995	.	21	14
1996	.	29	8
1997	.	28	6
1998	.	13	6
1999	.	12	4
2000*	16	12	2
2001	7	16	7
2002	4	7	5
2003	8	12	5
2004	6	6	7
2005	2	11	6
2006	5	5	4
2007	1	9	5
2008	1	4	6
2009	3	4	5
2010	3	1	5
2011	3	4	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		99	100.0	44.8	134	100.0	60.7	233	100.0	105.5	220,882
Gender	Male	86	86.9	.	108	80.6	.	194	83.3	.	.
	Female	13	13.1	.	26	19.4	.	39	16.7	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	2	1.5	.	2	0.9	.	.
	20-24	4	4.0	.	0	0.0	.	4	1.7	.	.
	25-29	6	6.1	.	3	2.2	.	9	3.9	.	.
	30-39	8	8.1	.	8	6.0	.	16	6.9	.	.
	40-49	38	38.4	.	40	29.9	.	78	33.5	.	.
	50-59	30	30.3	.	63	47.0	.	93	39.9	.	.
	60+	13	13.1	.	18	13.4	.	31	13.3	.	.
Race/Ethnicity	White	54	54.5	.	62	46.3	.	116	49.8	.	.
	Black	19	19.2	.	25	18.7	.	44	18.9	.	.
	Hispanic	17	17.2	.	37	27.6	.	54	23.2	.	.
	Multi Race	8	8.1	.	10	7.5	.	18	7.7	.	.
	Others	1	1.0	.	0	0.0	.	1	0.4	.	.
Risk	MSM	41	41.4	.	41	30.6	.	82	35.2	.	.
	IDU	24	24.2	.	29	21.6	.	53	22.7	.	.
	MSM/IDU	5	5.1	.	12	9.0	.	17	7.3	.	.
	Heterosexual	10	10.1	.	18	13.4	.	28	12.0	.	.
	Fem Pres Het Cont	3	3.0	.	7	5.2	.	10	4.3	.	.
	Blood Prod.	1	1.0	.	4	3.0	.	5	2.1	.	.
	Pediatric Risk	2	2.0	.	4	3.0	.	6	2.6	.	.
	Unk	13	13.1	.	19	14.2	.	32	13.7	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		86	100.0	13	100.0	99	100.0	108	100.0	26	100.0	134	100.0	194	100.0	39	100.0	233	100.0
Risk	MSM	41	47.7	0	0.0	41	41.4	41	38.0	0	0.0	41	30.6	82	42.3	0	0.0	82	35.2
	IDU	20	23.3	4	30.8	24	24.2	24	22.2	5	19.2	29	21.6	44	22.7	9	23.1	53	22.7
	MSM/IDU	5	5.8	0	0.0	5	5.1	12	11.1	0	0.0	12	9.0	17	8.8	0	0.0	17	7.3
	Heterosexual	4	4.7	6	46.2	10	10.1	6	5.6	12	46.2	18	13.4	10	5.2	18	46.2	28	12.0
	Fem Pres Het Cont	0	0.0	3	23.1	3	3.0	0	0.0	7	26.9	7	5.2	0	0.0	10	25.6	10	4.3
	Blood Prod.	1	1.2	0	0.0	1	1.0	3	2.8	1	3.8	4	3.0	4	2.1	1	2.6	5	2.1
	Pediatric Risk	2	2.3	0	0.0	2	2.0	3	2.8	1	3.8	4	3.0	5	2.6	1	2.6	6	2.6
	Unk	13	15.1	0	0.0	13	13.1	19	17.6	0	0.0	19	14.2	32	16.5	0	0.0	32	13.7

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		5.7	100.0	2.6	5.0	100.0	2.3	340	100.0	220,882
Gender	Male	4.7	82.4	.	3.0	60.0	.	290	85.3	.
	Female	1.0	17.6	.	2.0	40.0	.	50	14.7	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	3	0.9	.
	13-19	0.3	5.9	.	0.7	13.3	.	4	1.2	.
	20-24	0.3	5.9	.	0.0	0.0	.	9	2.6	.
	25-29	0.7	11.8	.	0.3	6.7	.	32	9.4	.
	30-39	1.0	17.6	.	1.7	33.3	.	137	40.3	.
	40-49	2.3	41.2	.	1.7	33.3	.	120	35.3	.
	50-59	1.0	17.6	.	0.7	13.3	.	31	9.1	.
	60+	0.0	0.0	.	0.0	0.0	.	4	1.2	.
Race/Ethnicity	White	3.7	64.7	.	2.3	46.7	.	162	47.6	.
	Black	0.3	5.9	.	1.0	20.0	.	74	21.8	.
	Hispanic	1.0	17.6	.	1.0	20.0	.	88	25.9	.
	Multi Race	0.7	11.8	.	0.7	13.3	.	16	4.7	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	2.7	47.1	.	1.3	26.7	.	97	28.5	.
	IDU	0.7	11.8	.	0.3	6.7	.	133	39.1	.
	MSM/IDU	0.7	11.8	.	0.3	6.7	.	23	6.8	.
	Heterosexual	0.7	11.8	.	1.7	33.3	.	28	8.2	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	13	3.8	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	10	2.9	.
	Pediatric Risk	0.0	0.0	.	0.7	13.3	.	8	2.4	.
	Unk	1.0	17.6	.	0.7	13.3	.	28	8.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	1.0	100.0	5.7	100.0	3.0	100.0	2.0	100.0	5.0	100.0	290	100.0	50	100.0	340	100.0
Risk	MSM	2.7	57.1	0.0	0.0	2.7	47.1	1.3	44.4	0.0	0.0	1.3	26.7	97	33.4	0	0.0	97	28.5
	IDU	0.3	7.1	0.3	33.3	0.7	11.8	0.3	11.1	0.0	0.0	0.3	6.7	118	40.7	15	30.0	133	39.1
	MSM/IDU	0.7	14.3	0.0	0.0	0.7	11.8	0.3	11.1	0.0	0.0	0.3	6.7	23	7.9	0	0.0	23	6.8
	Heterosexual	0.0	0.0	0.7	66.7	0.7	11.8	0.0	0.0	1.7	83.3	1.7	33.3	10	3.4	18	36.0	28	8.2
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	13	26.0	13	3.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2.8	2	4.0	10	2.9
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.1	0.3	16.7	0.7	13.3	6	2.1	2	4.0	8	2.4
	Unk	1.0	21.4	0.0	0.0	1.0	17.6	0.7	22.2	0.0	0.0	0.7	13.3	28	9.7	0	0.0	28	8.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	10	3
1986	.	6	6
1987	.	10	8
1988	.	9	5
1989	.	13	10
1990	.	27	5
1991	.	28	14
1992	.	27	17
1993	.	24	19
1994	.	23	23
1995	.	18	22
1996	.	21	9
1997	.	15	10
1998	.	10	6
1999	.	7	1
2000*	5	8	8
2001	11	11	8
2002	5	11	7
2003	11	15	3
2004	9	10	5
2005	9	11	6
2006	7	5	4
2007	7	5	1
2008	5	1	2
2009	7	3	3
2010	3	4	1
2011	7	8	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		188	100.0	121.2	237	100.0	152.8	425	100.0	274.1	155,058
Gender	Male	89	47.3	.	138	58.2	.	227	53.4	.	.
	Female	99	52.7	.	99	41.8	.	198	46.6	.	.
Current Age	12 & under	3	1.6	.	0	0.0	.	3	0.7	.	.
	13-19	4	2.1	.	1	0.4	.	5	1.2	.	.
	20-24	6	3.2	.	2	0.8	.	8	1.9	.	.
	25-29	18	9.6	.	8	3.4	.	26	6.1	.	.
	30-39	31	16.5	.	22	9.3	.	53	12.5	.	.
	40-49	61	32.4	.	106	44.7	.	167	39.3	.	.
	50-59	50	26.6	.	66	27.8	.	116	27.3	.	.
	60+	15	8.0	.	32	13.5	.	47	11.1	.	.
Race/Ethnicity	White	71	37.8	.	72	30.4	.	143	33.6	.	.
	Black	45	23.9	.	75	31.6	.	120	28.2	.	.
	Hispanic	36	19.1	.	47	19.8	.	83	19.5	.	.
	Multi Race	35	18.6	.	41	17.3	.	76	17.9	.	.
	Others	1	0.5	.	2	0.8	.	3	0.7	.	.
Risk	MSM	44	23.4	.	52	21.9	.	96	22.6	.	.
	IDU	32	17.0	.	58	24.5	.	90	21.2	.	.
	MSM/IDU	4	2.1	.	16	6.8	.	20	4.7	.	.
	Heterosexual	58	30.9	.	70	29.5	.	128	30.1	.	.
	Fem Pres Het Cont	32	17.0	.	19	8.0	.	51	12.0	.	.
	Blood Prod.	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	8	4.3	.	3	1.3	.	11	2.6	.	.
	Unk	10	5.3	.	18	7.6	.	28	6.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		89	100.0	99	100.0	188	100.0	138	100.0	99	100.0	237	100.0	227	100.0	198	100.0	425	100.0
Risk	MSM	44	49.4	0	0.0	44	23.4	52	37.7	0	0.0	52	21.9	96	42.3	0	0.0	96	22.6
	IDU	12	13.5	20	20.2	32	17.0	34	24.6	24	24.2	58	24.5	46	20.3	44	22.2	90	21.2
	MSM/IDU	4	4.5	0	0.0	4	2.1	16	11.6	0	0.0	16	6.8	20	8.8	0	0.0	20	4.7
	Heterosexual	16	18.0	42	42.4	58	30.9	17	12.3	53	53.5	70	29.5	33	14.5	95	48.0	128	30.1
	Fem Pres Het Cont	0	0.0	32	32.3	32	17.0	0	0.0	19	19.2	19	8.0	0	0.0	51	25.8	51	12.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.4	1	0.4	0	0.0	1	0.2
	Pediatric Risk	3	3.4	5	5.1	8	4.3	0	0.0	3	3.0	3	1.3	3	1.3	8	4.0	11	2.6
	Unk	10	11.2	0	0.0	10	5.3	18	13.0	0	0.0	18	7.6	28	12.3	0	0.0	28	6.6

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		11.7	100.0	7.5	12.0	100.0	7.7	516	100.0	155,058
Gender	Male	6.3	54.3	.	7.7	63.9	.	328	63.6	.
	Female	5.3	45.7	.	4.3	36.1	.	188	36.4	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	6	1.2	.
	13-19	0.0	0.0	.	0.0	0.0	.	3	0.6	.
	20-24	1.3	11.4	.	0.3	2.8	.	16	3.1	.
	25-29	1.0	8.6	.	1.0	8.3	.	58	11.2	.
	30-39	1.7	14.3	.	2.7	22.2	.	184	35.7	.
	40-49	4.3	37.1	.	4.7	38.9	.	183	35.5	.
	50-59	3.0	25.7	.	2.7	22.2	.	59	11.4	.
	60+	0.3	2.9	.	0.7	5.6	.	7	1.4	.
Race/Ethnicity	White	3.7	31.4	.	5.0	41.7	.	216	41.9	.
	Black	4.0	34.3	.	4.3	36.1	.	171	33.1	.
	Hispanic	2.3	20.0	.	2.0	16.7	.	79	15.3	.
	Multi Race	1.7	14.3	.	0.7	5.6	.	48	9.3	.
	Others	0.0	0.0	.	0.0	0.0	.	2	0.4	.
Risk	MSM	1.7	14.3	.	3.0	25.0	.	127	24.6	.
	IDU	1.7	14.3	.	3.3	27.8	.	163	31.6	.
	MSM/IDU	1.3	11.4	.	1.0	8.3	.	31	6.0	.
	Heterosexual	4.3	37.1	.	3.3	27.8	.	103	20.0	.
	Fem Pres Het Cont	1.7	14.3	.	0.7	5.6	.	39	7.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	4	0.8	.
	Pediatric Risk	0.0	0.0	.	0.3	2.8	.	8	1.6	.
	Unk	1.0	8.6	.	0.3	2.8	.	41	7.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.3	100.0	5.3	100.0	11.7	100.0	7.7	100.0	4.3	100.0	12.0	100.0	328	100.0	188	100.0	516	100.0
Risk	MSM	1.7	26.3	0.0	0.0	1.7	14.3	3.0	39.1	0.0	0.0	3.0	25.0	127	38.7	0	0.0	127	24.6
	IDU	0.7	10.5	1.0	18.8	1.7	14.3	2.0	26.1	1.3	30.8	3.3	27.8	100	30.5	63	33.5	163	31.6
	MSM/IDU	1.3	21.1	0.0	0.0	1.3	11.4	1.0	13.0	0.0	0.0	1.0	8.3	31	9.5	0	0.0	31	6.0
	Heterosexual	1.7	26.3	2.7	50.0	4.3	37.1	1.3	17.4	2.0	46.2	3.3	27.8	25	7.6	78	41.5	103	20.0
	Fem Pres Het Cont	0.0	0.0	1.7	31.3	1.7	14.3	0.0	0.0	0.7	15.4	0.7	5.6	0	0.0	39	20.7	39	7.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	0.9	1	0.5	4	0.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.7	0.3	2.8	1	0.3	7	3.7	8	1.6
	Unk	1.0	15.8	0.0	0.0	1.0	8.6	0.3	4.3	0.0	0.0	0.3	2.8	41	12.5	0	0.0	41	7.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	14	6
1986	.	10	10
1987	.	5	5
1988	.	8	6
1989	.	16	9
1990	.	26	17
1991	.	27	14
1992	.	19	21
1993	.	27	11
1994	.	36	22
1995	.	35	17
1996	.	26	21
1997	.	26	10
1998	.	25	11
1999	.	13	9
2000*	11	22	8
2001	18	14	6
2002	27	22	11
2003	25	21	4
2004	26	22	9
2005	20	20	9
2006	17	23	11
2007	12	13	7
2008	13	10	8
2009	7	4	6
2010	12	19	5
2011	16	13	7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		19	100.0	58.3	17	100.0	52.2	36	100.0	110.5	32,578
Gender	Male	15	78.9	.	13	76.5	.	28	77.8	.	.
	Female	4	21.1	.	4	23.5	.	8	22.2	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	3	15.8	.	3	17.6	.	6	16.7	.	.
	40-49	9	47.4	.	4	23.5	.	13	36.1	.	.
	50-59	6	31.6	.	8	47.1	.	14	38.9	.	.
	60+	1	5.3	.	2	11.8	.	3	8.3	.	.
Race/Ethnicity	White	6	31.6	.	10	58.8	.	16	44.4	.	.
	Black	6	31.6	.	4	23.5	.	10	27.8	.	.
	Hispanic	6	31.6	.	1	5.9	.	7	19.4	.	.
	Multi Race	0	0.0	.	2	11.8	.	2	5.6	.	.
	Others	1	5.3	.	0	0.0	.	1	2.8	.	.
Risk	MSM	5	26.3	.	6	35.3	.	11	30.6	.	.
	IDU	3	15.8	.	4	23.5	.	7	19.4	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	10.5	.	3	17.6	.	5	13.9	.	.
	Fem Pres Het Cont	2	10.5	.	0	0.0	.	2	5.6	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	7	36.8	.	4	23.5	.	11	30.6	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		15	100.0	4	100.0	19	100.0	13	100.0	4	100.0	17	100.0	28	100.0	8	100.0	36	100.0
Risk	MSM	5	33.3	0	0.0	5	26.3	6	46.2	0	0.0	6	35.3	11	39.3	0	0.0	11	30.6
	IDU	2	13.3	1	25.0	3	15.8	3	23.1	1	25.0	4	23.5	5	17.9	2	25.0	7	19.4
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	6.7	1	25.0	2	10.5	0	0.0	3	75.0	3	17.6	1	3.6	4	50.0	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	10.5	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	5.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	7	46.7	0	0.0	7	36.8	4	30.8	0	0.0	4	23.5	11	39.3	0	0.0	11	30.6

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		0.0	0.0	0.0	0.7	100.0	2.0	44	100.0	32,578
Gender	Male	0.0	0.0	.	0.3	50.0	.	39	88.6	.
	Female	0.0	0.0	.	0.3	50.0	.	5	11.4	.
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	1	2.3	.
	25-29	0.0	0.0	.	0.3	50.0	.	2	4.5	.
	30-39	0.0	0.0	.	0.0	0.0	.	17	38.6	.
	40-49	0.0	0.0	.	0.0	0.0	.	16	36.4	.
	50-59	0.0	0.0	.	0.3	50.0	.	7	15.9	.
	60+	0.0	0.0	.	0.0	0.0	.	1	2.3	.
Race/Ethnicity	White	0.0	0.0	.	0.3	50.0	.	31	70.5	.
	Black	0.0	0.0	.	0.0	0.0	.	7	15.9	.
	Hispanic	0.0	0.0	.	0.3	50.0	.	4	9.1	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	2	4.5	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	0.0	0.0	.	0.3	50.0	.	16	36.4	.
	IDU	0.0	0.0	.	0.0	0.0	.	12	27.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	1	2.3	.
	Heterosexual	0.0	0.0	.	0.3	50.0	.	4	9.1	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	1	2.3	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	2.3	.
	Unk	0.0	0.0	.	0.0	0.0	.	9	20.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	100.0	0.7	100.0	39	100.0	5	100.0	44	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	50.0	16	41.0	0	0.0	16	36.4
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	28.2	1	20.0	12	27.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.6	0	0.0	1	2.3
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	50.0	1	2.6	3	60.0	4	9.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	20.0	1	2.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	2.6	0	0.0	1	2.3
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	23.1	0	0.0	9	20.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	1
1986	.	1	1
1988	.	1	.
1989	.	1	1
1990	.	3	1
1991	.	4	3
1992	.	3	1
1993	.	7	5
1994	.	4	2
1995	.	2	4
1996	.	2	3
1998	.	1	.
1999	.	3	2
2000*	1	1	2
2001	2	1	.
2002	6	.	.
2003	1	1	.
2004	2	1	1
2005	1	.	.
2006	.	2	.
2007	1	1	.
2008	3	2	.
2009	.	2	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		12	100.0	65.4	8	100.0	43.6	20	100.0	108.9	18,361
Gender	Male	11	91.7	.	7	87.5	.	18	90.0	.	.
	Female	1	8.3	.	1	12.5	.	2	10.0	.	.
Current Age	20-24	1	8.3	.	0	0.0	.	1	5.0	.	.
	25-29	1	8.3	.	1	12.5	.	2	10.0	.	.
	30-39	2	16.7	.	0	0.0	.	2	10.0	.	.
	40-49	6	50.0	.	3	37.5	.	9	45.0	.	.
	50-59	1	8.3	.	3	37.5	.	4	20.0	.	.
	60+	1	8.3	.	1	12.5	.	2	10.0	.	.
Race/Ethnicity	White	6	50.0	.	3	37.5	.	9	45.0	.	.
	Black	4	33.3	.	1	12.5	.	5	25.0	.	.
	Hispanic	2	16.7	.	4	50.0	.	6	30.0	.	.
Risk	MSM	5	41.7	.	4	50.0	.	9	45.0	.	.
	IDU	2	16.7	.	3	37.5	.	5	25.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	16.7	.	0	0.0	.	2	10.0	.	.
	Unk	3	25.0	.	1	12.5	.	4	20.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	1	100.0	12	100.0	7	100.0	1	100.0	8	100.0	18	100.0	2	100.0	20	100.0
Risk	MSM	5	45.5	0	0.0	5	41.7	4	57.1	0	0.0	4	50.0	9	50.0	0	0.0	9	45.0
	IDU	2	18.2	0	0.0	2	16.7	2	28.6	1	100.0	3	37.5	4	22.2	1	50.0	5	25.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	9.1	1	100.0	2	16.7	0	0.0	0	0.0	0	0.0	1	5.6	1	50.0	2	10.0
	Unk	3	27.3	0	0.0	3	25.0	1	14.3	0	0.0	1	12.5	4	22.2	0	0.0	4	20.0

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		0.3	100.0	1.8	0.7	100.0	3.6	17	100.0	18,361
Gender	Male	0.3	100.0	.	0.7	100.0	.	17	100.0	.
	Female	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	25-29	0.0	0.0	.	0.0	0.0	.	2	11.8	.
	30-39	0.0	0.0	.	0.0	0.0	.	2	11.8	.
	40-49	0.0	0.0	.	0.3	50.0	.	5	29.4	.
	50-59	0.0	0.0	.	0.3	50.0	.	7	41.2	.
	60+	0.3	100.0	.	0.0	0.0	.	1	5.9	.
Race/Ethnicity	White	0.3	100.0	.	0.0	0.0	.	13	76.5	.
	Black	0.0	0.0	.	0.3	50.0	.	1	5.9	.
	Hispanic	0.0	0.0	.	0.3	50.0	.	3	17.6	.
Risk	MSM	0.0	0.0	.	0.3	50.0	.	10	58.8	.
	IDU	0.0	0.0	.	0.3	50.0	.	2	11.8	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	11.8	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	1	5.9	.
	Unk	0.3	100.0	.	0.0	0.0	.	2	11.8	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

***Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³***

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.0	0.0	0.3	100.0	0.7	100.0	0.0	0.0	0.7	100.0	17	100.0	0	0.0	17	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	50.0	10	58.8	0	0.0	10	58.8
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	50.0	2	11.8	0	0.0	2	11.8
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	11.8	0	0.0	2	11.8
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	5.9	0	0.0	1	5.9
	Unk	0.3	100.0	0.0	0.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0	2	11.8	0	0.0	2	11.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1987	.	1	1
1989	.	1	.
1990	.	2	.
1991	.	1	2
1992	.	1	1
1993	.	3	4
1994	.	1	.
1995	.	.	1
1996	.	1	1
2001	.	1	.
2002	1	1	.
2003	2	.	.
2005	1	1	.
2006	1	.	.
2007	1	1	.
2008	1	.	.
2010	1	1	.
2011	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		53	100.0	150.6	63	100.0	179.0	116	100.0	329.6	35,198
Gender	Male	37	69.8	.	54	85.7	.	91	78.4	.	.
	Female	16	30.2	.	9	14.3	.	25	21.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	1.9	.	1	1.6	.	2	1.7	.	.
	25-29	1	1.9	.	1	1.6	.	2	1.7	.	.
	30-39	8	15.1	.	9	14.3	.	17	14.7	.	.
	40-49	20	37.7	.	27	42.9	.	47	40.5	.	.
	50-59	18	34.0	.	20	31.7	.	38	32.8	.	.
	60+	5	9.4	.	5	7.9	.	10	8.6	.	.
Race/Ethnicity	White	12	22.6	.	8	12.7	.	20	17.2	.	.
	Black	18	34.0	.	26	41.3	.	44	37.9	.	.
	Hispanic	22	41.5	.	21	33.3	.	43	37.1	.	.
	Multi Race	1	1.9	.	8	12.7	.	9	7.8	.	.
Risk	MSM	7	13.2	.	6	9.5	.	13	11.2	.	.
	IDU	23	43.4	.	23	36.5	.	46	39.7	.	.
	MSM/IDU	2	3.8	.	3	4.8	.	5	4.3	.	.
	Heterosexual	3	5.7	.	9	14.3	.	12	10.3	.	.
	Fem Pres Het Cont	7	13.2	.	1	1.6	.	8	6.9	.	.
	Blood Prod.	0	0.0	.	1	1.6	.	1	0.9	.	.
	Pediatric Risk	0	0.0	.	1	1.6	.	1	0.9	.	.
	Unk	11	20.8	.	19	30.2	.	30	25.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		37	100.0	16	100.0	53	100.0	54	100.0	9	100.0	63	100.0	91	100.0	25	100.0	116	100.0
Risk	MSM	7	18.9	0	0.0	7	13.2	6	11.1	0	0.0	6	9.5	13	14.3	0	0.0	13	11.2
	IDU	15	40.5	8	50.0	23	43.4	17	31.5	6	66.7	23	36.5	32	35.2	14	56.0	46	39.7
	MSM/IDU	2	5.4	0	0.0	2	3.8	3	5.6	0	0.0	3	4.8	5	5.5	0	0.0	5	4.3
	Heterosexual	2	5.4	1	6.3	3	5.7	8	14.8	1	11.1	9	14.3	10	11.0	2	8.0	12	10.3
	Fem Pres Het Cont	0	0.0	7	43.8	7	13.2	0	0.0	1	11.1	1	1.6	0	0.0	8	32.0	8	6.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	1	1.6	1	1.1	0	0.0	1	0.9
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	1	1.6	0	0.0	1	4.0	1	0.9
	Unk	11	29.7	0	0.0	11	20.8	19	35.2	0	0.0	19	30.2	30	33.0	0	0.0	30	25.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.0	100.0	2.8	2.3	100.0	6.6	94	100.0	35,198
Gender	Male	0.7	66.7	.	1.7	71.4	.	77	81.9	.
	Female	0.3	33.3	.	0.7	28.6	.	17	18.1	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	13-19	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	20-24	0.3	33.3	.	0.3	14.3	.	4	4.3	.
	25-29	0.0	0.0	.	0.0	0.0	.	5	5.3	.
	30-39	0.0	0.0	.	1.3	57.1	.	43	45.7	.
	40-49	0.3	33.3	.	0.0	0.0	.	32	34.0	.
	50-59	0.0	0.0	.	0.7	28.6	.	8	8.5	.
	60+	0.3	33.3	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	1.0	100.0	.	0.3	14.3	.	22	23.4	.
	Black	0.0	0.0	.	1.3	57.1	.	37	39.4	.
	Hispanic	0.0	0.0	.	0.7	28.6	.	26	27.7	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	9	9.6	.
Risk	MSM	0.3	33.3	.	0.3	14.3	.	12	12.8	.
	IDU	0.0	0.0	.	1.3	57.1	.	36	38.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	4	4.3	.
	Heterosexual	0.0	0.0	.	0.7	28.6	.	12	12.8	.
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	3	3.2	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	Unk	0.3	33.3	.	0.0	0.0	.	25	26.6	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	1.7	100.0	0.7	100.0	2.3	100.0	77	100.0	17	100.0	94	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	33.3	0.3	20.0	0.0	0.0	0.3	14.3	12	15.6	0	0.0	12	12.8
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	1.0	60.0	0.3	50.0	1.3	57.1	25	32.5	11	64.7	36	38.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	5.2	0	0.0	4	4.3
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.3	50.0	0.7	28.6	10	13.0	2	11.8	12	12.8
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	3	17.6	3	3.2
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1.3	0	0.0	1	1.1
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	5.9	1	1.1
	Unk	0.3	50.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0	25	32.5	0	0.0	25	26.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1987	.	1	.
1988	.	1	1
1990	.	2	1
1991	.	1	.
1992	.	4	1
1993	.	3	2
1994	.	3	.
1995	.	5	1
1996	.	10	2
1997	.	3	2
1998	.	7	.
1999	.	2	2
2000*	5	3	.
2001	4	4	1
2002	9	10	4
2003	5	9	4
2004	3	6	1
2005	1	7	.
2006	2	2	.
2007	3	1	3
2008	2	3	3
2009	.	4	1
2010	2	2	.
2011	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		35	100.0	35.3	42	100.0	42.4	77	100.0	77.8	99,033
Gender	Male	26	74.3	.	29	69.0	.	55	71.4	.	.
	Female	9	25.7	.	13	31.0	.	22	28.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.9	.	1	2.4	.	2	2.6	.	.
	25-29	5	14.3	.	2	4.8	.	7	9.1	.	.
	30-39	4	11.4	.	7	16.7	.	11	14.3	.	.
	40-49	11	31.4	.	11	26.2	.	22	28.6	.	.
	50-59	8	22.9	.	14	33.3	.	22	28.6	.	.
	60+	6	17.1	.	7	16.7	.	13	16.9	.	.
Race/Ethnicity	White	20	57.1	.	27	64.3	.	47	61.0	.	.
	Black	8	22.9	.	8	19.0	.	16	20.8	.	.
	Hispanic	2	5.7	.	5	11.9	.	7	9.1	.	.
	Multi Race	4	11.4	.	2	4.8	.	6	7.8	.	.
	Others	1	2.9	.	0	0.0	.	1	1.3	.	.
Risk	MSM	16	45.7	.	16	38.1	.	32	41.6	.	.
	IDU	6	17.1	.	7	16.7	.	13	16.9	.	.
	MSM/IDU	0	0.0	.	2	4.8	.	2	2.6	.	.
	Heterosexual	9	25.7	.	12	28.6	.	21	27.3	.	.
	Fem Pres Het Cont	2	5.7	.	2	4.8	.	4	5.2	.	.
	Blood Prod.	0	0.0	.	1	2.4	.	1	1.3	.	.
	Pediatric Risk	0	0.0	.	1	2.4	.	1	1.3	.	.
	Unk	2	5.7	.	1	2.4	.	3	3.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		26	100.0	9	100.0	35	100.0	29	100.0	13	100.0	42	100.0	55	100.0	22	100.0	77	100.0
Risk	MSM	16	61.5	0	0.0	16	45.7	16	55.2	0	0.0	16	38.1	32	58.2	0	0.0	32	41.6
	IDU	5	19.2	1	11.1	6	17.1	5	17.2	2	15.4	7	16.7	10	18.2	3	13.6	13	16.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	6.9	0	0.0	2	4.8	2	3.6	0	0.0	2	2.6
	Heterosexual	3	11.5	6	66.7	9	25.7	4	13.8	8	61.5	12	28.6	7	12.7	14	63.6	21	27.3
	Fem Pres Het Cont	0	0.0	2	22.2	2	5.7	0	0.0	2	15.4	2	4.8	0	0.0	4	18.2	4	5.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	1	2.4	0	0.0	1	4.5	1	1.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	1	2.4	1	1.8	0	0.0	1	1.3
	Unk	2	7.7	0	0.0	2	5.7	1	3.4	0	0.0	1	2.4	3	5.5	0	0.0	3	3.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		2.7	100.0	2.7	2.0	100.0	2.0	95	100.0	99,033
Gender	Male	2.3	87.5	.	1.7	83.3	.	73	76.8	.
	Female	0.3	12.5	.	0.3	16.7	.	22	23.2	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	13-19	0.0	0.0	.	0.0	0.0	.	1	1.1	.
	20-24	0.7	25.0	.	0.0	0.0	.	5	5.3	.
	25-29	1.3	50.0	.	0.3	16.7	.	12	12.6	.
	30-39	0.3	12.5	.	0.3	16.7	.	35	36.8	.
	40-49	0.3	12.5	.	0.3	16.7	.	28	29.5	.
	50-59	0.0	0.0	.	1.0	50.0	.	8	8.4	.
	60+	0.0	0.0	.	0.0	0.0	.	5	5.3	.
Race/Ethnicity	White	2.3	87.5	.	1.7	83.3	.	75	78.9	.
	Black	0.0	0.0	.	0.0	0.0	.	14	14.7	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	4	4.2	.
	Multi Race	0.3	12.5	.	0.3	16.7	.	2	2.1	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	2.3	87.5	.	1.0	50.0	.	40	42.1	.
	IDU	0.0	0.0	.	0.0	0.0	.	19	20.0	.
	MSM/IDU	0.0	0.0	.	0.3	16.7	.	4	4.2	.
	Heterosexual	0.0	0.0	.	0.3	16.7	.	18	18.9	.
	Fem Pres Het Cont	0.3	12.5	.	0.3	16.7	.	4	4.2	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	3	3.2	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	2	2.1	.
	Unk	0.0	0.0	.	0.0	0.0	.	5	5.3	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.7	100.0	0.3	100.0	2.0	100.0	73	100.0	22	100.0	95	100.0
Risk	MSM	2.3	100.0	0.0	0.0	2.3	87.5	1.0	60.0	0.0	0.0	1.0	50.0	40	54.8	0	0.0	40	42.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	19.2	5	22.7	19	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.0	0.0	0.3	16.7	4	5.5	0	0.0	4	4.2
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.0	0.0	0.3	16.7	6	8.2	12	54.5	18	18.9
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	12.5	0.0	0.0	0.3	100.0	0.3	16.7	0	0.0	4	18.2	4	4.2
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2.7	1	4.5	3	3.2
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2.7	0	0.0	2	2.1
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	6.8	0	0.0	5	5.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	.
1986	.	2	2
1987	.	3	3
1988	.	4	3
1989	.	4	.
1990	.	4	3
1991	.	5	3
1992	.	9	6
1993	.	5	4
1994	.	3	3
1995	.	2	5
1996	.	5	5
1997	.	3	1
1998	.	8	1
1999	.	5	3
2000*	6	3	.
2001	5	1	1
2002	2	2	3
2003	2	4	1
2004	1	3	2
2005	2	3	2
2006	2	1	.
2007	2	3	.
2008	3	6	3
2009	3	1	.
2010	3	3	1
2011	2	2	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,199	100.0	80.0	1,807	100.0	120.6	3,006	100.0	200.6	1,498,816
Gender	Male	788	65.7	.	1,252	69.3	.	2,040	67.9	.	.
	Female	411	34.3	.	555	30.7	.	966	32.1	.	.
Current Age	12 & under	12	1.0	.	0	0.0	.	12	0.4	.	.
	13-19	26	2.2	.	10	0.6	.	36	1.2	.	.
	20-24	71	5.9	.	41	2.3	.	112	3.7	.	.
	25-29	98	8.2	.	49	2.7	.	147	4.9	.	.
	30-39	214	17.8	.	216	12.0	.	430	14.3	.	.
	40-49	361	30.1	.	570	31.5	.	931	31.0	.	.
	50-59	296	24.7	.	650	36.0	.	946	31.5	.	.
	60+	118	9.8	.	271	15.0	.	389	12.9	.	.
	Unk	3	0.3	.	0	0.0	.	3	0.1	.	.
Race/Ethnicity	White	482	40.2	.	652	36.1	.	1,134	37.7	.	.
	Black	318	26.5	.	518	28.7	.	836	27.8	.	.
	Hispanic	296	24.7	.	470	26.0	.	766	25.5	.	.
	Multi Race	87	7.3	.	157	8.7	.	244	8.1	.	.
	Others	13	1.1	.	10	0.6	.	23	0.8	.	.
	Unk	3	0.3	.	0	0.0	.	3	0.1	.	.
Risk	MSM	492	41.0	.	682	37.7	.	1,174	39.1	.	.
	IDU	110	9.2	.	358	19.8	.	468	15.6	.	.
	MSM/IDU	39	3.3	.	94	5.2	.	133	4.4	.	.
	Heterosexual	247	20.6	.	318	17.6	.	565	18.8	.	.
	Fem Pres Het Cont	117	9.8	.	125	6.9	.	242	8.1	.	.
	Blood Prod.	6	0.5	.	8	0.4	.	14	0.5	.	.
	Pediatric Risk	52	4.3	.	48	2.7	.	100	3.3	.	.
	Unk	136	11.3	.	174	9.6	.	310	10.3	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		788	100.0	411	100.0	1,199	100.0	1,252	100.0	555	100.0	1,807	100.0	2,040	100.0	966	100.0	3,006	100.0
Risk	MSM	492	62.4	0	0.0	492	41.0	682	54.5	0	0.0	682	37.7	1,174	57.5	0	0.0	1,174	39.1
	IDU	55	7.0	55	13.4	110	9.2	214	17.1	144	25.9	358	19.8	269	13.2	199	20.6	468	15.6
	MSM/IDU	39	4.9	0	0.0	39	3.3	94	7.5	0	0.0	94	5.2	133	6.5	0	0.0	133	4.4
	Heterosexual	39	4.9	208	50.6	247	20.6	55	4.4	263	47.4	318	17.6	94	4.6	471	48.8	565	18.8
	Fem Pres Het Cont	0	0.0	117	28.5	117	9.8	0	0.0	125	22.5	125	6.9	0	0.0	242	25.1	242	8.1
	Blood Prod.	4	0.5	2	0.5	6	0.5	7	0.6	1	0.2	8	0.4	11	0.5	3	0.3	14	0.5
	Pediatric Risk	25	3.2	27	6.6	52	4.3	28	2.2	20	3.6	48	2.7	53	2.6	47	4.9	100	3.3
	Unk	134	17.0	2	0.5	136	11.3	172	13.7	2	0.4	174	9.6	306	15.0	4	0.4	310	10.3

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		111.0	100.0	7.4	76.3	100.0	5.1	4,577	100.0	1,498,816
Gender	Male	87.0	78.4	.	54.3	71.2	.	3,361	73.4	.
	Female	24.0	21.6	.	22.0	28.8	.	1,216	26.6	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	67	1.5	.
	13-19	5.0	4.5	.	0.3	0.4	.	54	1.2	.
	20-24	19.3	17.4	.	5.0	6.6	.	131	2.9	.
	25-29	14.0	12.6	.	6.3	8.3	.	405	8.8	.
	30-39	26.7	24.0	.	17.3	22.7	.	1,817	39.7	.
	40-49	27.7	24.9	.	26.3	34.5	.	1,461	31.9	.
	50-59	14.3	12.9	.	16.0	21.0	.	485	10.6	.
	60+	4.0	3.6	.	5.0	6.6	.	157	3.4	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	36.7	33.0	.	24.3	31.9	.	2,106	46.0	.
	Black	28.7	25.8	.	22.0	28.8	.	1,363	29.8	.
	Hispanic	34.0	30.6	.	21.0	27.5	.	889	19.4	.
	Multi Race	9.0	8.1	.	8.3	10.9	.	199	4.3	.
	Others	2.7	2.4	.	0.7	0.9	.	20	0.4	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	62.0	55.9	.	36.3	47.6	.	1,532	33.5	.
	IDU	3.0	2.7	.	7.3	9.6	.	1,469	32.1	.
	MSM/IDU	3.3	3.0	.	3.0	3.9	.	291	6.4	.
	Heterosexual	16.7	15.0	.	14.3	18.8	.	562	12.3	.
	Fem Pres Het Cont	9.7	8.7	.	5.0	6.6	.	210	4.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	62	1.4	.
	Pediatric Risk	0.0	0.0	.	1.0	1.3	.	100	2.2	.
	Unk	16.3	14.7	.	9.3	12.2	.	351	7.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		87.0	100.0	24.0	100.0	111.0	100.0	54.3	100.0	22.0	100.0	76.3	100.0	3,361	100.0	1,216	100.0	4,577	100.0
Risk	MSM	62.0	71.3	0.0	0.0	62.0	55.9	36.3	66.9	0.0	0.0	36.3	47.6	1,532	45.6	0	0.0	1,532	33.5
	IDU	1.3	1.5	1.7	6.9	3.0	2.7	3.0	5.5	4.3	19.7	7.3	9.6	995	29.6	474	39.0	1,469	32.1
	MSM/IDU	3.3	3.8	0.0	0.0	3.3	3.0	3.0	5.5	0.0	0.0	3.0	3.9	291	8.7	0	0.0	291	6.4
	Heterosexual	4.0	4.6	12.7	52.8	16.7	15.0	2.3	4.3	12.0	54.5	14.3	18.8	92	2.7	470	38.7	562	12.3
	Fem Pres Het Cont	0.0	0.0	9.7	40.3	9.7	8.7	0.0	0.0	5.0	22.7	5.0	6.6	0	0.0	210	17.3	210	4.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	1.4	15	1.2	62	1.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	0.3	1.5	1.0	1.3	56	1.7	44	3.6	100	2.2
	Unk	16.3	18.8	0.0	0.0	16.3	14.7	9.0	16.6	0.3	1.5	9.3	12.2	348	10.4	3	0.2	351	7.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	106	60
1986	.	103	71
1987	.	145	81
1988	.	191	126
1989	.	192	137
1990	.	216	142
1991	.	281	167
1992	.	289	214
1993	.	348	202
1994	.	316	231
1995	.	322	216
1996	.	265	166
1997	.	196	97
1998	.	142	80
1999	.	142	74
2000*	95	153	60
2001	133	133	73
2002	123	122	76
2003	151	139	71
2004	141	113	64
2005	128	112	80
2006	116	107	61
2007	131	109	61
2008	111	106	45
2009	112	82	45
2010	115	67	45
2011	106	80	35

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		159	100.0	206.8	261	100.0	339.4	420	100.0	546.2	76,900
Gender	Male	110	69.2	.	184	70.5	.	294	70.0	.	.
	Female	49	30.8	.	77	29.5	.	126	30.0	.	.
Current Age	12 & under	1	0.6	.	0	0.0	.	1	0.2	.	.
	13-19	2	1.3	.	1	0.4	.	3	0.7	.	.
	20-24	6	3.8	.	1	0.4	.	7	1.7	.	.
	25-29	13	8.2	.	4	1.5	.	17	4.0	.	.
	30-39	14	8.8	.	15	5.7	.	29	6.9	.	.
	40-49	51	32.1	.	75	28.7	.	126	30.0	.	.
	50-59	51	32.1	.	106	40.6	.	157	37.4	.	.
	60+	21	13.2	.	59	22.6	.	80	19.0	.	.
Race/Ethnicity	White	31	19.5	.	50	19.2	.	81	19.3	.	.
	Black	50	31.4	.	82	31.4	.	132	31.4	.	.
	Hispanic	57	35.8	.	91	34.9	.	148	35.2	.	.
	Multi Race	18	11.3	.	38	14.6	.	56	13.3	.	.
	Others	3	1.9	.	0	0.0	.	3	0.7	.	.
Risk	MSM	28	17.6	.	41	15.7	.	69	16.4	.	.
	IDU	63	39.6	.	108	41.4	.	171	40.7	.	.
	MSM/IDU	10	6.3	.	10	3.8	.	20	4.8	.	.
	Heterosexual	35	22.0	.	50	19.2	.	85	20.2	.	.
	Fem Pres Het Cont	9	5.7	.	10	3.8	.	19	4.5	.	.
	Blood Prod.	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	3	1.9	.	5	1.9	.	8	1.9	.	.
	Unk	11	6.9	.	36	13.8	.	47	11.2	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		110	100.0	49	100.0	159	100.0	184	100.0	77	100.0	261	100.0	294	100.0	126	100.0	420	100.0
Risk	MSM	28	25.5	0	0.0	28	17.6	41	22.3	0	0.0	41	15.7	69	23.5	0	0.0	69	16.4
	IDU	49	44.5	14	28.6	63	39.6	87	47.3	21	27.3	108	41.4	136	46.3	35	27.8	171	40.7
	MSM/IDU	10	9.1	0	0.0	10	6.3	10	5.4	0	0.0	10	3.8	20	6.8	0	0.0	20	4.8
	Heterosexual	12	10.9	23	46.9	35	22.0	8	4.3	42	54.5	50	19.2	20	6.8	65	51.6	85	20.2
	Fem Pres Het Cont	0	0.0	9	18.4	9	5.7	0	0.0	10	13.0	10	3.8	0	0.0	19	15.1	19	4.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.4	0	0.0	1	0.8	1	0.2
	Pediatric Risk	0	0.0	3	6.1	3	1.9	2	1.1	3	3.9	5	1.9	2	0.7	6	4.8	8	1.9
	Unk	11	10.0	0	0.0	11	6.9	36	19.6	0	0.0	36	13.8	47	16.0	0	0.0	47	11.2

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.3	100.0	4.3	4.3	100.0	5.6	719	100.0	76,900
Gender	Male	2.3	70.0	.	3.0	69.2	.	563	78.3	.
	Female	1.0	30.0	.	1.3	30.8	.	156	21.7	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	7	1.0	.
	13-19	0.0	0.0	.	0.0	0.0	.	6	0.8	.
	20-24	0.7	20.0	.	0.0	0.0	.	10	1.4	.
	25-29	1.0	30.0	.	0.0	0.0	.	63	8.8	.
	30-39	0.7	20.0	.	0.7	15.4	.	286	39.8	.
	40-49	0.7	20.0	.	1.3	30.8	.	249	34.6	.
	50-59	0.3	10.0	.	0.7	15.4	.	74	10.3	.
	60+	0.0	0.0	.	1.7	38.5	.	24	3.3	.
Race/Ethnicity	White	0.3	10.0	.	0.7	15.4	.	167	23.2	.
	Black	1.7	50.0	.	2.0	46.2	.	269	37.4	.
	Hispanic	0.7	20.0	.	1.7	38.5	.	234	32.5	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	48	6.7	.
	Others	0.7	20.0	.	0.0	0.0	.	1	0.1	.
Risk	MSM	1.3	40.0	.	0.0	0.0	.	99	13.8	.
	IDU	1.0	30.0	.	3.7	84.6	.	403	56.1	.
	MSM/IDU	0.3	10.0	.	0.0	0.0	.	28	3.9	.
	Heterosexual	0.7	20.0	.	0.3	7.7	.	91	12.7	.
	Fem Pres Het Cont	0.0	0.0	.	0.3	7.7	.	24	3.3	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	5	0.7	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	11	1.5	.
	Unk	0.0	0.0	.	0.0	0.0	.	58	8.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	1.0	100.0	3.3	100.0	3.0	100.0	1.3	100.0	4.3	100.0	563	100.0	156	100.0	719	100.0
Risk	MSM	1.3	57.1	0.0	0.0	1.3	40.0	0.0	0.0	0.0	0.0	0.0	0.0	99	17.6	0	0.0	99	13.8
	IDU	0.7	28.6	0.3	33.3	1.0	30.0	3.0	100.0	0.7	50.0	3.7	84.6	354	62.9	49	31.4	403	56.1
	MSM/IDU	0.3	14.3	0.0	0.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0	28	5.0	0	0.0	28	3.9
	Heterosexual	0.0	0.0	0.7	66.7	0.7	20.0	0.0	0.0	0.3	25.0	0.3	7.7	17	3.0	74	47.4	91	12.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	7.7	0	0.0	24	15.4	24	3.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	0.4	3	1.9	5	0.7
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	0.9	6	3.8	11	1.5
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	10.3	0	0.0	58	8.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	18	11
1986	.	16	7
1987	.	18	17
1988	.	34	21
1989	.	33	23
1990	.	37	26
1991	.	48	25
1992	.	63	36
1993	.	78	33
1994	.	66	44
1995	.	46	53
1996	.	38	30
1997	.	23	15
1998	.	17	6
1999	.	21	8
2000*	13	19	18
2001	20	21	13
2002	13	25	11
2003	15	17	10
2004	22	17	9
2005	9	15	6
2006	9	11	9
2007	11	11	4
2008	12	14	6
2009	3	7	3
2010	3	1	8
2011	4	5	6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		16	100.0	31.3	20	100.0	39.2	36	100.0	70.5	51,043
Gender	Male	11	68.8	.	14	70.0	.	25	69.4	.	.
	Female	5	31.3	.	6	30.0	.	11	30.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	5.0	.	1	2.8	.	.
	25-29	3	18.8	.	0	0.0	.	3	8.3	.	.
	30-39	5	31.3	.	2	10.0	.	7	19.4	.	.
	40-49	4	25.0	.	8	40.0	.	12	33.3	.	.
	50-59	2	12.5	.	7	35.0	.	9	25.0	.	.
	60+	2	12.5	.	2	10.0	.	4	11.1	.	.
Race/Ethnicity	White	14	87.5	.	14	70.0	.	28	77.8	.	.
	Black	1	6.3	.	1	5.0	.	2	5.6	.	.
	Hispanic	0	0.0	.	4	20.0	.	4	11.1	.	.
	Multi Race	1	6.3	.	1	5.0	.	2	5.6	.	.
Risk	MSM	7	43.8	.	8	40.0	.	15	41.7	.	.
	IDU	0	0.0	.	4	20.0	.	4	11.1	.	.
	MSM/IDU	1	6.3	.	1	5.0	.	2	5.6	.	.
	Heterosexual	3	18.8	.	4	20.0	.	7	19.4	.	.
	Fem Pres Het Cont	2	12.5	.	1	5.0	.	3	8.3	.	.
	Pediatric Risk	0	0.0	.	1	5.0	.	1	2.8	.	.
	Unk	3	18.8	.	1	5.0	.	4	11.1	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹**by Gender and Risk****Includes State Prison Inmates²**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	5	100.0	16	100.0	14	100.0	6	100.0	20	100.0	25	100.0	11	100.0	36	100.0
Risk	MSM	7	63.6	0	0.0	7	43.8	8	57.1	0	0.0	8	40.0	15	60.0	0	0.0	15	41.7
	IDU	0	0.0	0	0.0	0	0.0	3	21.4	1	16.7	4	20.0	3	12.0	1	9.1	4	11.1
	MSM/IDU	1	9.1	0	0.0	1	6.3	1	7.1	0	0.0	1	5.0	2	8.0	0	0.0	2	5.6
	Heterosexual	0	0.0	3	60.0	3	18.8	1	7.1	3	50.0	4	20.0	1	4.0	6	54.5	7	19.4
	Fem Pres Het Cont	0	0.0	2	40.0	2	12.5	0	0.0	1	16.7	1	5.0	0	0.0	3	27.3	3	8.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	5.0	0	0.0	1	9.1	1	2.8
	Unk	3	27.3	0	0.0	3	18.8	1	7.1	0	0.0	1	5.0	4	16.0	0	0.0	4	11.1

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.0	100.0	2.0	0.7	100.0	1.3	37	100.0	51,043
Gender	Male	0.7	66.7	.	0.3	50.0	.	31	83.8	.
	Female	0.3	33.3	.	0.3	50.0	.	6	16.2	.
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	1	2.7	.
	20-24	0.0	0.0	.	0.0	0.0	.	2	5.4	.
	25-29	0.0	0.0	.	0.0	0.0	.	2	5.4	.
	30-39	0.3	33.3	.	0.0	0.0	.	14	37.8	.
	40-49	0.3	33.3	.	0.3	50.0	.	15	40.5	.
	50-59	0.0	0.0	.	0.0	0.0	.	2	5.4	.
	60+	0.3	33.3	.	0.3	50.0	.	1	2.7	.
Race/Ethnicity	White	0.7	66.7	.	0.3	50.0	.	31	83.8	.
	Black	0.0	0.0	.	0.0	0.0	.	2	5.4	.
	Hispanic	0.3	33.3	.	0.3	50.0	.	3	8.1	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	1	2.7	.
Risk	MSM	0.7	66.7	.	0.3	50.0	.	20	54.1	.
	IDU	0.0	0.0	.	0.0	0.0	.	6	16.2	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	4	10.8	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	3	8.1	.
	Fem Pres Het Cont	0.3	33.3	.	0.3	50.0	.	2	5.4	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	2.7	.
	Unk	0.0	0.0	.	0.0	0.0	.	1	2.7	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.3	100.0	0.3	100.0	0.7	100.0	31	100.0	6	100.0	37	100.0
Risk	MSM	0.7	100.0	0.0	0.0	0.7	66.7	0.3	100.0	0.0	0.0	0.3	50.0	20	64.5	0	0.0	20	54.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	16.1	1	16.7	6	16.2
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	12.9	0	0.0	4	10.8
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	3.2	2	33.3	3	8.1
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.3	100.0	0.3	50.0	0	0.0	2	33.3	2	5.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	16.7	1	2.7
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	3.2	0	0.0	1	2.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	1	1
1987	.	1	.
1988	.	2	.
1989	.	1	2
1990	.	3	2
1991	.	3	.
1992	.	1	2
1993	.	2	4
1994	.	1	1
1995	.	4	.
1996	.	1	2
1997	.	.	1
2000*	1	1	.
2001	4	2	1
2002	.	.	1
2003	2	4	.
2004	2	1	.
2005	3	1	.
2006	1	.	.
2007	.	1	.
2008	3	5	.
2009	1	1	.
2010	1	1	1
2011	1	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		51	100.0	50.1	90	100.0	88.5	141	100.0	138.6	101,723
Gender	Male	31	60.8	.	68	75.6	.	99	70.2	.	.
	Female	20	39.2	.	22	24.4	.	42	29.8	.	.
Current Age	12 & under	1	2.0	.	0	0.0	.	1	0.7	.	.
	13-19	1	2.0	.	0	0.0	.	1	0.7	.	.
	20-24	2	3.9	.	1	1.1	.	3	2.1	.	.
	25-29	4	7.8	.	5	5.6	.	9	6.4	.	.
	30-39	11	21.6	.	11	12.2	.	22	15.6	.	.
	40-49	18	35.3	.	38	42.2	.	56	39.7	.	.
	50-59	10	19.6	.	25	27.8	.	35	24.8	.	.
	60+	4	7.8	.	10	11.1	.	14	9.9	.	.
Race/Ethnicity	White	30	58.8	.	51	56.7	.	81	57.4	.	.
	Black	10	19.6	.	16	17.8	.	26	18.4	.	.
	Hispanic	6	11.8	.	13	14.4	.	19	13.5	.	.
	Multi Race	1	2.0	.	9	10.0	.	10	7.1	.	.
	Others	4	7.8	.	1	1.1	.	5	3.5	.	.
Risk	MSM	21	41.2	.	40	44.4	.	61	43.3	.	.
	IDU	2	3.9	.	10	11.1	.	12	8.5	.	.
	MSM/IDU	2	3.9	.	9	10.0	.	11	7.8	.	.
	Heterosexual	9	17.6	.	14	15.6	.	23	16.3	.	.
	Fem Pres Het Cont	9	17.6	.	9	10.0	.	18	12.8	.	.
	Blood Prod.	0	0.0	.	1	1.1	.	1	0.7	.	.
	Pediatric Risk	2	3.9	.	0	0.0	.	2	1.4	.	.
	Unk	6	11.8	.	7	7.8	.	13	9.2	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		31	100.0	20	100.0	51	100.0	68	100.0	22	100.0	90	100.0	99	100.0	42	100.0	141	100.0
Risk	MSM	21	67.7	0	0.0	21	41.2	40	58.8	0	0.0	40	44.4	61	61.6	0	0.0	61	43.3
	IDU	1	3.2	1	5.0	2	3.9	8	11.8	2	9.1	10	11.1	9	9.1	3	7.1	12	8.5
	MSM/IDU	2	6.5	0	0.0	2	3.9	9	13.2	0	0.0	9	10.0	11	11.1	0	0.0	11	7.8
	Heterosexual	1	3.2	8	40.0	9	17.6	3	4.4	11	50.0	14	15.6	4	4.0	19	45.2	23	16.3
	Fem Pres Het Cont	0	0.0	9	45.0	9	17.6	0	0.0	9	40.9	9	10.0	0	0.0	18	42.9	18	12.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	1	1.1	1	1.0	0	0.0	1	0.7
	Pediatric Risk	1	3.2	1	5.0	2	3.9	0	0.0	0	0.0	0	0.0	1	1.0	1	2.4	2	1.4
	Unk	5	16.1	1	5.0	6	11.8	7	10.3	0	0.0	7	7.8	12	12.1	1	2.4	13	9.2

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		4.0	100.0	3.9	3.0	100.0	2.9	159	100.0	101,723
Gender	Male	3.3	83.3	.	1.3	44.4	.	125	78.6	.
	Female	0.7	16.7	.	1.7	55.6	.	34	21.4	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	13-19	0.0	0.0	.	0.0	0.0	.	2	1.3	.
	20-24	0.3	8.3	.	0.0	0.0	.	10	6.3	.
	25-29	0.3	8.3	.	0.3	11.1	.	25	15.7	.
	30-39	0.7	16.7	.	0.7	22.2	.	60	37.7	.
	40-49	1.3	33.3	.	1.0	33.3	.	47	29.6	.
	50-59	1.0	25.0	.	0.7	22.2	.	11	6.9	.
	60+	0.3	8.3	.	0.3	11.1	.	4	2.5	.
Race/Ethnicity	White	2.7	66.7	.	1.7	55.6	.	95	59.7	.
	Black	0.7	16.7	.	0.3	11.1	.	35	22.0	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	19	11.9	.
	Multi Race	0.3	8.3	.	1.0	33.3	.	9	5.7	.
	Others	0.3	8.3	.	0.0	0.0	.	1	0.6	.
Risk	MSM	2.3	58.3	.	1.0	33.3	.	70	44.0	.
	IDU	0.3	8.3	.	0.0	0.0	.	32	20.1	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	12	7.5	.
	Heterosexual	0.3	8.3	.	0.7	22.2	.	17	10.7	.
	Fem Pres Het Cont	0.3	8.3	.	1.0	33.3	.	12	7.5	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	5	3.1	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.7	16.7	.	0.3	11.1	.	11	6.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.7	100.0	4.0	100.0	1.3	100.0	1.7	100.0	3.0	100.0	125	100.0	34	100.0	159	100.0
Risk	MSM	2.3	70.0	0.0	0.0	2.3	58.3	1.0	75.0	0.0	0.0	1.0	33.3	70	56.0	0	0.0	70	44.0
	IDU	0.3	10.0	0.0	0.0	0.3	8.3	0.0	0.0	0.0	0.0	0.0	0.0	23	18.4	9	26.5	32	20.1
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	9.6	0	0.0	12	7.5
	Heterosexual	0.0	0.0	0.3	50.0	0.3	8.3	0.0	0.0	0.7	40.0	0.7	22.2	5	4.0	12	35.3	17	10.7
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	8.3	0.0	0.0	1.0	60.0	1.0	33.3	0	0.0	12	35.3	12	7.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3.2	1	2.9	5	3.1
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.7	20.0	0.0	0.0	0.7	16.7	0.3	25.0	0.0	0.0	0.3	11.1	11	8.8	0	0.0	11	6.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	1
1986	.	2	2
1987	.	4	2
1988	.	5	5
1989	.	5	2
1990	.	8	4
1991	.	7	6
1992	.	12	5
1993	.	6	5
1994	.	10	7
1995	.	7	4
1996	.	14	5
1997	.	7	4
1998	.	7	3
1999	.	6	2
2000*	4	5	1
2001	3	6	2
2002	10	9	.
2003	4	3	2
2004	6	3	2
2005	5	4	1
2006	7	4	2
2007	5	9	.
2008	7	5	1
2009	4	4	1
2010	5	4	3
2011	3	1	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		275	100.0	150.7	446	100.0	244.5	721	100.0	395.2	182,448
Gender	Male	211	76.7	.	355	79.6	.	566	78.5	.	.
	Female	64	23.3	.	91	20.4	.	155	21.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	1.1	.	1	0.2	.	4	0.6	.	.
	20-24	4	1.5	.	5	1.1	.	9	1.2	.	.
	25-29	8	2.9	.	6	1.3	.	14	1.9	.	.
	30-39	33	12.0	.	28	6.3	.	61	8.5	.	.
	40-49	97	35.3	.	160	35.9	.	257	35.6	.	.
	50-59	94	34.2	.	172	38.6	.	266	36.9	.	.
	60+	36	13.1	.	74	16.6	.	110	15.3	.	.
Race/Ethnicity	White	106	38.5	.	120	26.9	.	226	31.3	.	.
	Black	79	28.7	.	135	30.3	.	214	29.7	.	.
	Hispanic	76	27.6	.	147	33.0	.	223	30.9	.	.
	Multi Race	14	5.1	.	43	9.6	.	57	7.9	.	.
	Others	0	0.0	.	1	0.2	.	1	0.1	.	.
Risk	MSM	45	16.4	.	75	16.8	.	120	16.6	.	.
	IDU	99	36.0	.	192	43.0	.	291	40.4	.	.
	MSM/IDU	13	4.7	.	27	6.1	.	40	5.5	.	.
	Heterosexual	50	18.2	.	72	16.1	.	122	16.9	.	.
	Fem Pres Het Cont	12	4.4	.	13	2.9	.	25	3.5	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	0.4	.	7	1.6	.	8	1.1	.	.
	Unk	55	20.0	.	60	13.5	.	115	16.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		211	100.0	64	100.0	275	100.0	355	100.0	91	100.0	446	100.0	566	100.0	155	100.0	721	100.0
Risk	MSM	45	21.3	0	0.0	45	16.4	75	21.1	0	0.0	75	16.8	120	21.2	0	0.0	120	16.6
	IDU	83	39.3	16	25.0	99	36.0	165	46.5	27	29.7	192	43.0	248	43.8	43	27.7	291	40.4
	MSM/IDU	13	6.2	0	0.0	13	4.7	27	7.6	0	0.0	27	6.1	40	7.1	0	0.0	40	5.5
	Heterosexual	14	6.6	36	56.3	50	18.2	26	7.3	46	50.5	72	16.1	40	7.1	82	52.9	122	16.9
	Fem Pres Het Cont	0	0.0	12	18.8	12	4.4	0	0.0	13	14.3	13	2.9	0	0.0	25	16.1	25	3.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	0.5	0	0.0	1	0.4	2	0.6	5	5.5	7	1.6	3	0.5	5	3.2	8	1.1
	Unk	55	26.1	0	0.0	55	20.0	60	16.9	0	0.0	60	13.5	115	20.3	0	0.0	115	16.0

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		11.3	100.0	6.2	11.0	100.0	6.0	1,039	100.0	182,448
Gender	Male	8.7	76.5	.	8.7	78.8	.	873	84.0	.
	Female	2.7	23.5	.	2.3	21.2	.	166	16.0	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	9	0.9	.
	13-19	0.3	2.9	.	0.3	3.0	.	7	0.7	.
	20-24	1.0	8.8	.	0.3	3.0	.	19	1.8	.
	25-29	1.7	14.7	.	1.0	9.1	.	107	10.3	.
	30-39	1.7	14.7	.	1.0	9.1	.	468	45.0	.
	40-49	4.0	35.3	.	4.3	39.4	.	307	29.5	.
	50-59	2.3	20.6	.	3.7	33.3	.	99	9.5	.
	60+	0.3	2.9	.	0.3	3.0	.	23	2.2	.
Race/Ethnicity	White	7.0	61.8	.	5.3	48.5	.	360	34.6	.
	Black	1.3	11.8	.	3.3	30.3	.	295	28.4	.
	Hispanic	2.7	23.5	.	2.0	18.2	.	324	31.2	.
	Multi Race	0.3	2.9	.	0.3	3.0	.	59	5.7	.
	Others	0.0	0.0	.	0.0	0.0	.	1	0.1	.
Risk	MSM	4.0	35.3	.	3.3	30.3	.	199	19.2	.
	IDU	1.0	8.8	.	1.7	15.2	.	516	49.7	.
	MSM/IDU	0.0	0.0	.	0.3	3.0	.	69	6.6	.
	Heterosexual	3.7	32.4	.	3.0	27.3	.	106	10.2	.
	Fem Pres Het Cont	0.3	2.9	.	0.3	3.0	.	20	1.9	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	2	0.2	.
	Pediatric Risk	0.0	0.0	.	0.3	3.0	.	12	1.2	.
	Unk	2.3	20.6	.	2.0	18.2	.	115	11.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.7	100.0	2.7	100.0	11.3	100.0	8.7	100.0	2.3	100.0	11.0	100.0	873	100.0	166	100.0	1,039	100.0
Risk	MSM	4.0	46.2	0.0	0.0	4.0	35.3	3.3	38.5	0.0	0.0	3.3	30.3	199	22.8	0	0.0	199	19.2
	IDU	1.0	11.5	0.0	0.0	1.0	8.8	1.7	19.2	0.0	0.0	1.7	15.2	447	51.2	69	41.6	516	49.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.8	0.0	0.0	0.3	3.0	69	7.9	0	0.0	69	6.6
	Heterosexual	1.3	15.4	2.3	87.5	3.7	32.4	1.3	15.4	1.7	71.4	3.0	27.3	37	4.2	69	41.6	106	10.2
	Fem Pres Het Cont	0.0	0.0	0.3	12.5	0.3	2.9	0.0	0.0	0.3	14.3	0.3	3.0	0	0.0	20	12.0	20	1.9
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	0.2	0	0.0	2	0.2
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	14.3	0.3	3.0	4	0.5	8	4.8	12	1.2
	Unk	2.3	26.9	0.0	0.0	2.3	20.6	2.0	23.1	0.0	0.0	2.0	18.2	115	13.2	0	0.0	115	11.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	20	14
1986	.	13	8
1987	.	36	17
1988	.	37	18
1989	.	60	28
1990	.	49	36
1991	.	72	36
1992	.	75	42
1993	.	82	51
1994	.	85	46
1995	.	77	38
1996	.	53	49
1997	.	40	28
1998	.	34	13
1999	.	37	13
2000*	17	40	16
2001	21	39	20
2002	22	28	11
2003	22	37	14
2004	20	22	15
2005	21	18	14
2006	22	24	15
2007	10	18	11
2008	13	10	15
2009	11	15	11
2010	10	6	7
2011	13	12	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		30	100.0	45.6	38	100.0	57.7	68	100.0	103.3	65,831
Gender	Male	22	73.3	.	29	76.3	.	51	75.0	.	.
	Female	8	26.7	.	9	23.7	.	17	25.0	.	.
Current Age	12 & under	1	3.3	.	0	0.0	.	1	1.5	.	.
	13-19	1	3.3	.	0	0.0	.	1	1.5	.	.
	20-24	2	6.7	.	3	7.9	.	5	7.4	.	.
	25-29	0	0.0	.	1	2.6	.	1	1.5	.	.
	30-39	6	20.0	.	4	10.5	.	10	14.7	.	.
	40-49	10	33.3	.	12	31.6	.	22	32.4	.	.
	50-59	8	26.7	.	14	36.8	.	22	32.4	.	.
	60+	2	6.7	.	4	10.5	.	6	8.8	.	.
Race/Ethnicity	White	21	70.0	.	24	63.2	.	45	66.2	.	.
	Black	1	3.3	.	2	5.3	.	3	4.4	.	.
	Hispanic	6	20.0	.	8	21.1	.	14	20.6	.	.
	Multi Race	1	3.3	.	4	10.5	.	5	7.4	.	.
	Others	1	3.3	.	0	0.0	.	1	1.5	.	.
Risk	MSM	15	50.0	.	15	39.5	.	30	44.1	.	.
	IDU	2	6.7	.	7	18.4	.	9	13.2	.	.
	MSM/IDU	1	3.3	.	0	0.0	.	1	1.5	.	.
	Heterosexual	5	16.7	.	8	21.1	.	13	19.1	.	.
	Fem Pres Het Cont	2	6.7	.	3	7.9	.	5	7.4	.	.
	Blood Prod.	0	0.0	.	2	5.3	.	2	2.9	.	.
	Pediatric Risk	3	10.0	.	3	7.9	.	6	8.8	.	.
	Unk	2	6.7	.	0	0.0	.	2	2.9	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		22	100.0	8	100.0	30	100.0	29	100.0	9	100.0	38	100.0	51	100.0	17	100.0	68	100.0
Risk	MSM	15	68.2	0	0.0	15	50.0	15	51.7	0	0.0	15	39.5	30	58.8	0	0.0	30	44.1
	IDU	2	9.1	0	0.0	2	6.7	7	24.1	0	0.0	7	18.4	9	17.6	0	0.0	9	13.2
	MSM/IDU	1	4.5	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0	1	1.5
	Heterosexual	0	0.0	5	62.5	5	16.7	3	10.3	5	55.6	8	21.1	3	5.9	10	58.8	13	19.1
	Fem Pres Het Cont	0	0.0	2	25.0	2	6.7	0	0.0	3	33.3	3	7.9	0	0.0	5	29.4	5	7.4
	Blood Prod.	0	0.0	0	0.0	0	0.0	2	6.9	0	0.0	2	5.3	2	3.9	0	0.0	2	2.9
	Pediatric Risk	2	9.1	1	12.5	3	10.0	2	6.9	1	11.1	3	7.9	4	7.8	2	11.8	6	8.8
	Unk	2	9.1	0	0.0	2	6.7	0	0.0	0	0.0	0	0.0	2	3.9	0	0.0	2	2.9

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.3	100.0	2.0	2.0	100.0	3.0	79	100.0	65,831
Gender	Male	0.3	25.0	.	0.7	33.3	.	67	84.8	.
	Female	1.0	75.0	.	1.3	66.7	.	12	15.2	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	2	2.5	.
	13-19	0.0	0.0	.	0.0	0.0	.	1	1.3	.
	20-24	0.0	0.0	.	0.3	16.7	.	3	3.8	.
	25-29	0.3	25.0	.	0.3	16.7	.	6	7.6	.
	30-39	0.3	25.0	.	0.3	16.7	.	33	41.8	.
	40-49	0.7	50.0	.	0.7	33.3	.	26	32.9	.
	50-59	0.0	0.0	.	0.3	16.7	.	6	7.6	.
	60+	0.0	0.0	.	0.0	0.0	.	2	2.5	.
Race/Ethnicity	White	1.3	100.0	.	1.7	83.3	.	58	73.4	.
	Black	0.0	0.0	.	0.3	16.7	.	7	8.9	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	8	10.1	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	6	7.6	.
	Others	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Risk	MSM	0.3	25.0	.	0.3	16.7	.	36	45.6	.
	IDU	0.0	0.0	.	0.0	0.0	.	16	20.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	2	2.5	.
	Heterosexual	0.7	50.0	.	1.0	50.0	.	9	11.4	.
	Fem Pres Het Cont	0.3	25.0	.	0.3	16.7	.	6	7.6	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	5	6.3	.
	Pediatric Risk	0.0	0.0	.	0.3	16.7	.	3	3.8	.
	Unk	0.0	0.0	.	0.0	0.0	.	2	2.5	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	1.0	100.0	1.3	100.0	0.7	100.0	1.3	100.0	2.0	100.0	67	100.0	12	100.0	79	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	25.0	0.3	50.0	0.0	0.0	0.3	16.7	36	53.7	0	0.0	36	45.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	22.4	1	8.3	16	20.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.0	0	0.0	2	2.5
	Heterosexual	0.0	0.0	0.7	66.7	0.7	50.0	0.3	50.0	0.7	50.0	1.0	50.0	5	7.5	4	33.3	9	11.4
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	25.0	0.0	0.0	0.3	25.0	0.3	16.7	0	0.0	6	50.0	6	7.6
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	7.5	0	0.0	5	6.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	16.7	2	3.0	1	8.3	3	3.8
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3.0	0	0.0	2	2.5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	2	2
1986	.	2	1
1987	.	1	2
1988	.	4	.
1989	.	2	.
1990	.	4	5
1991	.	2	5
1992	.	5	1
1993	.	3	1
1994	.	2	3
1995	.	8	1
1996	.	4	4
1997	.	3	.
1998	.	5	.
1999	.	2	1
2000*	2	2	1
2001	4	4	5
2002	5	5	.
2003	4	.	2
2004	5	5	1
2005	1	3	3
2006	1	.	1
2007	2	3	1
2008	1	2	3
2009	1	2	.
2010	3	4	1
2011	.	.	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		72	100.0	114.0	96	100.0	152.0	168	100.0	266.0	63,165
Gender	Male	66	91.7	.	88	91.7	.	154	91.7	.	.
	Female	6	8.3	.	8	8.3	.	14	8.3	.	.
Current Age	12 & under	1	1.4	.	0	0.0	.	1	0.6	.	.
	13-19	2	2.8	.	0	0.0	.	2	1.2	.	.
	20-24	1	1.4	.	0	0.0	.	1	0.6	.	.
	25-29	3	4.2	.	0	0.0	.	3	1.8	.	.
	30-39	5	6.9	.	10	10.4	.	15	8.9	.	.
	40-49	23	31.9	.	37	38.5	.	60	35.7	.	.
	50-59	26	36.1	.	33	34.4	.	59	35.1	.	.
	60+	11	15.3	.	16	16.7	.	27	16.1	.	.
Race/Ethnicity	White	20	27.8	.	22	22.9	.	42	25.0	.	.
	Black	19	26.4	.	30	31.3	.	49	29.2	.	.
	Hispanic	32	44.4	.	39	40.6	.	71	42.3	.	.
	Multi Race	1	1.4	.	5	5.2	.	6	3.6	.	.
Risk	MSM	9	12.5	.	11	11.5	.	20	11.9	.	.
	IDU	16	22.2	.	44	45.8	.	60	35.7	.	.
	MSM/IDU	3	4.2	.	6	6.3	.	9	5.4	.	.
	Heterosexual	2	2.8	.	9	9.4	.	11	6.5	.	.
	Fem Pres Het Cont	1	1.4	.	1	1.0	.	2	1.2	.	.
	Blood Prod.	0	0.0	.	1	1.0	.	1	0.6	.	.
	Pediatric Risk	2	2.8	.	0	0.0	.	2	1.2	.	.
	Unk	39	54.2	.	24	25.0	.	63	37.5	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		66	100.0	6	100.0	72	100.0	88	100.0	8	100.0	96	100.0	154	100.0	14	100.0	168	100.0
Risk	MSM	9	13.6	0	0.0	9	12.5	11	12.5	0	0.0	11	11.5	20	13.0	0	0.0	20	11.9
	IDU	14	21.2	2	33.3	16	22.2	43	48.9	1	12.5	44	45.8	57	37.0	3	21.4	60	35.7
	MSM/IDU	3	4.5	0	0.0	3	4.2	6	6.8	0	0.0	6	6.3	9	5.8	0	0.0	9	5.4
	Heterosexual	1	1.5	1	16.7	2	2.8	3	3.4	6	75.0	9	9.4	4	2.6	7	50.0	11	6.5
	Fem Pres Het Cont	0	0.0	1	16.7	1	1.4	0	0.0	1	12.5	1	1.0	0	0.0	2	14.3	2	1.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	1.0	1	0.6	0	0.0	1	0.6
	Pediatric Risk	0	0.0	2	33.3	2	2.8	0	0.0	0	0.0	0	0.0	0	0.0	2	14.3	2	1.2
	Unk	39	59.1	0	0.0	39	54.2	24	27.3	0	0.0	24	25.0	63	40.9	0	0.0	63	37.5

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		3.3	100.0	5.3	1.7	100.0	2.6	303	100.0	63,165
Gender	Male	3.0	90.0	.	1.7	100.0	.	296	97.7	.
	Female	0.3	10.0	.	0.0	0.0	.	7	2.3	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	13-19	0.3	10.0	.	0.0	0.0	.	1	0.3	.
	20-24	0.3	10.0	.	0.0	0.0	.	13	4.3	.
	25-29	0.3	10.0	.	0.3	20.0	.	40	13.2	.
	30-39	0.7	20.0	.	0.3	20.0	.	164	54.1	.
	40-49	0.7	20.0	.	0.7	40.0	.	67	22.1	.
	50-59	0.7	20.0	.	0.0	0.0	.	16	5.3	.
	60+	0.3	10.0	.	0.3	20.0	.	2	0.7	.
Race/Ethnicity	White	2.3	70.0	.	1.3	80.0	.	60	19.8	.
	Black	1.0	30.0	.	0.0	0.0	.	86	28.4	.
	Hispanic	0.0	0.0	.	0.3	20.0	.	148	48.8	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	9	3.0	.
Risk	MSM	2.0	60.0	.	0.7	40.0	.	33	10.9	.
	IDU	0.0	0.0	.	0.0	0.0	.	202	66.7	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	19	6.3	.
	Heterosexual	0.7	20.0	.	0.3	20.0	.	11	3.6	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Unk	0.7	20.0	.	0.7	40.0	.	36	11.9	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	0.3	100.0	3.3	100.0	1.7	100.0	0.0	0.0	1.7	100.0	296	100.0	7	100.0	303	100.0
Risk	MSM	2.0	66.7	0.0	0.0	2.0	60.0	0.7	40.0	0.0	0.0	0.7	40.0	33	11.1	0	0.0	33	10.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	201	67.9	1	14.3	202	66.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	6.4	0	0.0	19	6.3
	Heterosexual	0.3	11.1	0.3	100.0	0.7	20.0	0.3	20.0	0.0	0.0	0.3	20.0	6	2.0	5	71.4	11	3.6
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	14.3	1	0.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.3	0	0.0	1	0.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Unk	0.7	22.2	0.0	0.0	0.7	20.0	0.7	40.0	0.0	0.0	0.7	40.0	36	12.2	0	0.0	36	11.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	8	5
1986	.	14	11
1987	.	24	16
1988	.	25	7
1989	.	24	13
1990	.	34	16
1991	.	17	27
1992	.	28	19
1993	.	11	19
1994	.	23	17
1995	.	30	7
1996	.	13	7
1997	.	6	7
1998	.	1	4
1999	.	2	4
2000*	3	6	2
2001	6	7	3
2002	1	7	4
2003	2	1	2
2004	2	3	4
2005	3	9	3
2006	4	3	2
2007	1	1	1
2008	1	1	1
2009	3	2	5
2010	3	2	1
2011	4	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		64	100.0	68.5	61	100.0	65.3	125	100.0	133.8	93,436
Gender	Male	46	71.9	.	46	75.4	.	92	73.6	.	.
	Female	18	28.1	.	15	24.6	.	33	26.4	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.6	.	0	0.0	.	1	0.8	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	3.1	.	1	1.6	.	3	2.4	.	.
	30-39	12	18.8	.	9	14.8	.	21	16.8	.	.
	40-49	22	34.4	.	18	29.5	.	40	32.0	.	.
	50-59	19	29.7	.	23	37.7	.	42	33.6	.	.
	60+	8	12.5	.	10	16.4	.	18	14.4	.	.
Race/Ethnicity	White	28	43.8	.	30	49.2	.	58	46.4	.	.
	Black	18	28.1	.	14	23.0	.	32	25.6	.	.
	Hispanic	14	21.9	.	14	23.0	.	28	22.4	.	.
	Multi Race	4	6.3	.	3	4.9	.	7	5.6	.	.
Risk	MSM	19	29.7	.	11	18.0	.	30	24.0	.	.
	IDU	5	7.8	.	11	18.0	.	16	12.8	.	.
	MSM/IDU	2	3.1	.	2	3.3	.	4	3.2	.	.
	Heterosexual	10	15.6	.	19	31.1	.	29	23.2	.	.
	Fem Pres Het Cont	9	14.1	.	3	4.9	.	12	9.6	.	.
	Pediatric Risk	1	1.6	.	0	0.0	.	1	0.8	.	.
	Unk	18	28.1	.	15	24.6	.	33	26.4	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		46	100.0	18	100.0	64	100.0	46	100.0	15	100.0	61	100.0	92	100.0	33	100.0	125	100.0
Risk	MSM	19	41.3	0	0.0	19	29.7	11	23.9	0	0.0	11	18.0	30	32.6	0	0.0	30	24.0
	IDU	5	10.9	0	0.0	5	7.8	9	19.6	2	13.3	11	18.0	14	15.2	2	6.1	16	12.8
	MSM/IDU	2	4.3	0	0.0	2	3.1	2	4.3	0	0.0	2	3.3	4	4.3	0	0.0	4	3.2
	Heterosexual	2	4.3	8	44.4	10	15.6	9	19.6	10	66.7	19	31.1	11	12.0	18	54.5	29	23.2
	Fem Pres Het Cont	0	0.0	9	50.0	9	14.1	0	0.0	3	20.0	3	4.9	0	0.0	12	36.4	12	9.6
	Pediatric Risk	0	0.0	1	5.6	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	1	0.8
	Unk	18	39.1	0	0.0	18	28.1	15	32.6	0	0.0	15	24.6	33	35.9	0	0.0	33	26.4

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		5.0	100.0	5.4	3.7	100.0	3.9	127	100.0	93,436
Gender	Male	3.7	73.3	.	2.7	72.7	.	104	81.9	.
	Female	1.3	26.7	.	1.0	27.3	.	23	18.1	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.8	.
	13-19	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	20-24	0.7	13.3	.	0.3	9.1	.	4	3.1	.
	25-29	0.0	0.0	.	0.0	0.0	.	10	7.9	.
	30-39	1.3	26.7	.	1.0	27.3	.	52	40.9	.
	40-49	1.0	20.0	.	0.3	9.1	.	34	26.8	.
	50-59	1.0	20.0	.	1.0	27.3	.	17	13.4	.
	60+	1.0	20.0	.	1.0	27.3	.	9	7.1	.
Race/Ethnicity	White	3.3	66.7	.	3.0	81.8	.	70	55.1	.
	Black	1.3	26.7	.	0.3	9.1	.	28	22.0	.
	Hispanic	0.3	6.7	.	0.3	9.1	.	25	19.7	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	4	3.1	.
Risk	MSM	1.7	33.3	.	1.0	27.3	.	37	29.1	.
	IDU	0.0	0.0	.	0.3	9.1	.	27	21.3	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	8	6.3	.
	Heterosexual	1.0	20.0	.	1.0	27.3	.	22	17.3	.
	Fem Pres Het Cont	1.0	20.0	.	0.3	9.1	.	3	2.4	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.8	.
	Unk	1.3	26.7	.	1.0	27.3	.	29	22.8	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.3	100.0	5.0	100.0	2.7	100.0	1.0	100.0	3.7	100.0	104	100.0	23	100.0	127	100.0
Risk	MSM	1.7	45.5	0.0	0.0	1.7	33.3	1.0	37.5	0.0	0.0	1.0	27.3	37	35.6	0	0.0	37	29.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	9.1	20	19.2	7	30.4	27	21.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	7.7	0	0.0	8	6.3
	Heterosexual	0.7	18.2	0.3	25.0	1.0	20.0	0.7	25.0	0.3	33.3	1.0	27.3	10	9.6	12	52.2	22	17.3
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	20.0	0.0	0.0	0.3	33.3	0.3	9.1	0	0.0	3	13.0	3	2.4
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	1	4.3	1	0.8
	Unk	1.3	36.4	0.0	0.0	1.3	26.7	1.0	37.5	0.0	0.0	1.0	27.3	29	27.9	0	0.0	29	22.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	4	3
1986	.	3	1
1987	.	1	1
1988	.	2	2
1989	.	1	3
1990	.	5	2
1991	.	5	4
1992	.	10	2
1993	.	12	9
1994	.	5	6
1995	.	7	6
1996	.	7	3
1997	.	10	2
1998	.	8	2
1999	.	2	3
2000*	5	4	.
2001	7	7	2
2002	10	3	1
2003	3	2	3
2004	4	3	2
2005	9	3	2
2006	10	8	1
2007	3	2	1
2008	4	2	1
2009	6	5	1
2010	5	2	4
2011	4	4	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,427	100.0	149.3	2,371	100.0	248.0	3,798	100.0	397.3	955,899
Gender	Male	829	58.1	.	1,484	62.6	.	2,313	60.9	.	.
	Female	598	41.9	.	887	37.4	.	1,485	39.1	.	.
Current Age	12 & under	9	0.6	.	0	0.0	.	9	0.2	.	.
	13-19	28	2.0	.	7	0.3	.	35	0.9	.	.
	20-24	63	4.4	.	29	1.2	.	92	2.4	.	.
	25-29	87	6.1	.	60	2.5	.	147	3.9	.	.
	30-39	244	17.1	.	220	9.3	.	464	12.2	.	.
	40-49	436	30.6	.	742	31.3	.	1,178	31.0	.	.
	50-59	398	27.9	.	898	37.9	.	1,296	34.1	.	.
	60+	159	11.1	.	413	17.4	.	572	15.1	.	.
	Unk	3	0.2	.	2	0.1	.	5	0.1	.	.
Race/Ethnicity	White	301	21.1	.	419	17.7	.	720	19.0	.	.
	Black	607	42.5	.	1,035	43.7	.	1,642	43.2	.	.
	Hispanic	430	30.1	.	734	31.0	.	1,164	30.6	.	.
	Multi Race	79	5.5	.	173	7.3	.	252	6.6	.	.
	Others	10	0.7	.	10	0.4	.	20	0.5	.	.
Risk	MSM	426	29.9	.	559	23.6	.	985	25.9	.	.
	IDU	231	16.2	.	738	31.1	.	969	25.5	.	.
	MSM/IDU	28	2.0	.	113	4.8	.	141	3.7	.	.
	Heterosexual	423	29.6	.	686	28.9	.	1,109	29.2	.	.
	Fem Pres Het Cont	139	9.7	.	108	4.6	.	247	6.5	.	.
	Blood Prod.	1	0.1	.	7	0.3	.	8	0.2	.	.
	Pediatric Risk	36	2.5	.	30	1.3	.	66	1.7	.	.
	Unk	143	10.0	.	130	5.5	.	273	7.2	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		829	100.0	598	100.0	1,427	100.0	1,484	100.0	887	100.0	2,371	100.0	2,313	100.0	1,485	100.0	3,798	100.0
Risk	MSM	426	51.4	0	0.0	426	29.9	559	37.7	0	0.0	559	23.6	985	42.6	0	0.0	985	25.9
	IDU	93	11.2	138	23.1	231	16.2	448	30.2	290	32.7	738	31.1	541	23.4	428	28.8	969	25.5
	MSM/IDU	28	3.4	0	0.0	28	2.0	113	7.6	0	0.0	113	4.8	141	6.1	0	0.0	141	3.7
	Heterosexual	117	14.1	306	51.2	423	29.6	216	14.6	470	53.0	686	28.9	333	14.4	776	52.3	1,109	29.2
	Fem Pres Het Cont	0	0.0	139	23.2	139	9.7	0	0.0	108	12.2	108	4.6	0	0.0	247	16.6	247	6.5
	Blood Prod.	1	0.1	0	0.0	1	0.1	4	0.3	3	0.3	7	0.3	5	0.2	3	0.2	8	0.2
	Pediatric Risk	21	2.5	15	2.5	36	2.5	14	0.9	16	1.8	30	1.3	35	1.5	31	2.1	66	1.7
	Unk	143	17.2	0	0.0	143	10.0	130	8.8	0	0.0	130	5.5	273	11.8	0	0.0	273	7.2

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		109.7	100.0	11.5	83.0	100.0	8.7	5,887	100.0	955,899
Gender	Male	78.7	71.7	.	59.3	71.5	.	4,088	69.4	.
	Female	31.0	28.3	.	23.7	28.5	.	1,799	30.6	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	59	1.0	.
	13-19	3.3	3.0	.	1.3	1.6	.	49	0.8	.
	20-24	14.0	12.8	.	5.0	6.0	.	157	2.7	.
	25-29	14.7	13.4	.	5.7	6.8	.	501	8.5	.
	30-39	23.3	21.3	.	20.0	24.1	.	2,279	38.7	.
	40-49	28.0	25.5	.	22.7	27.3	.	1,921	32.6	.
	50-59	18.0	16.4	.	19.3	23.3	.	674	11.4	.
	60+	8.3	7.6	.	9.0	10.8	.	247	4.2	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	15.7	14.3	.	11.3	13.7	.	1,500	25.5	.
	Black	48.0	43.8	.	39.0	47.0	.	2,714	46.1	.
	Hispanic	36.7	33.4	.	24.7	29.7	.	1,393	23.7	.
	Multi Race	8.0	7.3	.	7.0	8.4	.	261	4.4	.
	Others	1.3	1.2	.	1.0	1.2	.	19	0.3	.
Risk	MSM	47.7	43.5	.	29.7	35.7	.	1,332	22.6	.
	IDU	3.7	3.3	.	10.7	12.9	.	2,610	44.3	.
	MSM/IDU	1.3	1.2	.	2.3	2.8	.	285	4.8	.
	Heterosexual	38.7	35.3	.	28.3	34.1	.	1,126	19.1	.
	Fem Pres Het Cont	8.0	7.3	.	3.7	4.4	.	159	2.7	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	46	0.8	.
	Pediatric Risk	0.0	0.0	.	0.7	0.8	.	79	1.3	.
	Unk	10.3	9.4	.	7.7	9.2	.	250	4.2	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		78.7	100.0	31.0	100.0	109.7	100.0	59.3	100.0	23.7	100.0	83.0	100.0	4,088	100.0	1,799	100.0	5,887	100.0
Risk	MSM	47.7	60.6	0.0	0.0	47.7	43.5	29.7	50.0	0.0	0.0	29.7	35.7	1,332	32.6	0	0.0	1,332	22.6
	IDU	3.0	3.8	0.7	2.2	3.7	3.3	6.0	10.1	4.7	19.7	10.7	12.9	1,813	44.3	797	44.3	2,610	44.3
	MSM/IDU	1.3	1.7	0.0	0.0	1.3	1.2	2.3	3.9	0.0	0.0	2.3	2.8	285	7.0	0	0.0	285	4.8
	Heterosexual	16.3	20.8	22.3	72.0	38.7	35.3	13.0	21.9	15.3	64.8	28.3	34.1	337	8.2	789	43.9	1,126	19.1
	Fem Pres Het Cont	0.0	0.0	8.0	25.8	8.0	7.3	0.0	0.0	3.7	15.5	3.7	4.4	0	0.0	159	8.8	159	2.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	0.8	13	0.7	46	0.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	0.0	0.0	0.7	0.8	38	0.9	41	2.3	79	1.3
	Unk	10.3	13.1	0.0	0.0	10.3	9.4	7.7	12.9	0.0	0.0	7.7	9.2	250	6.1	0	0.0	250	4.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	161	97
1986	.	129	92
1987	.	191	119
1988	.	215	143
1989	.	249	164
1990	.	265	197
1991	.	320	201
1992	.	440	240
1993	.	397	247
1994	.	392	288
1995	.	385	290
1996	.	323	182
1997	.	252	107
1998	.	244	118
1999	.	185	95
2000*	236	203	122
2001	152	207	74
2002	145	187	83
2003	133	193	95
2004	157	157	74
2005	120	161	78
2006	151	133	68
2007	138	135	74
2008	140	114	85
2009	111	93	72
2010	118	93	67
2011	100	63	49

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		83	100.0	197.9	135	100.0	321.9	218	100.0	519.7	41,944
Gender	Male	79	95.2	.	131	97.0	.	210	96.3	.	.
	Female	4	4.8	.	4	3.0	.	8	3.7	.	.
Current Age	12 & under	0	0.0	.	1	0.7	.	1	0.5	.	.
	13-19	1	1.2	.	0	0.0	.	1	0.5	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	2.4	.	1	0.7	.	3	1.4	.	.
	30-39	6	7.2	.	4	3.0	.	10	4.6	.	.
	40-49	35	42.2	.	52	38.5	.	87	39.9	.	.
	50-59	31	37.3	.	57	42.2	.	88	40.4	.	.
	60+	8	9.6	.	20	14.8	.	28	12.8	.	.
Race/Ethnicity	White	11	13.3	.	12	8.9	.	23	10.6	.	.
	Black	30	36.1	.	59	43.7	.	89	40.8	.	.
	Hispanic	39	47.0	.	56	41.5	.	95	43.6	.	.
	Multi Race	3	3.6	.	6	4.4	.	9	4.1	.	.
	Others	0	0.0	.	2	1.5	.	2	0.9	.	.
Risk	MSM	7	8.4	.	12	8.9	.	19	8.7	.	.
	IDU	43	51.8	.	64	47.4	.	107	49.1	.	.
	MSM/IDU	4	4.8	.	11	8.1	.	15	6.9	.	.
	Heterosexual	4	4.8	.	7	5.2	.	11	5.0	.	.
	Fem Pres Het Cont	2	2.4	.	0	0.0	.	2	0.9	.	.
	Blood Prod.	0	0.0	.	1	0.7	.	1	0.5	.	.
	Pediatric Risk	1	1.2	.	1	0.7	.	2	0.9	.	.
	Unk	22	26.5	.	39	28.9	.	61	28.0	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹
by Gender and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		79	100.0	4	100.0	83	100.0	131	100.0	4	100.0	135	100.0	210	100.0	8	100.0	218	100.0
Risk	MSM	7	8.9	0	0.0	7	8.4	12	9.2	0	0.0	12	8.9	19	9.0	0	0.0	19	8.7
	IDU	41	51.9	2	50.0	43	51.8	62	47.3	2	50.0	64	47.4	103	49.0	4	50.0	107	49.1
	MSM/IDU	4	5.1	0	0.0	4	4.8	11	8.4	0	0.0	11	8.1	15	7.1	0	0.0	15	6.9
	Heterosexual	4	5.1	0	0.0	4	4.8	5	3.8	2	50.0	7	5.2	9	4.3	2	25.0	11	5.0
	Fem Pres Het Cont	0	0.0	2	50.0	2	2.4	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	0.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.5	0	0.0	1	0.5
	Pediatric Risk	1	1.3	0	0.0	1	1.2	1	0.8	0	0.0	1	0.7	2	1.0	0	0.0	2	0.9
	Unk	22	27.8	0	0.0	22	26.5	39	29.8	0	0.0	39	28.9	61	29.0	0	0.0	61	28.0

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		1.0	100.0	2.4	1.3	100.0	3.2	353	100.0	41,944
Gender	Male	1.0	100.0	.	1.3	100.0	.	348	98.6	.
	Female	0.0	0.0	.	0.0	0.0	.	5	1.4	.
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	13-19	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	20-24	0.0	0.0	.	0.0	0.0	.	6	1.7	.
	25-29	0.3	33.3	.	0.0	0.0	.	49	13.9	.
	30-39	0.3	33.3	.	0.3	25.0	.	174	49.3	.
	40-49	0.3	33.3	.	1.0	75.0	.	105	29.7	.
	50-59	0.0	0.0	.	0.0	0.0	.	16	4.5	.
	60+	0.0	0.0	.	0.0	0.0	.	2	0.6	.
Race/Ethnicity	White	0.7	66.7	.	0.0	0.0	.	43	12.2	.
	Black	0.0	0.0	.	1.0	75.0	.	137	38.8	.
	Hispanic	0.3	33.3	.	0.3	25.0	.	157	44.5	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	13	3.7	.
	Others	0.0	0.0	.	0.0	0.0	.	3	0.8	.
Risk	MSM	0.3	33.3	.	0.0	0.0	.	29	8.2	.
	IDU	0.0	0.0	.	0.7	50.0	.	207	58.6	.
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	32	9.1	.
	Heterosexual	0.0	0.0	.	0.3	25.0	.	12	3.4	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	1	0.3	.
	Unk	0.7	66.7	.	0.3	25.0	.	71	20.1	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.0	0.0	1.0	100.0	1.3	100.0	0.0	0.0	1.3	100.0	348	100.0	5	100.0	353	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0	29	8.3	0	0.0	29	8.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	50.0	0.0	0.0	0.7	50.0	205	58.9	2	40.0	207	58.6
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	9.2	0	0.0	32	9.1
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0	9	2.6	3	60.0	12	3.4
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.3	0	0.0	1	0.3
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.3	0	0.0	1	0.3
	Unk	0.7	66.7	0.0	0.0	0.7	66.7	0.3	25.0	0.0	0.0	0.3	25.0	71	20.4	0	0.0	71	20.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
<1986	.	16	13
1986	.	13	6
1987	.	17	14
1988	.	18	10
1989	.	18	8
1990	.	17	13
1991	.	23	15
1992	.	24	11
1993	.	30	16
1994	.	29	17
1995	.	33	19
1996	.	36	9
1997	.	8	12
1998	.	14	8
1999	.	10	2
2000*	6	4	6
2001	1	5	2
2002	1	4	3
2003	7	8	5
2004	.	4	9
2005	2	9	3
2006	.	.	3
2007	2	5	2
2008	1	4	2
2009	.	2	4
2010	1	.	4
2011	2	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.

Living HIV and AIDS Cases as of December 2011¹
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		7	100.0	27.5	6	100.0	23.6	13	100.0	51.1	25,454
Gender	Male	5	71.4	.	2	33.3	.	7	53.8	.	.
	Female	2	28.6	.	4	66.7	.	6	46.2	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	28.6	.	1	16.7	.	3	23.1	.	.
	30-39	1	14.3	.	0	0.0	.	1	7.7	.	.
	40-49	3	42.9	.	1	16.7	.	4	30.8	.	.
	50-59	1	14.3	.	2	33.3	.	3	23.1	.	.
	60+	0	0.0	.	2	33.3	.	2	15.4	.	.
Race/Ethnicity	White	2	28.6	.	6	100.0	.	8	61.5	.	.
	Black	4	57.1	.	0	0.0	.	4	30.8	.	.
	Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Multi Race	1	14.3	.	0	0.0	.	1	7.7	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	3	42.9	.	0	0.0	.	3	23.1	.	.
	IDU	0	0.0	.	4	66.7	.	4	30.8	.	.
	Heterosexual	1	14.3	.	0	0.0	.	1	7.7	.	.
	Fem Pres Het Cont	1	14.3	.	2	33.3	.	3	23.1	.	.
	Unk	2	28.6	.	0	0.0	.	2	15.4	.	.

¹ Data as of March 2013

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2011¹***by Gender and Risk******Includes State Prison Inmates²***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5	100.0	2	100.0	7	100.0	2	100.0	4	100.0	6	100.0	7	100.0	6	100.0	13	100.0
Risk	MSM	3	60.0	0	0.0	3	42.9	0	0.0	0	0.0	0	0.0	3	42.9	0	0.0	3	23.1
	IDU	0	0.0	0	0.0	0	0.0	2	100.0	2	50.0	4	66.7	2	28.6	2	33.3	4	30.8
	Heterosexual	0	0.0	1	50.0	1	14.3	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	7.7
	Fem Pres Het Cont	0	0.0	1	50.0	1	14.3	0	0.0	2	50.0	2	33.3	0	0.0	3	50.0	3	23.1
	Unk	2	40.0	0	0.0	2	28.6	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	15.4

¹ Data as of March 2013² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender, Age, Race/Ethnicity and Risk
Includes State Prison Inmates

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Cumulative AIDS Cases		
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Population
Total		0.0	0.0	0.0	0.0	0.0	0.0	13	100.0	25,454
Gender	Male	0.0	0.0	.	0.0	0.0	.	8	61.5	.
	Female	0.0	0.0	.	0.0	0.0	.	5	38.5	.
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	1	7.7	.
	25-29	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	30-39	0.0	0.0	.	0.0	0.0	.	5	38.5	.
	40-49	0.0	0.0	.	0.0	0.0	.	6	46.2	.
	50-59	0.0	0.0	.	0.0	0.0	.	1	7.7	.
	60+	0.0	0.0	.	0.0	0.0	.	0	0.0	.
Race/Ethnicity	White	0.0	0.0	.	0.0	0.0	.	11	84.6	.
	Black	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Hispanic	0.0	0.0	.	0.0	0.0	.	1	7.7	.
	Multi Race	0.0	0.0	.	0.0	0.0	.	0	0.0	.
	Others	0.0	0.0	.	0.0	0.0	.	1	7.7	.
Risk	MSM	0.0	0.0	.	0.0	0.0	.	5	38.5	.
	IDU	0.0	0.0	.	0.0	0.0	.	4	30.8	.
	Heterosexual	0.0	0.0	.	0.0	0.0	.	2	15.4	.
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	2	15.4	.
	Unk	0.0	0.0	.	0.0	0.0	.	0	0.0	.

¹ Data as of March 2013

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹ (2009-2011) and Cumulative AIDS² (through 2011)
by Gender and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)						Cumulative AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	100.0	5	100.0	13	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	62.5	0	0.0	5	38.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	25.0	2	40.0	4	30.8
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	12.5	1	20.0	2	15.4
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	2	40.0	2	15.4
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With AIDS (PLWA) by Year³
Includes State Prison Inmates³***

Year	HIV Diagnoses	AIDS Diagnoses	Deaths Among PLWA ⁴
1989	.	1	.
1991	.	2	2
1992	.	1	.
1993	.	2	2
1994	.	1	2
1995	.	2	.
1996	.	.	1
2000*	1	.	.
2002	1	.	.
2003	3	1	.
2004	1	1	1
2006	2	1	.
2008	.	1	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of March 2013

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Deaths among AIDS cases. However, death may be due to causes other than AIDS.

*HIV reporting began in June 2000. No earlier data are available.