


**New York State
HIV/AIDS County
Surveillance Report
(Includes State Prison Inmates)**



**For Cases Diagnosed
Through December 2012**

**Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health
August 2014**

TABLE OF CONTENTS
Includes State Prison Inmates

	Page
Introduction to the New York State HIV/AIDS County Surveillance Report	3-4
Technical Notes on the New York State HIV/AIDS County Surveillance Report.....	5-9
Definition of Terms Used in this Report.....	10-13
Guide to the Tables	14-18

NYS, EXCLUDING NYC, by County

Summary Table A: Average Annual Newly Diagnosed HIV Cases by County	19-21
Summary Table B: AIDS Cases by county of Residence at Diagnosis and Year of Diagnosis	22-23
Summary Table C: HIV Cases, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis.....	24-25
Summary Table D1: Deaths Among HIV Cases by County of Residence at Diagnosis and Year of Death	26-27
Summary Table D2: Deaths Among AIDS Cases by County of Residence at Diagnosis and Year of Death	28-29
Summary Table D3: Deaths Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death	30-31

Counties in New York State

The following tables have been generated for each of the counties in New York State:

- 1A** - Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- 1B** - Living HIV and AIDS Cases by Sex at Birth and Risk
- 2A** - Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS
Cases, 2010-2012, by Sex at Birth, Age, Race Ethnicity and Risk
- 2B** – Newly Diagnosed HIV and AIDS Cases, 2010-2012, by Sex at Birth and Risk
- 3** – Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among Persons
Living with HIV and AIDS Cases by Year of Death

Introduction to the New York State HIV/AIDS County Surveillance Report

Overview

The County Surveillance Report presents recent data on newly diagnosed HIV cases, persons living with HIV/AIDS and deaths among AIDS cases in the counties of New York State. The County Report is a companion piece to the NYS HIV/AIDS Annual Surveillance Report (available at <http://www.health.ny.gov/diseases/aids/general/statistics/annual/>). Like the Annual Surveillance Report, the County Report divides new HIV diagnoses into subcategories based on concurrent or subsequent AIDS diagnoses, and displays diagnosis and prevalence rates.

Format of the Report

The report covers the individual counties of New York State, except for the five boroughs of New York City, which are covered in the Annual Surveillance Report, and Hamilton County, which has too few HIV/AIDS cases to populate the tables. The report is issued in two parallel sections, one including and one excluding inmates in state correctional facilities. The sections contain six summary tables listing all counties, followed by sets of detailed tables for each individual county. The summary tables (A-D) are:

- (A) Average Annual Newly Diagnosed HIV Cases by Diagnosis Type,
- (B) AIDS Cases by Year of Diagnosis,
- (C) Newly Diagnosed HIV Cases by Year of Diagnosis, and
- (D) Deaths among HIV and AIDS Cases by Year of Death.

The county detail tables (1-3) are:

- (1) Living HIV and AIDS Cases
- (2) Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases
- (3) Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis

Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The tables feature **prevalence rates** (living cases per 100,000 population) and show the population.
- Age is **current age** for the time point being reported, e.g. December 2012.

Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- Total new HIV diagnoses are subcategorized by AIDS diagnosis status. "Late" diagnoses are defined as HIV diagnoses followed by an AIDS diagnosis within 12 months. "Late" diagnoses are further subdivided into "concurrent" (AIDS diagnosis within one month of HIV diagnosis) or "other late" (AIDS diagnosis within 12 months). Remaining HIV diagnoses – those who have not developed AIDS to date or developed AIDS more than 12 months after HIV diagnosis – are reported as "other".
- Late and concurrent HIV diagnoses are also presented as a percent of total new HIV diagnoses.
- **Case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.

Newly Diagnosed AIDS Cases

- Case rates are given.
- Cumulative AIDS cases, which were featured in previous editions of the County Reports, have been dropped..

Deaths Among HIV Cases and AIDS Cases

- All reported deaths are counted regardless of cause
- Case rates are given.

Special Note

County Table 3A has a new format in this edition, consisting of 6 columns. Included are the annual total new HIV diagnoses and new AIDS diagnoses by year of diagnosis, followed by deaths among HIV Cases, deaths among AIDS cases and deaths among HIV and AIDS Cases, combined, by year of death.

Technical Notes on the New York State HIV/AIDS County Surveillance Report

Introduction

This HIV/AIDS County Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.health.ny.gov/diseases/aids/general/statistics/annual/>

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research

P.O. Box 2073, ESP Station

Albany NY 12220-0073

(518) 474-4284

bhae@health.ny.gov

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH).

Source Data

This report was produced using the April 2014 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection,

HIV-related illness and AIDS to the NYS Commissioner of Health.¹ Under the amended HIV testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection.

Laboratories conducting HIV-related testing must report electronically to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 3/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.ny.gov/diseases/aids/>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a confirmed case after the initial confirmation, data for that case may be updated, resulting in

¹ HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition², designating AIDS as “stage 3 HIV infection”. This County Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it did not materially affect case counts.

² Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

In April 2014, CDC again revised the HIV case definition³. Adult and pediatric definitions are covered under a single rubric; “stage 0 HIV infection” is used to denote cases with a negative HIV test within 6 months of diagnosis; laboratory criteria for “stage 3 HIV infection” refer to CD4+ T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and laboratory criteria for defining a confirmed case now accommodate the multitest algorithm which entered widespread use in 2013. The new definition went into effect after the preparation of data for this report and is not reflected in these tabulations.

Deduplication:

The HIV/AIDS case data used in this County Report have undergone both inter- and intra-state deduplication.

CDC's process for interstate deduplication of HIV/AIDS cases, known as Routine Interstate Duplicate Review (RIDR), is conducted twice annually. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case is assigned to for national tabulations. Cases in the New York registry that are known through RIDR to have been initially diagnosed in another state are excluded from the County Report.

The County Report case data have also been deduplicated between NYC and the rest of NYS. In all of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYC DOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is counted only once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAE following an algorithm similar to that used by CDC. Since May 2010, BHAE has performed further adjustments to the data using information from an intra-state

³Revised Surveillance Case Definition for HIV Infection --- United States, 2014:MMWR, Apr. 11, 2008, vol.63, No. 3

extension of the RIDR process. This removes several hundred additional duplicate records, but importantly, returns to the analysis files some 3,000 unique cases that are excluded by the base procedure.

Ongoing refinement of the data may also contribute to geographical reassignment of cases at the state, regional, and/or county and local levels.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic variables or risk are investigated by NYS or NYC public health representatives who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases identified through laboratory report of a positive test result from an approved diagnostic test and/or reported by a provider indicating an HIV diagnosis or an HIV illness.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed after then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported individuals living with AIDS.
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes new HIV cases concurrently diagnosed with AIDS and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. The date of diagnosis is unrelated to the timing of initial HIV infection or disease acquisition.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (FPHC)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient

- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined risk category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus a portion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e., HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record reviews, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and from the Social Security Death Master File and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. For cases diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In some counties prisoners make up a significant but shifting proportion of new diagnoses and living cases, and the local HIV burden is better represented by removing prisoner cases from the tabulations. The County Reports present HIV surveillance data both including and excluding prisoners. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2011 and diagnosed with AIDS in Monroe County in 2013, would be included among living HIV cases in Albany County in the County Report for December 2012.

Guide to the Tables

There are two types of tables in the County Reports. Summary tables contain one row for each of the 56 counties (all NYS counties, excluding the five boroughs of New York City and Hamilton County.) The summary tables present newly diagnosed HIV cases by type and year of diagnosis, and HIV and AIDS cases by year of diagnosis and year of death among HIV and AIDS cases. The county detail tables present demographic and risk breakouts for new and living HIV and AIDS cases, as well as deaths among HIV and AIDS cases.

The tables of newly diagnosed cases and deaths present 3-year averages. Case counts in smaller counties may show great variation across years; the 3-year average is more stable and representative than any one year.

Guide to the Tables

Summary Table A

*New York State Excluding New York City**Summary Table A**Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County**Excludes State Prison Inmates*

	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
County	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	Case Rate ³	%	%
Albany	30.7	.	.	.
Allegany	1.3	.	.	.
Broome	9.0	.	.	.
Cattaraugus	2.0	.	.	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January 2010-December 2012), and those AIDS diagnoses will be reported in the AIDS diagnosis tables (Summary Table B, County Tables 2A, 2B, 3).

Late Diagnoses: Late diagnoses are defined as those with an AIDS diagnosis within 12 months of the HIV diagnosis. For counties where the 3-year total of each of the subcategories (Concurrent HIV/AIDS, Other Late and Other) is at least 3 cases, the sub-category averages are displayed.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis *within a month* of the HIV diagnosis date.

Other Late: Newly diagnosed HIV cases with an AIDS diagnosis *2 to 12 months after* the HIV diagnosis date.

Other HIV Diagnoses: Newly diagnosed HIV cases without a subsequent AIDS diagnosis or with an AIDS diagnosis *more than 12 months after* the HIV diagnosis date.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population (i.e. Case rate=new diagnoses divided by the county population x 100,000. County populations are shown on Table 1A of each of the individual counties.)

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS *within one month* of the HIV diagnosis date.

Percent Late: The percent of newly diagnosed cases that are also diagnosed with AIDS *within twelve months* of the HIV diagnosis date. This includes concurrent diagnoses.

Guide to the Tables

Detail Table 1A

Albany County Table 1A

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Number	Col %	Prevalence Rate ²	Population
Total		463	100.0	151.6	557	100.0	182.4	1,020	100.0	333.9	305,455
Sex at Birth	Male	306	66.1	.	372	66.8	.	678	66.5	.	.
	Female	157	33.9	.	185	33.2	.	342	33.5	.	.
Current Age	12 & under	6	1.3	.	0	0.0	.	6	0.6	.	.
	13-19	5	1.1	.	2	0.4	.	7	0.7	.	.
	20-24	24	5.2	.	7	1.3	.	31	3.0	.	.

Living HIV/AIDS Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2012).

These are summed to produce a total count of people living with HIV and AIDS.

Prevalence Rate: The number of living cases per 100,000 population. Rates are not presented for population sub-groups because in most cases the numbers are too small to be statistically meaningful.

Area Population: Estimated population in 2012. Source: U.S. Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race and Hispanic Origin, 2012.

Guide to the Tables

Detail Table 2A

Albany County Table 2A

*Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012**by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ³	Number	Col %	Case Rate ³	Number	Col %	Number	Col %	Number	Col %
Total		30.7	100.0	10.0	22.0	100.0	7.2	2.3	100.0	12.0	100.0	14.3	100.0
Sex at Birth	Male	22.7	73.9	.	14.0	63.6	.	2.0	85.7	9.3	77.8	11.3	79.1
	Female	8.0	26.1	.	8.0	36.4	.	0.3	14.3	2.7	22.2	3.0	20.9
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.3	.	0.3	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.3	10.9	.	1.0	4.5	.	0.0	0.0	0.3	2.8	0.3	2.3

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period, and those AIDS diagnoses will be reported in the AIDS diagnosis column.

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to Summary Table A).

Deaths Among HIV Cases, AIDS Cases and Deaths Among HIV and AIDS Cases: In each instance, the annual average of the referenced reporting period (in this case 2010-2012) is reported.

Note: For population subgroups that did not have any HIV or AIDS diagnoses or deaths in the reporting period, no line appears in the table.

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Includes State Prison Inmates

County	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Albany	10.0	1.0	11.0	22.0	33.0	10.8	30.3	33.3
Allegany	1.3	2.8	.	.
Broome	10.0	5.0	.	.
Cattaraugus	2.7	3.4	.	.
Cayuga	4.7	5.9	.	.
Chautauqua	6.3	4.7	.	.
Chemung	6.0	6.7	.	.
Chenango	1.7	3.3	.	.
Clinton	1.3	1.6	.	.
Columbia	2.7	4.3	.	.
Cortland	2.3	4.7	.	.
Delaware	2.3	4.9	.	.
Dutchess	6.0	1.7	7.7	10.7	18.3	6.2	32.7	41.8
Erie	26.3	4.7	31.0	66.3	97.3	10.6	27.1	31.8
Essex	1.0	2.6	.	.
Franklin	2.0	3.9	.	.
Fulton	3.7	6.7	.	.
Genesee	3.3	5.6	.	.
Greene	1.3	2.7	.	.
Herkimer	3.7	5.7	.	.
Jefferson	4.7	3.9	.	.
Lewis	0.3	1.2	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Includes State Prison Inmates

County	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Livingston	2.7	4.1	.	.
Madison	1.3	1.8	.	.
Monroe	19.0	6.3	25.3	53.7	79.0	10.6	24.1	32.1
Montgomery	2.0	4.0	.	.
Nassau	35.0	6.3	41.3	66.7	108.0	8.0	32.4	38.3
Niagara	1.7	1.3	3.0	5.7	8.7	4.0	19.2	34.6
Oneida	11.0	4.7	.	.
Onondaga	9.7	3.7	13.3	31.3	44.7	9.6	21.6	29.9
Ontario	4.0	3.7	.	.
Orange	6.7	1.0	7.7	13.0	20.7	5.5	32.3	37.1
Orleans	3.7	8.6	.	.
Oswego	3.7	3.0	.	.
Otsego	2.0	3.2	.	.
Putnam	5.3	5.4	.	.
Rensselaer	9.3	5.8	.	.
Rockland	6.7	1.3	8.0	16.0	24.0	7.6	27.8	33.3
St Lawrence	4.0	3.6	.	.
Saratoga	4.0	1.8	.	.
Schenectady	3.0	2.0	5.0	7.0	12.0	7.7	25.0	41.7
Schoharie	0.3	1.0	.	.
Schuyler	0.7	3.6	.	.
Seneca	1.3	3.8	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases¹ (January 2010 - December 2012), by County
Includes State Prison Inmates

County	Late Diagnoses (AIDS within 1 yr of HIV diagnosis)			Other HIV Diagnoses	All HIV Diagnoses ²		Percent of All HIV Diagnoses	
	Concurrent HIV&AIDS (A)	Other Late (B)	All Late (C=A+B)	(D)	(E=C+D)		Concurrent (A÷E x 100)	All Late (C÷E x 100)
	Annual Average	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate ³	%	%
Steuben	2.3	2.4	.	.
Suffolk	28.3	5.3	33.7	64.0	97.7	6.5	29.0	34.5
Sullivan	2.7	3.5	.	.
Tioga	1.0	2.0	.	.
Tompkins	4.7	4.6	.	.
Ulster	8.7	4.8	.	.
Warren	2.7	4.1	.	.
Washington	2.3	3.7	.	.
Wayne	4.7	5.0	.	.
Westchester	26.7	5.0	31.7	73.7	105.3	11.0	25.3	30.1
Wyoming	1.7	4.0	.	.
Yates	0.0	0.0	.	.

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ Per 100,000 population

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Includes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Cumulative
Albany	33	27	33	48	59	81	98	96	76	83	69	55	45	49	55	42	53	50	60	35	43	33	33	25	34	19	26	1,360
Allegany	2	0	0	1	1	1	1	0	1	4	2	0	1	2	0	0	4	1	1	0	1	0	1	3	0	1	2	30
Broome	6	6	10	11	18	24	20	23	20	16	23	24	12	10	14	18	15	14	17	16	29	24	10	16	9	7	9	421
Cattaraugus	3	1	1	2	2	6	4	6	6	6	7	5	3	2	3	3	3	7	4	4	3	6	2	3	1	3	2	98
Cayuga	28	9	10	29	15	19	18	24	20	30	22	13	8	7	10	5	8	9	9	8	5	6	6	4	5	4	3	334
Chautauqua	2	1	2	4	3	9	11	10	9	13	9	6	11	7	7	10	19	4	9	11	7	8	7	8	3	5	4	199
Chemung	18	9	9	12	15	19	28	28	25	27	10	15	8	1	6	6	4	11	7	21	6	4	3	2	7	5	7	313
Chenango	1	1	2	0	3	3	4	2	1	7	4	4	3	2	5	5	6	3	2	3	0	1	2	2	1	2	3	72
Clinton	47	29	27	28	40	25	29	38	41	34	21	19	13	15	5	8	14	7	13	8	3	5	4	2	0	1	1	477
Columbia	8	2	5	9	8	11	21	7	10	16	4	5	2	5	5	4	1	3	6	6	2	4	1	5	2	4	2	158
Cortland	0	2	0	1	0	1	0	2	1	1	1	2	3	0	0	1	5	0	5	0	2	1	1	1	1	0	1	32
Delaware	0	0	1	2	4	1	3	3	3	6	4	1	0	2	0	5	5	4	2	3	2	2	3	0	4	4	2	66
Dutchess	106	64	63	88	102	124	130	169	138	114	109	54	40	45	63	59	45	42	56	57	29	27	25	21	15	15	16	1,816
Erie	52	42	59	94	93	114	137	191	183	188	166	87	95	108	135	113	76	94	74	77	63	91	61	63	58	75	58	2,647
Essex	20	5	14	16	14	13	9	14	12	18	9	9	3	6	3	2	4	3	1	4	1	0	1	0	1	1	3	186
Franklin	2	6	10	13	21	34	42	36	39	43	31	24	5	9	8	10	12	11	11	14	6	7	5	3	1	2	4	409
Fulton	4	0	3	0	2	5	4	1	2	5	1	2	4	3	4	1	1	2	4	2	3	2	4	1	1	3	2	66
Genesee	1	1	1	1	4	3	4	3	4	6	1	2	3	6	3	2	3	1	0	2	0	4	4	4	2	4	1	70
Greene	2	13	8	16	12	12	10	20	12	16	18	9	8	11	8	8	10	13	6	7	8	3	6	2	4	2	2	246
Herkimer	2	0	3	3	1	5	1	2	2	5	3	0	2	1	0	1	0	2	1	5	3	3	0	0	5	3	0	53
Jefferson	10	4	11	13	12	12	17	21	30	31	28	13	10	8	6	9	10	8	2	11	7	6	4	6	9	6	4	308
Lewis	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	4
Livingston	6	7	13	5	12	17	23	25	16	17	13	15	7	5	6	6	5	5	3	3	4	4	4	1	1	4	2	229
Madison	2	1	1	2	5	4	0	8	0	3	2	5	9	2	4	0	0	0	1	2	1	0	1	1	3	1	2	60
Monroe	62	51	75	79	90	125	169	209	214	207	150	122	85	96	91	127	108	78	90	108	85	98	80	67	50	70	43	2,829
Montgomery	1	2	4	2	1	7	7	4	8	4	6	5	5	4	2	3	4	2	2	4	2	2	3	0	1	2	2	89
Nassau	255	142	192	233	232	250	301	311	262	308	245	168	155	155	172	167	158	132	125	103	95	101	96	90	82	71	71	4,672
Niagara	6	5	6	14	21	18	17	22	9	16	12	15	11	6	13	13	5	14	8	13	7	7	9	2	4	8	4	285
Oneida	18	11	23	37	59	73	94	107	71	73	81	51	36	32	33	26	26	26	19	24	16	15	17	18	9	9	14	1,018
Onondaga	46	24	34	42	49	59	121	116	77	82	88	55	33	46	77	43	43	43	33	45	32	41	39	28	22	34	26	1,378
Ontario	1	1	2	2	2	1	4	6	6	6	2	1	7	2	1	4	4	5	2	4	4	1	1	3	1	1	3	77

¹ Data as of April 2014

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis¹
Includes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Cumulative
Orange	62	46	49	64	83	95	114	115	120	98	69	69	39	50	63	56	48	80	50	48	31	31	34	30	19	20	18	1,601
Orleans	10	8	11	14	18	26	36	28	41	27	28	26	11	14	6	10	11	12	6	7	3	5	6	3	2	4	3	376
Oswego	4	0	4	8	2	4	9	5	3	8	5	6	2	6	1	1	8	1	4	7	4	1	0	3	7	3	3	109
Otsego	1	1	3	10	2	4	5	5	2	7	7	2	1	3	5	0	2	5	2	5	2	1	1	2	1	1	1	81
Putnam	9	9	10	8	9	12	16	12	12	17	11	7	10	10	4	5	2	4	2	1	5	8	3	3	6	2	4	201
Rensselaer	5	6	6	13	14	20	29	19	21	21	21	6	9	12	14	6	17	16	15	9	11	12	8	5	10	5	5	335
Rockland	51	28	29	46	30	52	92	81	67	57	55	36	43	32	80	56	31	27	32	47	26	21	20	20	16	15	16	1,106
St Lawrence	9	8	8	11	14	15	31	28	25	20	26	28	13	12	12	15	7	11	6	11	5	9	3	4	1	4	5	341
Saratoga	16	10	8	13	27	27	27	23	23	18	19	15	10	7	7	10	10	15	10	11	5	5	1	3	4	8	3	335
Schenectady	24	5	8	16	26	27	19	27	37	36	26	26	25	12	23	16	22	21	22	20	22	13	8	5	19	13	8	526
Schoharie	2	0	1	1	3	4	3	7	4	2	2	0	1	3	1	1	0	1	1	0	2	1	2	2	0	0	1	45
Schuyler	0	1	0	1	2	1	1	3	1	0	1	0	0	0	0	1	1	0	0	1	0	1	0	0	1	1	0	17
Seneca	0	1	1	0	2	1	4	3	3	5	10	3	6	2	3	3	10	9	7	6	2	1	3	4	2	1	0	92
Steuben	3	3	4	4	4	5	9	5	3	3	5	3	8	4	3	2	2	4	3	3	1	2	6	2	3	1	1	96
Suffolk	210	147	191	192	218	280	289	348	317	322	264	194	143	143	147	137	122	136	115	113	106	109	107	82	66	80	52	4,630
Sullivan	34	18	34	33	37	48	63	78	66	44	37	22	17	21	17	21	24	16	16	16	11	11	15	7	2	4	1	713
Tioga	1	1	2	1	3	3	1	2	1	4	1	0	0	0	1	2	0	4	1	1	0	1	5	1	1	0	1	38
Tompkins	4	4	5	5	8	7	12	6	10	7	14	7	7	6	5	6	9	3	3	4	4	9	5	4	4	1	0	159
Ulster	33	36	37	59	49	72	73	81	85	77	51	38	34	36	38	43	29	35	21	18	24	18	10	15	5	11	5	1,033
Warren	4	1	4	2	4	2	5	4	3	8	4	3	5	2	2	4	5	0	4	3	0	3	2	2	4	0	0	80
Washington	22	24	25	24	34	17	28	9	21	30	13	5	3	1	7	7	7	1	3	9	2	1	1	1	2	1	2	300
Wayne	7	1	2	1	5	5	10	12	5	7	7	9	8	2	4	7	3	2	3	4	8	2	2	5	2	5	4	132
Westchester	289	192	216	252	268	325	442	392	395	382	321	251	240	181	211	208	188	188	160	162	137	134	114	95	93	62	71	5,969
Wyoming	29	17	18	18	16	23	24	30	29	32	33	7	14	10	4	5	4	8	4	9	0	5	4	2	0	2	1	348
Yates	0	0	0	1	0	2	1	2	1	2	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	0	13

¹ Data as of April 2014

Summary Table C

*HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²**Includes State Prison Inmates*

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	35	54	54	57	52	41	35	41	45	36	32	28	39
Allegany	1	1	3	0	1	2	2	0	1	2	0	2	2
Broome	15	25	14	15	13	18	18	14	8	13	9	11	10
Cattaraugus	1	3	6	5	1	1	3	7	4	2	0	5	3
Cayuga	12	9	5	7	5	6	6	5	2	11	4	7	3
Chautauqua	10	17	13	4	10	15	7	11	10	8	9	6	4
Chemung	10	6	6	6	7	8	6	2	7	3	4	6	8
Chenango	2	2	3	1	1	1	1	1	0	0	0	3	2
Clinton	8	5	8	3	5	3	4	6	4	1	0	2	2
Columbia	3	3	2	5	4	3	6	4	2	4	3	4	1
Cortland	0	1	1	0	0	1	1	3	2	1	2	1	4
Delaware	1	3	8	2	2	0	2	2	4	0	5	1	1
Dutchess	46	50	26	26	35	39	26	20	19	21	13	22	20
Erie	78	104	85	81	93	84	96	101	88	103	106	94	92
Essex	6	4	5	5	1	2	1	0	1	3	2	0	1
Franklin	7	7	7	9	4	3	1	4	2	4	1	4	1
Fulton	6	2	0	3	4	2	0	2	5	1	3	4	4
Genesee	1	5	5	3	0	2	4	3	1	3	4	6	0
Greene	1	7	4	5	5	4	5	6	4	8	0	0	4
Herkimer	1	2	2	3	0	2	2	1	2	0	6	4	1
Jefferson	11	7	8	6	4	3	5	4	3	2	10	2	2
Lewis	0	1	0	1	0	0	0	0	0	0	0	0	1
Livingston	9	4	2	4	3	4	3	2	2	4	2	3	3
Madison	1	3	1	2	1	3	4	1	2	2	1	1	2
Monroe	81	103	110	96	102	84	78	105	93	95	78	94	65
Montgomery	1	2	4	3	2	3	3	2	4	2	2	1	3
Nassau	159	155	131	116	111	119	111	99	137	90	100	117	107
Niagara	8	3	9	10	11	19	9	5	10	6	10	10	6
Oneida	22	22	21	19	19	14	16	16	14	15	13	9	11
Onondaga	29	50	47	59	49	49	34	34	47	29	36	49	49

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Summary Table C

HIV Cases¹, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Ontario	1	6	8	3	3	5	2	5	3	1	4	1	7
Orange	42	42	32	44	37	46	40	36	31	33	25	20	17
Orleans	16	4	5	7	3	3	5	3	4	2	1	7	3
Oswego	1	3	11	4	3	3	3	5	5	6	6	3	2
Otsego	6	4	5	3	2	2	3	3	1	0	4	1	1
Putnam	9	3	3	4	2	3	5	5	2	9	7	4	5
Rensselaer	10	8	14	14	22	11	8	9	15	7	14	8	6
Rockland	29	32	24	31	35	38	33	14	24	20	23	28	21
St Lawrence	15	7	4	8	6	3	5	1	1	3	3	4	5
Saratoga	5	11	5	11	9	7	9	7	5	7	4	6	2
Schenectady	11	19	27	24	26	18	17	13	12	7	14	16	6
Schoharie	0	2	6	1	2	1	1	1	3	0	0	0	1
Schuyler	0	0	1	2	0	1	1	1	0	0	1	0	1
Seneca	4	4	9	5	3	1	2	3	2	0	2	1	1
Steuben	4	4	2	2	1	1	3	2	3	3	3	2	2
Suffolk	96	138	123	152	140	130	115	127	112	110	112	105	76
Sullivan	13	19	14	13	21	11	9	12	10	3	3	3	2
Tioga	1	4	0	2	2	3	1	0	3	1	1	1	1
Tompkins	4	4	10	5	5	6	8	4	7	5	3	4	7
Ulster	17	22	21	22	20	21	23	9	16	11	9	14	3
Warren	2	5	5	3	5	1	1	2	1	2	3	1	4
Washington	3	6	1	2	2	4	4	1	0	3	3	3	1
Wayne	5	7	9	3	4	9	10	3	4	6	5	4	5
Westchester	219	158	150	134	160	122	146	135	139	114	119	98	99
Wyoming	6	0	1	7	0	2	0	2	1	0	1	2	2
Yates	1	0	1	3	1	0	2	0	0	0	0	0	0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Summary Table D1

Deaths¹ Among HIV Cases by County of Residence at Diagnosis and Year of Death²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	2	6	4	3	5	5	4	4	6	2	6	2	2
Allegany	0	0	0	0	0	0	0	0	0	0	0	0	0
Broome	0	1	1	0	3	4	1	1	1	0	1	1	0
Cattaraugus	0	0	0	0	0	0	0	0	0	0	0	1	1
Cayuga	1	1	3	1	2	0	0	0	1	1	2	2	0
Chautauqua	0	0	0	0	1	1	2	1	0	0	1	2	0
Chemung	2	0	1	2	1	0	1	0	1	0	0	0	2
Chenango	0	0	0	0	0	0	0	0	0	0	0	0	0
Clinton	2	0	0	0	1	0	1	1	2	0	0	1	0
Columbia	1	1	1	2	1	2	0	3	0	0	1	1	0
Cortland	0	0	0	0	0	0	0	0	0	0	0	0	0
Delaware	0	0	0	1	1	0	1	1	2	1	0	0	1
Dutchess	4	6	5	4	2	6	5	3	2	5	5	11	6
Erie	1	2	8	7	6	7	8	11	11	9	6	10	7
Essex	1	0	0	0	1	1	1	2	1	0	0	0	0
Franklin	0	3	2	3	2	1	3	1	2	2	0	1	1
Fulton	1	1	0	0	0	1	0	0	1	0	0	0	0
Genesee	0	0	0	0	0	0	0	0	0	0	1	0	0
Greene	0	1	1	0	0	1	0	1	0	0	0	0	0
Herkimer	0	0	0	1	1	1	0	0	0	0	0	0	0
Jefferson	0	1	1	1	1	0	1	1	1	0	1	3	0
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0
Livingston	1	0	1	1	4	2	1	1	0	0	1	0	1
Madison	0	0	0	0	0	0	1	0	0	0	0	0	1
Monroe	1	11	8	6	9	11	10	4	9	8	14	7	8
Montgomery	0	0	0	0	0	0	0	2	0	0	0	0	0
Nassau	4	7	7	8	11	14	9	9	8	6	11	7	1
Niagara	1	0	1	0	0	0	0	1	0	1	1	1	0
Oneida	1	1	2	2	3	4	0	3	0	3	3	2	4
Onondaga	0	2	4	4	5	5	1	4	5	4	2	1	5

¹ Death may be due to causes other than HIV

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Summary Table D1

*Deaths¹ Among HIV Cases by County of Residence at Diagnosis and Year of Death²**Includes State Prison Inmates*

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Ontario	0	0	1	0	0	2	0	0	0	0	0	0	0
Orange	2	2	3	4	11	2	4	1	3	5	1	3	2
Orleans	1	1	2	1	1	0	0	2	1	1	1	2	0
Oswego	0	0	0	0	0	2	0	0	0	0	0	0	0
Otsego	0	0	0	0	0	0	0	0	0	0	0	0	0
Putnam	0	0	0	0	1	1	1	0	0	1	0	0	0
Rensselaer	0	1	0	0	1	3	0	1	2	1	3	1	0
Rockland	0	0	1	4	4	1	3	1	2	1	0	5	3
St Lawrence	3	2	1	0	1	0	2	1	1	0	0	0	0
Saratoga	1	0	2	1	2	1	0	0	1	1	0	0	3
Schenectady	2	2	0	0	3	2	1	0	1	1	1	1	1
Schoharie	0	0	0	0	1	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0
Seneca	1	2	3	1	1	0	0	1	1	0	0	1	0
Steuben	0	0	0	1	1	0	0	1	2	0	0	0	0
Suffolk	2	12	9	13	19	14	10	11	6	10	10	7	7
Sullivan	1	1	0	3	5	2	1	5	0	3	2	3	2
Tioga	0	1	0	0	0	0	0	0	0	0	1	0	0
Tompkins	0	0	0	1	0	0	0	0	0	1	0	1	0
Ulster	0	3	1	4	5	4	2	5	1	4	6	1	1
Warren	0	0	0	0	1	1	0	0	0	0	0	0	0
Washington	0	1	0	0	0	1	0	1	0	0	0	0	0
Wayne	0	0	0	0	1	0	0	1	1	1	0	1	0
Westchester	4	8	10	19	13	16	11	14	12	6	15	6	10
Wyoming	3	0	2	1	2	0	1	1	1	0	0	0	0
Yates	0	0	0	0	0	0	1	0	1	0	0	0	0

¹ Death may be due to causes other than HIV² Data as of April 2014³ HIV reporting began in June 2000. No earlier data are available

Summary Table D2
Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²
Includes State Prison Inmates

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	9	13	10	14	22	38	34	52	52	62	52	45	33	26	24	24	22	16	16	20	17	25	19	13	14	19	14	11
Allegany	0	2	0	0	0	1	0	0	1	0	2	3	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Broome	1	4	4	4	6	6	15	15	12	11	18	17	4	6	3	4	7	5	7	12	6	7	7	6	1	6	4	4
Cattaraugus	0	2	1	0	1	2	2	1	1	4	2	3	3	0	5	1	3	1	2	0	0	2	1	0	0	0	1	1
Cayuga	13	8	7	9	12	10	17	13	8	16	17	11	6	6	4	3	2	5	4	6	4	5	3	2	3	2	2	1
Chautauqua	0	2	0	1	4	0	2	2	7	6	9	7	3	2	5	1	1	2	1	7	3	2	2	2	5	5	4	1
Chemung	3	6	6	9	10	10	8	18	14	22	21	14	9	0	2	1	6	4	4	2	2	2	3	3	1	3	3	4
Chenango	0	0	0	3	1	0	0	2	1	3	4	2	0	0	1	2	2	1	1	2	1	2	1	0	0	1	4	0
Clinton	19	12	13	19	18	16	23	28	16	24	26	16	10	7	2	2	5	3	9	4	8	2	4	4	3	3	2	5
Columbia	1	4	2	1	6	5	8	12	5	5	8	8	2	2	3	4	1	2	1	2	0	1	1	0	2	1	2	2
Cortland	0	0	0	0	3	0	0	0	2	0	1	0	0	2	1	0	0	1	2	1	2	0	0	0	0	0	1	0
Delaware	0	0	0	0	1	2	1	2	3	1	1	3	0	1	1	0	2	1	1	1	2	0	0	0	0	2	1	1
Dutchess	41	34	39	44	61	57	74	58	87	96	114	70	33	36	35	22	28	32	21	25	18	25	16	15	16	18	19	8
Erie	19	13	23	25	55	71	76	90	82	123	164	90	52	45	46	51	56	32	51	40	41	40	44	35	42	38	28	35
Essex	11	5	4	4	11	5	6	15	8	9	14	6	3	0	1	1	0	3	1	3	1	4	1	3	1	2	0	0
Franklin	0	1	5	7	2	5	13	16	21	20	22	24	8	8	5	1	11	9	6	11	4	6	7	6	4	2	5	3
Fulton	1	2	0	1	1	0	3	2	1	4	1	0	1	0	1	0	2	0	1	0	1	1	2	1	0	0	1	1
Genesee	0	0	0	1	3	1	3	3	2	2	1	3	0	1	1	1	0	2	1	0	2	1	0	0	1	1	1	1
Greene	1	1	7	5	8	8	9	8	8	9	5	11	4	1	3	7	2	5	7	5	5	3	3	2	4	3	3	3
Herkimer	0	1	0	2	1	1	1	4	3	0	2	2	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1	1
Jefferson	1	3	6	8	2	7	7	9	9	12	20	14	8	6	5	1	3	3	6	7	3	2	7	3	6	3	1	3
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Livingston	3	3	7	4	1	7	8	14	11	5	12	10	3	10	5	4	5	3	1	2	4	4	3	3	4	1	1	1
Madison	0	1	1	1	1	1	2	1	3	3	4	1	1	0	1	0	1	1	0	1	4	1	2	1	0	2	1	1
Monroe	17	18	27	31	46	51	86	97	78	119	127	102	60	48	53	56	39	51	46	55	48	54	45	41	32	28	38	34
Montgomery	1	0	0	1	4	2	1	5	3	5	5	3	1	1	1	3	2	0	3	1	2	0	0	2	3	1	1	1
Nassau	79	69	102	114	149	153	195	198	203	243	237	138	81	69	76	65	73	58	84	64	60	57	66	45	44	46	39	47
Niagara	0	4	3	3	8	10	13	21	11	20	9	6	9	4	3	4	5	1	5	5	14	4	2	6	4	2	4	3
Oneida	4	5	8	13	21	21	40	40	72	53	52	57	21	16	21	17	15	13	16	12	13	7	21	9	12	17	3	7

¹ Death may be due to causes other than AIDS

² Data as of April 2014

Summary Table D2
Deaths¹ Among AIDS Cases by County of Residence at Diagnosis and Year of Death²
Includes State Prison Inmates

County	< 1986	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Onondaga	18	16	12	24	24	21	34	53	56	82	67	58	20	20	20	25	17	17	15	14	12	22	25	28	22	21	19	14	
Ontario	0	0	1	1	1	2	0	2	6	2	3	1	2	1	0	0	1	1	0	0	2	1	0	0	2	2	0	2	
Orange	20	16	30	31	50	34	67	70	74	67	96	54	40	26	26	33	21	20	28	23	29	23	24	28	18	14	11	14	
Orleans	4	2	3	5	9	4	13	15	18	16	24	10	4	4	5	3	3	7	5	4	7	8	2	3	6	2	2	2	
Oswego	0	2	1	0	6	3	4	2	7	2	4	4	0	0	1	1	1	0	4	0	4	1	1	1	3	2	1	1	
Otsego	1	0	0	2	3	4	4	3	0	4	6	4	0	0	2	2	0	1	0	2	1	5	1	3	1	0	2	0	
Putnam	5	3	6	5	4	8	3	7	15	13	14	6	3	4	1	3	0	2	1	1	1	0	1	1	1	0	3	2	
Rensselaer	1	1	4	4	3	8	10	12	17	11	14	12	8	2	5	5	7	5	7	6	7	5	4	6	5	6	7	3	
Rockland	19	16	16	17	33	27	20	47	49	49	46	27	15	19	21	14	20	21	22	12	12	14	5	11	13	12	12	12	
St Lawrence	2	3	5	8	7	7	9	12	13	16	14	8	6	6	4	2	8	5	4	8	6	4	5	6	5	5	1	2	
Saratoga	3	6	8	5	10	5	14	16	19	22	22	9	9	6	1	8	8	7	3	5	5	4	1	2	3	1	1	4	
Schenectady	6	10	5	6	9	17	14	21	11	22	17	21	10	11	9	8	6	11	5	9	9	11	7	8	6	5	8	11	
Schoharie	1	1	0	0	1	1	3	1	5	2	4	3	0	0	2	2	0	0	0	1	0	0	0	0	0	0	0	0	
Schuyler	0	0	1	0	0	0	2	1	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Seneca	0	0	0	1	0	1	0	1	2	0	1	2	2	0	2	0	1	4	4	1	0	0	3	3	1	1	3	1	
Steuben	0	2	3	3	0	3	3	6	4	3	5	5	1	1	3	0	1	3	1	2	2	0	0	3	1	1	0	0	
Suffolk	60	72	81	128	137	142	167	215	204	231	217	167	95	80	75	62	74	77	71	64	81	61	62	44	46	45	44	35	
Sullivan	11	7	17	21	23	26	25	36	33	44	54	29	15	6	8	18	13	11	9	9	6	8	4	5	4	7	8	6	
Tioga	1	0	0	0	2	2	0	2	4	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	1
Tompkins	1	2	2	5	2	4	6	5	5	7	4	5	4	3	2	1	2	0	2	2	1	2	0	1	1	3	0	2	
Ulster	14	8	17	18	28	36	36	41	52	46	39	50	28	13	15	17	20	11	14	15	15	15	11	15	11	6	10	7	
Warren	2	1	2	0	0	5	5	1	1	3	1	4	0	0	1	1	5	0	2	1	3	1	1	3	0	1	1	1	
Washington	5	11	16	7	13	16	27	19	19	18	7	8	6	4	5	2	3	4	2	5	4	2	2	1	4	1	1	0	
Wayne	3	1	1	2	3	2	4	2	9	6	6	3	2	2	3	0	2	1	3	2	2	1	1	1	2	3	0	1	
Westchester	96	92	119	143	165	203	202	242	250	287	289	185	107	119	94	123	76	84	97	77	86	69	75	86	73	72	59	57	
Wyoming	13	6	14	10	8	13	15	12	16	17	19	10	11	7	2	6	2	3	5	10	3	3	2	2	4	4	2	0	
Yates	0	0	0	0	0	0	2	0	2	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	

¹Death may be due to causes other than AIDS²Data as of April 2014

Summary Table D3

Total Deaths¹ Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Albany	26	28	20	19	25	22	29	23	19	16	25	16	13
Allegany	1	0	0	1	0	0	0	0	0	0	0	0	2
Broome	4	8	6	7	15	10	8	8	7	1	7	5	4
Cattaraugus	1	3	1	2	0	0	2	1	0	0	0	2	2
Cayuga	4	3	8	5	8	4	5	3	3	4	4	4	1
Chautauqua	1	1	2	1	8	4	4	3	2	5	6	6	1
Chemung	3	6	5	6	3	2	3	3	4	1	3	3	6
Chenango	2	2	1	1	2	1	2	1	0	0	1	4	0
Clinton	4	5	3	9	5	8	3	5	6	3	3	3	5
Columbia	5	2	3	3	3	2	1	4	0	2	2	3	2
Cortland	0	0	1	2	1	2	0	0	0	0	0	1	0
Delaware	0	2	1	2	2	2	1	1	2	1	2	1	2
Dutchess	26	34	37	25	27	24	30	19	17	21	23	30	14
Erie	52	58	40	58	46	48	48	55	46	51	44	38	42
Essex	2	0	3	1	4	2	5	3	4	1	2	0	0
Franklin	1	14	11	9	13	5	9	8	8	6	2	6	4
Fulton	1	3	0	1	0	2	1	2	2	0	0	1	1
Genesee	1	0	2	1	0	2	1	0	0	1	2	1	1
Greene	7	3	6	7	5	6	3	4	2	4	3	3	3
Herkimer	0	0	0	2	3	1	0	0	0	0	0	1	1
Jefferson	1	4	4	7	8	3	3	8	4	6	4	4	3
Lewis	0	0	0	0	0	0	0	0	1	1	0	0	0
Livingston	5	5	4	2	6	6	5	4	3	4	2	1	2
Madison	0	1	1	0	1	4	2	2	1	0	2	1	2
Monroe	57	50	59	52	64	59	64	49	50	40	42	45	42
Montgomery	3	2	0	3	1	2	0	2	2	3	1	1	1
Nassau	69	80	65	92	75	74	66	75	53	50	57	46	48
Niagara	5	5	2	5	5	14	4	3	6	5	3	5	3
Oneida	18	16	15	18	15	17	7	24	9	15	20	5	11
Onondaga	25	19	21	19	19	17	23	29	33	26	23	20	19

¹ Death may be due to causes other than HIV infection

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Summary Table D3

Total Deaths¹ Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death²

Includes State Prison Inmates

County	2000 ³	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Ontario	0	1	2	0	0	4	1	0	0	2	2	0	2
Orange	35	23	23	32	34	31	27	25	31	23	15	14	16
Orleans	4	4	9	6	5	7	8	4	4	7	3	4	2
Oswego	1	1	0	4	0	6	1	1	1	3	2	1	1
Otsego	2	0	1	0	2	1	5	1	3	1	0	2	0
Putnam	3	0	2	1	2	2	1	1	1	2	0	3	2
Rensselaer	5	8	5	7	7	10	5	5	8	6	9	8	3
Rockland	14	20	22	26	16	13	17	6	13	14	12	17	15
St Lawrence	5	10	6	4	9	6	6	6	7	5	5	1	2
Saratoga	9	8	9	4	7	6	4	1	3	4	1	1	7
Schenectady	10	8	11	5	12	11	12	7	9	7	6	9	12
Schoharie	2	0	0	0	2	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	1	0
Seneca	1	3	7	5	2	0	0	4	4	1	1	4	1
Steuben	0	1	3	2	3	2	0	1	5	1	1	0	0
Suffolk	64	86	86	84	83	95	71	73	50	56	55	51	42
Sullivan	19	14	11	12	14	8	9	9	5	7	9	11	8
Tioga	0	2	1	0	0	0	0	0	0	0	2	0	1
Tompkins	1	2	0	3	2	1	2	0	1	2	3	1	2
Ulster	17	23	12	18	20	19	17	16	16	15	12	11	8
Warren	1	5	0	2	2	4	1	1	3	0	1	1	1
Washington	2	4	4	2	5	5	2	3	1	4	1	1	0
Wayne	0	2	1	3	3	2	1	2	2	3	3	1	1
Westchester	127	84	94	116	90	102	80	89	98	79	87	65	67
Wyoming	9	2	5	6	12	3	4	3	3	4	4	2	0
Yates	0	0	0	0	1	0	1	0	1	0	0	0	0

¹ Death may be due to causes other than HIV infection

² Data as of April 2014

³ HIV reporting began in June 2000. No earlier data are available

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		509	100.0	166.6	650	100.0	212.8	1,159	100.0	379.4	305,455
Sex at Birth	Male	339	66.6	.	441	67.8	.	780	67.3	.	.
	Female	170	33.4	.	209	32.2	.	379	32.7	.	.
Current Age	12 & under	6	1.2	.	0	0.0	.	6	0.5	.	.
	13-19	5	1.0	.	2	0.3	.	7	0.6	.	.
	20-24	25	4.9	.	7	1.1	.	32	2.8	.	.
	25-29	30	5.9	.	9	1.4	.	39	3.4	.	.
	30-39	85	16.7	.	68	10.5	.	153	13.2	.	.
	40-49	171	33.6	.	250	38.5	.	421	36.3	.	.
	50-59	130	25.5	.	221	34.0	.	351	30.3	.	.
	60+	56	11.0	.	93	14.3	.	149	12.9	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	202	39.7	.	199	30.6	.	401	34.6	.	.
	Black	202	39.7	.	252	38.8	.	454	39.2	.	.
	Hispanic	55	10.8	.	110	16.9	.	165	14.2	.	.
	Multi Race	44	8.6	.	84	12.9	.	128	11.0	.	.
	Others	6	1.2	.	5	0.8	.	11	0.9	.	.
Risk	MSM	209	41.1	.	217	33.4	.	426	36.8	.	.
	IDU	65	12.8	.	143	22.0	.	208	17.9	.	.
	MSM/IDU	21	4.1	.	42	6.5	.	63	5.4	.	.
	Heterosexual	103	20.2	.	135	20.8	.	238	20.5	.	.
	Fem Pres Het Cont	53	10.4	.	58	8.9	.	111	9.6	.	.
	Blood Prod.	2	0.4	.	0	0.0	.	2	0.2	.	.
	Pediatric Risk	16	3.1	.	9	1.4	.	25	2.2	.	.
	Unk	40	7.9	.	46	7.1	.	86	7.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		339	100.0	170	100.0	509	100.0	441	100.0	209	100.0	650	100.0	780	100.0	379	100.0	1,159	100.0
Risk	MSM	209	61.7	0	0.0	209	41.1	217	49.2	0	0.0	217	33.4	426	54.6	0	0.0	426	36.8
	IDU	37	10.9	28	16.5	65	12.8	90	20.4	53	25.4	143	22.0	127	16.3	81	21.4	208	17.9
	MSM/IDU	21	6.2	0	0.0	21	4.1	42	9.5	0	0.0	42	6.5	63	8.1	0	0.0	63	5.4
	Heterosexual	22	6.5	81	47.6	103	20.2	41	9.3	94	45.0	135	20.8	63	8.1	175	46.2	238	20.5
	Fem Pres Het Cont	0	0.0	53	31.2	53	10.4	0	0.0	58	27.8	58	8.9	0	0.0	111	29.3	111	9.6
	Blood Prod.	2	0.6	0	0.0	2	0.4	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	2	0.2
	Pediatric Risk	8	2.4	8	4.7	16	3.1	5	1.1	4	1.9	9	1.4	13	1.7	12	3.2	25	2.2
	Unk	40	11.8	0	0.0	40	7.9	46	10.4	0	0.0	46	7.1	86	11.0	0	0.0	86	7.4

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		33.0	100.0	10.8	26.3	100.0	8.6	3.3	100.0	14.7	100.0	18.0	100.0
Sex at Birth	Male	25.0	75.8	.	17.3	65.8	.	3.0	90.0	11.7	79.5	14.7	81.5
	Female	8.0	24.2	.	9.0	34.2	.	0.3	10.0	3.0	20.5	3.3	18.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.0	.	0.3	1.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.3	10.1	.	1.0	3.8	.	0.0	0.0	0.3	2.3	0.3	1.9
	25-29	4.0	12.1	.	1.0	3.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	8.3	25.3	.	6.7	25.3	.	0.0	0.0	1.3	9.1	1.3	7.4
	40-49	9.0	27.3	.	11.7	44.3	.	0.7	20.0	4.0	27.3	4.7	25.9
	50-59	4.3	13.1	.	3.3	12.7	.	1.7	50.0	6.0	40.9	7.7	42.6
	60+	3.0	9.1	.	2.3	8.9	.	1.0	30.0	3.0	20.5	4.0	22.2
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	12.3	37.4	.	6.3	24.1	.	1.3	40.0	4.7	31.8	6.0	33.3
	Black	15.0	45.5	.	13.3	50.6	.	1.0	30.0	6.3	43.2	7.3	40.7
	Hispanic	3.7	11.1	.	3.7	13.9	.	0.7	20.0	1.7	11.4	2.3	13.0
	Multi Race	1.3	4.0	.	2.7	10.1	.	0.3	10.0	2.0	13.6	2.3	13.0
	Others	0.7	2.0	.	0.3	1.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	16.7	50.5	.	7.7	29.1	.	0.7	20.0	3.7	25.0	4.3	24.1
	IDU	1.0	3.0	.	3.3	12.7	.	1.0	30.0	5.7	38.6	6.7	37.0
	MSM/IDU	1.3	4.0	.	1.7	6.3	.	1.0	30.0	0.7	4.5	1.7	9.3
	Heterosexual	5.0	15.2	.	6.7	25.3	.	0.3	10.0	2.0	13.6	2.3	13.0
	Fem Pres Het Cont	4.3	13.1	.	3.0	11.4	.	0.0	0.0	0.3	2.3	0.3	1.9
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	2.5	.	0.0	0.0	0.3	2.3	0.3	1.9
	Unk	4.7	14.1	.	3.3	12.7	.	0.3	10.0	2.0	13.6	2.3	13.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25.0	100.0	8.0	100.0	33.0	100.0	17.3	100.0	9.0	100.0	26.3	100.0
Risk	MSM	16.7	66.7	0.0	0.0	16.7	50.5	7.7	44.2	0.0	0.0	7.7	29.1
	IDU	0.7	2.7	0.3	4.2	1.0	3.0	2.0	11.5	1.3	14.8	3.3	12.7
	MSM/IDU	1.3	5.3	0.0	0.0	1.3	4.0	1.7	9.6	0.0	0.0	1.7	6.3
	Heterosexual	1.7	6.7	3.3	41.7	5.0	15.2	2.0	11.5	4.7	51.9	6.7	25.3
	Fem Pres Het Cont	0.0	0.0	4.3	54.2	4.3	13.1	0.0	0.0	3.0	33.3	3.0	11.4
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	0.0	0.0	0.7	2.5
	Unk	4.7	18.7	0.0	0.0	4.7	14.1	3.3	19.2	0.0	0.0	3.3	12.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	33	.	22	22
1987	.	27	.	10	10
1988	.	33	.	14	14
1989	.	48	.	22	22
1990	.	59	.	38	38
1991	.	81	.	34	34
1992	.	98	.	52	52
1993	.	96	.	52	52
1994	.	76	.	62	62
1995	.	83	.	52	52
1996	.	69	.	45	45
1997	.	55	.	33	33
1998	.	45	.	26	26
1999	.	49	.	24	24
2000*	35	55	2	24	26
2001	54	42	6	22	28
2002	54	53	4	16	20
2003	57	50	3	16	19
2004	52	60	5	20	25
2005	41	35	5	17	22
2006	35	43	4	25	29
2007	41	33	4	19	23
2008	45	33	6	13	19
2009	36	25	2	14	16
2010	32	34	6	19	25
2011	28	19	2	14	16
2012	39	26	2	11	13

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		10	100.0	20.7	17	100.0	35.2	27	100.0	55.8	48,357
Sex at Birth	Male	8	80.0	.	12	70.6	.	20	74.1	.	.
	Female	2	20.0	.	5	29.4	.	7	25.9	.	.
Current Age	20-24	1	10.0	.	0	0.0	.	1	3.7	.	.
	25-29	1	10.0	.	1	5.9	.	2	7.4	.	.
	30-39	3	30.0	.	2	11.8	.	5	18.5	.	.
	40-49	1	10.0	.	7	41.2	.	8	29.6	.	.
	50-59	2	20.0	.	6	35.3	.	8	29.6	.	.
	60+	2	20.0	.	1	5.9	.	3	11.1	.	.
Race/Ethnicity	White	9	90.0	.	10	58.8	.	19	70.4	.	.
	Black	0	0.0	.	1	5.9	.	1	3.7	.	.
	Hispanic	0	0.0	.	1	5.9	.	1	3.7	.	.
	Multi Race	1	10.0	.	5	29.4	.	6	22.2	.	.
Risk	MSM	6	60.0	.	8	47.1	.	14	51.9	.	.
	IDU	3	30.0	.	0	0.0	.	3	11.1	.	.
	MSM/IDU	0	0.0	.	1	5.9	.	1	3.7	.	.
	Heterosexual	1	10.0	.	4	23.5	.	5	18.5	.	.
	Fem Pres Het Cont	0	0.0	.	1	5.9	.	1	3.7	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	5.9	.	1	3.7	.	.
	Unk	0	0.0	.	2	11.8	.	2	7.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8	100.0	2	100.0	10	100.0	12	100.0	5	100.0	17	100.0	20	100.0	7	100.0	27	100.0
Risk	MSM	6	75.0	0	0.0	6	60.0	8	66.7	0	0.0	8	47.1	14	70.0	0	0.0	14	51.9
	IDU	2	25.0	1	50.0	3	30.0	0	0.0	0	0.0	0	0.0	2	10.0	1	14.3	3	11.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	8.3	0	0.0	1	5.9	1	5.0	0	0.0	1	3.7
	Heterosexual	0	0.0	1	50.0	1	10.0	1	8.3	3	60.0	4	23.5	1	5.0	4	57.1	5	18.5
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.9	0	0.0	1	14.3	1	3.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.9	0	0.0	1	14.3	1	3.7
	Unk	0	0.0	0	0.0	0	0.0	2	16.7	0	0.0	2	11.8	2	10.0	0	0.0	2	7.4

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.8	1.0	100.0	2.1	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	25.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
Risk	MSM	1.3	100.0	.	0.7	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	100.0	0.7	100.0	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	33.3
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	2	2
1989	.	1	.	.	.
1990	.	1	.	1	1
1991	.	1	.	.	.
1992	.	1	.	.	.
1993	.	.	.	1	1
1994	.	1	.	.	.
1995	.	4	.	2	2
1996	.	2	.	3	3
1998	.	1	.	.	.
1999	.	2	.	.	.
2000*	1	.	.	1	1
2001	1
2002	3	4	.	.	.
2003	.	1	.	1	1
2004	1	1	.	.	.
2005	2
2006	2	1	.	.	.
2008	1	1	.	.	.
2009	2	3	.	.	.
2011	2	1	.	.	.
2012	2	2	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		153	100.0	77.2	221	100.0	111.6	374	100.0	188.8	198,060
Sex at Birth	Male	96	62.7	.	152	68.8	.	248	66.3	.	.
	Female	57	37.3	.	69	31.2	.	126	33.7	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	4	2.6	.	0	0.0	.	4	1.1	.	.
	20-24	5	3.3	.	4	1.8	.	9	2.4	.	.
	25-29	12	7.8	.	8	3.6	.	20	5.3	.	.
	30-39	33	21.6	.	30	13.6	.	63	16.8	.	.
	40-49	44	28.8	.	73	33.0	.	117	31.3	.	.
	50-59	36	23.5	.	77	34.8	.	113	30.2	.	.
	60+	19	12.4	.	29	13.1	.	48	12.8	.	.
Race/Ethnicity	White	76	49.7	.	106	48.0	.	182	48.7	.	.
	Black	39	25.5	.	56	25.3	.	95	25.4	.	.
	Hispanic	24	15.7	.	40	18.1	.	64	17.1	.	.
	Multi Race	13	8.5	.	19	8.6	.	32	8.6	.	.
	Others	1	0.7	.	0	0.0	.	1	0.3	.	.
Risk	MSM	57	37.3	.	73	33.0	.	130	34.8	.	.
	IDU	20	13.1	.	47	21.3	.	67	17.9	.	.
	MSM/IDU	3	2.0	.	13	5.9	.	16	4.3	.	.
	Heterosexual	34	22.2	.	36	16.3	.	70	18.7	.	.
	Fem Pres Het Cont	24	15.7	.	16	7.2	.	40	10.7	.	.
	Blood Prod.	1	0.7	.	1	0.5	.	2	0.5	.	.
	Pediatric Risk	3	2.0	.	4	1.8	.	7	1.9	.	.
	Unk	11	7.2	.	31	14.0	.	42	11.2	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		96	100.0	57	100.0	153	100.0	152	100.0	69	100.0	221	100.0	248	100.0	126	100.0	374	100.0
Risk	MSM	57	59.4	0	0.0	57	37.3	73	48.0	0	0.0	73	33.0	130	52.4	0	0.0	130	34.8
	IDU	13	13.5	7	12.3	20	13.1	27	17.8	20	29.0	47	21.3	40	16.1	27	21.4	67	17.9
	MSM/IDU	3	3.1	0	0.0	3	2.0	13	8.6	0	0.0	13	5.9	16	6.5	0	0.0	16	4.3
	Heterosexual	9	9.4	25	43.9	34	22.2	6	3.9	30	43.5	36	16.3	15	6.0	55	43.7	70	18.7
	Fem Pres Het Cont	0	0.0	24	42.1	24	15.7	0	0.0	16	23.2	16	7.2	0	0.0	40	31.7	40	10.7
	Blood Prod.	0	0.0	1	1.8	1	0.7	1	0.7	0	0.0	1	0.5	1	0.4	1	0.8	2	0.5
	Pediatric Risk	3	3.1	0	0.0	3	2.0	2	1.3	2	2.9	4	1.8	5	2.0	2	1.6	7	1.9
	Unk	11	11.5	0	0.0	11	7.2	30	19.7	1	1.4	31	14.0	41	16.5	1	0.8	42	11.2

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		10.0	100.0	5.0	8.3	100.0	4.2	0.7	100.0	4.7	100.0	5.3	100.0
Sex at Birth	Male	7.7	76.7	.	5.0	60.0	.	0.3	50.0	3.0	64.3	3.3	62.5
	Female	2.3	23.3	.	3.3	40.0	.	0.3	50.0	1.7	35.7	2.0	37.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.3	.	0.3	4.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	23.3	.	0.7	8.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.7	16.7	.	0.3	4.0	.	0.3	50.0	0.0	0.0	0.3	6.3
	30-39	2.7	26.7	.	1.3	16.0	.	0.0	0.0	0.7	14.3	0.7	12.5
	40-49	1.3	13.3	.	3.7	44.0	.	0.3	50.0	0.3	7.1	0.7	12.5
	50-59	1.3	13.3	.	2.0	24.0	.	0.0	0.0	2.7	57.1	2.7	50.0
	60+	0.3	3.3	.	0.0	0.0	.	0.0	0.0	1.0	21.4	1.0	18.8
Race/Ethnicity	White	5.3	53.3	.	4.3	52.0	.	0.7	100.0	2.0	42.9	2.7	50.0
	Black	3.3	33.3	.	3.0	36.0	.	0.0	0.0	0.3	7.1	0.3	6.3
	Hispanic	0.7	6.7	.	0.7	8.0	.	0.0	0.0	0.3	7.1	0.3	6.3
	Multi Race	0.7	6.7	.	0.3	4.0	.	0.0	0.0	2.0	42.9	2.0	37.5
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.7	46.7	.	2.7	32.0	.	0.3	50.0	0.7	14.3	1.0	18.8
	IDU	0.0	0.0	.	1.7	20.0	.	0.0	0.0	1.3	28.6	1.3	25.0
	MSM/IDU	0.7	6.7	.	0.0	0.0	.	0.0	0.0	0.3	7.1	0.3	6.3
	Heterosexual	3.0	30.0	.	2.7	32.0	.	0.0	0.0	0.7	14.3	0.7	12.5
	Fem Pres Het Cont	0.7	6.7	.	0.0	0.0	.	0.3	50.0	0.7	14.3	1.0	18.8
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	4.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	10.0	.	1.0	12.0	.	0.0	0.0	1.0	21.4	1.0	18.8

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.7	100.0	2.3	100.0	10.0	100.0	5.0	100.0	3.3	100.0	8.3	100.0
Risk	MSM	4.7	60.9	0.0	0.0	4.7	46.7	2.7	53.3	0.0	0.0	2.7	32.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	13.3	1.0	30.0	1.7	20.0
	MSM/IDU	0.7	8.7	0.0	0.0	0.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.3	17.4	1.7	71.4	3.0	30.0	0.7	13.3	2.0	60.0	2.7	32.0
	Fem Pres Het Cont	0.0	0.0	0.7	28.6	0.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.0	0.3	4.0
	Unk	1.0	13.0	0.0	0.0	1.0	10.0	1.0	20.0	0.0	0.0	1.0	12.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	6	.	5	5
1987	.	6	.	4	4
1988	.	10	.	4	4
1989	.	11	.	6	6
1990	.	18	.	6	6
1991	.	24	.	15	15
1992	.	20	.	15	15
1993	.	23	.	12	12
1994	.	20	.	11	11
1995	.	16	.	18	18
1996	.	23	.	17	17
1997	.	24	.	4	4
1998	.	12	.	6	6
1999	.	10	.	3	3
2000*	15	14	.	4	4
2001	25	18	1	7	8
2002	14	15	1	5	6
2003	15	14	.	7	7
2004	13	17	3	12	15
2005	18	16	4	6	10
2006	18	29	1	7	8
2007	14	24	1	7	8
2008	8	10	1	6	7
2009	13	16	.	1	1
2010	9	9	1	6	7
2011	11	7	1	4	5
2012	10	9	.	4	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		37	100.0	46.6	59	100.0	74.3	96	100.0	120.8	79,458
Sex at Birth	Male	25	67.6	.	51	86.4	.	76	79.2	.	.
	Female	12	32.4	.	8	13.6	.	20	20.8	.	.
Current Age	20-24	2	5.4	.	0	0.0	.	2	2.1	.	.
	25-29	0	0.0	.	1	1.7	.	1	1.0	.	.
	30-39	7	18.9	.	8	13.6	.	15	15.6	.	.
	40-49	11	29.7	.	24	40.7	.	35	36.5	.	.
	50-59	11	29.7	.	21	35.6	.	32	33.3	.	.
	60+	6	16.2	.	5	8.5	.	11	11.5	.	.
Race/Ethnicity	White	21	56.8	.	26	44.1	.	47	49.0	.	.
	Black	8	21.6	.	10	16.9	.	18	18.8	.	.
	Hispanic	6	16.2	.	15	25.4	.	21	21.9	.	.
	Multi Race	2	5.4	.	7	11.9	.	9	9.4	.	.
	Others	0	0.0	.	1	1.7	.	1	1.0	.	.
Risk	MSM	11	29.7	.	16	27.1	.	27	28.1	.	.
	IDU	9	24.3	.	16	27.1	.	25	26.0	.	.
	MSM/IDU	1	2.7	.	8	13.6	.	9	9.4	.	.
	Heterosexual	11	29.7	.	9	15.3	.	20	20.8	.	.
	Fem Pres Het Cont	1	2.7	.	3	5.1	.	4	4.2	.	.
	Blood Prod.	0	0.0	.	1	1.7	.	1	1.0	.	.
	Unk	4	10.8	.	6	10.2	.	10	10.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		25	100.0	12	100.0	37	100.0	51	100.0	8	100.0	59	100.0	76	100.0	20	100.0	96	100.0
Risk	MSM	11	44.0	0	0.0	11	29.7	16	31.4	0	0.0	16	27.1	27	35.5	0	0.0	27	28.1
	IDU	7	28.0	2	16.7	9	24.3	16	31.4	0	0.0	16	27.1	23	30.3	2	10.0	25	26.0
	MSM/IDU	1	4.0	0	0.0	1	2.7	8	15.7	0	0.0	8	13.6	9	11.8	0	0.0	9	9.4
	Heterosexual	2	8.0	9	75.0	11	29.7	5	9.8	4	50.0	9	15.3	7	9.2	13	65.0	20	20.8
	Fem Pres Het Cont	0	0.0	1	8.3	1	2.7	0	0.0	3	37.5	3	5.1	0	0.0	4	20.0	4	4.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0	1	1.7	1	1.3	0	0.0	1	1.0
	Unk	4	16.0	0	0.0	4	10.8	5	9.8	1	12.5	6	10.2	9	11.8	1	5.0	10	10.4

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	3.4	2.0	100.0	2.5	0.7	100.0	0.7	100.0	1.3	100.0
Sex at Birth	Male	2.0	75.0	.	1.3	66.7	.	0.7	100.0	0.0	0.0	0.7	50.0
	Female	0.7	25.0	.	0.7	33.3	.	0.0	0.0	0.7	100.0	0.7	50.0
Age at Diagnosis	20-24	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	37.5	.	1.0	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	37.5	.	0.7	33.3	.	0.0	0.0	0.3	50.0	0.3	25.0
	50-59	0.3	12.5	.	0.0	0.0	.	0.7	100.0	0.3	50.0	1.0	75.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.7	62.5	.	1.3	66.7	.	0.3	50.0	0.3	50.0	0.7	50.0
	Black	0.3	12.5	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	25.0
	Hispanic	0.3	12.5	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	25.0
	Multi Race	0.3	12.5	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	75.0	.	1.0	50.0	.	0.3	50.0	0.0	0.0	0.3	25.0
	IDU	0.3	12.5	.	0.3	16.7	.	0.3	50.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.7	100.0	0.7	50.0
	Fem Pres Het Cont	0.3	12.5	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk****Includes State Prison Inmates³**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.7	100.0	2.7	100.0	1.3	100.0	0.7	100.0	2.0	100.0
Risk	MSM	2.0	100.0	0.0	0.0	2.0	75.0	1.0	75.0	0.0	0.0	1.0	50.0
	IDU	0.0	0.0	0.3	50.0	0.3	12.5	0.3	25.0	0.0	0.0	0.3	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	12.5	0.0	0.0	0.3	50.0	0.3	16.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	3	.	2	2
1987	.	1	.	1	1
1988	.	1	.	.	.
1989	.	2	.	1	1
1990	.	2	.	2	2
1991	.	6	.	2	2
1992	.	4	.	1	1
1993	.	6	.	1	1
1994	.	6	.	4	4
1995	.	6	.	2	2
1996	.	7	.	3	3
1997	.	5	.	3	3
1998	.	3	.	.	.
1999	.	2	.	5	5
2000*	1	3	.	1	1
2001	3	3	.	3	3
2002	6	3	.	1	1
2003	5	7	.	2	2
2004	1	4	.	.	.
2005	1	4	.	.	.
2006	3	3	.	2	2
2007	7	6	.	1	1
2008	4	2	.	.	.
2009	2	3	.	.	.
2010	.	1	.	.	.
2011	5	3	1	1	2
2012	3	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		95	100.0	119.4	136	100.0	171.0	231	100.0	290.4	79,552
Sex at Birth	Male	81	85.3	.	120	88.2	.	201	87.0	.	.
	Female	14	14.7	.	16	11.8	.	30	13.0	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	6	6.3	.	2	1.5	.	8	3.5	.	.
	25-29	3	3.2	.	2	1.5	.	5	2.2	.	.
	30-39	17	17.9	.	10	7.4	.	27	11.7	.	.
	40-49	29	30.5	.	46	33.8	.	75	32.5	.	.
	50-59	30	31.6	.	53	39.0	.	83	35.9	.	.
	60+	10	10.5	.	23	16.9	.	33	14.3	.	.
Race/Ethnicity	White	43	45.3	.	36	26.5	.	79	34.2	.	.
	Black	32	33.7	.	47	34.6	.	79	34.2	.	.
	Hispanic	17	17.9	.	43	31.6	.	60	26.0	.	.
	Multi Race	2	2.1	.	10	7.4	.	12	5.2	.	.
	Others	1	1.1	.	0	0.0	.	1	0.4	.	.
Risk	MSM	26	27.4	.	25	18.4	.	51	22.1	.	.
	IDU	23	24.2	.	43	31.6	.	66	28.6	.	.
	MSM/IDU	4	4.2	.	13	9.6	.	17	7.4	.	.
	Heterosexual	8	8.4	.	24	17.6	.	32	13.9	.	.
	Fem Pres Het Cont	5	5.3	.	3	2.2	.	8	3.5	.	.
	Blood Prod.	0	0.0	.	1	0.7	.	1	0.4	.	.
	Pediatric Risk	1	1.1	.	0	0.0	.	1	0.4	.	.
	Unk	28	29.5	.	27	19.9	.	55	23.8	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		81	100.0	14	100.0	95	100.0	120	100.0	16	100.0	136	100.0	201	100.0	30	100.0	231	100.0
Risk	MSM	26	32.1	0	0.0	26	27.4	25	20.8	0	0.0	25	18.4	51	25.4	0	0.0	51	22.1
	IDU	21	25.9	2	14.3	23	24.2	40	33.3	3	18.8	43	31.6	61	30.3	5	16.7	66	28.6
	MSM/IDU	4	4.9	0	0.0	4	4.2	13	10.8	0	0.0	13	9.6	17	8.5	0	0.0	17	7.4
	Heterosexual	1	1.2	7	50.0	8	8.4	14	11.7	10	62.5	24	17.6	15	7.5	17	56.7	32	13.9
	Fem Pres Het Cont	0	0.0	5	35.7	5	5.3	0	0.0	3	18.8	3	2.2	0	0.0	8	26.7	8	3.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.5	0	0.0	1	0.4
	Pediatric Risk	1	1.2	0	0.0	1	1.1	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.4
	Unk	28	34.6	0	0.0	28	29.5	27	22.5	0	0.0	27	19.9	55	27.4	0	0.0	55	23.8

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	5.9	4.0	100.0	5.0	1.3	100.0	1.7	100.0	3.0	100.0
Sex at Birth	Male	3.7	78.6	.	2.7	66.7	.	1.0	75.0	1.3	80.0	2.3	77.8
	Female	1.0	21.4	.	1.3	33.3	.	0.3	25.0	0.3	20.0	0.7	22.2
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.0	42.9	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	7.1	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.7	35.7	.	1.0	25.0	.	0.3	25.0	0.0	0.0	0.3	11.1
	50-59	0.7	14.3	.	1.0	25.0	.	0.7	50.0	0.7	40.0	1.3	44.4
	60+	0.0	0.0	.	0.7	16.7	.	0.3	25.0	1.0	60.0	1.3	44.4
Race/Ethnicity	White	3.7	78.6	.	2.0	50.0	.	0.3	25.0	0.3	20.0	0.7	22.2
	Black	1.0	21.4	.	1.3	33.3	.	0.3	25.0	1.3	80.0	1.7	55.6
	Hispanic	0.0	0.0	.	0.3	8.3	.	0.7	50.0	0.0	0.0	0.7	22.2
	Multi Race	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	57.1	.	0.7	16.7	.	0.3	25.0	0.0	0.0	0.3	11.1
	IDU	0.0	0.0	.	0.3	8.3	.	0.3	25.0	1.0	60.0	1.3	44.4
	MSM/IDU	0.3	7.1	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	14.3	.	2.0	50.0	.	0.3	25.0	0.3	20.0	0.7	22.2
	Fem Pres Het Cont	0.3	7.1	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	14.3	.	0.0	0.0	.	0.3	25.0	0.3	20.0	0.7	22.2

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.0	100.0	4.7	100.0	2.7	100.0	1.3	100.0	4.0	100.0
Risk	MSM	2.7	72.7	0.0	0.0	2.7	57.1	0.7	25.0	0.0	0.0	0.7	16.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.5	0.0	0.0	0.3	8.3
	MSM/IDU	0.3	9.1	0.0	0.0	0.3	7.1	0.7	25.0	0.0	0.0	0.7	16.7
	Heterosexual	0.0	0.0	0.7	66.7	0.7	14.3	1.0	37.5	1.0	75.0	2.0	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	7.1	0.0	0.0	0.3	25.0	0.3	8.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	0.0	0.0	0.7	14.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	28	.	21	21
1987	.	9	.	7	7
1988	.	10	.	9	9
1989	.	29	.	12	12
1990	.	15	.	10	10
1991	.	19	.	17	17
1992	.	18	.	13	13
1993	.	24	.	8	8
1994	.	20	.	16	16
1995	.	30	.	17	17
1996	.	22	.	11	11
1997	.	13	.	6	6
1998	.	8	.	6	6
1999	.	7	.	4	4
2000*	12	10	1	3	4
2001	9	5	1	2	3
2002	5	8	3	5	8
2003	7	9	1	4	5
2004	5	9	2	6	8
2005	6	8	.	4	4
2006	6	5	.	5	5
2007	5	6	.	3	3
2008	2	6	1	2	3
2009	11	4	1	3	4
2010	4	5	2	2	4
2011	7	4	2	2	4
2012	3	3	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		129	100.0	96.6	114	100.0	85.4	243	100.0	182.0	133,539
Sex at Birth	Male	83	64.3	.	86	75.4	.	169	69.5	.	.
	Female	46	35.7	.	28	24.6	.	74	30.5	.	.
Current Age	12 & under	1	0.8	.	0	0.0	.	1	0.4	.	.
	13-19	2	1.6	.	0	0.0	.	2	0.8	.	.
	20-24	4	3.1	.	2	1.8	.	6	2.5	.	.
	25-29	14	10.9	.	3	2.6	.	17	7.0	.	.
	30-39	27	20.9	.	21	18.4	.	48	19.8	.	.
	40-49	51	39.5	.	49	43.0	.	100	41.2	.	.
	50-59	26	20.2	.	23	20.2	.	49	20.2	.	.
	60+	4	3.1	.	16	14.0	.	20	8.2	.	.
Race/Ethnicity	White	56	43.4	.	46	40.4	.	102	42.0	.	.
	Black	16	12.4	.	20	17.5	.	36	14.8	.	.
	Hispanic	51	39.5	.	35	30.7	.	86	35.4	.	.
	Multi Race	6	4.7	.	13	11.4	.	19	7.8	.	.
Risk	MSM	41	31.8	.	44	38.6	.	85	35.0	.	.
	IDU	26	20.2	.	24	21.1	.	50	20.6	.	.
	MSM/IDU	4	3.1	.	12	10.5	.	16	6.6	.	.
	Heterosexual	33	25.6	.	23	20.2	.	56	23.0	.	.
	Fem Pres Het Cont	9	7.0	.	3	2.6	.	12	4.9	.	.
	Blood Prod.	0	0.0	.	1	0.9	.	1	0.4	.	.
	Pediatric Risk	4	3.1	.	0	0.0	.	4	1.6	.	.
	Unk	12	9.3	.	7	6.1	.	19	7.8	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		83	100.0	46	100.0	129	100.0	86	100.0	28	100.0	114	100.0	169	100.0	74	100.0	243	100.0
Risk	MSM	41	49.4	0	0.0	41	31.8	44	51.2	0	0.0	44	38.6	85	50.3	0	0.0	85	35.0
	IDU	15	18.1	11	23.9	26	20.2	18	20.9	6	21.4	24	21.1	33	19.5	17	23.0	50	20.6
	MSM/IDU	4	4.8	0	0.0	4	3.1	12	14.0	0	0.0	12	10.5	16	9.5	0	0.0	16	6.6
	Heterosexual	8	9.6	25	54.3	33	25.6	4	4.7	19	67.9	23	20.2	12	7.1	44	59.5	56	23.0
	Fem Pres Het Cont	0	0.0	9	19.6	9	7.0	0	0.0	3	10.7	3	2.6	0	0.0	12	16.2	12	4.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.9	1	0.6	0	0.0	1	0.4
	Pediatric Risk	3	3.6	1	2.2	4	3.1	0	0.0	0	0.0	0	0.0	3	1.8	1	1.4	4	1.6
	Unk	12	14.5	0	0.0	12	9.3	7	8.1	0	0.0	7	6.1	19	11.2	0	0.0	19	7.8

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		6.3	100.0	4.7	4.0	100.0	3.0	1.0	100.0	3.3	100.0	4.3	100.0
Sex at Birth	Male	4.7	73.7	.	2.7	66.7	.	0.7	66.7	2.3	70.0	3.0	69.2
	Female	1.7	26.3	.	1.3	33.3	.	0.3	33.3	1.0	30.0	1.3	30.8
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	26.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	10.5	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	15.8	.	0.7	16.7	.	0.0	0.0	0.3	10.0	0.3	7.7
	40-49	2.3	36.8	.	1.3	33.3	.	0.3	33.3	1.3	40.0	1.7	38.5
	50-59	0.7	10.5	.	0.7	16.7	.	0.7	66.7	1.7	50.0	2.3	53.8
	60+	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	4.0	63.2	.	1.7	41.7	.	0.3	33.3	1.7	50.0	2.0	46.2
	Black	0.7	10.5	.	0.3	8.3	.	0.0	0.0	0.3	10.0	0.3	7.7
	Hispanic	1.7	26.3	.	1.3	33.3	.	0.3	33.3	1.0	30.0	1.3	30.8
	Multi Race	0.0	0.0	.	0.7	16.7	.	0.3	33.3	0.3	10.0	0.7	15.4
Risk	MSM	3.0	47.4	.	1.3	33.3	.	0.0	0.0	1.7	50.0	1.7	38.5
	IDU	1.3	21.1	.	0.7	16.7	.	0.3	33.3	0.7	20.0	1.0	23.1
	MSM/IDU	0.7	10.5	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	10.5	.	1.3	33.3	.	0.0	0.0	1.0	30.0	1.0	23.1
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	5.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	5.3	.	0.0	0.0	.	0.7	66.7	0.0	0.0	0.7	15.4

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	1.7	100.0	6.3	100.0	2.7	100.0	1.3	100.0	4.0	100.0
Risk	MSM	3.0	64.3	0.0	0.0	3.0	47.4	1.3	50.0	0.0	0.0	1.3	33.3
	IDU	0.3	7.1	1.0	60.0	1.3	21.1	0.3	12.5	0.3	25.0	0.7	16.7
	MSM/IDU	0.7	14.3	0.0	0.0	0.7	10.5	0.7	25.0	0.0	0.0	0.7	16.7
	Heterosexual	0.0	0.0	0.7	40.0	0.7	10.5	0.3	12.5	1.0	75.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	7.1	0.0	0.0	0.3	5.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.1	0.0	0.0	0.3	5.3	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	2	2
1987	.	1	.	.	.
1988	.	2	.	1	1
1989	.	4	.	4	4
1990	.	3	.	.	.
1991	.	9	.	2	2
1992	.	11	.	2	2
1993	.	10	.	7	7
1994	.	9	.	6	6
1995	.	13	.	9	9
1996	.	9	.	7	7
1997	.	6	.	3	3
1998	.	11	.	2	2
1999	.	7	.	5	5
2000*	10	7	.	1	1
2001	17	10	.	1	1
2002	13	19	.	2	2
2003	4	4	.	1	1
2004	10	9	1	7	8
2005	15	11	1	3	4
2006	7	7	2	2	4
2007	11	8	1	2	3
2008	10	7	.	2	2
2009	8	8	.	5	5
2010	9	3	1	5	6
2011	6	5	2	4	6
2012	4	4	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		119	100.0	133.8	123	100.0	138.3	242	100.0	272.2	88,911
Sex at Birth	Male	97	81.5	.	109	88.6	.	206	85.1	.	.
	Female	22	18.5	.	14	11.4	.	36	14.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	6	5.0	.	2	1.6	.	8	3.3	.	.
	25-29	4	3.4	.	3	2.4	.	7	2.9	.	.
	30-39	19	16.0	.	18	14.6	.	37	15.3	.	.
	40-49	54	45.4	.	38	30.9	.	92	38.0	.	.
	50-59	29	24.4	.	49	39.8	.	78	32.2	.	.
	60+	6	5.0	.	13	10.6	.	19	7.9	.	.
	Unk	1	0.8	.	0	0.0	.	1	0.4	.	.
Race/Ethnicity	White	46	38.7	.	35	28.5	.	81	33.5	.	.
	Black	34	28.6	.	44	35.8	.	78	32.2	.	.
	Hispanic	31	26.1	.	35	28.5	.	66	27.3	.	.
	Multi Race	8	6.7	.	8	6.5	.	16	6.6	.	.
	Others	0	0.0	.	1	0.8	.	1	0.4	.	.
Risk	MSM	32	26.9	.	26	21.1	.	58	24.0	.	.
	IDU	25	21.0	.	50	40.7	.	75	31.0	.	.
	MSM/IDU	9	7.6	.	11	8.9	.	20	8.3	.	.
	Heterosexual	16	13.4	.	8	6.5	.	24	9.9	.	.
	Fem Pres Het Cont	7	5.9	.	4	3.3	.	11	4.5	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	30	25.2	.	24	19.5	.	54	22.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		97	100.0	22	100.0	119	100.0	109	100.0	14	100.0	123	100.0	206	100.0	36	100.0	242	100.0
Risk	MSM	32	33.0	0	0.0	32	26.9	26	23.9	0	0.0	26	21.1	58	28.2	0	0.0	58	24.0
	IDU	21	21.6	4	18.2	25	21.0	44	40.4	6	42.9	50	40.7	65	31.6	10	27.8	75	31.0
	MSM/IDU	9	9.3	0	0.0	9	7.6	11	10.1	0	0.0	11	8.9	20	9.7	0	0.0	20	8.3
	Heterosexual	5	5.2	11	50.0	16	13.4	4	3.7	4	28.6	8	6.5	9	4.4	15	41.7	24	9.9
	Fem Pres Het Cont	0	0.0	7	31.8	7	5.9	0	0.0	4	28.6	4	3.3	0	0.0	11	30.6	11	4.5
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	30	30.9	0	0.0	30	25.2	24	22.0	0	0.0	24	19.5	54	26.2	0	0.0	54	22.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		6.0	100.0	6.7	6.3	100.0	7.1	0.7	100.0	3.3	100.0	4.0	100.0
Sex at Birth	Male	6.0	100.0	.	5.3	84.2	.	0.7	100.0	3.3	100.0	4.0	100.0
	Female	0.0	0.0	.	1.0	15.8	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	22.2	.	0.7	10.5	.	0.3	50.0	0.0	0.0	0.3	8.3
	25-29	0.7	11.1	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.3	38.9	.	2.3	36.8	.	0.0	0.0	0.7	20.0	0.7	16.7
	40-49	1.3	22.2	.	2.0	31.6	.	0.0	0.0	1.0	30.0	1.0	25.0
	50-59	0.3	5.6	.	1.0	15.8	.	0.3	50.0	1.3	40.0	1.7	41.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	8.3
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.0	50.0	.	3.0	47.4	.	0.3	50.0	2.0	60.0	2.3	58.3
	Black	1.7	27.8	.	1.7	26.3	.	0.3	50.0	0.3	10.0	0.7	16.7
	Hispanic	1.0	16.7	.	1.0	15.8	.	0.0	0.0	0.7	20.0	0.7	16.7
	Multi Race	0.3	5.6	.	0.3	5.3	.	0.0	0.0	0.3	10.0	0.3	8.3
	Others	0.0	0.0	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	55.6	.	2.0	31.6	.	0.3	50.0	1.7	50.0	2.0	50.0
	IDU	0.7	11.1	.	0.7	10.5	.	0.3	50.0	0.7	20.0	1.0	25.0
	MSM/IDU	0.3	5.6	.	0.7	10.5	.	0.0	0.0	0.7	20.0	0.7	16.7
	Heterosexual	0.3	5.6	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	1.0	15.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	22.2	.	1.7	26.3	.	0.0	0.0	0.3	10.0	0.3	8.3

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.0	100.0	0.0	0.0	6.0	100.0	5.3	100.0	1.0	100.0	6.3	100.0
Risk	MSM	3.3	55.6	0.0	0.0	3.3	55.6	2.0	37.5	0.0	0.0	2.0	31.6
	IDU	0.7	11.1	0.0	0.0	0.7	11.1	0.7	12.5	0.0	0.0	0.7	10.5
	MSM/IDU	0.3	5.6	0.0	0.0	0.3	5.6	0.7	12.5	0.0	0.0	0.7	10.5
	Heterosexual	0.3	5.6	0.0	0.0	0.3	5.6	0.3	6.3	0.0	0.0	0.3	5.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	100.0	1.0	15.8
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	22.2	0.0	0.0	1.3	22.2	1.7	31.3	0.0	0.0	1.7	26.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	18	.	9	9
1987	.	9	.	6	6
1988	.	9	.	9	9
1989	.	12	.	10	10
1990	.	15	.	10	10
1991	.	19	.	8	8
1992	.	28	.	18	18
1993	.	28	.	14	14
1994	.	25	.	22	22
1995	.	27	.	21	21
1996	.	10	.	14	14
1997	.	15	.	9	9
1998	.	8	.	.	.
1999	.	1	.	2	2
2000*	10	6	2	1	3
2001	6	6	.	6	6
2002	6	4	1	4	5
2003	6	11	2	4	6
2004	7	7	1	2	3
2005	8	21	.	2	2
2006	6	6	1	2	3
2007	2	4	.	3	3
2008	7	3	1	3	4
2009	3	2	.	1	1
2010	4	7	.	3	3
2011	6	5	.	3	3
2012	8	7	2	4	6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		22	100.0	44.1	40	100.0	80.1	62	100.0	124.2	49,933
Sex at Birth	Male	17	77.3	.	33	82.5	.	50	80.6	.	.
	Female	5	22.7	.	7	17.5	.	12	19.4	.	.
Current Age	20-24	2	9.1	.	1	2.5	.	3	4.8	.	.
	25-29	1	4.5	.	0	0.0	.	1	1.6	.	.
	30-39	2	9.1	.	3	7.5	.	5	8.1	.	.
	40-49	5	22.7	.	12	30.0	.	17	27.4	.	.
	50-59	10	45.5	.	15	37.5	.	25	40.3	.	.
	60+	2	9.1	.	9	22.5	.	11	17.7	.	.
Race/Ethnicity	White	17	77.3	.	26	65.0	.	43	69.4	.	.
	Black	2	9.1	.	5	12.5	.	7	11.3	.	.
	Hispanic	2	9.1	.	5	12.5	.	7	11.3	.	.
	Multi Race	0	0.0	.	4	10.0	.	4	6.5	.	.
	Others	1	4.5	.	0	0.0	.	1	1.6	.	.
Risk	MSM	8	36.4	.	22	55.0	.	30	48.4	.	.
	IDU	6	27.3	.	8	20.0	.	14	22.6	.	.
	MSM/IDU	1	4.5	.	1	2.5	.	2	3.2	.	.
	Heterosexual	1	4.5	.	4	10.0	.	5	8.1	.	.
	Fem Pres Het Cont	0	0.0	.	2	5.0	.	2	3.2	.	.
	Blood Prod.	1	4.5	.	0	0.0	.	1	1.6	.	.
	Pediatric Risk	2	9.1	.	0	0.0	.	2	3.2	.	.
	Unk	3	13.6	.	3	7.5	.	6	9.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	5	100.0	22	100.0	33	100.0	7	100.0	40	100.0	50	100.0	12	100.0	62	100.0
Risk	MSM	8	47.1	0	0.0	8	36.4	22	66.7	0	0.0	22	55.0	30	60.0	0	0.0	30	48.4
	IDU	4	23.5	2	40.0	6	27.3	6	18.2	2	28.6	8	20.0	10	20.0	4	33.3	14	22.6
	MSM/IDU	1	5.9	0	0.0	1	4.5	1	3.0	0	0.0	1	2.5	2	4.0	0	0.0	2	3.2
	Heterosexual	0	0.0	1	20.0	1	4.5	1	3.0	3	42.9	4	10.0	1	2.0	4	33.3	5	8.1
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	5.0	0	0.0	2	16.7	2	3.2
	Blood Prod.	1	5.9	0	0.0	1	4.5	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0	1	1.6
	Pediatric Risk	0	0.0	2	40.0	2	9.1	0	0.0	0	0.0	0	0.0	0	0.0	2	16.7	2	3.2
	Unk	3	17.6	0	0.0	3	13.6	3	9.1	0	0.0	3	7.5	6	12.0	0	0.0	6	9.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	3.3	2.0	100.0	4.0	0.0	0.0	1.7	100.0	1.7	100.0
Sex at Birth	Male	1.7	100.0	.	2.0	100.0	.	0.0	0.0	1.3	80.0	1.3	80.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	20.0
Age at Diagnosis	20-24	0.7	40.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	20.0
	40-49	0.3	20.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	20.0	.	1.0	50.0	.	0.0	0.0	0.7	40.0	0.7	40.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	40.0
	Race/Ethnicity	White	1.3	80.0	.	2.0	100.0	.	0.0	0.0	1.0	60.0	1.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	20.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	100.0	.	1.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	IDU	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	20.0	0.3	20.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.0	0.0	1.7	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	100.0	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	.	.
1987	.	1	.	.	.
1988	.	2	.	3	3
1989	.	.	.	1	1
1990	.	3	.	.	.
1991	.	3	.	.	.
1992	.	4	.	2	2
1993	.	2	.	1	1
1994	.	1	.	3	3
1995	.	7	.	4	4
1996	.	4	.	2	2
1997	.	4	.	.	.
1998	.	3	.	.	.
1999	.	2	.	1	1
2000*	2	5	.	2	2
2001	2	5	.	2	2
2002	3	6	.	1	1
2003	1	3	.	1	1
2004	1	2	.	2	2
2005	1	3	.	1	1
2006	1	.	.	2	2
2007	1	1	.	1	1
2008	.	2	.	.	.
2009	.	2	.	.	.
2010	.	1	.	1	1
2011	3	2	.	4	4
2012	2	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		96	100.0	117.6	174	100.0	213.1	270	100.0	330.7	81,654
Sex at Birth	Male	89	92.7	.	165	94.8	.	254	94.1	.	.
	Female	7	7.3	.	9	5.2	.	16	5.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	0	0.0	.	1	0.4	.	.
	20-24	1	1.0	.	0	0.0	.	1	0.4	.	.
	25-29	3	3.1	.	1	0.6	.	4	1.5	.	.
	30-39	9	9.4	.	11	6.3	.	20	7.4	.	.
	40-49	24	25.0	.	56	32.2	.	80	29.6	.	.
	50-59	45	46.9	.	70	40.2	.	115	42.6	.	.
	60+	13	13.5	.	36	20.7	.	49	18.1	.	.
Race/Ethnicity	White	30	31.3	.	38	21.8	.	68	25.2	.	.
	Black	27	28.1	.	51	29.3	.	78	28.9	.	.
	Hispanic	32	33.3	.	75	43.1	.	107	39.6	.	.
	Multi Race	5	5.2	.	9	5.2	.	14	5.2	.	.
	Others	2	2.1	.	1	0.6	.	3	1.1	.	.
Risk	MSM	28	29.2	.	33	19.0	.	61	22.6	.	.
	IDU	30	31.3	.	89	51.1	.	119	44.1	.	.
	MSM/IDU	4	4.2	.	11	6.3	.	15	5.6	.	.
	Heterosexual	3	3.1	.	7	4.0	.	10	3.7	.	.
	Fem Pres Het Cont	3	3.1	.	3	1.7	.	6	2.2	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	1.0	.	0	0.0	.	1	0.4	.	.
	Unk	27	28.1	.	31	17.8	.	58	21.5	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		89	100.0	7	100.0	96	100.0	165	100.0	9	100.0	174	100.0	254	100.0	16	100.0	270	100.0
Risk	MSM	28	31.5	0	0.0	28	29.2	33	20.0	0	0.0	33	19.0	61	24.0	0	0.0	61	22.6
	IDU	29	32.6	1	14.3	30	31.3	86	52.1	3	33.3	89	51.1	115	45.3	4	25.0	119	44.1
	MSM/IDU	4	4.5	0	0.0	4	4.2	11	6.7	0	0.0	11	6.3	15	5.9	0	0.0	15	5.6
	Heterosexual	0	0.0	3	42.9	3	3.1	4	2.4	3	33.3	7	4.0	4	1.6	6	37.5	10	3.7
	Fem Pres Het Cont	0	0.0	3	42.9	3	3.1	0	0.0	3	33.3	3	1.7	0	0.0	6	37.5	6	2.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.1	0	0.0	1	1.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.4
	Unk	27	30.3	0	0.0	27	28.1	31	18.8	0	0.0	31	17.8	58	22.8	0	0.0	58	21.5

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	1.6	0.7	100.0	0.8	0.3	100.0	3.3	100.0	3.7	100.0
Sex at Birth	Male	0.3	25.0	.	0.3	50.0	.	0.3	100.0	3.3	100.0	3.7	100.0
	Female	1.0	75.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	30.0	1.0	27.3
	50-59	0.7	50.0	.	0.3	50.0	.	0.3	100.0	1.3	40.0	1.7	45.5
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	30.0	1.0	27.3
Race/Ethnicity	White	1.0	75.0	.	0.7	100.0	.	0.0	0.0	0.7	20.0	0.7	18.2
	Black	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.3	100.0	1.7	50.0	2.0	54.5
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	30.0	1.0	27.3
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.3	50.0	.	0.0	0.0	0.7	20.0	0.7	18.2
	IDU	0.3	25.0	.	0.3	50.0	.	0.3	100.0	2.0	60.0	2.3	63.6
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	9.1
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	9.1

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	1.0	100.0	1.3	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	25.0	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	0.3	33.3	0.3	25.0	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	50.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	47	.	31	31
1987	.	29	.	13	13
1988	.	27	.	19	19
1989	.	28	.	18	18
1990	.	40	.	16	16
1991	.	25	.	23	23
1992	.	29	.	28	28
1993	.	38	.	16	16
1994	.	41	.	24	24
1995	.	34	.	26	26
1996	.	21	.	16	16
1997	.	19	.	10	10
1998	.	13	.	7	7
1999	.	15	.	2	2
2000*	8	5	2	2	4
2001	5	8	.	5	5
2002	8	14	.	3	3
2003	3	7	.	9	9
2004	5	13	1	4	5
2005	3	8	.	8	8
2006	4	3	1	2	3
2007	6	5	1	4	5
2008	4	4	2	4	6
2009	1	2	.	3	3
2010	.	.	.	3	3
2011	2	1	1	2	3
2012	2	1	.	5	5

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		80	100.0	128.0	75	100.0	120.0	155	100.0	248.0	62,499
Sex at Birth	Male	61	76.3	.	61	81.3	.	122	78.7	.	.
	Female	19	23.8	.	14	18.7	.	33	21.3	.	.
Current Age	12 & under	1	1.3	.	0	0.0	.	1	0.6	.	.
	13-19	2	2.5	.	1	1.3	.	3	1.9	.	.
	20-24	2	2.5	.	2	2.7	.	4	2.6	.	.
	25-29	2	2.5	.	0	0.0	.	2	1.3	.	.
	30-39	9	11.3	.	7	9.3	.	16	10.3	.	.
	40-49	16	20.0	.	23	30.7	.	39	25.2	.	.
	50-59	33	41.3	.	24	32.0	.	57	36.8	.	.
	60+	15	18.8	.	18	24.0	.	33	21.3	.	.
Race/Ethnicity	White	37	46.3	.	32	42.7	.	69	44.5	.	.
	Black	17	21.3	.	15	20.0	.	32	20.6	.	.
	Hispanic	17	21.3	.	25	33.3	.	42	27.1	.	.
	Multi Race	8	10.0	.	3	4.0	.	11	7.1	.	.
	Others	1	1.3	.	0	0.0	.	1	0.6	.	.
Risk	MSM	37	46.3	.	24	32.0	.	61	39.4	.	.
	IDU	17	21.3	.	19	25.3	.	36	23.2	.	.
	MSM/IDU	1	1.3	.	5	6.7	.	6	3.9	.	.
	Heterosexual	11	13.8	.	14	18.7	.	25	16.1	.	.
	Fem Pres Het Cont	9	11.3	.	0	0.0	.	9	5.8	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	3	3.8	.	1	1.3	.	4	2.6	.	.
	Unk	2	2.5	.	12	16.0	.	14	9.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		61	100.0	19	100.0	80	100.0	61	100.0	14	100.0	75	100.0	122	100.0	33	100.0	155	100.0
Risk	MSM	37	60.7	0	0.0	37	46.3	24	39.3	0	0.0	24	32.0	61	50.0	0	0.0	61	39.4
	IDU	16	26.2	1	5.3	17	21.3	16	26.2	3	21.4	19	25.3	32	26.2	4	12.1	36	23.2
	MSM/IDU	1	1.6	0	0.0	1	1.3	5	8.2	0	0.0	5	6.7	6	4.9	0	0.0	6	3.9
	Heterosexual	4	6.6	7	36.8	11	13.8	4	6.6	10	71.4	14	18.7	8	6.6	17	51.5	25	16.1
	Fem Pres Het Cont	0	0.0	9	47.4	9	11.3	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	9	5.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.6	2	10.5	3	3.8	0	0.0	1	7.1	1	1.3	1	0.8	3	9.1	4	2.6
	Unk	2	3.3	0	0.0	2	2.5	12	19.7	0	0.0	12	16.0	14	11.5	0	0.0	14	9.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.3	2.7	100.0	4.3	0.7	100.0	1.7	100.0	2.3	100.0
Sex at Birth	Male	1.3	50.0	.	1.3	50.0	.	0.7	100.0	1.7	100.0	2.3	100.0
	Female	1.3	50.0	.	1.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	12.5	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	25.0	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	12.5	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.3	12.5	.	0.0	0.0	0.7	40.0	0.7	28.6
	40-49	0.7	25.0	.	0.7	25.0	.	0.0	0.0	0.7	40.0	0.7	28.6
	50-59	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	20.0	0.7	28.6
Race/Ethnicity	60+	0.3	12.5	.	0.3	12.5	.	0.3	50.0	0.0	0.0	0.3	14.3
	White	2.0	75.0	.	1.7	62.5	.	0.3	50.0	0.3	20.0	0.7	28.6
	Black	0.0	0.0	.	0.3	12.5	.	0.3	50.0	0.0	0.0	0.3	14.3
	Hispanic	0.3	12.5	.	0.7	25.0	.	0.0	0.0	1.3	80.0	1.3	57.1
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM	0.7	25.0	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.7	100.0	0.0	0.0	0.7	28.6
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	14.3
	Heterosexual	1.3	50.0	.	1.3	50.0	.	0.0	0.0	0.7	40.0	0.7	28.6
	Fem Pres Het Cont	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.7	25.0	.	0.0	0.0	0.7	40.0	0.7	28.6

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	1.3	100.0	2.7	100.0	1.3	100.0	1.3	100.0	2.7	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	25.0	0.3	25.0	0.0	0.0	0.3	12.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	25.0	1.0	75.0	1.3	50.0	0.3	25.0	1.0	75.0	1.3	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	25.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	12.5
	Unk	0.3	25.0	0.0	0.0	0.3	12.5	0.7	50.0	0.0	0.0	0.7	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	8	.	5	5
1987	.	2	.	2	2
1988	.	5	.	1	1
1989	.	9	.	6	6
1990	.	8	.	5	5
1991	.	11	.	8	8
1992	.	21	.	12	12
1993	.	7	.	5	5
1994	.	10	.	5	5
1995	.	16	.	8	8
1996	.	4	.	8	8
1997	.	5	.	2	2
1998	.	2	.	2	2
1999	.	5	.	3	3
2000*	3	5	1	4	5
2001	3	4	1	1	2
2002	2	1	1	2	3
2003	5	3	2	1	3
2004	4	6	1	2	3
2005	3	6	2	.	2
2006	6	2	.	1	1
2007	4	4	3	1	4
2008	2	1	.	.	.
2009	4	5	.	2	2
2010	3	2	1	1	2
2011	4	4	1	2	3
2012	1	2	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		20	100.0	40.4	16	100.0	32.3	36	100.0	72.8	49,474
Sex at Birth	Male	16	80.0	.	12	75.0	.	28	77.8	.	.
	Female	4	20.0	.	4	25.0	.	8	22.2	.	.
Current Age	20-24	3	15.0	.	0	0.0	.	3	8.3	.	.
	25-29	2	10.0	.	1	6.3	.	3	8.3	.	.
	30-39	5	25.0	.	3	18.8	.	8	22.2	.	.
	40-49	3	15.0	.	6	37.5	.	9	25.0	.	.
	50-59	5	25.0	.	3	18.8	.	8	22.2	.	.
	60+	2	10.0	.	3	18.8	.	5	13.9	.	.
Race/Ethnicity	White	16	80.0	.	12	75.0	.	28	77.8	.	.
	Black	1	5.0	.	1	6.3	.	2	5.6	.	.
	Hispanic	1	5.0	.	3	18.8	.	4	11.1	.	.
	Multi Race	2	10.0	.	0	0.0	.	2	5.6	.	.
Risk	MSM	12	60.0	.	7	43.8	.	19	52.8	.	.
	IDU	3	15.0	.	2	12.5	.	5	13.9	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	10.0	.	3	18.8	.	5	13.9	.	.
	Fem Pres Het Cont	2	10.0	.	0	0.0	.	2	5.6	.	.
	Blood Prod.	0	0.0	.	1	6.3	.	1	2.8	.	.
	Unk	1	5.0	.	3	18.8	.	4	11.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		16	100.0	4	100.0	20	100.0	12	100.0	4	100.0	16	100.0	28	100.0	8	100.0	36	100.0
Risk	MSM	12	75.0	0	0.0	12	60.0	7	58.3	0	0.0	7	43.8	19	67.9	0	0.0	19	52.8
	IDU	2	12.5	1	25.0	3	15.0	1	8.3	1	25.0	2	12.5	3	10.7	2	25.0	5	13.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	6.3	1	25.0	2	10.0	1	8.3	2	50.0	3	18.8	2	7.1	3	37.5	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	10.0	0	0.0	0	0.0	0	0.0	0	0.0	2	25.0	2	5.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	1	6.3	0	0.0	1	12.5	1	2.8
	Unk	1	6.3	0	0.0	1	5.0	3	25.0	0	0.0	3	18.8	4	14.3	0	0.0	4	11.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.7	0.7	100.0	1.3	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	2.0	85.7	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	14.3	.	0.3	50.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Age at Diagnosis	20-24	1.7	71.4	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.3	14.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.3	100.0	.	0.7	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	28.6	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	1.7	83.3	0.0	0.0	1.7	71.4	0.3	100.0	0.0	0.0	0.3	50.0
	IDU	0.3	16.7	0.3	100.0	0.7	28.6	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
1987	.	2	.	.	.
1989	.	1	.	3	3
1991	.	1	.	.	.
1993	.	2	.	2	2
1994	.	1	.	.	.
1995	.	1	.	1	1
1996	.	1	.	.	.
1997	.	2	.	.	.
1998	.	3	.	2	2
1999	.	.	.	1	1
2001	1	1	.	.	.
2002	1	5	.	1	1
2003	.	.	.	2	2
2004	.	5	.	1	1
2005	1	.	.	2	2
2006	1	2	.	.	.
2007	3	1	.	.	.
2008	2	1	.	.	.
2009	1	1	.	.	.
2010	2	1	.	.	.
2011	1	.	.	1	1
2012	4	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		16	100.0	33.8	40	100.0	84.6	56	100.0	118.5	47,276
Sex at Birth	Male	11	68.8	.	29	72.5	.	40	71.4	.	.
	Female	5	31.3	.	11	27.5	.	16	28.6	.	.
Current Age	20-24	1	6.3	.	1	2.5	.	2	3.6	.	.
	25-29	1	6.3	.	0	0.0	.	1	1.8	.	.
	30-39	1	6.3	.	5	12.5	.	6	10.7	.	.
	40-49	6	37.5	.	11	27.5	.	17	30.4	.	.
	50-59	3	18.8	.	15	37.5	.	18	32.1	.	.
	60+	4	25.0	.	8	20.0	.	12	21.4	.	.
Race/Ethnicity	White	12	75.0	.	22	55.0	.	34	60.7	.	.
	Black	1	6.3	.	7	17.5	.	8	14.3	.	.
	Hispanic	3	18.8	.	5	12.5	.	8	14.3	.	.
	Multi Race	0	0.0	.	5	12.5	.	5	8.9	.	.
	Others	0	0.0	.	1	2.5	.	1	1.8	.	.
Risk	MSM	5	31.3	.	16	40.0	.	21	37.5	.	.
	IDU	3	18.8	.	12	30.0	.	15	26.8	.	.
	MSM/IDU	1	6.3	.	2	5.0	.	3	5.4	.	.
	Heterosexual	4	25.0	.	5	12.5	.	9	16.1	.	.
	Fem Pres Het Cont	0	0.0	.	1	2.5	.	1	1.8	.	.
	Blood Prod.	0	0.0	.	1	2.5	.	1	1.8	.	.
	Unk	3	18.8	.	3	7.5	.	6	10.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	5	100.0	16	100.0	29	100.0	11	100.0	40	100.0	40	100.0	16	100.0	56	100.0
Risk	MSM	5	45.5	0	0.0	5	31.3	16	55.2	0	0.0	16	40.0	21	52.5	0	0.0	21	37.5
	IDU	1	9.1	2	40.0	3	18.8	7	24.1	5	45.5	12	30.0	8	20.0	7	43.8	15	26.8
	MSM/IDU	1	9.1	0	0.0	1	6.3	2	6.9	0	0.0	2	5.0	3	7.5	0	0.0	3	5.4
	Heterosexual	1	9.1	3	60.0	4	25.0	0	0.0	5	45.5	5	12.5	1	2.5	8	50.0	9	16.1
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	1	2.5	0	0.0	1	6.3	1	1.8
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0	1	2.5	1	2.5	0	0.0	1	1.8
	Unk	3	27.3	0	0.0	3	18.8	3	10.3	0	0.0	3	7.5	6	15.0	0	0.0	6	10.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.9	3.3	100.0	7.1	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.7	71.4	.	2.7	80.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	0.7	28.6	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	28.6	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	40-49	0.3	14.3	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	0.3	14.3	.	1.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	60+	0.7	28.6	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White	1.7	71.4	.	2.0	60.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	28.6	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	28.6	.	1.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	IDU	1.0	42.9	.	0.7	20.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	14.3	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Fem Pres Het Cont	0.3	14.3	.	0.3	10.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	2.7	100.0	0.7	100.0	3.3	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	28.6	1.7	62.5	0.0	0.0	1.7	50.0
	IDU	0.7	40.0	0.3	50.0	1.0	42.9	0.3	12.5	0.3	50.0	0.7	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	0.0	0.0	0.3	14.3	0.3	12.5	0.0	0.0	0.3	10.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	14.3	0.0	0.0	0.3	50.0	0.3	10.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.5	0.0	0.0	0.3	10.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
1988	.	1	.	.	.
1989	.	2	.	1	1
1990	.	4	.	2	2
1991	.	1	.	1	1
1992	.	3	.	2	2
1993	.	3	.	3	3
1994	.	3	.	1	1
1995	.	6	.	1	1
1996	.	4	.	3	3
1997	.	1	.	.	.
1998	.	.	.	1	1
1999	.	2	.	1	1
2000*	1
2001	3	5	.	2	2
2002	8	5	.	1	1
2003	2	4	1	1	2
2004	2	2	1	1	2
2005	.	3	.	2	2
2006	2	2	1	.	1
2007	2	2	1	.	1
2008	4	3	2	.	2
2009	.	.	1	.	1
2010	5	4	.	2	2
2011	1	4	.	1	1
2012	1	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		455	100.0	153.0	675	100.0	227.0	1,130	100.0	380.1	297,322
Sex at Birth	Male	337	74.1	.	525	77.8	.	862	76.3	.	.
	Female	118	25.9	.	150	22.2	.	268	23.7	.	.
Current Age	12 & under	2	0.4	.	0	0.0	.	2	0.2	.	.
	13-19	5	1.1	.	2	0.3	.	7	0.6	.	.
	20-24	16	3.5	.	9	1.3	.	25	2.2	.	.
	25-29	22	4.8	.	10	1.5	.	32	2.8	.	.
	30-39	45	9.9	.	45	6.7	.	90	8.0	.	.
	40-49	149	32.7	.	197	29.2	.	346	30.6	.	.
	50-59	162	35.6	.	284	42.1	.	446	39.5	.	.
	60+	54	11.9	.	128	19.0	.	182	16.1	.	.
Race/Ethnicity	White	109	24.0	.	139	20.6	.	248	21.9	.	.
	Black	167	36.7	.	250	37.0	.	417	36.9	.	.
	Hispanic	127	27.9	.	222	32.9	.	349	30.9	.	.
	Multi Race	47	10.3	.	61	9.0	.	108	9.6	.	.
	Others	4	0.9	.	3	0.4	.	7	0.6	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Risk	MSM	102	22.4	.	134	19.9	.	236	20.9	.	.
	IDU	144	31.6	.	267	39.6	.	411	36.4	.	.
	MSM/IDU	18	4.0	.	42	6.2	.	60	5.3	.	.
	Heterosexual	101	22.2	.	123	18.2	.	224	19.8	.	.
	Fem Pres Het Cont	14	3.1	.	23	3.4	.	37	3.3	.	.
	Blood Prod.	0	0.0	.	3	0.4	.	3	0.3	.	.
	Pediatric Risk	13	2.9	.	7	1.0	.	20	1.8	.	.
	Unk	63	13.8	.	76	11.3	.	139	12.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		337	100.0	118	100.0	455	100.0	525	100.0	150	100.0	675	100.0	862	100.0	268	100.0	1,130	100.0
Risk	MSM	102	30.3	0	0.0	102	22.4	134	25.5	0	0.0	134	19.9	236	27.4	0	0.0	236	20.9
	IDU	109	32.3	35	29.7	144	31.6	219	41.7	48	32.0	267	39.6	328	38.1	83	31.0	411	36.4
	MSM/IDU	18	5.3	0	0.0	18	4.0	42	8.0	0	0.0	42	6.2	60	7.0	0	0.0	60	5.3
	Heterosexual	38	11.3	63	53.4	101	22.2	50	9.5	73	48.7	123	18.2	88	10.2	136	50.7	224	19.8
	Fem Pres Het Cont	0	0.0	14	11.9	14	3.1	0	0.0	23	15.3	23	3.4	0	0.0	37	13.8	37	3.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.2	2	1.3	3	0.4	1	0.1	2	0.7	3	0.3
	Pediatric Risk	7	2.1	6	5.1	13	2.9	4	0.8	3	2.0	7	1.0	11	1.3	9	3.4	20	1.8
	Unk	63	18.7	0	0.0	63	13.8	75	14.3	1	0.7	76	11.3	138	16.0	1	0.4	139	12.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		18.3	100.0	6.2	15.3	100.0	5.2	7.3	100.0	15.0	100.0	22.3	100.0
Sex at Birth	Male	13.0	70.9	.	11.7	76.1	.	4.0	54.5	12.3	82.2	16.3	73.1
	Female	5.3	29.1	.	3.7	23.9	.	3.3	45.5	2.7	17.8	6.0	26.9
Age at Diagnosis	12 & under	0.3	1.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	1.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	3.0	16.4	.	1.7	10.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	2.0	10.9	.	1.0	6.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	3.3	18.2	.	3.0	19.6	.	0.0	0.0	0.7	4.4	0.7	3.0
	40-49	4.3	23.6	.	6.3	41.3	.	1.0	13.6	4.3	28.9	5.3	23.9
	50-59	3.7	20.0	.	2.3	15.2	.	4.3	59.1	7.3	48.9	11.7	52.2
	60+	1.3	7.3	.	1.0	6.5	.	2.0	27.3	2.7	17.8	4.7	20.9
Race/Ethnicity	White	6.7	36.4	.	5.7	37.0	.	2.7	36.4	5.7	37.8	8.3	37.3
	Black	5.7	30.9	.	5.7	37.0	.	3.7	50.0	5.7	37.8	9.3	41.8
	Hispanic	3.0	16.4	.	2.3	15.2	.	0.7	9.1	3.0	20.0	3.7	16.4
	Multi Race	2.3	12.7	.	1.3	8.7	.	0.3	4.5	0.7	4.4	1.0	4.5
	Others	0.7	3.6	.	0.3	2.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	7.7	41.8	.	4.7	30.4	.	0.3	4.5	1.3	8.9	1.7	7.5
	IDU	3.0	16.4	.	3.3	21.7	.	3.7	50.0	9.7	64.4	13.3	59.7
	MSM/IDU	0.3	1.8	.	1.3	8.7	.	0.3	4.5	1.7	11.1	2.0	9.0
	Heterosexual	4.0	21.8	.	3.3	21.7	.	1.3	18.2	1.3	8.9	2.7	11.9
	Fem Pres Het Cont	1.7	9.1	.	1.0	6.5	.	0.7	9.1	0.0	0.0	0.7	3.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	1.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	7.3	.	1.7	10.9	.	1.0	13.6	1.0	6.7	2.0	9.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13.0	100.0	5.3	100.0	18.3	100.0	11.7	100.0	3.7	100.0	15.3	100.0
Risk	MSM	7.7	59.0	0.0	0.0	7.7	41.8	4.7	40.0	0.0	0.0	4.7	30.4
	IDU	2.0	15.4	1.0	18.8	3.0	16.4	2.3	20.0	1.0	27.3	3.3	21.7
	MSM/IDU	0.3	2.6	0.0	0.0	0.3	1.8	1.3	11.4	0.0	0.0	1.3	8.7
	Heterosexual	1.3	10.3	2.7	50.0	4.0	21.8	1.7	14.3	1.7	45.5	3.3	21.7
	Fem Pres Het Cont	0.0	0.0	1.7	31.3	1.7	9.1	0.0	0.0	1.0	27.3	1.0	6.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	2.6	0.0	0.0	0.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	10.3	0.0	0.0	1.3	7.3	1.7	14.3	0.0	0.0	1.7	10.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	106	.	75	75
1987	.	64	.	39	39
1988	.	63	.	44	44
1989	.	88	.	61	61
1990	.	102	.	57	57
1991	.	124	.	74	74
1992	.	130	.	58	58
1993	.	169	.	87	87
1994	.	138	.	96	96
1995	.	114	.	114	114
1996	.	109	.	70	70
1997	.	54	.	33	33
1998	.	40	.	36	36
1999	.	45	.	35	35
2000*	46	63	4	22	26
2001	50	59	6	28	34
2002	26	45	5	32	37
2003	26	42	4	21	25
2004	35	56	2	25	27
2005	39	57	6	18	24
2006	26	29	5	25	30
2007	20	27	3	16	19
2008	19	25	2	15	17
2009	21	21	5	16	21
2010	13	15	5	18	23
2011	22	15	11	19	30
2012	20	16	6	8	14

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		992	100.0	107.9	1,153	100.0	125.5	2,145	100.0	233.4	919,086
Sex at Birth	Male	682	68.8	.	818	70.9	.	1,500	69.9	.	.
	Female	310	31.3	.	335	29.1	.	645	30.1	.	.
Current Age	12 & under	8	0.8	.	2	0.2	.	10	0.5	.	.
	13-19	11	1.1	.	4	0.3	.	15	0.7	.	.
	20-24	56	5.6	.	16	1.4	.	72	3.4	.	.
	25-29	81	8.2	.	28	2.4	.	109	5.1	.	.
	30-39	224	22.6	.	145	12.6	.	369	17.2	.	.
	40-49	290	29.2	.	398	34.5	.	688	32.1	.	.
	50-59	238	24.0	.	383	33.2	.	621	29.0	.	.
	60+	84	8.5	.	177	15.4	.	261	12.2	.	.
Race/Ethnicity	White	312	31.5	.	343	29.7	.	655	30.5	.	.
	Black	403	40.6	.	501	43.5	.	904	42.1	.	.
	Hispanic	165	16.6	.	192	16.7	.	357	16.6	.	.
	Multi Race	89	9.0	.	100	8.7	.	189	8.8	.	.
	Others	23	2.3	.	17	1.5	.	40	1.9	.	.
Risk	MSM	421	42.4	.	450	39.0	.	871	40.6	.	.
	IDU	138	13.9	.	214	18.6	.	352	16.4	.	.
	MSM/IDU	38	3.8	.	75	6.5	.	113	5.3	.	.
	Heterosexual	262	26.4	.	315	27.3	.	577	26.9	.	.
	Fem Pres Het Cont	42	4.2	.	26	2.3	.	68	3.2	.	.
	Blood Prod.	2	0.2	.	4	0.3	.	6	0.3	.	.
	Pediatric Risk	16	1.6	.	13	1.1	.	29	1.4	.	.
	Unk	73	7.4	.	56	4.9	.	129	6.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		682	100.0	310	100.0	992	100.0	818	100.0	335	100.0	1,153	100.0	1,500	100.0	645	100.0	2,145	100.0
Risk	MSM	421	61.7	0	0.0	421	42.4	450	55.0	0	0.0	450	39.0	871	58.1	0	0.0	871	40.6
	IDU	83	12.2	55	17.7	138	13.9	144	17.6	70	20.9	214	18.6	227	15.1	125	19.4	352	16.4
	MSM/IDU	38	5.6	0	0.0	38	3.8	75	9.2	0	0.0	75	6.5	113	7.5	0	0.0	113	5.3
	Heterosexual	58	8.5	204	65.8	262	26.4	83	10.1	232	69.3	315	27.3	141	9.4	436	67.6	577	26.9
	Fem Pres Het Cont	0	0.0	42	13.5	42	4.2	0	0.0	26	7.8	26	2.3	0	0.0	68	10.5	68	3.2
	Blood Prod.	2	0.3	0	0.0	2	0.2	4	0.5	0	0.0	4	0.3	6	0.4	0	0.0	6	0.3
	Pediatric Risk	7	1.0	9	2.9	16	1.6	7	0.9	6	1.8	13	1.1	14	0.9	15	2.3	29	1.4
	Unk	73	10.7	0	0.0	73	7.4	55	6.7	1	0.3	56	4.9	128	8.5	1	0.2	129	6.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		97.3	100.0	10.6	63.7	100.0	6.9	7.7	100.0	33.7	100.0	41.3	100.0
Sex at Birth	Male	66.0	67.8	.	39.0	61.3	.	5.7	73.9	26.0	77.2	31.7	76.6
	Female	31.3	32.2	.	24.7	38.7	.	2.0	26.1	7.7	22.8	9.7	23.4
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.7	3.8	.	1.0	1.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	13.0	13.4	.	3.7	5.8	.	0.0	0.0	1.0	3.0	1.0	2.4
	25-29	11.3	11.6	.	5.3	8.4	.	0.3	4.3	0.3	1.0	0.7	1.6
	30-39	28.7	29.5	.	17.0	26.7	.	1.3	17.4	1.0	3.0	2.3	5.6
	40-49	25.7	26.4	.	23.0	36.1	.	1.3	17.4	8.3	24.8	9.7	23.4
	50-59	11.3	11.6	.	9.3	14.7	.	2.7	34.8	14.3	42.6	17.0	41.1
	60+	3.3	3.4	.	4.3	6.8	.	2.0	26.1	8.7	25.7	10.7	25.8
Race/Ethnicity	White	29.3	30.1	.	14.0	22.0	.	4.0	52.2	7.3	21.8	11.3	27.4
	Black	45.3	46.6	.	31.7	49.7	.	2.7	34.8	16.3	48.5	19.0	46.0
	Hispanic	12.7	13.0	.	9.0	14.1	.	1.0	13.0	5.3	15.8	6.3	15.3
	Multi Race	5.7	5.8	.	6.0	9.4	.	0.0	0.0	4.3	12.9	4.3	10.5
	Others	4.3	4.5	.	3.0	4.7	.	0.0	0.0	0.3	1.0	0.3	0.8
Risk	MSM	44.7	45.9	.	22.0	34.6	.	2.7	34.8	11.0	32.7	13.7	33.1
	IDU	6.3	6.5	.	9.0	14.1	.	0.7	8.7	11.3	33.7	12.0	29.0
	MSM/IDU	2.3	2.4	.	3.0	4.7	.	0.7	8.7	2.7	7.9	3.3	8.1
	Heterosexual	28.7	29.5	.	22.3	35.1	.	2.0	26.1	5.7	16.8	7.7	18.5
	Fem Pres Het Cont	6.3	6.5	.	3.7	5.8	.	0.7	8.7	0.7	2.0	1.3	3.2
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.7	.	0.3	0.5	.	0.0	0.0	0.7	2.0	0.7	1.6
	Unk	8.3	8.6	.	3.3	5.2	.	1.0	13.0	1.7	5.0	2.7	6.5

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		66.0	100.0	31.3	100.0	97.3	100.0	39.0	100.0	24.7	100.0	63.7	100.0
Risk	MSM	44.7	67.7	0.0	0.0	44.7	45.9	22.0	56.4	0.0	0.0	22.0	34.6
	IDU	3.7	5.6	2.7	8.5	6.3	6.5	5.0	12.8	4.0	16.2	9.0	14.1
	MSM/IDU	2.3	3.5	0.0	0.0	2.3	2.4	3.0	7.7	0.0	0.0	3.0	4.7
	Heterosexual	6.7	10.1	22.0	70.2	28.7	29.5	5.3	13.7	17.0	68.9	22.3	35.1
	Fem Pres Het Cont	0.0	0.0	6.3	20.2	6.3	6.5	0.0	0.0	3.7	14.9	3.7	5.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.5	0.3	1.1	0.7	0.7	0.3	0.9	0.0	0.0	0.3	0.5
	Unk	8.3	12.6	0.0	0.0	8.3	8.6	3.3	8.5	0.0	0.0	3.3	5.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	52	.	32	32
1987	.	42	.	23	23
1988	.	59	.	25	25
1989	.	94	.	55	55
1990	.	93	.	71	71
1991	.	114	.	76	76
1992	.	137	.	90	90
1993	.	191	.	82	82
1994	.	183	.	123	123
1995	.	188	.	164	164
1996	.	166	.	90	90
1997	.	87	.	52	52
1998	.	95	.	45	45
1999	.	108	.	46	46
2000*	78	135	1	51	52
2001	104	113	2	56	58
2002	85	76	8	32	40
2003	81	94	7	51	58
2004	93	74	6	40	46
2005	84	77	7	41	48
2006	96	63	8	40	48
2007	101	91	11	44	55
2008	88	61	11	35	46
2009	103	63	9	42	51
2010	106	58	6	38	44
2011	94	75	10	28	38
2012	92	58	7	35	42

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		48	100.0	123.2	65	100.0	166.8	113	100.0	290.0	38,961
Sex at Birth	Male	45	93.8	.	59	90.8	.	104	92.0	.	.
	Female	3	6.3	.	6	9.2	.	9	8.0	.	.
Current Age	20-24	2	4.2	.	0	0.0	.	2	1.8	.	.
	25-29	1	2.1	.	0	0.0	.	1	0.9	.	.
	30-39	9	18.8	.	8	12.3	.	17	15.0	.	.
	40-49	13	27.1	.	20	30.8	.	33	29.2	.	.
	50-59	16	33.3	.	31	47.7	.	47	41.6	.	.
	60+	7	14.6	.	6	9.2	.	13	11.5	.	.
Race/Ethnicity	White	9	18.8	.	13	20.0	.	22	19.5	.	.
	Black	17	35.4	.	21	32.3	.	38	33.6	.	.
	Hispanic	22	45.8	.	28	43.1	.	50	44.2	.	.
	Multi Race	0	0.0	.	3	4.6	.	3	2.7	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	8	16.7	.	7	10.8	.	15	13.3	.	.
	IDU	15	31.3	.	32	49.2	.	47	41.6	.	.
	MSM/IDU	3	6.3	.	2	3.1	.	5	4.4	.	.
	Heterosexual	6	12.5	.	10	15.4	.	16	14.2	.	.
	Fem Pres Het Cont	1	2.1	.	1	1.5	.	2	1.8	.	.
	Unk	15	31.3	.	13	20.0	.	28	24.8	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		45	100.0	3	100.0	48	100.0	59	100.0	6	100.0	65	100.0	104	100.0	9	100.0	113	100.0
Risk	MSM	8	17.8	0	0.0	8	16.7	7	11.9	0	0.0	7	10.8	15	14.4	0	0.0	15	13.3
	IDU	15	33.3	0	0.0	15	31.3	30	50.8	2	33.3	32	49.2	45	43.3	2	22.2	47	41.6
	MSM/IDU	3	6.7	0	0.0	3	6.3	2	3.4	0	0.0	2	3.1	5	4.8	0	0.0	5	4.4
	Heterosexual	4	8.9	2	66.7	6	12.5	7	11.9	3	50.0	10	15.4	11	10.6	5	55.6	16	14.2
	Fem Pres Het Cont	0	0.0	1	33.3	1	2.1	0	0.0	1	16.7	1	1.5	0	0.0	2	22.2	2	1.8
	Unk	15	33.3	0	0.0	15	31.3	13	22.0	0	0.0	13	20.0	28	26.9	0	0.0	28	24.8

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.6	1.7	100.0	4.3	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	0.3	33.3	.	1.0	60.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.7	66.7	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	66.7	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	33.3	.	0.3	20.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	33.3	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	66.7	.	0.3	20.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	33.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.7	100.0	1.0	100.0	1.0	100.0	0.7	100.0	1.7	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	33.3	0.7	66.7	0.0	0.0	0.7	40.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.7	100.0	0.7	40.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	20	.	16	16
1987	.	5	.	4	4
1988	.	14	.	4	4
1989	.	16	.	11	11
1990	.	14	.	5	5
1991	.	13	.	6	6
1992	.	9	.	15	15
1993	.	14	.	8	8
1994	.	12	.	9	9
1995	.	18	.	14	14
1996	.	9	.	6	6
1997	.	9	.	3	3
1998	.	3	.	.	.
1999	.	6	.	1	1
2000*	6	3	1	1	2
2001	4	2	.	.	.
2002	5	4	.	3	3
2003	5	3	.	1	1
2004	1	1	1	3	4
2005	2	4	1	1	2
2006	1	1	1	4	5
2007	.	.	2	1	3
2008	1	1	1	3	4
2009	3	.	.	1	1
2010	2	1	.	2	2
2011	.	1	.	.	.
2012	1	3	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		136	100.0	262.6	179	100.0	345.6	315	100.0	608.2	51,795
Sex at Birth	Male	127	93.4	.	171	95.5	.	298	94.6	.	.
	Female	9	6.6	.	8	4.5	.	17	5.4	.	.
Current Age	20-24	1	0.7	.	0	0.0	.	1	0.3	.	.
	25-29	0	0.0	.	1	0.6	.	1	0.3	.	.
	30-39	7	5.1	.	14	7.8	.	21	6.7	.	.
	40-49	38	27.9	.	63	35.2	.	101	32.1	.	.
	50-59	65	47.8	.	70	39.1	.	135	42.9	.	.
	60+	25	18.4	.	31	17.3	.	56	17.8	.	.
Race/Ethnicity	White	10	7.4	.	17	9.5	.	27	8.6	.	.
	Black	45	33.1	.	71	39.7	.	116	36.8	.	.
	Hispanic	76	55.9	.	78	43.6	.	154	48.9	.	.
	Multi Race	4	2.9	.	12	6.7	.	16	5.1	.	.
	Others	1	0.7	.	1	0.6	.	2	0.6	.	.
Risk	MSM	13	9.6	.	25	14.0	.	38	12.1	.	.
	IDU	69	50.7	.	83	46.4	.	152	48.3	.	.
	MSM/IDU	2	1.5	.	10	5.6	.	12	3.8	.	.
	Heterosexual	6	4.4	.	18	10.1	.	24	7.6	.	.
	Fem Pres Het Cont	4	2.9	.	3	1.7	.	7	2.2	.	.
	Unk	42	30.9	.	40	22.3	.	82	26.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		127	100.0	9	100.0	136	100.0	171	100.0	8	100.0	179	100.0	298	100.0	17	100.0	315	100.0
Risk	MSM	13	10.2	0	0.0	13	9.6	25	14.6	0	0.0	25	14.0	38	12.8	0	0.0	38	12.1
	IDU	67	52.8	2	22.2	69	50.7	80	46.8	3	37.5	83	46.4	147	49.3	5	29.4	152	48.3
	MSM/IDU	2	1.6	0	0.0	2	1.5	10	5.8	0	0.0	10	5.6	12	4.0	0	0.0	12	3.8
	Heterosexual	3	2.4	3	33.3	6	4.4	16	9.4	2	25.0	18	10.1	19	6.4	5	29.4	24	7.6
	Fem Pres Het Cont	0	0.0	4	44.4	4	2.9	0	0.0	3	37.5	3	1.7	0	0.0	7	41.2	7	2.2
	Unk	42	33.1	0	0.0	42	30.9	40	23.4	0	0.0	40	22.3	82	27.5	0	0.0	82	26.0

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	3.9	2.3	100.0	4.5	0.7	100.0	3.3	100.0	4.0	100.0
Sex at Birth	Male	1.7	83.3	.	2.0	85.7	.	0.7	100.0	3.3	100.0	4.0	100.0
	Female	0.3	16.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	16.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	1.0	42.9	.	0.0	0.0	0.3	10.0	0.3	8.3
	40-49	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	10.0	0.7	16.7
	50-59	0.7	33.3	.	1.0	42.9	.	0.0	0.0	2.3	70.0	2.3	58.3
	60+	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	10.0	0.7	16.7
Race/Ethnicity	White	0.3	16.7	.	0.7	28.6	.	0.3	50.0	0.7	20.0	1.0	25.0
	Black	0.7	33.3	.	0.7	28.6	.	0.0	0.0	0.7	20.0	0.7	16.7
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.3	50.0	2.0	60.0	2.3	58.3
	Multi Race	0.7	33.3	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	16.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	50.0	.	1.3	57.1	.	0.0	0.0	0.3	10.0	0.3	8.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.7	100.0	2.3	70.0	3.0	75.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	33.3	.	0.7	28.6	.	0.0	0.0	0.7	20.0	0.7	16.7

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	2.0	100.0	0.3	100.0	2.3	100.0
Risk	MSM	1.0	60.0	0.0	0.0	1.0	50.0	1.3	66.7	0.0	0.0	1.3	57.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	16.7	0.0	0.0	0.3	100.0	0.3	14.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	40.0	0.0	0.0	0.7	33.3	0.7	33.3	0.0	0.0	0.7	28.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	1	1
1987	.	6	.	5	5
1988	.	10	.	7	7
1989	.	13	.	2	2
1990	.	21	.	5	5
1991	.	34	.	13	13
1992	.	42	.	16	16
1993	.	36	.	21	21
1994	.	39	.	20	20
1995	.	43	.	22	22
1996	.	31	.	24	24
1997	.	24	.	8	8
1998	.	5	.	8	8
1999	.	9	.	5	5
2000*	7	8	.	1	1
2001	7	10	3	11	14
2002	7	12	2	9	11
2003	9	11	3	6	9
2004	4	11	2	11	13
2005	3	14	1	4	5
2006	1	6	3	6	9
2007	4	7	1	7	8
2008	2	5	2	6	8
2009	4	3	2	4	6
2010	1	1	.	2	2
2011	4	2	1	5	6
2012	1	4	1	3	4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		36	100.0	65.5	39	100.0	71.0	75	100.0	136.5	54,925
Sex at Birth	Male	23	63.9	.	30	76.9	.	53	70.7	.	.
	Female	13	36.1	.	9	23.1	.	22	29.3	.	.
Current Age	13-19	1	2.8	.	0	0.0	.	1	1.3	.	.
	20-24	0	0.0	.	2	5.1	.	2	2.7	.	.
	25-29	4	11.1	.	0	0.0	.	4	5.3	.	.
	30-39	5	13.9	.	7	17.9	.	12	16.0	.	.
	40-49	11	30.6	.	9	23.1	.	20	26.7	.	.
	50-59	12	33.3	.	13	33.3	.	25	33.3	.	.
	60+	3	8.3	.	8	20.5	.	11	14.7	.	.
Race/Ethnicity	White	22	61.1	.	25	64.1	.	47	62.7	.	.
	Black	2	5.6	.	3	7.7	.	5	6.7	.	.
	Hispanic	8	22.2	.	8	20.5	.	16	21.3	.	.
	Multi Race	4	11.1	.	1	2.6	.	5	6.7	.	.
	Others	0	0.0	.	2	5.1	.	2	2.7	.	.
Risk	MSM	12	33.3	.	16	41.0	.	28	37.3	.	.
	IDU	6	16.7	.	5	12.8	.	11	14.7	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	10	27.8	.	5	12.8	.	15	20.0	.	.
	Fem Pres Het Cont	3	8.3	.	3	7.7	.	6	8.0	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	5.1	.	2	2.7	.	.
	Unk	5	13.9	.	8	20.5	.	13	17.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		23	100.0	13	100.0	36	100.0	30	100.0	9	100.0	39	100.0	53	100.0	22	100.0	75	100.0
Risk	MSM	12	52.2	0	0.0	12	33.3	16	53.3	0	0.0	16	41.0	28	52.8	0	0.0	28	37.3
	IDU	3	13.0	3	23.1	6	16.7	3	10.0	2	22.2	5	12.8	6	11.3	5	22.7	11	14.7
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	3	13.0	7	53.8	10	27.8	3	10.0	2	22.2	5	12.8	6	11.3	9	40.9	15	20.0
	Fem Pres Het Cont	0	0.0	3	23.1	3	8.3	0	0.0	3	33.3	3	7.7	0	0.0	6	27.3	6	8.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	2	22.2	2	5.1	0	0.0	2	9.1	2	2.7
	Unk	5	21.7	0	0.0	5	13.9	8	26.7	0	0.0	8	20.5	13	24.5	0	0.0	13	17.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	6.7	2.0	100.0	3.6	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.7	72.7	.	2.0	100.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	13-19	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	27.3	.	1.3	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	9.1	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.3	9.1	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.7	72.7	.	1.0	50.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black	0.3	9.1	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	27.3	.	1.0	50.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	27.3	.	0.7	33.3	.	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	1.0	100.0	3.7	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.0	37.5	0.0	0.0	1.0	27.3	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	0.7	25.0	0.0	0.0	0.7	18.2	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	12.5	0.7	66.7	1.0	27.3	0.7	33.3	0.0	0.0	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	18.2	0.3	16.7	0.0	0.0	0.3	16.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	4	.	3	3
1988	.	3	.	1	1
1989	.	.	.	1	1
1990	.	2	.	.	.
1991	.	5	.	3	3
1992	.	4	.	2	2
1993	.	1	.	1	1
1994	.	2	.	4	4
1995	.	5	.	1	1
1996	.	1	.	.	.
1997	.	2	.	1	1
1998	.	4	.	.	.
1999	.	3	.	1	1
2000*	6	4	1	.	1
2001	2	1	1	2	3
2002	.	1	.	.	.
2003	3	2	.	1	1
2004	4	4	.	.	.
2005	2	2	1	1	2
2006	.	3	.	1	1
2007	2	2	.	2	2
2008	5	4	1	1	2
2009	1	1	.	.	.
2010	3	1	.	.	.
2011	4	3	.	1	1
2012	4	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		35	100.0	58.4	39	100.0	65.0	74	100.0	123.4	59,977
Sex at Birth	Male	27	77.1	.	37	94.9	.	64	86.5	.	.
	Female	8	22.9	.	2	5.1	.	10	13.5	.	.
Current Age	12 & under	1	2.9	.	0	0.0	.	1	1.4	.	.
	20-24	2	5.7	.	0	0.0	.	2	2.7	.	.
	25-29	0	0.0	.	2	5.1	.	2	2.7	.	.
	30-39	9	25.7	.	6	15.4	.	15	20.3	.	.
	40-49	13	37.1	.	12	30.8	.	25	33.8	.	.
	50-59	7	20.0	.	16	41.0	.	23	31.1	.	.
	60+	3	8.6	.	3	7.7	.	6	8.1	.	.
Race/Ethnicity	White	14	40.0	.	14	35.9	.	28	37.8	.	.
	Black	9	25.7	.	9	23.1	.	18	24.3	.	.
	Hispanic	6	17.1	.	13	33.3	.	19	25.7	.	.
	Multi Race	3	8.6	.	3	7.7	.	6	8.1	.	.
	Others	3	8.6	.	0	0.0	.	3	4.1	.	.
Risk	MSM	12	34.3	.	13	33.3	.	25	33.8	.	.
	IDU	7	20.0	.	9	23.1	.	16	21.6	.	.
	MSM/IDU	1	2.9	.	2	5.1	.	3	4.1	.	.
	Heterosexual	6	17.1	.	7	17.9	.	13	17.6	.	.
	Fem Pres Het Cont	2	5.7	.	0	0.0	.	2	2.7	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.9	.	1	2.6	.	2	2.7	.	.
	Unk	6	17.1	.	7	17.9	.	13	17.6	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	8	100.0	35	100.0	37	100.0	2	100.0	39	100.0	64	100.0	10	100.0	74	100.0
Risk	MSM	12	44.4	0	0.0	12	34.3	13	35.1	0	0.0	13	33.3	25	39.1	0	0.0	25	33.8
	IDU	6	22.2	1	12.5	7	20.0	8	21.6	1	50.0	9	23.1	14	21.9	2	20.0	16	21.6
	MSM/IDU	1	3.7	0	0.0	1	2.9	2	5.4	0	0.0	2	5.1	3	4.7	0	0.0	3	4.1
	Heterosexual	1	3.7	5	62.5	6	17.1	7	18.9	0	0.0	7	17.9	8	12.5	5	50.0	13	17.6
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.7	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	2.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.7	0	0.0	1	2.9	0	0.0	1	50.0	1	2.6	1	1.6	1	10.0	2	2.7
	Unk	6	22.2	0	0.0	6	17.1	7	18.9	0	0.0	7	17.9	13	20.3	0	0.0	13	17.6

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	5.6	2.3	100.0	3.9	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	2.7	80.0	.	2.3	100.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	Female	0.7	20.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	40.0	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	40.0	.	1.0	42.9	.	0.0	0.0	0.7	66.7	0.7	50.0
	50-59	0.3	10.0	.	0.0	0.0	.	0.3	100.0	0.3	33.3	0.7	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	30.0	.	0.7	28.6	.	0.3	100.0	0.3	33.3	0.7	50.0
	Black	1.0	30.0	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	25.0
	Hispanic	1.0	30.0	.	1.3	57.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Others	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	20.0	.	1.0	42.9	.	0.0	0.0	0.3	33.3	0.3	25.0
	IDU	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Heterosexual	0.7	20.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	50.0	.	1.0	42.9	.	0.3	100.0	0.0	0.0	0.3	25.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	2.3	100.0	0.0	0.0	2.3	100.0
Risk	MSM	0.7	25.0	0.0	0.0	0.7	20.0	1.0	42.9	0.0	0.0	1.0	42.9
	IDU	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	12.5	0.3	50.0	0.7	20.0	0.3	14.3	0.0	0.0	0.3	14.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	62.5	0.0	0.0	1.7	50.0	1.0	42.9	0.0	0.0	1.0	42.9

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	.	.
1987	.	1	.	.	.
1988	.	1	.	1	1
1989	.	1	.	3	3
1990	.	4	.	1	1
1991	.	3	.	3	3
1992	.	4	.	3	3
1993	.	3	.	2	2
1994	.	4	.	2	2
1995	.	6	.	1	1
1996	.	1	.	3	3
1997	.	2	.	.	.
1998	.	3	.	1	1
1999	.	6	.	1	1
2000*	1	3	.	1	1
2001	5	2	.	.	.
2002	5	3	.	2	2
2003	3	1	.	1	1
2005	2	2	.	2	2
2006	4	.	.	1	1
2007	3	4	.	.	.
2008	1	4	.	.	.
2009	3	4	.	1	1
2010	4	2	1	1	2
2011	6	4	.	1	1
2012	.	1	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		65	100.0	133.5	107	100.0	219.8	172	100.0	353.4	48,673
Sex at Birth	Male	55	84.6	.	96	89.7	.	151	87.8	.	.
	Female	10	15.4	.	11	10.3	.	21	12.2	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	4.6	.	1	0.9	.	4	2.3	.	.
	25-29	3	4.6	.	2	1.9	.	5	2.9	.	.
	30-39	5	7.7	.	9	8.4	.	14	8.1	.	.
	40-49	20	30.8	.	30	28.0	.	50	29.1	.	.
	50-59	21	32.3	.	47	43.9	.	68	39.5	.	.
	60+	13	20.0	.	18	16.8	.	31	18.0	.	.
Race/Ethnicity	White	25	38.5	.	33	30.8	.	58	33.7	.	.
	Black	19	29.2	.	32	29.9	.	51	29.7	.	.
	Hispanic	17	26.2	.	32	29.9	.	49	28.5	.	.
	Multi Race	4	6.2	.	10	9.3	.	14	8.1	.	.
Risk	MSM	20	30.8	.	19	17.8	.	39	22.7	.	.
	IDU	11	16.9	.	38	35.5	.	49	28.5	.	.
	MSM/IDU	1	1.5	.	8	7.5	.	9	5.2	.	.
	Heterosexual	12	18.5	.	13	12.1	.	25	14.5	.	.
	Fem Pres Het Cont	4	6.2	.	5	4.7	.	9	5.2	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	1.5	.	1	0.9	.	2	1.2	.	.
	Unk	16	24.6	.	23	21.5	.	39	22.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		55	100.0	10	100.0	65	100.0	96	100.0	11	100.0	107	100.0	151	100.0	21	100.0	172	100.0
Risk	MSM	20	36.4	0	0.0	20	30.8	19	19.8	0	0.0	19	17.8	39	25.8	0	0.0	39	22.7
	IDU	11	20.0	0	0.0	11	16.9	38	39.6	0	0.0	38	35.5	49	32.5	0	0.0	49	28.5
	MSM/IDU	1	1.8	0	0.0	1	1.5	8	8.3	0	0.0	8	7.5	9	6.0	0	0.0	9	5.2
	Heterosexual	6	10.9	6	60.0	12	18.5	7	7.3	6	54.5	13	12.1	13	8.6	12	57.1	25	14.5
	Fem Pres Het Cont	0	0.0	4	40.0	4	6.2	0	0.0	5	45.5	5	4.7	0	0.0	9	42.9	9	5.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.8	0	0.0	1	1.5	1	1.0	0	0.0	1	0.9	2	1.3	0	0.0	2	1.2
	Unk	16	29.1	0	0.0	16	24.6	23	24.0	0	0.0	23	21.5	39	25.8	0	0.0	39	22.7

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.7	2.7	100.0	5.5	0.0	0.0	3.0	100.0	3.0	100.0
Sex at Birth	Male	1.0	75.0	.	1.3	50.0	.	0.0	0.0	2.7	88.9	2.7	88.9
	Female	0.3	25.0	.	1.3	50.0	.	0.0	0.0	0.3	11.1	0.3	11.1
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	50.0	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	25.0	.	1.3	50.0	.	0.0	0.0	0.7	22.2	0.7	22.2
	50-59	0.0	0.0	.	0.3	12.5	.	0.0	0.0	1.3	44.4	1.3	44.4
	60+	0.0	0.0	.	0.3	12.5	.	0.0	0.0	1.0	33.3	1.0	33.3
Race/Ethnicity	White	0.7	50.0	.	1.7	62.5	.	0.0	0.0	1.0	33.3	1.0	33.3
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	44.4	1.3	44.4
	Hispanic	0.3	25.0	.	0.7	25.0	.	0.0	0.0	0.7	22.2	0.7	22.2
	Multi Race	0.3	25.0	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	75.0	.	0.7	25.0	.	0.0	0.0	0.7	22.2	0.7	22.2
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	22.2	0.7	22.2
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	11.1	0.3	11.1
	Heterosexual	0.0	0.0	.	0.7	25.0	.	0.0	0.0	0.3	11.1	0.3	11.1
	Fem Pres Het Cont	0.3	25.0	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.7	25.0	.	0.0	0.0	1.0	33.3	1.0	33.3

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk****Includes State Prison Inmates³**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	1.3	100.0	1.3	100.0	2.7	100.0
Risk	MSM	1.0	100.0	0.0	0.0	1.0	75.0	0.7	50.0	0.0	0.0	0.7	25.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	50.0	0.7	25.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	0.7	50.0	0.7	25.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	50.0	0.0	0.0	0.7	25.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	2	2
1987	.	13	.	7	7
1988	.	8	.	5	5
1989	.	16	.	8	8
1990	.	12	.	8	8
1991	.	12	.	9	9
1992	.	10	.	8	8
1993	.	20	.	8	8
1994	.	12	.	9	9
1995	.	16	.	5	5
1996	.	18	.	11	11
1997	.	9	.	4	4
1998	.	8	.	1	1
1999	.	11	.	3	3
2000*	1	8	.	7	7
2001	7	8	1	2	3
2002	4	10	1	5	6
2003	5	13	.	7	7
2004	5	6	.	5	5
2005	4	7	1	5	6
2006	5	8	.	3	3
2007	6	3	1	3	4
2008	4	6	.	2	2
2009	8	2	.	4	4
2010	.	4	.	3	3
2011	.	2	.	3	3
2012	4	2	.	3	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		24	100.0	37.2	31	100.0	48.1	55	100.0	85.3	64,508
Sex at Birth	Male	19	79.2	.	26	83.9	.	45	81.8	.	.
	Female	5	20.8	.	5	16.1	.	10	18.2	.	.
Current Age	13-19	1	4.2	.	0	0.0	.	1	1.8	.	.
	20-24	0	0.0	.	1	3.2	.	1	1.8	.	.
	25-29	3	12.5	.	2	6.5	.	5	9.1	.	.
	30-39	3	12.5	.	0	0.0	.	3	5.5	.	.
	40-49	8	33.3	.	13	41.9	.	21	38.2	.	.
	50-59	6	25.0	.	9	29.0	.	15	27.3	.	.
	60+	3	12.5	.	6	19.4	.	9	16.4	.	.
Race/Ethnicity	White	19	79.2	.	18	58.1	.	37	67.3	.	.
	Black	1	4.2	.	4	12.9	.	5	9.1	.	.
	Hispanic	3	12.5	.	1	3.2	.	4	7.3	.	.
	Multi Race	1	4.2	.	6	19.4	.	7	12.7	.	.
	Others	0	0.0	.	2	6.5	.	2	3.6	.	.
Risk	MSM	16	66.7	.	16	51.6	.	32	58.2	.	.
	IDU	1	4.2	.	3	9.7	.	4	7.3	.	.
	MSM/IDU	0	0.0	.	1	3.2	.	1	1.8	.	.
	Heterosexual	3	12.5	.	4	12.9	.	7	12.7	.	.
	Fem Pres Het Cont	1	4.2	.	3	9.7	.	4	7.3	.	.
	Pediatric Risk	1	4.2	.	1	3.2	.	2	3.6	.	.
	Unk	2	8.3	.	3	9.7	.	5	9.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	5	100.0	24	100.0	26	100.0	5	100.0	31	100.0	45	100.0	10	100.0	55	100.0
Risk	MSM	16	84.2	0	0.0	16	66.7	16	61.5	0	0.0	16	51.6	32	71.1	0	0.0	32	58.2
	IDU	1	5.3	0	0.0	1	4.2	3	11.5	0	0.0	3	9.7	4	8.9	0	0.0	4	7.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.2	1	2.2	0	0.0	1	1.8
	Heterosexual	0	0.0	3	60.0	3	12.5	2	7.7	2	40.0	4	12.9	2	4.4	5	50.0	7	12.7
	Fem Pres Het Cont	0	0.0	1	20.0	1	4.2	0	0.0	3	60.0	3	9.7	0	0.0	4	40.0	4	7.3
	Pediatric Risk	0	0.0	1	20.0	1	4.2	1	3.8	0	0.0	1	3.2	1	2.2	1	10.0	2	3.6
	Unk	2	10.5	0	0.0	2	8.3	3	11.5	0	0.0	3	9.7	5	11.1	0	0.0	5	9.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	5.7	2.7	100.0	4.1	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	3.3	90.9	.	2.0	75.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Female	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	18.2	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	54.5	.	1.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	3.3	90.9	.	1.7	62.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black	0.0	0.0	.	0.3	12.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	9.1	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	72.7	.	1.0	37.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	1.0	37.5	.	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.3	9.1	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.3	100.0	3.7	100.0	2.0	100.0	0.7	100.0	2.7	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	72.7	1.0	50.0	0.0	0.0	1.0	37.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	10.0	0.0	0.0	0.3	9.1	0.3	16.7	0.0	0.0	0.3	12.5
	Heterosexual	0.3	10.0	0.0	0.0	0.3	9.1	0.7	33.3	0.3	50.0	1.0	37.5
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	9.1	0.0	0.0	0.3	50.0	0.3	12.5
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	1	1
1988	.	3	.	2	2
1989	.	3	.	1	1
1990	.	1	.	1	1
1991	.	5	.	1	1
1992	.	1	.	4	4
1993	.	2	.	3	3
1994	.	2	.	.	.
1995	.	5	.	2	2
1996	.	3	.	2	2
1998	.	2	.	.	.
1999	.	1	.	.	.
2000*	1
2001	2	1	.	.	.
2002	2
2003	3	2	1	1	2
2004	.	1	1	2	3
2005	2	5	1	.	1
2006	2	3	.	.	.
2007	1	3	.	.	.
2008	2
2010	6	5	.	.	.
2011	4	3	.	1	1
2012	1	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		149	100.0	123.9	143	100.0	118.9	292	100.0	242.8	120,262
Sex at Birth	Male	134	89.9	.	124	86.7	.	258	88.4	.	.
	Female	15	10.1	.	19	13.3	.	34	11.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	0.7	.	1	0.3	.	.
	25-29	3	2.0	.	2	1.4	.	5	1.7	.	.
	30-39	11	7.4	.	13	9.1	.	24	8.2	.	.
	40-49	46	30.9	.	44	30.8	.	90	30.8	.	.
	50-59	59	39.6	.	57	39.9	.	116	39.7	.	.
	60+	30	20.1	.	26	18.2	.	56	19.2	.	.
Race/Ethnicity	White	19	12.8	.	40	28.0	.	59	20.2	.	.
	Black	57	38.3	.	49	34.3	.	106	36.3	.	.
	Hispanic	69	46.3	.	42	29.4	.	111	38.0	.	.
	Multi Race	3	2.0	.	11	7.7	.	14	4.8	.	.
	Others	1	0.7	.	1	0.7	.	2	0.7	.	.
Risk	MSM	14	9.4	.	21	14.7	.	35	12.0	.	.
	IDU	27	18.1	.	48	33.6	.	75	25.7	.	.
	MSM/IDU	5	3.4	.	7	4.9	.	12	4.1	.	.
	Heterosexual	12	8.1	.	18	12.6	.	30	10.3	.	.
	Fem Pres Het Cont	6	4.0	.	6	4.2	.	12	4.1	.	.
	Blood Prod.	0	0.0	.	1	0.7	.	1	0.3	.	.
	Pediatric Risk	0	0.0	.	1	0.7	.	1	0.3	.	.
	Unk	85	57.0	.	41	28.7	.	126	43.2	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		134	100.0	15	100.0	149	100.0	124	100.0	19	100.0	143	100.0	258	100.0	34	100.0	292	100.0
Risk	MSM	14	10.4	0	0.0	14	9.4	21	16.9	0	0.0	21	14.7	35	13.6	0	0.0	35	12.0
	IDU	26	19.4	1	6.7	27	18.1	47	37.9	1	5.3	48	33.6	73	28.3	2	5.9	75	25.7
	MSM/IDU	5	3.7	0	0.0	5	3.4	7	5.6	0	0.0	7	4.9	12	4.7	0	0.0	12	4.1
	Heterosexual	4	3.0	8	53.3	12	8.1	7	5.6	11	57.9	18	12.6	11	4.3	19	55.9	30	10.3
	Fem Pres Het Cont	0	0.0	6	40.0	6	4.0	0	0.0	6	31.6	6	4.2	0	0.0	12	35.3	12	4.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.4	0	0.0	1	0.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	5.3	1	0.7	0	0.0	1	2.9	1	0.3
	Unk	85	63.4	0	0.0	85	57.0	41	33.1	0	0.0	41	28.7	126	48.8	0	0.0	126	43.2

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	3.9	6.3	100.0	5.3	1.3	100.0	2.3	100.0	3.7	100.0
Sex at Birth	Male	2.3	50.0	.	4.3	68.4	.	1.3	100.0	2.3	100.0	3.7	100.0
	Female	2.3	50.0	.	2.0	31.6	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	7.1	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	28.6	.	1.7	26.3	.	0.0	0.0	0.3	14.3	0.3	9.1
	40-49	2.0	42.9	.	2.0	31.6	.	0.0	0.0	0.3	14.3	0.3	9.1
	50-59	1.0	21.4	.	2.0	31.6	.	0.7	50.0	1.7	71.4	2.3	63.6
	60+	0.0	0.0	.	0.0	0.0	.	0.7	50.0	0.0	0.0	0.7	18.2
Race/Ethnicity	White	2.7	57.1	.	2.3	36.8	.	0.7	50.0	0.3	14.3	1.0	27.3
	Black	1.3	28.6	.	2.7	42.1	.	0.7	50.0	1.0	42.9	1.7	45.5
	Hispanic	0.3	7.1	.	0.3	5.3	.	0.0	0.0	0.7	28.6	0.7	18.2
	Multi Race	0.3	7.1	.	0.7	10.5	.	0.0	0.0	0.3	14.3	0.3	9.1
	Others	0.0	0.0	.	0.3	5.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	28.6	.	2.0	31.6	.	0.3	25.0	0.7	28.6	1.0	27.3
	IDU	0.7	14.3	.	1.7	26.3	.	0.7	50.0	1.7	71.4	2.3	63.6
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	21.4	.	1.3	21.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.3	28.6	.	1.0	15.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.1	.	0.3	5.3	.	0.3	25.0	0.0	0.0	0.3	9.1

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	2.3	100.0	4.7	100.0	4.3	100.0	2.0	100.0	6.3	100.0
Risk	MSM	1.3	57.1	0.0	0.0	1.3	28.6	2.0	46.2	0.0	0.0	2.0	31.6
	IDU	0.3	14.3	0.3	14.3	0.7	14.3	1.3	30.8	0.3	16.7	1.7	26.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	14.3	0.7	28.6	1.0	21.4	0.7	15.4	0.7	33.3	1.3	21.1
	Fem Pres Het Cont	0.0	0.0	1.3	57.1	1.3	28.6	0.0	0.0	1.0	50.0	1.0	15.8
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	0.0	0.0	0.3	7.1	0.3	7.7	0.0	0.0	0.3	5.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	10	.	4	4
1987	.	4	.	6	6
1988	.	11	.	8	8
1989	.	13	.	2	2
1990	.	12	.	7	7
1991	.	12	.	7	7
1992	.	17	.	9	9
1993	.	21	.	9	9
1994	.	30	.	12	12
1995	.	31	.	20	20
1996	.	28	.	14	14
1997	.	13	.	8	8
1998	.	10	.	6	6
1999	.	8	.	5	5
2000*	11	6	.	1	1
2001	7	9	1	3	4
2002	8	10	1	3	4
2003	6	8	1	6	7
2004	4	2	1	7	8
2005	3	11	.	3	3
2006	5	7	1	2	3
2007	4	6	1	7	8
2008	3	4	1	3	4
2009	2	6	.	6	6
2010	10	9	1	3	4
2011	2	6	3	1	4
2012	2	4	.	3	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		5	100.0	18.4	2	100.0	7.3	7	100.0	25.7	27,224
Sex at Birth	Male	3	60.0	.	2	100.0	.	5	71.4	.	.
	Female	2	40.0	.	0	0.0	.	2	28.6	.	.
Current Age	20-24	1	20.0	.	0	0.0	.	1	14.3	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	40-49	1	20.0	.	2	100.0	.	3	42.9	.	.
	50-59	3	60.0	.	0	0.0	.	3	42.9	.	.
Race/Ethnicity	White	4	80.0	.	2	100.0	.	6	85.7	.	.
	Black	1	20.0	.	0	0.0	.	1	14.3	.	.
Risk	MSM	3	60.0	.	0	0.0	.	3	42.9	.	.
	IDU	0	0.0	.	1	50.0	.	1	14.3	.	.
	Heterosexual	1	20.0	.	1	50.0	.	2	28.6	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	14.3	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	2	100.0	0	0.0	2	100.0	5	100.0	2	100.0	7	100.0
Risk	MSM	3	100.0	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	3	60.0	0	0.0	3	42.9
	IDU	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	1	20.0	0	0.0	1	14.3
	Heterosexual	0	0.0	1	50.0	1	20.0	1	50.0	0	0.0	1	50.0	1	20.0	1	50.0	2	28.6
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	14.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	.	.
1989	.	1	.	.	.
2001	1
2003	1	1	.	.	.
2008	.	1	.	1	1
2009	.	.	.	1	1
2012	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		74	100.0	114.2	90	100.0	138.9	164	100.0	253.0	64,810
Sex at Birth	Male	57	77.0	.	78	86.7	.	135	82.3	.	.
	Female	17	23.0	.	12	13.3	.	29	17.7	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	2	2.2	.	2	1.2	.	.
	25-29	0	0.0	.	1	1.1	.	1	0.6	.	.
	30-39	6	8.1	.	4	4.4	.	10	6.1	.	.
	40-49	24	32.4	.	23	25.6	.	47	28.7	.	.
	50-59	29	39.2	.	37	41.1	.	66	40.2	.	.
	60+	15	20.3	.	23	25.6	.	38	23.2	.	.
Race/Ethnicity	White	21	28.4	.	27	30.0	.	48	29.3	.	.
	Black	23	31.1	.	21	23.3	.	44	26.8	.	.
	Hispanic	25	33.8	.	33	36.7	.	58	35.4	.	.
	Multi Race	5	6.8	.	8	8.9	.	13	7.9	.	.
	Others	0	0.0	.	1	1.1	.	1	0.6	.	.
Risk	MSM	9	12.2	.	13	14.4	.	22	13.4	.	.
	IDU	35	47.3	.	37	41.1	.	72	43.9	.	.
	MSM/IDU	4	5.4	.	4	4.4	.	8	4.9	.	.
	Heterosexual	4	5.4	.	13	14.4	.	17	10.4	.	.
	Fem Pres Het Cont	5	6.8	.	3	3.3	.	8	4.9	.	.
	Blood Prod.	0	0.0	.	2	2.2	.	2	1.2	.	.
	Pediatric Risk	0	0.0	.	1	1.1	.	1	0.6	.	.
	Unk	17	23.0	.	17	18.9	.	34	20.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		57	100.0	17	100.0	74	100.0	78	100.0	12	100.0	90	100.0	135	100.0	29	100.0	164	100.0
Risk	MSM	9	15.8	0	0.0	9	12.2	13	16.7	0	0.0	13	14.4	22	16.3	0	0.0	22	13.4
	IDU	26	45.6	9	52.9	35	47.3	36	46.2	1	8.3	37	41.1	62	45.9	10	34.5	72	43.9
	MSM/IDU	4	7.0	0	0.0	4	5.4	4	5.1	0	0.0	4	4.4	8	5.9	0	0.0	8	4.9
	Heterosexual	1	1.8	3	17.6	4	5.4	6	7.7	7	58.3	13	14.4	7	5.2	10	34.5	17	10.4
	Fem Pres Het Cont	0	0.0	5	29.4	5	6.8	0	0.0	3	25.0	3	3.3	0	0.0	8	27.6	8	4.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0	2	2.2	2	1.5	0	0.0	2	1.2
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	8.3	1	1.1	0	0.0	1	3.4	1	0.6
	Unk	17	29.8	0	0.0	17	23.0	17	21.8	0	0.0	17	18.9	34	25.2	0	0.0	34	20.7

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.1	2.3	100.0	3.6	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	2.3	87.5	.	1.3	57.1	.	0.7	100.0	1.0	100.0	1.7	100.0
	Female	0.3	12.5	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	20.0
	40-49	1.3	50.0	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	12.5	.	0.0	0.0	.	0.7	100.0	0.7	66.7	1.3	80.0
	60+	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.3	50.0	.	1.3	57.1	.	0.3	50.0	0.7	66.7	1.0	60.0
	Black	0.7	25.0	.	0.3	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
	Hispanic	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	20.0
	Multi Race	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	12.5	.	0.3	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
	IDU	0.7	25.0	.	0.7	28.6	.	0.0	0.0	0.3	33.3	0.3	20.0
	MSM/IDU	0.7	25.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	25.0	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.0	0.0	.	0.3	50.0	0.7	66.7	1.0	60.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.3	100.0	2.7	100.0	1.3	100.0	1.0	100.0	2.3	100.0
Risk	MSM	0.3	14.3	0.0	0.0	0.3	12.5	0.3	25.0	0.0	0.0	0.3	14.3
	IDU	0.7	28.6	0.0	0.0	0.7	25.0	0.7	50.0	0.0	0.0	0.7	28.6
	MSM/IDU	0.7	28.6	0.0	0.0	0.7	25.0	0.3	25.0	0.0	0.0	0.3	14.3
	Heterosexual	0.3	14.3	0.3	100.0	0.7	25.0	0.0	0.0	1.0	100.0	1.0	42.9
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	6	.	6	6
1987	.	7	.	7	7
1988	.	13	.	4	4
1989	.	5	.	1	1
1990	.	12	.	7	7
1991	.	17	.	8	8
1992	.	23	.	14	14
1993	.	25	.	11	11
1994	.	16	.	5	5
1995	.	17	.	12	12
1996	.	13	.	10	10
1997	.	15	.	3	3
1998	.	7	.	10	10
1999	.	5	.	5	5
2000*	9	6	1	4	5
2001	4	6	.	5	5
2002	2	5	1	3	4
2003	4	5	1	1	2
2004	3	3	4	2	6
2005	4	3	2	4	6
2006	3	4	1	4	5
2007	2	4	1	3	4
2008	2	4	.	3	3
2009	4	1	.	4	4
2010	2	1	1	1	2
2011	3	4	.	1	1
2012	3	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		22	100.0	30.4	24	100.0	33.2	46	100.0	63.6	72,382
Sex at Birth	Male	18	81.8	.	17	70.8	.	35	76.1	.	.
	Female	4	18.2	.	7	29.2	.	11	23.9	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	4	18.2	.	0	0.0	.	4	8.7	.	.
	30-39	2	9.1	.	2	8.3	.	4	8.7	.	.
	40-49	9	40.9	.	12	50.0	.	21	45.7	.	.
	50-59	5	22.7	.	7	29.2	.	12	26.1	.	.
	60+	2	9.1	.	3	12.5	.	5	10.9	.	.
Race/Ethnicity	White	16	72.7	.	12	50.0	.	28	60.9	.	.
	Black	3	13.6	.	2	8.3	.	5	10.9	.	.
	Hispanic	3	13.6	.	6	25.0	.	9	19.6	.	.
	Multi Race	0	0.0	.	3	12.5	.	3	6.5	.	.
	Others	0	0.0	.	1	4.2	.	1	2.2	.	.
Risk	MSM	12	54.5	.	7	29.2	.	19	41.3	.	.
	IDU	1	4.5	.	7	29.2	.	8	17.4	.	.
	MSM/IDU	0	0.0	.	3	12.5	.	3	6.5	.	.
	Heterosexual	1	4.5	.	4	16.7	.	5	10.9	.	.
	Fem Pres Het Cont	3	13.6	.	1	4.2	.	4	8.7	.	.
	Blood Prod.	0	0.0	.	1	4.2	.	1	2.2	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	5	22.7	.	1	4.2	.	6	13.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		18	100.0	4	100.0	22	100.0	17	100.0	7	100.0	24	100.0	35	100.0	11	100.0	46	100.0
Risk	MSM	12	66.7	0	0.0	12	54.5	7	41.2	0	0.0	7	29.2	19	54.3	0	0.0	19	41.3
	IDU	1	5.6	0	0.0	1	4.5	5	29.4	2	28.6	7	29.2	6	17.1	2	18.2	8	17.4
	MSM/IDU	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0	3	12.5	3	8.6	0	0.0	3	6.5
	Heterosexual	0	0.0	1	25.0	1	4.5	0	0.0	4	57.1	4	16.7	0	0.0	5	45.5	5	10.9
	Fem Pres Het Cont	0	0.0	3	75.0	3	13.6	0	0.0	1	14.3	1	4.2	0	0.0	4	36.4	4	8.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	1	4.2	1	2.9	0	0.0	1	2.2
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	5	27.8	0	0.0	5	22.7	1	5.9	0	0.0	1	4.2	6	17.1	0	0.0	6	13.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	1.8	2.0	100.0	2.8	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.3	100.0	.	1.7	83.3	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	25.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	50.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	0.3	25.0	.	1.0	50.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White	1.3	100.0	.	1.0	50.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Black	0.0	0.0	.	0.3	16.7	.	0.3	100.0	0.0	0.0	0.3	20.0
	Hispanic	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	25.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	75.0	.	1.0	50.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	MSM/IDU	0.3	25.0	.	0.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.7	100.0	0.3	100.0	2.0	100.0
Risk	MSM	1.0	75.0	0.0	0.0	1.0	75.0	1.0	60.0	0.0	0.0	1.0	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	25.0	0.0	0.0	0.3	25.0	0.7	40.0	0.0	0.0	0.7	33.3
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	1	1
1987	.	1	.	1	1
1988	.	1	.	1	1
1989	.	2	.	1	1
1990	.	5	.	1	1
1991	.	4	.	2	2
1992	.	.	.	1	1
1993	.	8	.	3	3
1994	.	.	.	3	3
1995	.	3	.	4	4
1996	.	2	.	1	1
1997	.	5	.	1	1
1998	.	9	.	.	.
1999	.	2	.	1	1
2000*	1	4	.	.	.
2001	3	.	.	1	1
2002	1	.	.	1	1
2003	2
2004	1	1	.	1	1
2005	3	2	.	4	4
2006	4	1	1	1	2
2007	1	.	.	2	2
2008	2	1	.	1	1
2009	2	1	.	.	.
2010	1	3	.	2	2
2011	1	1	.	1	1
2012	2	2	1	1	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,004	100.0	134.3	1,308	100.0	174.9	2,312	100.0	309.2	747,813
Sex at Birth	Male	743	74.0	.	919	70.3	.	1,662	71.9	.	.
	Female	261	26.0	.	389	29.7	.	650	28.1	.	.
Current Age	12 & under	1	0.1	.	1	0.1	.	2	0.1	.	.
	13-19	14	1.4	.	4	0.3	.	18	0.8	.	.
	20-24	70	7.0	.	28	2.1	.	98	4.2	.	.
	25-29	88	8.8	.	36	2.8	.	124	5.4	.	.
	30-39	179	17.8	.	96	7.3	.	275	11.9	.	.
	40-49	292	29.1	.	439	33.6	.	731	31.6	.	.
	50-59	248	24.7	.	481	36.8	.	729	31.5	.	.
	60+	112	11.2	.	223	17.0	.	335	14.5	.	.
Race/Ethnicity	White	352	35.1	.	429	32.8	.	781	33.8	.	.
	Black	423	42.1	.	553	42.3	.	976	42.2	.	.
	Hispanic	152	15.1	.	210	16.1	.	362	15.7	.	.
	Multi Race	71	7.1	.	115	8.8	.	186	8.0	.	.
	Others	6	0.6	.	1	0.1	.	7	0.3	.	.
Risk	MSM	484	48.2	.	461	35.2	.	945	40.9	.	.
	IDU	112	11.2	.	291	22.2	.	403	17.4	.	.
	MSM/IDU	35	3.5	.	61	4.7	.	96	4.2	.	.
	Heterosexual	147	14.6	.	210	16.1	.	357	15.4	.	.
	Fem Pres Het Cont	112	11.2	.	130	9.9	.	242	10.5	.	.
	Blood Prod.	1	0.1	.	6	0.5	.	7	0.3	.	.
	Pediatric Risk	14	1.4	.	14	1.1	.	28	1.2	.	.
	Unk	99	9.9	.	135	10.3	.	234	10.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		743	100.0	261	100.0	1,004	100.0	919	100.0	389	100.0	1,308	100.0	1,662	100.0	650	100.0	2,312	100.0
Risk	MSM	484	65.1	0	0.0	484	48.2	461	50.2	0	0.0	461	35.2	945	56.9	0	0.0	945	40.9
	IDU	74	10.0	38	14.6	112	11.2	184	20.0	107	27.5	291	22.2	258	15.5	145	22.3	403	17.4
	MSM/IDU	35	4.7	0	0.0	35	3.5	61	6.6	0	0.0	61	4.7	96	5.8	0	0.0	96	4.2
	Heterosexual	45	6.1	102	39.1	147	14.6	65	7.1	145	37.3	210	16.1	110	6.6	247	38.0	357	15.4
	Fem Pres Het Cont	0	0.0	112	42.9	112	11.2	0	0.0	130	33.4	130	9.9	0	0.0	242	37.2	242	10.5
	Blood Prod.	0	0.0	1	0.4	1	0.1	3	0.3	3	0.8	6	0.5	3	0.2	4	0.6	7	0.3
	Pediatric Risk	9	1.2	5	1.9	14	1.4	10	1.1	4	1.0	14	1.1	19	1.1	9	1.4	28	1.2
	Unk	96	12.9	3	1.1	99	9.9	135	14.7	0	0.0	135	10.3	231	13.9	3	0.5	234	10.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		79.0	100.0	10.6	54.3	100.0	7.3	9.7	100.0	33.3	100.0	43.0	100.0
Sex at Birth	Male	63.7	80.6	.	37.7	69.3	.	8.0	82.8	22.3	67.0	30.3	70.5
	Female	15.3	19.4	.	16.7	30.7	.	1.7	17.2	11.0	33.0	12.7	29.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	6.0	7.6	.	2.0	3.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	18.7	23.6	.	6.3	11.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	9.7	12.2	.	2.7	4.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	14.0	17.7	.	11.3	20.9	.	0.0	0.0	1.7	5.0	1.7	3.9
	40-49	13.3	16.9	.	14.0	25.8	.	2.3	24.1	7.3	22.0	9.7	22.5
	50-59	11.3	14.3	.	10.0	18.4	.	5.0	51.7	15.0	45.0	20.0	46.5
	60+	6.0	7.6	.	8.0	14.7	.	2.3	24.1	9.3	28.0	11.7	27.1
Race/Ethnicity	White	23.3	29.5	.	15.0	27.6	.	4.0	41.4	8.0	24.0	12.0	27.9
	Black	40.3	51.1	.	25.7	47.2	.	4.0	41.4	17.3	52.0	21.3	49.6
	Hispanic	10.3	13.1	.	9.0	16.6	.	1.0	10.3	4.7	14.0	5.7	13.2
	Multi Race	4.0	5.1	.	4.7	8.6	.	0.7	6.9	3.0	9.0	3.7	8.5
	Others	1.0	1.3	.	0.0	0.0	.	0.0	0.0	0.3	1.0	0.3	0.8
Risk	MSM	46.0	58.2	.	20.0	36.8	.	3.0	31.0	8.3	25.0	11.3	26.4
	IDU	5.7	7.2	.	6.7	12.3	.	3.0	31.0	15.0	45.0	18.0	41.9
	MSM/IDU	2.3	3.0	.	2.3	4.3	.	0.7	6.9	0.7	2.0	1.3	3.1
	Heterosexual	9.7	12.2	.	10.7	19.6	.	0.7	6.9	1.0	3.0	1.7	3.9
	Fem Pres Het Cont	7.3	9.3	.	7.3	13.5	.	0.3	3.4	4.3	13.0	4.7	10.9
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	1.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	8.0	10.1	.	6.7	12.3	.	2.0	20.7	4.0	12.0	6.0	14.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		63.7	100.0	15.3	100.0	79.0	100.0	37.7	100.0	16.7	100.0	54.3	100.0
Risk	MSM	46.0	72.3	0.0	0.0	46.0	58.2	20.0	53.1	0.0	0.0	20.0	36.8
	IDU	3.3	5.2	2.3	15.2	5.7	7.2	3.7	9.7	3.0	18.0	6.7	12.3
	MSM/IDU	2.3	3.7	0.0	0.0	2.3	3.0	2.3	6.2	0.0	0.0	2.3	4.3
	Heterosexual	4.0	6.3	5.7	37.0	9.7	12.2	4.3	11.5	6.3	38.0	10.7	19.6
	Fem Pres Het Cont	0.0	0.0	7.3	47.8	7.3	9.3	0.0	0.0	7.3	44.0	7.3	13.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	0.0	0.0	0.7	1.2
	Unk	8.0	12.6	0.0	0.0	8.0	10.1	6.7	17.7	0.0	0.0	6.7	12.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	62	.	35	35
1987	.	51	.	27	27
1988	.	75	.	31	31
1989	.	79	.	46	46
1990	.	90	.	51	51
1991	.	125	.	86	86
1992	.	169	.	97	97
1993	.	209	.	78	78
1994	.	214	.	119	119
1995	.	207	.	127	127
1996	.	150	.	102	102
1997	.	122	.	60	60
1998	.	85	.	48	48
1999	.	96	.	53	53
2000*	81	91	1	56	57
2001	103	127	11	39	50
2002	110	108	8	51	59
2003	96	78	6	46	52
2004	102	90	9	55	64
2005	84	108	11	48	59
2006	78	85	10	54	64
2007	105	98	4	45	49
2008	93	80	9	41	50
2009	95	67	8	32	40
2010	78	50	14	28	42
2011	94	70	7	38	45
2012	65	43	8	34	42

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		32	100.0	64.1	38	100.0	76.1	70	100.0	140.2	49,941
Sex at Birth	Male	18	56.3	.	22	57.9	.	40	57.1	.	.
	Female	14	43.8	.	16	42.1	.	30	42.9	.	.
Current Age	20-24	2	6.3	.	0	0.0	.	2	2.9	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	4	12.5	.	5	13.2	.	9	12.9	.	.
	40-49	12	37.5	.	15	39.5	.	27	38.6	.	.
	50-59	9	28.1	.	14	36.8	.	23	32.9	.	.
	60+	5	15.6	.	4	10.5	.	9	12.9	.	.
Race/Ethnicity	White	11	34.4	.	14	36.8	.	25	35.7	.	.
	Black	1	3.1	.	3	7.9	.	4	5.7	.	.
	Hispanic	18	56.3	.	18	47.4	.	36	51.4	.	.
	Multi Race	2	6.3	.	3	7.9	.	5	7.1	.	.
Risk	MSM	7	21.9	.	6	15.8	.	13	18.6	.	.
	IDU	8	25.0	.	9	23.7	.	17	24.3	.	.
	MSM/IDU	1	3.1	.	4	10.5	.	5	7.1	.	.
	Heterosexual	11	34.4	.	10	26.3	.	21	30.0	.	.
	Fem Pres Het Cont	3	9.4	.	3	7.9	.	6	8.6	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	6.3	.	6	15.8	.	8	11.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		18	100.0	14	100.0	32	100.0	22	100.0	16	100.0	38	100.0	40	100.0	30	100.0	70	100.0
Risk	MSM	7	38.9	0	0.0	7	21.9	6	27.3	0	0.0	6	15.8	13	32.5	0	0.0	13	18.6
	IDU	4	22.2	4	28.6	8	25.0	5	22.7	4	25.0	9	23.7	9	22.5	8	26.7	17	24.3
	MSM/IDU	1	5.6	0	0.0	1	3.1	4	18.2	0	0.0	4	10.5	5	12.5	0	0.0	5	7.1
	Heterosexual	4	22.2	7	50.0	11	34.4	1	4.5	9	56.3	10	26.3	5	12.5	16	53.3	21	30.0
	Fem Pres Het Cont	0	0.0	3	21.4	3	9.4	0	0.0	3	18.8	3	7.9	0	0.0	6	20.0	6	8.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	11.1	0	0.0	2	6.3	6	27.3	0	0.0	6	15.8	8	20.0	0	0.0	8	11.4

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	4.0	1.7	100.0	3.3	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	1.3	66.7	.	1.3	80.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Female	0.7	33.3	.	0.3	20.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.7	40.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	1.0	50.0	.	0.7	40.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White	1.0	50.0	.	0.7	40.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.7	33.3	.	1.0	60.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	16.7	.	0.3	20.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.7	33.3	.	0.3	20.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	33.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.7	100.0	2.0	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	0.3	25.0	0.0	0.0	0.3	16.7	0.3	25.0	0.0	0.0	0.3	20.0
	IDU	0.3	25.0	0.3	50.0	0.7	33.3	0.3	25.0	0.0	0.0	0.3	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	16.7	0.0	0.0	0.3	100.0	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	50.0	0.0	0.0	0.7	33.3	0.3	25.0	0.0	0.0	0.3	20.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	1	1
1987	.	2	.	.	.
1988	.	4	.	1	1
1989	.	2	.	4	4
1990	.	1	.	2	2
1991	.	7	.	1	1
1992	.	7	.	5	5
1993	.	4	.	3	3
1994	.	8	.	5	5
1995	.	4	.	5	5
1996	.	6	.	3	3
1997	.	5	.	1	1
1998	.	5	.	1	1
1999	.	4	.	1	1
2000*	1	2	.	3	3
2001	2	3	.	2	2
2002	4	4	.	.	.
2003	3	2	.	3	3
2004	2	2	.	1	1
2005	3	4	.	2	2
2006	3	2	.	.	.
2007	2	2	2	.	2
2008	4	3	.	2	2
2009	2	.	.	3	3
2010	2	1	.	1	1
2011	1	2	.	1	1
2012	3	2	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,183	100.0	87.7	1,823	100.0	135.1	3,006	100.0	222.8	1,349,233
Sex at Birth	Male	767	64.8	.	1,257	69.0	.	2,024	67.3	.	.
	Female	416	35.2	.	566	31.0	.	982	32.7	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	30	2.5	.	5	0.3	.	35	1.2	.	.
	20-24	71	6.0	.	29	1.6	.	100	3.3	.	.
	25-29	84	7.1	.	59	3.2	.	143	4.8	.	.
	30-39	234	19.8	.	171	9.4	.	405	13.5	.	.
	40-49	315	26.6	.	543	29.8	.	858	28.5	.	.
	50-59	306	25.9	.	676	37.1	.	982	32.7	.	.
	60+	138	11.7	.	340	18.7	.	478	15.9	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White	374	31.6	.	503	27.6	.	877	29.2	.	.
	Black	465	39.3	.	732	40.2	.	1,197	39.8	.	.
	Hispanic	267	22.6	.	410	22.5	.	677	22.5	.	.
	Multi Race	62	5.2	.	164	9.0	.	226	7.5	.	.
	Others	15	1.3	.	14	0.8	.	29	1.0	.	.
	Unk	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	403	34.1	.	524	28.7	.	927	30.8	.	.
	IDU	98	8.3	.	320	17.6	.	418	13.9	.	.
	MSM/IDU	27	2.3	.	64	3.5	.	91	3.0	.	.
	Heterosexual	219	18.5	.	360	19.7	.	579	19.3	.	.
	Fem Pres Het Cont	184	15.6	.	202	11.1	.	386	12.8	.	.
	Blood Prod.	2	0.2	.	16	0.9	.	18	0.6	.	.
	Pediatric Risk	44	3.7	.	33	1.8	.	77	2.6	.	.
	Unk	206	17.4	.	304	16.7	.	510	17.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		767	100.0	416	100.0	1,183	100.0	1,257	100.0	566	100.0	1,823	100.0	2,024	100.0	982	100.0	3,006	100.0
Risk	MSM	403	52.5	0	0.0	403	34.1	524	41.7	0	0.0	524	28.7	927	45.8	0	0.0	927	30.8
	IDU	58	7.6	40	9.6	98	8.3	225	17.9	95	16.8	320	17.6	283	14.0	135	13.7	418	13.9
	MSM/IDU	27	3.5	0	0.0	27	2.3	64	5.1	0	0.0	64	3.5	91	4.5	0	0.0	91	3.0
	Heterosexual	51	6.6	168	40.4	219	18.5	111	8.8	249	44.0	360	19.7	162	8.0	417	42.5	579	19.3
	Fem Pres Het Cont	0	0.0	184	44.2	184	15.6	0	0.0	202	35.7	202	11.1	0	0.0	386	39.3	386	12.8
	Blood Prod.	0	0.0	2	0.5	2	0.2	10	0.8	6	1.1	16	0.9	10	0.5	8	0.8	18	0.6
	Pediatric Risk	22	2.9	22	5.3	44	3.7	19	1.5	14	2.5	33	1.8	41	2.0	36	3.7	77	2.6
	Unk	206	26.9	0	0.0	206	17.4	304	24.2	0	0.0	304	16.7	510	25.2	0	0.0	510	17.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		108.0	100.0	8.0	74.7	100.0	5.5	6.3	100.0	44.0	100.0	50.3	100.0
Sex at Birth	Male	80.3	74.4	.	52.0	69.6	.	4.3	68.4	31.3	71.2	35.7	70.9
	Female	27.7	25.6	.	22.7	30.4	.	2.0	31.6	12.7	28.8	14.7	29.1
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	6.3	5.9	.	1.0	1.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	18.3	17.0	.	6.0	8.0	.	0.0	0.0	0.7	1.5	0.7	1.3
	25-29	12.3	11.4	.	5.3	7.1	.	0.0	0.0	0.3	0.8	0.3	0.7
	30-39	24.3	22.5	.	14.3	19.2	.	0.3	5.3	3.3	7.6	3.7	7.3
	40-49	23.3	21.6	.	21.3	28.6	.	2.0	31.6	10.3	23.5	12.3	24.5
	50-59	17.3	16.0	.	19.3	25.9	.	2.7	42.1	16.3	37.1	19.0	37.7
	60+	6.0	5.6	.	7.3	9.8	.	1.3	21.1	13.0	29.5	14.3	28.5
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	25.0	23.1	.	13.7	18.3	.	2.7	42.1	12.3	28.0	15.0	29.8
	Black	44.3	41.0	.	33.0	44.2	.	2.7	42.1	18.0	40.9	20.7	41.1
	Hispanic	31.7	29.3	.	21.7	29.0	.	0.7	10.5	7.7	17.4	8.3	16.6
	Multi Race	5.3	4.9	.	6.0	8.0	.	0.3	5.3	6.0	13.6	6.3	12.6
	Others	1.7	1.5	.	0.3	0.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	48.7	45.1	.	26.3	35.3	.	1.7	26.3	10.7	24.2	12.3	24.5
	IDU	2.0	1.9	.	4.7	6.3	.	1.3	21.1	12.3	28.0	13.7	27.2
	MSM/IDU	1.3	1.2	.	1.7	2.2	.	0.3	5.3	1.3	3.0	1.7	3.3
	Heterosexual	13.7	12.7	.	13.0	17.4	.	1.0	15.8	8.0	18.2	9.0	17.9
	Fem Pres Het Cont	17.3	16.0	.	12.0	16.1	.	1.0	15.8	3.3	7.6	4.3	8.6
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.8	0.3	0.7
	Pediatric Risk	0.0	0.0	.	0.3	0.4	.	0.0	0.0	0.3	0.8	0.3	0.7
	Unk	25.0	23.1	.	16.7	22.3	.	1.0	15.8	7.7	17.4	8.7	17.2

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		80.3	100.0	27.7	100.0	108.0	100.0	52.0	100.0	22.7	100.0	74.7	100.0
Risk	MSM	48.7	60.6	0.0	0.0	48.7	45.1	26.3	50.6	0.0	0.0	26.3	35.3
	IDU	1.3	1.7	0.7	2.4	2.0	1.9	3.3	6.4	1.3	5.9	4.7	6.3
	MSM/IDU	1.3	1.7	0.0	0.0	1.3	1.2	1.7	3.2	0.0	0.0	1.7	2.2
	Heterosexual	4.0	5.0	9.7	34.9	13.7	12.7	4.0	7.7	9.0	39.7	13.0	17.4
	Fem Pres Het Cont	0.0	0.0	17.3	62.7	17.3	16.0	0.0	0.0	12.0	52.9	12.0	16.1
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	0.3	0.4
	Unk	25.0	31.1	0.0	0.0	25.0	23.1	16.7	32.1	0.0	0.0	16.7	22.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	255	.	148	148
1987	.	142	.	102	102
1988	.	192	.	114	114
1989	.	233	.	149	149
1990	.	232	.	153	153
1991	.	250	.	195	195
1992	.	301	.	198	198
1993	.	311	.	203	203
1994	.	262	.	243	243
1995	.	308	.	237	237
1996	.	245	.	138	138
1997	.	168	.	81	81
1998	.	155	.	69	69
1999	.	155	.	76	76
2000*	159	172	4	65	69
2001	155	167	7	73	80
2002	131	158	7	58	65
2003	116	132	8	84	92
2004	111	125	11	64	75
2005	119	103	14	60	74
2006	111	95	9	57	66
2007	99	101	9	66	75
2008	137	96	8	45	53
2009	90	90	6	44	50
2010	100	82	11	46	57
2011	117	71	7	39	46
2012	107	71	1	47	48

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		94	100.0	43.7	102	100.0	47.4	196	100.0	91.1	215,124
Sex at Birth	Male	64	68.1	.	69	67.6	.	133	67.9	.	.
	Female	30	31.9	.	33	32.4	.	63	32.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	3.2	.	1	1.0	.	4	2.0	.	.
	20-24	5	5.3	.	2	2.0	.	7	3.6	.	.
	25-29	12	12.8	.	7	6.9	.	19	9.7	.	.
	30-39	19	20.2	.	9	8.8	.	28	14.3	.	.
	40-49	28	29.8	.	34	33.3	.	62	31.6	.	.
	50-59	21	22.3	.	37	36.3	.	58	29.6	.	.
	60+	6	6.4	.	12	11.8	.	18	9.2	.	.
Race/Ethnicity	White	46	48.9	.	48	47.1	.	94	48.0	.	.
	Black	30	31.9	.	31	30.4	.	61	31.1	.	.
	Hispanic	9	9.6	.	10	9.8	.	19	9.7	.	.
	Multi Race	9	9.6	.	13	12.7	.	22	11.2	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	42	44.7	.	40	39.2	.	82	41.8	.	.
	IDU	12	12.8	.	23	22.5	.	35	17.9	.	.
	MSM/IDU	6	6.4	.	7	6.9	.	13	6.6	.	.
	Heterosexual	20	21.3	.	24	23.5	.	44	22.4	.	.
	Fem Pres Het Cont	10	10.6	.	2	2.0	.	12	6.1	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	2.9	.	3	1.5	.	.
	Unk	4	4.3	.	3	2.9	.	7	3.6	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		64	100.0	30	100.0	94	100.0	69	100.0	33	100.0	102	100.0	133	100.0	63	100.0	196	100.0
Risk	MSM	42	65.6	0	0.0	42	44.7	40	58.0	0	0.0	40	39.2	82	61.7	0	0.0	82	41.8
	IDU	9	14.1	3	10.0	12	12.8	14	20.3	9	27.3	23	22.5	23	17.3	12	19.0	35	17.9
	MSM/IDU	6	9.4	0	0.0	6	6.4	7	10.1	0	0.0	7	6.9	13	9.8	0	0.0	13	6.6
	Heterosexual	3	4.7	17	56.7	20	21.3	4	5.8	20	60.6	24	23.5	7	5.3	37	58.7	44	22.4
	Fem Pres Het Cont	0	0.0	10	33.3	10	10.6	0	0.0	2	6.1	2	2.0	0	0.0	12	19.0	12	6.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.4	2	6.1	3	2.9	1	0.8	2	3.2	3	1.5
	Unk	4	6.3	0	0.0	4	4.3	3	4.3	0	0.0	3	2.9	7	5.3	0	0.0	7	3.6

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		8.7	100.0	4.0	5.3	100.0	2.5	0.7	100.0	3.0	100.0	3.7	100.0
Sex at Birth	Male	6.7	76.9	.	4.3	81.3	.	0.3	50.0	3.0	100.0	3.3	90.9
	Female	2.0	23.1	.	1.0	18.8	.	0.3	50.0	0.0	0.0	0.3	9.1
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	11.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	19.2	.	1.0	18.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	15.4	.	0.3	6.3	.	0.0	0.0	0.3	11.1	0.3	9.1
	30-39	1.0	11.5	.	1.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.3	26.9	.	1.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	7.7	.	1.0	18.8	.	0.7	100.0	2.0	66.7	2.7	72.7
	60+	0.7	7.7	.	0.3	6.3	.	0.0	0.0	0.7	22.2	0.7	18.2
Race/Ethnicity	White	4.3	50.0	.	2.7	50.0	.	0.3	50.0	0.7	22.2	1.0	27.3
	Black	4.0	46.2	.	2.0	37.5	.	0.3	50.0	1.0	33.3	1.3	36.4
	Hispanic	0.0	0.0	.	0.3	6.3	.	0.0	0.0	1.3	44.4	1.3	36.4
	Multi Race	0.3	3.8	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.0	57.7	.	2.7	50.0	.	0.0	0.0	1.0	33.3	1.0	27.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.3	50.0	1.7	55.6	2.0	54.5
	MSM/IDU	0.7	7.7	.	1.0	18.8	.	0.3	50.0	0.3	11.1	0.7	18.2
	Heterosexual	2.3	26.9	.	1.0	18.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	7.7	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	6.3	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.7	100.0	2.0	100.0	8.7	100.0	4.3	100.0	1.0	100.0	5.3	100.0
Risk	MSM	5.0	75.0	0.0	0.0	5.0	57.7	2.7	61.5	0.0	0.0	2.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.7	10.0	0.0	0.0	0.7	7.7	1.0	23.1	0.0	0.0	1.0	18.8
	Heterosexual	1.0	15.0	1.3	66.7	2.3	26.9	0.3	7.7	0.7	66.7	1.0	18.8
	Fem Pres Het Cont	0.0	0.0	0.7	33.3	0.7	7.7	0.0	0.0	0.3	33.3	0.3	6.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.7	0.0	0.0	0.3	6.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	6	.	4	4
1987	.	5	.	3	3
1988	.	6	.	3	3
1989	.	14	.	8	8
1990	.	21	.	10	10
1991	.	18	.	13	13
1992	.	17	.	21	21
1993	.	22	.	11	11
1994	.	9	.	20	20
1995	.	16	.	9	9
1996	.	12	.	6	6
1997	.	15	.	9	9
1998	.	11	.	4	4
1999	.	6	.	3	3
2000*	8	13	1	4	5
2001	3	13	.	5	5
2002	9	5	1	1	2
2003	10	14	.	5	5
2004	11	8	.	5	5
2005	19	13	.	14	14
2006	9	7	.	4	4
2007	5	7	1	2	3
2008	10	9	.	6	6
2009	6	2	1	4	5
2010	10	4	1	2	3
2011	10	8	1	4	5
2012	6	4	.	3	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		281	100.0	120.3	413	100.0	176.8	694	100.0	297.1	233,556
Sex at Birth	Male	223	79.4	.	342	82.8	.	565	81.4	.	.
	Female	58	20.6	.	71	17.2	.	129	18.6	.	.
Current Age	12 & under	1	0.4	.	0	0.0	.	1	0.1	.	.
	13-19	2	0.7	.	1	0.2	.	3	0.4	.	.
	20-24	8	2.8	.	3	0.7	.	11	1.6	.	.
	25-29	15	5.3	.	7	1.7	.	22	3.2	.	.
	30-39	35	12.5	.	32	7.7	.	67	9.7	.	.
	40-49	83	29.5	.	131	31.7	.	214	30.8	.	.
	50-59	96	34.2	.	163	39.5	.	259	37.3	.	.
	60+	41	14.6	.	76	18.4	.	117	16.9	.	.
Race/Ethnicity	White	65	23.1	.	98	23.7	.	163	23.5	.	.
	Black	93	33.1	.	139	33.7	.	232	33.4	.	.
	Hispanic	104	37.0	.	144	34.9	.	248	35.7	.	.
	Multi Race	13	4.6	.	28	6.8	.	41	5.9	.	.
	Others	6	2.1	.	4	1.0	.	10	1.4	.	.
Risk	MSM	57	20.3	.	84	20.3	.	141	20.3	.	.
	IDU	75	26.7	.	143	34.6	.	218	31.4	.	.
	MSM/IDU	4	1.4	.	21	5.1	.	25	3.6	.	.
	Heterosexual	42	14.9	.	46	11.1	.	88	12.7	.	.
	Fem Pres Het Cont	28	10.0	.	27	6.5	.	55	7.9	.	.
	Blood Prod.	0	0.0	.	3	0.7	.	3	0.4	.	.
	Pediatric Risk	3	1.1	.	4	1.0	.	7	1.0	.	.
	Unk	72	25.6	.	85	20.6	.	157	22.6	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		223	100.0	58	100.0	281	100.0	342	100.0	71	100.0	413	100.0	565	100.0	129	100.0	694	100.0
Risk	MSM	57	25.6	0	0.0	57	20.3	84	24.6	0	0.0	84	20.3	141	25.0	0	0.0	141	20.3
	IDU	71	31.8	4	6.9	75	26.7	128	37.4	15	21.1	143	34.6	199	35.2	19	14.7	218	31.4
	MSM/IDU	4	1.8	0	0.0	4	1.4	21	6.1	0	0.0	21	5.1	25	4.4	0	0.0	25	3.6
	Heterosexual	18	8.1	24	41.4	42	14.9	18	5.3	28	39.4	46	11.1	36	6.4	52	40.3	88	12.7
	Fem Pres Het Cont	0	0.0	28	48.3	28	10.0	0	0.0	27	38.0	27	6.5	0	0.0	55	42.6	55	7.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0	3	0.7	3	0.5	0	0.0	3	0.4
	Pediatric Risk	1	0.4	2	3.4	3	1.1	3	0.9	1	1.4	4	1.0	4	0.7	3	2.3	7	1.0
	Unk	72	32.3	0	0.0	72	25.6	85	24.9	0	0.0	85	20.6	157	27.8	0	0.0	157	22.6

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		11.0	100.0	4.7	10.7	100.0	4.6	3.0	100.0	9.0	100.0	12.0	100.0
Sex at Birth	Male	5.7	51.5	.	7.7	71.9	.	2.0	66.7	8.0	88.9	10.0	83.3
	Female	5.3	48.5	.	3.0	28.1	.	1.0	33.3	1.0	11.1	2.0	16.7
Age at Diagnosis	12 & under	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	21.2	.	0.0	0.0	.	0.0	0.0	0.3	3.7	0.3	2.8
	25-29	1.0	9.1	.	1.0	9.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	18.2	.	0.7	6.3	.	0.0	0.0	0.7	7.4	0.7	5.6
	40-49	3.0	27.3	.	4.7	43.8	.	1.0	33.3	2.0	22.2	3.0	25.0
	50-59	1.3	12.1	.	2.7	25.0	.	1.3	44.4	4.3	48.1	5.7	47.2
60+	0.7	6.1	.	1.7	15.6	.	0.7	22.2	1.7	18.5	2.3	19.4	
Race/Ethnicity	White	5.7	51.5	.	4.0	37.5	.	0.3	11.1	1.7	18.5	2.0	16.7
	Black	2.7	24.2	.	3.3	31.3	.	2.0	66.7	3.3	37.0	5.3	44.4
	Hispanic	2.0	18.2	.	1.7	15.6	.	0.0	0.0	3.7	40.7	3.7	30.6
	Multi Race	0.3	3.0	.	1.3	12.5	.	0.7	22.2	0.3	3.7	1.0	8.3
	Others	0.3	3.0	.	0.3	3.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	30.3	.	3.0	28.1	.	0.7	22.2	1.7	18.5	2.3	19.4
	IDU	0.3	3.0	.	2.3	21.9	.	0.7	22.2	4.3	48.1	5.0	41.7
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	7.4	0.7	5.6
	Heterosexual	3.3	30.3	.	2.0	18.8	.	0.7	22.2	0.7	7.4	1.3	11.1
	Fem Pres Het Cont	2.0	18.2	.	1.3	12.5	.	0.3	11.1	0.0	0.0	0.3	2.8
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	3.0	.	0.0	0.0	.	0.0	0.0	0.3	3.7	0.3	2.8
	Unk	1.7	15.2	.	2.0	18.8	.	0.7	22.2	1.3	14.8	2.0	16.7

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.7	100.0	5.3	100.0	11.0	100.0	7.7	100.0	3.0	100.0	10.7	100.0
Risk	MSM	3.3	58.8	0.0	0.0	3.3	30.3	3.0	39.1	0.0	0.0	3.0	28.1
	IDU	0.0	0.0	0.3	6.3	0.3	3.0	1.7	21.7	0.7	22.2	2.3	21.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	11.8	2.7	50.0	3.3	30.3	1.0	13.0	1.0	33.3	2.0	18.8
	Fem Pres Het Cont	0.0	0.0	2.0	37.5	2.0	18.2	0.0	0.0	1.3	44.4	1.3	12.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	6.3	0.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	29.4	0.0	0.0	1.7	15.2	2.0	26.1	0.0	0.0	2.0	18.8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	18	.	9	9
1987	.	11	.	8	8
1988	.	23	.	13	13
1989	.	37	.	21	21
1990	.	59	.	21	21
1991	.	73	.	40	40
1992	.	94	.	40	40
1993	.	107	.	72	72
1994	.	71	.	53	53
1995	.	73	.	52	52
1996	.	81	.	57	57
1997	.	51	.	21	21
1998	.	36	.	16	16
1999	.	32	.	21	21
2000*	22	33	1	17	18
2001	22	26	1	15	16
2002	21	26	2	13	15
2003	19	26	2	16	18
2004	19	19	3	12	15
2005	14	24	4	13	17
2006	16	16	.	7	7
2007	16	15	3	21	24
2008	14	17	.	9	9
2009	15	18	3	12	15
2010	13	9	3	17	20
2011	9	9	2	3	5
2012	11	14	4	7	11

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		422	100.0	90.4	607	100.0	130.0	1,029	100.0	220.4	466,852
Sex at Birth	Male	274	64.9	.	420	69.2	.	694	67.4	.	.
	Female	148	35.1	.	187	30.8	.	335	32.6	.	.
Current Age	12 & under	4	0.9	.	0	0.0	.	4	0.4	.	.
	13-19	8	1.9	.	0	0.0	.	8	0.8	.	.
	20-24	36	8.5	.	5	0.8	.	41	4.0	.	.
	25-29	47	11.1	.	22	3.6	.	69	6.7	.	.
	30-39	82	19.4	.	62	10.2	.	144	14.0	.	.
	40-49	125	29.6	.	209	34.4	.	334	32.5	.	.
	50-59	93	22.0	.	235	38.7	.	328	31.9	.	.
	60+	27	6.4	.	74	12.2	.	101	9.8	.	.
Race/Ethnicity	White	182	43.1	.	262	43.2	.	444	43.1	.	.
	Black	161	38.2	.	219	36.1	.	380	36.9	.	.
	Hispanic	42	10.0	.	64	10.5	.	106	10.3	.	.
	Multi Race	32	7.6	.	53	8.7	.	85	8.3	.	.
	Others	5	1.2	.	9	1.5	.	14	1.4	.	.
Risk	MSM	176	41.7	.	232	38.2	.	408	39.7	.	.
	IDU	48	11.4	.	106	17.5	.	154	15.0	.	.
	MSM/IDU	7	1.7	.	32	5.3	.	39	3.8	.	.
	Heterosexual	110	26.1	.	159	26.2	.	269	26.1	.	.
	Fem Pres Het Cont	32	7.6	.	22	3.6	.	54	5.2	.	.
	Blood Prod.	0	0.0	.	5	0.8	.	5	0.5	.	.
	Pediatric Risk	15	3.6	.	6	1.0	.	21	2.0	.	.
	Unk	34	8.1	.	45	7.4	.	79	7.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		274	100.0	148	100.0	422	100.0	420	100.0	187	100.0	607	100.0	694	100.0	335	100.0	1,029	100.0
Risk	MSM	176	64.2	0	0.0	176	41.7	232	55.2	0	0.0	232	38.2	408	58.8	0	0.0	408	39.7
	IDU	28	10.2	20	13.5	48	11.4	67	16.0	39	20.9	106	17.5	95	13.7	59	17.6	154	15.0
	MSM/IDU	7	2.6	0	0.0	7	1.7	32	7.6	0	0.0	32	5.3	39	5.6	0	0.0	39	3.8
	Heterosexual	21	7.7	89	60.1	110	26.1	38	9.0	121	64.7	159	26.2	59	8.5	210	62.7	269	26.1
	Fem Pres Het Cont	0	0.0	32	21.6	32	7.6	0	0.0	22	11.8	22	3.6	0	0.0	54	16.1	54	5.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0	5	0.8	5	0.7	0	0.0	5	0.5
	Pediatric Risk	8	2.9	7	4.7	15	3.6	3	0.7	3	1.6	6	1.0	11	1.6	10	3.0	21	2.0
	Unk	34	12.4	0	0.0	34	8.1	43	10.2	2	1.1	45	7.4	77	11.1	2	0.6	79	7.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		44.7	100.0	9.6	27.3	100.0	5.9	2.7	100.0	18.0	100.0	20.7	100.0
Sex at Birth	Male	32.3	72.4	.	20.3	74.4	.	2.0	75.0	15.0	83.3	17.0	82.3
	Female	12.3	27.6	.	7.0	25.6	.	0.7	25.0	3.0	16.7	3.7	17.7
Age at Diagnosis	12 & under	1.0	2.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	2.3	5.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	8.3	18.7	.	1.0	3.7	.	0.0	0.0	0.7	3.7	0.7	3.2
	25-29	8.7	19.4	.	4.7	17.1	.	0.0	0.0	0.3	1.9	0.3	1.6
	30-39	6.0	13.4	.	6.0	22.0	.	0.0	0.0	1.0	5.6	1.0	4.8
	40-49	9.3	20.9	.	7.7	28.0	.	0.0	0.0	4.7	25.9	4.7	22.6
	50-59	6.3	14.2	.	6.7	24.4	.	0.7	25.0	7.7	42.6	8.3	40.3
	60+	2.7	6.0	.	1.3	4.9	.	2.0	75.0	3.7	20.4	5.7	27.4
Race/Ethnicity	White	16.3	36.6	.	9.0	32.9	.	1.3	50.0	8.0	44.4	9.3	45.2
	Black	20.7	46.3	.	11.3	41.5	.	0.3	12.5	5.0	27.8	5.3	25.8
	Hispanic	5.0	11.2	.	3.3	12.2	.	0.7	25.0	2.7	14.8	3.3	16.1
	Multi Race	2.3	5.2	.	3.0	11.0	.	0.3	12.5	2.3	13.0	2.7	12.9
	Others	0.3	0.7	.	0.7	2.4	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	22.7	50.7	.	11.3	41.5	.	0.3	12.5	7.3	40.7	7.7	37.1
	IDU	2.0	4.5	.	2.3	8.5	.	0.7	25.0	3.7	20.4	4.3	21.0
	MSM/IDU	1.0	2.2	.	1.0	3.7	.	0.3	12.5	0.3	1.9	0.7	3.2
	Heterosexual	7.3	16.4	.	6.3	23.2	.	0.7	25.0	3.3	18.5	4.0	19.4
	Fem Pres Het Cont	5.7	12.7	.	1.7	6.1	.	0.0	0.0	0.7	3.7	0.7	3.2
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	1.9	0.3	1.6
	Pediatric Risk	1.0	2.2	.	0.0	0.0	.	0.0	0.0	0.3	1.9	0.3	1.6
	Unk	5.0	11.2	.	4.7	17.1	.	0.7	25.0	2.0	11.1	2.7	12.9

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		32.3	100.0	12.3	100.0	44.7	100.0	20.3	100.0	7.0	100.0	27.3	100.0
Risk	MSM	22.7	70.1	0.0	0.0	22.7	50.7	11.3	55.7	0.0	0.0	11.3	41.5
	IDU	1.7	5.2	0.3	2.7	2.0	4.5	2.0	9.8	0.3	4.8	2.3	8.5
	MSM/IDU	1.0	3.1	0.0	0.0	1.0	2.2	1.0	4.9	0.0	0.0	1.0	3.7
	Heterosexual	1.7	5.2	5.7	45.9	7.3	16.4	1.3	6.6	5.0	71.4	6.3	23.2
	Fem Pres Het Cont	0.0	0.0	5.7	45.9	5.7	12.7	0.0	0.0	1.7	23.8	1.7	6.1
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	1.0	0.7	5.4	1.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	5.0	15.5	0.0	0.0	5.0	11.2	4.7	23.0	0.0	0.0	4.7	17.1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	46	.	34	34
1987	.	24	.	12	12
1988	.	34	.	24	24
1989	.	42	.	24	24
1990	.	49	.	21	21
1991	.	59	.	34	34
1992	.	121	.	53	53
1993	.	116	.	56	56
1994	.	77	.	82	82
1995	.	82	.	67	67
1996	.	88	.	58	58
1997	.	55	.	20	20
1998	.	33	.	20	20
1999	.	46	.	20	20
2000*	29	77	.	25	25
2001	50	43	2	17	19
2002	47	43	4	17	21
2003	59	43	4	15	19
2004	49	33	5	14	19
2005	49	45	5	12	17
2006	34	32	1	22	23
2007	34	41	4	25	29
2008	47	39	5	28	33
2009	29	28	4	22	26
2010	36	22	2	21	23
2011	49	34	1	19	20
2012	49	26	5	14	19

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		49	100.0	45.2	46	100.0	42.4	95	100.0	87.5	108,519
Sex at Birth	Male	31	63.3	.	32	69.6	.	63	66.3	.	.
	Female	18	36.7	.	14	30.4	.	32	33.7	.	.
Current Age	20-24	3	6.1	.	0	0.0	.	3	3.2	.	.
	25-29	2	4.1	.	1	2.2	.	3	3.2	.	.
	30-39	11	22.4	.	5	10.9	.	16	16.8	.	.
	40-49	11	22.4	.	17	37.0	.	28	29.5	.	.
	50-59	19	38.8	.	16	34.8	.	35	36.8	.	.
	60+	3	6.1	.	7	15.2	.	10	10.5	.	.
Race/Ethnicity	White	29	59.2	.	26	56.5	.	55	57.9	.	.
	Black	7	14.3	.	7	15.2	.	14	14.7	.	.
	Hispanic	11	22.4	.	11	23.9	.	22	23.2	.	.
	Multi Race	2	4.1	.	2	4.3	.	4	4.2	.	.
Risk	MSM	19	38.8	.	17	37.0	.	36	37.9	.	.
	IDU	5	10.2	.	4	8.7	.	9	9.5	.	.
	MSM/IDU	0	0.0	.	2	4.3	.	2	2.1	.	.
	Heterosexual	10	20.4	.	12	26.1	.	22	23.2	.	.
	Fem Pres Het Cont	7	14.3	.	5	10.9	.	12	12.6	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.0	.	0	0.0	.	1	1.1	.	.
	Unk	7	14.3	.	6	13.0	.	13	13.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		31	100.0	18	100.0	49	100.0	32	100.0	14	100.0	46	100.0	63	100.0	32	100.0	95	100.0
Risk	MSM	19	61.3	0	0.0	19	38.8	17	53.1	0	0.0	17	37.0	36	57.1	0	0.0	36	37.9
	IDU	3	9.7	2	11.1	5	10.2	4	12.5	0	0.0	4	8.7	7	11.1	2	6.3	9	9.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	6.3	0	0.0	2	4.3	2	3.2	0	0.0	2	2.1
	Heterosexual	1	3.2	9	50.0	10	20.4	3	9.4	9	64.3	12	26.1	4	6.3	18	56.3	22	23.2
	Fem Pres Het Cont	0	0.0	7	38.9	7	14.3	0	0.0	5	35.7	5	10.9	0	0.0	12	37.5	12	12.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.2	0	0.0	1	2.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0	1	1.1
	Unk	7	22.6	0	0.0	7	14.3	6	18.8	0	0.0	6	13.0	13	20.6	0	0.0	13	13.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	3.7	1.7	100.0	1.5	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	3.7	91.7	.	1.7	100.0	.	0.0	0.0	1.3	100.0	1.3	100.0
	Female	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	1.0	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	16.7	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	16.7	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	1.3	33.3	.	0.3	20.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	60+	0.3	8.3	.	0.3	20.0	.	0.0	0.0	0.3	25.0	0.3	25.0
Race/Ethnicity	White	3.3	83.3	.	0.7	40.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Hispanic	0.3	8.3	.	1.0	60.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Multi Race	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	75.0	.	1.0	60.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	16.7	.	0.3	20.0	.	0.0	0.0	0.7	50.0	0.7	50.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.3	100.0	4.0	100.0	1.7	100.0	0.0	0.0	1.7	100.0
Risk	MSM	3.0	81.8	0.0	0.0	3.0	75.0	1.0	60.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.0	0.0	0.3	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	8.3	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	0.0	0.0	0.7	16.7	0.3	20.0	0.0	0.0	0.3	20.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	.	.
1987	.	1	.	1	1
1988	.	2	.	1	1
1989	.	2	.	1	1
1990	.	2	.	2	2
1991	.	1	.	.	.
1992	.	4	.	2	2
1993	.	6	.	6	6
1994	.	6	.	2	2
1995	.	6	.	3	3
1996	.	2	.	1	1
1997	.	1	.	2	2
1998	.	7	.	1	1
1999	.	2	.	.	.
2000*	1	1	.	.	.
2001	6	4	.	1	1
2002	8	4	1	1	2
2003	3	5	.	.	.
2004	3	2	.	.	.
2005	5	4	2	2	4
2006	2	4	.	1	1
2007	5	1	.	.	.
2008	3	1	.	.	.
2009	1	3	.	2	2
2010	4	1	.	2	2
2011	1	1	.	.	.
2012	7	3	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		382	100.0	102.0	620	100.0	165.5	1,002	100.0	267.5	374,512
Sex at Birth	Male	251	65.7	.	450	72.6	.	701	70.0	.	.
	Female	131	34.3	.	170	27.4	.	301	30.0	.	.
Current Age	12 & under	3	0.8	.	0	0.0	.	3	0.3	.	.
	13-19	6	1.6	.	1	0.2	.	7	0.7	.	.
	20-24	18	4.7	.	17	2.7	.	35	3.5	.	.
	25-29	28	7.3	.	9	1.5	.	37	3.7	.	.
	30-39	51	13.4	.	44	7.1	.	95	9.5	.	.
	40-49	98	25.7	.	175	28.2	.	273	27.2	.	.
	50-59	128	33.5	.	261	42.1	.	389	38.8	.	.
	60+	49	12.8	.	113	18.2	.	162	16.2	.	.
	Unk	1	0.3	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White	117	30.6	.	133	21.5	.	250	25.0	.	.
	Black	108	28.3	.	193	31.1	.	301	30.0	.	.
	Hispanic	116	30.4	.	213	34.4	.	329	32.8	.	.
	Multi Race	38	9.9	.	80	12.9	.	118	11.8	.	.
	Others	3	0.8	.	1	0.2	.	4	0.4	.	.
Risk	MSM	104	27.2	.	109	17.6	.	213	21.3	.	.
	IDU	70	18.3	.	210	33.9	.	280	27.9	.	.
	MSM/IDU	11	2.9	.	31	5.0	.	42	4.2	.	.
	Heterosexual	113	29.6	.	200	32.3	.	313	31.2	.	.
	Fem Pres Het Cont	28	7.3	.	12	1.9	.	40	4.0	.	.
	Blood Prod.	1	0.3	.	4	0.6	.	5	0.5	.	.
	Pediatric Risk	11	2.9	.	15	2.4	.	26	2.6	.	.
	Unk	44	11.5	.	39	6.3	.	83	8.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		251	100.0	131	100.0	382	100.0	450	100.0	170	100.0	620	100.0	701	100.0	301	100.0	1,002	100.0
Risk	MSM	104	41.4	0	0.0	104	27.2	109	24.2	0	0.0	109	17.6	213	30.4	0	0.0	213	21.3
	IDU	55	21.9	15	11.5	70	18.3	172	38.2	38	22.4	210	33.9	227	32.4	53	17.6	280	27.9
	MSM/IDU	11	4.4	0	0.0	11	2.9	31	6.9	0	0.0	31	5.0	42	6.0	0	0.0	42	4.2
	Heterosexual	29	11.6	84	64.1	113	29.6	89	19.8	111	65.3	200	32.3	118	16.8	195	64.8	313	31.2
	Fem Pres Het Cont	0	0.0	28	21.4	28	7.3	0	0.0	12	7.1	12	1.9	0	0.0	40	13.3	40	4.0
	Blood Prod.	1	0.4	0	0.0	1	0.3	2	0.4	2	1.2	4	0.6	3	0.4	2	0.7	5	0.5
	Pediatric Risk	7	2.8	4	3.1	11	2.9	8	1.8	7	4.1	15	2.4	15	2.1	11	3.7	26	2.6
	Unk	44	17.5	0	0.0	44	11.5	39	8.7	0	0.0	39	6.3	83	11.8	0	0.0	83	8.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		20.7	100.0	5.5	19.0	100.0	5.1	2.0	100.0	13.0	100.0	15.0	100.0
Sex at Birth	Male	13.3	64.5	.	12.0	63.2	.	1.7	83.3	10.0	76.9	11.7	77.8
	Female	7.3	35.5	.	7.0	36.8	.	0.3	16.7	3.0	23.1	3.3	22.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	3.2	.	0.7	3.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.0	19.4	.	1.3	7.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	6.5	.	1.7	8.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	4.3	21.0	.	5.0	26.3	.	0.3	16.7	0.7	5.1	1.0	6.7
	40-49	5.3	25.8	.	5.7	29.8	.	0.0	0.0	2.0	15.4	2.0	13.3
	50-59	2.3	11.3	.	3.7	19.3	.	0.3	16.7	5.3	41.0	5.7	37.8
	60+	2.7	12.9	.	1.0	5.3	.	1.3	66.7	5.0	38.5	6.3	42.2
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.3	16.1	.	4.7	24.6	.	0.0	0.0	2.0	15.4	2.0	13.3
	Black	8.0	38.7	.	6.0	31.6	.	1.3	66.7	3.0	23.1	4.3	28.9
	Hispanic	6.0	29.0	.	6.0	31.6	.	0.3	16.7	4.3	33.3	4.7	31.1
	Multi Race	3.0	14.5	.	2.0	10.5	.	0.3	16.7	3.7	28.2	4.0	26.7
	Others	0.3	1.6	.	0.3	1.8	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.3	40.3	.	5.7	29.8	.	0.0	0.0	3.0	23.1	3.0	20.0
	IDU	1.7	8.1	.	3.3	17.5	.	1.3	66.7	4.7	35.9	6.0	40.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	10.3	1.3	8.9
	Heterosexual	9.7	46.8	.	8.3	43.9	.	0.3	16.7	3.7	28.2	4.0	26.7
	Fem Pres Het Cont	0.3	1.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	3.5	.	0.3	16.7	0.0	0.0	0.3	2.2
	Unk	0.7	3.2	.	1.0	5.3	.	0.0	0.0	0.3	2.6	0.3	2.2

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13.3	100.0	7.3	100.0	20.7	100.0	12.0	100.0	7.0	100.0	19.0	100.0
Risk	MSM	8.3	62.5	0.0	0.0	8.3	40.3	5.7	47.2	0.0	0.0	5.7	29.8
	IDU	0.7	5.0	1.0	13.6	1.7	8.1	1.7	13.9	1.7	23.8	3.3	17.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	3.7	27.5	6.0	81.8	9.7	46.8	3.0	25.0	5.3	76.2	8.3	43.9
	Fem Pres Het Cont	0.0	0.0	0.3	4.5	0.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5.6	0.0	0.0	0.7	3.5
	Unk	0.7	5.0	0.0	0.0	0.7	3.2	1.0	8.3	0.0	0.0	1.0	5.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	62	.	36	36
1987	.	46	.	30	30
1988	.	49	.	31	31
1989	.	64	.	50	50
1990	.	83	.	34	34
1991	.	95	.	67	67
1992	.	114	.	70	70
1993	.	115	.	74	74
1994	.	120	.	67	67
1995	.	98	.	96	96
1996	.	69	.	54	54
1997	.	69	.	40	40
1998	.	39	.	26	26
1999	.	50	.	26	26
2000*	42	63	2	33	35
2001	42	56	2	21	23
2002	32	48	3	20	23
2003	44	80	4	28	32
2004	37	50	11	23	34
2005	46	48	2	29	31
2006	40	31	4	23	27
2007	36	31	1	24	25
2008	31	34	3	28	31
2009	33	30	5	18	23
2010	25	19	1	14	15
2011	20	20	3	11	14
2012	17	18	2	14	16

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		127	100.0	296.5	189	100.0	441.2	316	100.0	737.7	42,836
Sex at Birth	Male	27	21.3	.	61	32.3	.	88	27.8	.	.
	Female	100	78.7	.	128	67.7	.	228	72.2	.	.
Current Age	13-19	0	0.0	.	2	1.1	.	2	0.6	.	.
	20-24	2	1.6	.	1	0.5	.	3	0.9	.	.
	25-29	3	2.4	.	2	1.1	.	5	1.6	.	.
	30-39	15	11.8	.	10	5.3	.	25	7.9	.	.
	40-49	36	28.3	.	73	38.6	.	109	34.5	.	.
	50-59	48	37.8	.	79	41.8	.	127	40.2	.	.
	60+	23	18.1	.	22	11.6	.	45	14.2	.	.
Race/Ethnicity	White	14	11.0	.	23	12.2	.	37	11.7	.	.
	Black	43	33.9	.	88	46.6	.	131	41.5	.	.
	Hispanic	65	51.2	.	72	38.1	.	137	43.4	.	.
	Multi Race	5	3.9	.	6	3.2	.	11	3.5	.	.
Risk	MSM	10	7.9	.	20	10.6	.	30	9.5	.	.
	IDU	38	29.9	.	88	46.6	.	126	39.9	.	.
	MSM/IDU	3	2.4	.	4	2.1	.	7	2.2	.	.
	Heterosexual	7	5.5	.	22	11.6	.	29	9.2	.	.
	Fem Pres Het Cont	62	48.8	.	42	22.2	.	104	32.9	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	7	5.5	.	13	6.9	.	20	6.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	100	100.0	127	100.0	61	100.0	128	100.0	189	100.0	88	100.0	228	100.0	316	100.0
Risk	MSM	10	37.0	0	0.0	10	7.9	20	32.8	0	0.0	20	10.6	30	34.1	0	0.0	30	9.5
	IDU	7	25.9	31	31.0	38	29.9	22	36.1	66	51.6	88	46.6	29	33.0	97	42.5	126	39.9
	MSM/IDU	3	11.1	0	0.0	3	2.4	4	6.6	0	0.0	4	2.1	7	8.0	0	0.0	7	2.2
	Heterosexual	0	0.0	7	7.0	7	5.5	2	3.3	20	15.6	22	11.6	2	2.3	27	11.8	29	9.2
	Fem Pres Het Cont	0	0.0	62	62.0	62	48.8	0	0.0	42	32.8	42	22.2	0	0.0	104	45.6	104	32.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	7	25.9	0	0.0	7	5.5	13	21.3	0	0.0	13	6.9	20	22.7	0	0.0	20	6.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	8.6	3.0	100.0	7.0	1.0	100.0	2.0	100.0	3.0	100.0
Sex at Birth	Male	2.3	63.6	.	2.0	66.7	.	0.3	33.3	1.0	50.0	1.3	44.4
	Female	1.3	36.4	.	1.0	33.3	.	0.7	66.7	1.0	50.0	1.7	55.6
Age at Diagnosis	13-19	0.0	0.0	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	18.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	27.3	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	18.2	.	1.3	44.4	.	0.3	33.3	1.0	50.0	1.3	44.4
	50-59	0.3	9.1	.	0.3	11.1	.	0.3	33.3	0.7	33.3	1.0	33.3
	60+	0.0	0.0	.	0.0	0.0	.	0.3	33.3	0.3	16.7	0.7	22.2
Race/Ethnicity	White	2.0	54.5	.	0.7	22.2	.	0.3	33.3	0.3	16.7	0.7	22.2
	Black	1.0	27.3	.	2.0	66.7	.	0.3	33.3	1.0	50.0	1.3	44.4
	Hispanic	0.7	18.2	.	0.3	11.1	.	0.3	33.3	0.3	16.7	0.7	22.2
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	11.1
Risk	MSM	1.7	45.5	.	1.3	44.4	.	0.0	0.0	0.3	16.7	0.3	11.1
	IDU	0.0	0.0	.	0.3	11.1	.	0.7	66.7	0.7	33.3	1.3	44.4
	MSM/IDU	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	11.1
	Heterosexual	0.3	9.1	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	11.1
	Fem Pres Het Cont	1.0	27.3	.	0.7	22.2	.	0.0	0.0	0.3	16.7	0.3	11.1
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	11.1

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	1.3	100.0	3.7	100.0	2.0	100.0	1.0	100.0	3.0	100.0
Risk	MSM	1.7	71.4	0.0	0.0	1.7	45.5	1.3	66.7	0.0	0.0	1.3	44.4
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	11.1
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	11.1
	Heterosexual	0.0	0.0	0.3	25.0	0.3	9.1	0.0	0.0	0.3	33.3	0.3	11.1
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	27.3	0.0	0.0	0.7	66.7	0.7	22.2
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	0.0	0.0	0.7	18.2	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	10	.	6	6
1987	.	8	.	3	3
1988	.	11	.	5	5
1989	.	14	.	9	9
1990	.	18	.	4	4
1991	.	26	.	13	13
1992	.	36	.	15	15
1993	.	28	.	18	18
1994	.	41	.	16	16
1995	.	27	.	24	24
1996	.	28	.	10	10
1997	.	26	.	4	4
1998	.	11	.	4	4
1999	.	14	.	5	5
2000*	16	6	1	3	4
2001	4	10	1	3	4
2002	5	11	2	7	9
2003	7	12	1	5	6
2004	3	6	1	4	5
2005	3	7	.	7	7
2006	5	3	.	8	8
2007	3	5	2	2	4
2008	4	6	1	3	4
2009	2	3	1	6	7
2010	1	2	1	2	3
2011	7	4	2	2	4
2012	3	3	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		40	100.0	32.9	54	100.0	44.4	94	100.0	77.2	121,700
Sex at Birth	Male	32	80.0	.	48	88.9	.	80	85.1	.	.
	Female	8	20.0	.	6	11.1	.	14	14.9	.	.
Current Age	13-19	1	2.5	.	0	0.0	.	1	1.1	.	.
	20-24	1	2.5	.	3	5.6	.	4	4.3	.	.
	25-29	4	10.0	.	1	1.9	.	5	5.3	.	.
	30-39	8	20.0	.	6	11.1	.	14	14.9	.	.
	40-49	13	32.5	.	23	42.6	.	36	38.3	.	.
	50-59	9	22.5	.	15	27.8	.	24	25.5	.	.
	60+	4	10.0	.	6	11.1	.	10	10.6	.	.
Race/Ethnicity	White	35	87.5	.	44	81.5	.	79	84.0	.	.
	Black	1	2.5	.	4	7.4	.	5	5.3	.	.
	Hispanic	2	5.0	.	4	7.4	.	6	6.4	.	.
	Multi Race	2	5.0	.	2	3.7	.	4	4.3	.	.
Risk	MSM	26	65.0	.	33	61.1	.	59	62.8	.	.
	IDU	0	0.0	.	5	9.3	.	5	5.3	.	.
	MSM/IDU	3	7.5	.	2	3.7	.	5	5.3	.	.
	Heterosexual	7	17.5	.	8	14.8	.	15	16.0	.	.
	Fem Pres Het Cont	2	5.0	.	1	1.9	.	3	3.2	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	5.0	.	5	9.3	.	7	7.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		32	100.0	8	100.0	40	100.0	48	100.0	6	100.0	54	100.0	80	100.0	14	100.0	94	100.0
Risk	MSM	26	81.3	0	0.0	26	65.0	33	68.8	0	0.0	33	61.1	59	73.8	0	0.0	59	62.8
	IDU	0	0.0	0	0.0	0	0.0	5	10.4	0	0.0	5	9.3	5	6.3	0	0.0	5	5.3
	MSM/IDU	3	9.4	0	0.0	3	7.5	2	4.2	0	0.0	2	3.7	5	6.3	0	0.0	5	5.3
	Heterosexual	1	3.1	6	75.0	7	17.5	3	6.3	5	83.3	8	14.8	4	5.0	11	78.6	15	16.0
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.0	0	0.0	1	16.7	1	1.9	0	0.0	3	21.4	3	3.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	6.3	0	0.0	2	5.0	5	10.4	0	0.0	5	9.3	7	8.8	0	0.0	7	7.4

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	3.0	4.3	100.0	3.6	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	3.3	90.9	.	3.7	84.6	.	0.0	0.0	1.0	75.0	1.0	75.0
	Female	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.3	25.0	0.3	25.0
Age at Diagnosis	13-19	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	27.3	.	0.7	15.4	.	0.0	0.0	0.7	50.0	0.7	50.0
	40-49	0.7	18.2	.	1.0	23.1	.	0.0	0.0	0.3	25.0	0.3	25.0
	50-59	0.7	18.2	.	0.7	15.4	.	0.0	0.0	0.3	25.0	0.3	25.0
	60+	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	3.0	81.8	.	3.3	76.9	.	0.0	0.0	1.0	75.0	1.0	75.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Hispanic	0.3	9.1	.	0.7	15.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	81.8	.	3.0	69.2	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.3	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	9.1	.	0.3	7.7	.	0.0	0.0	0.3	25.0	0.3	25.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.3	100.0	3.7	100.0	3.7	100.0	0.7	100.0	4.3	100.0
Risk	MSM	3.0	90.0	0.0	0.0	3.0	81.8	3.0	81.8	0.0	0.0	3.0	69.2
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.0	0.0	0.3	7.7
	Heterosexual	0.0	0.0	0.3	100.0	0.3	9.1	0.0	0.0	0.3	50.0	0.3	7.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	7.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	10.0	0.0	0.0	0.3	9.1	0.3	9.1	0.0	0.0	0.3	7.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	4	.	2	2
1987	.	.	.	1	1
1988	.	4	.	.	.
1989	.	8	.	6	6
1990	.	2	.	3	3
1991	.	4	.	4	4
1992	.	9	.	2	2
1993	.	5	.	7	7
1994	.	3	.	2	2
1995	.	8	.	4	4
1996	.	5	.	4	4
1997	.	6	.	.	.
1998	.	2	.	.	.
1999	.	6	.	1	1
2000*	1	1	.	1	1
2001	3	1	.	1	1
2002	11	8	.	.	.
2003	4	1	.	4	4
2004	3	4	.	.	.
2005	3	7	2	4	6
2006	3	4	.	1	1
2007	5	1	.	1	1
2008	5	.	.	1	1
2009	6	3	.	3	3
2010	6	7	.	2	2
2011	3	3	.	1	1
2012	2	3	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		26	100.0	42.1	32	100.0	51.9	58	100.0	94.0	61,709
Sex at Birth	Male	19	73.1	.	21	65.6	.	40	69.0	.	.
	Female	7	26.9	.	11	34.4	.	18	31.0	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	7.7	.	0	0.0	.	2	3.4	.	.
	25-29	2	7.7	.	1	3.1	.	3	5.2	.	.
	30-39	4	15.4	.	5	15.6	.	9	15.5	.	.
	40-49	8	30.8	.	9	28.1	.	17	29.3	.	.
	50-59	7	26.9	.	7	21.9	.	14	24.1	.	.
	60+	3	11.5	.	10	31.3	.	13	22.4	.	.
Race/Ethnicity	White	14	53.8	.	20	62.5	.	34	58.6	.	.
	Black	5	19.2	.	2	6.3	.	7	12.1	.	.
	Hispanic	3	11.5	.	6	18.8	.	9	15.5	.	.
	Multi Race	3	11.5	.	4	12.5	.	7	12.1	.	.
	Others	1	3.8	.	0	0.0	.	1	1.7	.	.
Risk	MSM	9	34.6	.	12	37.5	.	21	36.2	.	.
	IDU	2	7.7	.	4	12.5	.	6	10.3	.	.
	MSM/IDU	0	0.0	.	3	9.4	.	3	5.2	.	.
	Heterosexual	7	26.9	.	7	21.9	.	14	24.1	.	.
	Fem Pres Het Cont	2	7.7	.	3	9.4	.	5	8.6	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	23.1	.	3	9.4	.	9	15.5	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	7	100.0	26	100.0	21	100.0	11	100.0	32	100.0	40	100.0	18	100.0	58	100.0
Risk	MSM	9	47.4	0	0.0	9	34.6	12	57.1	0	0.0	12	37.5	21	52.5	0	0.0	21	36.2
	IDU	1	5.3	1	14.3	2	7.7	2	9.5	2	18.2	4	12.5	3	7.5	3	16.7	6	10.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	3	14.3	0	0.0	3	9.4	3	7.5	0	0.0	3	5.2
	Heterosexual	3	15.8	4	57.1	7	26.9	1	4.8	6	54.5	7	21.9	4	10.0	10	55.6	14	24.1
	Fem Pres Het Cont	0	0.0	2	28.6	2	7.7	0	0.0	3	27.3	3	9.4	0	0.0	5	27.8	5	8.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	31.6	0	0.0	6	23.1	3	14.3	0	0.0	3	9.4	9	22.5	0	0.0	9	15.5

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	3.2	1.0	100.0	1.6	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.7	83.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.7	100.0	0.7	100.0
Age at Diagnosis	13-19	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	50.0	.	0.7	66.7	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Race/Ethnicity	White	1.3	66.7	.	1.0	100.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	16.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	33.3	.	0.3	33.3	.	0.0	0.0	0.7	100.0	0.7	100.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	50.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	0.3	20.0	0.0	0.0	0.3	16.7	0.3	50.0	0.0	0.0	0.3	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	0.3	100.0	0.7	33.3	0.0	0.0	0.3	100.0	0.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	60.0	0.0	0.0	1.0	50.0	0.3	50.0	0.0	0.0	0.3	33.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	1	1
1987	.	1	.	.	.
1988	.	3	.	2	2
1989	.	10	.	3	3
1990	.	2	.	4	4
1991	.	4	.	4	4
1992	.	5	.	3	3
1993	.	5	.	.	.
1994	.	2	.	4	4
1995	.	7	.	6	6
1996	.	7	.	4	4
1997	.	2	.	.	.
1998	.	1	.	.	.
1999	.	3	.	2	2
2000*	6	5	.	2	2
2001	4
2002	5	2	.	1	1
2003	3	5	.	.	.
2004	2	2	.	2	2
2005	2	5	.	1	1
2006	3	2	.	5	5
2007	3	1	.	1	1
2008	1	1	.	3	3
2009	.	2	.	1	1
2010	4	1	.	.	.
2011	1	1	.	2	2
2012	1	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		47	100.0	47.2	89	100.0	89.4	136	100.0	136.5	99,607
Sex at Birth	Male	33	70.2	.	61	68.5	.	94	69.1	.	.
	Female	14	29.8	.	28	31.5	.	42	30.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.1	.	1	0.7	.	.
	20-24	1	2.1	.	1	1.1	.	2	1.5	.	.
	25-29	2	4.3	.	1	1.1	.	3	2.2	.	.
	30-39	8	17.0	.	9	10.1	.	17	12.5	.	.
	40-49	22	46.8	.	19	21.3	.	41	30.1	.	.
	50-59	10	21.3	.	38	42.7	.	48	35.3	.	.
	60+	4	8.5	.	20	22.5	.	24	17.6	.	.
Race/Ethnicity	White	22	46.8	.	48	53.9	.	70	51.5	.	.
	Black	9	19.1	.	14	15.7	.	23	16.9	.	.
	Hispanic	12	25.5	.	23	25.8	.	35	25.7	.	.
	Multi Race	3	6.4	.	4	4.5	.	7	5.1	.	.
	Others	1	2.1	.	0	0.0	.	1	0.7	.	.
Risk	MSM	20	42.6	.	35	39.3	.	55	40.4	.	.
	IDU	9	19.1	.	18	20.2	.	27	19.9	.	.
	MSM/IDU	2	4.3	.	4	4.5	.	6	4.4	.	.
	Heterosexual	9	19.1	.	22	24.7	.	31	22.8	.	.
	Fem Pres Het Cont	1	2.1	.	4	4.5	.	5	3.7	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.4	.	3	2.2	.	.
	Unk	6	12.8	.	3	3.4	.	9	6.6	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		33	100.0	14	100.0	47	100.0	61	100.0	28	100.0	89	100.0	94	100.0	42	100.0	136	100.0
Risk	MSM	20	60.6	0	0.0	20	42.6	35	57.4	0	0.0	35	39.3	55	58.5	0	0.0	55	40.4
	IDU	2	6.1	7	50.0	9	19.1	7	11.5	11	39.3	18	20.2	9	9.6	18	42.9	27	19.9
	MSM/IDU	2	6.1	0	0.0	2	4.3	4	6.6	0	0.0	4	4.5	6	6.4	0	0.0	6	4.4
	Heterosexual	3	9.1	6	42.9	9	19.1	11	18.0	11	39.3	22	24.7	14	14.9	17	40.5	31	22.8
	Fem Pres Het Cont	0	0.0	1	7.1	1	2.1	0	0.0	4	14.3	4	4.5	0	0.0	5	11.9	5	3.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.6	2	7.1	3	3.4	1	1.1	2	4.8	3	2.2
	Unk	6	18.2	0	0.0	6	12.8	3	4.9	0	0.0	3	3.4	9	9.6	0	0.0	9	6.6

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	5.4	4.0	100.0	4.0	0.0	0.0	1.7	100.0	1.7	100.0
Sex at Birth	Male	3.7	68.8	.	2.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	Female	1.7	31.3	.	2.0	50.0	.	0.0	0.0	0.7	40.0	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	12.5	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	12.5	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.3	43.8	.	1.7	41.7	.	0.0	0.0	0.7	40.0	0.7	40.0
	50-59	0.7	12.5	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	12.5	.	0.3	8.3	.	0.0	0.0	1.0	60.0	1.0	60.0
Race/Ethnicity	White	3.7	68.8	.	2.0	50.0	.	0.0	0.0	1.0	60.0	1.0	60.0
	Black	0.0	0.0	.	1.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	1.3	25.0	.	0.7	16.7	.	0.0	0.0	0.7	40.0	0.7	40.0
	Multi Race	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	50.0	.	1.7	41.7	.	0.0	0.0	0.3	20.0	0.3	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	12.5	.	1.3	33.3	.	0.0	0.0	0.7	40.0	0.7	40.0
	Fem Pres Het Cont	1.0	18.8	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	12.5	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	40.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk****Includes State Prison Inmates³**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.7	100.0	5.3	100.0	2.0	100.0	2.0	100.0	4.0	100.0
Risk	MSM	2.7	72.7	0.0	0.0	2.7	50.0	1.7	83.3	0.0	0.0	1.7	41.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	9.1	0.0	0.0	0.3	6.3	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	40.0	0.7	12.5	0.3	16.7	1.0	50.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	1.0	60.0	1.0	18.8	0.0	0.0	0.7	33.3	0.7	16.7
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.3	8.3
	Unk	0.7	18.2	0.0	0.0	0.7	12.5	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	9	.	8	8
1987	.	9	.	6	6
1988	.	10	.	5	5
1989	.	8	.	4	4
1990	.	9	.	8	8
1991	.	12	.	3	3
1992	.	16	.	7	7
1993	.	12	.	15	15
1994	.	12	.	13	13
1995	.	17	.	14	14
1996	.	11	.	6	6
1997	.	7	.	3	3
1998	.	10	.	4	4
1999	.	10	.	1	1
2000*	9	4	.	3	3
2001	3	5	.	.	.
2002	3	2	.	2	2
2003	4	4	.	1	1
2004	2	2	1	1	2
2005	3	1	1	1	2
2006	5	5	1	.	1
2007	5	8	.	1	1
2008	2	3	.	1	1
2009	9	3	1	1	2
2010	7	6	.	.	.
2011	4	2	.	3	3
2012	5	4	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		108	100.0	67.6	154	100.0	96.3	262	100.0	163.9	159,835
Sex at Birth	Male	67	62.0	.	110	71.4	.	177	67.6	.	.
	Female	41	38.0	.	44	28.6	.	85	32.4	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	0.9	.	0	0.0	.	1	0.4	.	.
	20-24	6	5.6	.	2	1.3	.	8	3.1	.	.
	25-29	9	8.3	.	3	1.9	.	12	4.6	.	.
	30-39	19	17.6	.	16	10.4	.	35	13.4	.	.
	40-49	39	36.1	.	50	32.5	.	89	34.0	.	.
	50-59	25	23.1	.	58	37.7	.	83	31.7	.	.
	60+	9	8.3	.	25	16.2	.	34	13.0	.	.
Race/Ethnicity	White	55	50.9	.	84	54.5	.	139	53.1	.	.
	Black	23	21.3	.	35	22.7	.	58	22.1	.	.
	Hispanic	16	14.8	.	18	11.7	.	34	13.0	.	.
	Multi Race	13	12.0	.	16	10.4	.	29	11.1	.	.
	Others	1	0.9	.	1	0.6	.	2	0.8	.	.
Risk	MSM	43	39.8	.	55	35.7	.	98	37.4	.	.
	IDU	11	10.2	.	23	14.9	.	34	13.0	.	.
	MSM/IDU	6	5.6	.	8	5.2	.	14	5.3	.	.
	Heterosexual	24	22.2	.	28	18.2	.	52	19.8	.	.
	Fem Pres Het Cont	13	12.0	.	12	7.8	.	25	9.5	.	.
	Blood Prod.	0	0.0	.	2	1.3	.	2	0.8	.	.
	Pediatric Risk	1	0.9	.	3	1.9	.	4	1.5	.	.
	Unk	10	9.3	.	23	14.9	.	33	12.6	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		67	100.0	41	100.0	108	100.0	110	100.0	44	100.0	154	100.0	177	100.0	85	100.0	262	100.0
Risk	MSM	43	64.2	0	0.0	43	39.8	55	50.0	0	0.0	55	35.7	98	55.4	0	0.0	98	37.4
	IDU	6	9.0	5	12.2	11	10.2	14	12.7	9	20.5	23	14.9	20	11.3	14	16.5	34	13.0
	MSM/IDU	6	9.0	0	0.0	6	5.6	8	7.3	0	0.0	8	5.2	14	7.9	0	0.0	14	5.3
	Heterosexual	1	1.5	23	56.1	24	22.2	8	7.3	20	45.5	28	18.2	9	5.1	43	50.6	52	19.8
	Fem Pres Het Cont	0	0.0	13	31.7	13	12.0	0	0.0	12	27.3	12	7.8	0	0.0	25	29.4	25	9.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.9	1	2.3	2	1.3	1	0.6	1	1.2	2	0.8
	Pediatric Risk	1	1.5	0	0.0	1	0.9	1	0.9	2	4.5	3	1.9	2	1.1	2	2.4	4	1.5
	Unk	10	14.9	0	0.0	10	9.3	23	20.9	0	0.0	23	14.9	33	18.6	0	0.0	33	12.6

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		9.3	100.0	5.8	6.7	100.0	4.2	1.3	100.0	5.3	100.0	6.7	100.0
Sex at Birth	Male	7.3	78.6	.	6.3	95.0	.	0.7	50.0	4.7	87.5	5.3	80.0
	Female	2.0	21.4	.	0.3	5.0	.	0.7	50.0	0.7	12.5	1.3	20.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	17.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	14.3	.	1.0	15.0	.	0.3	25.0	0.0	0.0	0.3	5.0
	30-39	0.7	7.1	.	0.7	10.0	.	0.0	0.0	0.3	6.3	0.3	5.0
	40-49	3.3	35.7	.	1.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.3	14.3	.	1.7	25.0	.	0.3	25.0	4.0	75.0	4.3	65.0
	60+	0.7	7.1	.	1.7	25.0	.	0.7	50.0	1.0	18.8	1.7	25.0
Race/Ethnicity	White	4.0	42.9	.	3.7	55.0	.	0.3	25.0	2.0	37.5	2.3	35.0
	Black	4.0	42.9	.	2.3	35.0	.	0.7	50.0	1.7	31.3	2.3	35.0
	Hispanic	0.7	7.1	.	0.7	10.0	.	0.0	0.0	0.7	12.5	0.7	10.0
	Multi Race	0.7	7.1	.	0.0	0.0	.	0.3	25.0	1.0	18.8	1.3	20.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.0	42.9	.	2.0	30.0	.	0.0	0.0	1.0	18.8	1.0	15.0
	IDU	0.3	3.6	.	0.7	10.0	.	0.3	25.0	2.7	50.0	3.0	45.0
	MSM/IDU	0.3	3.6	.	0.3	5.0	.	0.0	0.0	0.3	6.3	0.3	5.0
	Heterosexual	1.0	10.7	.	0.7	10.0	.	0.3	25.0	0.3	6.3	0.7	10.0
	Fem Pres Het Cont	1.7	17.9	.	0.3	5.0	.	0.3	25.0	0.0	0.0	0.3	5.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.0	21.4	.	2.7	40.0	.	0.3	25.0	1.0	18.8	1.3	20.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

*Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Includes State Prison Inmates³*

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.3	100.0	2.0	100.0	9.3	100.0	6.3	100.0	0.3	100.0	6.7	100.0
Risk	MSM	4.0	54.5	0.0	0.0	4.0	42.9	2.0	31.6	0.0	0.0	2.0	30.0
	IDU	0.3	4.5	0.0	0.0	0.3	3.6	0.7	10.5	0.0	0.0	0.7	10.0
	MSM/IDU	0.3	4.5	0.0	0.0	0.3	3.6	0.3	5.3	0.0	0.0	0.3	5.0
	Heterosexual	0.7	9.1	0.3	16.7	1.0	10.7	0.7	10.5	0.0	0.0	0.7	10.0
	Fem Pres Het Cont	0.0	0.0	1.7	83.3	1.7	17.9	0.0	0.0	0.3	100.0	0.3	5.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.0	27.3	0.0	0.0	2.0	21.4	2.7	42.1	0.0	0.0	2.7	40.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	5	.	2	2
1987	.	6	.	4	4
1988	.	6	.	4	4
1989	.	13	.	3	3
1990	.	14	.	8	8
1991	.	20	.	10	10
1992	.	29	.	12	12
1993	.	19	.	17	17
1994	.	21	.	11	11
1995	.	21	.	14	14
1996	.	21	.	12	12
1997	.	6	.	8	8
1998	.	9	.	2	2
1999	.	12	.	5	5
2000*	10	14	.	5	5
2001	8	6	1	7	8
2002	14	17	.	5	5
2003	14	16	.	7	7
2004	22	15	1	6	7
2005	11	9	3	7	10
2006	8	11	.	5	5
2007	9	12	1	4	5
2008	15	8	2	6	8
2009	7	5	1	5	6
2010	14	10	3	6	9
2011	8	5	1	7	8
2012	6	5	.	3	3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		269	100.0	84.7	506	100.0	159.2	775	100.0	243.9	317,757
Sex at Birth	Male	161	59.9	.	351	69.4	.	512	66.1	.	.
	Female	108	40.1	.	155	30.6	.	263	33.9	.	.
Current Age	12 & under	2	0.7	.	0	0.0	.	2	0.3	.	.
	13-19	14	5.2	.	5	1.0	.	19	2.5	.	.
	20-24	7	2.6	.	10	2.0	.	17	2.2	.	.
	25-29	10	3.7	.	5	1.0	.	15	1.9	.	.
	30-39	55	20.4	.	42	8.3	.	97	12.5	.	.
	40-49	86	32.0	.	139	27.5	.	225	29.0	.	.
	50-59	62	23.0	.	203	40.1	.	265	34.2	.	.
	60+	33	12.3	.	102	20.2	.	135	17.4	.	.
Race/Ethnicity	White	53	19.7	.	90	17.8	.	143	18.5	.	.
	Black	107	39.8	.	227	44.9	.	334	43.1	.	.
	Hispanic	77	28.6	.	129	25.5	.	206	26.6	.	.
	Multi Race	30	11.2	.	60	11.9	.	90	11.6	.	.
	Others	2	0.7	.	0	0.0	.	2	0.3	.	.
Risk	MSM	67	24.9	.	97	19.2	.	164	21.2	.	.
	IDU	24	8.9	.	92	18.2	.	116	15.0	.	.
	MSM/IDU	6	2.2	.	25	4.9	.	31	4.0	.	.
	Heterosexual	116	43.1	.	198	39.1	.	314	40.5	.	.
	Fem Pres Het Cont	13	4.8	.	17	3.4	.	30	3.9	.	.
	Blood Prod.	0	0.0	.	2	0.4	.	2	0.3	.	.
	Pediatric Risk	17	6.3	.	12	2.4	.	29	3.7	.	.
	Unk	26	9.7	.	63	12.5	.	89	11.5	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		161	100.0	108	100.0	269	100.0	351	100.0	155	100.0	506	100.0	512	100.0	263	100.0	775	100.0
Risk	MSM	67	41.6	0	0.0	67	24.9	97	27.6	0	0.0	97	19.2	164	32.0	0	0.0	164	21.2
	IDU	12	7.5	12	11.1	24	8.9	67	19.1	25	16.1	92	18.2	79	15.4	37	14.1	116	15.0
	MSM/IDU	6	3.7	0	0.0	6	2.2	25	7.1	0	0.0	25	4.9	31	6.1	0	0.0	31	4.0
	Heterosexual	42	26.1	74	68.5	116	43.1	90	25.6	108	69.7	198	39.1	132	25.8	182	69.2	314	40.5
	Fem Pres Het Cont	0	0.0	13	12.0	13	4.8	0	0.0	17	11.0	17	3.4	0	0.0	30	11.4	30	3.9
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.3	1	0.6	2	0.4	1	0.2	1	0.4	2	0.3
	Pediatric Risk	8	5.0	9	8.3	17	6.3	8	2.3	4	2.6	12	2.4	16	3.1	13	4.9	29	3.7
	Unk	26	16.1	0	0.0	26	9.7	63	17.9	0	0.0	63	12.5	89	17.4	0	0.0	89	11.5

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		24.0	100.0	7.6	15.7	100.0	4.9	2.7	100.0	12.0	100.0	14.7	100.0
Sex at Birth	Male	15.7	65.3	.	10.3	66.0	.	2.7	100.0	9.0	75.0	11.7	79.5
	Female	8.3	34.7	.	5.3	34.0	.	0.0	0.0	3.0	25.0	3.0	20.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	2.8	.	0.3	2.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	6.9	.	1.3	8.5	.	0.0	0.0	0.3	2.8	0.3	2.3
	25-29	4.0	16.7	.	1.0	6.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	5.3	22.2	.	3.0	19.1	.	0.3	12.5	1.3	11.1	1.7	11.4
	40-49	6.0	25.0	.	4.3	27.7	.	0.3	12.5	2.3	19.4	2.7	18.2
	50-59	2.7	11.1	.	3.7	23.4	.	1.0	37.5	4.3	36.1	5.3	36.4
	60+	3.7	15.3	.	2.0	12.8	.	1.0	37.5	3.7	30.6	4.7	31.8
Race/Ethnicity	White	3.7	15.3	.	3.7	23.4	.	0.7	25.0	2.7	22.2	3.3	22.7
	Black	10.7	44.4	.	7.3	46.8	.	1.3	50.0	4.7	38.9	6.0	40.9
	Hispanic	8.0	33.3	.	4.0	25.5	.	0.3	12.5	3.0	25.0	3.3	22.7
	Multi Race	1.7	6.9	.	0.7	4.3	.	0.3	12.5	1.7	13.9	2.0	13.6
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	6.3	26.4	.	3.7	23.4	.	0.7	25.0	3.0	25.0	3.7	25.0
	IDU	1.3	5.6	.	2.0	12.8	.	0.3	12.5	2.7	22.2	3.0	20.5
	MSM/IDU	1.0	4.2	.	0.3	2.1	.	0.3	12.5	0.0	0.0	0.3	2.3
	Heterosexual	14.3	59.7	.	7.7	48.9	.	1.3	50.0	5.0	41.7	6.3	43.2
	Fem Pres Het Cont	0.3	1.4	.	0.7	4.3	.	0.0	0.0	0.3	2.8	0.3	2.3
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	2.1	.	0.0	0.0	0.3	2.8	0.3	2.3
	Unk	0.7	2.8	.	1.0	6.4	.	0.0	0.0	0.7	5.6	0.7	4.5

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		15.7	100.0	8.3	100.0	24.0	100.0	10.3	100.0	5.3	100.0	15.7	100.0
Risk	MSM	6.3	40.4	0.0	0.0	6.3	26.4	3.7	35.5	0.0	0.0	3.7	23.4
	IDU	0.7	4.3	0.7	8.0	1.3	5.6	1.7	16.1	0.3	6.3	2.0	12.8
	MSM/IDU	1.0	6.4	0.0	0.0	1.0	4.2	0.3	3.2	0.0	0.0	0.3	2.1
	Heterosexual	7.0	44.7	7.3	88.0	14.3	59.7	3.3	32.3	4.3	81.3	7.7	48.9
	Fem Pres Het Cont	0.0	0.0	0.3	4.0	0.3	1.4	0.0	0.0	0.7	12.5	0.7	4.3
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.2	0.0	0.0	0.3	2.1
	Unk	0.7	4.3	0.0	0.0	0.7	2.8	1.0	9.7	0.0	0.0	1.0	6.4

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	51	.	35	35
1987	.	28	.	16	16
1988	.	29	.	17	17
1989	.	46	.	33	33
1990	.	30	.	27	27
1991	.	52	.	20	20
1992	.	92	.	47	47
1993	.	81	.	49	49
1994	.	67	.	49	49
1995	.	57	.	46	46
1996	.	55	.	27	27
1997	.	36	.	15	15
1998	.	43	.	19	19
1999	.	32	.	21	21
2000*	29	80	.	14	14
2001	32	56	.	20	20
2002	24	31	1	21	22
2003	31	27	4	22	26
2004	35	32	4	12	16
2005	38	47	1	12	13
2006	33	26	3	14	17
2007	14	21	1	5	6
2008	24	20	2	11	13
2009	20	20	1	13	14
2010	23	16	.	12	12
2011	28	15	5	12	17
2012	21	16	3	12	15

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		131	100.0	117.3	161	100.0	144.1	292	100.0	261.4	111,690
Sex at Birth	Male	114	87.0	.	147	91.3	.	261	89.4	.	.
	Female	17	13.0	.	14	8.7	.	31	10.6	.	.
Current Age	13-19	2	1.5	.	0	0.0	.	2	0.7	.	.
	20-24	1	0.8	.	0	0.0	.	1	0.3	.	.
	25-29	6	4.6	.	1	0.6	.	7	2.4	.	.
	30-39	13	9.9	.	12	7.5	.	25	8.6	.	.
	40-49	43	32.8	.	58	36.0	.	101	34.6	.	.
	50-59	47	35.9	.	70	43.5	.	117	40.1	.	.
	60+	19	14.5	.	20	12.4	.	39	13.4	.	.
Race/Ethnicity	White	36	27.5	.	36	22.4	.	72	24.7	.	.
	Black	38	29.0	.	45	28.0	.	83	28.4	.	.
	Hispanic	50	38.2	.	70	43.5	.	120	41.1	.	.
	Multi Race	7	5.3	.	10	6.2	.	17	5.8	.	.
Risk	MSM	19	14.5	.	24	14.9	.	43	14.7	.	.
	IDU	30	22.9	.	52	32.3	.	82	28.1	.	.
	MSM/IDU	3	2.3	.	11	6.8	.	14	4.8	.	.
	Heterosexual	9	6.9	.	18	11.2	.	27	9.2	.	.
	Fem Pres Het Cont	6	4.6	.	6	3.7	.	12	4.1	.	.
	Blood Prod.	1	0.8	.	0	0.0	.	1	0.3	.	.
	Pediatric Risk	2	1.5	.	0	0.0	.	2	0.7	.	.
	Unk	61	46.6	.	50	31.1	.	111	38.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		114	100.0	17	100.0	131	100.0	147	100.0	14	100.0	161	100.0	261	100.0	31	100.0	292	100.0
Risk	MSM	19	16.7	0	0.0	19	14.5	24	16.3	0	0.0	24	14.9	43	16.5	0	0.0	43	14.7
	IDU	25	21.9	5	29.4	30	22.9	52	35.4	0	0.0	52	32.3	77	29.5	5	16.1	82	28.1
	MSM/IDU	3	2.6	0	0.0	3	2.3	11	7.5	0	0.0	11	6.8	14	5.4	0	0.0	14	4.8
	Heterosexual	4	3.5	5	29.4	9	6.9	10	6.8	8	57.1	18	11.2	14	5.4	13	41.9	27	9.2
	Fem Pres Het Cont	0	0.0	6	35.3	6	4.6	0	0.0	6	42.9	6	3.7	0	0.0	12	38.7	12	4.1
	Blood Prod.	1	0.9	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.3
	Pediatric Risk	1	0.9	1	5.9	2	1.5	0	0.0	0	0.0	0	0.0	1	0.4	1	3.2	2	0.7
	Unk	61	53.5	0	0.0	61	46.6	50	34.0	0	0.0	50	31.1	111	42.5	0	0.0	111	38.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	3.6	3.3	100.0	3.0	0.0	0.0	2.7	100.0	2.7	100.0
Sex at Birth	Male	3.7	91.7	.	3.0	90.0	.	0.0	0.0	2.7	100.0	2.7	100.0
	Female	0.3	8.3	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	25.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	25.0	.	1.3	40.0	.	0.0	0.0	0.7	25.0	0.7	25.0
	50-59	0.7	16.7	.	1.0	30.0	.	0.0	0.0	1.3	50.0	1.3	50.0
	60+	0.3	8.3	.	0.3	10.0	.	0.0	0.0	0.7	25.0	0.7	25.0
Race/Ethnicity	White	2.0	50.0	.	1.0	30.0	.	0.0	0.0	0.3	12.5	0.3	12.5
	Black	1.0	25.0	.	1.7	50.0	.	0.0	0.0	0.7	25.0	0.7	25.0
	Hispanic	0.3	8.3	.	0.3	10.0	.	0.0	0.0	1.7	62.5	1.7	62.5
	Multi Race	0.7	16.7	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	50.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	1.0	30.0	.	0.0	0.0	1.3	50.0	1.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	25.0	0.7	25.0
	Heterosexual	0.7	16.7	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	8.3	.	0.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	12.5	0.3	12.5
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	25.0	.	1.0	30.0	.	0.0	0.0	0.3	12.5	0.3	12.5

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.3	100.0	4.0	100.0	3.0	100.0	0.3	100.0	3.3	100.0
Risk	MSM	2.0	54.5	0.0	0.0	2.0	50.0	0.7	22.2	0.0	0.0	0.7	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	1.0	33.3	0.0	0.0	1.0	30.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	18.2	0.0	0.0	0.7	16.7	0.3	11.1	0.0	0.0	0.3	10.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	8.3	0.0	0.0	0.3	100.0	0.3	10.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	27.3	0.0	0.0	1.0	25.0	1.0	33.3	0.0	0.0	1.0	30.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	9	.	5	5
1987	.	8	.	5	5
1988	.	8	.	8	8
1989	.	11	.	7	7
1990	.	14	.	7	7
1991	.	15	.	9	9
1992	.	31	.	12	12
1993	.	28	.	13	13
1994	.	25	.	16	16
1995	.	20	.	14	14
1996	.	26	.	8	8
1997	.	28	.	6	6
1998	.	13	.	6	6
1999	.	12	.	4	4
2000*	15	12	3	2	5
2001	7	15	2	8	10
2002	4	7	1	5	6
2003	8	11	.	4	4
2004	6	6	1	8	9
2005	3	11	.	6	6
2006	5	5	2	4	6
2007	1	9	1	5	6
2008	1	3	1	6	7
2009	3	4	.	5	5
2010	3	1	.	5	5
2011	4	4	.	1	1
2012	5	5	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		102	100.0	45.9	129	100.0	58.1	231	100.0	104.0	222,133
Sex at Birth	Male	90	88.2	.	103	79.8	.	193	83.5	.	.
	Female	12	11.8	.	26	20.2	.	38	16.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	2	1.6	.	2	0.9	.	.
	20-24	4	3.9	.	0	0.0	.	4	1.7	.	.
	25-29	5	4.9	.	3	2.3	.	8	3.5	.	.
	30-39	8	7.8	.	8	6.2	.	16	6.9	.	.
	40-49	32	31.4	.	31	24.0	.	63	27.3	.	.
	50-59	40	39.2	.	61	47.3	.	101	43.7	.	.
	60+	13	12.7	.	24	18.6	.	37	16.0	.	.
Race/Ethnicity	White	59	57.8	.	62	48.1	.	121	52.4	.	.
	Black	18	17.6	.	23	17.8	.	41	17.7	.	.
	Hispanic	18	17.6	.	35	27.1	.	53	22.9	.	.
	Multi Race	7	6.9	.	9	7.0	.	16	6.9	.	.
Risk	MSM	46	45.1	.	42	32.6	.	88	38.1	.	.
	IDU	22	21.6	.	26	20.2	.	48	20.8	.	.
	MSM/IDU	4	3.9	.	14	10.9	.	18	7.8	.	.
	Heterosexual	10	9.8	.	19	14.7	.	29	12.6	.	.
	Fem Pres Het Cont	3	2.9	.	7	5.4	.	10	4.3	.	.
	Blood Prod.	1	1.0	.	3	2.3	.	4	1.7	.	.
	Pediatric Risk	2	2.0	.	4	3.1	.	6	2.6	.	.
	Unk	14	13.7	.	14	10.9	.	28	12.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		90	100.0	12	100.0	102	100.0	103	100.0	26	100.0	129	100.0	193	100.0	38	100.0	231	100.0
Risk	MSM	46	51.1	0	0.0	46	45.1	42	40.8	0	0.0	42	32.6	88	45.6	0	0.0	88	38.1
	IDU	18	20.0	4	33.3	22	21.6	21	20.4	5	19.2	26	20.2	39	20.2	9	23.7	48	20.8
	MSM/IDU	4	4.4	0	0.0	4	3.9	14	13.6	0	0.0	14	10.9	18	9.3	0	0.0	18	7.8
	Heterosexual	5	5.6	5	41.7	10	9.8	7	6.8	12	46.2	19	14.7	12	6.2	17	44.7	29	12.6
	Fem Pres Het Cont	0	0.0	3	25.0	3	2.9	0	0.0	7	26.9	7	5.4	0	0.0	10	26.3	10	4.3
	Blood Prod.	1	1.1	0	0.0	1	1.0	2	1.9	1	3.8	3	2.3	3	1.6	1	2.6	4	1.7
	Pediatric Risk	2	2.2	0	0.0	2	2.0	3	2.9	1	3.8	4	3.1	5	2.6	1	2.6	6	2.6
	Unk	14	15.6	0	0.0	14	13.7	14	13.6	0	0.0	14	10.9	28	14.5	0	0.0	28	12.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	1.8	5.0	100.0	2.3	1.0	100.0	2.0	100.0	3.0	100.0
Sex at Birth	Male	3.7	91.7	.	3.7	73.3	.	0.7	66.7	1.7	83.3	2.3	77.8
	Female	0.3	8.3	.	1.3	26.7	.	0.3	33.3	0.3	16.7	0.7	22.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	8.3	.	0.7	13.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	16.7	.	0.3	6.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	33.3	.	1.7	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	16.7	.	0.7	13.3	.	0.3	33.3	1.0	50.0	1.3	44.4
	50-59	0.7	16.7	.	1.0	20.0	.	0.3	33.3	0.7	33.3	1.0	33.3
	60+	0.0	0.0	.	0.7	13.3	.	0.3	33.3	0.3	16.7	0.7	22.2
Race/Ethnicity	White	2.7	66.7	.	2.3	46.7	.	0.3	33.3	0.3	16.7	0.7	22.2
	Black	0.7	16.7	.	1.0	20.0	.	0.3	33.3	0.3	16.7	0.7	22.2
	Hispanic	0.7	16.7	.	1.0	20.0	.	0.3	33.3	0.7	33.3	1.0	33.3
	Multi Race	0.0	0.0	.	0.7	13.3	.	0.0	0.0	0.7	33.3	0.7	22.2
Risk	MSM	2.0	50.0	.	2.0	40.0	.	0.0	0.0	0.3	16.7	0.3	11.1
	IDU	0.3	8.3	.	0.3	6.7	.	0.3	33.3	1.0	50.0	1.3	44.4
	MSM/IDU	0.3	8.3	.	0.7	13.3	.	0.3	33.3	0.0	0.0	0.3	11.1
	Heterosexual	0.3	8.3	.	1.3	26.7	.	0.3	33.3	0.3	16.7	0.7	22.2
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	11.1
	Pediatric Risk	0.0	0.0	.	0.7	13.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.3	100.0	4.0	100.0	3.7	100.0	1.3	100.0	5.0	100.0
Risk	MSM	2.0	54.5	0.0	0.0	2.0	50.0	2.0	54.5	0.0	0.0	2.0	40.0
	IDU	0.3	9.1	0.0	0.0	0.3	8.3	0.3	9.1	0.0	0.0	0.3	6.7
	MSM/IDU	0.3	9.1	0.0	0.0	0.3	8.3	0.7	18.2	0.0	0.0	0.7	13.3
	Heterosexual	0.0	0.0	0.3	100.0	0.3	8.3	0.3	9.1	1.0	75.0	1.3	26.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.3	25.0	0.7	13.3
	Unk	1.0	27.3	0.0	0.0	1.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	16	.	9	9
1987	.	10	.	8	8
1988	.	8	.	5	5
1989	.	13	.	10	10
1990	.	27	.	5	5
1991	.	27	.	14	14
1992	.	27	.	16	16
1993	.	23	.	19	19
1994	.	23	.	22	22
1995	.	18	.	22	22
1996	.	19	.	9	9
1997	.	15	.	9	9
1998	.	10	.	6	6
1999	.	7	.	1	1
2000*	5	7	1	8	9
2001	11	10	.	8	8
2002	5	10	2	7	9
2003	11	15	1	3	4
2004	9	10	2	5	7
2005	7	11	1	5	6
2006	9	5	.	4	4
2007	7	5	.	1	1
2008	5	1	1	2	3
2009	7	3	1	3	4
2010	4	4	.	1	1
2011	6	8	.	1	1
2012	2	3	3	4	7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		188	100.0	121.2	234	100.0	150.8	422	100.0	272.0	155,124
Sex at Birth	Male	90	47.9	.	137	58.5	.	227	53.8	.	.
	Female	98	52.1	.	97	41.5	.	195	46.2	.	.
Current Age	12 & under	3	1.6	.	0	0.0	.	3	0.7	.	.
	13-19	2	1.1	.	0	0.0	.	2	0.5	.	.
	20-24	5	2.7	.	3	1.3	.	8	1.9	.	.
	25-29	15	8.0	.	7	3.0	.	22	5.2	.	.
	30-39	31	16.5	.	22	9.4	.	53	12.6	.	.
	40-49	58	30.9	.	94	40.2	.	152	36.0	.	.
	50-59	58	30.9	.	71	30.3	.	129	30.6	.	.
	60+	16	8.5	.	37	15.8	.	53	12.6	.	.
Race/Ethnicity	White	68	36.2	.	70	29.9	.	138	32.7	.	.
	Black	47	25.0	.	71	30.3	.	118	28.0	.	.
	Hispanic	35	18.6	.	50	21.4	.	85	20.1	.	.
	Multi Race	36	19.1	.	41	17.5	.	77	18.2	.	.
	Others	2	1.1	.	2	0.9	.	4	0.9	.	.
Risk	MSM	44	23.4	.	52	22.2	.	96	22.7	.	.
	IDU	30	16.0	.	60	25.6	.	90	21.3	.	.
	MSM/IDU	3	1.6	.	17	7.3	.	20	4.7	.	.
	Heterosexual	61	32.4	.	67	28.6	.	128	30.3	.	.
	Fem Pres Het Cont	33	17.6	.	16	6.8	.	49	11.6	.	.
	Blood Prod.	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	6	3.2	.	2	0.9	.	8	1.9	.	.
	Unk	11	5.9	.	19	8.1	.	30	7.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		90	100.0	98	100.0	188	100.0	137	100.0	97	100.0	234	100.0	227	100.0	195	100.0	422	100.0
Risk	MSM	44	48.9	0	0.0	44	23.4	52	38.0	0	0.0	52	22.2	96	42.3	0	0.0	96	22.7
	IDU	12	13.3	18	18.4	30	16.0	32	23.4	28	28.9	60	25.6	44	19.4	46	23.6	90	21.3
	MSM/IDU	3	3.3	0	0.0	3	1.6	17	12.4	0	0.0	17	7.3	20	8.8	0	0.0	20	4.7
	Heterosexual	17	18.9	44	44.9	61	32.4	16	11.7	51	52.6	67	28.6	33	14.5	95	48.7	128	30.3
	Fem Pres Het Cont	0	0.0	33	33.7	33	17.6	0	0.0	16	16.5	16	6.8	0	0.0	49	25.1	49	11.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.4	1	0.4	0	0.0	1	0.2
	Pediatric Risk	3	3.3	3	3.1	6	3.2	0	0.0	2	2.1	2	0.9	3	1.3	5	2.6	8	1.9
	Unk	11	12.2	0	0.0	11	5.9	19	13.9	0	0.0	19	8.1	30	13.2	0	0.0	30	7.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		12.0	100.0	7.7	13.3	100.0	8.6	1.0	100.0	8.0	100.0	9.0	100.0
Sex at Birth	Male	7.7	63.9	.	9.7	72.5	.	0.3	33.3	4.0	50.0	4.3	48.1
	Female	4.3	36.1	.	3.7	27.5	.	0.7	66.7	4.0	50.0	4.7	51.9
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	11.1	.	0.7	5.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	8.3	.	1.3	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	8.3	.	2.7	20.0	.	0.0	0.0	0.7	8.3	0.7	7.4
	40-49	5.3	44.4	.	5.0	37.5	.	0.0	0.0	3.0	37.5	3.0	33.3
	50-59	2.7	22.2	.	2.3	17.5	.	0.7	66.7	2.0	25.0	2.7	29.6
	60+	0.7	5.6	.	1.3	10.0	.	0.3	33.3	2.3	29.2	2.7	29.6
Race/Ethnicity	White	3.7	30.6	.	6.0	45.0	.	0.0	0.0	2.7	33.3	2.7	29.6
	Black	4.0	33.3	.	4.0	30.0	.	0.3	33.3	3.7	45.8	4.0	44.4
	Hispanic	2.7	22.2	.	2.3	17.5	.	0.0	0.0	0.3	4.2	0.3	3.7
	Multi Race	1.3	11.1	.	1.0	7.5	.	0.7	66.7	1.3	16.7	2.0	22.2
	Others	0.3	2.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	22.2	.	4.0	30.0	.	0.3	33.3	1.7	20.8	2.0	22.2
	IDU	1.0	8.3	.	4.0	30.0	.	0.3	33.3	2.7	33.3	3.0	33.3
	MSM/IDU	1.3	11.1	.	1.3	10.0	.	0.0	0.0	1.0	12.5	1.0	11.1
	Heterosexual	4.0	33.3	.	2.7	20.0	.	0.0	0.0	1.3	16.7	1.3	14.8
	Fem Pres Het Cont	1.7	13.9	.	0.3	2.5	.	0.3	33.3	1.3	16.7	1.7	18.5
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	2.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	11.1	.	0.7	5.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.7	100.0	4.3	100.0	12.0	100.0	9.7	100.0	3.7	100.0	13.3	100.0
Risk	MSM	2.7	34.8	0.0	0.0	2.7	22.2	4.0	41.4	0.0	0.0	4.0	30.0
	IDU	0.3	4.3	0.7	15.4	1.0	8.3	2.3	24.1	1.7	45.5	4.0	30.0
	MSM/IDU	1.3	17.4	0.0	0.0	1.3	11.1	1.3	13.8	0.0	0.0	1.3	10.0
	Heterosexual	2.0	26.1	2.0	46.2	4.0	33.3	1.3	13.8	1.3	36.4	2.7	20.0
	Fem Pres Het Cont	0.0	0.0	1.7	38.5	1.7	13.9	0.0	0.0	0.3	9.1	0.3	2.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.1	0.3	2.5
	Unk	1.3	17.4	0.0	0.0	1.3	11.1	0.7	6.9	0.0	0.0	0.7	5.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	24	.	16	16
1987	.	5	.	5	5
1988	.	8	.	6	6
1989	.	16	.	9	9
1990	.	26	.	17	17
1991	.	27	.	14	14
1992	.	19	.	21	21
1993	.	27	.	11	11
1994	.	37	.	22	22
1995	.	36	.	17	17
1996	.	26	.	21	21
1997	.	26	.	10	10
1998	.	25	.	11	11
1999	.	12	.	9	9
2000*	11	23	2	8	10
2001	19	16	2	6	8
2002	27	22	.	11	11
2003	24	21	.	5	5
2004	26	22	3	9	12
2005	18	20	2	9	11
2006	17	22	1	11	12
2007	13	13	.	7	7
2008	12	8	1	8	9
2009	7	5	1	6	7
2010	14	19	1	5	6
2011	16	13	1	8	9
2012	6	8	1	11	12

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		18	100.0	56.1	18	100.0	56.1	36	100.0	112.2	32,099
Sex at Birth	Male	14	77.8	.	13	72.2	.	27	75.0	.	.
	Female	4	22.2	.	5	27.8	.	9	25.0	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	3	16.7	.	3	16.7	.	6	16.7	.	.
	40-49	8	44.4	.	4	22.2	.	12	33.3	.	.
	50-59	6	33.3	.	7	38.9	.	13	36.1	.	.
	60+	1	5.6	.	4	22.2	.	5	13.9	.	.
Race/Ethnicity	White	6	33.3	.	11	61.1	.	17	47.2	.	.
	Black	5	27.8	.	4	22.2	.	9	25.0	.	.
	Hispanic	6	33.3	.	1	5.6	.	7	19.4	.	.
	Multi Race	0	0.0	.	2	11.1	.	2	5.6	.	.
	Others	1	5.6	.	0	0.0	.	1	2.8	.	.
Risk	MSM	6	33.3	.	6	33.3	.	12	33.3	.	.
	IDU	3	16.7	.	4	22.2	.	7	19.4	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	11.1	.	3	16.7	.	5	13.9	.	.
	Fem Pres Het Cont	2	11.1	.	1	5.6	.	3	8.3	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	5	27.8	.	4	22.2	.	9	25.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	4	100.0	18	100.0	13	100.0	5	100.0	18	100.0	27	100.0	9	100.0	36	100.0
Risk	MSM	6	42.9	0	0.0	6	33.3	6	46.2	0	0.0	6	33.3	12	44.4	0	0.0	12	33.3
	IDU	2	14.3	1	25.0	3	16.7	3	23.1	1	20.0	4	22.2	5	18.5	2	22.2	7	19.4
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	7.1	1	25.0	2	11.1	0	0.0	3	60.0	3	16.7	1	3.7	4	44.4	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	11.1	0	0.0	1	20.0	1	5.6	0	0.0	3	33.3	3	8.3
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	5	35.7	0	0.0	5	27.8	4	30.8	0	0.0	4	22.2	9	33.3	0	0.0	9	25.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.0	0.3	100.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Race/Ethnicity	White	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

*Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²
by Sex at Birth and Risk
Includes State Prison Inmates³*

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	2	.	2	2
1988	.	1	.	.	.
1989	.	1	.	1	1
1990	.	3	.	1	1
1991	.	4	.	3	3
1992	.	3	.	1	1
1993	.	7	.	5	5
1994	.	4	.	2	2
1995	.	2	.	4	4
1996	.	2	.	3	3
1998	.	1	.	.	.
1999	.	3	.	2	2
2000*	.	1	.	2	2
2001	2	1	.	.	.
2002	6
2003	1	1	.	.	.
2004	2	1	1	1	2
2005	1
2006	1	2	.	.	.
2007	1	1	.	.	.
2008	3	2	.	.	.
2009	.	2	.	.	.
2012	1	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		12	100.0	64.8	9	100.0	48.6	21	100.0	113.4	18,514
Sex at Birth	Male	10	83.3	.	8	88.9	.	18	85.7	.	.
	Female	2	16.7	.	1	11.1	.	3	14.3	.	.
Current Age	25-29	2	16.7	.	1	11.1	.	3	14.3	.	.
	30-39	1	8.3	.	0	0.0	.	1	4.8	.	.
	40-49	6	50.0	.	3	33.3	.	9	42.9	.	.
	50-59	2	16.7	.	4	44.4	.	6	28.6	.	.
	60+	1	8.3	.	1	11.1	.	2	9.5	.	.
Race/Ethnicity	White	7	58.3	.	3	33.3	.	10	47.6	.	.
	Black	4	33.3	.	1	11.1	.	5	23.8	.	.
	Hispanic	1	8.3	.	5	55.6	.	6	28.6	.	.
Risk	MSM	6	50.0	.	4	44.4	.	10	47.6	.	.
	IDU	1	8.3	.	3	33.3	.	4	19.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	3	25.0	.	0	0.0	.	3	14.3	.	.
	Unk	2	16.7	.	2	22.2	.	4	19.0	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		10	100.0	2	100.0	12	100.0	8	100.0	1	100.0	9	100.0	18	100.0	3	100.0	21	100.0
Risk	MSM	6	60.0	0	0.0	6	50.0	4	50.0	0	0.0	4	44.4	10	55.6	0	0.0	10	47.6
	IDU	1	10.0	0	0.0	1	8.3	2	25.0	1	100.0	3	33.3	3	16.7	1	33.3	4	19.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	10.0	2	100.0	3	25.0	0	0.0	0	0.0	0	0.0	1	5.6	2	66.7	3	14.3
	Unk	2	20.0	0	0.0	2	16.7	2	25.0	0	0.0	2	22.2	4	22.2	0	0.0	4	19.0

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		0.7	100.0	3.6	0.7	100.0	3.6	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	0.7	100.0	.	0.7	100.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	50-59	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	50.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
Race/Ethnicity	White	0.7	100.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	Black	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.3	100.0	0.3	50.0
Risk	MSM	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.0	0.0	0.7	100.0	0.7	100.0	0.0	0.0	0.7	100.0
Risk	MSM	0.3	50.0	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.3	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	50.0	0.0	0.0	0.3	50.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
1987	.	1	.	1	1
1989	.	1	.	.	.
1990	.	2	.	.	.
1991	.	1	.	2	2
1992	.	1	.	1	1
1993	.	3	.	4	4
1994	.	1	.	.	.
1995	.	.	.	1	1
1996	.	1	.	1	1
2001	.	1	.	.	.
2002	1	1	.	.	.
2003	2
2004	.	.	1	.	1
2005	1	1	.	.	.
2006	1
2007	1	1	.	.	.
2010	1	1	1	.	1
2011	.	1	.	1	1
2012	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		53	100.0	150.1	58	100.0	164.3	111	100.0	314.4	35,305
Sex at Birth	Male	35	66.0	.	49	84.5	.	84	75.7	.	.
	Female	18	34.0	.	9	15.5	.	27	24.3	.	.
Current Age	20-24	0	0.0	.	1	1.7	.	1	0.9	.	.
	25-29	1	1.9	.	1	1.7	.	2	1.8	.	.
	30-39	9	17.0	.	5	8.6	.	14	12.6	.	.
	40-49	21	39.6	.	24	41.4	.	45	40.5	.	.
	50-59	16	30.2	.	22	37.9	.	38	34.2	.	.
	60+	6	11.3	.	5	8.6	.	11	9.9	.	.
Race/Ethnicity	White	13	24.5	.	8	13.8	.	21	18.9	.	.
	Black	17	32.1	.	22	37.9	.	39	35.1	.	.
	Hispanic	21	39.6	.	18	31.0	.	39	35.1	.	.
	Multi Race	2	3.8	.	10	17.2	.	12	10.8	.	.
Risk	MSM	7	13.2	.	6	10.3	.	13	11.7	.	.
	IDU	21	39.6	.	20	34.5	.	41	36.9	.	.
	MSM/IDU	2	3.8	.	3	5.2	.	5	4.5	.	.
	Heterosexual	3	5.7	.	10	17.2	.	13	11.7	.	.
	Fem Pres Het Cont	7	13.2	.	1	1.7	.	8	7.2	.	.
	Blood Prod.	0	0.0	.	1	1.7	.	1	0.9	.	.
	Pediatric Risk	0	0.0	.	1	1.7	.	1	0.9	.	.
	Unk	13	24.5	.	16	27.6	.	29	26.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		35	100.0	18	100.0	53	100.0	49	100.0	9	100.0	58	100.0	84	100.0	27	100.0	111	100.0
Risk	MSM	7	20.0	0	0.0	7	13.2	6	12.2	0	0.0	6	10.3	13	15.5	0	0.0	13	11.7
	IDU	11	31.4	10	55.6	21	39.6	14	28.6	6	66.7	20	34.5	25	29.8	16	59.3	41	36.9
	MSM/IDU	2	5.7	0	0.0	2	3.8	3	6.1	0	0.0	3	5.2	5	6.0	0	0.0	5	4.5
	Heterosexual	2	5.7	1	5.6	3	5.7	9	18.4	1	11.1	10	17.2	11	13.1	2	7.4	13	11.7
	Fem Pres Het Cont	0	0.0	7	38.9	7	13.2	0	0.0	1	11.1	1	1.7	0	0.0	8	29.6	8	7.2
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	2.0	0	0.0	1	1.7	1	1.2	0	0.0	1	0.9
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	11.1	1	1.7	0	0.0	1	3.7	1	0.9
	Unk	13	37.1	0	0.0	13	24.5	16	32.7	0	0.0	16	27.6	29	34.5	0	0.0	29	26.1

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	3.8	1.0	100.0	2.8	0.3	100.0	1.7	100.0	2.0	100.0
Sex at Birth	Male	1.0	75.0	.	0.7	66.7	.	0.3	100.0	1.7	100.0	2.0	100.0
	Female	0.3	25.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	1.0	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	25.0	.	0.0	0.0	.	0.3	100.0	1.3	80.0	1.7	83.3
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	60+	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	1.0	75.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.3	33.3	.	0.3	100.0	1.0	60.0	1.3	66.7
	Hispanic	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.7	40.0	0.7	33.3
	Multi Race	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.7	40.0	0.7	33.3
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.7	66.7	.	0.0	0.0	0.7	40.0	0.7	33.3
	Fem Pres Het Cont	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	50.0	.	0.0	0.0	.	0.3	100.0	0.3	20.0	0.7	33.3

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk****Includes State Prison Inmates³**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.0	0.0	0.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	100.0	0.7	66.7
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	66.7	0.0	0.0	0.7	50.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
1987	.	1	.	.	.
1988	.	1	.	1	1
1990	.	2	.	1	1
1991	.	1	.	.	.
1992	.	4	.	1	1
1993	.	3	.	2	2
1994	.	3	.	.	.
1995	.	5	.	1	1
1996	.	10	.	2	2
1997	.	3	.	2	2
1998	.	6	.	.	.
1999	.	2	.	2	2
2000*	4	3	1	.	1
2001	4	3	2	1	3
2002	9	10	3	4	7
2003	5	9	1	4	5
2004	3	7	1	1	2
2005	1	6	.	.	.
2006	2	2	.	.	.
2007	3	1	1	3	4
2008	2	3	1	3	4
2009	.	4	.	1	1
2010	2	2	.	1	1
2011	1	1	1	3	4
2012	1	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		35	100.0	35.3	41	100.0	41.4	76	100.0	76.7	99,063
Sex at Birth	Male	27	77.1	.	28	68.3	.	55	72.4	.	.
	Female	8	22.9	.	13	31.7	.	21	27.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.9	.	1	2.4	.	2	2.6	.	.
	25-29	5	14.3	.	2	4.9	.	7	9.2	.	.
	30-39	5	14.3	.	8	19.5	.	13	17.1	.	.
	40-49	8	22.9	.	10	24.4	.	18	23.7	.	.
	50-59	9	25.7	.	11	26.8	.	20	26.3	.	.
	60+	7	20.0	.	9	22.0	.	16	21.1	.	.
Race/Ethnicity	White	22	62.9	.	27	65.9	.	49	64.5	.	.
	Black	9	25.7	.	8	19.5	.	17	22.4	.	.
	Hispanic	1	2.9	.	4	9.8	.	5	6.6	.	.
	Multi Race	2	5.7	.	2	4.9	.	4	5.3	.	.
	Others	1	2.9	.	0	0.0	.	1	1.3	.	.
Risk	MSM	17	48.6	.	14	34.1	.	31	40.8	.	.
	IDU	6	17.1	.	7	17.1	.	13	17.1	.	.
	MSM/IDU	0	0.0	.	2	4.9	.	2	2.6	.	.
	Heterosexual	7	20.0	.	12	29.3	.	19	25.0	.	.
	Fem Pres Het Cont	2	5.7	.	3	7.3	.	5	6.6	.	.
	Blood Prod.	0	0.0	.	1	2.4	.	1	1.3	.	.
	Pediatric Risk	0	0.0	.	1	2.4	.	1	1.3	.	.
	Unk	3	8.6	.	1	2.4	.	4	5.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	8	100.0	35	100.0	28	100.0	13	100.0	41	100.0	55	100.0	21	100.0	76	100.0
Risk	MSM	17	63.0	0	0.0	17	48.6	14	50.0	0	0.0	14	34.1	31	56.4	0	0.0	31	40.8
	IDU	5	18.5	1	12.5	6	17.1	5	17.9	2	15.4	7	17.1	10	18.2	3	14.3	13	17.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	7.1	0	0.0	2	4.9	2	3.6	0	0.0	2	2.6
	Heterosexual	2	7.4	5	62.5	7	20.0	5	17.9	7	53.8	12	29.3	7	12.7	12	57.1	19	25.0
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.7	0	0.0	3	23.1	3	7.3	0	0.0	5	23.8	5	6.6
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	1	2.4	0	0.0	1	4.8	1	1.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	1	2.4	1	1.8	0	0.0	1	1.3
	Unk	3	11.1	0	0.0	3	8.6	1	3.6	0	0.0	1	2.4	4	7.3	0	0.0	4	5.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	2.4	1.7	100.0	1.7	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	2.0	85.7	.	1.3	80.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	57.1	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.0	85.7	.	1.7	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	85.7	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	2.0	100.0	0.0	0.0	2.0	85.7	1.0	75.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	20.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	14.3	0.0	0.0	0.3	100.0	0.3	20.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	3	.	2	2
1987	.	3	.	3	3
1988	.	4	.	3	3
1989	.	4	.	.	.
1990	.	4	.	3	3
1991	.	5	.	3	3
1992	.	9	.	6	6
1993	.	5	.	4	4
1994	.	3	.	3	3
1995	.	3	.	5	5
1996	.	5	.	5	5
1997	.	3	.	1	1
1998	.	8	.	1	1
1999	.	4	.	3	3
2000*	4	3	.	.	.
2001	4	2	.	1	1
2002	2	2	.	3	3
2003	2	4	1	1	2
2004	1	3	1	2	3
2005	1	3	.	2	2
2006	3	1	.	.	.
2007	2	2	1	.	1
2008	3	6	2	3	5
2009	3	2	.	1	1
2010	3	3	.	1	1
2011	2	1	.	.	.
2012	2	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,229	100.0	82.0	1,801	100.0	120.1	3,030	100.0	202.1	1,499,273
Sex at Birth	Male	811	66.0	.	1,260	70.0	.	2,071	68.3	.	.
	Female	418	34.0	.	541	30.0	.	959	31.7	.	.
Current Age	12 & under	10	0.8	.	0	0.0	.	10	0.3	.	.
	13-19	20	1.6	.	6	0.3	.	26	0.9	.	.
	20-24	68	5.5	.	33	1.8	.	101	3.3	.	.
	25-29	107	8.7	.	61	3.4	.	168	5.5	.	.
	30-39	212	17.2	.	188	10.4	.	400	13.2	.	.
	40-49	364	29.6	.	543	30.1	.	907	29.9	.	.
	50-59	312	25.4	.	657	36.5	.	969	32.0	.	.
	60+	133	10.8	.	313	17.4	.	446	14.7	.	.
	Unk	3	0.2	.	0	0.0	.	3	0.1	.	.
Race/Ethnicity	White	490	39.9	.	630	35.0	.	1,120	37.0	.	.
	Black	319	26.0	.	499	27.7	.	818	27.0	.	.
	Hispanic	313	25.5	.	481	26.7	.	794	26.2	.	.
	Multi Race	91	7.4	.	180	10.0	.	271	8.9	.	.
	Others	13	1.1	.	11	0.6	.	24	0.8	.	.
	Unk	3	0.2	.	0	0.0	.	3	0.1	.	.
Risk	MSM	517	42.1	.	695	38.6	.	1,212	40.0	.	.
	IDU	107	8.7	.	341	18.9	.	448	14.8	.	.
	MSM/IDU	42	3.4	.	99	5.5	.	141	4.7	.	.
	Heterosexual	256	20.8	.	320	17.8	.	576	19.0	.	.
	Fem Pres Het Cont	118	9.6	.	122	6.8	.	240	7.9	.	.
	Blood Prod.	6	0.5	.	8	0.4	.	14	0.5	.	.
	Pediatric Risk	56	4.6	.	49	2.7	.	105	3.5	.	.
	Unk	127	10.3	.	167	9.3	.	294	9.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		811	100.0	418	100.0	1,229	100.0	1,260	100.0	541	100.0	1,801	100.0	2,071	100.0	959	100.0	3,030	100.0
Risk	MSM	517	63.7	0	0.0	517	42.1	695	55.2	0	0.0	695	38.6	1,212	58.5	0	0.0	1,212	40.0
	IDU	51	6.3	56	13.4	107	8.7	206	16.3	135	25.0	341	18.9	257	12.4	191	19.9	448	14.8
	MSM/IDU	42	5.2	0	0.0	42	3.4	99	7.9	0	0.0	99	5.5	141	6.8	0	0.0	141	4.7
	Heterosexual	42	5.2	214	51.2	256	20.8	57	4.5	263	48.6	320	17.8	99	4.8	477	49.7	576	19.0
	Fem Pres Het Cont	0	0.0	118	28.2	118	9.6	0	0.0	122	22.6	122	6.8	0	0.0	240	25.0	240	7.9
	Blood Prod.	4	0.5	2	0.5	6	0.5	7	0.6	1	0.2	8	0.4	11	0.5	3	0.3	14	0.5
	Pediatric Risk	29	3.6	27	6.5	56	4.6	30	2.4	19	3.5	49	2.7	59	2.8	46	4.8	105	3.5
	Unk	126	15.5	1	0.2	127	10.3	166	13.2	1	0.2	167	9.3	292	14.1	2	0.2	294	9.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		97.7	100.0	6.5	66.0	100.0	4.4	8.0	100.0	41.3	100.0	49.3	100.0
Sex at Birth	Male	78.7	80.5	.	52.0	78.8	.	6.0	75.0	27.0	65.3	33.0	66.9
	Female	19.0	19.5	.	14.0	21.2	.	2.0	25.0	14.3	34.7	16.3	33.1
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.3	3.4	.	1.0	1.5	.	0.3	4.2	0.0	0.0	0.3	0.7
	20-24	15.0	15.4	.	3.7	5.6	.	0.3	4.2	0.7	1.6	1.0	2.0
	25-29	16.0	16.4	.	7.0	10.6	.	0.0	0.0	0.7	1.6	0.7	1.4
	30-39	23.7	24.2	.	14.3	21.7	.	1.0	12.5	2.7	6.5	3.7	7.4
	40-49	23.3	23.9	.	20.3	30.8	.	1.7	20.8	9.7	23.4	11.3	23.0
	50-59	12.7	13.0	.	14.0	21.2	.	1.3	16.7	17.7	42.7	19.0	38.5
	60+	3.3	3.4	.	5.7	8.6	.	3.3	41.7	10.0	24.2	13.3	27.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	34.7	35.5	.	18.7	28.3	.	4.7	58.3	14.0	33.9	18.7	37.8
	Black	21.3	21.8	.	19.3	29.3	.	2.0	25.0	12.3	29.8	14.3	29.1
	Hispanic	32.0	32.8	.	19.0	28.8	.	0.7	8.3	10.3	25.0	11.0	22.3
	Multi Race	8.3	8.5	.	8.3	12.6	.	0.7	8.3	4.7	11.3	5.3	10.8
	Others	1.3	1.4	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	57.7	59.0	.	36.0	54.5	.	1.3	16.7	11.0	26.6	12.3	25.0
	IDU	2.3	2.4	.	5.7	8.6	.	2.0	25.0	16.7	40.3	18.7	37.8
	MSM/IDU	3.0	3.1	.	2.0	3.0	.	0.0	0.0	4.0	9.7	4.0	8.1
	Heterosexual	14.7	15.0	.	10.3	15.7	.	2.0	25.0	3.3	8.1	5.3	10.8
	Fem Pres Het Cont	6.3	6.5	.	3.0	4.5	.	0.7	8.3	2.3	5.6	3.0	6.1
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.3	4.2	0.3	0.8	0.7	1.4
	Pediatric Risk	0.3	0.3	.	1.3	2.0	.	0.0	0.0	1.0	2.4	1.0	2.0
	Unk	13.3	13.7	.	7.7	11.6	.	1.7	20.8	2.7	6.5	4.3	8.8

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		78.7	100.0	19.0	100.0	97.7	100.0	52.0	100.0	14.0	100.0	66.0	100.0
Risk	MSM	57.7	73.3	0.0	0.0	57.7	59.0	36.0	69.2	0.0	0.0	36.0	54.5
	IDU	1.0	1.3	1.3	7.0	2.3	2.4	2.3	4.5	3.3	23.8	5.7	8.6
	MSM/IDU	3.0	3.8	0.0	0.0	3.0	3.1	2.0	3.8	0.0	0.0	2.0	3.0
	Heterosexual	3.3	4.2	11.3	59.6	14.7	15.0	2.7	5.1	7.7	54.8	10.3	15.7
	Fem Pres Het Cont	0.0	0.0	6.3	33.3	6.3	6.5	0.0	0.0	3.0	21.4	3.0	4.5
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.4	0.0	0.0	0.3	0.3	1.3	2.6	0.0	0.0	1.3	2.0
	Unk	13.3	16.9	0.0	0.0	13.3	13.7	7.7	14.7	0.0	0.0	7.7	11.6

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	210	.	132	132
1987	.	147	.	81	81
1988	.	191	.	128	128
1989	.	192	.	137	137
1990	.	218	.	142	142
1991	.	280	.	167	167
1992	.	289	.	215	215
1993	.	348	.	204	204
1994	.	317	.	231	231
1995	.	322	.	217	217
1996	.	264	.	167	167
1997	.	194	.	95	95
1998	.	143	.	80	80
1999	.	143	.	75	75
2000*	96	147	2	62	64
2001	138	137	12	74	86
2002	123	122	9	77	86
2003	152	136	13	71	84
2004	140	115	19	64	83
2005	130	113	14	81	95
2006	115	106	10	61	71
2007	127	109	11	62	73
2008	112	107	6	44	50
2009	110	82	10	46	56
2010	112	66	10	45	55
2011	105	80	7	44	51
2012	76	52	7	35	42

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		156	100.0	203.1	250	100.0	325.6	406	100.0	528.7	76,793
Sex at Birth	Male	111	71.2	.	176	70.4	.	287	70.7	.	.
	Female	45	28.8	.	74	29.6	.	119	29.3	.	.
Current Age	12 & under	1	0.6	.	0	0.0	.	1	0.2	.	.
	13-19	2	1.3	.	1	0.4	.	3	0.7	.	.
	20-24	7	4.5	.	1	0.4	.	8	2.0	.	.
	25-29	10	6.4	.	3	1.2	.	13	3.2	.	.
	30-39	16	10.3	.	13	5.2	.	29	7.1	.	.
	40-49	44	28.2	.	65	26.0	.	109	26.8	.	.
	50-59	46	29.5	.	108	43.2	.	154	37.9	.	.
	60+	30	19.2	.	59	23.6	.	89	21.9	.	.
Race/Ethnicity	White	33	21.2	.	47	18.8	.	80	19.7	.	.
	Black	45	28.8	.	76	30.4	.	121	29.8	.	.
	Hispanic	56	35.9	.	89	35.6	.	145	35.7	.	.
	Multi Race	19	12.2	.	38	15.2	.	57	14.0	.	.
	Others	3	1.9	.	0	0.0	.	3	0.7	.	.
Risk	MSM	28	17.9	.	43	17.2	.	71	17.5	.	.
	IDU	60	38.5	.	107	42.8	.	167	41.1	.	.
	MSM/IDU	10	6.4	.	10	4.0	.	20	4.9	.	.
	Heterosexual	35	22.4	.	47	18.8	.	82	20.2	.	.
	Fem Pres Het Cont	7	4.5	.	8	3.2	.	15	3.7	.	.
	Blood Prod.	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	3	1.9	.	5	2.0	.	8	2.0	.	.
	Unk	13	8.3	.	29	11.6	.	42	10.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		111	100.0	45	100.0	156	100.0	176	100.0	74	100.0	250	100.0	287	100.0	119	100.0	406	100.0
Risk	MSM	28	25.2	0	0.0	28	17.9	43	24.4	0	0.0	43	17.2	71	24.7	0	0.0	71	17.5
	IDU	48	43.2	12	26.7	60	38.5	85	48.3	22	29.7	107	42.8	133	46.3	34	28.6	167	41.1
	MSM/IDU	10	9.0	0	0.0	10	6.4	10	5.7	0	0.0	10	4.0	20	7.0	0	0.0	20	4.9
	Heterosexual	12	10.8	23	51.1	35	22.4	7	4.0	40	54.1	47	18.8	19	6.6	63	52.9	82	20.2
	Fem Pres Het Cont	0	0.0	7	15.6	7	4.5	0	0.0	8	10.8	8	3.2	0	0.0	15	12.6	15	3.7
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.4	0	0.0	1	0.8	1	0.2
	Pediatric Risk	0	0.0	3	6.7	3	1.9	2	1.1	3	4.1	5	2.0	2	0.7	6	5.0	8	2.0
	Unk	13	11.7	0	0.0	13	8.3	29	16.5	0	0.0	29	11.6	42	14.6	0	0.0	42	10.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	3.5	2.3	100.0	3.0	2.3	100.0	7.0	100.0	9.3	100.0
Sex at Birth	Male	1.7	62.5	.	1.7	71.4	.	1.3	57.1	5.7	81.0	7.0	75.0
	Female	1.0	37.5	.	0.7	28.6	.	1.0	42.9	1.3	19.0	2.3	25.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	37.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.3	4.8	0.3	3.6
	40-49	0.7	25.0	.	1.0	42.9	.	1.0	42.9	1.3	19.0	2.3	25.0
	50-59	0.0	0.0	.	0.7	28.6	.	1.3	57.1	1.7	23.8	3.0	32.1
	60+	0.0	0.0	.	0.7	28.6	.	0.0	0.0	3.7	52.4	3.7	39.3
Race/Ethnicity	White	0.3	12.5	.	0.7	28.6	.	0.7	28.6	0.3	4.8	1.0	10.7
	Black	0.3	12.5	.	0.7	28.6	.	0.0	0.0	2.0	28.6	2.0	21.4
	Hispanic	1.0	37.5	.	1.0	42.9	.	1.0	42.9	2.7	38.1	3.7	39.3
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.7	28.6	2.0	28.6	2.7	28.6
	Others	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	25.0	.	0.0	0.0	.	0.7	28.6	0.7	9.5	1.3	14.3
	IDU	1.0	37.5	.	1.7	71.4	.	1.0	42.9	3.7	52.4	4.7	50.0
	MSM/IDU	0.3	12.5	.	0.3	14.3	.	0.0	0.0	0.3	4.8	0.3	3.6
	Heterosexual	0.7	25.0	.	0.3	14.3	.	0.7	28.6	1.3	19.0	2.0	21.4
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	14.3	1.0	10.7

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	1.0	100.0	2.7	100.0	1.7	100.0	0.7	100.0	2.3	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	40.0	0.3	33.3	1.0	37.5	1.3	80.0	0.3	50.0	1.7	71.4
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	12.5	0.3	20.0	0.0	0.0	0.3	14.3
	Heterosexual	0.0	0.0	0.7	66.7	0.7	25.0	0.0	0.0	0.3	50.0	0.3	14.3
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	34	.	18	18
1987	.	18	.	17	17
1988	.	34	.	21	21
1989	.	33	.	23	23
1990	.	37	.	26	26
1991	.	48	.	25	25
1992	.	63	.	36	36
1993	.	78	.	33	33
1994	.	66	.	44	44
1995	.	44	.	54	54
1996	.	37	.	29	29
1997	.	22	.	15	15
1998	.	17	.	6	6
1999	.	21	.	8	8
2000*	13	17	1	18	19
2001	19	21	1	13	14
2002	14	24	.	11	11
2003	13	16	3	9	12
2004	21	16	5	9	14
2005	11	16	2	6	8
2006	9	11	1	8	9
2007	12	11	5	4	9
2008	10	15	.	5	5
2009	3	7	3	4	7
2010	3	2	2	7	9
2011	3	4	3	8	11
2012	2	1	2	6	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		16	100.0	31.7	19	100.0	37.6	35	100.0	69.3	50,478
Sex at Birth	Male	11	68.8	.	13	68.4	.	24	68.6	.	.
	Female	5	31.3	.	6	31.6	.	11	31.4	.	.
Current Age	20-24	0	0.0	.	1	5.3	.	1	2.9	.	.
	25-29	1	6.3	.	0	0.0	.	1	2.9	.	.
	30-39	6	37.5	.	1	5.3	.	7	20.0	.	.
	40-49	5	31.3	.	7	36.8	.	12	34.3	.	.
	50-59	2	12.5	.	7	36.8	.	9	25.7	.	.
	60+	2	12.5	.	3	15.8	.	5	14.3	.	.
Race/Ethnicity	White	14	87.5	.	14	73.7	.	28	80.0	.	.
	Black	1	6.3	.	1	5.3	.	2	5.7	.	.
	Hispanic	0	0.0	.	3	15.8	.	3	8.6	.	.
	Multi Race	1	6.3	.	1	5.3	.	2	5.7	.	.
Risk	MSM	7	43.8	.	8	42.1	.	15	42.9	.	.
	IDU	0	0.0	.	4	21.1	.	4	11.4	.	.
	MSM/IDU	1	6.3	.	0	0.0	.	1	2.9	.	.
	Heterosexual	3	18.8	.	4	21.1	.	7	20.0	.	.
	Fem Pres Het Cont	2	12.5	.	1	5.3	.	3	8.6	.	.
	Pediatric Risk	0	0.0	.	1	5.3	.	1	2.9	.	.
	Unk	3	18.8	.	1	5.3	.	4	11.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		11	100.0	5	100.0	16	100.0	13	100.0	6	100.0	19	100.0	24	100.0	11	100.0	35	100.0
Risk	MSM	7	63.6	0	0.0	7	43.8	8	61.5	0	0.0	8	42.1	15	62.5	0	0.0	15	42.9
	IDU	0	0.0	0	0.0	0	0.0	3	23.1	1	16.7	4	21.1	3	12.5	1	9.1	4	11.4
	MSM/IDU	1	9.1	0	0.0	1	6.3	0	0.0	0	0.0	0	0.0	1	4.2	0	0.0	1	2.9
	Heterosexual	0	0.0	3	60.0	3	18.8	1	7.7	3	50.0	4	21.1	1	4.2	6	54.5	7	20.0
	Fem Pres Het Cont	0	0.0	2	40.0	2	12.5	0	0.0	1	16.7	1	5.3	0	0.0	3	27.3	3	8.6
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	5.3	0	0.0	1	9.1	1	2.9
	Unk	3	27.3	0	0.0	3	18.8	1	7.7	0	0.0	1	5.3	4	16.7	0	0.0	4	11.4

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.0	0.7	100.0	1.3	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	66.7
	Female	0.7	66.7	.	0.7	100.0	.	0.3	100.0	0.0	0.0	0.3	33.3
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	33.3	.	0.3	50.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.3	50.0	0.3	33.3
Race/Ethnicity	White	0.7	66.7	.	0.3	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Heterosexual	0.3	33.3	.	0.3	50.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Fem Pres Het Cont	0.3	33.3	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.3	100.0	0.7	100.0	1.0	100.0	0.0	0.0	0.7	100.0	0.7	100.0
Risk	MSM	0.3	100.0	0.0	0.0	0.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	33.3	0.0	0.0	0.3	50.0	0.3	50.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	1	.	1	1
1987	.	1	.	.	.
1988	.	2	.	.	.
1989	.	1	.	2	2
1990	.	3	.	2	2
1991	.	3	.	.	.
1992	.	1	.	2	2
1993	.	2	.	4	4
1994	.	1	.	1	1
1995	.	4	.	.	.
1996	.	1	.	2	2
1997	.	.	.	1	1
2000*	1	1	.	.	.
2001	4	2	1	1	2
2002	.	.	.	1	1
2003	2	4	.	.	.
2004	2	1	.	.	.
2005	3	1	.	.	.
2006	1
2007	.	1	.	.	.
2008	3	5	.	.	.
2009	1	1	.	.	.
2010	1	1	1	1	2
2011	1
2012	1	1	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		60	100.0	58.5	88	100.0	85.8	148	100.0	144.3	102,554
Sex at Birth	Male	38	63.3	.	66	75.0	.	104	70.3	.	.
	Female	22	36.7	.	22	25.0	.	44	29.7	.	.
Current Age	12 & under	1	1.7	.	0	0.0	.	1	0.7	.	.
	13-19	1	1.7	.	0	0.0	.	1	0.7	.	.
	20-24	3	5.0	.	0	0.0	.	3	2.0	.	.
	25-29	2	3.3	.	6	6.8	.	8	5.4	.	.
	30-39	12	20.0	.	11	12.5	.	23	15.5	.	.
	40-49	24	40.0	.	34	38.6	.	58	39.2	.	.
	50-59	12	20.0	.	24	27.3	.	36	24.3	.	.
	60+	5	8.3	.	13	14.8	.	18	12.2	.	.
Race/Ethnicity	White	36	60.0	.	50	56.8	.	86	58.1	.	.
	Black	10	16.7	.	16	18.2	.	26	17.6	.	.
	Hispanic	8	13.3	.	12	13.6	.	20	13.5	.	.
	Multi Race	1	1.7	.	9	10.2	.	10	6.8	.	.
	Others	5	8.3	.	1	1.1	.	6	4.1	.	.
Risk	MSM	29	48.3	.	41	46.6	.	70	47.3	.	.
	IDU	2	3.3	.	10	11.4	.	12	8.1	.	.
	MSM/IDU	2	3.3	.	8	9.1	.	10	6.8	.	.
	Heterosexual	10	16.7	.	16	18.2	.	26	17.6	.	.
	Fem Pres Het Cont	10	16.7	.	7	8.0	.	17	11.5	.	.
	Blood Prod.	0	0.0	.	1	1.1	.	1	0.7	.	.
	Pediatric Risk	1	1.7	.	0	0.0	.	1	0.7	.	.
	Unk	6	10.0	.	5	5.7	.	11	7.4	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		38	100.0	22	100.0	60	100.0	66	100.0	22	100.0	88	100.0	104	100.0	44	100.0	148	100.0
Risk	MSM	29	76.3	0	0.0	29	48.3	41	62.1	0	0.0	41	46.6	70	67.3	0	0.0	70	47.3
	IDU	1	2.6	1	4.5	2	3.3	8	12.1	2	9.1	10	11.4	9	8.7	3	6.8	12	8.1
	MSM/IDU	2	5.3	0	0.0	2	3.3	8	12.1	0	0.0	8	9.1	10	9.6	0	0.0	10	6.8
	Heterosexual	1	2.6	9	40.9	10	16.7	3	4.5	13	59.1	16	18.2	4	3.8	22	50.0	26	17.6
	Fem Pres Het Cont	0	0.0	10	45.5	10	16.7	0	0.0	7	31.8	7	8.0	0	0.0	17	38.6	17	11.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	1	1.1	1	1.0	0	0.0	1	0.7
	Pediatric Risk	0	0.0	1	4.5	1	1.7	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	1	0.7
	Unk	5	13.2	1	4.5	6	10.0	5	7.6	0	0.0	5	5.7	10	9.6	1	2.3	11	7.4

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	4.6	1.7	100.0	1.6	0.3	100.0	1.7	100.0	2.0	100.0
Sex at Birth	Male	3.3	71.4	.	0.7	40.0	.	0.3	100.0	1.3	80.0	1.7	83.3
	Female	1.3	28.6	.	1.0	60.0	.	0.0	0.0	0.3	20.0	0.3	16.7
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	14.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	42.9	.	0.3	20.0	.	0.3	100.0	0.7	40.0	1.0	50.0
	50-59	0.7	14.3	.	0.3	20.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	60+	0.3	7.1	.	0.3	20.0	.	0.0	0.0	0.3	20.0	0.3	16.7
Race/Ethnicity	White	3.0	64.3	.	1.0	60.0	.	0.3	100.0	0.7	40.0	1.0	50.0
	Black	1.0	21.4	.	0.3	20.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	Hispanic	0.7	14.3	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	Multi Race	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	57.1	.	0.3	20.0	.	0.3	100.0	0.0	0.0	0.3	16.7
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	Heterosexual	0.7	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	14.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	14.3	.	0.3	20.0	.	0.0	0.0	0.7	40.0	0.7	33.3

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	1.3	100.0	4.7	100.0	0.7	100.0	1.0	100.0	1.7	100.0
Risk	MSM	2.7	80.0	0.0	0.0	2.7	57.1	0.3	50.0	0.0	0.0	0.3	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	50.0	0.7	14.3	0.0	0.0	0.3	33.3	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.7	50.0	0.7	14.3	0.0	0.0	0.7	66.7	0.7	40.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	0.0	0.0	0.7	14.3	0.3	50.0	0.0	0.0	0.3	20.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	4	.	3	3
1987	.	4	.	2	2
1988	.	5	.	5	5
1989	.	5	.	2	2
1990	.	8	.	4	4
1991	.	7	.	6	6
1992	.	12	.	5	5
1993	.	6	.	5	5
1994	.	10	.	7	7
1995	.	7	.	4	4
1996	.	14	.	5	5
1997	.	7	.	4	4
1998	.	7	.	3	3
1999	.	6	.	2	2
2000*	4	5	.	1	1
2001	4	6	.	2	2
2002	10	9	.	.	.
2003	5	3	1	2	3
2004	5	3	.	2	2
2005	6	4	.	1	1
2006	8	4	.	2	2
2007	4	9	.	.	.
2008	7	5	.	1	1
2009	5	4	1	1	2
2010	3	4	.	3	3
2011	4	1	1	.	1
2012	7	.	.	2	2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		273	100.0	150.2	426	100.0	234.3	699	100.0	384.5	181,791
Sex at Birth	Male	207	75.8	.	334	78.4	.	541	77.4	.	.
	Female	66	24.2	.	92	21.6	.	158	22.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	0.7	.	0	0.0	.	2	0.3	.	.
	20-24	6	2.2	.	6	1.4	.	12	1.7	.	.
	25-29	9	3.3	.	4	0.9	.	13	1.9	.	.
	30-39	29	10.6	.	27	6.3	.	56	8.0	.	.
	40-49	93	34.1	.	140	32.9	.	233	33.3	.	.
	50-59	96	35.2	.	173	40.6	.	269	38.5	.	.
	60+	38	13.9	.	76	17.8	.	114	16.3	.	.
Race/Ethnicity	White	105	38.5	.	114	26.8	.	219	31.3	.	.
	Black	78	28.6	.	127	29.8	.	205	29.3	.	.
	Hispanic	75	27.5	.	141	33.1	.	216	30.9	.	.
	Multi Race	15	5.5	.	43	10.1	.	58	8.3	.	.
	Others	0	0.0	.	1	0.2	.	1	0.1	.	.
Risk	MSM	48	17.6	.	74	17.4	.	122	17.5	.	.
	IDU	96	35.2	.	175	41.1	.	271	38.8	.	.
	MSM/IDU	11	4.0	.	32	7.5	.	43	6.2	.	.
	Heterosexual	51	18.7	.	74	17.4	.	125	17.9	.	.
	Fem Pres Het Cont	10	3.7	.	12	2.8	.	22	3.1	.	.
	Blood Prod.	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	0.4	.	7	1.6	.	8	1.1	.	.
	Unk	56	20.5	.	52	12.2	.	108	15.5	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		207	100.0	66	100.0	273	100.0	334	100.0	92	100.0	426	100.0	541	100.0	158	100.0	699	100.0
Risk	MSM	48	23.2	0	0.0	48	17.6	74	22.2	0	0.0	74	17.4	122	22.6	0	0.0	122	17.5
	IDU	77	37.2	19	28.8	96	35.2	148	44.3	27	29.3	175	41.1	225	41.6	46	29.1	271	38.8
	MSM/IDU	11	5.3	0	0.0	11	4.0	32	9.6	0	0.0	32	7.5	43	7.9	0	0.0	43	6.2
	Heterosexual	14	6.8	37	56.1	51	18.7	26	7.8	48	52.2	74	17.4	40	7.4	85	53.8	125	17.9
	Fem Pres Het Cont	0	0.0	10	15.2	10	3.7	0	0.0	12	13.0	12	2.8	0	0.0	22	13.9	22	3.1
	Blood Prod.	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	0.5	0	0.0	1	0.4	2	0.6	5	5.4	7	1.6	3	0.6	5	3.2	8	1.1
	Unk	56	27.1	0	0.0	56	20.5	52	15.6	0	0.0	52	12.2	108	20.0	0	0.0	108	15.5

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		8.7	100.0	4.8	7.0	100.0	3.9	2.7	100.0	7.7	100.0	10.3	100.0
Sex at Birth	Male	7.7	88.5	.	6.3	90.5	.	2.0	75.0	6.3	82.6	8.3	80.6
	Female	1.0	11.5	.	0.7	9.5	.	0.7	25.0	1.3	17.4	2.0	19.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	19.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	11.5	.	0.7	9.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	11.5	.	0.7	9.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	3.3	38.5	.	3.3	47.6	.	1.0	37.5	1.7	21.7	2.7	25.8
	50-59	1.0	11.5	.	2.0	28.6	.	1.3	50.0	3.0	39.1	4.3	41.9
	60+	0.3	3.8	.	0.3	4.8	.	0.3	12.5	3.0	39.1	3.3	32.3
Race/Ethnicity	White	5.7	65.4	.	3.3	47.6	.	2.7	100.0	2.3	30.4	5.0	48.4
	Black	0.7	7.7	.	1.3	19.0	.	0.0	0.0	1.7	21.7	1.7	16.1
	Hispanic	2.0	23.1	.	2.3	33.3	.	0.0	0.0	2.7	34.8	2.7	25.8
	Multi Race	0.3	3.8	.	0.0	0.0	.	0.0	0.0	1.0	13.0	1.0	9.7
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.0	57.7	.	3.0	42.9	.	1.3	50.0	1.3	17.4	2.7	25.8
	IDU	0.7	7.7	.	1.3	19.0	.	0.0	0.0	5.0	65.2	5.0	48.4
	MSM/IDU	0.0	0.0	.	0.7	9.5	.	0.3	12.5	0.0	0.0	0.3	3.2
	Heterosexual	1.0	11.5	.	1.0	14.3	.	0.3	12.5	0.3	4.3	0.7	6.5
	Fem Pres Het Cont	0.3	3.8	.	0.0	0.0	.	0.3	12.5	0.3	4.3	0.7	6.5
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	19.2	.	1.0	14.3	.	0.3	12.5	0.7	8.7	1.0	9.7

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.7	100.0	1.0	100.0	8.7	100.0	6.3	100.0	0.7	100.0	7.0	100.0
Risk	MSM	5.0	65.2	0.0	0.0	5.0	57.7	3.0	47.4	0.0	0.0	3.0	42.9
	IDU	0.7	8.7	0.0	0.0	0.7	7.7	1.3	21.1	0.0	0.0	1.3	19.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	10.5	0.0	0.0	0.7	9.5
	Heterosexual	0.3	4.3	0.7	66.7	1.0	11.5	0.3	5.3	0.7	100.0	1.0	14.3
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	3.8	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.7	21.7	0.0	0.0	1.7	19.2	1.0	15.8	0.0	0.0	1.0	14.3

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	33	.	22	22
1987	.	36	.	17	17
1988	.	37	.	18	18
1989	.	59	.	28	28
1990	.	49	.	36	36
1991	.	72	.	36	36
1992	.	73	.	41	41
1993	.	81	.	52	52
1994	.	85	.	46	46
1995	.	77	.	39	39
1996	.	51	.	50	50
1997	.	38	.	28	28
1998	.	34	.	13	13
1999	.	36	.	15	15
2000*	17	38	.	17	17
2001	22	43	3	20	23
2002	21	29	1	11	12
2003	22	35	4	14	18
2004	20	21	5	15	20
2005	21	18	4	15	19
2006	23	24	2	15	17
2007	9	18	5	11	16
2008	16	10	1	15	16
2009	11	15	4	11	15
2010	9	5	6	6	12
2011	14	11	1	10	11
2012	3	5	1	7	8

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

*Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		37	100.0	56.5	41	100.0	62.6	78	100.0	119.0	65,538
Sex at Birth	Male	30	81.1	.	31	75.6	.	61	78.2	.	.
	Female	7	18.9	.	10	24.4	.	17	21.8	.	.
Current Age	12 & under	2	5.4	.	0	0.0	.	2	2.6	.	.
	20-24	3	8.1	.	2	4.9	.	5	6.4	.	.
	25-29	1	2.7	.	2	4.9	.	3	3.8	.	.
	30-39	8	21.6	.	4	9.8	.	12	15.4	.	.
	40-49	11	29.7	.	12	29.3	.	23	29.5	.	.
	50-59	8	21.6	.	14	34.1	.	22	28.2	.	.
	60+	4	10.8	.	7	17.1	.	11	14.1	.	.
Race/Ethnicity	White	25	67.6	.	24	58.5	.	49	62.8	.	.
	Black	1	2.7	.	2	4.9	.	3	3.8	.	.
	Hispanic	8	21.6	.	11	26.8	.	19	24.4	.	.
	Multi Race	2	5.4	.	4	9.8	.	6	7.7	.	.
	Others	1	2.7	.	0	0.0	.	1	1.3	.	.
Risk	MSM	17	45.9	.	16	39.0	.	33	42.3	.	.
	IDU	2	5.4	.	10	24.4	.	12	15.4	.	.
	MSM/IDU	3	8.1	.	0	0.0	.	3	3.8	.	.
	Heterosexual	5	13.5	.	7	17.1	.	12	15.4	.	.
	Fem Pres Het Cont	2	5.4	.	3	7.3	.	5	6.4	.	.
	Blood Prod.	0	0.0	.	2	4.9	.	2	2.6	.	.
	Pediatric Risk	4	10.8	.	3	7.3	.	7	9.0	.	.
	Unk	4	10.8	.	0	0.0	.	4	5.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		30	100.0	7	100.0	37	100.0	31	100.0	10	100.0	41	100.0	61	100.0	17	100.0	78	100.0
Risk	MSM	17	56.7	0	0.0	17	45.9	16	51.6	0	0.0	16	39.0	33	54.1	0	0.0	33	42.3
	IDU	2	6.7	0	0.0	2	5.4	9	29.0	1	10.0	10	24.4	11	18.0	1	5.9	12	15.4
	MSM/IDU	3	10.0	0	0.0	3	8.1	0	0.0	0	0.0	0	0.0	3	4.9	0	0.0	3	3.8
	Heterosexual	0	0.0	5	71.4	5	13.5	2	6.5	5	50.0	7	17.1	2	3.3	10	58.8	12	15.4
	Fem Pres Het Cont	0	0.0	2	28.6	2	5.4	0	0.0	3	30.0	3	7.3	0	0.0	5	29.4	5	6.4
	Blood Prod.	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0	2	4.9	2	3.3	0	0.0	2	2.6
	Pediatric Risk	4	13.3	0	0.0	4	10.8	2	6.5	1	10.0	3	7.3	6	9.8	1	5.9	7	9.0
	Unk	4	13.3	0	0.0	4	10.8	0	0.0	0	0.0	0	0.0	4	6.6	0	0.0	4	5.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.1	1.3	100.0	2.0	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	1.7	62.5	.	0.0	0.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	1.0	37.5	.	1.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	37.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	60+	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White	2.3	87.5	.	1.0	75.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Black	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	25.0	.	0.7	50.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Fem Pres Het Cont	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	1.0	100.0	2.7	100.0	0.0	0.0	1.3	100.0	1.3	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	66.7	0.7	25.0	0.0	0.0	0.7	50.0	0.7	50.0
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	12.5	0.0	0.0	0.3	25.0	0.3	25.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	25.0
	Unk	0.7	40.0	0.0	0.0	0.7	25.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	4	.	3	3
1987	.	1	.	2	2
1988	.	4	.	.	.
1989	.	2	.	.	.
1990	.	4	.	5	5
1991	.	2	.	5	5
1992	.	5	.	1	1
1993	.	4	.	1	1
1994	.	3	.	3	3
1995	.	8	.	1	1
1996	.	4	.	4	4
1997	.	3	.	.	.
1998	.	5	.	.	.
1999	.	2	.	1	1
2000*	2	2	.	1	1
2001	5	4	.	5	5
2002	5	5	.	.	.
2003	3	.	.	2	2
2004	5	4	1	1	2
2005	1	3	1	3	4
2006	1	.	.	1	1
2007	2	3	.	1	1
2008	1	2	.	3	3
2009	2	2	.	.	.
2010	3	4	.	1	1
2011	1	.	.	1	1
2012	4	.	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		73	100.0	116.0	89	100.0	141.4	162	100.0	257.4	62,934
Sex at Birth	Male	67	91.8	.	80	89.9	.	147	90.7	.	.
	Female	6	8.2	.	9	10.1	.	15	9.3	.	.
Current Age	12 & under	1	1.4	.	0	0.0	.	1	0.6	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	4.1	.	0	0.0	.	3	1.9	.	.
	25-29	3	4.1	.	0	0.0	.	3	1.9	.	.
	30-39	5	6.8	.	8	9.0	.	13	8.0	.	.
	40-49	20	27.4	.	35	39.3	.	55	34.0	.	.
	50-59	29	39.7	.	28	31.5	.	57	35.2	.	.
	60+	12	16.4	.	18	20.2	.	30	18.5	.	.
Race/Ethnicity	White	18	24.7	.	20	22.5	.	38	23.5	.	.
	Black	19	26.0	.	28	31.5	.	47	29.0	.	.
	Hispanic	32	43.8	.	36	40.4	.	68	42.0	.	.
	Multi Race	4	5.5	.	5	5.6	.	9	5.6	.	.
Risk	MSM	9	12.3	.	10	11.2	.	19	11.7	.	.
	IDU	17	23.3	.	41	46.1	.	58	35.8	.	.
	MSM/IDU	2	2.7	.	5	5.6	.	7	4.3	.	.
	Heterosexual	2	2.7	.	12	13.5	.	14	8.6	.	.
	Fem Pres Het Cont	2	2.7	.	2	2.2	.	4	2.5	.	.
	Blood Prod.	0	0.0	.	1	1.1	.	1	0.6	.	.
	Pediatric Risk	1	1.4	.	0	0.0	.	1	0.6	.	.
	Unk	40	54.8	.	18	20.2	.	58	35.8	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		67	100.0	6	100.0	73	100.0	80	100.0	9	100.0	89	100.0	147	100.0	15	100.0	162	100.0
Risk	MSM	9	13.4	0	0.0	9	12.3	10	12.5	0	0.0	10	11.2	19	12.9	0	0.0	19	11.7
	IDU	15	22.4	2	33.3	17	23.3	40	50.0	1	11.1	41	46.1	55	37.4	3	20.0	58	35.8
	MSM/IDU	2	3.0	0	0.0	2	2.7	5	6.3	0	0.0	5	5.6	7	4.8	0	0.0	7	4.3
	Heterosexual	1	1.5	1	16.7	2	2.7	6	7.5	6	66.7	12	13.5	7	4.8	7	46.7	14	8.6
	Fem Pres Het Cont	0	0.0	2	33.3	2	2.7	0	0.0	2	22.2	2	2.2	0	0.0	4	26.7	4	2.5
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	1	1.1	1	0.7	0	0.0	1	0.6
	Pediatric Risk	0	0.0	1	16.7	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	1	0.6
	Unk	40	59.7	0	0.0	40	54.8	18	22.5	0	0.0	18	20.2	58	39.5	0	0.0	58	35.8

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.7	1.7	100.0	2.6	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.7	71.4	.	1.3	80.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.7	28.6	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	40-49	0.3	14.3	.	0.7	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	2.0	85.7	.	1.3	80.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Black	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	42.9	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	42.9	.	1.0	60.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Fem Pres Het Cont	0.3	14.3	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	1.0	60.0	0.0	0.0	1.0	42.9	0.3	25.0	0.0	0.0	0.3	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	40.0	0.3	50.0	1.0	42.9	1.0	75.0	0.0	0.0	1.0	60.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	14.3	0.0	0.0	0.3	100.0	0.3	20.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	22	.	16	16
1987	.	24	.	16	16
1988	.	25	.	7	7
1989	.	24	.	13	13
1990	.	34	.	16	16
1991	.	17	.	27	27
1992	.	28	.	19	19
1993	.	9	.	19	19
1994	.	21	.	18	18
1995	.	30	.	7	7
1996	.	13	.	8	8
1997	.	5	.	6	6
1998	.	3	.	4	4
1999	.	1	.	5	5
2000*	3	7	.	2	2
2001	6	7	1	3	4
2002	1	7	.	4	4
2003	2	1	.	2	2
2004	2	3	.	5	5
2005	4	9	1	4	5
2006	4	2	.	2	2
2007	1	1	1	2	3
2008	.	1	.	1	1
2009	3	1	.	4	4
2010	3	2	.	1	1
2011	3	1	.	1	1
2012	1	2	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	
Total		67	100.0	72.1	65	100.0	69.9	132	100.0	142.0	92,962
Sex at Birth	Male	49	73.1	.	49	75.4	.	98	74.2	.	.
	Female	18	26.9	.	16	24.6	.	34	25.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.5	.	0	0.0	.	1	0.8	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	3.0	.	1	1.5	.	3	2.3	.	.
	30-39	9	13.4	.	9	13.8	.	18	13.6	.	.
	40-49	23	34.3	.	18	27.7	.	41	31.1	.	.
	50-59	21	31.3	.	25	38.5	.	46	34.8	.	.
	60+	11	16.4	.	12	18.5	.	23	17.4	.	.
Race/Ethnicity	White	33	49.3	.	35	53.8	.	68	51.5	.	.
	Black	19	28.4	.	14	21.5	.	33	25.0	.	.
	Hispanic	11	16.4	.	12	18.5	.	23	17.4	.	.
	Multi Race	4	6.0	.	4	6.2	.	8	6.1	.	.
Risk	MSM	22	32.8	.	13	20.0	.	35	26.5	.	.
	IDU	3	4.5	.	12	18.5	.	15	11.4	.	.
	MSM/IDU	3	4.5	.	3	4.6	.	6	4.5	.	.
	Heterosexual	13	19.4	.	19	29.2	.	32	24.2	.	.
	Fem Pres Het Cont	7	10.4	.	4	6.2	.	11	8.3	.	.
	Pediatric Risk	1	1.5	.	0	0.0	.	1	0.8	.	.
	Unk	18	26.9	.	14	21.5	.	32	24.2	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

*Living HIV and AIDS Cases as of December 2012¹**by Sex at Birth and Risk**Includes State Prison Inmates²*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		49	100.0	18	100.0	67	100.0	49	100.0	16	100.0	65	100.0	98	100.0	34	100.0	132	100.0
Risk	MSM	22	44.9	0	0.0	22	32.8	13	26.5	0	0.0	13	20.0	35	35.7	0	0.0	35	26.5
	IDU	3	6.1	0	0.0	3	4.5	10	20.4	2	12.5	12	18.5	13	13.3	2	5.9	15	11.4
	MSM/IDU	3	6.1	0	0.0	3	4.5	3	6.1	0	0.0	3	4.6	6	6.1	0	0.0	6	4.5
	Heterosexual	3	6.1	10	55.6	13	19.4	9	18.4	10	62.5	19	29.2	12	12.2	20	58.8	32	24.2
	Fem Pres Het Cont	0	0.0	7	38.9	7	10.4	0	0.0	4	25.0	4	6.2	0	0.0	11	32.4	11	8.3
	Pediatric Risk	0	0.0	1	5.6	1	1.5	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.8
	Unk	18	36.7	0	0.0	18	26.9	14	28.6	0	0.0	14	21.5	32	32.7	0	0.0	32	24.2

¹ Data as of April 2014² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	5.0	3.7	100.0	3.9	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	3.7	78.6	.	3.0	81.8	.	0.0	0.0	1.3	100.0	1.3	80.0
	Female	1.0	21.4	.	0.7	18.2	.	0.3	100.0	0.0	0.0	0.3	20.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	7.1	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	7.1	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.0	42.9	.	1.0	27.3	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	1.0	21.4	.	1.3	36.4	.	0.3	100.0	0.7	50.0	1.0	60.0
	60+	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White	3.7	78.6	.	2.7	72.7	.	0.3	100.0	0.3	25.0	0.7	40.0
	Black	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.3	25.0	0.3	20.0
	Hispanic	0.3	7.1	.	0.7	18.2	.	0.0	0.0	0.7	50.0	0.7	40.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	35.7	.	1.0	27.3	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.0	0.0	.	0.3	9.1	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.7	14.3	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	14.3	.	0.7	18.2	.	0.3	100.0	0.0	0.0	0.3	20.0
	Fem Pres Het Cont	0.7	14.3	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	21.4	.	0.7	18.2	.	0.0	0.0	0.7	50.0	0.7	40.0

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.0	100.0	4.7	100.0	3.0	100.0	0.7	100.0	3.7	100.0
Risk	MSM	1.7	45.5	0.0	0.0	1.7	35.7	1.0	33.3	0.0	0.0	1.0	27.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.1	0.0	0.0	0.3	9.1
	MSM/IDU	0.7	18.2	0.0	0.0	0.7	14.3	0.3	11.1	0.0	0.0	0.3	9.1
	Heterosexual	0.3	9.1	0.3	33.3	0.7	14.3	0.7	22.2	0.0	0.0	0.7	18.2
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	14.3	0.0	0.0	0.7	100.0	0.7	18.2
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	27.3	0.0	0.0	1.0	21.4	0.7	22.2	0.0	0.0	0.7	18.2

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	7	.	4	4
1987	.	1	.	1	1
1988	.	2	.	2	2
1989	.	1	.	3	3
1990	.	5	.	2	2
1991	.	5	.	4	4
1992	.	10	.	2	2
1993	.	12	.	9	9
1994	.	5	.	6	6
1995	.	7	.	6	6
1996	.	7	.	3	3
1997	.	9	.	2	2
1998	.	8	.	2	2
1999	.	2	.	3	3
2000*	5	4	.	.	.
2001	7	7	.	2	2
2002	9	3	.	1	1
2003	3	2	.	3	3
2004	4	3	1	2	3
2005	9	4	.	2	2
2006	10	8	.	1	1
2007	3	2	1	1	2
2008	4	2	1	1	2
2009	6	5	1	2	3
2010	5	2	.	3	3
2011	4	5	1	.	1
2012	5	4	.	1	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		1,448	100.0	150.6	2,347	100.0	244.1	3,795	100.0	394.6	961,670
Sex at Birth	Male	867	59.9	.	1,478	63.0	.	2,345	61.8	.	.
	Female	581	40.1	.	869	37.0	.	1,450	38.2	.	.
Current Age	12 & under	7	0.5	.	0	0.0	.	7	0.2	.	.
	13-19	21	1.5	.	7	0.3	.	28	0.7	.	.
	20-24	68	4.7	.	27	1.2	.	95	2.5	.	.
	25-29	99	6.8	.	63	2.7	.	162	4.3	.	.
	30-39	255	17.6	.	202	8.6	.	457	12.0	.	.
	40-49	401	27.7	.	694	29.6	.	1,095	28.9	.	.
	50-59	405	28.0	.	886	37.8	.	1,291	34.0	.	.
	60+	187	12.9	.	466	19.9	.	653	17.2	.	.
	Unk	5	0.3	.	2	0.1	.	7	0.2	.	.
Race/Ethnicity	White	303	20.9	.	409	17.4	.	712	18.8	.	.
	Black	579	40.0	.	921	39.2	.	1,500	39.5	.	.
	Hispanic	442	30.5	.	739	31.5	.	1,181	31.1	.	.
	Multi Race	113	7.8	.	270	11.5	.	383	10.1	.	.
	Others	11	0.8	.	8	0.3	.	19	0.5	.	.
Risk	MSM	469	32.4	.	581	24.8	.	1,050	27.7	.	.
	IDU	220	15.2	.	697	29.7	.	917	24.2	.	.
	MSM/IDU	31	2.1	.	111	4.7	.	142	3.7	.	.
	Heterosexual	418	28.9	.	682	29.1	.	1,100	29.0	.	.
	Fem Pres Het Cont	134	9.3	.	108	4.6	.	242	6.4	.	.
	Blood Prod.	1	0.1	.	6	0.3	.	7	0.2	.	.
	Pediatric Risk	34	2.3	.	33	1.4	.	67	1.8	.	.
	Unk	141	9.7	.	129	5.5	.	270	7.1	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		867	100.0	581	100.0	1,448	100.0	1,478	100.0	869	100.0	2,347	100.0	2,345	100.0	1,450	100.0	3,795	100.0
Risk	MSM	469	54.1	0	0.0	469	32.4	581	39.3	0	0.0	581	24.8	1,050	44.8	0	0.0	1,050	27.7
	IDU	91	10.5	129	22.2	220	15.2	425	28.8	272	31.3	697	29.7	516	22.0	401	27.7	917	24.2
	MSM/IDU	31	3.6	0	0.0	31	2.1	111	7.5	0	0.0	111	4.7	142	6.1	0	0.0	142	3.7
	Heterosexual	114	13.1	304	52.3	418	28.9	213	14.4	469	54.0	682	29.1	327	13.9	773	53.3	1,100	29.0
	Fem Pres Het Cont	0	0.0	134	23.1	134	9.3	0	0.0	108	12.4	108	4.6	0	0.0	242	16.7	242	6.4
	Blood Prod.	1	0.1	0	0.0	1	0.1	3	0.2	3	0.3	6	0.3	4	0.2	3	0.2	7	0.2
	Pediatric Risk	20	2.3	14	2.4	34	2.3	16	1.1	17	2.0	33	1.4	36	1.5	31	2.1	67	1.8
	Unk	141	16.3	0	0.0	141	9.7	129	8.7	0	0.0	129	5.5	270	11.5	0	0.0	270	7.1

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		105.3	100.0	11.0	75.3	100.0	7.8	10.3	100.0	62.7	100.0	73.0	100.0
Sex at Birth	Male	79.7	75.6	.	51.0	67.7	.	7.7	74.2	39.7	63.3	47.3	64.8
	Female	25.7	24.4	.	24.3	32.3	.	2.7	25.8	23.0	36.7	25.7	35.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	4.7	4.4	.	2.0	2.7	.	0.3	3.2	0.3	0.5	0.7	0.9
	20-24	16.7	15.8	.	4.7	6.2	.	0.0	0.0	0.7	1.1	0.7	0.9
	25-29	13.3	12.7	.	6.0	8.0	.	0.3	3.2	0.7	1.1	1.0	1.4
	30-39	22.7	21.5	.	16.7	22.1	.	1.0	9.7	5.0	8.0	6.0	8.2
	40-49	22.3	21.2	.	19.0	25.2	.	3.0	29.0	14.7	23.4	17.7	24.2
	50-59	16.7	15.8	.	19.0	25.2	.	5.0	48.4	26.3	42.0	31.3	42.9
	60+	9.0	8.5	.	8.0	10.6	.	0.7	6.5	15.0	23.9	15.7	21.5
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	13.7	13.0	.	9.3	12.4	.	2.0	19.4	8.7	13.8	10.7	14.6
	Black	41.0	38.9	.	29.3	38.9	.	5.0	48.4	30.3	48.4	35.3	48.4
	Hispanic	35.3	33.5	.	23.3	31.0	.	2.0	19.4	16.0	25.5	18.0	24.7
	Multi Race	14.3	13.6	.	12.7	16.8	.	1.3	12.9	7.7	12.2	9.0	12.3
	Others	1.0	0.9	.	0.7	0.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	52.7	50.0	.	25.7	34.1	.	3.0	29.0	11.7	18.6	14.7	20.1
	IDU	5.0	4.7	.	11.3	15.0	.	2.3	22.6	28.0	44.7	30.3	41.6
	MSM/IDU	1.7	1.6	.	1.7	2.2	.	0.3	3.2	5.0	8.0	5.3	7.3
	Heterosexual	28.0	26.6	.	23.0	30.5	.	2.7	25.8	13.7	21.8	16.3	22.4
	Fem Pres Het Cont	7.3	7.0	.	6.0	8.0	.	0.3	3.2	1.7	2.7	2.0	2.7
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.5	0.3	0.5
	Pediatric Risk	0.0	0.0	.	0.3	0.4	.	0.0	0.0	0.7	1.1	0.7	0.9
	Unk	10.7	10.1	.	7.3	9.7	.	1.7	16.1	1.7	2.7	3.3	4.6

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²**by Sex at Birth and Risk****Includes State Prison Inmates³**

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		79.7	100.0	25.7	100.0	105.3	100.0	51.0	100.0	24.3	100.0	75.3	100.0
Risk	MSM	52.7	66.1	0.0	0.0	52.7	50.0	25.7	50.3	0.0	0.0	25.7	34.1
	IDU	3.7	4.6	1.3	5.2	5.0	4.7	6.7	13.1	4.7	19.2	11.3	15.0
	MSM/IDU	1.7	2.1	0.0	0.0	1.7	1.6	1.7	3.3	0.0	0.0	1.7	2.2
	Heterosexual	11.0	13.8	17.0	66.2	28.0	26.6	9.3	18.3	13.7	56.2	23.0	30.5
	Fem Pres Het Cont	0.0	0.0	7.3	28.6	7.3	7.0	0.0	0.0	6.0	24.7	6.0	8.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.3	0.4
	Unk	10.7	13.4	0.0	0.0	10.7	10.1	7.3	14.4	0.0	0.0	7.3	9.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³***

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	289	.	188	188
1987	.	192	.	119	119
1988	.	216	.	143	143
1989	.	252	.	165	165
1990	.	268	.	203	203
1991	.	325	.	202	202
1992	.	442	.	242	242
1993	.	392	.	250	250
1994	.	395	.	287	287
1995	.	382	.	289	289
1996	.	321	.	185	185
1997	.	251	.	107	107
1998	.	240	.	119	119
1999	.	181	.	94	94
2000*	219	211	4	123	127
2001	158	208	8	76	84
2002	150	188	10	84	94
2003	134	188	19	97	116
2004	160	160	13	77	90
2005	122	162	16	86	102
2006	146	137	11	69	80
2007	135	134	14	75	89
2008	139	114	12	86	98
2009	114	95	6	73	79
2010	119	93	15	72	87
2011	98	62	6	59	65
2012	99	71	10	57	67

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		80	100.0	191.0	129	100.0	307.9	209	100.0	498.9	41,892
Sex at Birth	Male	76	95.0	.	126	97.7	.	202	96.7	.	.
	Female	4	5.0	.	3	2.3	.	7	3.3	.	.
Current Age	13-19	1	1.3	.	1	0.8	.	2	1.0	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	2	2.5	.	0	0.0	.	2	1.0	.	.
	30-39	4	5.0	.	5	3.9	.	9	4.3	.	.
	40-49	34	42.5	.	45	34.9	.	79	37.8	.	.
	50-59	30	37.5	.	55	42.6	.	85	40.7	.	.
	60+	9	11.3	.	23	17.8	.	32	15.3	.	.
Race/Ethnicity	White	11	13.8	.	10	7.8	.	21	10.0	.	.
	Black	28	35.0	.	57	44.2	.	85	40.7	.	.
	Hispanic	37	46.3	.	54	41.9	.	91	43.5	.	.
	Multi Race	4	5.0	.	6	4.7	.	10	4.8	.	.
	Others	0	0.0	.	2	1.6	.	2	1.0	.	.
Risk	MSM	8	10.0	.	12	9.3	.	20	9.6	.	.
	IDU	40	50.0	.	60	46.5	.	100	47.8	.	.
	MSM/IDU	4	5.0	.	12	9.3	.	16	7.7	.	.
	Heterosexual	5	6.3	.	8	6.2	.	13	6.2	.	.
	Fem Pres Het Cont	2	2.5	.	0	0.0	.	2	1.0	.	.
	Blood Prod.	0	0.0	.	1	0.8	.	1	0.5	.	.
	Pediatric Risk	1	1.3	.	1	0.8	.	2	1.0	.	.
	Unk	20	25.0	.	35	27.1	.	55	26.3	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		76	100.0	4	100.0	80	100.0	126	100.0	3	100.0	129	100.0	202	100.0	7	100.0	209	100.0
Risk	MSM	8	10.5	0	0.0	8	10.0	12	9.5	0	0.0	12	9.3	20	9.9	0	0.0	20	9.6
	IDU	38	50.0	2	50.0	40	50.0	59	46.8	1	33.3	60	46.5	97	48.0	3	42.9	100	47.8
	MSM/IDU	4	5.3	0	0.0	4	5.0	12	9.5	0	0.0	12	9.3	16	7.9	0	0.0	16	7.7
	Heterosexual	5	6.6	0	0.0	5	6.3	6	4.8	2	66.7	8	6.2	11	5.4	2	28.6	13	6.2
	Fem Pres Het Cont	0	0.0	2	50.0	2	2.5	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	1.0
	Blood Prod.	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.8	1	0.5	0	0.0	1	0.5
	Pediatric Risk	1	1.3	0	0.0	1	1.3	1	0.8	0	0.0	1	0.8	2	1.0	0	0.0	2	1.0
	Unk	20	26.3	0	0.0	20	25.0	35	27.8	0	0.0	35	27.1	55	27.2	0	0.0	55	26.3

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	4.0	1.0	100.0	2.4	0.0	0.0	2.0	100.0	2.0	100.0
Sex at Birth	Male	1.7	100.0	.	1.0	100.0	.	0.0	0.0	2.0	100.0	2.0	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	40.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	40.0	.	0.7	66.7	.	0.0	0.0	0.7	33.3	0.7	33.3
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	66.7	1.3	66.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.7	40.0	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	16.7
	Black	0.3	20.0	.	0.7	66.7	.	0.0	0.0	1.0	50.0	1.0	50.0
	Hispanic	0.7	40.0	.	0.3	33.3	.	0.0	0.0	0.7	33.3	0.7	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	40.0	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	16.7
	IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	1.3	66.7	1.3	66.7
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	40.0	.	0.7	66.7	.	0.0	0.0	0.3	16.7	0.3	16.7

¹ Data as of April 2014² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.0	0.0	1.7	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	0.7	40.0	0.0	0.0	0.7	40.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	20.0	0.0	0.0	0.3	20.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	40.0	0.0	0.0	0.7	40.0	0.7	66.7	0.0	0.0	0.7	66.7

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
<1987	.	29	.	19	19
1987	.	17	.	14	14
1988	.	18	.	10	10
1989	.	18	.	8	8
1990	.	16	.	13	13
1991	.	23	.	15	15
1992	.	24	.	12	12
1993	.	30	.	16	16
1994	.	29	.	17	17
1995	.	32	.	19	19
1996	.	33	.	10	10
1997	.	7	.	11	11
1998	.	14	.	7	7
1999	.	10	.	2	2
2000*	6	4	3	6	9
2001	.	5	.	2	2
2002	1	4	2	3	5
2003	7	8	1	5	6
2004	.	4	2	10	12
2005	2	9	.	3	3
2006	.	.	1	3	4
2007	2	5	1	2	3
2008	1	4	1	2	3
2009	.	2	.	4	4
2010	1	.	.	4	4
2011	2	2	.	2	2
2012	2	1	.	.	.

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2012¹
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates²

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Number	Col %	Prevalence Rate ³	Population
Total		6	100.0	23.7	6	100.0	23.7	12	100.0	47.3	25,344
Sex at Birth	Male	4	66.7	.	2	33.3	.	6	50.0	.	.
	Female	2	33.3	.	4	66.7	.	6	50.0	.	.
Current Age	25-29	2	33.3	.	1	16.7	.	3	25.0	.	.
	30-39	1	16.7	.	0	0.0	.	1	8.3	.	.
	40-49	1	16.7	.	1	16.7	.	2	16.7	.	.
	50-59	2	33.3	.	2	33.3	.	4	33.3	.	.
	60+	0	0.0	.	2	33.3	.	2	16.7	.	.
Race/Ethnicity	White	1	16.7	.	6	100.0	.	7	58.3	.	.
	Black	4	66.7	.	0	0.0	.	4	33.3	.	.
	Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Multi Race	1	16.7	.	0	0.0	.	1	8.3	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	2	33.3	.	0	0.0	.	2	16.7	.	.
	IDU	0	0.0	.	3	50.0	.	3	25.0	.	.
	MSM/IDU	0	0.0	.	1	16.7	.	1	8.3	.	.
	Heterosexual	1	16.7	.	0	0.0	.	1	8.3	.	.
	Fem Pres Het Cont	1	16.7	.	2	33.3	.	3	25.0	.	.
	Unk	2	33.3	.	0	0.0	.	2	16.7	.	.

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

³ Per 100,000 population

Living HIV and AIDS Cases as of December 2012¹

by Sex at Birth and Risk

Includes State Prison Inmates²

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4	100.0	2	100.0	6	100.0	2	100.0	4	100.0	6	100.0	6	100.0	6	100.0	12	100.0
Risk	MSM	2	50.0	0	0.0	2	33.3	0	0.0	0	0.0	0	0.0	2	33.3	0	0.0	2	16.7
	IDU	0	0.0	0	0.0	0	0.0	1	50.0	2	50.0	3	50.0	1	16.7	2	33.3	3	25.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	16.7	1	16.7	0	0.0	1	8.3
	Heterosexual	0	0.0	1	50.0	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	8.3
	Fem Pres Het Cont	0	0.0	1	50.0	1	16.7	0	0.0	2	50.0	2	33.3	0	0.0	3	50.0	3	25.0
	Unk	2	50.0	0	0.0	2	33.3	0	0.0	0	0.0	0	0.0	2	33.3	0	0.0	2	16.7

¹ Data as of April 2014

² County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Average Annual Newly Diagnosed HIV and AIDS Cases¹ and Deaths Among HIV and AIDS Cases, 2010-2012²

by Sex at Birth, Age, Race/Ethnicity and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate ⁴	Number	Col %	Case Rate ⁴	Number	Col %	Number	Col %	Number	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

¹ Data as of April 2014

² Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ Per 100,000 population

Newly Diagnosed HIV and AIDS Cases¹, 2010-2012²

by Sex at Birth and Risk

Includes State Prison Inmates³

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

*Newly Diagnosed HIV and AIDS Cases¹ by Year of Diagnosis²
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates³*

Year	HIV Diagnoses ⁴	AIDS Diagnoses	Deaths Among HIV Cases ⁵	Deaths Among AIDS Cases ⁵	Deaths Among HIV and AIDS Cases ⁵
1989	.	1	.	.	.
1991	.	2	.	2	2
1992	.	1	.	.	.
1993	.	2	.	2	2
1994	.	1	.	2	2
1995	.	2	.	.	.
1996	.	.	.	1	1
2000*	1
2002	1
2003	3	1	.	.	.
2004	1	1	.	1	1
2006	2	1	1	.	1
2008	.	1	1	.	1

¹ Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

² Data as of April 2014

³ County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

⁴ HIV reporting began in June 2000. No earlier data are available.

⁵ Death may be due to causes other than HIV or AIDS.