


**New York State
HIV/AIDS County
Surveillance Report
(Includes State Prison Inmates)**



**For Cases Diagnosed
Through December 2013**

**Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health
August 2015**

TABLE OF CONTENTS
Includes State Prison Inmates

	Page
Introduction to the New York State HIV/AIDS County Surveillance Report	3-7
Technical Notes on the New York State HIV/AIDS County Surveillance Report.....	8-12
Definition of Terms Used in this Report.....	13-16
Guide to the Tables	17-20

NYS, EXCLUDING NYC, by County

Summary Table A: Average Annual Newly Diagnosed HIV Cases by County	21-22
Summary Table B: AIDS Cases by county of Residence at Diagnosis and Year of Diagnosis	23-24
Summary Table C: HIV Cases, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis.....	25-26
Summary Table D1: Deaths Among HIV Cases by County of Residence at Diagnosis and Year of Death	27-28
Summary Table D2: Deaths Among AIDS Cases by County of Residence at Diagnosis and Year of Death	29-30
Summary Table D3: Deaths Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death	31-32

Counties in New York State

The following tables have been generated for each of the counties in New York State:

- 1A** - Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- 1B** - Living HIV and AIDS Cases by Sex at Birth and Risk
- 2A** - Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS
Cases, 2010-2012, by Sex at Birth, Age, Race Ethnicity and Risk
- 2B** – Newly Diagnosed HIV and AIDS Cases, 2010-2012, by Sex at Birth and Risk
- 3** – Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among Persons
Living with HIV and AIDS Cases by Year of Death

Introduction to the New York State HIV/AIDS County Surveillance Report

Important Changes in this Year's Report

This report for calendar year 2013 introduces a new method for counting newly diagnosed HIV cases. Effective May 2015, the NYSDOH Bureau of HIV/AIDS Epidemiology (BHAЕ) has changed the method used to classify people as new HIV diagnoses in New York State. This affects cases reported as new HIV diagnoses for years 2009 and following.

Newly identified cases whose surveillance records lacked clear dates of initial HIV diagnosis were not included in previous reports of new diagnoses. Under the new method, such cases diagnosed in 2009 and later are included as new diagnoses. However, they are not included in calculation of concurrency of HIV/AIDS diagnoses (See *Guide to the Tables, Summary Table "A"*), which requires precise knowledge of the date of diagnosis.

Counts of new diagnoses from this report should not be combined with counts from earlier reports to produce historical series that include the years 2009-2013. Summary Table "C" presents HIV counts by county by year of diagnosis using the new counting method. Please contact BHAЕ (bhae@health.ny.gov) to obtain additional historical series data.¹

The new method is not applied to cases through 2008. Application of the new method to data from earlier years of HIV reporting would result in falsely elevated counts, since many people newly reported in that period had actually been diagnosed years earlier. HIV reporting began in June 2000, and the expansion of reporting of HIV related laboratory tests began June 2005. Thus, it was only in the years after 2005 that New York State Department of Health (NYSDOH) was able to build a comprehensive picture of persons living in NYS with diagnosed HIV infection. Other major changes in data collection that were put in place through 2009 included: (a) 2009 was the first year both NYSDOH and the New York City Department of Health and Mental Hygiene (NYCDOHMH) used the new Centers for Disease Control and Prevention (CDC) eHARS data system for reporting cases to the CDC, allowing enhanced data matching between the two surveillance systems and improving data completeness; (b) electronic reporting of all HIV/AIDS laboratory results became mandatory in NYS in July 2008.

On average, the total annual number of new HIV diagnoses in each of the past five years increases by about 330 under the new method. Even with these higher numbers, the downward trajectory of new HIV diagnoses in NYS over time remains accurate. Classifying new diagnoses based on the new method has little impact on the relative distribution of cases across gender, age, race/ethnicity, and transmission risk groups.

New HIV Diagnoses, New York State, 2001-2008

Diagnosis Year	
2001	6,793
2002	6,070
2003	5,535
2004	5,149
2005	5,180
2006	4,878
2007	4,783
2008	4,641

New HIV Diagnoses, 2009-2013

Diagnosis Year	Old Method	New Method
2009	4,244	4,609
2010	3,854	4,165
2011	3,674	3,996
2012	3,403	3,706
2013	3,174	3,512

The revised method for counting newly diagnosed HIV cases has no impact on the major goals for the *Ending the Epidemic*¹ initiative. Estimates of new infections are determined by a CDC methodology that is not affected by how NYS categorizes new diagnoses. The additional persons classified as new diagnoses have always been included in NYS analyses of persons living with diagnosed HIV infection and measures of HIV care.

Important changes in HIV surveillance in 2013 and 2014 have required procedural adaptations. Applying these changes to data on new diagnoses from 2009 and beyond is reasonable and allows the community of persons interested in the HIV epidemic to follow the trends of the last few years. Furthermore, NYS's *Ending the Epidemic* efforts create a compelling impetus for more complete characterization of the newly reported and likely newly-diagnosed cases. *Ending*

¹ http://www.health.ny.gov/diseases/aids/ending_the_epidemic/

the Epidemic will require that we understand better the path of every HIV-infected individual in terms of opportunities for diagnosis, linkage, retention, and viral suppression.

Recent changes which affect surveillance data, and particularly new diagnoses, include:

- The newly recommended HIV Diagnostic Testing Algorithm
 - Many more laboratories are eligible to conduct and report this testing
 - These multiple tests are often conducted at different times and by different laboratories, which makes aggregating results for a single patient specimen more challenging.
- The April 2014 CDC case definition update had important changes that impacted HIV diagnosis date calculations.
- The CDC-sponsored national case deduplication process, which helps states determine the earliest diagnosis date for persons moving between states, has undergone recent substantial methodological changes.

The layout and content of the tables showing new diagnoses, such as Summary Table A, have changed. Please see “Guide to the Tables”, below.

HIV/AIDS Surveillance Annual County Report - Overview

The County Surveillance Report presents recent data on newly diagnosed HIV cases, persons living with HIV/AIDS and deaths among AIDS cases in the counties of New York State. The County Report is a companion piece to the NYS HIV/AIDS Annual Surveillance Report (available at <http://www.health.ny.gov/diseases/aids/general/statistics/annual/index.htm>). Like the Annual Surveillance Report, the County Report divides new HIV diagnoses into subcategories based on concurrent or subsequent AIDS diagnoses, and displays diagnosis and prevalence rates.

Format of the Report

The report covers the individual counties of New York State, except for the five boroughs of New York City, which are covered in the Annual Surveillance Report, and Hamilton County, which has too few HIV/AIDS cases to populate the tables. The report is issued in two parallel sections, one including and one excluding inmates in state correctional facilities. The sections contain six summary tables listing all counties, followed by sets of detailed tables for each individual county. The summary tables (A-D) are:

- (A) Average Annual Newly Diagnosed HIV Cases by Diagnosis Type,
- (B) AIDS Cases by Year of Diagnosis,
- (C) Newly Diagnosed HIV Cases by Year of Diagnosis, and
- (D) Deaths among HIV and AIDS Cases by Year of Death.

The county detail tables (1-3) are:

- (1) Living HIV and AIDS Cases
- (2) Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases
- (3) Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis and Deaths Among HIV and AIDS Cases by Year of Death.

Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The tables feature **prevalence rates** (living cases per 100,000 population) and show the population.
- Age is **current age** for the time point being reported, e.g. December 2013.

Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- New HIV diagnoses are categorized by AIDS diagnosis status. “HIV Non-AIDS” refers to cases without a subsequent AIDS diagnosis or with an AIDS diagnosis at least one month later than the date of HIV diagnosis. Cases with an AIDS diagnosis within one month of the date of HIV diagnosis are classified as “Concurrent HIV and AIDS”. “Uncertain concurrency” refers to cases whose date of diagnosis is not known with confidence; concurrency cannot be calculated for these cases.
- Concurrent HIV and AIDS diagnoses are also shown as percent of total new HIV Non-AIDS + Concurrent diagnoses. (Summary Table “A”)
- **Case rates** (cases per 100,000 population per year) are given for new all HIV diagnoses.

Newly Diagnosed AIDS Cases

- Case rates are given.
- Cumulative AIDS cases, which were featured in previous editions of the County Reports, have been dropped.

Deaths Among HIV Cases and AIDS Cases

- Deaths from all cases are shown separately for HIV, AIDS and total cases

Technical Notes on the New York State HIV/AIDS County Surveillance Report

Introduction

This HIV/AIDS County Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.health.ny.gov/diseases/aids/general/statistics/annual/index.htm#counties>

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany NY 12220-0073
(518) 474-4284
bhae@health.ny.gov

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH).

Source Data

This report was produced using the April 2015 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection, HIV-related illness and AIDS to the NYS Commissioner of Health.² Under the amended HIV

² HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection. In 2014, the laboratory reporting law was revised to clarify reporting requirements for the new CDC/APHL diagnostic testing algorithm. Laboratories conducting HIV-related testing must report electronically to the NYSDOH. For more information call 518-474-4284 or see: <http://www.wadsworth.org/labcert/regaffairs/clinical/commdiseaseguide.pdf>.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 3/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.ny.gov/diseases/aids/>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified three times to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition³, designating AIDS as “stage 3 HIV infection”. This County Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all HIV cases entered into the NYS surveillance system meet this requirement it did not materially affect case counts.

In April 2014, CDC again revised the HIV case definition⁴. Under the 2014 definition, (1) adult and pediatric definitions are covered under a single rubric; (2) “stage 0 HIV infection” is used to denote cases with a negative HIV test within 6 months of diagnosis; (3) laboratory criteria for

³ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008; MMWR, Dec. 5 2008, vol. 57, No. RR-10

⁴ Revised Surveillance Case Definition for HIV Infection --- United States, 2014:MMWR, Apr. 11, 2008, vol.63, No. 3

“stage 3 HIV infection” refer to CD4 + T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and, (4) laboratory criteria for defining a confirmed case now accommodate the multitest algorithm which entered widespread use in 2013. The new case definition went into effect after the preparation of data for this report and is not reflected in these tabulations.

Deduplication:

The HIV/AIDS case data used in this County Report have undergone both inter- and intra-state deduplication.

New York participates in CDC's Routine Interstate Duplicate Review (RIDR) program. RIDR is an ongoing effort to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case is assigned to for national tabulations. Cases in the New York registry that are known through RIDR to have been initially diagnosed while in another state are excluded from the County Report.

The County Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAЕ. In NYC, HIV/AIDS surveillance is conducted by the NYC DOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is counted only once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAЕ following an algorithm similar to that used by CDC. Since May 2010, BHAЕ has performed further adjustments to the data using information from an intra-state extension of the RIDR process. This removes several hundred additional duplicate records, but importantly, returns to the analysis files some 3,000 unique cases that are excluded by the base procedure.

Ongoing refinement of the data may also contribute to geographical reassignment of cases at the state, regional, and/or county and local levels.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic or other key variables, including risk factors, are investigated by NYS or NYC staff who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases identified through laboratory report of a positive test result from an approved diagnostic test and/or reported by a provider indicating an HIV diagnosis or an HIV illness.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported living individuals who have ever met CDC criteria for Stage 3 HIV disease (AIDS).
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes new HIV cases concurrently diagnosed with AIDS and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases. (See Summary Table “B”.)

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. The date of diagnosis is unrelated to the timing of

initial HIV infection or disease acquisition.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact (FPHC)
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as “pediatric” if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive

- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined risk category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus a portion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e., HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record reviews, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and from the Social Security Death Master File and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed or reported while incarcerated in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. For cases diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In some counties prisoners make up a significant but shifting proportion of new diagnoses and living cases, and the local HIV burden is better represented by removing prisoner cases from the tabulations. The County Reports present HIV surveillance data both including and excluding prisoners. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2013 and diagnosed with AIDS in Monroe County in 2014, would be included among living HIV cases in Albany County in the County Report for December 2013.

(Note: BHAE is able to supply counts of living cases by current residence, rather than residence at diagnosis. Please contact bhae@health.ny.gov.)

Guide to the Tables

There are two types of tables in the County Reports. Summary tables contain one row for each of the 56 counties (all NYS counties, excluding the five boroughs of New York City and Hamilton County.) The summary tables present newly diagnosed HIV cases by type and year of diagnosis, and HIV and AIDS cases by year of diagnosis and year of death among HIV and AIDS cases. The county detail tables present demographic and risk breakouts for new and living HIV and AIDS cases, as well as deaths among HIV and AIDS cases.

The tables of newly diagnosed cases and deaths present 3-year averages. Case counts in smaller counties may show great variation across years; the 3-year average is more stable and representative than any one year.

Guide to the Tables

Summary Table A

New York State Excluding New York City

Summary Table A

Average Annual Newly Diagnosed HIV Cases (January 2011 - December 2013), by County
Excludes State Prison Inmates*

	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrency C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
County	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate***	%
Albany	22.7	8.0	1.3	32.0	10.4	26.1
Allegany	.	.	.	2.0	0.4	.
Broome	5.3	4.7	1.0	11.0	5.6	46.7
Cattaraugus	.	.	.	3.3	4.2	.

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2013), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

HIV Non-AIDS: HIV without subsequent AIDS diagnosis or with AIDS diagnosis more than one month after HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis **within one month** of the HIV diagnosis date.

Uncertain Concurrency: Newly diagnosed HIV cases without a confident diagnosis date for calculation of concurrency.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population (i.e. Case rate=new diagnoses divided by the county population x 100,000. County populations are shown on Table 1A of each of the individual counties.)

Percent Concurrent: Concurrent HIV and AIDS diagnoses are shown as a percent of total new HIV Non-AIDS + Concurrent diagnoses.

Guide to the Tables

Detail Table 1A

Albany County Table 1A

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Number	Col %	Prevalence Rate*	Population
Total		475	100.0	154.8	558	100.0	181.8	1,033	100.0	336.5	306,945
Sex at Birth	Male	315	66.3	.	374	67.0	.	689	66.7	.	.
	Female	160	33.7	.	184	33.0	.	344	33.3	.	.
Current Age	12 & under	4	0.8	.	0	0.0	.	4	0.4	.	.

Living HIV/AIDS Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2013). These are summed to produce a total count of people living with HIV and AIDS.

Prevalence Rate: The number of living cases per 100,000 population. Rates are not presented for population sub-groups because in most cases the numbers are too small to be statistically meaningful.

Area Population: National Center for Health Statistics, Bridged-Race Vintage 2013 Postcensal File (Released 2014)

Guide to the Tables

Detail Table 2A

Albany County Table 2A

Average Annual Newly Diagnosed HIV and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013**
by Sex at Birth, Age, Race/Ethnicity and Risk
Excludes State Prison Inmates*

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate***	Number	Col %	Case Rate***	Number	Col %	Number	Col %	Number	Col %
Total		32.0	100.0	10.4	19.0	100.0	6.2	1.0	100.0	10.7	100.0	11.7	100.0
Sex at Birth	Male	25.0	78.1	.	14.0	73.7	.	0.7	66.7	7.7	71.9	8.3	71.4
	Female	7.0	21.9	.	5.0	26.3	.	0.3	33.3	3.0	28.1	3.3	28.6
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period, and those AIDS diagnoses will be reported in the AIDS diagnosis column.

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to Summary Table A).

Deaths Among HIV Cases, AIDS Cases and Deaths Among HIV and AIDS Cases: In each instance, the annual average of the referenced reporting period (in this case 2011-2013) is reported.

Note: For population subgroups that did not have any HIV or AIDS diagnoses or deaths in the reporting period, no line appears in the table.

Summary Table A
Average Annual Newly Diagnosed HIV Cases* (January 2011 - December 2013), by County
Includes State Prison Inmates

County	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrence C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
	AnnualAverage	AnnualAverage	AnnualAverage	AnnualAverage	Case Rate***	%
Albany	25.0	8.3	2.3	35.7	11.6	25.0
Allegany	.	.	.	2.0	0.4	.
Broome	5.7	4.7	1.0	11.3	5.7	45.2
Cattaraugus	.	.	.	3.7	4.6	.
Cayuga	.	.	.	3.7	4.6	.
Chautauqua	.	.	.	5.0	3.8	.
Chemung	.	.	.	7.7	8.7	.
Chenango	.	.	.	2.3	5.0	.
Clinton	.	.	.	2.0	2.5	.
Columbia	.	.	.	5.0	8.0	.
Cortland	.	.	.	2.3	4.8	.
Delaware	.	.	.	1.3	2.9	.
Dutchess	19.3	6.3	1.0	26.7	9.0	24.7
Erie	70.3	24.0	6.3	100.7	10.9	25.4
Essex	.	.	.	1.0	2.6	.
Franklin	.	.	.	5.7	11.0	.
Fulton	.	.	.	4.0	7.3	.
Genessee	.	.	.	4.3	7.3	.
Greene	.	.	.	1.7	3.4	.
Herkimer	.	.	.	2.3	3.6	.
Jefferson	2.7	1.7	1.0	5.3	4.5	38.5
Lewis	.	.	.	0.3	1.2	.
Livingston	.	.	.	2.7	4.1	.
Madison	.	.	.	2.3	3.2	.
Monroe	62.7	21.3	4.3	88.3	11.8	25.4
Montgomery	.	.	.	2.7	5.3	.
Nassau	86.3	34.3	6.7	127.3	9.4	28.5
Niagara	7.7	2.7	1.3	11.7	5.4	25.8
Oneida	.	.	.	10.7	4.6	.

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

Summary Table A
Average Annual Newly Diagnosed HIV Cases* (January 2011 - December 2013), by County
Includes State Prison Inmates

County	HIV Non-AIDS A	Concurrent HIV and AIDS B	Uncertain Concurrence C	All HIV Diagnoses** A+B+C		% Concurrent B÷(A+B)*100
	Annual Average	Annual Average	Annual Average	Annual Average	Case Rate***	%
Onondaga	36.0	11.7	3.0	50.7	10.8	24.5
Ontario	.	.	.	3.0	2.7	.
Orange	14.7	6.7	2.0	23.3	6.2	31.3
Orleans	.	.	.	3.3	7.9	.
Oswego	.	.	.	3.3	2.8	.
Otsego	.	.	.	2.3	3.8	.
Putnam	.	.	.	4.7	4.7	.
Rensselaer	4.7	3.7	1.0	9.3	5.8	44.0
Rockland	.	.	.	27.0	8.4	.
St Lawrence	.	.	.	5.3	4.8	.
Saratoga	.	.	.	6.0	2.7	.
Schenectady	9.0	2.7	2.0	13.7	8.8	22.9
Schoharie	.	.	.	0.7	2.1	.
Schuyler	.	.	.	1.3	7.2	.
Seneca	.	.	.	2.0	5.6	.
Steuben	.	.	.	3.7	3.7	.
Suffolk	72.0	29.3	5.7	107.0	7.1	28.9
Sullivan	2.3	2.0	1.0	5.3	7.0	46.2
Tioga	.	.	.	1.3	2.7	.
Tompkins	.	.	.	6.3	6.1	.
Ulster	.	.	.	12.3	6.8	.
Warren	.	.	.	3.3	5.1	.
Washington	.	.	.	2.7	4.2	.
Wayne	1.7	1.3	1.0	4.0	4.3	44.4
Westchester	77.3	28.7	7.3	113.3	11.7	27.0
Wyoming	.	.	.	1.3	3.2	.
Yates	.	.	.	0.0	0.0	.

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***Per 100,000 population

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis*
Includes State Prison Inmates

County	< 1988	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Cumulative
Albany	60	33	50	57	79	97	95	77	81	70	55	45	49	57	41	53	51	60	35	43	32	36	25	32	19	26	20	1,379
Allegany	2	0	1	1	1	1	0	1	4	2	0	1	2	0	0	4	1	1	0	1	0	1	3	0	1	2	1	31
Broome	12	10	11	18	24	20	23	19	17	23	24	13	12	16	18	15	14	18	15	29	23	11	16	9	7	9	12	438
Cattaraugus	4	1	2	2	6	4	6	6	6	8	5	4	2	3	3	3	7	4	4	3	6	2	3	1	3	2	2	102
Cayuga	37	10	29	15	20	18	23	20	30	23	14	8	7	11	5	8	10	9	8	6	6	6	4	5	4	3	5	344
Chautauqua	3	2	4	3	8	11	10	9	13	9	6	11	8	8	10	19	4	10	11	7	8	6	8	3	5	3	1	200
Chemung	26	9	12	15	19	28	28	26	28	10	15	8	1	6	6	5	12	6	21	6	4	4	2	7	5	7	5	322
Chenango	2	2	0	4	3	4	2	1	7	4	4	3	1	5	5	5	3	2	1	0	1	2	2	1	2	2	0	68
Clinton	76	27	29	43	24	30	37	41	34	22	21	13	15	5	8	14	7	12	8	4	5	4	3	0	1	1	1	485
Columbia	10	5	10	8	11	20	7	10	16	4	5	2	5	5	4	1	3	6	6	2	5	1	5	2	5	2	2	162
Cortland	2	0	1	0	1	0	2	1	1	1	2	3	0	0	1	5	0	5	0	2	1	1	1	1	0	0	0	31
Delaware	0	1	2	4	1	3	3	3	6	4	2	0	2	0	5	5	5	1	3	2	1	3	0	4	4	2	0	66
Dutchess	171	64	91	102	125	132	168	141	115	110	56	37	49	62	60	45	45	56	56	30	27	25	21	16	14	16	15	1,849
Erie	92	60	93	94	115	137	190	181	190	166	91	96	112	143	114	77	95	72	78	63	89	62	63	58	75	61	51	2,719
Essex	26	14	17	14	12	9	14	11	17	9	9	3	6	3	2	4	3	1	5	1	0	1	0	1	1	2	0	185
Franklin	8	9	13	22	33	41	38	38	42	33	24	5	9	9	11	12	11	11	12	6	7	7	3	1	2	4	1	412
Fulton	4	3	0	2	5	4	1	2	5	1	2	4	3	4	1	1	2	4	2	3	2	4	1	1	3	2	1	67
Genesee	2	1	1	4	3	4	3	4	6	2	2	3	6	3	2	3	1	0	2	0	4	4	4	2	5	0	3	74
Greene	15	10	15	12	12	10	21	13	17	17	10	8	11	8	9	10	13	5	7	9	3	6	2	4	2	2	2	253
Herkimer	2	3	3	1	5	1	2	2	5	3	0	2	1	0	2	0	2	1	4	3	3	0	0	5	3	0	1	54
Jefferson	13	11	14	12	12	18	21	31	31	28	12	12	8	7	9	10	9	2	11	7	6	4	6	9	6	4	2	315
Lewis	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	4
Livingston	13	13	5	12	17	24	25	16	18	14	16	7	6	6	6	7	5	3	3	4	4	5	1	1	4	2	3	240
Madison	3	1	2	5	5	0	8	0	3	2	4	8	2	4	0	0	0	1	2	1	0	1	1	4	1	2	1	61
Monroe	114	74	79	90	125	169	209	213	208	150	122	85	99	93	129	107	79	88	108	86	98	80	66	49	68	45	43	2,878
Montgomery	3	4	2	1	7	7	4	8	4	6	5	5	4	2	3	5	2	2	4	2	2	3	0	1	2	2	0	90
Nassau	394	193	233	231	251	301	309	265	307	248	169	155	155	184	167	158	133	123	103	98	98	98	87	82	72	71	60	4,749
Niagara	11	6	14	21	18	17	22	9	16	12	15	11	6	15	13	5	14	8	13	7	7	8	2	4	8	4	9	295
Oneida	29	23	39	60	73	95	106	70	73	86	49	37	33	33	26	25	29	20	26	16	15	17	18	9	10	14	6	1,037

*Data as of April 2015

Summary Table B
AIDS Cases by County of Residence at Diagnosis and Year of Diagnosis*
Includes State Prison Inmates

County	< 1988	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Cumulative
Onondaga	70	34	42	49	59	121	116	77	84	88	55	34	46	80	42	43	43	32	45	32	41	38	28	22	35	27	18	1,401
Ontario	2	2	2	2	1	4	6	6	6	2	1	7	3	1	4	4	5	2	4	4	1	1	3	1	1	3	0	78
Orange	108	49	64	82	98	114	115	121	97	68	69	39	49	62	57	48	78	50	48	31	31	34	30	19	20	17	15	1,616
Orleans	18	11	14	18	28	36	29	42	28	28	28	13	15	6	9	11	12	6	7	4	6	7	3	2	4	3	4	392
Oswego	4	4	8	2	4	9	5	3	8	5	6	2	6	1	1	8	1	4	7	4	1	0	3	7	3	3	5	114
Otsego	2	3	10	2	4	5	5	2	7	7	2	2	3	5	0	2	5	2	5	2	1	1	2	1	1	1	1	83
Putnam	16	10	7	9	12	16	12	12	17	11	7	10	10	4	5	2	4	2	1	5	8	3	3	6	2	5	2	202
Rensselaer	11	6	13	14	20	29	19	20	22	22	6	9	12	13	5	17	16	15	9	11	12	8	5	10	5	5	7	342
Rockland	78	30	46	29	52	90	83	67	59	54	36	43	32	84	57	30	28	33	48	26	22	22	20	16	15	15	11	1,129
St Lawrence	18	8	11	16	14	31	28	27	23	26	26	14	12	13	16	8	11	4	11	5	9	3	4	1	4	6	2	351
Saratoga	25	8	13	29	27	27	23	24	18	20	15	12	8	10	10	10	15	10	11	5	5	1	3	3	8	3	4	347
Schenectady	29	8	16	26	26	19	27	37	36	25	25	26	14	25	16	22	22	22	20	23	15	8	5	19	12	7	8	539
Schoharie	2	1	1	3	4	3	8	4	2	3	0	1	3	2	1	0	1	1	0	2	1	2	2	0	0	2	0	49
Schuyler	1	0	1	2	1	1	3	1	0	1	0	0	0	0	1	1	0	0	1	0	1	0	0	1	1	0	0	17
Seneca	1	1	0	2	1	4	3	3	6	10	3	6	2	3	4	12	9	7	5	2	2	3	5	2	1	0	1	98
Steuben	6	4	4	4	5	9	5	3	3	5	3	8	6	3	1	2	4	3	3	1	2	7	1	3	1	1	1	98
Suffolk	359	190	193	216	279	290	348	322	317	261	198	146	144	164	134	123	136	113	110	103	108	108	83	64	80	52	76	4,719
Sullivan	52	33	34	38	48	62	78	67	46	37	23	18	21	17	21	24	17	16	16	11	13	14	8	1	4	1	7	727
Tioga	2	2	1	3	3	1	2	1	4	1	0	0	0	1	2	0	4	1	1	0	1	5	1	1	0	1	0	38
Tompkins	8	5	5	8	7	12	6	10	7	14	7	7	6	5	6	9	3	3	4	4	9	5	4	4	1	0	2	161
Ulster	67	37	60	45	70	77	81	87	75	52	41	35	37	39	46	29	37	22	19	26	18	10	16	5	11	6	7	1,058
Warren	5	3	2	4	2	5	4	3	8	4	3	5	2	2	5	5	0	4	3	0	2	2	2	4	0	0	2	81
Washington	45	25	23	33	18	28	9	21	30	13	6	3	1	7	7	8	1	4	8	1	2	1	1	2	2	2	1	302
Wayne	8	2	1	5	5	10	12	5	7	7	9	8	2	4	7	3	2	3	4	8	2	2	5	2	5	3	2	133
Westchester	480	214	250	266	326	443	394	397	383	324	252	237	183	210	210	188	190	162	161	136	137	114	95	95	65	72	63	6,052
Wyoming	46	18	18	17	25	25	31	28	31	33	7	13	9	5	6	4	8	5	9	2	5	4	2	0	2	1	1	355
Yates	0	0	1	0	2	1	2	1	2	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	0	1	14

*Data as of April 2015

Summary Table C
HIV Cases*, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	35	53	54	58	53	42	33	40	47	38	45	31	43	33
Allegany	1	1	3	0	1	2	2	0	1	2	0	2	2	2
Broome	14	25	15	15	13	18	18	13	8	16	12	12	11	11
Cattaraugus	2	4	6	5	1	1	3	7	4	2	1	5	2	4
Cayuga	13	11	5	7	5	6	8	5	2	11	4	7	3	1
Chautauqua	11	18	13	5	10	14	7	11	11	10	10	7	3	5
Chemung	10	6	5	7	7	9	6	2	7	8	6	6	10	7
Chenango	2	2	3	1	2	1	1	1	0	0	0	3	2	2
Clinton	8	5	9	2	5	3	5	6	4	1	0	2	3	1
Columbia	3	2	3	6	4	4	7	5	2	4	6	5	2	8
Cortland	0	1	2	0	0	1	1	3	2	1	3	1	4	2
Delaware	1	3	8	2	2	0	2	2	4	0	5	1	1	2
Dutchess	44	51	26	27	35	40	26	19	21	27	20	26	26	28
Erie	79	102	88	83	95	85	98	103	89	113	115	100	97	105
Essex	6	5	6	5	1	1	1	0	1	4	2	1	1	1
Franklin	8	7	6	10	5	4	1	4	3	4	1	5	2	10
Fulton	5	2	1	3	4	2	0	4	5	1	4	6	4	2
Genesee	2	6	6	3	0	2	4	2	2	4	6	7	0	6
Greene	2	7	5	4	4	3	6	6	4	8	1	0	4	1
Herkimer	1	2	2	3	0	2	3	1	2	0	6	4	2	1
Jefferson	12	8	8	7	4	3	5	4	4	2	10	3	4	9
Lewis	0	1	0	1	0	0	0	0	0	0	0	0	1	0
Livingston	10	11	2	6	4	3	3	3	3	4	2	3	3	2
Madison	1	2	1	2	2	3	4	1	2	2	2	2	2	3
Monroe	87	174	116	103	102	88	80	105	94	110	87	109	76	80
Montgomery	2	2	5	3	2	3	4	2	4	3	2	1	3	4
Nassau	159	157	133	123	114	121	109	102	141	104	117	128	137	117
Niagara	8	4	10	10	11	19	9	5	12	6	11	14	7	14
Oneida	21	21	22	20	18	14	17	17	13	20	14	11	14	7
Onondaga	29	49	46	60	50	50	35	34	48	36	40	51	50	51
Ontario	1	8	7	3	3	5	2	5	3	2	4	1	6	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***HIV reporting began in June 2000. No earlier data are available

Summary Table C
HIV Cases*, Newly Diagnosed by County of Residence at Diagnosis and Year of Diagnosis**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Orange	44	41	32	44	37	45	41	37	33	42	34	25	22	23
Orleans	14	6	6	6	2	5	5	4	4	2	1	6	3	1
Oswego	2	3	11	4	3	3	4	5	5	7	6	3	2	5
Otsego	6	4	5	3	2	2	3	3	1	1	4	1	1	5
Putnam	9	4	4	4	2	3	6	5	2	10	7	4	6	4
Rensselaer	10	8	14	14	22	10	8	9	14	8	14	9	8	11
Rockland	31	32	23	30	36	39	33	14	24	23	24	32	23	26
St Lawrence	15	7	4	8	6	4	5	1	1	5	5	4	6	6
Saratoga	5	11	5	11	8	7	8	7	6	7	4	7	6	5
Schenectady	12	20	26	25	26	18	17	16	13	8	13	18	8	15
Schoharie	0	2	6	1	2	1	1	1	3	1	0	0	1	1
Schuyler	0	1	1	2	0	1	1	1	0	0	1	0	1	3
Seneca	4	5	9	5	3	0	2	2	2	0	2	1	1	4
Steuben	4	5	2	2	1	1	3	2	3	4	4	4	4	3
Suffolk	96	141	126	157	140	131	114	127	114	125	121	111	90	120
Sullivan	13	19	13	14	21	10	9	12	10	4	7	6	3	7
Tioga	1	4	0	2	2	3	1	0	3	1	1	1	1	2
Tompkins	4	4	10	5	5	6	8	4	7	6	4	5	9	5
Ulster	18	23	23	24	21	20	23	10	17	13	13	18	4	15
Warren	2	5	5	2	5	2	3	3	2	3	3	2	5	3
Washington	3	6	2	2	2	4	5	1	0	4	4	3	3	2
Wayne	5	8	10	4	4	10	10	3	4	6	5	7	4	1
Westchester	220	155	153	139	161	122	150	136	138	130	143	116	115	109
Wyoming	6	1	1	7	1	2	0	2	2	0	1	2	2	0
Yates	1	0	1	3	1	0	3	0	0	0	0	0	0	0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***HIV reporting began in June 2000. No earlier data are available

Summary Table D1
Deaths* Among HIV Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	2	6	4	3	5	5	4	4	7	2	6	2	2	1
Allegany	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Broome	0	1	1	0	3	4	1	1	1	0	1	1	1	1
Cattaraugus	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Cayuga	1	1	3	1	1	0	0	0	0	1	2	2	0	1
Chautauqua	0	0	0	0	1	1	2	1	0	0	1	2	0	1
Chemung	1	0	1	2	1	0	1	0	1	0	1	0	2	0
Chenango	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Clinton	0	0	0	0	1	0	1	1	2	0	0	1	0	1
Columbia	1	1	1	2	1	2	0	3	0	0	1	1	0	1
Cortland	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Delaware	0	0	0	1	1	0	1	0	2	1	0	0	1	0
Dutchess	2	6	6	4	2	6	5	3	2	5	6	11	7	1
Erie	1	2	8	7	6	9	8	11	11	9	6	10	8	10
Essex	0	0	0	0	1	1	1	2	1	0	0	0	0	0
Franklin	0	3	2	3	1	1	3	1	2	2	0	1	1	0
Fulton	1	1	0	0	0	1	0	0	1	0	0	0	0	2
Genessee	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Greene	0	1	1	0	0	1	0	1	0	0	0	0	0	0
Herkimer	0	0	0	1	1	0	0	0	0	0	0	0	1	1
Jefferson	0	1	2	1	1	0	1	1	1	0	1	3	0	0
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Livingston	1	1	1	1	4	2	1	1	0	0	1	0	1	0
Madison	0	0	0	0	0	0	1	0	0	0	0	0	1	0
Monroe	1	12	8	6	8	11	10	4	9	8	14	7	10	6
Montgomery	0	0	0	0	0	0	0	2	0	0	0	0	0	1
Nassau	2	7	7	7	11	14	9	9	8	6	11	8	5	3
Niagara	0	0	1	0	0	0	0	1	0	1	1	1	0	0
Oneida	1	1	2	2	4	4	0	3	0	3	3	2	4	1
Onondaga	0	2	4	4	5	5	1	4	5	4	2	1	5	1
Ontario	0	0	1	0	0	2	0	0	0	0	0	0	0	0
Orange	3	2	3	4	11	2	4	1	3	5	1	3	3	1

*Death may be due to causes other than HIV

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D1
Deaths* Among HIV Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Orleans	1	1	2	1	1	0	0	2	1	1	1	2	0	1
Oswego	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Otsego	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Putnam	0	0	0	0	1	1	1	0	0	1	0	0	0	0
Rensselaer	0	1	0	0	1	3	0	1	2	1	3	1	0	0
Rockland	0	0	1	4	4	1	2	1	2	1	0	5	3	1
St Lawrence	0	2	1	0	1	0	2	1	1	0	0	0	0	1
Saratoga	1	0	2	1	2	1	0	0	1	1	0	0	3	0
Schenectady	2	2	0	0	3	2	1	0	1	1	1	1	1	2
Schoharie	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Seneca	0	2	2	0	0	0	0	1	1	0	0	1	0	0
Steuben	0	0	0	1	1	0	0	1	2	0	0	0	1	0
Suffolk	2	12	9	13	19	14	9	11	6	10	10	7	8	7
Sullivan	0	1	0	3	5	1	1	5	0	2	2	3	2	2
Tioga	0	1	0	0	0	0	0	0	0	0	1	0	0	0
Tompkins	0	0	0	1	0	0	0	0	0	1	0	1	1	0
Ulster	0	3	1	4	5	4	2	6	1	3	7	2	2	1
Warren	0	0	0	0	1	1	0	0	0	0	0	0	1	0
Washington	0	1	0	1	0	1	0	1	0	0	0	0	0	0
Wayne	0	0	0	0	1	0	0	1	1	1	0	1	0	0
Westchester	3	8	10	18	12	16	10	14	12	6	15	6	12	3
Wyoming	3	0	2	1	2	0	1	1	1	0	0	0	0	1
Yates	0	0	0	0	0	0	1	0	1	0	0	0	0	0

*Death may be due to causes other than HIV

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D2
Deaths* Among AIDS Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	22	10	14	22	38	35	51	51	62	52	44	33	26	24	24	22	16	16	20	17	25	19	13	14	19	14	13	16
Allegany	2	0	0	0	1	0	0	1	0	2	3	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2	0
Broome	5	4	4	6	6	15	15	12	11	18	17	4	6	3	4	7	5	7	12	6	7	7	6	1	6	4	5	4
Cattaraugus	2	1	0	1	2	2	1	1	4	2	3	3	0	5	1	3	1	2	0	0	2	1	0	0	0	1	1	1
Cayuga	21	7	9	12	10	17	13	8	15	17	11	7	6	4	3	2	5	4	8	4	5	3	2	3	2	2	0	5
Chautauqua	2	0	1	4	0	2	1	7	6	9	7	3	2	5	1	1	2	1	7	3	2	2	2	5	5	4	1	2
Chemung	9	6	9	10	10	8	18	14	22	21	14	9	0	2	1	6	4	4	2	2	2	3	3	2	3	3	5	3
Chenango	0	0	3	1	0	0	2	2	3	4	2	0	0	1	2	2	1	1	2	0	2	1	0	0	1	3	0	1
Clinton	31	13	19	18	16	26	29	16	24	25	16	11	7	2	2	5	3	9	4	8	2	4	4	4	3	2	5	3
Columbia	5	2	1	6	5	9	12	5	4	8	8	2	2	3	4	1	2	1	2	0	1	1	0	2	1	2	2	1
Cortland	0	0	0	3	0	0	0	2	0	1	0	0	2	1	0	0	1	2	1	2	0	0	0	0	0	1	0	0
Delaware	0	0	0	1	2	1	2	3	1	1	3	0	1	1	0	2	1	1	1	2	0	0	0	0	2	2	1	0
Dutchess	75	39	44	61	59	73	60	89	97	114	70	33	36	35	22	27	32	21	25	19	25	16	15	15	18	19	11	23
Erie	31	22	25	55	71	76	90	82	123	165	90	52	44	46	51	57	32	51	40	41	40	44	35	42	38	28	35	45
Essex	16	4	4	11	5	6	16	8	9	13	6	3	0	1	1	0	3	1	3	1	4	1	3	1	2	0	1	0
Franklin	1	5	7	2	4	13	16	21	20	22	24	8	8	5	1	11	8	6	11	4	6	8	5	4	2	5	3	1
Fulton	3	0	1	1	0	3	2	1	4	1	0	1	0	1	0	2	0	1	0	1	1	2	1	0	0	1	1	0
Genessee	0	0	1	3	1	3	3	2	2	1	3	0	1	1	1	0	2	1	0	2	1	0	0	1	1	1	2	0
Greene	2	7	5	9	9	9	8	7	10	5	11	4	1	3	8	2	5	7	6	5	3	3	3	4	3	3	3	2
Herkimer	1	0	2	1	1	1	4	3	0	2	2	0	0	0	0	0	0	1	2	1	0	0	0	0	0	1	1	1
Jefferson	4	6	8	2	7	8	10	9	12	20	15	8	6	5	1	3	3	6	7	3	2	7	3	5	3	1	5	5
Lewis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Livingston	6	7	4	1	7	8	14	11	5	12	10	3	10	5	4	5	3	1	2	4	4	3	3	4	1	1	2	3
Madison	1	1	1	1	1	2	1	3	3	4	1	1	0	1	0	1	1	0	1	4	0	2	1	0	2	1	1	0
Monroe	35	27	31	46	50	86	97	78	119	128	102	60	48	53	56	39	51	46	56	48	54	45	41	32	28	38	36	32
Montgomery	1	0	1	4	2	1	5	3	5	5	3	1	1	1	3	1	0	3	1	2	0	0	3	3	1	1	1	2
Nassau	148	102	114	149	153	195	196	204	243	237	138	81	69	76	65	73	58	84	65	59	56	66	45	44	46	39	56	30
Niagara	4	3	3	8	10	13	21	11	20	9	6	9	4	3	4	5	1	5	5	14	4	2	6	4	2	4	3	3
Oneida	9	8	13	21	23	41	38	72	53	52	57	21	16	21	17	16	16	17	12	14	6	21	9	13	17	3	8	10
Onondaga	34	12	24	24	21	34	53	56	82	67	58	20	20	20	25	17	17	15	14	12	22	25	28	22	21	19	14	15
Ontario	0	1	1	1	2	0	2	6	2	3	1	2	1	0	0	1	1	0	0	2	1	0	0	2	2	0	2	1
Orange	36	30	31	49	35	68	70	74	68	96	54	40	26	26	33	22	20	28	23	29	23	23	28	18	14	12	16	14

*Death may be due to causes other than AIDS

**Data as of April 2015

Summary Table D2
Deaths* Among AIDS Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	< 1987	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
Orleans	6	3	5	9	4	13	15	19	16	24	11	4	4	5	3	3	8	5	4	7	8	2	4	6	2	2	1	2	
Oswego	2	1	0	6	3	4	2	7	2	4	4	0	0	1	1	1	0	4	0	4	1	1	1	3	2	1	1	1	
Otsego	1	0	2	3	4	4	3	0	4	6	4	0	0	2	2	0	1	0	1	1	5	1	3	1	0	2	0	2	
Putnam	8	5	5	4	7	3	7	15	13	14	6	3	4	1	3	0	2	1	1	1	0	1	1	1	0	3	2	1	
Rensselaer	2	4	4	3	8	10	12	17	11	14	12	8	2	5	5	7	5	7	6	7	5	4	6	5	6	7	4	3	
Rockland	36	16	17	34	27	20	47	49	49	46	27	15	19	21	14	20	21	22	12	13	14	5	11	14	12	12	13	8	
St Lawrence	5	5	8	7	7	9	12	13	16	15	9	5	7	4	2	7	5	4	8	6	5	5	6	5	5	1	1	4	
Saratoga	8	8	5	10	5	14	18	19	22	22	9	9	6	1	8	8	7	3	5	5	4	1	3	3	1	1	5	1	
Schenectady	16	5	6	9	17	14	21	11	22	17	21	10	11	9	8	6	10	5	9	9	11	7	8	6	5	8	11	2	
Schoharie	2	0	0	1	1	3	1	5	2	4	3	0	0	2	2	0	0	0	1	0	0	0	0	0	1	0	0	0	
Schuyler	0	1	0	0	0	2	1	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Seneca	0	0	1	0	1	0	1	2	0	1	2	2	0	2	0	1	4	4	1	0	0	3	3	1	1	3	1	1	
Steuben	2	3	3	0	3	3	6	4	3	5	5	1	1	3	0	1	3	1	2	2	0	0	3	1	1	0	0	3	
Suffolk	134	81	128	137	142	167	215	203	231	216	167	95	80	76	62	74	77	70	64	80	62	62	44	46	45	44	43	34	
Sullivan	18	17	21	23	25	26	36	33	44	54	29	15	6	8	18	13	11	9	9	6	9	4	5	5	7	8	7	7	
Tioga	1	0	0	2	2	0	2	4	1	0	2	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1	1	
Tompkins	3	2	5	2	4	6	5	5	7	4	5	4	3	2	1	2	0	2	2	1	2	0	1	1	3	0	1	2	
Ulster	22	17	18	28	36	33	42	51	46	40	50	28	12	15	16	20	12	14	15	15	14	12	15	12	6	11	9	8	
Warren	3	2	0	0	5	5	1	1	3	1	4	0	0	1	1	5	0	2	1	3	1	1	3	0	1	1	1	2	
Washington	16	16	7	13	15	27	18	20	18	8	8	5	4	5	2	3	3	2	5	5	2	2	1	4	1	1	1	2	
Wayne	4	1	2	3	2	4	2	9	6	6	3	2	2	3	0	2	1	3	2	2	1	1	1	2	3	0	1	1	
Westchester	188	119	142	165	202	203	242	250	286	286	185	107	121	94	123	76	84	97	76	85	69	75	86	73	73	58	63	39	
Wyoming	19	14	10	8	15	13	14	17	17	19	10	10	7	2	6	2	3	5	9	4	3	2	2	4	4	2	0	1	
Yates	0	0	0	0	0	2	0	2	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	

*Death may be due to causes other than AIDS

**Data as of April 2015

Summary Table D3
Total Deaths* Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Albany	26	28	20	19	25	22	29	23	20	16	25	16	15	17
Allegany	1	0	0	1	0	0	0	0	0	0	0	0	2	0
Broome	4	8	6	7	15	10	8	8	7	1	7	5	6	5
Cattaraugus	1	3	1	2	0	0	2	1	0	0	0	2	2	1
Cayuga	4	3	8	5	9	4	5	3	2	4	4	4	0	6
Chautauqua	1	1	2	1	8	4	4	3	2	5	6	6	1	3
Chemung	2	6	5	6	3	2	3	3	4	2	4	3	7	3
Chenango	2	2	1	1	2	0	2	1	0	0	1	3	0	2
Clinton	2	5	3	9	5	8	3	5	6	4	3	3	5	4
Columbia	5	2	3	3	3	2	1	4	0	2	2	3	2	2
Cortland	0	0	1	2	1	2	0	0	0	0	0	1	1	0
Delaware	0	2	1	2	2	2	1	0	2	1	2	2	2	0
Dutchess	24	33	38	25	27	25	30	19	17	20	24	30	18	24
Erie	52	59	40	58	46	50	48	55	46	51	44	38	43	55
Essex	1	0	3	1	4	2	5	3	4	1	2	0	1	0
Franklin	1	14	10	9	12	5	9	9	7	6	2	6	4	1
Fulton	1	3	0	1	0	2	1	2	2	0	0	1	1	2
Genessee	1	0	2	1	0	2	1	0	0	1	2	1	2	0
Greene	8	3	6	7	6	6	3	4	3	4	3	3	3	2
Herkimer	0	0	0	2	3	1	0	0	0	0	0	1	2	2
Jefferson	1	4	5	7	8	3	3	8	4	5	4	4	5	5
Lewis	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Livingston	5	6	4	2	6	6	5	4	3	4	2	1	3	3
Madison	0	1	1	0	1	4	1	2	1	0	2	1	2	0
Monroe	57	51	59	52	64	59	64	49	50	40	42	45	46	38
Montgomery	3	1	0	3	1	2	0	2	3	3	1	1	1	3
Nassau	67	80	65	91	76	73	65	75	53	50	57	47	61	33
Niagara	4	5	2	5	5	14	4	3	6	5	3	5	3	3
Oneida	18	17	18	19	16	18	6	24	9	16	20	5	12	11
Onondaga	25	19	21	19	19	17	23	29	33	26	23	20	19	16
Ontario	0	1	2	0	0	4	1	0	0	2	2	0	2	1
Orange	36	24	23	32	34	31	27	24	31	23	15	15	19	15
Orleans	4	4	10	6	5	7	8	4	5	7	3	4	1	3
Oswego	1	1	0	4	0	6	1	1	1	3	2	1	1	1
Otsego	2	0	1	0	1	1	5	1	3	1	0	2	0	2

*Death may be due to causes other than HIV infection

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

Summary Table D3
Total Deaths* Among HIV and AIDS Cases by County of Residence at Diagnosis and Year of Death**
Includes State Prison Inmates

County	2000***	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Putnam	3	0	2	1	2	2	1	1	1	2	0	3	2	1
Rensselaer	5	8	5	7	7	10	5	5	8	6	9	8	4	3
Rockland	14	20	22	26	16	14	16	6	13	15	12	17	16	9
St Lawrence	2	9	6	4	9	6	7	6	7	5	5	1	1	5
Saratoga	9	8	9	4	7	6	4	1	4	4	1	1	8	1
Schenectady	10	8	10	5	12	11	12	7	9	7	6	9	12	4
Schoharie	2	0	0	0	2	0	0	0	0	0	1	0	0	0
Schuyler	0	0	0	0	1	0	0	0	0	0	1	1	0	0
Seneca	0	3	6	4	1	0	0	4	4	1	1	4	1	1
Steuben	0	1	3	2	3	2	0	1	5	1	1	0	1	3
Suffolk	64	86	86	83	83	94	71	73	50	56	55	51	51	41
Sullivan	18	14	11	12	14	7	10	9	5	7	9	11	9	9
Tioga	0	2	1	0	0	0	0	0	0	0	2	0	1	1
Tompkins	1	2	0	3	2	1	2	0	1	2	3	1	2	2
Ulster	16	23	13	18	20	19	16	18	16	15	13	13	11	9
Warren	1	5	0	2	2	4	1	1	3	0	1	1	2	2
Washington	2	4	3	3	5	6	2	3	1	4	1	1	1	2
Wayne	0	2	1	3	3	2	1	2	2	3	3	1	1	1
Westchester	126	84	94	115	88	101	79	89	98	79	88	64	75	42
Wyoming	9	2	5	6	11	4	4	3	3	4	4	2	0	2
Yates	0	0	0	0	1	0	1	0	1	0	0	0	0	1

*Death may be due to causes other than HIV infection

**Data as of April 2015

***HIV reporting began in June 2000. No earlier data are available

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		527	100.0	171.7	651	100.0	212.1	1,178	100.0	383.8	306,945
Sex at Birth	Male	353	67.0	.	444	68.2	.	797	67.7	.	.
	Female	174	33.0	.	207	31.8	.	381	32.3	.	.
Current Age	12 & under	4	0.8	.	0	0.0	.	4	0.3	.	.
	13-19	3	0.6	.	3	0.5	.	6	0.5	.	.
	20-24	26	4.9	.	9	1.4	.	35	3.0	.	.
	25-29	35	6.6	.	8	1.2	.	43	3.7	.	.
	30-39	81	15.4	.	70	10.8	.	151	12.8	.	.
	40-49	173	32.8	.	216	33.2	.	389	33.0	.	.
	50-59	142	26.9	.	242	37.2	.	384	32.6	.	.
	60+	62	11.8	.	103	15.8	.	165	14.0	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Race/Ethnicity	White Not-Hispanic	211	40.0	.	197	30.3	.	408	34.6	.	.
	Black Not-Hispanic	197	37.4	.	251	38.6	.	448	38.0	.	.
	Hispanic	67	12.7	.	109	16.7	.	176	14.9	.	.
	Multi Race	46	8.7	.	89	13.7	.	135	11.5	.	.
	Others	6	1.1	.	5	0.8	.	11	0.9	.	.
Risk	MSM	217	41.2	.	218	33.5	.	435	36.9	.	.
	IDU	62	11.8	.	140	21.5	.	202	17.1	.	.
	MSM/IDU	23	4.4	.	47	7.2	.	70	5.9	.	.
	Heterosexual	110	20.9	.	131	20.1	.	241	20.5	.	.
	Fem Pres Het Cont	57	10.8	.	57	8.8	.	114	9.7	.	.
	Blood Prod	2	0.4	.	0	0.0	.	2	0.2	.	.
	Pediatric Risk	12	2.3	.	11	1.7	.	23	2.0	.	.
	Unk	44	8.3	.	47	7.2	.	91	7.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		353	100.0	174	100.0	527	100.0	444	100.0	207	100.0	651	100.0	797	100.0	381	100.0	1,178	100.0
Risk	MSM	217	61.5	0	0.0	217	41.2	218	49.1	0	0.0	218	33.5	435	54.6	0	0.0	435	36.9
	IDU	34	9.6	28	16.1	62	11.8	87	19.6	53	25.6	140	21.5	121	15.2	81	21.3	202	17.1
	MSM/IDU	23	6.5	0	0.0	23	4.4	47	10.6	0	0.0	47	7.2	70	8.8	0	0.0	70	5.9
	Heterosexual	27	7.6	83	47.7	110	20.9	39	8.8	92	44.4	131	20.1	66	8.3	175	45.9	241	20.5
	Fem Pres Het Cont	0	0.0	57	32.8	57	10.8	0	0.0	57	27.5	57	8.8	0	0.0	114	29.9	114	9.7
	Blood Prod	2	0.6	0	0.0	2	0.4	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	2	0.2
	Pediatric Risk	6	1.7	6	3.4	12	2.3	6	1.4	5	2.4	11	1.7	12	1.5	11	2.9	23	2.0
	Unk	44	12.5	0	0.0	44	8.3	47	10.6	0	0.0	47	7.2	91	11.4	0	0.0	91	7.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		35.7	100.0	11.6	21.7	100.0	7.1	1.7	100.0	14.3	100.0	16.0	100.0
Sex at Birth	Male	28.0	78.5	.	16.0	73.8	.	1.0	60.0	10.7	74.4	11.7	72.9
	Female	7.7	21.5	.	5.7	26.2	.	0.7	40.0	3.7	25.6	4.3	27.1
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.3	3.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	5.7	15.9	.	1.7	7.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	5.3	15.0	.	1.0	4.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	7.7	21.5	.	5.3	24.6	.	0.3	20.0	2.0	14.0	2.3	14.6
	40-49	7.7	21.5	.	8.7	40.0	.	0.0	0.0	4.7	32.6	4.7	29.2
	50-59	5.3	15.0	.	3.3	15.4	.	1.0	60.0	5.0	34.9	6.0	37.5
	60+	2.7	7.5	.	1.7	7.7	.	0.3	20.0	2.7	18.6	3.0	18.8
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	13.7	38.3	.	6.3	29.2	.	0.7	40.0	4.0	27.9	4.7	29.2
	Black Not-Hispanic	14.7	41.1	.	9.0	41.5	.	1.0	60.0	5.7	39.5	6.7	41.7
	Hispanic	5.3	15.0	.	3.0	13.8	.	0.0	0.0	3.0	20.9	3.0	18.8
	Multi Race	1.7	4.7	.	3.0	13.8	.	0.0	0.0	1.7	11.6	1.7	10.4
	Others	0.3	0.9	.	0.3	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	15.3	43.0	.	5.0	23.1	.	0.0	0.0	3.3	23.3	3.3	20.8
	IDU	1.3	3.7	.	2.3	10.8	.	0.3	20.0	5.0	34.9	5.3	33.3
	MSM/IDU	3.0	8.4	.	3.3	15.4	.	0.7	40.0	0.7	4.7	1.3	8.3
	Heterosexual	4.7	13.1	.	3.3	15.4	.	0.3	20.0	3.0	20.9	3.3	20.8
	Fem Pres Het Cont	4.7	13.1	.	2.7	12.3	.	0.3	20.0	0.3	2.3	0.7	4.2
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	1.0	4.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.7	18.7	.	4.0	18.5	.	0.0	0.0	2.0	14.0	2.0	12.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		28.0	100.0	7.7	100.0	35.7	100.0	16.0	100.0	5.7	100.0	21.7	100.0
Risk	MSM	15.3	54.8	0.0	0.0	15.3	43.0	5.0	31.3	0.0	0.0	5.0	23.1
	IDU	0.3	1.2	1.0	13.0	1.3	3.7	1.3	8.3	1.0	17.6	2.3	10.8
	MSM/IDU	3.0	10.7	0.0	0.0	3.0	8.4	3.3	20.8	0.0	0.0	3.3	15.4
	Heterosexual	2.7	9.5	2.0	26.1	4.7	13.1	1.7	10.4	1.7	29.4	3.3	15.4
	Fem Pres Het Cont	0.0	0.0	4.7	60.9	4.7	13.1	0.0	0.0	2.7	47.1	2.7	12.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.2	0.3	5.9	1.0	4.6
	Unk	6.7	23.8	0.0	0.0	6.7	18.7	4.0	25.0	0.0	0.0	4.0	18.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates*****

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	34	0	22	22
1987	0	27	0	10	10
1988	0	33	0	14	14
1989	0	50	0	22	22
1990	0	57	0	38	38
1991	0	79	0	35	35
1992	0	97	0	51	51
1993	0	95	0	51	51
1994	0	77	0	62	62
1995	0	81	0	52	52
1996	0	70	0	44	44
1997	0	55	0	33	33
1998	0	45	0	26	26
1999	0	49	0	24	24
2000	35	57	2	24	26
2001	53	41	6	22	28
2002	54	53	4	16	20
2003	58	51	3	16	19
2004	53	60	5	20	25
2005	42	35	5	17	22
2006	33	43	4	25	29
2007	40	32	4	19	23
2008	47	36	7	13	20
2009	38	25	2	14	16
2010	45	32	6	19	25
2011	31	19	2	14	16
2012	43	26	2	13	15
2013	33	20	1	16	17

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		11	100.0	2.3	18	100.0	3.7	29	100.0	6.0	481,097
Sex at Birth	Male	9	81.8	.	13	72.2	.	22	75.9	.	.
	Female	2	18.2	.	5	27.8	.	7	24.1	.	.
Current Age	20-24	1	9.1	.	0	0.0	.	1	3.4	.	.
	25-29	2	18.2	.	1	5.6	.	3	10.3	.	.
	30-39	2	18.2	.	2	11.1	.	4	13.8	.	.
	40-49	2	18.2	.	4	22.2	.	6	20.7	.	.
	50-59	2	18.2	.	10	55.6	.	12	41.4	.	.
	60+	2	18.2	.	1	5.6	.	3	10.3	.	.
Race/Ethnicity	White Not-Hispanic	10	90.9	.	11	61.1	.	21	72.4	.	.
	Black Not-Hispanic	0	0.0	.	1	5.6	.	1	3.4	.	.
	Hispanic	0	0.0	.	1	5.6	.	1	3.4	.	.
	Multi Race	1	9.1	.	5	27.8	.	6	20.7	.	.
Risk	MSM	7	63.6	.	9	50.0	.	16	55.2	.	.
	IDU	3	27.3	.	0	0.0	.	3	10.3	.	.
	MSM/IDU	0	0.0	.	1	5.6	.	1	3.4	.	.
	Heterosexual	1	9.1	.	4	22.2	.	5	17.2	.	.
	Fem Pres Het Cont	0	0.0	.	1	5.6	.	1	3.4	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	5.6	.	1	3.4	.	.
	Unk	0	0.0	.	2	11.1	.	2	6.9	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9	100.0	2	100.0	11	100.0	13	100.0	5	100.0	18	100.0	22	100.0	7	100.0	29	100.0
Risk	MSM	7	77.8	0	0.0	7	63.6	9	69.2	0	0.0	9	50.0	16	72.7	0	0.0	16	55.2
	IDU	2	22.2	1	50.0	3	27.3	0	0.0	0	0.0	0	0.0	2	9.1	1	14.3	3	10.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	7.7	0	0.0	1	5.6	1	4.5	0	0.0	1	3.4
	Heterosexual	0	0.0	1	50.0	1	9.1	1	7.7	3	60.0	4	22.2	1	4.5	4	57.1	5	17.2
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.6	0	0.0	1	14.3	1	3.4
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	5.6	0	0.0	1	14.3	1	3.4
	Unk	0	0.0	0	0.0	0	0.0	2	15.4	0	0.0	2	11.1	2	9.1	0	0.0	2	6.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	0.4	1.3	100.0	0.3	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	33.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	50-59	0.3	16.7	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Multi Race	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.3	50.0	0.3	50.0
Risk	MSM	2.0	100.0	.	1.0	75.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.0	0.0	2.0	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	2.0	100.0	0.0	0.0	2.0	100.0	1.0	100.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.3	25.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1989	0	1	0	0	0
1990	0	1	0	1	1
1991	0	1	0	0	0
1992	0	1	0	0	0
1993	0	0	0	1	1
1994	0	1	0	0	0
1995	0	4	0	2	2
1996	0	2	0	3	3
1998	0	1	0	0	0
1999	0	2	0	0	0
2000	1	0	0	1	1
2001	1	0	0	0	0
2002	3	4	0	0	0
2003	0	1	0	1	1
2004	1	1	0	0	0
2005	2	0	0	0	0
2006	2	1	0	0	0
2008	1	1	0	0	0
2009	2	3	0	0	0
2011	2	1	0	0	0
2012	2	2	0	2	2
2013	2	1	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		152	100.0	76.9	233	100.0	118.0	385	100.0	194.9	197,534
Sex at Birth	Male	97	63.8	.	161	69.1	.	258	67.0	.	.
	Female	55	36.2	.	72	30.9	.	127	33.0	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	2.0	.	0	0.0	.	3	0.8	.	.
	20-24	2	1.3	.	8	3.4	.	10	2.6	.	.
	25-29	15	9.9	.	8	3.4	.	23	6.0	.	.
	30-39	31	20.4	.	29	12.4	.	60	15.6	.	.
	40-49	47	30.9	.	68	29.2	.	115	29.9	.	.
	50-59	33	21.7	.	85	36.5	.	118	30.6	.	.
	60+	21	13.8	.	35	15.0	.	56	14.5	.	.
Race/Ethnicity	White Not-Hispanic	74	48.7	.	113	48.5	.	187	48.6	.	.
	Black Not-Hispanic	41	27.0	.	56	24.0	.	97	25.2	.	.
	Hispanic	24	15.8	.	43	18.5	.	67	17.4	.	.
	Multi Race	13	8.6	.	21	9.0	.	34	8.8	.	.
Risk	MSM	56	36.8	.	82	35.2	.	138	35.8	.	.
	IDU	22	14.5	.	47	20.2	.	69	17.9	.	.
	MSM/IDU	4	2.6	.	12	5.2	.	16	4.2	.	.
	Heterosexual	33	21.7	.	41	17.6	.	74	19.2	.	.
	Fem Pres Het Cont	23	15.1	.	16	6.9	.	39	10.1	.	.
	Blood Prod	1	0.7	.	1	0.4	.	2	0.5	.	.
	Pediatric Risk	2	1.3	.	4	1.7	.	6	1.6	.	.
	Unk	11	7.2	.	30	12.9	.	41	10.6	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		97	100.0	55	100.0	152	100.0	161	100.0	72	100.0	233	100.0	258	100.0	127	100.0	385	100.0
Risk	MSM	56	57.7	0	0.0	56	36.8	82	50.9	0	0.0	82	35.2	138	53.5	0	0.0	138	35.8
	IDU	15	15.5	7	12.7	22	14.5	27	16.8	20	27.8	47	20.2	42	16.3	27	21.3	69	17.9
	MSM/IDU	4	4.1	0	0.0	4	2.6	12	7.5	0	0.0	12	5.2	16	6.2	0	0.0	16	4.2
	Heterosexual	9	9.3	24	43.6	33	21.7	8	5.0	33	45.8	41	17.6	17	6.6	57	44.9	74	19.2
	Fem Pres Het Cont	0	0.0	23	41.8	23	15.1	0	0.0	16	22.2	16	6.9	0	0.0	39	30.7	39	10.1
	Blood Prod	0	0.0	1	1.8	1	0.7	1	0.6	0	0.0	1	0.4	1	0.4	1	0.8	2	0.5
	Pediatric Risk	2	2.1	0	0.0	2	1.3	2	1.2	2	2.8	4	1.7	4	1.6	2	1.6	6	1.6
	Unk	11	11.3	0	0.0	11	7.2	29	18.0	1	1.4	30	12.9	40	15.5	1	0.8	41	10.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		11.3	100.0	5.7	9.3	100.0	4.7	1.0	100.0	4.3	100.0	5.3	100.0
Sex at Birth	Male	8.3	73.5	.	6.7	71.4	.	0.3	33.3	3.0	69.2	3.3	62.5
	Female	3.0	26.5	.	2.7	28.6	.	0.7	66.7	1.3	30.8	2.0	37.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	5.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	20.6	.	2.0	21.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	3.0	26.5	.	1.0	10.7	.	0.3	33.3	0.3	7.7	0.7	12.5
	30-39	2.7	23.5	.	1.7	17.9	.	0.0	0.0	0.3	7.7	0.3	6.3
	40-49	0.7	5.9	.	1.7	17.9	.	0.0	0.0	1.3	30.8	1.3	25.0
	50-59	1.3	11.8	.	2.0	21.4	.	0.0	0.0	2.3	53.8	2.3	43.8
	60+	0.7	5.9	.	1.0	10.7	.	0.7	66.7	0.0	0.0	0.7	12.5
Race/Ethnicity	White Not-Hispanic	5.7	50.0	.	4.0	42.9	.	0.7	66.7	2.0	46.2	2.7	50.0
	Black Not-Hispanic	3.0	26.5	.	3.0	32.1	.	0.0	0.0	0.3	7.7	0.3	6.3
	Hispanic	1.0	8.8	.	1.0	10.7	.	0.3	33.3	0.3	7.7	0.7	12.5
	Multi Race	1.7	14.7	.	1.3	14.3	.	0.0	0.0	1.7	38.5	1.7	31.3
Risk	MSM	5.0	44.1	.	4.3	46.4	.	0.3	33.3	1.0	23.1	1.3	25.0
	IDU	0.7	5.9	.	1.0	10.7	.	0.0	0.0	1.0	23.1	1.0	18.8
	MSM/IDU	0.7	5.9	.	0.0	0.0	.	0.0	0.0	0.7	15.4	0.7	12.5
	Heterosexual	3.0	26.5	.	2.7	28.6	.	0.3	33.3	0.3	7.7	0.7	12.5
	Fem Pres Het Cont	1.0	8.8	.	0.0	0.0	.	0.3	33.3	0.7	15.4	1.0	18.8
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	8.8	.	1.3	14.3	.	0.0	0.0	0.7	15.4	0.7	12.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.3	100.0	3.0	100.0	11.3	100.0	6.7	100.0	2.7	100.0	9.3	100.0
Risk	MSM	5.0	60.0	0.0	0.0	5.0	44.1	4.3	65.0	0.0	0.0	4.3	46.4
	IDU	0.7	8.0	0.0	0.0	0.7	5.9	0.7	10.0	0.3	12.5	1.0	10.7
	MSM/IDU	0.7	8.0	0.0	0.0	0.7	5.9	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	12.0	2.0	66.7	3.0	26.5	0.3	5.0	2.3	87.5	2.7	28.6
	Fem Pres Het Cont	0.0	0.0	1.0	33.3	1.0	8.8	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	12.0	0.0	0.0	1.0	8.8	1.3	20.0	0.0	0.0	1.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	5	5
1987	0	6	0	4	4
1988	0	10	0	4	4
1989	0	11	0	6	6
1990	0	18	0	6	6
1991	0	24	0	15	15
1992	0	20	0	15	15
1993	0	23	0	12	12
1994	0	19	0	11	11
1995	0	17	0	18	18
1996	0	23	0	17	17
1997	0	24	0	4	4
1998	0	13	0	6	6
1999	0	12	0	3	3
2000	14	16	0	4	4
2001	25	18	1	7	8
2002	15	15	1	5	6
2003	15	14	0	7	7
2004	13	18	3	12	15
2005	18	15	4	6	10
2006	18	29	1	7	8
2007	13	23	1	7	8
2008	8	11	1	6	7
2009	16	16	0	1	1
2010	12	9	1	6	7
2011	12	7	1	4	5
2012	11	9	1	5	6
2013	11	12	1	4	5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		41	100.0	52.0	62	100.0	78.6	103	100.0	130.6	78,892
Sex at Birth	Male	29	70.7	.	54	87.1	.	83	80.6	.	.
	Female	12	29.3	.	8	12.9	.	20	19.4	.	.
Current Age	20-24	1	2.4	.	0	0.0	.	1	1.0	.	.
	25-29	2	4.9	.	0	0.0	.	2	1.9	.	.
	30-39	7	17.1	.	8	12.9	.	15	14.6	.	.
	40-49	14	34.1	.	22	35.5	.	36	35.0	.	.
	50-59	11	26.8	.	25	40.3	.	36	35.0	.	.
	60+	6	14.6	.	7	11.3	.	13	12.6	.	.
Race/Ethnicity	White Not-Hispanic	25	61.0	.	27	43.5	.	52	50.5	.	.
	Black Not-Hispanic	9	22.0	.	12	19.4	.	21	20.4	.	.
	Hispanic	6	14.6	.	15	24.2	.	21	20.4	.	.
	Multi Race	1	2.4	.	7	11.3	.	8	7.8	.	.
	Others	0	0.0	.	1	1.6	.	1	1.0	.	.
Risk	MSM	13	31.7	.	16	25.8	.	29	28.2	.	.
	IDU	9	22.0	.	17	27.4	.	26	25.2	.	.
	MSM/IDU	1	2.4	.	10	16.1	.	11	10.7	.	.
	Heterosexual	10	24.4	.	9	14.5	.	19	18.4	.	.
	Fem Pres Het Cont	2	4.9	.	3	4.8	.	5	4.9	.	.
	Blood Prod	0	0.0	.	1	1.6	.	1	1.0	.	.
	Unk	6	14.6	.	6	9.7	.	12	11.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	12	100.0	41	100.0	54	100.0	8	100.0	62	100.0	83	100.0	20	100.0	103	100.0
Risk	MSM	13	44.8	0	0.0	13	31.7	16	29.6	0	0.0	16	25.8	29	34.9	0	0.0	29	28.2
	IDU	7	24.1	2	16.7	9	22.0	17	31.5	0	0.0	17	27.4	24	28.9	2	10.0	26	25.2
	MSM/IDU	1	3.4	0	0.0	1	2.4	10	18.5	0	0.0	10	16.1	11	13.3	0	0.0	11	10.7
	Heterosexual	2	6.9	8	66.7	10	24.4	5	9.3	4	50.0	9	14.5	7	8.4	12	60.0	19	18.4
	Fem Pres Het Cont	0	0.0	2	16.7	2	4.9	0	0.0	3	37.5	3	4.8	0	0.0	5	25.0	5	4.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	1	1.6	1	1.2	0	0.0	1	1.0
	Unk	6	20.7	0	0.0	6	14.6	5	9.3	1	12.5	6	9.7	11	13.3	1	5.0	12	11.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	4.6	2.3	100.0	3.0	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	2.3	63.6	.	1.7	71.4	.	0.7	100.0	0.0	0.0	0.7	40.0
	Female	1.3	36.4	.	0.7	28.6	.	0.0	0.0	1.0	100.0	1.0	60.0
Age at Diagnosis	20-24	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	36.4	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	27.3	.	1.0	42.9	.	0.0	0.0	0.3	33.3	0.3	20.0
	50-59	0.7	18.2	.	0.3	14.3	.	0.7	100.0	0.7	66.7	1.3	80.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.0	81.8	.	1.3	57.1	.	0.3	50.0	0.7	66.7	1.0	60.0
	Black Not-Hispanic	0.0	0.0	.	0.3	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
	Hispanic	0.3	9.1	.	0.3	14.3	.	0.0	0.0	0.3	33.3	0.3	20.0
	Multi Race	0.3	9.1	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	54.5	.	1.0	42.9	.	0.3	50.0	0.0	0.0	0.3	20.0
	IDU	0.3	9.1	.	0.3	14.3	.	0.3	50.0	0.0	0.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	66.7	0.7	40.0
	Fem Pres Het Cont	1.0	27.3	.	0.7	28.6	.	0.0	0.0	0.3	33.3	0.3	20.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	9.1	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	1.3	100.0	3.7	100.0	1.7	100.0	0.7	100.0	2.3	100.0
Risk	MSM	2.0	85.7	0.0	0.0	2.0	54.5	1.0	60.0	0.0	0.0	1.0	42.9
	IDU	0.0	0.0	0.3	25.0	0.3	9.1	0.3	20.0	0.0	0.0	0.3	14.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	27.3	0.0	0.0	0.7	100.0	0.7	28.6
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	0.0	0.0	0.3	9.1	0.3	20.0	0.0	0.0	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	2	2
1987	0	1	0	1	1
1988	0	1	0	0	0
1989	0	2	0	1	1
1990	0	2	0	2	2
1991	0	6	0	2	2
1992	0	4	0	1	1
1993	0	6	0	1	1
1994	0	6	0	4	4
1995	0	6	0	2	2
1996	0	8	0	3	3
1997	0	5	0	3	3
1998	0	4	0	0	0
1999	0	2	0	5	5
2000	2	3	0	1	1
2001	4	3	0	3	3
2002	6	3	0	1	1
2003	5	7	0	2	2
2004	1	4	0	0	0
2005	1	4	0	0	0
2006	3	3	0	2	2
2007	7	6	0	1	1
2008	4	2	0	0	0
2009	2	3	0	0	0
2010	1	1	0	0	0
2011	5	3	1	1	2
2012	2	2	1	1	2
2013	4	2	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		95	100.0	119.5	140	100.0	176.2	235	100.0	295.7	79,477
Sex at Birth	Male	81	85.3	.	125	89.3	.	206	87.7	.	.
	Female	14	14.7	.	15	10.7	.	29	12.3	.	.
Current Age	13-19	1	1.1	.	0	0.0	.	1	0.4	.	.
	20-24	5	5.3	.	2	1.4	.	7	3.0	.	.
	25-29	4	4.2	.	4	2.9	.	8	3.4	.	.
	30-39	15	15.8	.	7	5.0	.	22	9.4	.	.
	40-49	24	25.3	.	43	30.7	.	67	28.5	.	.
	50-59	32	33.7	.	58	41.4	.	90	38.3	.	.
	60+	14	14.7	.	26	18.6	.	40	17.0	.	.
Race/Ethnicity	White Not-Hispanic	42	44.2	.	35	25.0	.	77	32.8	.	.
	Black Not-Hispanic	32	33.7	.	48	34.3	.	80	34.0	.	.
	Hispanic	18	18.9	.	48	34.3	.	66	28.1	.	.
	Multi Race	2	2.1	.	9	6.4	.	11	4.7	.	.
	Others	1	1.1	.	0	0.0	.	1	0.4	.	.
Risk	MSM	27	28.4	.	25	17.9	.	52	22.1	.	.
	IDU	22	23.2	.	47	33.6	.	69	29.4	.	.
	MSM/IDU	4	4.2	.	14	10.0	.	18	7.7	.	.
	Heterosexual	8	8.4	.	22	15.7	.	30	12.8	.	.
	Fem Pres Het Cont	5	5.3	.	3	2.1	.	8	3.4	.	.
	Blood Prod	0	0.0	.	1	0.7	.	1	0.4	.	.
	Pediatric Risk	1	1.1	.	2	1.4	.	3	1.3	.	.
	Unk	28	29.5	.	26	18.6	.	54	23.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		81	100.0	14	100.0	95	100.0	125	100.0	15	100.0	140	100.0	206	100.0	29	100.0	235	100.0
Risk	MSM	27	33.3	0	0.0	27	28.4	25	20.0	0	0.0	25	17.9	52	25.2	0	0.0	52	22.1
	IDU	20	24.7	2	14.3	22	23.2	44	35.2	3	20.0	47	33.6	64	31.1	5	17.2	69	29.4
	MSM/IDU	4	4.9	0	0.0	4	4.2	14	11.2	0	0.0	14	10.0	18	8.7	0	0.0	18	7.7
	Heterosexual	1	1.2	7	50.0	8	8.4	14	11.2	8	53.3	22	15.7	15	7.3	15	51.7	30	12.8
	Fem Pres Het Cont	0	0.0	5	35.7	5	5.3	0	0.0	3	20.0	3	2.1	0	0.0	8	27.6	8	3.4
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.5	0	0.0	1	0.4
	Pediatric Risk	1	1.2	0	0.0	1	1.1	1	0.8	1	6.7	2	1.4	2	1.0	1	3.4	3	1.3
	Unk	28	34.6	0	0.0	28	29.5	26	20.8	0	0.0	26	18.6	54	26.2	0	0.0	54	23.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	4.6	4.0	100.0	5.0	1.0	100.0	2.3	100.0	3.3	100.0
Sex at Birth	Male	2.7	72.7	.	2.7	66.7	.	1.0	100.0	1.7	71.4	2.7	80.0
	Female	1.0	27.3	.	1.3	33.3	.	0.0	0.0	0.7	28.6	0.7	20.0
Age at Diagnosis	13-19	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	36.4	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	9.1	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	27.3	.	0.7	16.7	.	0.0	0.0	0.3	14.3	0.3	10.0
	50-59	0.7	18.2	.	1.7	41.7	.	0.7	66.7	1.3	57.1	2.0	60.0
	60+	0.0	0.0	.	0.0	0.0	.	0.3	33.3	0.7	28.6	1.0	30.0
Race/Ethnicity	White Not-Hispanic	3.0	81.8	.	2.3	58.3	.	0.3	33.3	1.3	57.1	1.7	50.0
	Black Not-Hispanic	0.7	18.2	.	1.0	25.0	.	0.0	0.0	0.3	14.3	0.3	10.0
	Hispanic	0.0	0.0	.	0.7	16.7	.	0.7	66.7	0.3	14.3	1.0	30.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	14.3	0.3	10.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	72.7	.	1.0	25.0	.	0.3	33.3	0.7	28.6	1.0	30.0
	IDU	0.0	0.0	.	0.7	16.7	.	0.3	33.3	0.7	28.6	1.0	30.0
	MSM/IDU	0.0	0.0	.	0.7	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	18.2	.	1.0	25.0	.	0.0	0.0	1.0	42.9	1.0	30.0
	Fem Pres Het Cont	0.3	9.1	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	10.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	1.0	100.0	3.7	100.0	2.7	100.0	1.3	100.0	4.0	100.0
Risk	MSM	2.7	100.0	0.0	0.0	2.7	72.7	1.0	37.5	0.0	0.0	1.0	25.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	25.0	0.0	0.0	0.7	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	25.0	0.0	0.0	0.7	16.7
	Heterosexual	0.0	0.0	0.7	66.7	0.7	18.2	0.3	12.5	0.7	50.0	1.0	25.0
	Fem Pres Het Cont	0.0	0.0	0.3	33.3	0.3	9.1	0.0	0.0	0.3	25.0	0.3	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.3	8.3
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	28	0	21	21
1987	0	9	0	7	7
1988	0	10	0	9	9
1989	0	29	0	12	12
1990	0	15	0	10	10
1991	0	20	0	17	17
1992	0	18	0	13	13
1993	0	23	0	8	8
1994	0	20	0	15	15
1995	0	30	0	17	17
1996	0	23	0	11	11
1997	0	14	0	7	7
1998	0	8	0	6	6
1999	0	7	0	4	4
2000	13	11	1	3	4
2001	11	5	1	2	3
2002	5	8	3	5	8
2003	7	10	1	4	5
2004	5	9	1	8	9
2005	6	8	0	4	4
2006	8	6	0	5	5
2007	5	6	0	3	3
2008	2	6	0	2	2
2009	11	4	1	3	4
2010	4	5	2	2	4
2011	7	4	2	2	4
2012	3	3	0	0	0
2013	1	5	1	5	6

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		135	100.0	101.4	115	100.0	86.4	250	100.0	187.9	133,080
Sex at Birth	Male	83	61.5	.	88	76.5	.	171	68.4	.	.
	Female	52	38.5	.	27	23.5	.	79	31.6	.	.
Current Age	12 & under	1	0.7	.	0	0.0	.	1	0.4	.	.
	13-19	2	1.5	.	0	0.0	.	2	0.8	.	.
	20-24	5	3.7	.	3	2.6	.	8	3.2	.	.
	25-29	10	7.4	.	2	1.7	.	12	4.8	.	.
	30-39	29	21.5	.	19	16.5	.	48	19.2	.	.
	40-49	48	35.6	.	43	37.4	.	91	36.4	.	.
	50-59	35	25.9	.	27	23.5	.	62	24.8	.	.
	60+	5	3.7	.	21	18.3	.	26	10.4	.	.
Race/Ethnicity	White Not-Hispanic	56	41.5	.	46	40.0	.	102	40.8	.	.
	Black Not-Hispanic	20	14.8	.	19	16.5	.	39	15.6	.	.
	Hispanic	52	38.5	.	36	31.3	.	88	35.2	.	.
	Multi Race	7	5.2	.	14	12.2	.	21	8.4	.	.
Risk	MSM	40	29.6	.	46	40.0	.	86	34.4	.	.
	IDU	29	21.5	.	24	20.9	.	53	21.2	.	.
	MSM/IDU	5	3.7	.	12	10.4	.	17	6.8	.	.
	Heterosexual	35	25.9	.	22	19.1	.	57	22.8	.	.
	Fem Pres Het Cont	10	7.4	.	2	1.7	.	12	4.8	.	.
	Blood Prod	0	0.0	.	1	0.9	.	1	0.4	.	.
	Pediatric Risk	5	3.7	.	1	0.9	.	6	2.4	.	.
	Unk	11	8.1	.	7	6.1	.	18	7.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		83	100.0	52	100.0	135	100.0	88	100.0	27	100.0	115	100.0	171	100.0	79	100.0	250	100.0
Risk	MSM	40	48.2	0	0.0	40	29.6	46	52.3	0	0.0	46	40.0	86	50.3	0	0.0	86	34.4
	IDU	15	18.1	14	26.9	29	21.5	18	20.5	6	22.2	24	20.9	33	19.3	20	25.3	53	21.2
	MSM/IDU	5	6.0	0	0.0	5	3.7	12	13.6	0	0.0	12	10.4	17	9.9	0	0.0	17	6.8
	Heterosexual	8	9.6	27	51.9	35	25.9	3	3.4	19	70.4	22	19.1	11	6.4	46	58.2	57	22.8
	Fem Pres Het Cont	0	0.0	10	19.2	10	7.4	0	0.0	2	7.4	2	1.7	0	0.0	12	15.2	12	4.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	0.9	1	0.6	0	0.0	1	0.4
	Pediatric Risk	4	4.8	1	1.9	5	3.7	1	1.1	0	0.0	1	0.9	5	2.9	1	1.3	6	2.4
	Unk	11	13.3	0	0.0	11	8.1	7	8.0	0	0.0	7	6.1	18	10.5	0	0.0	18	7.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	3.8	3.0	100.0	2.3	1.0	100.0	2.3	100.0	3.3	100.0
Sex at Birth	Male	3.7	73.3	.	2.0	66.7	.	0.7	66.7	1.3	57.1	2.0	60.0
	Female	1.3	26.7	.	1.0	33.3	.	0.3	33.3	1.0	42.9	1.3	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	26.7	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	20.0	.	1.0	33.3	.	0.0	0.0	0.3	14.3	0.3	10.0
	40-49	0.7	13.3	.	0.3	11.1	.	0.3	33.3	0.7	28.6	1.0	30.0
	50-59	1.7	33.3	.	0.7	22.2	.	0.7	66.7	1.3	57.1	2.0	60.0
	60+	0.3	6.7	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	40.0	.	0.7	22.2	.	0.3	33.3	1.0	42.9	1.3	40.0
	Black Not-Hispanic	0.7	13.3	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	2.3	46.7	.	1.3	44.4	.	0.3	33.3	0.7	28.6	1.0	30.0
	Multi Race	0.0	0.0	.	0.7	22.2	.	0.3	33.3	0.7	28.6	1.0	30.0
Risk	MSM	2.0	40.0	.	0.7	22.2	.	0.3	33.3	1.0	42.9	1.3	40.0
	IDU	0.7	13.3	.	0.7	22.2	.	0.3	33.3	0.7	28.6	1.0	30.0
	MSM/IDU	0.3	6.7	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	13.3	.	1.0	33.3	.	0.0	0.0	0.3	14.3	0.3	10.0
	Fem Pres Het Cont	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.3	14.3	0.3	10.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	13.3	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	10.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.3	100.0	5.0	100.0	2.0	100.0	1.0	100.0	3.0	100.0
Risk	MSM	2.0	54.5	0.0	0.0	2.0	40.0	0.7	33.3	0.0	0.0	0.7	22.2
	IDU	0.3	9.1	0.3	25.0	0.7	13.3	0.3	16.7	0.3	33.3	0.7	22.2
	MSM/IDU	0.3	9.1	0.0	0.0	0.3	6.7	0.7	33.3	0.0	0.0	0.7	22.2
	Heterosexual	0.0	0.0	0.7	50.0	0.7	13.3	0.3	16.7	0.7	66.7	1.0	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	25.0	0.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	9.1	0.0	0.0	0.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	18.2	0.0	0.0	0.7	13.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1987	0	1	0	0	0
1988	0	2	0	1	1
1989	0	4	0	4	4
1990	0	3	0	0	0
1991	0	8	0	2	2
1992	0	11	0	1	1
1993	0	10	0	7	7
1994	0	9	0	6	6
1995	0	13	0	9	9
1996	0	9	0	7	7
1997	0	6	0	3	3
1998	0	11	0	2	2
1999	0	8	0	5	5
2000	11	8	0	1	1
2001	18	10	0	1	1
2002	13	19	0	2	2
2003	5	4	0	1	1
2004	10	10	1	7	8
2005	14	11	1	3	4
2006	7	7	2	2	4
2007	11	8	1	2	3
2008	11	6	0	2	2
2009	10	8	0	5	5
2010	10	3	1	5	6
2011	7	5	2	4	6
2012	3	3	0	1	1
2013	5	1	1	2	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		121	100.0	136.7	127	100.0	143.5	248	100.0	280.2	88,506
Sex at Birth	Male	97	80.2	.	115	90.6	.	212	85.5	.	.
	Female	24	19.8	.	12	9.4	.	36	14.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	4	3.3	.	1	0.8	.	5	2.0	.	.
	25-29	7	5.8	.	2	1.6	.	9	3.6	.	.
	30-39	22	18.2	.	18	14.2	.	40	16.1	.	.
	40-49	46	38.0	.	40	31.5	.	86	34.7	.	.
	50-59	31	25.6	.	47	37.0	.	78	31.5	.	.
	60+	11	9.1	.	19	15.0	.	30	12.1	.	.
Race/Ethnicity	White Not-Hispanic	48	39.7	.	35	27.6	.	83	33.5	.	.
	Black Not-Hispanic	32	26.4	.	45	35.4	.	77	31.0	.	.
	Hispanic	30	24.8	.	37	29.1	.	67	27.0	.	.
	Multi Race	10	8.3	.	9	7.1	.	19	7.7	.	.
	Others	1	0.8	.	1	0.8	.	2	0.8	.	.
Risk	MSM	33	27.3	.	30	23.6	.	63	25.4	.	.
	IDU	25	20.7	.	47	37.0	.	72	29.0	.	.
	MSM/IDU	9	7.4	.	11	8.7	.	20	8.1	.	.
	Heterosexual	18	14.9	.	13	10.2	.	31	12.5	.	.
	Fem Pres Het Cont	7	5.8	.	2	1.6	.	9	3.6	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	29	24.0	.	24	18.9	.	53	21.4	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		97	100.0	24	100.0	121	100.0	115	100.0	12	100.0	127	100.0	212	100.0	36	100.0	248	100.0
Risk	MSM	33	34.0	0	0.0	33	27.3	30	26.1	0	0.0	30	23.6	63	29.7	0	0.0	63	25.4
	IDU	21	21.6	4	16.7	25	20.7	42	36.5	5	41.7	47	37.0	63	29.7	9	25.0	72	29.0
	MSM/IDU	9	9.3	0	0.0	9	7.4	11	9.6	0	0.0	11	8.7	20	9.4	0	0.0	20	8.1
	Heterosexual	5	5.2	13	54.2	18	14.9	8	7.0	5	41.7	13	10.2	13	6.1	18	50.0	31	12.5
	Fem Pres Het Cont	0	0.0	7	29.2	7	5.8	0	0.0	2	16.7	2	1.6	0	0.0	9	25.0	9	3.6
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	29	29.9	0	0.0	29	24.0	24	20.9	0	0.0	24	18.9	53	25.0	0	0.0	53	21.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		7.7	100.0	8.7	5.7	100.0	6.4	0.7	100.0	3.7	100.0	4.3	100.0
Sex at Birth	Male	6.3	82.6	.	5.0	88.2	.	0.7	100.0	3.0	81.8	3.7	84.6
	Female	1.3	17.4	.	0.7	11.8	.	0.0	0.0	0.7	18.2	0.7	15.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	4.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	13.0	.	0.7	11.8	.	0.3	50.0	0.0	0.0	0.3	7.7
	25-29	1.3	17.4	.	1.0	17.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	3.0	39.1	.	1.3	23.5	.	0.0	0.0	0.7	18.2	0.7	15.4
	40-49	1.3	17.4	.	1.3	23.5	.	0.0	0.0	1.0	27.3	1.0	23.1
	50-59	0.7	8.7	.	1.0	17.6	.	0.3	50.0	1.3	36.4	1.7	38.5
	60+	0.0	0.0	.	0.3	5.9	.	0.0	0.0	0.7	18.2	0.7	15.4
Race/Ethnicity	White Not-Hispanic	3.7	47.8	.	2.0	35.3	.	0.3	50.0	1.3	36.4	1.7	38.5
	Black Not-Hispanic	1.7	21.7	.	1.7	29.4	.	0.3	50.0	1.7	45.5	2.0	46.2
	Hispanic	1.3	17.4	.	1.0	17.6	.	0.0	0.0	0.3	9.1	0.3	7.7
	Multi Race	0.7	8.7	.	0.7	11.8	.	0.0	0.0	0.3	9.1	0.3	7.7
	Others	0.3	4.3	.	0.3	5.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	39.1	.	1.7	29.4	.	0.3	50.0	1.0	27.3	1.3	30.8
	IDU	0.7	8.7	.	0.3	5.9	.	0.3	50.0	1.3	36.4	1.7	38.5
	MSM/IDU	0.7	8.7	.	0.7	11.8	.	0.0	0.0	1.0	27.3	1.0	23.1
	Heterosexual	1.3	17.4	.	1.7	29.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	8.7	.	0.3	5.9	.	0.0	0.0	0.3	9.1	0.3	7.7
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	17.4	.	1.0	17.6	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		6.3	100.0	1.3	100.0	7.7	100.0	5.0	100.0	0.7	100.0	5.7	100.0
Risk	MSM	3.0	47.4	0.0	0.0	3.0	39.1	1.7	33.3	0.0	0.0	1.7	29.4
	IDU	0.7	10.5	0.0	0.0	0.7	8.7	0.3	6.7	0.0	0.0	0.3	5.9
	MSM/IDU	0.7	10.5	0.0	0.0	0.7	8.7	0.7	13.3	0.0	0.0	0.7	11.8
	Heterosexual	0.7	10.5	0.7	50.0	1.3	17.4	1.3	26.7	0.3	50.0	1.7	29.4
	Fem Pres Het Cont	0.0	0.0	0.7	50.0	0.7	8.7	0.0	0.0	0.3	50.0	0.3	5.9
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	21.1	0.0	0.0	1.3	17.4	1.0	20.0	0.0	0.0	1.0	17.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	18	0	9	9
1987	0	9	0	6	6
1988	0	9	0	9	9
1989	0	12	0	10	10
1990	0	15	0	10	10
1991	0	19	0	8	8
1992	0	28	0	18	18
1993	0	28	0	14	14
1994	0	26	0	22	22
1995	0	28	0	21	21
1996	0	10	0	14	14
1997	0	15	0	9	9
1998	0	8	0	0	0
1999	0	1	0	2	2
2000	10	6	1	1	2
2001	6	6	0	6	6
2002	5	5	1	4	5
2003	7	12	2	4	6
2004	7	6	1	2	3
2005	9	21	0	2	2
2006	6	6	1	2	3
2007	2	4	0	3	3
2008	7	4	1	3	4
2009	8	2	0	2	2
2010	6	7	1	3	4
2011	6	5	0	3	3
2012	10	7	2	5	7
2013	7	5	0	3	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		22	100.0	47.1	36	100.0	77.1	58	100.0	124.1	46,722
Sex at Birth	Male	16	72.7	.	30	83.3	.	46	79.3	.	.
	Female	6	27.3	.	6	16.7	.	12	20.7	.	.
Current Age	13-19	1	4.5	.	0	0.0	.	1	1.7	.	.
	20-24	2	9.1	.	1	2.8	.	3	5.2	.	.
	25-29	1	4.5	.	0	0.0	.	1	1.7	.	.
	30-39	2	9.1	.	2	5.6	.	4	6.9	.	.
	40-49	4	18.2	.	9	25.0	.	13	22.4	.	.
	50-59	10	45.5	.	16	44.4	.	26	44.8	.	.
	60+	2	9.1	.	8	22.2	.	10	17.2	.	.
Race/Ethnicity	White Not-Hispanic	16	72.7	.	24	66.7	.	40	69.0	.	.
	Black Not-Hispanic	3	13.6	.	4	11.1	.	7	12.1	.	.
	Hispanic	2	9.1	.	5	13.9	.	7	12.1	.	.
	Multi Race	0	0.0	.	3	8.3	.	3	5.2	.	.
	Others	1	4.5	.	0	0.0	.	1	1.7	.	.
Risk	MSM	8	36.4	.	20	55.6	.	28	48.3	.	.
	IDU	6	27.3	.	8	22.2	.	14	24.1	.	.
	MSM/IDU	1	4.5	.	1	2.8	.	2	3.4	.	.
	Heterosexual	1	4.5	.	4	11.1	.	5	8.6	.	.
	Fem Pres Het Cont	1	4.5	.	1	2.8	.	2	3.4	.	.
	Blood Prod	1	4.5	.	0	0.0	.	1	1.7	.	.
	Pediatric Risk	2	9.1	.	0	0.0	.	2	3.4	.	.
	Unk	2	9.1	.	2	5.6	.	4	6.9	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		16	100.0	6	100.0	22	100.0	30	100.0	6	100.0	36	100.0	46	100.0	12	100.0	58	100.0
Risk	MSM	8	50.0	0	0.0	8	36.4	20	66.7	0	0.0	20	55.6	28	60.9	0	0.0	28	48.3
	IDU	4	25.0	2	33.3	6	27.3	6	20.0	2	33.3	8	22.2	10	21.7	4	33.3	14	24.1
	MSM/IDU	1	6.3	0	0.0	1	4.5	1	3.3	0	0.0	1	2.8	2	4.3	0	0.0	2	3.4
	Heterosexual	0	0.0	1	16.7	1	4.5	1	3.3	3	50.0	4	11.1	1	2.2	4	33.3	5	8.6
	Fem Pres Het Cont	0	0.0	1	16.7	1	4.5	0	0.0	1	16.7	1	2.8	0	0.0	2	16.7	2	3.4
	Blood Prod	1	6.3	0	0.0	1	4.5	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	1	1.7
	Pediatric Risk	0	0.0	2	33.3	2	9.1	0	0.0	0	0.0	0	0.0	0	0.0	2	16.7	2	3.4
	Unk	2	12.5	0	0.0	2	9.1	2	6.7	0	0.0	2	5.6	4	8.7	0	0.0	4	6.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	5.0	1.3	100.0	2.9	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	1.7	71.4	.	1.3	100.0	.	0.3	100.0	1.0	75.0	1.3	80.0
	Female	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Age at Diagnosis	13-19	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	28.6	.	0.7	50.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	40.0
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	1.3	100.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Black Not-Hispanic	0.7	28.6	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	20.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.7	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	25.0	.	0.3	100.0	0.7	50.0	1.0	60.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	1.7	100.0	0.0	0.0	1.7	71.4	0.7	50.0	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.3	50.0	0.3	14.3	0.3	25.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	1	0	0	0
1988	0	2	0	3	3
1989	0	0	0	1	1
1990	0	4	0	0	0
1991	0	3	0	0	0
1992	0	4	0	2	2
1993	0	2	0	2	2
1994	0	1	0	3	3
1995	0	7	0	4	4
1996	0	4	0	2	2
1997	0	4	0	0	0
1998	0	3	0	0	0
1999	0	1	0	1	1
2000	2	5	0	2	2
2001	2	5	0	2	2
2002	3	5	0	1	1
2003	1	3	0	1	1
2004	2	2	0	2	2
2005	1	1	0	0	0
2006	1	0	0	2	2
2007	1	1	0	1	1
2008	0	2	0	0	0
2009	0	2	0	0	0
2010	0	1	0	1	1
2011	3	2	0	3	3
2012	2	2	0	0	0
2013	2	0	1	1	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		94	100.0	115.2	174	100.0	213.3	268	100.0	328.5	81,591
Sex at Birth	Male	88	93.6	.	166	95.4	.	254	94.8	.	.
	Female	6	6.4	.	8	4.6	.	14	5.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	0.6	.	1	0.4	.	.
	20-24	2	2.1	.	0	0.0	.	2	0.7	.	.
	25-29	3	3.2	.	1	0.6	.	4	1.5	.	.
	30-39	3	3.2	.	10	5.7	.	13	4.9	.	.
	40-49	29	30.9	.	49	28.2	.	78	29.1	.	.
	50-59	43	45.7	.	71	40.8	.	114	42.5	.	.
	60+	14	14.9	.	42	24.1	.	56	20.9	.	.
Race/Ethnicity	White Not-Hispanic	30	31.9	.	35	20.1	.	65	24.3	.	.
	Black Not-Hispanic	26	27.7	.	53	30.5	.	79	29.5	.	.
	Hispanic	31	33.0	.	77	44.3	.	108	40.3	.	.
	Multi Race	5	5.3	.	8	4.6	.	13	4.9	.	.
	Others	2	2.1	.	1	0.6	.	3	1.1	.	.
Risk	MSM	28	29.8	.	35	20.1	.	63	23.5	.	.
	IDU	27	28.7	.	83	47.7	.	110	41.0	.	.
	MSM/IDU	4	4.3	.	11	6.3	.	15	5.6	.	.
	Heterosexual	4	4.3	.	8	4.6	.	12	4.5	.	.
	Fem Pres Het Cont	3	3.2	.	3	1.7	.	6	2.2	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	1	0.6	.	1	0.4	.	.
	Unk	28	29.8	.	33	19.0	.	61	22.8	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		88	100.0	6	100.0	94	100.0	166	100.0	8	100.0	174	100.0	254	100.0	14	100.0	268	100.0
Risk	MSM	28	31.8	0	0.0	28	29.8	35	21.1	0	0.0	35	20.1	63	24.8	0	0.0	63	23.5
	IDU	27	30.7	0	0.0	27	28.7	81	48.8	2	25.0	83	47.7	108	42.5	2	14.3	110	41.0
	MSM/IDU	4	4.5	0	0.0	4	4.3	11	6.6	0	0.0	11	6.3	15	5.9	0	0.0	15	5.6
	Heterosexual	1	1.1	3	50.0	4	4.3	5	3.0	3	37.5	8	4.6	6	2.4	6	42.9	12	4.5
	Fem Pres Het Cont	0	0.0	3	50.0	3	3.2	0	0.0	3	37.5	3	1.7	0	0.0	6	42.9	6	2.2
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.6	1	0.4	0	0.0	1	0.4
	Unk	28	31.8	0	0.0	28	29.8	33	19.9	0	0.0	33	19.0	61	24.0	0	0.0	61	22.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	2.5	1.0	100.0	1.2	0.7	100.0	3.3	100.0	4.0	100.0
Sex at Birth	Male	1.0	50.0	.	0.7	66.7	.	0.7	100.0	3.0	90.0	3.7	91.7
	Female	1.0	50.0	.	0.3	33.3	.	0.0	0.0	0.3	10.0	0.3	8.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	16.7	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	16.7	.	0.0	0.0	.	0.3	50.0	1.0	30.0	1.3	33.3
	50-59	0.7	33.3	.	0.3	33.3	.	0.3	50.0	1.7	50.0	2.0	50.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	20.0	0.7	16.7
Race/Ethnicity	White Not-Hispanic	1.7	83.3	.	0.7	66.7	.	0.3	50.0	1.3	40.0	1.7	41.7
	Black Not-Hispanic	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	33.3	.	0.3	50.0	1.0	30.0	1.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	30.0	1.0	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	33.3	.	0.7	66.7	.	0.3	50.0	0.7	20.0	1.0	25.0
	IDU	0.3	16.7	.	0.3	33.3	.	0.3	50.0	2.3	70.0	2.7	66.7
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.3	10.0	0.3	8.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	1.0	100.0	2.0	100.0	0.7	100.0	0.3	100.0	1.0	100.0
Risk	MSM	0.7	66.7	0.0	0.0	0.7	33.3	0.7	100.0	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.3	33.3	0.3	16.7	0.0	0.0	0.3	100.0	0.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	47	0	31	31
1987	0	29	0	13	13
1988	0	27	0	19	19
1989	0	29	0	18	18
1990	0	43	0	16	16
1991	0	24	0	26	26
1992	0	30	0	29	29
1993	0	37	0	16	16
1994	0	41	0	24	24
1995	0	34	0	25	25
1996	0	22	0	16	16
1997	0	21	0	11	11
1998	0	13	0	7	7
1999	0	15	0	2	2
2000	8	5	0	2	2
2001	5	8	0	5	5
2002	9	14	0	3	3
2003	2	7	0	9	9
2004	5	12	1	4	5
2005	3	8	0	8	8
2006	5	4	1	2	3
2007	6	5	1	4	5
2008	4	4	2	4	6
2009	1	3	0	4	4
2010	0	0	0	3	3
2011	2	1	1	2	3
2012	3	1	0	5	5
2013	1	1	1	3	4

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		81	100.0	130.1	79	100.0	126.9	160	100.0	257.1	62,243
Sex at Birth	Male	62	76.5	.	65	82.3	.	127	79.4	.	.
	Female	19	23.5	.	14	17.7	.	33	20.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	2	2.5	.	0	0.0	.	2	1.3	.	.
	20-24	6	7.4	.	2	2.5	.	8	5.0	.	.
	25-29	3	3.7	.	1	1.3	.	4	2.5	.	.
	30-39	9	11.1	.	7	8.9	.	16	10.0	.	.
	40-49	14	17.3	.	15	19.0	.	29	18.1	.	.
	50-59	27	33.3	.	33	41.8	.	60	37.5	.	.
	60+	20	24.7	.	21	26.6	.	41	25.6	.	.
Race/Ethnicity	White Not-Hispanic	38	46.9	.	36	45.6	.	74	46.3	.	.
	Black Not-Hispanic	17	21.0	.	13	16.5	.	30	18.8	.	.
	Hispanic	17	21.0	.	27	34.2	.	44	27.5	.	.
	Multi Race	8	9.9	.	3	3.8	.	11	6.9	.	.
	Others	1	1.2	.	0	0.0	.	1	0.6	.	.
Risk	MSM	40	49.4	.	28	35.4	.	68	42.5	.	.
	IDU	15	18.5	.	20	25.3	.	35	21.9	.	.
	MSM/IDU	0	0.0	.	5	6.3	.	5	3.1	.	.
	Heterosexual	12	14.8	.	14	17.7	.	26	16.3	.	.
	Fem Pres Het Cont	9	11.1	.	0	0.0	.	9	5.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	3	3.7	.	1	1.3	.	4	2.5	.	.
	Unk	2	2.5	.	11	13.9	.	13	8.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		62	100.0	19	100.0	81	100.0	65	100.0	14	100.0	79	100.0	127	100.0	33	100.0	160	100.0
Risk	MSM	40	64.5	0	0.0	40	49.4	28	43.1	0	0.0	28	35.4	68	53.5	0	0.0	68	42.5
	IDU	15	24.2	0	0.0	15	18.5	17	26.2	3	21.4	20	25.3	32	25.2	3	9.1	35	21.9
	MSM/IDU	0	0.0	0	0.0	0	0.0	5	7.7	0	0.0	5	6.3	5	3.9	0	0.0	5	3.1
	Heterosexual	4	6.5	8	42.1	12	14.8	4	6.2	10	71.4	14	17.7	8	6.3	18	54.5	26	16.3
	Fem Pres Het Cont	0	0.0	9	47.4	9	11.1	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	9	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.6	2	10.5	3	3.7	0	0.0	1	7.1	1	1.3	1	0.8	3	9.1	4	2.5
	Unk	2	3.2	0	0.0	2	2.5	11	16.9	0	0.0	11	13.9	13	10.2	0	0.0	13	8.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.0	100.0	8.0	3.0	100.0	4.8	0.7	100.0	1.7	100.0	2.3	100.0
Sex at Birth	Male	3.0	60.0	.	2.0	66.7	.	0.3	50.0	1.7	100.0	2.0	85.7
	Female	2.0	40.0	.	1.0	33.3	.	0.3	50.0	0.0	0.0	0.3	14.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	6.7	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	26.7	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	26.7	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	6.7	.	0.7	22.2	.	0.0	0.0	0.7	40.0	0.7	28.6
	40-49	0.3	6.7	.	0.3	11.1	.	0.0	0.0	0.3	20.0	0.3	14.3
	50-59	0.3	6.7	.	0.3	11.1	.	0.7	100.0	0.3	20.0	1.0	42.9
	60+	1.0	20.0	.	0.7	22.2	.	0.0	0.0	0.3	20.0	0.3	14.3
Race/Ethnicity	White Not-Hispanic	3.0	60.0	.	1.7	55.6	.	0.3	50.0	0.3	20.0	0.7	28.6
	Black Not-Hispanic	0.3	6.7	.	0.3	11.1	.	0.3	50.0	0.3	20.0	0.7	28.6
	Hispanic	1.3	26.7	.	1.0	33.3	.	0.0	0.0	1.0	60.0	1.0	42.9
	Multi Race	0.3	6.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	40.0	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.3	6.7	.	0.7	22.2	.	0.3	50.0	0.3	20.0	0.7	28.6
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	14.3
	Heterosexual	1.3	26.7	.	1.0	33.3	.	0.0	0.0	0.7	40.0	0.7	28.6
	Fem Pres Het Cont	1.0	20.0	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	14.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	6.7	.	0.3	11.1	.	0.0	0.0	0.3	20.0	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	2.0	100.0	5.0	100.0	2.0	100.0	1.0	100.0	3.0	100.0
Risk	MSM	2.0	66.7	0.0	0.0	2.0	40.0	0.7	33.3	0.0	0.0	0.7	22.2
	IDU	0.3	11.1	0.0	0.0	0.3	6.7	0.7	33.3	0.0	0.0	0.7	22.2
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	11.1	1.0	50.0	1.3	26.7	0.3	16.7	0.7	66.7	1.0	33.3
	Fem Pres Het Cont	0.0	0.0	1.0	50.0	1.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	11.1
	Unk	0.3	11.1	0.0	0.0	0.3	6.7	0.3	16.7	0.0	0.0	0.3	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	8	0	5	5
1987	0	2	0	2	2
1988	0	5	0	1	1
1989	0	10	0	6	6
1990	0	8	0	5	5
1991	0	11	0	9	9
1992	0	20	0	12	12
1993	0	7	0	5	5
1994	0	10	0	4	4
1995	0	16	0	8	8
1996	0	4	0	8	8
1997	0	5	0	2	2
1998	0	2	0	2	2
1999	0	5	0	3	3
2000	3	5	1	4	5
2001	2	4	1	1	2
2002	3	1	1	2	3
2003	6	3	2	1	3
2004	4	6	1	2	3
2005	4	6	2	0	2
2006	7	2	0	1	1
2007	5	5	3	1	4
2008	2	1	0	0	0
2009	4	5	0	2	2
2010	6	2	1	1	2
2011	5	5	1	2	3
2012	2	2	0	2	2
2013	8	2	1	1	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		21	100.0	42.9	15	100.0	30.6	36	100.0	73.5	48,976
Sex at Birth	Male	17	81.0	.	12	80.0	.	29	80.6	.	.
	Female	4	19.0	.	3	20.0	.	7	19.4	.	.
Current Age	20-24	2	9.5	.	0	0.0	.	2	5.6	.	.
	25-29	2	9.5	.	1	6.7	.	3	8.3	.	.
	30-39	5	23.8	.	2	13.3	.	7	19.4	.	.
	40-49	3	14.3	.	6	40.0	.	9	25.0	.	.
	50-59	4	19.0	.	3	20.0	.	7	19.4	.	.
	60+	5	23.8	.	3	20.0	.	8	22.2	.	.
Race/Ethnicity	White Not-Hispanic	17	81.0	.	11	73.3	.	28	77.8	.	.
	Black Not-Hispanic	1	4.8	.	1	6.7	.	2	5.6	.	.
	Hispanic	1	4.8	.	3	20.0	.	4	11.1	.	.
	Multi Race	2	9.5	.	0	0.0	.	2	5.6	.	.
Risk	MSM	13	61.9	.	7	46.7	.	20	55.6	.	.
	IDU	3	14.3	.	1	6.7	.	4	11.1	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	9.5	.	3	20.0	.	5	13.9	.	.
	Fem Pres Het Cont	2	9.5	.	0	0.0	.	2	5.6	.	.
	Blood Prod	0	0.0	.	1	6.7	.	1	2.8	.	.
	Unk	1	4.8	.	3	20.0	.	4	11.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	4	100.0	21	100.0	12	100.0	3	100.0	15	100.0	29	100.0	7	100.0	36	100.0
Risk	MSM	13	76.5	0	0.0	13	61.9	7	58.3	0	0.0	7	46.7	20	69.0	0	0.0	20	55.6
	IDU	2	11.8	1	25.0	3	14.3	1	8.3	0	0.0	1	6.7	3	10.3	1	14.3	4	11.1
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	5.9	1	25.0	2	9.5	1	8.3	2	66.7	3	20.0	2	6.9	3	42.9	5	13.9
	Fem Pres Het Cont	0	0.0	2	50.0	2	9.5	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	2	5.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3	1	6.7	0	0.0	1	14.3	1	2.8
	Unk	1	5.9	0	0.0	1	4.8	3	25.0	0	0.0	3	20.0	4	13.8	0	0.0	4	11.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	4.8	0.0	0.0	0.0	0.3	100.0	0.3	100.0	0.7	100.0
Sex at Birth	Male	2.0	85.7	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
	Female	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
Age at Diagnosis	20-24	1.0	42.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	40-49	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	28.6	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0
Race/Ethnicity	White Not-Hispanic	2.3	100.0	.	0.0	0.0	.	0.3	100.0	0.3	100.0	0.7	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	57.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	50.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	14.3	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	50.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Includes State Prison Inmates******

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	66.7	0.0	0.0	1.3	57.1	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.3	16.7	0.3	100.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	2	0	0	0
1989	0	1	0	3	3
1991	0	1	0	0	0
1993	0	2	0	2	2
1994	0	1	0	0	0
1995	0	1	0	1	1
1996	0	1	0	0	0
1997	0	2	0	0	0
1998	0	3	0	2	2
1999	0	0	0	1	1
2001	1	1	0	0	0
2002	2	5	0	1	1
2003	0	0	0	2	2
2004	0	5	0	1	1
2005	1	0	0	2	2
2006	1	2	0	0	0
2007	3	1	0	0	0
2008	2	1	0	0	0
2009	1	1	0	0	0
2010	3	1	0	0	0
2011	1	0	0	1	1
2012	4	0	1	0	1
2013	2	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		17	100.0	36.4	40	100.0	85.6	57	100.0	122.0	46,722
Sex at Birth	Male	12	70.6	.	28	70.0	.	40	70.2	.	.
	Female	5	29.4	.	12	30.0	.	17	29.8	.	.
Current Age	20-24	2	11.8	.	1	2.5	.	3	5.3	.	.
	25-29	1	5.9	.	0	0.0	.	1	1.8	.	.
	30-39	1	5.9	.	5	12.5	.	6	10.5	.	.
	40-49	6	35.3	.	12	30.0	.	18	31.6	.	.
	50-59	3	17.6	.	14	35.0	.	17	29.8	.	.
	60+	4	23.5	.	8	20.0	.	12	21.1	.	.
Race/Ethnicity	White Not-Hispanic	12	70.6	.	23	57.5	.	35	61.4	.	.
	Black Not-Hispanic	2	11.8	.	6	15.0	.	8	14.0	.	.
	Hispanic	3	17.6	.	5	12.5	.	8	14.0	.	.
	Multi Race	0	0.0	.	5	12.5	.	5	8.8	.	.
	Others	0	0.0	.	1	2.5	.	1	1.8	.	.
Risk	MSM	5	29.4	.	16	40.0	.	21	36.8	.	.
	IDU	3	17.6	.	11	27.5	.	14	24.6	.	.
	MSM/IDU	1	5.9	.	2	5.0	.	3	5.3	.	.
	Heterosexual	4	23.5	.	5	12.5	.	9	15.8	.	.
	Fem Pres Het Cont	0	0.0	.	1	2.5	.	1	1.8	.	.
	Blood Prod	0	0.0	.	1	2.5	.	1	1.8	.	.
	Pediatric Risk	0	0.0	.	1	2.5	.	1	1.8	.	.
	Unk	4	23.5	.	3	7.5	.	7	12.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		12	100.0	5	100.0	17	100.0	28	100.0	12	100.0	40	100.0	40	100.0	17	100.0	57	100.0
Risk	MSM	5	41.7	0	0.0	5	29.4	16	57.1	0	0.0	16	40.0	21	52.5	0	0.0	21	36.8
	IDU	1	8.3	2	40.0	3	17.6	6	21.4	5	41.7	11	27.5	7	17.5	7	41.2	14	24.6
	MSM/IDU	1	8.3	0	0.0	1	5.9	2	7.1	0	0.0	2	5.0	3	7.5	0	0.0	3	5.3
	Heterosexual	1	8.3	3	60.0	4	23.5	0	0.0	5	41.7	5	12.5	1	2.5	8	47.1	9	15.8
	Fem Pres Het Cont	0	0.0	0	0.0	0	0.0	0	0.0	1	8.3	1	2.5	0	0.0	1	5.9	1	1.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	3.6	0	0.0	1	2.5	1	2.5	0	0.0	1	1.8
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	8.3	1	2.5	0	0.0	1	5.9	1	1.8
	Unk	4	33.3	0	0.0	4	23.5	3	10.7	0	0.0	3	7.5	7	17.5	0	0.0	7	12.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.9	2.0	100.0	4.3	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	1.3	100.0	.	1.7	83.3	.	0.3	100.0	1.0	100.0	1.3	100.0
	Female	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	25.0	.	0.3	16.7	.	0.0	0.0	0.3	33.3	0.3	25.0
	40-49	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	25.0	.	1.3	66.7	.	0.3	100.0	0.7	66.7	1.0	75.0
	60+	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	75.0	.	1.3	66.7	.	0.3	100.0	1.0	100.0	1.3	100.0
	Black Not-Hispanic	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	50.0	.	1.3	66.7	.	0.3	100.0	0.7	66.7	1.0	75.0
	IDU	0.3	25.0	.	0.7	33.3	.	0.0	0.0	0.3	33.3	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.7	100.0	0.3	100.0	2.0	100.0
Risk	MSM	0.7	50.0	0.0	0.0	0.7	50.0	1.3	80.0	0.0	0.0	1.3	66.7
	IDU	0.3	25.0	0.0	0.0	0.3	25.0	0.3	20.0	0.3	100.0	0.7	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1988	0	1	0	0	0
1989	0	2	0	1	1
1990	0	4	0	2	2
1991	0	1	0	1	1
1992	0	3	0	2	2
1993	0	3	0	3	3
1994	0	3	0	1	1
1995	0	6	0	1	1
1996	0	4	0	3	3
1997	0	2	0	0	0
1998	0	0	0	1	1
1999	0	2	0	1	1
2000	1	0	0	0	0
2001	3	5	0	2	2
2002	8	5	0	1	1
2003	2	5	1	1	2
2004	2	1	1	1	2
2005	0	3	0	2	2
2006	2	2	1	0	1
2007	2	1	0	0	0
2008	4	3	2	0	2
2009	0	0	1	0	1
2010	5	4	0	2	2
2011	1	4	0	2	2
2012	1	2	1	1	2
2013	2	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		472	100.0	159.0	677	100.0	228.0	1,149	100.0	387.0	296,916
Sex at Birth	Male	357	75.6	.	524	77.4	.	881	76.7	.	.
	Female	115	24.4	.	153	22.6	.	268	23.3	.	.
Current Age	12 & under	3	0.6	.	0	0.0	.	3	0.3	.	.
	13-19	5	1.1	.	0	0.0	.	5	0.4	.	.
	20-24	20	4.2	.	8	1.2	.	28	2.4	.	.
	25-29	26	5.5	.	13	1.9	.	39	3.4	.	.
	30-39	45	9.5	.	45	6.6	.	90	7.8	.	.
	40-49	126	26.7	.	174	25.7	.	300	26.1	.	.
	50-59	185	39.2	.	303	44.8	.	488	42.5	.	.
	60+	62	13.1	.	134	19.8	.	196	17.1	.	.
Race/Ethnicity	White Not-Hispanic	114	24.2	.	134	19.8	.	248	21.6	.	.
	Black Not-Hispanic	164	34.7	.	254	37.5	.	418	36.4	.	.
	Hispanic	141	29.9	.	223	32.9	.	364	31.7	.	.
	Multi Race	48	10.2	.	63	9.3	.	111	9.7	.	.
	Others	4	0.8	.	3	0.4	.	7	0.6	.	.
	Unk	1	0.2	.	0	0.0	.	1	0.1	.	.
Risk	MSM	113	23.9	.	136	20.1	.	249	21.7	.	.
	IDU	140	29.7	.	265	39.1	.	405	35.2	.	.
	MSM/IDU	19	4.0	.	43	6.4	.	62	5.4	.	.
	Heterosexual	96	20.3	.	124	18.3	.	220	19.1	.	.
	Fem Pres Het Cont	17	3.6	.	23	3.4	.	40	3.5	.	.
	Blood Prod	0	0.0	.	3	0.4	.	3	0.3	.	.
	Pediatric Risk	14	3.0	.	8	1.2	.	22	1.9	.	.
	Unk	73	15.5	.	75	11.1	.	148	12.9	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		357	100.0	115	100.0	472	100.0	524	100.0	153	100.0	677	100.0	881	100.0	268	100.0	1,149	100.0
Risk	MSM	113	31.7	0	0.0	113	23.9	136	26.0	0	0.0	136	20.1	249	28.3	0	0.0	249	21.7
	IDU	106	29.7	34	29.6	140	29.7	215	41.0	50	32.7	265	39.1	321	36.4	84	31.3	405	35.2
	MSM/IDU	19	5.3	0	0.0	19	4.0	43	8.2	0	0.0	43	6.4	62	7.0	0	0.0	62	5.4
	Heterosexual	38	10.6	58	50.4	96	20.3	50	9.5	74	48.4	124	18.3	88	10.0	132	49.3	220	19.1
	Fem Pres Het Cont	0	0.0	17	14.8	17	3.6	0	0.0	23	15.0	23	3.4	0	0.0	40	14.9	40	3.5
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.2	2	1.3	3	0.4	1	0.1	2	0.7	3	0.3
	Pediatric Risk	8	2.2	6	5.2	14	3.0	5	1.0	3	2.0	8	1.2	13	1.5	9	3.4	22	1.9
	Unk	73	20.4	0	0.0	73	15.5	74	14.1	1	0.7	75	11.1	147	16.7	1	0.4	148	12.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		26.7	100.0	9.0	15.0	100.0	5.1	6.3	100.0	17.7	100.0	24.0	100.0
Sex at Birth	Male	20.7	77.5	.	11.3	75.6	.	3.3	52.6	15.0	84.9	18.3	76.4
	Female	6.0	22.5	.	3.7	24.4	.	3.0	47.4	2.7	15.1	5.7	23.6
Age at Diagnosis	12 & under	0.7	2.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	2.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.7	17.5	.	1.0	6.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	3.3	12.5	.	1.7	11.1	.	0.0	0.0	0.3	1.9	0.3	1.4
	30-39	3.7	13.8	.	2.0	13.3	.	0.0	0.0	0.3	1.9	0.3	1.4
	40-49	5.7	21.3	.	5.0	33.3	.	1.0	15.8	3.3	18.9	4.3	18.1
	50-59	5.3	20.0	.	4.3	28.9	.	3.3	52.6	8.7	49.1	12.0	50.0
	60+	2.7	10.0	.	1.0	6.7	.	2.0	31.6	5.0	28.3	7.0	29.2
Race/Ethnicity	White Not-Hispanic	8.0	30.0	.	5.3	35.6	.	2.3	36.8	5.0	28.3	7.3	30.6
	Black Not-Hispanic	8.7	32.5	.	5.3	35.6	.	3.3	52.6	5.7	32.1	9.0	37.5
	Hispanic	5.7	21.3	.	2.0	13.3	.	0.3	5.3	5.7	32.1	6.0	25.0
	Multi Race	3.7	13.8	.	2.0	13.3	.	0.3	5.3	1.3	7.5	1.7	6.9
	Others	0.7	2.5	.	0.3	2.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	12.3	46.3	.	5.0	33.3	.	0.0	0.0	1.7	9.4	1.7	6.9
	IDU	4.0	15.0	.	3.0	20.0	.	3.0	47.4	10.3	58.5	13.3	55.6
	MSM/IDU	0.3	1.3	.	1.7	11.1	.	0.3	5.3	2.3	13.2	2.7	11.1
	Heterosexual	4.0	15.0	.	3.0	20.0	.	1.3	21.1	1.3	7.5	2.7	11.1
	Fem Pres Het Cont	3.0	11.3	.	1.0	6.7	.	0.7	10.5	0.3	1.9	1.0	4.2
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	2.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	8.8	.	1.3	8.9	.	1.0	15.8	1.7	9.4	2.7	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		20.7	100.0	6.0	100.0	26.7	100.0	11.3	100.0	3.7	100.0	15.0	100.0
Risk	MSM	12.3	59.7	0.0	0.0	12.3	46.3	5.0	44.1	0.0	0.0	5.0	33.3
	IDU	3.0	14.5	1.0	16.7	4.0	15.0	2.0	17.6	1.0	27.3	3.0	20.0
	MSM/IDU	0.3	1.6	0.0	0.0	0.3	1.3	1.7	14.7	0.0	0.0	1.7	11.1
	Heterosexual	2.0	9.7	2.0	33.3	4.0	15.0	1.3	11.8	1.7	45.5	3.0	20.0
	Fem Pres Het Cont	0.0	0.0	3.0	50.0	3.0	11.3	0.0	0.0	1.0	27.3	1.0	6.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	3.2	0.0	0.0	0.7	2.5	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	11.3	0.0	0.0	2.3	8.8	1.3	11.8	0.0	0.0	1.3	8.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	107	0	75	75
1987	0	64	0	39	39
1988	0	64	0	44	44
1989	0	91	0	61	61
1990	0	102	0	59	59
1991	0	125	0	73	73
1992	0	132	0	60	60
1993	0	168	0	89	89
1994	0	141	0	97	97
1995	0	115	0	114	114
1996	0	110	0	70	70
1997	0	56	0	33	33
1998	0	37	0	36	36
1999	0	49	0	35	35
2000	44	62	2	22	24
2001	51	60	6	27	33
2002	26	45	6	32	38
2003	27	45	4	21	25
2004	35	56	2	25	27
2005	40	56	6	19	25
2006	26	30	5	25	30
2007	19	27	3	16	19
2008	21	25	2	15	17
2009	27	21	5	15	20
2010	20	16	6	18	24
2011	26	14	11	19	30
2012	26	16	7	11	18
2013	28	15	1	23	24

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		1,041	100.0	113.2	1,185	100.0	128.8	2,226	100.0	242.0	919,866
Sex at Birth	Male	720	69.2	.	842	71.1	.	1,562	70.2	.	.
	Female	321	30.8	.	343	28.9	.	664	29.8	.	.
Current Age	12 & under	6	0.6	.	1	0.1	.	7	0.3	.	.
	13-19	12	1.2	.	3	0.3	.	15	0.7	.	.
	20-24	52	5.0	.	23	1.9	.	75	3.4	.	.
	25-29	98	9.4	.	28	2.4	.	126	5.7	.	.
	30-39	230	22.1	.	136	11.5	.	366	16.4	.	.
	40-49	294	28.2	.	384	32.4	.	678	30.5	.	.
	50-59	261	25.1	.	412	34.8	.	673	30.2	.	.
	60+	88	8.5	.	198	16.7	.	286	12.8	.	.
Race/Ethnicity	White Not-Hispanic	335	32.2	.	345	29.1	.	680	30.5	.	.
	Black Not-Hispanic	414	39.8	.	516	43.5	.	930	41.8	.	.
	Hispanic	174	16.7	.	198	16.7	.	372	16.7	.	.
	Multi Race	95	9.1	.	106	8.9	.	201	9.0	.	.
	Others	23	2.2	.	20	1.7	.	43	1.9	.	.
Risk	MSM	460	44.2	.	459	38.7	.	919	41.3	.	.
	IDU	136	13.1	.	214	18.1	.	350	15.7	.	.
	MSM/IDU	42	4.0	.	83	7.0	.	125	5.6	.	.
	Heterosexual	266	25.6	.	319	26.9	.	585	26.3	.	.
	Fem Pres Het Cont	45	4.3	.	28	2.4	.	73	3.3	.	.
	Blood Prod	2	0.2	.	5	0.4	.	7	0.3	.	.
	Pediatric Risk	13	1.2	.	15	1.3	.	28	1.3	.	.
	Unk	77	7.4	.	62	5.2	.	139	6.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		720	100.0	321	100.0	1,041	100.0	842	100.0	343	100.0	1,185	100.0	1,562	100.0	664	100.0	2,226	100.0
Risk	MSM	460	63.9	0	0.0	460	44.2	459	54.5	0	0.0	459	38.7	919	58.8	0	0.0	919	41.3
	IDU	82	11.4	54	16.8	136	13.1	142	16.9	72	21.0	214	18.1	224	14.3	126	19.0	350	15.7
	MSM/IDU	42	5.8	0	0.0	42	4.0	83	9.9	0	0.0	83	7.0	125	8.0	0	0.0	125	5.6
	Heterosexual	51	7.1	215	67.0	266	25.6	84	10.0	235	68.5	319	26.9	135	8.6	450	67.8	585	26.3
	Fem Pres Het Cont	0	0.0	45	14.0	45	4.3	0	0.0	28	8.2	28	2.4	0	0.0	73	11.0	73	3.3
	Blood Prod	2	0.3	0	0.0	2	0.2	5	0.6	0	0.0	5	0.4	7	0.4	0	0.0	7	0.3
	Pediatric Risk	6	0.8	7	2.2	13	1.2	8	1.0	7	2.0	15	1.3	14	0.9	14	2.1	28	1.3
	Unk	77	10.7	0	0.0	77	7.4	61	7.2	1	0.3	62	5.2	138	8.8	1	0.2	139	6.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		100.7	100.0	10.9	62.3	100.0	6.8	9.3	100.0	36.0	100.0	45.3	100.0
Sex at Birth	Male	71.3	70.9	.	38.0	61.0	.	7.3	78.6	25.7	71.3	33.0	72.8
	Female	29.3	29.1	.	24.3	39.0	.	2.0	21.4	10.3	28.7	12.3	27.2
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	5.0	.	1.0	1.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	14.3	14.2	.	5.0	8.0	.	0.0	0.0	1.0	2.8	1.0	2.2
	25-29	13.0	12.9	.	4.7	7.5	.	0.3	3.6	0.0	0.0	0.3	0.7
	30-39	28.7	28.5	.	16.0	25.7	.	1.3	14.3	2.0	5.6	3.3	7.4
	40-49	25.0	24.8	.	20.7	33.2	.	1.7	17.9	7.7	21.3	9.3	20.6
	50-59	12.0	11.9	.	9.7	15.5	.	2.7	28.6	15.0	41.7	17.7	39.0
	60+	2.3	2.3	.	5.3	8.6	.	3.3	35.7	10.3	28.7	13.7	30.1
Race/Ethnicity	White Not-Hispanic	33.3	33.1	.	16.7	26.7	.	5.3	57.1	9.3	25.9	14.7	32.4
	Black Not-Hispanic	44.3	44.0	.	28.0	44.9	.	3.0	32.1	15.3	42.6	18.3	40.4
	Hispanic	14.3	14.2	.	9.7	15.5	.	1.0	10.7	6.3	17.6	7.3	16.2
	Multi Race	6.0	6.0	.	5.0	8.0	.	0.0	0.0	4.7	13.0	4.7	10.3
	Others	2.7	2.6	.	3.0	4.8	.	0.0	0.0	0.3	0.9	0.3	0.7
Risk	MSM	51.0	50.7	.	22.3	35.8	.	2.7	28.6	11.7	32.4	14.3	31.6
	IDU	7.3	7.3	.	10.0	16.0	.	1.7	17.9	12.0	33.3	13.7	30.1
	MSM/IDU	2.7	2.6	.	3.7	5.9	.	1.0	10.7	3.3	9.3	4.3	9.6
	Heterosexual	22.7	22.5	.	19.0	30.5	.	2.7	28.6	7.0	19.4	9.7	21.3
	Fem Pres Het Cont	7.3	7.3	.	3.3	5.3	.	0.3	3.6	0.3	0.9	0.7	1.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.3	.	0.3	0.5	.	0.0	0.0	0.7	1.9	0.7	1.5
	Unk	9.3	9.3	.	3.7	5.9	.	1.0	10.7	1.0	2.8	2.0	4.4

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		71.3	100.0	29.3	100.0	100.7	100.0	38.0	100.0	24.3	100.0	62.3	100.0
Risk	MSM	51.0	71.5	0.0	0.0	51.0	50.7	22.3	58.8	0.0	0.0	22.3	35.8
	IDU	4.0	5.6	3.3	11.4	7.3	7.3	4.0	10.5	6.0	24.7	10.0	16.0
	MSM/IDU	2.7	3.7	0.0	0.0	2.7	2.6	3.7	9.6	0.0	0.0	3.7	5.9
	Heterosexual	4.3	6.1	18.3	62.5	22.7	22.5	4.0	10.5	15.0	61.6	19.0	30.5
	Fem Pres Het Cont	0.0	0.0	7.3	25.0	7.3	7.3	0.0	0.0	3.3	13.7	3.3	5.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	1.1	0.3	0.3	0.3	0.9	0.0	0.0	0.3	0.5
	Unk	9.3	13.1	0.0	0.0	9.3	9.3	3.7	9.6	0.0	0.0	3.7	5.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	51	0	31	31
1987	0	42	0	22	22
1988	0	60	0	25	25
1989	0	93	0	55	55
1990	0	94	0	71	71
1991	0	115	0	76	76
1992	0	137	0	90	90
1993	0	190	0	82	82
1994	0	181	0	123	123
1995	0	190	0	165	165
1996	0	166	0	90	90
1997	0	91	0	52	52
1998	0	96	0	44	44
1999	0	112	0	46	46
2000	79	143	1	51	52
2001	102	114	2	57	59
2002	88	77	8	32	40
2003	83	95	7	51	58
2004	95	72	6	40	46
2005	85	78	9	41	50
2006	98	63	8	40	48
2007	103	89	11	44	55
2008	89	62	11	35	46
2009	113	63	9	42	51
2010	115	58	6	38	44
2011	100	75	10	28	38
2012	97	61	8	35	43
2013	105	51	10	45	55

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		49	100.0	126.4	63	100.0	162.5	112	100.0	288.9	38,762
Sex at Birth	Male	46	93.9	.	58	92.1	.	104	92.9	.	.
	Female	3	6.1	.	5	7.9	.	8	7.1	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.0	.	0	0.0	.	1	0.9	.	.
	25-29	2	4.1	.	0	0.0	.	2	1.8	.	.
	30-39	5	10.2	.	4	6.3	.	9	8.0	.	.
	40-49	13	26.5	.	19	30.2	.	32	28.6	.	.
	50-59	19	38.8	.	30	47.6	.	49	43.8	.	.
	60+	9	18.4	.	10	15.9	.	19	17.0	.	.
Race/Ethnicity	White Not-Hispanic	10	20.4	.	11	17.5	.	21	18.8	.	.
	Black Not-Hispanic	16	32.7	.	21	33.3	.	37	33.0	.	.
	Hispanic	23	46.9	.	28	44.4	.	51	45.5	.	.
	Multi Race	0	0.0	.	3	4.8	.	3	2.7	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	10	20.4	.	6	9.5	.	16	14.3	.	.
	IDU	14	28.6	.	31	49.2	.	45	40.2	.	.
	MSM/IDU	2	4.1	.	3	4.8	.	5	4.5	.	.
	Heterosexual	6	12.2	.	9	14.3	.	15	13.4	.	.
	Fem Pres Het Cont	1	2.0	.	1	1.6	.	2	1.8	.	.
	Unk	16	32.7	.	13	20.6	.	29	25.9	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		46	100.0	3	100.0	49	100.0	58	100.0	5	100.0	63	100.0	104	100.0	8	100.0	112	100.0
Risk	MSM	10	21.7	0	0.0	10	20.4	6	10.3	0	0.0	6	9.5	16	15.4	0	0.0	16	14.3
	IDU	14	30.4	0	0.0	14	28.6	30	51.7	1	20.0	31	49.2	44	42.3	1	12.5	45	40.2
	MSM/IDU	2	4.3	0	0.0	2	4.1	3	5.2	0	0.0	3	4.8	5	4.8	0	0.0	5	4.5
	Heterosexual	4	8.7	2	66.7	6	12.2	6	10.3	3	60.0	9	14.3	10	9.6	5	62.5	15	13.4
	Fem Pres Het Cont	0	0.0	1	33.3	1	2.0	0	0.0	1	20.0	1	1.6	0	0.0	2	25.0	2	1.8
	Unk	16	34.8	0	0.0	16	32.7	13	22.4	0	0.0	13	20.6	29	27.9	0	0.0	29	25.9

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.0	100.0	2.6	1.0	100.0	2.6	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.7	66.7	.	0.3	33.3	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.3	33.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.7	66.7	.	0.0	0.0	0.3	100.0	0.3	100.0
	40-49	0.7	66.7	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	33.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.3	100.0	0.3	100.0
	Hispanic	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	66.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	33.3	.	0.7	66.7	.	0.0	0.0	0.3	100.0	0.3	100.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.7	100.0	0.3	100.0	1.0	100.0	0.3	100.0	0.7	100.0	1.0	100.0
Risk	MSM	0.7	100.0	0.0	0.0	0.7	66.7	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	33.3
	Heterosexual	0.0	0.0	0.3	100.0	0.3	33.3	0.0	0.0	0.7	100.0	0.7	66.7
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	21	0	16	16
1987	0	5	0	4	4
1988	0	14	0	4	4
1989	0	17	0	11	11
1990	0	14	0	5	5
1991	0	12	0	6	6
1992	0	9	0	16	16
1993	0	14	0	8	8
1994	0	11	0	9	9
1995	0	17	0	13	13
1996	0	9	0	6	6
1997	0	9	0	3	3
1998	0	3	0	0	0
1999	0	6	0	1	1
2000	6	3	0	1	1
2001	5	2	0	0	0
2002	6	4	0	3	3
2003	5	3	0	1	1
2004	1	1	1	3	4
2005	1	5	1	1	2
2006	1	1	1	4	5
2007	0	0	2	1	3
2008	1	1	1	3	4
2009	4	0	0	1	1
2010	2	1	0	2	2
2011	1	1	0	0	0
2012	1	2	0	1	1
2013	1	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		147	100.0	284.4	185	100.0	357.9	332	100.0	642.3	51,688
Sex at Birth	Male	138	93.9	.	177	95.7	.	315	94.9	.	.
	Female	9	6.1	.	8	4.3	.	17	5.1	.	.
Current Age	20-24	2	1.4	.	0	0.0	.	2	0.6	.	.
	25-29	4	2.7	.	1	0.5	.	5	1.5	.	.
	30-39	7	4.8	.	13	7.0	.	20	6.0	.	.
	40-49	35	23.8	.	58	31.4	.	93	28.0	.	.
	50-59	70	47.6	.	78	42.2	.	148	44.6	.	.
	60+	29	19.7	.	35	18.9	.	64	19.3	.	.
Race/Ethnicity	White Not-Hispanic	18	12.2	.	18	9.7	.	36	10.8	.	.
	Black Not-Hispanic	44	29.9	.	71	38.4	.	115	34.6	.	.
	Hispanic	79	53.7	.	82	44.3	.	161	48.5	.	.
	Multi Race	5	3.4	.	13	7.0	.	18	5.4	.	.
	Others	1	0.7	.	1	0.5	.	2	0.6	.	.
Risk	MSM	19	12.9	.	26	14.1	.	45	13.6	.	.
	IDU	68	46.3	.	85	45.9	.	153	46.1	.	.
	MSM/IDU	2	1.4	.	12	6.5	.	14	4.2	.	.
	Heterosexual	7	4.8	.	18	9.7	.	25	7.5	.	.
	Fem Pres Het Cont	4	2.7	.	3	1.6	.	7	2.1	.	.
	Unk	47	32.0	.	41	22.2	.	88	26.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		138	100.0	9	100.0	147	100.0	177	100.0	8	100.0	185	100.0	315	100.0	17	100.0	332	100.0
Risk	MSM	19	13.8	0	0.0	19	12.9	26	14.7	0	0.0	26	14.1	45	14.3	0	0.0	45	13.6
	IDU	66	47.8	2	22.2	68	46.3	82	46.3	3	37.5	85	45.9	148	47.0	5	29.4	153	46.1
	MSM/IDU	2	1.4	0	0.0	2	1.4	12	6.8	0	0.0	12	6.5	14	4.4	0	0.0	14	4.2
	Heterosexual	4	2.9	3	33.3	7	4.8	16	9.0	2	25.0	18	9.7	20	6.3	5	29.4	25	7.5
	Fem Pres Het Cont	0	0.0	4	44.4	4	2.7	0	0.0	3	37.5	3	1.6	0	0.0	7	41.2	7	2.1
	Unk	47	34.1	0	0.0	47	32.0	41	23.2	0	0.0	41	22.2	88	27.9	0	0.0	88	26.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.7	100.0	11.0	2.3	100.0	4.5	0.7	100.0	3.0	100.0	3.7	100.0
Sex at Birth	Male	5.3	94.1	.	2.3	100.0	.	0.7	100.0	3.0	100.0	3.7	100.0
	Female	0.3	5.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	1.0	17.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	23.5	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	17.6	.	1.0	42.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	17.6	.	0.0	0.0	.	0.3	50.0	0.3	11.1	0.7	18.2
	50-59	1.0	17.6	.	1.0	42.9	.	0.0	0.0	2.0	66.7	2.0	54.5
	60+	0.3	5.9	.	0.0	0.0	.	0.3	50.0	0.7	22.2	1.0	27.3
Race/Ethnicity	White Not-Hispanic	2.3	41.2	.	0.3	14.3	.	0.3	50.0	0.7	22.2	1.0	27.3
	Black Not-Hispanic	1.3	23.5	.	0.7	28.6	.	0.0	0.0	0.3	11.1	0.3	9.1
	Hispanic	0.7	11.8	.	0.3	14.3	.	0.3	50.0	2.0	66.7	2.3	63.6
	Multi Race	1.0	17.6	.	0.7	28.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	5.9	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	52.9	.	1.3	57.1	.	0.0	0.0	0.3	11.1	0.3	9.1
	IDU	0.0	0.0	.	0.0	0.0	.	0.7	100.0	2.3	77.8	3.0	81.8
	MSM/IDU	0.0	0.0	.	0.3	14.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	5.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	41.2	.	0.7	28.6	.	0.0	0.0	0.3	11.1	0.3	9.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.3	100.0	0.3	100.0	5.7	100.0	2.3	100.0	0.0	0.0	2.3	100.0
Risk	MSM	3.0	56.3	0.0	0.0	3.0	52.9	1.3	57.1	0.0	0.0	1.3	57.1
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	14.3	0.0	0.0	0.3	14.3
	Heterosexual	0.0	0.0	0.3	100.0	0.3	5.9	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	43.8	0.0	0.0	2.3	41.2	0.7	28.6	0.0	0.0	0.7	28.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1987	0	6	0	5	5
1988	0	9	0	7	7
1989	0	13	0	2	2
1990	0	22	0	4	4
1991	0	33	0	13	13
1992	0	41	0	16	16
1993	0	38	0	21	21
1994	0	38	0	20	20
1995	0	42	0	22	22
1996	0	33	0	24	24
1997	0	24	0	8	8
1998	0	5	0	8	8
1999	0	9	0	5	5
2000	8	9	0	1	1
2001	7	11	3	11	14
2002	6	12	2	8	10
2003	10	11	3	6	9
2004	5	11	1	11	12
2005	4	12	1	4	5
2006	1	6	3	6	9
2007	4	7	1	8	9
2008	3	7	2	5	7
2009	4	3	2	4	6
2010	1	1	0	2	2
2011	5	2	1	5	6
2012	2	4	1	3	4
2013	10	1	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		41	100.0	75.1	40	100.0	73.3	81	100.0	148.4	54,586
Sex at Birth	Male	26	63.4	.	31	77.5	.	57	70.4	.	.
	Female	15	36.6	.	9	22.5	.	24	29.6	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	2.4	.	2	5.0	.	3	3.7	.	.
	25-29	5	12.2	.	0	0.0	.	5	6.2	.	.
	30-39	5	12.2	.	7	17.5	.	12	14.8	.	.
	40-49	14	34.1	.	9	22.5	.	23	28.4	.	.
	50-59	9	22.0	.	12	30.0	.	21	25.9	.	.
	60+	7	17.1	.	10	25.0	.	17	21.0	.	.
Race/Ethnicity	White Not-Hispanic	24	58.5	.	25	62.5	.	49	60.5	.	.
	Black Not-Hispanic	3	7.3	.	3	7.5	.	6	7.4	.	.
	Hispanic	11	26.8	.	8	20.0	.	19	23.5	.	.
	Multi Race	3	7.3	.	2	5.0	.	5	6.2	.	.
	Others	0	0.0	.	2	5.0	.	2	2.5	.	.
Risk	MSM	14	34.1	.	16	40.0	.	30	37.0	.	.
	IDU	7	17.1	.	5	12.5	.	12	14.8	.	.
	MSM/IDU	0	0.0	.	1	2.5	.	1	1.2	.	.
	Heterosexual	11	26.8	.	5	12.5	.	16	19.8	.	.
	Fem Pres Het Cont	4	9.8	.	3	7.5	.	7	8.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	2	5.0	.	2	2.5	.	.
	Unk	5	12.2	.	8	20.0	.	13	16.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		26	100.0	15	100.0	41	100.0	31	100.0	9	100.0	40	100.0	57	100.0	24	100.0	81	100.0
Risk	MSM	14	53.8	0	0.0	14	34.1	16	51.6	0	0.0	16	40.0	30	52.6	0	0.0	30	37.0
	IDU	4	15.4	3	20.0	7	17.1	3	9.7	2	22.2	5	12.5	7	12.3	5	20.8	12	14.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0	1	2.5	1	1.8	0	0.0	1	1.2
	Heterosexual	3	11.5	8	53.3	11	26.8	3	9.7	2	22.2	5	12.5	6	10.5	10	41.7	16	19.8
	Fem Pres Het Cont	0	0.0	4	26.7	4	9.8	0	0.0	3	33.3	3	7.5	0	0.0	7	29.2	7	8.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	2	22.2	2	5.0	0	0.0	2	8.3	2	2.5
	Unk	5	19.2	0	0.0	5	12.2	8	25.8	0	0.0	8	20.0	13	22.8	0	0.0	13	16.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	7.3	2.0	100.0	3.7	0.7	100.0	0.7	100.0	1.3	100.0
Sex at Birth	Male	3.3	83.3	.	2.0	100.0	.	0.3	50.0	0.3	50.0	0.7	50.0
	Female	0.7	16.7	.	0.0	0.0	.	0.3	50.0	0.3	50.0	0.7	50.0
Age at Diagnosis	13-19	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	33.3	.	1.0	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	33.3	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	25.0
	50-59	0.3	8.3	.	0.3	16.7	.	0.7	100.0	0.3	50.0	1.0	75.0
	60+	0.3	8.3	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.3	58.3	.	1.3	66.7	.	0.3	50.0	0.7	100.0	1.0	75.0
	Black Not-Hispanic	0.3	8.3	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	1.3	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	16.7	.	0.3	50.0	0.0	0.0	0.3	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	25.0	.	1.0	50.0	.	0.3	50.0	0.3	50.0	0.7	50.0
	IDU	1.7	41.7	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	8.3	.	0.3	16.7	.	0.0	0.0	0.3	50.0	0.3	25.0
	Fem Pres Het Cont	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	16.7	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.7	100.0	4.0	100.0	2.0	100.0	0.0	0.0	2.0	100.0
Risk	MSM	1.0	30.0	0.0	0.0	1.0	25.0	1.0	50.0	0.0	0.0	1.0	50.0
	IDU	1.3	40.0	0.3	50.0	1.7	41.7	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	16.7
	Heterosexual	0.3	10.0	0.0	0.0	0.3	8.3	0.3	16.7	0.0	0.0	0.3	16.7
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	8.3	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	0.0	0.0	0.7	16.7	0.3	16.7	0.0	0.0	0.3	16.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1988	0	3	0	1	1
1989	0	0	0	1	1
1990	0	2	0	0	0
1991	0	5	0	3	3
1992	0	4	0	2	2
1993	0	1	0	1	1
1994	0	2	0	4	4
1995	0	5	0	1	1
1996	0	1	0	0	0
1997	0	2	0	1	1
1998	0	4	0	0	0
1999	0	3	0	1	1
2000	5	4	1	0	1
2001	2	1	1	2	3
2002	1	1	0	0	0
2003	3	2	0	1	1
2004	4	4	0	0	0
2005	2	2	1	1	2
2006	0	3	0	1	1
2007	4	2	0	2	2
2008	5	4	1	1	2
2009	1	1	0	0	0
2010	4	1	0	0	0
2011	6	3	0	1	1
2012	4	2	0	1	1
2013	2	1	2	0	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		35	100.0	58.9	42	100.0	70.6	77	100.0	129.5	59,454
Sex at Birth	Male	29	82.9	.	38	90.5	.	67	87.0	.	.
	Female	6	17.1	.	4	9.5	.	10	13.0	.	.
Current Age	12 & under	1	2.9	.	0	0.0	.	1	1.3	.	.
	20-24	2	5.7	.	0	0.0	.	2	2.6	.	.
	25-29	1	2.9	.	1	2.4	.	2	2.6	.	.
	30-39	9	25.7	.	8	19.0	.	17	22.1	.	.
	40-49	10	28.6	.	11	26.2	.	21	27.3	.	.
	50-59	9	25.7	.	18	42.9	.	27	35.1	.	.
	60+	3	8.6	.	4	9.5	.	7	9.1	.	.
Race/Ethnicity	White Not-Hispanic	12	34.3	.	16	38.1	.	28	36.4	.	.
	Black Not-Hispanic	8	22.9	.	9	21.4	.	17	22.1	.	.
	Hispanic	9	25.7	.	14	33.3	.	23	29.9	.	.
	Multi Race	3	8.6	.	3	7.1	.	6	7.8	.	.
	Others	3	8.6	.	0	0.0	.	3	3.9	.	.
Risk	MSM	11	31.4	.	13	31.0	.	24	31.2	.	.
	IDU	6	17.1	.	10	23.8	.	16	20.8	.	.
	MSM/IDU	1	2.9	.	2	4.8	.	3	3.9	.	.
	Heterosexual	6	17.1	.	9	21.4	.	15	19.5	.	.
	Fem Pres Het Cont	2	5.7	.	0	0.0	.	2	2.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.9	.	1	2.4	.	2	2.6	.	.
	Unk	8	22.9	.	7	16.7	.	15	19.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	6	100.0	35	100.0	38	100.0	4	100.0	42	100.0	67	100.0	10	100.0	77	100.0
Risk	MSM	11	37.9	0	0.0	11	31.4	13	34.2	0	0.0	13	31.0	24	35.8	0	0.0	24	31.2
	IDU	6	20.7	0	0.0	6	17.1	8	21.1	2	50.0	10	23.8	14	20.9	2	20.0	16	20.8
	MSM/IDU	1	3.4	0	0.0	1	2.9	2	5.3	0	0.0	2	4.8	3	4.5	0	0.0	3	3.9
	Heterosexual	2	6.9	4	66.7	6	17.1	8	21.1	1	25.0	9	21.4	10	14.9	5	50.0	15	19.5
	Fem Pres Het Cont	0	0.0	2	33.3	2	5.7	0	0.0	0	0.0	0	0.0	0	0.0	2	20.0	2	2.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.4	0	0.0	1	2.9	0	0.0	1	25.0	1	2.4	1	1.5	1	10.0	2	2.6
	Unk	8	27.6	0	0.0	8	22.9	7	18.4	0	0.0	7	16.7	15	22.4	0	0.0	15	19.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		4.3	100.0	7.3	2.7	100.0	4.5	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	4.0	92.3	.	2.0	75.0	.	0.0	0.0	0.7	66.7	0.7	66.7
	Female	0.3	7.7	.	0.7	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	15.4	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	23.1	.	1.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.7	38.5	.	1.0	37.5	.	0.0	0.0	1.0	100.0	1.0	100.0
	50-59	0.7	15.4	.	0.3	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.7	38.5	.	1.3	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black Not-Hispanic	0.7	15.4	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	1.7	38.5	.	1.3	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	7.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	30.8	.	1.0	37.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	12.5	.	0.0	0.0	0.3	33.3	0.3	33.3
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Heterosexual	0.7	15.4	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	53.8	.	0.7	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.0	100.0	0.3	100.0	4.3	100.0	2.0	100.0	0.7	100.0	2.7	100.0
Risk	MSM	1.3	33.3	0.0	0.0	1.3	30.8	1.0	50.0	0.0	0.0	1.0	37.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	50.0	0.3	12.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	8.3	0.3	100.0	0.7	15.4	0.3	16.7	0.3	50.0	0.7	25.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	58.3	0.0	0.0	2.3	53.8	0.7	33.3	0.0	0.0	0.7	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	1	0	0	0
1988	0	1	0	1	1
1989	0	1	0	3	3
1990	0	4	0	1	1
1991	0	3	0	3	3
1992	0	4	0	3	3
1993	0	3	0	2	2
1994	0	4	0	2	2
1995	0	6	0	1	1
1996	0	2	0	3	3
1997	0	2	0	0	0
1998	0	3	0	1	1
1999	0	6	0	1	1
2000	2	3	0	1	1
2001	6	2	0	0	0
2002	6	3	0	2	2
2003	3	1	0	1	1
2005	2	2	0	2	2
2006	4	0	0	1	1
2007	2	4	0	0	0
2008	2	4	0	0	0
2009	4	4	0	1	1
2010	6	2	1	1	2
2011	7	5	0	1	1
2012	0	0	0	2	2
2013	6	3	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		65	100.0	134.1	107	100.0	220.8	172	100.0	355.0	48,455
Sex at Birth	Male	55	84.6	.	96	89.7	.	151	87.8	.	.
	Female	10	15.4	.	11	10.3	.	21	12.2	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	1	0.9	.	1	0.6	.	.
	25-29	4	6.2	.	1	0.9	.	5	2.9	.	.
	30-39	5	7.7	.	10	9.3	.	15	8.7	.	.
	40-49	20	30.8	.	22	20.6	.	42	24.4	.	.
	50-59	22	33.8	.	50	46.7	.	72	41.9	.	.
	60+	14	21.5	.	23	21.5	.	37	21.5	.	.
Race/Ethnicity	White Not-Hispanic	25	38.5	.	32	29.9	.	57	33.1	.	.
	Black Not-Hispanic	17	26.2	.	33	30.8	.	50	29.1	.	.
	Hispanic	19	29.2	.	31	29.0	.	50	29.1	.	.
	Multi Race	4	6.2	.	11	10.3	.	15	8.7	.	.
Risk	MSM	20	30.8	.	21	19.6	.	41	23.8	.	.
	IDU	11	16.9	.	37	34.6	.	48	27.9	.	.
	MSM/IDU	1	1.5	.	8	7.5	.	9	5.2	.	.
	Heterosexual	12	18.5	.	14	13.1	.	26	15.1	.	.
	Fem Pres Het Cont	4	6.2	.	4	3.7	.	8	4.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	1.5	.	1	0.9	.	2	1.2	.	.
	Unk	16	24.6	.	22	20.6	.	38	22.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		55	100.0	10	100.0	65	100.0	96	100.0	11	100.0	107	100.0	151	100.0	21	100.0	172	100.0
Risk	MSM	20	36.4	0	0.0	20	30.8	21	21.9	0	0.0	21	19.6	41	27.2	0	0.0	41	23.8
	IDU	11	20.0	0	0.0	11	16.9	37	38.5	0	0.0	37	34.6	48	31.8	0	0.0	48	27.9
	MSM/IDU	1	1.8	0	0.0	1	1.5	8	8.3	0	0.0	8	7.5	9	6.0	0	0.0	9	5.2
	Heterosexual	6	10.9	6	60.0	12	18.5	7	7.3	7	63.6	14	13.1	13	8.6	13	61.9	26	15.1
	Fem Pres Het Cont	0	0.0	4	40.0	4	6.2	0	0.0	4	36.4	4	3.7	0	0.0	8	38.1	8	4.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	1.8	0	0.0	1	1.5	1	1.0	0	0.0	1	0.9	2	1.3	0	0.0	2	1.2
	Unk	16	29.1	0	0.0	16	24.6	22	22.9	0	0.0	22	20.6	38	25.2	0	0.0	38	22.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.7	100.0	3.4	2.0	100.0	4.1	0.0	0.0	2.7	100.0	2.7	100.0
Sex at Birth	Male	1.3	80.0	.	1.0	50.0	.	0.0	0.0	2.0	75.0	2.0	75.0
	Female	0.3	20.0	.	1.0	50.0	.	0.0	0.0	0.7	25.0	0.7	25.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	40.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	20.0	.	0.3	16.7	.	0.0	0.0	1.0	37.5	1.0	37.5
	50-59	0.3	20.0	.	0.7	33.3	.	0.0	0.0	1.0	37.5	1.0	37.5
	60+	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.7	25.0	0.7	25.0
Race/Ethnicity	White Not-Hispanic	1.0	60.0	.	1.0	50.0	.	0.0	0.0	1.3	50.0	1.3	50.0
	Black Not-Hispanic	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.7	25.0	0.7	25.0
	Hispanic	0.3	20.0	.	0.3	16.7	.	0.0	0.0	0.7	25.0	0.7	25.0
	Multi Race	0.3	20.0	.	0.3	16.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	80.0	.	0.7	33.3	.	0.0	0.0	0.7	25.0	0.7	25.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	25.0	0.7	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	12.5	0.3	12.5
	Heterosexual	0.0	0.0	.	0.7	33.3	.	0.0	0.0	0.3	12.5	0.3	12.5
	Fem Pres Het Cont	0.3	20.0	.	0.3	16.7	.	0.0	0.0	0.3	12.5	0.3	12.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.3	16.7	.	0.0	0.0	0.3	12.5	0.3	12.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.3	100.0	1.7	100.0	1.0	100.0	1.0	100.0	2.0	100.0
Risk	MSM	1.3	100.0	0.0	0.0	1.3	80.0	0.7	66.7	0.0	0.0	0.7	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	66.7	0.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	20.0	0.0	0.0	0.3	33.3	0.3	16.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	16.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1987	0	13	0	7	7
1988	0	10	0	5	5
1989	0	15	0	9	9
1990	0	12	0	9	9
1991	0	12	0	9	9
1992	0	10	0	8	8
1993	0	21	0	7	7
1994	0	13	0	10	10
1995	0	17	0	5	5
1996	0	17	0	11	11
1997	0	10	0	4	4
1998	0	8	0	1	1
1999	0	11	0	3	3
2000	2	8	0	8	8
2001	7	9	1	2	3
2002	5	10	1	5	6
2003	4	13	0	7	7
2004	4	5	0	6	6
2005	3	7	1	5	6
2006	6	9	0	3	3
2007	6	3	1	3	4
2008	4	6	0	3	3
2009	8	2	0	4	4
2010	1	4	0	3	3
2011	0	2	0	3	3
2012	4	2	0	3	3
2013	1	2	0	2	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		22	100.0	34.3	31	100.0	48.3	53	100.0	82.6	64,181
Sex at Birth	Male	17	77.3	.	26	83.9	.	43	81.1	.	.
	Female	5	22.7	.	5	16.1	.	10	18.9	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	3	13.6	.	4	12.9	.	7	13.2	.	.
	30-39	4	18.2	.	0	0.0	.	4	7.5	.	.
	40-49	7	31.8	.	13	41.9	.	20	37.7	.	.
	50-59	5	22.7	.	8	25.8	.	13	24.5	.	.
	60+	3	13.6	.	6	19.4	.	9	17.0	.	.
Race/Ethnicity	White Not-Hispanic	17	77.3	.	18	58.1	.	35	66.0	.	.
	Black Not-Hispanic	2	9.1	.	4	12.9	.	6	11.3	.	.
	Hispanic	2	9.1	.	2	6.5	.	4	7.5	.	.
	Multi Race	1	4.5	.	5	16.1	.	6	11.3	.	.
	Others	0	0.0	.	2	6.5	.	2	3.8	.	.
Risk	MSM	15	68.2	.	16	51.6	.	31	58.5	.	.
	IDU	1	4.5	.	3	9.7	.	4	7.5	.	.
	MSM/IDU	0	0.0	.	1	3.2	.	1	1.9	.	.
	Heterosexual	3	13.6	.	4	12.9	.	7	13.2	.	.
	Fem Pres Het Cont	2	9.1	.	3	9.7	.	5	9.4	.	.
	Pediatric Risk	0	0.0	.	1	3.2	.	1	1.9	.	.
	Unk	1	4.5	.	3	9.7	.	4	7.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		17	100.0	5	100.0	22	100.0	26	100.0	5	100.0	31	100.0	43	100.0	10	100.0	53	100.0
Risk	MSM	15	88.2	0	0.0	15	68.2	16	61.5	0	0.0	16	51.6	31	72.1	0	0.0	31	58.5
	IDU	1	5.9	0	0.0	1	4.5	3	11.5	0	0.0	3	9.7	4	9.3	0	0.0	4	7.5
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.2	1	2.3	0	0.0	1	1.9
	Heterosexual	0	0.0	3	60.0	3	13.6	2	7.7	2	40.0	4	12.9	2	4.7	5	50.0	7	13.2
	Fem Pres Het Cont	0	0.0	2	40.0	2	9.1	0	0.0	3	60.0	3	9.7	0	0.0	5	50.0	5	9.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0	1	3.2	1	2.3	0	0.0	1	1.9
	Unk	1	5.9	0	0.0	1	4.5	3	11.5	0	0.0	3	9.7	4	9.3	0	0.0	4	7.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.6	1.3	100.0	2.1	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	1.7	71.4	.	1.3	100.0	.	0.7	100.0	0.7	66.7	1.3	80.0
	Female	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	28.6	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	42.9	.	1.0	75.0	.	0.3	50.0	0.3	33.3	0.7	40.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.3	33.3	0.7	40.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	1.0	75.0	.	0.3	50.0	0.3	33.3	0.7	40.0
	Black Not-Hispanic	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Hispanic	0.3	14.3	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	20.0
	Multi Race	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	57.1	.	1.0	75.0	.	0.3	50.0	0.7	66.7	1.0	60.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Fem Pres Het Cont	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.3	50.0	0.0	0.0	0.3	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.7	100.0	2.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	1.3	80.0	0.0	0.0	1.3	57.1	1.0	75.0	0.0	0.0	1.0	75.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	14.3	0.3	25.0	0.0	0.0	0.3	25.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.7	100.0	0.7	28.6	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1988	0	3	0	2	2
1989	0	3	0	1	1
1990	0	1	0	1	1
1991	0	5	0	1	1
1992	0	1	0	4	4
1993	0	2	0	3	3
1994	0	2	0	0	0
1995	0	5	0	2	2
1996	0	3	0	2	2
1998	0	2	0	0	0
1999	0	1	0	0	0
2000	1	0	0	0	0
2001	2	2	0	0	0
2002	2	0	0	0	0
2003	3	2	1	1	2
2004	0	1	1	2	3
2005	2	4	0	1	1
2006	3	3	0	0	0
2007	1	3	0	0	0
2008	2	0	0	0	0
2010	6	5	0	0	0
2011	4	3	0	1	1
2012	2	0	1	1	2
2013	1	1	1	1	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		153	100.0	128.0	141	100.0	118.0	294	100.0	246.0	119,504
Sex at Birth	Male	136	88.9	.	121	85.8	.	257	87.4	.	.
	Female	17	11.1	.	20	14.2	.	37	12.6	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	1.3	.	1	0.7	.	3	1.0	.	.
	25-29	3	2.0	.	2	1.4	.	5	1.7	.	.
	30-39	15	9.8	.	11	7.8	.	26	8.8	.	.
	40-49	41	26.8	.	42	29.8	.	83	28.2	.	.
	50-59	54	35.3	.	56	39.7	.	110	37.4	.	.
	60+	38	24.8	.	29	20.6	.	67	22.8	.	.
Race/Ethnicity	White Not-Hispanic	20	13.1	.	40	28.4	.	60	20.4	.	.
	Black Not-Hispanic	59	38.6	.	47	33.3	.	106	36.1	.	.
	Hispanic	69	45.1	.	42	29.8	.	111	37.8	.	.
	Multi Race	4	2.6	.	11	7.8	.	15	5.1	.	.
	Others	1	0.7	.	1	0.7	.	2	0.7	.	.
Risk	MSM	15	9.8	.	20	14.2	.	35	11.9	.	.
	IDU	26	17.0	.	45	31.9	.	71	24.1	.	.
	MSM/IDU	5	3.3	.	11	7.8	.	16	5.4	.	.
	Heterosexual	12	7.8	.	19	13.5	.	31	10.5	.	.
	Fem Pres Het Cont	8	5.2	.	6	4.3	.	14	4.8	.	.
	Blood Prod	0	0.0	.	1	0.7	.	1	0.3	.	.
	Pediatric Risk	0	0.0	.	1	0.7	.	1	0.3	.	.
	Unk	87	56.9	.	38	27.0	.	125	42.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		136	100.0	17	100.0	153	100.0	121	100.0	20	100.0	141	100.0	257	100.0	37	100.0	294	100.0
Risk	MSM	15	11.0	0	0.0	15	9.8	20	16.5	0	0.0	20	14.2	35	13.6	0	0.0	35	11.9
	IDU	25	18.4	1	5.9	26	17.0	44	36.4	1	5.0	45	31.9	69	26.8	2	5.4	71	24.1
	MSM/IDU	5	3.7	0	0.0	5	3.3	11	9.1	0	0.0	11	7.8	16	6.2	0	0.0	16	5.4
	Heterosexual	4	2.9	8	47.1	12	7.8	7	5.8	12	60.0	19	13.5	11	4.3	20	54.1	31	10.5
	Fem Pres Het Cont	0	0.0	8	47.1	8	5.2	0	0.0	6	30.0	6	4.3	0	0.0	14	37.8	14	4.8
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.7	1	0.4	0	0.0	1	0.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	1	0.7	0	0.0	1	2.7	1	0.3
	Unk	87	64.0	0	0.0	87	56.9	38	31.4	0	0.0	38	27.0	125	48.6	0	0.0	125	42.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	4.5	4.0	100.0	3.3	1.0	100.0	3.7	100.0	4.7	100.0
Sex at Birth	Male	3.3	62.5	.	3.0	75.0	.	1.0	100.0	3.7	100.0	4.7	100.0
	Female	2.0	37.5	.	1.0	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	12.5	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	25.0	.	0.7	16.7	.	0.0	0.0	0.3	9.1	0.3	7.1
	40-49	1.3	25.0	.	1.3	33.3	.	0.0	0.0	1.0	27.3	1.0	21.4
	50-59	1.0	18.8	.	1.3	33.3	.	0.3	33.3	2.0	54.5	2.3	50.0
	60+	0.3	6.3	.	0.3	8.3	.	0.7	66.7	0.3	9.1	1.0	21.4
Race/Ethnicity	White Not-Hispanic	2.7	50.0	.	1.7	41.7	.	0.3	33.3	0.7	18.2	1.0	21.4
	Black Not-Hispanic	1.7	31.3	.	1.7	41.7	.	0.7	66.7	1.0	27.3	1.7	35.7
	Hispanic	0.7	12.5	.	0.0	0.0	.	0.0	0.0	1.0	27.3	1.0	21.4
	Multi Race	0.3	6.3	.	0.7	16.7	.	0.0	0.0	1.0	27.3	1.0	21.4
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	37.5	.	1.7	41.7	.	0.3	33.3	1.3	36.4	1.7	35.7
	IDU	0.3	6.3	.	1.0	25.0	.	0.7	66.7	2.0	54.5	2.7	57.1
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	12.5	.	1.0	25.0	.	0.0	0.0	0.3	9.1	0.3	7.1
	Fem Pres Het Cont	1.3	25.0	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	18.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	2.0	100.0	5.3	100.0	3.0	100.0	1.0	100.0	4.0	100.0
Risk	MSM	2.0	60.0	0.0	0.0	2.0	37.5	1.7	55.6	0.0	0.0	1.7	41.7
	IDU	0.3	10.0	0.0	0.0	0.3	6.3	1.0	33.3	0.0	0.0	1.0	25.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.7	33.3	0.7	12.5	0.3	11.1	0.7	66.7	1.0	25.0
	Fem Pres Het Cont	0.0	0.0	1.3	66.7	1.3	25.0	0.0	0.0	0.3	33.3	0.3	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	30.0	0.0	0.0	1.0	18.8	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	9	0	4	4
1987	0	4	0	6	6
1988	0	11	0	8	8
1989	0	14	0	2	2
1990	0	12	0	7	7
1991	0	12	0	8	8
1992	0	18	0	10	10
1993	0	21	0	9	9
1994	0	31	0	12	12
1995	0	31	0	20	20
1996	0	28	0	15	15
1997	0	12	0	8	8
1998	0	12	0	6	6
1999	0	8	0	5	5
2000	12	7	0	1	1
2001	8	9	1	3	4
2002	8	10	2	3	5
2003	7	9	1	6	7
2004	4	2	1	7	8
2005	3	11	0	3	3
2006	5	7	1	2	3
2007	4	6	1	7	8
2008	4	4	1	3	4
2009	2	6	0	5	5
2010	10	9	1	3	4
2011	3	6	3	1	4
2012	4	4	0	5	5
2013	9	2	0	5	5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		5	100.0	18.4	2	100.0	7.4	7	100.0	25.8	27,149
Sex at Birth	Male	3	60.0	.	2	100.0	.	5	71.4	.	.
	Female	2	40.0	.	0	0.0	.	2	28.6	.	.
Current Age	20-24	1	20.0	.	0	0.0	.	1	14.3	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	40-49	1	20.0	.	2	100.0	.	3	42.9	.	.
	50-59	2	40.0	.	0	0.0	.	2	28.6	.	.
	60+	1	20.0	.	0	0.0	.	1	14.3	.	.
Race/Ethnicity	White Not-Hispanic	4	80.0	.	2	100.0	.	6	85.7	.	.
	Black Not-Hispanic	1	20.0	.	0	0.0	.	1	14.3	.	.
Risk	MSM	3	60.0	.	0	0.0	.	3	42.9	.	.
	IDU	0	0.0	.	1	50.0	.	1	14.3	.	.
	Heterosexual	1	20.0	.	1	50.0	.	2	28.6	.	.
	Fem Pres Het Cont	1	20.0	.	0	0.0	.	1	14.3	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3	100.0	2	100.0	5	100.0	2	100.0	0	0.0	2	100.0	5	100.0	2	100.0	7	100.0
Risk	MSM	3	100.0	0	0.0	3	60.0	0	0.0	0	0.0	0	0.0	3	60.0	0	0.0	3	42.9
	IDU	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0	1	20.0	0	0.0	1	14.3
	Heterosexual	0	0.0	1	50.0	1	20.0	1	50.0	0	0.0	1	50.0	1	20.0	1	50.0	2	28.6
	Fem Pres Het Cont	0	0.0	1	50.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	14.3
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		0.3	100.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1989	0	1	0	0	0
2001	1	0	0	0	0
2003	1	1	0	0	0
2008	0	1	0	1	1
2009	0	0	0	1	1
2012	1	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		81	100.0	125.2	97	100.0	149.9	178	100.0	275.1	64,705
Sex at Birth	Male	64	79.0	.	82	84.5	.	146	82.0	.	.
	Female	17	21.0	.	15	15.5	.	32	18.0	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	0	0.0	.	3	3.1	.	3	1.7	.	.
	25-29	0	0.0	.	1	1.0	.	1	0.6	.	.
	30-39	5	6.2	.	4	4.1	.	9	5.1	.	.
	40-49	27	33.3	.	21	21.6	.	48	27.0	.	.
	50-59	26	32.1	.	42	43.3	.	68	38.2	.	.
	60+	23	28.4	.	26	26.8	.	49	27.5	.	.
Race/Ethnicity	White Not-Hispanic	22	27.2	.	29	29.9	.	51	28.7	.	.
	Black Not-Hispanic	27	33.3	.	23	23.7	.	50	28.1	.	.
	Hispanic	27	33.3	.	36	37.1	.	63	35.4	.	.
	Multi Race	5	6.2	.	8	8.2	.	13	7.3	.	.
	Others	0	0.0	.	1	1.0	.	1	0.6	.	.
Risk	MSM	11	13.6	.	15	15.5	.	26	14.6	.	.
	IDU	36	44.4	.	39	40.2	.	75	42.1	.	.
	MSM/IDU	5	6.2	.	3	3.1	.	8	4.5	.	.
	Heterosexual	4	4.9	.	15	15.5	.	19	10.7	.	.
	Fem Pres Het Cont	5	6.2	.	4	4.1	.	9	5.1	.	.
	Blood Prod	0	0.0	.	2	2.1	.	2	1.1	.	.
	Pediatric Risk	0	0.0	.	1	1.0	.	1	0.6	.	.
	Unk	20	24.7	.	18	18.6	.	38	21.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		64	100.0	17	100.0	81	100.0	82	100.0	15	100.0	97	100.0	146	100.0	32	100.0	178	100.0
Risk	MSM	11	17.2	0	0.0	11	13.6	15	18.3	0	0.0	15	15.5	26	17.8	0	0.0	26	14.6
	IDU	27	42.2	9	52.9	36	44.4	37	45.1	2	13.3	39	40.2	64	43.8	11	34.4	75	42.1
	MSM/IDU	5	7.8	0	0.0	5	6.2	3	3.7	0	0.0	3	3.1	8	5.5	0	0.0	8	4.5
	Heterosexual	1	1.6	3	17.6	4	4.9	7	8.5	8	53.3	15	15.5	8	5.5	11	34.4	19	10.7
	Fem Pres Het Cont	0	0.0	5	29.4	5	6.2	0	0.0	4	26.7	4	4.1	0	0.0	9	28.1	9	5.1
	Blood Prod	0	0.0	0	0.0	0	0.0	2	2.4	0	0.0	2	2.1	2	1.4	0	0.0	2	1.1
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	1	1.0	0	0.0	1	3.1	1	0.6
	Unk	20	31.3	0	0.0	20	24.7	18	22.0	0	0.0	18	18.6	38	26.0	0	0.0	38	21.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.1	3.0	100.0	4.6	0.3	100.0	2.0	100.0	2.3	100.0
Sex at Birth	Male	2.0	75.0	.	1.3	44.4	.	0.3	100.0	2.0	100.0	2.3	100.0
	Female	0.7	25.0	.	1.7	55.6	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	12.5	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	12.5	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	12.5	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	14.3
	40-49	1.3	50.0	.	1.3	44.4	.	0.0	0.0	0.7	33.3	0.7	28.6
	50-59	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.7	33.3	1.0	42.9
	60+	0.3	12.5	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	14.3
Race/Ethnicity	White Not-Hispanic	1.0	37.5	.	2.0	66.7	.	0.0	0.0	0.7	33.3	0.7	28.6
	Black Not-Hispanic	1.0	37.5	.	0.3	11.1	.	0.3	100.0	0.3	16.7	0.7	28.6
	Hispanic	0.3	12.5	.	0.3	11.1	.	0.0	0.0	1.0	50.0	1.0	42.9
	Multi Race	0.3	12.5	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.3	11.1	.	0.3	100.0	0.3	16.7	0.7	28.6
	IDU	0.7	25.0	.	0.7	22.2	.	0.0	0.0	1.3	66.7	1.3	57.1
	MSM/IDU	0.7	25.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	37.5	.	1.3	44.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.7	100.0	2.7	100.0	1.3	100.0	1.7	100.0	3.0	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	11.1
	IDU	0.7	33.3	0.0	0.0	0.7	25.0	0.7	50.0	0.0	0.0	0.7	22.2
	MSM/IDU	0.7	33.3	0.0	0.0	0.7	25.0	0.3	25.0	0.0	0.0	0.3	11.1
	Heterosexual	0.3	16.7	0.7	100.0	1.0	37.5	0.0	0.0	1.3	80.0	1.3	44.4
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.0	0.3	11.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	6	6
1987	0	7	0	7	7
1988	0	13	0	4	4
1989	0	5	0	1	1
1990	0	12	0	7	7
1991	0	17	0	8	8
1992	0	24	0	14	14
1993	0	25	0	11	11
1994	0	16	0	5	5
1995	0	18	0	12	12
1996	0	14	0	10	10
1997	0	16	0	3	3
1998	0	7	0	10	10
1999	0	6	0	5	5
2000	10	6	1	4	5
2001	11	6	1	5	6
2002	2	7	1	3	4
2003	6	5	1	1	2
2004	4	3	4	2	6
2005	3	3	2	4	6
2006	3	4	1	4	5
2007	3	4	1	3	4
2008	3	5	0	3	3
2009	4	1	0	4	4
2010	2	1	1	1	2
2011	3	4	0	1	1
2012	3	2	1	2	3
2013	2	3	0	3	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		26	100.0	35.9	26	100.0	35.9	52	100.0	71.8	72,382
Sex at Birth	Male	21	80.8	.	19	73.1	.	40	76.9	.	.
	Female	5	19.2	.	7	26.9	.	12	23.1	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	4	15.4	.	0	0.0	.	4	7.7	.	.
	30-39	4	15.4	.	2	7.7	.	6	11.5	.	.
	40-49	9	34.6	.	13	50.0	.	22	42.3	.	.
	50-59	7	26.9	.	8	30.8	.	15	28.8	.	.
	60+	2	7.7	.	3	11.5	.	5	9.6	.	.
Race/Ethnicity	White Not-Hispanic	17	65.4	.	13	50.0	.	30	57.7	.	.
	Black Not-Hispanic	6	23.1	.	3	11.5	.	9	17.3	.	.
	Hispanic	3	11.5	.	7	26.9	.	10	19.2	.	.
	Multi Race	0	0.0	.	2	7.7	.	2	3.8	.	.
	Others	0	0.0	.	1	3.8	.	1	1.9	.	.
Risk	MSM	16	61.5	.	8	30.8	.	24	46.2	.	.
	IDU	1	3.8	.	8	30.8	.	9	17.3	.	.
	MSM/IDU	0	0.0	.	3	11.5	.	3	5.8	.	.
	Heterosexual	2	7.7	.	4	15.4	.	6	11.5	.	.
	Fem Pres Het Cont	3	11.5	.	1	3.8	.	4	7.7	.	.
	Blood Prod	0	0.0	.	1	3.8	.	1	1.9	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	4	15.4	.	1	3.8	.	5	9.6	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		21	100.0	5	100.0	26	100.0	19	100.0	7	100.0	26	100.0	40	100.0	12	100.0	52	100.0
Risk	MSM	16	76.2	0	0.0	16	61.5	8	42.1	0	0.0	8	30.8	24	60.0	0	0.0	24	46.2
	IDU	1	4.8	0	0.0	1	3.8	6	31.6	2	28.6	8	30.8	7	17.5	2	16.7	9	17.3
	MSM/IDU	0	0.0	0	0.0	0	0.0	3	15.8	0	0.0	3	11.5	3	7.5	0	0.0	3	5.8
	Heterosexual	0	0.0	2	40.0	2	7.7	0	0.0	4	57.1	4	15.4	0	0.0	6	50.0	6	11.5
	Fem Pres Het Cont	0	0.0	3	60.0	3	11.5	0	0.0	1	14.3	1	3.8	0	0.0	4	33.3	4	7.7
	Blood Prod	0	0.0	0	0.0	0	0.0	1	5.3	0	0.0	1	3.8	1	2.5	0	0.0	1	1.9
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	4	19.0	0	0.0	4	15.4	1	5.3	0	0.0	1	3.8	5	12.5	0	0.0	5	9.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.2	1.3	100.0	1.8	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	2.0	85.7	.	1.3	100.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	Female	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	28.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	42.9	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	14.3	.	0.7	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.3	57.1	.	0.7	50.0	.	0.0	0.0	0.7	100.0	0.7	66.7
	Black Not-Hispanic	0.7	28.6	.	0.3	25.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Hispanic	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.7	50.0	.	0.3	100.0	0.7	100.0	1.0	100.0
	IDU	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	14.3	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.3	100.0	2.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	1.7	83.3	0.0	0.0	1.7	71.4	0.7	50.0	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.3	16.7	0.0	0.0	0.3	14.3	0.3	25.0	0.0	0.0	0.3	25.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	14.3	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	1	1
1987	0	1	0	1	1
1988	0	1	0	1	1
1989	0	2	0	1	1
1990	0	5	0	1	1
1991	0	5	0	2	2
1992	0	0	0	1	1
1993	0	8	0	3	3
1994	0	0	0	3	3
1995	0	3	0	4	4
1996	0	2	0	1	1
1997	0	4	0	1	1
1998	0	8	0	0	0
1999	0	2	0	1	1
2000	1	4	0	0	0
2001	2	0	0	1	1
2002	1	0	0	1	1
2003	2	0	0	0	0
2004	2	1	0	1	1
2005	3	2	0	4	4
2006	4	1	1	0	1
2007	1	0	0	2	2
2008	2	1	0	1	1
2009	2	1	0	0	0
2010	2	4	0	2	2
2011	2	1	0	1	1
2012	2	2	1	1	2
2013	3	1	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		1,040	100.0	138.7	1,322	100.0	176.4	2,362	100.0	315.1	749,606
Sex at Birth	Male	771	74.1	.	930	70.3	.	1,701	72.0	.	.
	Female	269	25.9	.	392	29.7	.	661	28.0	.	.
Current Age	12 & under	3	0.3	.	1	0.1	.	4	0.2	.	.
	13-19	11	1.1	.	4	0.3	.	15	0.6	.	.
	20-24	59	5.7	.	25	1.9	.	84	3.6	.	.
	25-29	100	9.6	.	36	2.7	.	136	5.8	.	.
	30-39	193	18.6	.	101	7.6	.	294	12.4	.	.
	40-49	270	26.0	.	393	29.7	.	663	28.1	.	.
	50-59	270	26.0	.	519	39.3	.	789	33.4	.	.
	60+	134	12.9	.	243	18.4	.	377	16.0	.	.
Race/Ethnicity	White Not-Hispanic	357	34.3	.	425	32.1	.	782	33.1	.	.
	Black Not-Hispanic	434	41.7	.	561	42.4	.	995	42.1	.	.
	Hispanic	170	16.3	.	218	16.5	.	388	16.4	.	.
	Multi Race	73	7.0	.	117	8.9	.	190	8.0	.	.
	Others	6	0.6	.	1	0.1	.	7	0.3	.	.
Risk	MSM	507	48.8	.	471	35.6	.	978	41.4	.	.
	IDU	116	11.2	.	282	21.3	.	398	16.9	.	.
	MSM/IDU	30	2.9	.	68	5.1	.	98	4.1	.	.
	Heterosexual	154	14.8	.	214	16.2	.	368	15.6	.	.
	Fem Pres Het Cont	115	11.1	.	128	9.7	.	243	10.3	.	.
	Blood Prod	1	0.1	.	7	0.5	.	8	0.3	.	.
	Pediatric Risk	15	1.4	.	15	1.1	.	30	1.3	.	.
	Unk	102	9.8	.	137	10.4	.	239	10.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		771	100.0	269	100.0	1,040	100.0	930	100.0	392	100.0	1,322	100.0	1,701	100.0	661	100.0	2,362	100.0
Risk	MSM	507	65.8	0	0.0	507	48.8	471	50.6	0	0.0	471	35.6	978	57.5	0	0.0	978	41.4
	IDU	77	10.0	39	14.5	116	11.2	176	18.9	106	27.0	282	21.3	253	14.9	145	21.9	398	16.9
	MSM/IDU	30	3.9	0	0.0	30	2.9	68	7.3	0	0.0	68	5.1	98	5.8	0	0.0	98	4.1
	Heterosexual	50	6.5	104	38.7	154	14.8	64	6.9	150	38.3	214	16.2	114	6.7	254	38.4	368	15.6
	Fem Pres Het Cont	0	0.0	115	42.8	115	11.1	0	0.0	128	32.7	128	9.7	0	0.0	243	36.8	243	10.3
	Blood Prod	0	0.0	1	0.4	1	0.1	4	0.4	3	0.8	7	0.5	4	0.2	4	0.6	8	0.3
	Pediatric Risk	8	1.0	7	2.6	15	1.4	10	1.1	5	1.3	15	1.1	18	1.1	12	1.8	30	1.3
	Unk	99	12.8	3	1.1	102	9.8	137	14.7	0	0.0	137	10.4	236	13.9	3	0.5	239	10.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		88.3	100.0	11.8	52.0	100.0	6.9	7.7	100.0	35.3	100.0	43.0	100.0
Sex at Birth	Male	69.3	78.5	.	38.7	74.4	.	6.3	82.6	24.7	69.8	31.0	72.1
	Female	19.0	21.5	.	13.3	25.6	.	1.3	17.4	10.7	30.2	12.0	27.9
Age at Diagnosis	12 & under	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	5.7	.	1.7	3.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	15.3	17.4	.	5.7	10.9	.	0.0	0.0	0.3	0.9	0.3	0.8
	25-29	14.0	15.8	.	3.0	5.8	.	0.0	0.0	0.7	1.9	0.7	1.6
	30-39	18.0	20.4	.	10.0	19.2	.	0.0	0.0	2.0	5.7	2.0	4.7
	40-49	15.3	17.4	.	14.0	26.9	.	1.0	13.0	5.0	14.2	6.0	14.0
	50-59	12.0	13.6	.	11.0	21.2	.	4.0	52.2	14.7	41.5	18.7	43.4
	60+	8.0	9.1	.	6.7	12.8	.	2.7	34.8	12.7	35.8	15.3	35.7
Race/Ethnicity	White Not-Hispanic	26.0	29.4	.	15.7	30.1	.	2.3	30.4	10.7	30.2	13.0	30.2
	Black Not-Hispanic	40.0	45.3	.	22.3	42.9	.	4.0	52.2	16.3	46.2	20.3	47.3
	Hispanic	16.7	18.9	.	9.0	17.3	.	0.3	4.3	4.7	13.2	5.0	11.6
	Multi Race	5.0	5.7	.	5.0	9.6	.	1.0	13.0	3.3	9.4	4.3	10.1
	Others	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.3	0.9	0.3	0.8
Risk	MSM	47.7	54.0	.	21.7	41.7	.	2.0	26.1	9.3	26.4	11.3	26.4
	IDU	6.0	6.8	.	5.7	10.9	.	2.3	30.4	14.7	41.5	17.0	39.5
	MSM/IDU	1.7	1.9	.	2.3	4.5	.	1.0	13.0	1.0	2.8	2.0	4.7
	Heterosexual	12.0	13.6	.	8.0	15.4	.	0.3	4.3	1.7	4.7	2.0	4.7
	Fem Pres Het Cont	10.0	11.3	.	7.3	14.1	.	0.7	8.7	5.0	14.2	5.7	13.2
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	10.3	11.7	.	7.0	13.5	.	1.3	17.4	3.7	10.4	5.0	11.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		69.3	100.0	19.0	100.0	88.3	100.0	38.7	100.0	13.3	100.0	52.0	100.0
Risk	MSM	47.7	68.8	0.0	0.0	47.7	54.0	21.7	56.0	0.0	0.0	21.7	41.7
	IDU	4.0	5.8	2.0	10.5	6.0	6.8	4.3	11.2	1.3	10.0	5.7	10.9
	MSM/IDU	1.7	2.4	0.0	0.0	1.7	1.9	2.3	6.0	0.0	0.0	2.3	4.5
	Heterosexual	5.3	7.7	6.7	35.1	12.0	13.6	3.3	8.6	4.7	35.0	8.0	15.4
	Fem Pres Het Cont	0.0	0.0	10.0	52.6	10.0	11.3	0.0	0.0	7.3	55.0	7.3	14.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.5	0.3	1.8	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	10.3	14.9	0.0	0.0	10.3	11.7	7.0	18.1	0.0	0.0	7.0	13.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	64	0	35	35
1987	0	52	0	27	27
1988	0	74	0	31	31
1989	0	79	0	46	46
1990	0	90	0	50	50
1991	0	125	0	86	86
1992	0	169	0	97	97
1993	0	209	0	78	78
1994	0	213	0	119	119
1995	0	208	0	128	128
1996	0	150	0	102	102
1997	0	122	0	60	60
1998	0	85	0	48	48
1999	0	99	0	53	53
2000	87	93	1	56	57
2001	174	129	12	39	51
2002	116	107	8	51	59
2003	103	79	6	46	52
2004	102	88	8	56	64
2005	88	108	11	48	59
2006	80	86	10	54	64
2007	105	98	4	45	49
2008	94	80	9	41	50
2009	110	66	8	32	40
2010	87	49	14	28	42
2011	109	68	7	38	45
2012	76	45	10	36	46
2013	80	43	6	32	38

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		33	100.0	66.1	37	100.0	74.2	70	100.0	140.3	49,897
Sex at Birth	Male	19	57.6	.	22	59.5	.	41	58.6	.	.
	Female	14	42.4	.	15	40.5	.	29	41.4	.	.
Current Age	20-24	1	3.0	.	0	0.0	.	1	1.4	.	.
	25-29	2	6.1	.	0	0.0	.	2	2.9	.	.
	30-39	5	15.2	.	3	8.1	.	8	11.4	.	.
	40-49	12	36.4	.	17	45.9	.	29	41.4	.	.
	50-59	9	27.3	.	13	35.1	.	22	31.4	.	.
	60+	4	12.1	.	4	10.8	.	8	11.4	.	.
Race/Ethnicity	White Not-Hispanic	13	39.4	.	13	35.1	.	26	37.1	.	.
	Black Not-Hispanic	1	3.0	.	3	8.1	.	4	5.7	.	.
	Hispanic	17	51.5	.	18	48.6	.	35	50.0	.	.
	Multi Race	2	6.1	.	3	8.1	.	5	7.1	.	.
Risk	MSM	8	24.2	.	5	13.5	.	13	18.6	.	.
	IDU	7	21.2	.	10	27.0	.	17	24.3	.	.
	MSM/IDU	1	3.0	.	4	10.8	.	5	7.1	.	.
	Heterosexual	12	36.4	.	9	24.3	.	21	30.0	.	.
	Fem Pres Het Cont	3	9.1	.	3	8.1	.	6	8.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	2	6.1	.	6	16.2	.	8	11.4	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19	100.0	14	100.0	33	100.0	22	100.0	15	100.0	37	100.0	41	100.0	29	100.0	70	100.0
Risk	MSM	8	42.1	0	0.0	8	24.2	5	22.7	0	0.0	5	13.5	13	31.7	0	0.0	13	18.6
	IDU	4	21.1	3	21.4	7	21.2	6	27.3	4	26.7	10	27.0	10	24.4	7	24.1	17	24.3
	MSM/IDU	1	5.3	0	0.0	1	3.0	4	18.2	0	0.0	4	10.8	5	12.2	0	0.0	5	7.1
	Heterosexual	4	21.1	8	57.1	12	36.4	1	4.5	8	53.3	9	24.3	5	12.2	16	55.2	21	30.0
	Fem Pres Het Cont	0	0.0	3	21.4	3	9.1	0	0.0	3	20.0	3	8.1	0	0.0	6	20.7	6	8.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	2	10.5	0	0.0	2	6.1	6	27.3	0	0.0	6	16.2	8	19.5	0	0.0	8	11.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	5.3	1.3	100.0	2.7	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	2.0	75.0	.	1.0	75.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Female	0.7	25.0	.	0.3	25.0	.	0.3	100.0	0.3	25.0	0.7	40.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	37.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	25.0	.	0.7	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	60+	0.0	0.0	.	0.0	0.0	.	0.3	100.0	1.0	75.0	1.3	80.0
Race/Ethnicity	White Not-Hispanic	1.7	62.5	.	0.7	50.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	Black Not-Hispanic	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.7	25.0	.	0.7	50.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Risk	MSM	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.3	12.5	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	MSM/IDU	0.3	12.5	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	.	0.3	25.0	.	0.0	0.0	0.3	25.0	0.3	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.7	100.0	2.7	100.0	1.0	100.0	0.3	100.0	1.3	100.0
Risk	MSM	0.7	33.3	0.0	0.0	0.7	25.0	0.3	33.3	0.0	0.0	0.3	25.0
	IDU	0.3	16.7	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	16.7	0.0	0.0	0.3	12.5	0.3	33.3	0.0	0.0	0.3	25.0
	Heterosexual	0.0	0.0	0.7	100.0	0.7	25.0	0.0	0.0	0.3	100.0	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	33.3	0.0	0.0	0.7	25.0	0.3	33.3	0.0	0.0	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	2	0	0	0
1988	0	4	0	1	1
1989	0	2	0	4	4
1990	0	1	0	2	2
1991	0	7	0	1	1
1992	0	7	0	5	5
1993	0	4	0	3	3
1994	0	8	0	5	5
1995	0	4	0	5	5
1996	0	6	0	3	3
1997	0	5	0	1	1
1998	0	5	0	1	1
1999	0	4	0	1	1
2000	2	2	0	3	3
2001	2	3	0	1	1
2002	5	5	0	0	0
2003	3	2	0	3	3
2004	2	2	0	1	1
2005	3	4	0	2	2
2006	4	2	0	0	0
2007	2	2	2	0	2
2008	4	3	0	3	3
2009	3	0	0	3	3
2010	2	1	0	1	1
2011	1	2	0	1	1
2012	3	2	0	1	1
2013	4	0	1	2	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		1,239	100.0	91.6	1,864	100.0	137.9	3,103	100.0	229.5	1,352,146
Sex at Birth	Male	814	65.7	.	1,291	69.3	.	2,105	67.8	.	.
	Female	425	34.3	.	573	30.7	.	998	32.2	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	22	1.8	.	10	0.5	.	32	1.0	.	.
	20-24	59	4.8	.	27	1.4	.	86	2.8	.	.
	25-29	105	8.5	.	68	3.6	.	173	5.6	.	.
	30-39	243	19.6	.	169	9.1	.	412	13.3	.	.
	40-49	320	25.8	.	502	26.9	.	822	26.5	.	.
	50-59	327	26.4	.	701	37.6	.	1,028	33.1	.	.
	60+	158	12.8	.	387	20.8	.	545	17.6	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	382	30.8	.	510	27.4	.	892	28.7	.	.
	Black Not-Hispanic	479	38.7	.	742	39.8	.	1,221	39.3	.	.
	Hispanic	285	23.0	.	427	22.9	.	712	22.9	.	.
	Multi Race	75	6.1	.	171	9.2	.	246	7.9	.	.
	Others	18	1.5	.	14	0.8	.	32	1.0	.	.
	Unk	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	440	35.5	.	550	29.5	.	990	31.9	.	.
	IDU	98	7.9	.	316	17.0	.	414	13.3	.	.
	MSM/IDU	31	2.5	.	66	3.5	.	97	3.1	.	.
	Heterosexual	232	18.7	.	366	19.6	.	598	19.3	.	.
	Fem Pres Het Cont	188	15.2	.	203	10.9	.	391	12.6	.	.
	Blood Prod	2	0.2	.	16	0.9	.	18	0.6	.	.
	Pediatric Risk	36	2.9	.	41	2.2	.	77	2.5	.	.
	Unk	212	17.1	.	306	16.4	.	518	16.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		814	100.0	425	100.0	1,239	100.0	1,291	100.0	573	100.0	1,864	100.0	2,105	100.0	998	100.0	3,103	100.0
Risk	MSM	440	54.1	0	0.0	440	35.5	550	42.6	0	0.0	550	29.5	990	47.0	0	0.0	990	31.9
	IDU	59	7.2	39	9.2	98	7.9	221	17.1	95	16.6	316	17.0	280	13.3	134	13.4	414	13.3
	MSM/IDU	31	3.8	0	0.0	31	2.5	66	5.1	0	0.0	66	3.5	97	4.6	0	0.0	97	3.1
	Heterosexual	57	7.0	175	41.2	232	18.7	113	8.8	253	44.2	366	19.6	170	8.1	428	42.9	598	19.3
	Fem Pres Het Cont	0	0.0	188	44.2	188	15.2	0	0.0	203	35.4	203	10.9	0	0.0	391	39.2	391	12.6
	Blood Prod	0	0.0	2	0.5	2	0.2	10	0.8	6	1.0	16	0.9	10	0.5	8	0.8	18	0.6
	Pediatric Risk	15	1.8	21	4.9	36	2.9	25	1.9	16	2.8	41	2.2	40	1.9	37	3.7	77	2.5
	Unk	212	26.0	0	0.0	212	17.1	306	23.7	0	0.0	306	16.4	518	24.6	0	0.0	518	16.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		127.3	100.0	9.4	67.7	100.0	5.0	5.3	100.0	41.7	100.0	47.0	100.0
Sex at Birth	Male	95.3	74.9	.	47.3	70.0	.	3.0	56.3	27.0	64.8	30.0	63.8
	Female	32.0	25.1	.	20.3	30.0	.	2.3	43.8	14.7	35.2	17.0	36.2
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	4.3	3.4	.	1.0	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	17.7	13.9	.	5.0	7.4	.	0.0	0.0	0.3	0.8	0.3	0.7
	25-29	15.7	12.3	.	4.3	6.4	.	0.0	0.0	1.0	2.4	1.0	2.1
	30-39	30.0	23.6	.	12.0	17.7	.	0.7	12.5	3.3	8.0	4.0	8.5
	40-49	27.0	21.2	.	20.3	30.0	.	1.3	25.0	10.3	24.8	11.7	24.8
	50-59	22.3	17.5	.	18.0	26.6	.	1.3	25.0	11.7	28.0	13.0	27.7
	60+	10.0	7.9	.	7.0	10.3	.	2.0	37.5	15.0	36.0	17.0	36.2
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Race/Ethnicity	White Not-Hispanic	29.0	22.8	.	14.0	20.7	.	3.0	56.3	11.7	28.0	14.7
	Black Not-Hispanic	50.0	39.3	.	27.7	40.9	.	1.7	31.3	16.0	38.4	17.7	37.6
	Hispanic	39.7	31.2	.	20.7	30.5	.	0.7	12.5	9.0	21.6	9.7	20.6
	Multi Race	6.7	5.2	.	4.7	6.9	.	0.0	0.0	5.0	12.0	5.0	10.6
	Others	2.0	1.6	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	58.3	45.8	.	25.7	37.9	.	0.7	12.5	9.3	22.4	10.0	21.3
	IDU	3.7	2.9	.	3.7	5.4	.	1.3	25.0	10.7	25.6	12.0	25.5
	MSM/IDU	2.7	2.1	.	2.3	3.4	.	0.0	0.0	0.7	1.6	0.7	1.4
	Heterosexual	16.0	12.6	.	9.7	14.3	.	1.3	25.0	9.0	21.6	10.3	22.0
	Fem Pres Het Cont	19.7	15.4	.	11.0	16.3	.	0.7	12.5	3.7	8.8	4.3	9.2
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.3	.	0.7	1.0	.	0.0	0.0	0.3	0.8	0.3	0.7
	Unk	26.7	20.9	.	14.7	21.7	.	1.3	25.0	8.0	19.2	9.3	19.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		95.3	100.0	32.0	100.0	127.3	100.0	47.3	100.0	20.3	100.0	67.7	100.0
Risk	MSM	58.3	61.2	0.0	0.0	58.3	45.8	25.7	54.2	0.0	0.0	25.7	37.9
	IDU	2.7	2.8	1.0	3.1	3.7	2.9	2.3	4.9	1.3	6.6	3.7	5.4
	MSM/IDU	2.7	2.8	0.0	0.0	2.7	2.1	2.3	4.9	0.0	0.0	2.3	3.4
	Heterosexual	5.0	5.2	11.0	34.4	16.0	12.6	2.0	4.2	7.7	37.7	9.7	14.3
	Fem Pres Het Cont	0.0	0.0	19.7	61.5	19.7	15.4	0.0	0.0	11.0	54.1	11.0	16.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.3	1.0	0.3	0.3	0.3	0.7	0.3	1.6	0.7	1.0
	Unk	26.7	28.0	0.0	0.0	26.7	20.9	14.7	31.0	0.0	0.0	14.7	21.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	256	0	148	148
1987	0	142	0	102	102
1988	0	193	0	114	114
1989	0	233	0	149	149
1990	0	231	0	153	153
1991	0	251	0	195	195
1992	0	301	0	196	196
1993	0	309	0	204	204
1994	0	265	0	243	243
1995	0	307	0	237	237
1996	0	248	0	138	138
1997	0	169	0	81	81
1998	0	155	0	69	69
1999	0	155	0	76	76
2000	159	184	2	65	67
2001	157	167	7	73	80
2002	133	158	7	58	65
2003	123	133	7	84	91
2004	114	123	11	65	76
2005	121	103	14	59	73
2006	109	98	9	56	65
2007	102	98	9	66	75
2008	141	98	8	45	53
2009	104	87	6	44	50
2010	117	82	11	46	57
2011	128	72	8	39	47
2012	137	71	5	56	61
2013	117	60	3	30	33

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		102	100.0	47.6	109	100.0	50.9	211	100.0	98.5	214,249
Sex at Birth	Male	73	71.6	.	75	68.8	.	148	70.1	.	.
	Female	29	28.4	.	34	31.2	.	63	29.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	1	0.9	.	2	0.9	.	.
	20-24	7	6.9	.	2	1.8	.	9	4.3	.	.
	25-29	10	9.8	.	9	8.3	.	19	9.0	.	.
	30-39	18	17.6	.	12	11.0	.	30	14.2	.	.
	40-49	31	30.4	.	28	25.7	.	59	28.0	.	.
	50-59	27	26.5	.	39	35.8	.	66	31.3	.	.
	60+	8	7.8	.	18	16.5	.	26	12.3	.	.
Race/Ethnicity	White Not-Hispanic	52	51.0	.	49	45.0	.	101	47.9	.	.
	Black Not-Hispanic	30	29.4	.	33	30.3	.	63	29.9	.	.
	Hispanic	10	9.8	.	11	10.1	.	21	10.0	.	.
	Multi Race	10	9.8	.	16	14.7	.	26	12.3	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	43	42.2	.	45	41.3	.	88	41.7	.	.
	IDU	12	11.8	.	22	20.2	.	34	16.1	.	.
	MSM/IDU	11	10.8	.	8	7.3	.	19	9.0	.	.
	Heterosexual	19	18.6	.	26	23.9	.	45	21.3	.	.
	Fem Pres Het Cont	10	9.8	.	2	1.8	.	12	5.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	2.8	.	3	1.4	.	.
	Unk	7	6.9	.	3	2.8	.	10	4.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		73	100.0	29	100.0	102	100.0	75	100.0	34	100.0	109	100.0	148	100.0	63	100.0	211	100.0
Risk	MSM	43	58.9	0	0.0	43	42.2	45	60.0	0	0.0	45	41.3	88	59.5	0	0.0	88	41.7
	IDU	9	12.3	3	10.3	12	11.8	14	18.7	8	23.5	22	20.2	23	15.5	11	17.5	34	16.1
	MSM/IDU	11	15.1	0	0.0	11	10.8	8	10.7	0	0.0	8	7.3	19	12.8	0	0.0	19	9.0
	Heterosexual	3	4.1	16	55.2	19	18.6	4	5.3	22	64.7	26	23.9	7	4.7	38	60.3	45	21.3
	Fem Pres Het Cont	0	0.0	10	34.5	10	9.8	0	0.0	2	5.9	2	1.8	0	0.0	12	19.0	12	5.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.3	2	5.9	3	2.8	1	0.7	2	3.2	3	1.4
	Unk	7	9.6	0	0.0	7	6.9	3	4.0	0	0.0	3	2.8	10	6.8	0	0.0	10	4.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		11.7	100.0	5.4	7.0	100.0	3.3	0.3	100.0	3.3	100.0	3.7	100.0
Sex at Birth	Male	9.7	82.9	.	5.3	76.2	.	0.3	100.0	2.7	80.0	3.0	81.8
	Female	2.0	17.1	.	1.7	23.8	.	0.0	0.0	0.7	20.0	0.7	18.2
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	8.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	14.3	.	0.7	9.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.7	14.3	.	1.0	14.3	.	0.0	0.0	0.3	10.0	0.3	9.1
	30-39	2.7	22.9	.	2.7	38.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	2.3	20.0	.	1.0	14.3	.	0.0	0.0	1.0	30.0	1.0	27.3
	50-59	2.0	17.1	.	1.3	19.0	.	0.3	100.0	1.7	50.0	2.0	54.5
	60+	0.3	2.9	.	0.3	4.8	.	0.0	0.0	0.3	10.0	0.3	9.1
Race/Ethnicity	White Not-Hispanic	5.0	42.9	.	3.0	42.9	.	0.3	100.0	1.0	30.0	1.3	36.4
	Black Not-Hispanic	5.0	42.9	.	2.0	28.6	.	0.0	0.0	0.7	20.0	0.7	18.2
	Hispanic	1.0	8.6	.	1.0	14.3	.	0.0	0.0	1.3	40.0	1.3	36.4
	Multi Race	0.7	5.7	.	1.0	14.3	.	0.0	0.0	0.3	10.0	0.3	9.1
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.7	48.6	.	3.7	52.4	.	0.0	0.0	1.3	40.0	1.3	36.4
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	40.0	1.3	36.4
	MSM/IDU	2.3	20.0	.	1.0	14.3	.	0.3	100.0	0.3	10.0	0.7	18.2
	Heterosexual	1.7	14.3	.	1.7	23.8	.	0.0	0.0	0.3	10.0	0.3	9.1
	Fem Pres Het Cont	1.0	8.6	.	0.3	4.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	8.6	.	0.3	4.8	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		9.7	100.0	2.0	100.0	11.7	100.0	5.3	100.0	1.7	100.0	7.0	100.0
Risk	MSM	5.7	58.6	0.0	0.0	5.7	48.6	3.7	68.8	0.0	0.0	3.7	52.4
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	2.3	24.1	0.0	0.0	2.3	20.0	1.0	18.8	0.0	0.0	1.0	14.3
	Heterosexual	0.7	6.9	1.0	50.0	1.7	14.3	0.3	6.3	1.3	80.0	1.7	23.8
	Fem Pres Het Cont	0.0	0.0	1.0	50.0	1.0	8.6	0.0	0.0	0.3	20.0	0.3	4.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	10.3	0.0	0.0	1.0	8.6	0.3	6.3	0.0	0.0	0.3	4.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	4	4
1987	0	5	0	3	3
1988	0	6	0	3	3
1989	0	14	0	8	8
1990	0	21	0	10	10
1991	0	18	0	13	13
1992	0	17	0	21	21
1993	0	22	0	11	11
1994	0	9	0	20	20
1995	0	16	0	9	9
1996	0	12	0	6	6
1997	0	15	0	9	9
1998	0	11	0	4	4
1999	0	6	0	3	3
2000	8	15	0	4	4
2001	4	13	0	5	5
2002	10	5	1	1	2
2003	10	14	0	5	5
2004	11	8	0	5	5
2005	19	13	0	14	14
2006	9	7	0	4	4
2007	5	7	1	2	3
2008	12	8	0	6	6
2009	6	2	1	4	5
2010	11	4	1	2	3
2011	14	8	1	4	5
2012	7	4	0	3	3
2013	14	9	0	3	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		287	100.0	122.9	414	100.0	177.2	701	100.0	300.1	233,585
Sex at Birth	Male	232	80.8	.	344	83.1	.	576	82.2	.	.
	Female	55	19.2	.	70	16.9	.	125	17.8	.	.
Current Age	12 & under	1	0.3	.	0	0.0	.	1	0.1	.	.
	13-19	1	0.3	.	1	0.2	.	2	0.3	.	.
	20-24	5	1.7	.	3	0.7	.	8	1.1	.	.
	25-29	16	5.6	.	7	1.7	.	23	3.3	.	.
	30-39	35	12.2	.	31	7.5	.	66	9.4	.	.
	40-49	77	26.8	.	118	28.5	.	195	27.8	.	.
	50-59	106	36.9	.	167	40.3	.	273	38.9	.	.
	60+	46	16.0	.	87	21.0	.	133	19.0	.	.
Race/Ethnicity	White Not-Hispanic	67	23.3	.	98	23.7	.	165	23.5	.	.
	Black Not-Hispanic	92	32.1	.	136	32.9	.	228	32.5	.	.
	Hispanic	109	38.0	.	148	35.7	.	257	36.7	.	.
	Multi Race	13	4.5	.	28	6.8	.	41	5.8	.	.
	Others	6	2.1	.	4	1.0	.	10	1.4	.	.
Risk	MSM	58	20.2	.	82	19.8	.	140	20.0	.	.
	IDU	76	26.5	.	142	34.3	.	218	31.1	.	.
	MSM/IDU	5	1.7	.	19	4.6	.	24	3.4	.	.
	Heterosexual	39	13.6	.	49	11.8	.	88	12.6	.	.
	Fem Pres Het Cont	27	9.4	.	23	5.6	.	50	7.1	.	.
	Blood Prod	0	0.0	.	3	0.7	.	3	0.4	.	.
	Pediatric Risk	3	1.0	.	4	1.0	.	7	1.0	.	.
	Unk	79	27.5	.	92	22.2	.	171	24.4	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		232	100.0	55	100.0	287	100.0	344	100.0	70	100.0	414	100.0	576	100.0	125	100.0	701	100.0
Risk	MSM	58	25.0	0	0.0	58	20.2	82	23.8	0	0.0	82	19.8	140	24.3	0	0.0	140	20.0
	IDU	72	31.0	4	7.3	76	26.5	125	36.3	17	24.3	142	34.3	197	34.2	21	16.8	218	31.1
	MSM/IDU	5	2.2	0	0.0	5	1.7	19	5.5	0	0.0	19	4.6	24	4.2	0	0.0	24	3.4
	Heterosexual	17	7.3	22	40.0	39	13.6	20	5.8	29	41.4	49	11.8	37	6.4	51	40.8	88	12.6
	Fem Pres Het Cont	0	0.0	27	49.1	27	9.4	0	0.0	23	32.9	23	5.6	0	0.0	50	40.0	50	7.1
	Blood Prod	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0	3	0.7	3	0.5	0	0.0	3	0.4
	Pediatric Risk	1	0.4	2	3.6	3	1.0	3	0.9	1	1.4	4	1.0	4	0.7	3	2.4	7	1.0
	Unk	79	34.1	0	0.0	79	27.5	92	26.7	0	0.0	92	22.2	171	29.7	0	0.0	171	24.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		10.7	100.0	4.6	10.0	100.0	4.3	2.3	100.0	7.0	100.0	9.3	100.0
Sex at Birth	Male	7.0	65.6	.	7.0	70.0	.	1.7	71.4	5.7	81.0	7.3	78.6
	Female	3.7	34.4	.	3.0	30.0	.	0.7	28.6	1.3	19.0	2.0	21.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	3.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	12.5	.	0.3	3.3	.	0.0	0.0	0.3	4.8	0.3	3.6
	25-29	1.7	15.6	.	1.0	10.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	12.5	.	0.7	6.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	3.3	31.3	.	3.3	33.3	.	1.0	42.9	2.7	38.1	3.7	39.3
	50-59	2.3	21.9	.	3.0	30.0	.	0.7	28.6	3.3	47.6	4.0	42.9
	60+	0.3	3.1	.	1.7	16.7	.	0.7	28.6	0.7	9.5	1.3	14.3
Race/Ethnicity	White Not-Hispanic	4.3	40.6	.	3.7	36.7	.	0.3	14.3	1.7	23.8	2.0	21.4
	Black Not-Hispanic	2.7	25.0	.	2.7	26.7	.	1.7	71.4	3.0	42.9	4.7	50.0
	Hispanic	3.0	28.1	.	2.7	26.7	.	0.0	0.0	2.0	28.6	2.0	21.4
	Multi Race	0.0	0.0	.	0.7	6.7	.	0.3	14.3	0.3	4.8	0.7	7.1
	Others	0.7	6.3	.	0.3	3.3	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	31.3	.	3.0	30.0	.	0.7	28.6	1.7	23.8	2.3	25.0
	IDU	0.7	6.3	.	2.0	20.0	.	0.0	0.0	2.3	33.3	2.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.0	14.3	1.0	10.7
	Heterosexual	2.0	18.8	.	2.3	23.3	.	0.7	28.6	0.0	0.0	0.7	7.1
	Fem Pres Het Cont	1.3	12.5	.	1.0	10.0	.	0.3	14.3	1.0	14.3	1.3	14.3
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	4.8	0.3	3.6
	Unk	3.3	31.3	.	1.7	16.7	.	0.7	28.6	0.7	9.5	1.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

***Newly Diagnosed HIV* and AIDS Cases, 2011-2013**
by Sex at Birth and Risk
Includes State Prison Inmates******

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.0	100.0	3.7	100.0	10.7	100.0	7.0	100.0	3.0	100.0	10.0	100.0
Risk	MSM	3.3	47.6	0.0	0.0	3.3	31.3	3.0	42.9	0.0	0.0	3.0	30.0
	IDU	0.3	4.8	0.3	9.1	0.7	6.3	1.3	19.0	0.7	22.2	2.0	20.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	2.0	54.5	2.0	18.8	1.0	14.3	1.3	44.4	2.3	23.3
	Fem Pres Het Cont	0.0	0.0	1.3	36.4	1.3	12.5	0.0	0.0	1.0	33.3	1.0	10.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	3.3	47.6	0.0	0.0	3.3	31.3	1.7	23.8	0.0	0.0	1.7	16.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	18	0	9	9
1987	0	11	0	8	8
1988	0	23	0	13	13
1989	0	39	0	21	21
1990	0	60	0	23	23
1991	0	73	0	41	41
1992	0	95	0	38	38
1993	0	106	0	72	72
1994	0	70	0	53	53
1995	0	73	0	52	52
1996	0	86	0	57	57
1997	0	49	0	21	21
1998	0	37	0	16	16
1999	0	33	0	21	21
2000	21	33	1	17	18
2001	21	26	1	16	17
2002	22	25	2	16	18
2003	20	29	2	17	19
2004	18	20	4	12	16
2005	14	26	4	14	18
2006	17	16	0	6	6
2007	17	15	3	21	24
2008	13	17	0	9	9
2009	20	18	3	13	16
2010	14	9	3	17	20
2011	11	10	2	3	5
2012	14	14	4	8	12
2013	7	6	1	10	11

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		445	100.0	95.0	615	100.0	131.3	1,060	100.0	226.3	468,387
Sex at Birth	Male	288	64.7	.	430	69.9	.	718	67.7	.	.
	Female	157	35.3	.	185	30.1	.	342	32.3	.	.
Current Age	12 & under	3	0.7	.	0	0.0	.	3	0.3	.	.
	13-19	7	1.6	.	0	0.0	.	7	0.7	.	.
	20-24	37	8.3	.	4	0.7	.	41	3.9	.	.
	25-29	49	11.0	.	23	3.7	.	72	6.8	.	.
	30-39	93	20.9	.	64	10.4	.	157	14.8	.	.
	40-49	122	27.4	.	187	30.4	.	309	29.2	.	.
	50-59	98	22.0	.	256	41.6	.	354	33.4	.	.
	60+	36	8.1	.	81	13.2	.	117	11.0	.	.
Race/Ethnicity	White Not-Hispanic	187	42.0	.	259	42.1	.	446	42.1	.	.
	Black Not-Hispanic	168	37.8	.	219	35.6	.	387	36.5	.	.
	Hispanic	48	10.8	.	68	11.1	.	116	10.9	.	.
	Multi Race	35	7.9	.	60	9.8	.	95	9.0	.	.
	Others	7	1.6	.	9	1.5	.	16	1.5	.	.
Risk	MSM	184	41.3	.	240	39.0	.	424	40.0	.	.
	IDU	51	11.5	.	103	16.7	.	154	14.5	.	.
	MSM/IDU	10	2.2	.	31	5.0	.	41	3.9	.	.
	Heterosexual	114	25.6	.	156	25.4	.	270	25.5	.	.
	Fem Pres Het Cont	36	8.1	.	26	4.2	.	62	5.8	.	.
	Blood Prod	0	0.0	.	5	0.8	.	5	0.5	.	.
	Pediatric Risk	13	2.9	.	6	1.0	.	19	1.8	.	.
	Unk	37	8.3	.	48	7.8	.	85	8.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		288	100.0	157	100.0	445	100.0	430	100.0	185	100.0	615	100.0	718	100.0	342	100.0	1,060	100.0
Risk	MSM	184	63.9	0	0.0	184	41.3	240	55.8	0	0.0	240	39.0	424	59.1	0	0.0	424	40.0
	IDU	28	9.7	23	14.6	51	11.5	65	15.1	38	20.5	103	16.7	93	13.0	61	17.8	154	14.5
	MSM/IDU	10	3.5	0	0.0	10	2.2	31	7.2	0	0.0	31	5.0	41	5.7	0	0.0	41	3.9
	Heterosexual	21	7.3	93	59.2	114	25.6	40	9.3	116	62.7	156	25.4	61	8.5	209	61.1	270	25.5
	Fem Pres Het Cont	0	0.0	36	22.9	36	8.1	0	0.0	26	14.1	26	4.2	0	0.0	62	18.1	62	5.8
	Blood Prod	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0	5	0.8	5	0.7	0	0.0	5	0.5
	Pediatric Risk	8	2.8	5	3.2	13	2.9	3	0.7	3	1.6	6	1.0	11	1.5	8	2.3	19	1.8
	Unk	37	12.8	0	0.0	37	8.3	46	10.7	2	1.1	48	7.8	83	11.6	2	0.6	85	8.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		50.7	100.0	10.8	26.7	100.0	5.7	2.3	100.0	16.0	100.0	18.3	100.0
Sex at Birth	Male	36.3	71.7	.	19.3	72.5	.	1.7	71.4	12.7	79.2	14.3	78.2
	Female	14.3	28.3	.	7.3	27.5	.	0.7	28.6	3.3	20.8	4.0	21.8
Age at Diagnosis	12 & under	0.7	1.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	2.3	4.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	9.0	17.8	.	1.3	5.0	.	0.0	0.0	0.3	2.1	0.3	1.8
	25-29	10.0	19.7	.	4.7	17.5	.	0.0	0.0	0.3	2.1	0.3	1.8
	30-39	8.7	17.1	.	5.7	21.3	.	0.0	0.0	1.7	10.4	1.7	9.1
	40-49	11.0	21.7	.	7.7	28.8	.	0.0	0.0	5.0	31.3	5.0	27.3
	50-59	7.0	13.8	.	5.7	21.3	.	0.7	28.6	4.7	29.2	5.3	29.1
	60+	2.0	3.9	.	1.7	6.3	.	1.7	71.4	4.0	25.0	5.7	30.9
Race/Ethnicity	White Not-Hispanic	17.3	34.2	.	9.0	33.8	.	1.0	42.9	7.7	47.9	8.7	47.3
	Black Not-Hispanic	20.3	40.1	.	9.7	36.3	.	0.0	0.0	3.3	20.8	3.3	18.2
	Hispanic	8.0	15.8	.	4.0	15.0	.	0.7	28.6	2.7	16.7	3.3	18.2
	Multi Race	3.7	7.2	.	3.3	12.5	.	0.7	28.6	2.3	14.6	3.0	16.4
	Others	1.3	2.6	.	0.7	2.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	24.7	48.7	.	11.7	43.8	.	0.3	14.3	7.0	43.8	7.3	40.0
	IDU	2.7	5.3	.	1.7	6.3	.	0.7	28.6	2.7	16.7	3.3	18.2
	MSM/IDU	2.3	4.6	.	1.0	3.8	.	0.0	0.0	0.7	4.2	0.7	3.6
	Heterosexual	6.0	11.8	.	6.7	25.0	.	0.7	28.6	4.3	27.1	5.0	27.3
	Fem Pres Het Cont	8.0	15.8	.	2.3	8.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	2.1	0.3	1.8
	Pediatric Risk	0.7	1.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.3	12.5	.	3.3	12.5	.	0.7	28.6	1.0	6.3	1.7	9.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		36.3	100.0	14.3	100.0	50.7	100.0	19.3	100.0	7.3	100.0	26.7	100.0
Risk	MSM	24.7	67.9	0.0	0.0	24.7	48.7	11.7	60.3	0.0	0.0	11.7	43.8
	IDU	1.7	4.6	1.0	7.0	2.7	5.3	1.3	6.9	0.3	4.5	1.7	6.3
	MSM/IDU	2.3	6.4	0.0	0.0	2.3	4.6	1.0	5.2	0.0	0.0	1.0	3.8
	Heterosexual	1.0	2.8	5.0	34.9	6.0	11.8	2.0	10.3	4.7	63.6	6.7	25.0
	Fem Pres Het Cont	0.0	0.0	8.0	55.8	8.0	15.8	0.0	0.0	2.3	31.8	2.3	8.8
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	0.9	0.3	2.3	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	6.3	17.4	0.0	0.0	6.3	12.5	3.3	17.2	0.0	0.0	3.3	12.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	46	0	34	34
1987	0	24	0	12	12
1988	0	34	0	24	24
1989	0	42	0	24	24
1990	0	49	0	21	21
1991	0	59	0	34	34
1992	0	121	0	53	53
1993	0	116	0	56	56
1994	0	77	0	82	82
1995	0	84	0	67	67
1996	0	88	0	58	58
1997	0	55	0	20	20
1998	0	34	0	20	20
1999	0	46	0	20	20
2000	29	80	0	25	25
2001	49	42	2	17	19
2002	46	43	4	17	21
2003	60	43	4	15	19
2004	50	32	5	14	19
2005	50	45	5	12	17
2006	35	32	1	22	23
2007	34	41	4	25	29
2008	48	38	5	28	33
2009	36	28	4	22	26
2010	40	22	2	21	23
2011	51	35	1	19	20
2012	50	27	5	14	19
2013	51	18	1	15	16

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		50	100.0	45.8	46	100.0	42.2	96	100.0	88.0	109,103
Sex at Birth	Male	32	64.0	.	31	67.4	.	63	65.6	.	.
	Female	18	36.0	.	15	32.6	.	33	34.4	.	.
Current Age	20-24	2	4.0	.	0	0.0	.	2	2.1	.	.
	25-29	3	6.0	.	1	2.2	.	4	4.2	.	.
	30-39	9	18.0	.	5	10.9	.	14	14.6	.	.
	40-49	15	30.0	.	14	30.4	.	29	30.2	.	.
	50-59	18	36.0	.	17	37.0	.	35	36.5	.	.
	60+	3	6.0	.	9	19.6	.	12	12.5	.	.
Race/Ethnicity	White Not-Hispanic	30	60.0	.	27	58.7	.	57	59.4	.	.
	Black Not-Hispanic	8	16.0	.	6	13.0	.	14	14.6	.	.
	Hispanic	10	20.0	.	11	23.9	.	21	21.9	.	.
	Multi Race	2	4.0	.	2	4.3	.	4	4.2	.	.
Risk	MSM	19	38.0	.	17	37.0	.	36	37.5	.	.
	IDU	6	12.0	.	4	8.7	.	10	10.4	.	.
	MSM/IDU	1	2.0	.	2	4.3	.	3	3.1	.	.
	Heterosexual	10	20.0	.	12	26.1	.	22	22.9	.	.
	Fem Pres Het Cont	7	14.0	.	6	13.0	.	13	13.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	1	2.0	.	0	0.0	.	1	1.0	.	.
	Unk	6	12.0	.	5	10.9	.	11	11.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		32	100.0	18	100.0	50	100.0	31	100.0	15	100.0	46	100.0	63	100.0	33	100.0	96	100.0
Risk	MSM	19	59.4	0	0.0	19	38.0	17	54.8	0	0.0	17	37.0	36	57.1	0	0.0	36	37.5
	IDU	4	12.5	2	11.1	6	12.0	4	12.9	0	0.0	4	8.7	8	12.7	2	6.1	10	10.4
	MSM/IDU	1	3.1	0	0.0	1	2.0	2	6.5	0	0.0	2	4.3	3	4.8	0	0.0	3	3.1
	Heterosexual	1	3.1	9	50.0	10	20.0	3	9.7	9	60.0	12	26.1	4	6.3	18	54.5	22	22.9
	Fem Pres Het Cont	0	0.0	7	38.9	7	14.0	0	0.0	6	40.0	6	13.0	0	0.0	13	39.4	13	13.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	1	3.1	0	0.0	1	2.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0	1	1.0
	Unk	6	18.8	0	0.0	6	12.0	5	16.1	0	0.0	5	10.9	11	17.5	0	0.0	11	11.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.0	100.0	2.7	1.3	100.0	1.2	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	2.7	88.9	.	1.3	100.0	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.7	22.2	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	22.2	.	1.0	75.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	33.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	50-59	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	60+	0.3	11.1	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	33.3
Race/Ethnicity	White Not-Hispanic	2.7	88.9	.	0.7	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.0	0.0	.	0.7	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	Multi Race	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	55.6	.	0.7	50.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	IDU	0.0	0.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	33.3	.	0.3	25.0	.	0.0	0.0	0.7	66.7	0.7	66.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.3	100.0	3.0	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	1.7	62.5	0.0	0.0	1.7	55.6	0.7	50.0	0.0	0.0	0.7	50.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	11.1	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	37.5	0.0	0.0	1.0	33.3	0.3	25.0	0.0	0.0	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	0	0
1987	0	1	0	1	1
1988	0	2	0	1	1
1989	0	2	0	1	1
1990	0	2	0	2	2
1991	0	1	0	0	0
1992	0	4	0	2	2
1993	0	6	0	6	6
1994	0	6	0	2	2
1995	0	6	0	3	3
1996	0	2	0	1	1
1997	0	1	0	2	2
1998	0	7	0	1	1
1999	0	3	0	0	0
2000	1	1	0	0	0
2001	8	4	0	1	1
2002	7	4	1	1	2
2003	3	5	0	0	0
2004	3	2	0	0	0
2005	5	4	2	2	4
2006	2	4	0	1	1
2007	5	1	0	0	0
2008	3	1	0	0	0
2009	2	3	0	2	2
2010	4	1	0	2	2
2011	1	1	0	0	0
2012	6	3	0	2	2
2013	2	0	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		392	100.0	104.4	616	100.0	164.0	1,008	100.0	268.4	375,592
Sex at Birth	Male	261	66.6	.	442	71.8	.	703	69.7	.	.
	Female	131	33.4	.	174	28.2	.	305	30.3	.	.
Current Age	12 & under	1	0.3	.	0	0.0	.	1	0.1	.	.
	13-19	6	1.5	.	2	0.3	.	8	0.8	.	.
	20-24	17	4.3	.	14	2.3	.	31	3.1	.	.
	25-29	25	6.4	.	9	1.5	.	34	3.4	.	.
	30-39	62	15.8	.	46	7.5	.	108	10.7	.	.
	40-49	91	23.2	.	157	25.5	.	248	24.6	.	.
	50-59	130	33.2	.	263	42.7	.	393	39.0	.	.
	60+	60	15.3	.	125	20.3	.	185	18.4	.	.
Race/Ethnicity	White Not-Hispanic	118	30.1	.	130	21.1	.	248	24.6	.	.
	Black Not-Hispanic	111	28.3	.	193	31.3	.	304	30.2	.	.
	Hispanic	122	31.1	.	209	33.9	.	331	32.8	.	.
	Multi Race	40	10.2	.	83	13.5	.	123	12.2	.	.
	Others	1	0.3	.	1	0.2	.	2	0.2	.	.
Risk	MSM	108	27.6	.	111	18.0	.	219	21.7	.	.
	IDU	72	18.4	.	199	32.3	.	271	26.9	.	.
	MSM/IDU	13	3.3	.	29	4.7	.	42	4.2	.	.
	Heterosexual	118	30.1	.	205	33.3	.	323	32.0	.	.
	Fem Pres Het Cont	28	7.1	.	12	1.9	.	40	4.0	.	.
	Blood Prod	1	0.3	.	4	0.6	.	5	0.5	.	.
	Pediatric Risk	9	2.3	.	15	2.4	.	24	2.4	.	.
	Unk	43	11.0	.	41	6.7	.	84	8.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		261	100.0	131	100.0	392	100.0	442	100.0	174	100.0	616	100.0	703	100.0	305	100.0	1,008	100.0
Risk	MSM	108	41.4	0	0.0	108	27.6	111	25.1	0	0.0	111	18.0	219	31.2	0	0.0	219	21.7
	IDU	57	21.8	15	11.5	72	18.4	162	36.7	37	21.3	199	32.3	219	31.2	52	17.0	271	26.9
	MSM/IDU	13	5.0	0	0.0	13	3.3	29	6.6	0	0.0	29	4.7	42	6.0	0	0.0	42	4.2
	Heterosexual	32	12.3	86	65.6	118	30.1	89	20.1	116	66.7	205	33.3	121	17.2	202	66.2	323	32.0
	Fem Pres Het Cont	0	0.0	28	21.4	28	7.1	0	0.0	12	6.9	12	1.9	0	0.0	40	13.1	40	4.0
	Blood Prod	1	0.4	0	0.0	1	0.3	2	0.5	2	1.1	4	0.6	3	0.4	2	0.7	5	0.5
	Pediatric Risk	7	2.7	2	1.5	9	2.3	8	1.8	7	4.0	15	2.4	15	2.1	9	3.0	24	2.4
	Unk	43	16.5	0	0.0	43	11.0	41	9.3	0	0.0	41	6.7	84	11.9	0	0.0	84	8.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		23.3	100.0	6.2	17.3	100.0	4.6	2.3	100.0	14.0	100.0	16.3	100.0
Sex at Birth	Male	14.3	61.4	.	9.7	55.8	.	2.0	85.7	10.7	76.2	12.7	77.6
	Female	9.0	38.6	.	7.7	44.2	.	0.3	14.3	3.3	23.8	3.7	22.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	2.9	.	1.0	5.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	4.3	18.6	.	1.0	5.8	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	4.3	.	1.7	9.6	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	5.3	22.9	.	4.3	25.0	.	0.3	14.3	0.7	4.8	1.0	6.1
	40-49	6.3	27.1	.	4.3	25.0	.	0.3	14.3	2.0	14.3	2.3	14.3
	50-59	4.0	17.1	.	3.7	21.2	.	0.0	0.0	7.0	50.0	7.0	42.9
	60+	1.7	7.1	.	1.3	7.7	.	1.7	71.4	4.3	31.0	6.0	36.7
Race/Ethnicity	White Not-Hispanic	4.0	17.1	.	3.7	21.2	.	0.0	0.0	2.3	16.7	2.3	14.3
	Black Not-Hispanic	7.0	30.0	.	5.7	32.7	.	1.7	71.4	4.0	28.6	5.7	34.7
	Hispanic	8.3	35.7	.	5.3	30.8	.	0.3	14.3	4.7	33.3	5.0	30.6
	Multi Race	3.7	15.7	.	2.3	13.5	.	0.3	14.3	3.0	21.4	3.3	20.4
	Others	0.3	1.4	.	0.3	1.9	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.3	35.7	.	4.0	23.1	.	0.0	0.0	2.3	16.7	2.3	14.3
	IDU	0.7	2.9	.	2.0	11.5	.	1.3	57.1	7.0	50.0	8.3	51.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	9.5	1.3	8.2
	Heterosexual	11.7	50.0	.	9.0	51.9	.	0.3	14.3	3.0	21.4	3.3	20.4
	Fem Pres Het Cont	0.7	2.9	.	0.3	1.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.7	3.8	.	0.3	14.3	0.0	0.0	0.3	2.0
	Unk	2.0	8.6	.	1.3	7.7	.	0.3	14.3	0.3	2.4	0.7	4.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14.3	100.0	9.0	100.0	23.3	100.0	9.7	100.0	7.7	100.0	17.3	100.0
Risk	MSM	8.3	58.1	0.0	0.0	8.3	35.7	4.0	41.4	0.0	0.0	4.0	23.1
	IDU	0.3	2.3	0.3	3.7	0.7	2.9	1.0	10.3	1.0	13.0	2.0	11.5
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	3.7	25.6	8.0	88.9	11.7	50.0	2.7	27.6	6.3	82.6	9.0	51.9
	Fem Pres Het Cont	0.0	0.0	0.7	7.4	0.7	2.9	0.0	0.0	0.3	4.3	0.3	1.9
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.9	0.0	0.0	0.7	3.8
	Unk	2.0	14.0	0.0	0.0	2.0	8.6	1.3	13.8	0.0	0.0	1.3	7.7

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	65	0	36	36
1987	0	46	0	30	30
1988	0	49	0	31	31
1989	0	64	0	49	49
1990	0	82	0	35	35
1991	0	98	0	68	68
1992	0	114	0	70	70
1993	0	115	0	74	74
1994	0	121	0	68	68
1995	0	97	0	96	96
1996	0	68	0	54	54
1997	0	69	0	40	40
1998	0	39	0	26	26
1999	0	49	0	26	26
2000	44	62	3	33	36
2001	41	57	2	22	24
2002	32	48	3	20	23
2003	44	78	4	28	32
2004	37	50	11	23	34
2005	45	48	2	29	31
2006	41	31	4	23	27
2007	37	31	1	23	24
2008	33	34	3	28	31
2009	42	30	5	18	23
2010	34	19	1	14	15
2011	25	20	3	12	15
2012	22	17	3	16	19
2013	23	15	1	14	15

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		127	100.0	300.7	199	100.0	471.2	326	100.0	771.9	42,235
Sex at Birth	Male	27	21.3	.	67	33.7	.	94	28.8	.	.
	Female	100	78.7	.	132	66.3	.	232	71.2	.	.
Current Age	13-19	0	0.0	.	1	0.5	.	1	0.3	.	.
	20-24	3	2.4	.	3	1.5	.	6	1.8	.	.
	25-29	1	0.8	.	2	1.0	.	3	0.9	.	.
	30-39	14	11.0	.	9	4.5	.	23	7.1	.	.
	40-49	36	28.3	.	68	34.2	.	104	31.9	.	.
	50-59	44	34.6	.	87	43.7	.	131	40.2	.	.
	60+	29	22.8	.	29	14.6	.	58	17.8	.	.
Race/Ethnicity	White Not-Hispanic	13	10.2	.	22	11.1	.	35	10.7	.	.
	Black Not-Hispanic	46	36.2	.	94	47.2	.	140	42.9	.	.
	Hispanic	63	49.6	.	76	38.2	.	139	42.6	.	.
	Multi Race	5	3.9	.	7	3.5	.	12	3.7	.	.
Risk	MSM	11	8.7	.	21	10.6	.	32	9.8	.	.
	IDU	36	28.3	.	93	46.7	.	129	39.6	.	.
	MSM/IDU	3	2.4	.	5	2.5	.	8	2.5	.	.
	Heterosexual	9	7.1	.	25	12.6	.	34	10.4	.	.
	Fem Pres Het Cont	61	48.0	.	42	21.1	.	103	31.6	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	7	5.5	.	13	6.5	.	20	6.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		27	100.0	100	100.0	127	100.0	67	100.0	132	100.0	199	100.0	94	100.0	232	100.0	326	100.0
Risk	MSM	11	40.7	0	0.0	11	8.7	21	31.3	0	0.0	21	10.6	32	34.0	0	0.0	32	9.8
	IDU	6	22.2	30	30.0	36	28.3	26	38.8	67	50.8	93	46.7	32	34.0	97	41.8	129	39.6
	MSM/IDU	3	11.1	0	0.0	3	2.4	5	7.5	0	0.0	5	2.5	8	8.5	0	0.0	8	2.5
	Heterosexual	0	0.0	9	9.0	9	7.1	2	3.0	23	17.4	25	12.6	2	2.1	32	13.8	34	10.4
	Fem Pres Het Cont	0	0.0	61	61.0	61	48.0	0	0.0	42	31.8	42	21.1	0	0.0	103	44.4	103	31.6
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	7	25.9	0	0.0	7	5.5	13	19.4	0	0.0	13	6.5	20	21.3	0	0.0	20	6.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	7.9	3.7	100.0	8.7	1.0	100.0	1.7	100.0	2.7	100.0
Sex at Birth	Male	2.7	80.0	.	3.0	81.8	.	0.7	66.7	0.3	20.0	1.0	37.5
	Female	0.7	20.0	.	0.7	18.2	.	0.3	33.3	1.3	80.0	1.7	62.5
Age at Diagnosis	13-19	0.0	0.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	30.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	30.0	.	0.0	0.0	.	0.3	33.3	0.0	0.0	0.3	12.5
	30-39	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.7	20.0	.	1.3	36.4	.	0.3	33.3	1.0	60.0	1.3	50.0
	50-59	0.0	0.0	.	0.7	18.2	.	0.3	33.3	0.7	40.0	1.0	37.5
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	0.7	18.2	.	0.7	66.7	0.3	20.0	1.0	37.5
	Black Not-Hispanic	1.0	30.0	.	2.3	63.6	.	0.0	0.0	0.7	40.0	0.7	25.0
	Hispanic	0.3	10.0	.	0.7	18.2	.	0.3	33.3	0.3	20.0	0.7	25.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	12.5
Risk	MSM	2.0	60.0	.	1.7	45.5	.	0.3	33.3	0.3	20.0	0.7	25.0
	IDU	0.0	0.0	.	1.0	27.3	.	0.3	33.3	0.7	40.0	1.0	37.5
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.3	20.0	0.3	12.5
	Fem Pres Het Cont	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.3	20.0	0.3	12.5
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	.	0.3	9.1	.	0.3	33.3	0.0	0.0	0.3	12.5

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	3.0	100.0	0.7	100.0	3.7	100.0
Risk	MSM	2.0	75.0	0.0	0.0	2.0	60.0	1.7	55.6	0.0	0.0	1.7	45.5
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	1.0	33.3	0.0	0.0	1.0	27.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	20.0	0.3	11.1	0.0	0.0	0.3	9.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	10	0	6	6
1987	0	8	0	3	3
1988	0	11	0	5	5
1989	0	14	0	9	9
1990	0	18	0	4	4
1991	0	28	0	13	13
1992	0	36	0	15	15
1993	0	29	0	19	19
1994	0	42	0	16	16
1995	0	28	0	24	24
1996	0	28	0	11	11
1997	0	28	0	4	4
1998	0	13	0	4	4
1999	0	15	0	5	5
2000	14	6	1	3	4
2001	6	9	1	3	4
2002	6	11	2	8	10
2003	6	12	1	5	6
2004	2	6	1	4	5
2005	5	7	0	7	7
2006	5	4	0	8	8
2007	4	6	2	2	4
2008	4	7	1	4	5
2009	2	3	1	6	7
2010	1	2	1	2	3
2011	6	4	2	2	4
2012	3	3	0	1	1
2013	1	4	1	2	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		40	100.0	33.0	58	100.0	47.9	98	100.0	80.9	121,165
Sex at Birth	Male	32	80.0	.	51	87.9	.	83	84.7	.	.
	Female	8	20.0	.	7	12.1	.	15	15.3	.	.
Current Age	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	7.5	.	1	1.7	.	4	4.1	.	.
	25-29	3	7.5	.	4	6.9	.	7	7.1	.	.
	30-39	8	20.0	.	7	12.1	.	15	15.3	.	.
	40-49	12	30.0	.	21	36.2	.	33	33.7	.	.
	50-59	9	22.5	.	19	32.8	.	28	28.6	.	.
	60+	5	12.5	.	6	10.3	.	11	11.2	.	.
Race/Ethnicity	White Not-Hispanic	34	85.0	.	45	77.6	.	79	80.6	.	.
	Black Not-Hispanic	1	2.5	.	6	10.3	.	7	7.1	.	.
	Hispanic	3	7.5	.	4	6.9	.	7	7.1	.	.
	Multi Race	2	5.0	.	3	5.2	.	5	5.1	.	.
Risk	MSM	25	62.5	.	35	60.3	.	60	61.2	.	.
	IDU	0	0.0	.	6	10.3	.	6	6.1	.	.
	MSM/IDU	3	7.5	.	2	3.4	.	5	5.1	.	.
	Heterosexual	7	17.5	.	8	13.8	.	15	15.3	.	.
	Fem Pres Het Cont	2	5.0	.	1	1.7	.	3	3.1	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	3	7.5	.	6	10.3	.	9	9.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		32	100.0	8	100.0	40	100.0	51	100.0	7	100.0	58	100.0	83	100.0	15	100.0	98	100.0
Risk	MSM	25	78.1	0	0.0	25	62.5	35	68.6	0	0.0	35	60.3	60	72.3	0	0.0	60	61.2
	IDU	0	0.0	0	0.0	0	0.0	5	9.8	1	14.3	6	10.3	5	6.0	1	6.7	6	6.1
	MSM/IDU	3	9.4	0	0.0	3	7.5	2	3.9	0	0.0	2	3.4	5	6.0	0	0.0	5	5.1
	Heterosexual	1	3.1	6	75.0	7	17.5	3	5.9	5	71.4	8	13.8	4	4.8	11	73.3	15	15.3
	Fem Pres Het Cont	0	0.0	2	25.0	2	5.0	0	0.0	1	14.3	1	1.7	0	0.0	3	20.0	3	3.1
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	3	9.4	0	0.0	3	7.5	6	11.8	0	0.0	6	10.3	9	10.8	0	0.0	9	9.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	2.8	3.7	100.0	3.0	0.0	0.0	1.0	100.0	1.0	100.0
Sex at Birth	Male	2.7	80.0	.	3.0	81.8	.	0.0	0.0	1.0	100.0	1.0	100.0
	Female	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	20.0	.	1.0	27.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	33.3
	40-49	0.7	20.0	.	1.3	36.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.7	66.7	0.7	66.7
	60+	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.0	60.0	.	2.3	63.6	.	0.0	0.0	0.7	66.7	0.7	66.7
	Black Not-Hispanic	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.3	33.3	0.3	33.3
	Hispanic	0.7	20.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.7	18.2	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.0	60.0	.	2.0	54.5	.	0.0	0.0	0.7	66.7	0.7	66.7
	IDU	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	10.0	.	0.3	9.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	20.0	.	0.7	18.2	.	0.0	0.0	0.3	33.3	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	0.7	100.0	3.3	100.0	3.0	100.0	0.7	100.0	3.7	100.0
Risk	MSM	2.0	75.0	0.0	0.0	2.0	60.0	2.0	66.7	0.0	0.0	2.0	54.5
	IDU	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.1	0.0	0.0	0.3	9.1
	Heterosexual	0.0	0.0	0.3	50.0	0.3	10.0	0.0	0.0	0.3	50.0	0.3	9.1
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	25.0	0.0	0.0	0.7	20.0	0.7	22.2	0.0	0.0	0.7	18.2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	2	2
1987	0	0	0	1	1
1988	0	4	0	0	0
1989	0	8	0	6	6
1990	0	2	0	3	3
1991	0	4	0	4	4
1992	0	9	0	2	2
1993	0	5	0	7	7
1994	0	3	0	2	2
1995	0	8	0	4	4
1996	0	5	0	4	4
1997	0	6	0	0	0
1998	0	2	0	0	0
1999	0	6	0	1	1
2000	2	1	0	1	1
2001	3	1	0	1	1
2002	11	8	0	0	0
2003	4	1	0	4	4
2004	3	4	0	0	0
2005	3	7	2	4	6
2006	4	4	0	1	1
2007	5	1	0	1	1
2008	5	0	0	1	1
2009	7	3	0	3	3
2010	6	7	0	2	2
2011	3	3	0	1	1
2012	2	3	0	1	1
2013	5	5	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		29	100.0	47.0	32	100.0	51.9	61	100.0	98.9	61,683
Sex at Birth	Male	23	79.3	.	21	65.6	.	44	72.1	.	.
	Female	6	20.7	.	11	34.4	.	17	27.9	.	.
Current Age	20-24	3	10.3	.	0	0.0	.	3	4.9	.	.
	25-29	2	6.9	.	1	3.1	.	3	4.9	.	.
	30-39	3	10.3	.	5	15.6	.	8	13.1	.	.
	40-49	10	34.5	.	9	28.1	.	19	31.1	.	.
	50-59	8	27.6	.	7	21.9	.	15	24.6	.	.
	60+	3	10.3	.	10	31.3	.	13	21.3	.	.
Race/Ethnicity	White Not-Hispanic	16	55.2	.	20	62.5	.	36	59.0	.	.
	Black Not-Hispanic	5	17.2	.	2	6.3	.	7	11.5	.	.
	Hispanic	4	13.8	.	7	21.9	.	11	18.0	.	.
	Multi Race	3	10.3	.	3	9.4	.	6	9.8	.	.
	Others	1	3.4	.	0	0.0	.	1	1.6	.	.
Risk	MSM	12	41.4	.	12	37.5	.	24	39.3	.	.
	IDU	2	6.9	.	4	12.5	.	6	9.8	.	.
	MSM/IDU	0	0.0	.	3	9.4	.	3	4.9	.	.
	Heterosexual	6	20.7	.	7	21.9	.	13	21.3	.	.
	Fem Pres Het Cont	2	6.9	.	3	9.4	.	5	8.2	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	7	24.1	.	3	9.4	.	10	16.4	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		23	100.0	6	100.0	29	100.0	21	100.0	11	100.0	32	100.0	44	100.0	17	100.0	61	100.0
Risk	MSM	12	52.2	0	0.0	12	41.4	12	57.1	0	0.0	12	37.5	24	54.5	0	0.0	24	39.3
	IDU	1	4.3	1	16.7	2	6.9	2	9.5	2	18.2	4	12.5	3	6.8	3	17.6	6	9.8
	MSM/IDU	0	0.0	0	0.0	0	0.0	3	14.3	0	0.0	3	9.4	3	6.8	0	0.0	3	4.9
	Heterosexual	3	13.0	3	50.0	6	20.7	1	4.8	6	54.5	7	21.9	4	9.1	9	52.9	13	21.3
	Fem Pres Het Cont	0	0.0	2	33.3	2	6.9	0	0.0	3	27.3	3	9.4	0	0.0	5	29.4	5	8.2
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	7	30.4	0	0.0	7	24.1	3	14.3	0	0.0	3	9.4	10	22.7	0	0.0	10	16.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.3	100.0	3.8	1.0	100.0	1.6	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	2.3	100.0	.	1.0	100.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
Age at Diagnosis	20-24	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.7	71.4	.	0.7	66.7	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
Race/Ethnicity	White Not-Hispanic	1.7	71.4	.	1.0	100.0	.	0.0	0.0	1.0	75.0	1.0	75.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.3	14.3	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	71.4	.	0.7	66.7	.	0.0	0.0	0.7	50.0	0.7	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.3	100.0	0.0	0.0	2.3	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	1.7	71.4	0.0	0.0	1.7	71.4	0.7	66.7	0.0	0.0	0.7	66.7
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	28.6	0.0	0.0	0.7	28.6	0.3	33.3	0.0	0.0	0.3	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	1	0	0	0
1988	0	3	0	2	2
1989	0	10	0	3	3
1990	0	2	0	4	4
1991	0	4	0	4	4
1992	0	5	0	3	3
1993	0	5	0	0	0
1994	0	2	0	4	4
1995	0	7	0	6	6
1996	0	7	0	4	4
1997	0	2	0	0	0
1998	0	2	0	0	0
1999	0	3	0	2	2
2000	6	5	0	2	2
2001	4	0	0	0	0
2002	5	2	0	1	1
2003	3	5	0	0	0
2004	2	2	0	1	1
2005	2	5	0	1	1
2006	3	2	0	5	5
2007	3	1	0	1	1
2008	1	1	0	3	3
2009	1	2	0	1	1
2010	4	1	0	0	0
2011	1	1	0	2	2
2012	1	1	0	0	0
2013	5	1	0	2	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		50	100.0	50.2	91	100.0	91.3	141	100.0	141.5	99,645
Sex at Birth	Male	35	70.0	.	63	69.2	.	98	69.5	.	.
	Female	15	30.0	.	28	30.8	.	43	30.5	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	0	0.0	.	1	1.1	.	1	0.7	.	.
	20-24	1	2.0	.	1	1.1	.	2	1.4	.	.
	25-29	1	2.0	.	1	1.1	.	2	1.4	.	.
	30-39	10	20.0	.	7	7.7	.	17	12.1	.	.
	40-49	20	40.0	.	21	23.1	.	41	29.1	.	.
	50-59	14	28.0	.	37	40.7	.	51	36.2	.	.
	60+	4	8.0	.	23	25.3	.	27	19.1	.	.
Race/Ethnicity	White Not-Hispanic	21	42.0	.	47	51.6	.	68	48.2	.	.
	Black Not-Hispanic	11	22.0	.	15	16.5	.	26	18.4	.	.
	Hispanic	14	28.0	.	24	26.4	.	38	27.0	.	.
	Multi Race	4	8.0	.	5	5.5	.	9	6.4	.	.
Risk	MSM	23	46.0	.	36	39.6	.	59	41.8	.	.
	IDU	10	20.0	.	18	19.8	.	28	19.9	.	.
	MSM/IDU	1	2.0	.	4	4.4	.	5	3.5	.	.
	Heterosexual	9	18.0	.	22	24.2	.	31	22.0	.	.
	Fem Pres Het Cont	1	2.0	.	4	4.4	.	5	3.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	0	0.0	.	3	3.3	.	3	2.1	.	.
	Unk	6	12.0	.	4	4.4	.	10	7.1	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		35	100.0	15	100.0	50	100.0	63	100.0	28	100.0	91	100.0	98	100.0	43	100.0	141	100.0
Risk	MSM	23	65.7	0	0.0	23	46.0	36	57.1	0	0.0	36	39.6	59	60.2	0	0.0	59	41.8
	IDU	2	5.7	8	53.3	10	20.0	7	11.1	11	39.3	18	19.8	9	9.2	19	44.2	28	19.9
	MSM/IDU	1	2.9	0	0.0	1	2.0	4	6.3	0	0.0	4	4.4	5	5.1	0	0.0	5	3.5
	Heterosexual	3	8.6	6	40.0	9	18.0	11	17.5	11	39.3	22	24.2	14	14.3	17	39.5	31	22.0
	Fem Pres Het Cont	0	0.0	1	6.7	1	2.0	0	0.0	4	14.3	4	4.4	0	0.0	5	11.6	5	3.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	1.6	2	7.1	3	3.3	1	1.0	2	4.7	3	2.1
	Unk	6	17.1	0	0.0	6	12.0	4	6.3	0	0.0	4	4.4	10	10.2	0	0.0	10	7.1

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		4.7	100.0	4.7	3.0	100.0	3.0	0.0	0.0	2.0	100.0	2.0	100.0
Sex at Birth	Male	3.7	78.6	.	2.0	66.7	.	0.0	0.0	1.3	66.7	1.3	66.7
	Female	1.0	21.4	.	1.0	33.3	.	0.0	0.0	0.7	33.3	0.7	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	14.3	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	28.6	.	0.3	11.1	.	0.0	0.0	0.3	16.7	0.3	16.7
	40-49	1.3	28.6	.	1.3	44.4	.	0.0	0.0	0.7	33.3	0.7	33.3
	50-59	0.7	14.3	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.7	14.3	.	0.3	11.1	.	0.0	0.0	1.0	50.0	1.0	50.0
Race/Ethnicity	White Not-Hispanic	2.0	42.9	.	1.7	55.6	.	0.0	0.0	1.0	50.0	1.0	50.0
	Black Not-Hispanic	0.3	7.1	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	2.0	42.9	.	0.7	22.2	.	0.0	0.0	1.0	50.0	1.0	50.0
	Multi Race	0.3	7.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	64.3	.	1.7	55.6	.	0.0	0.0	0.7	33.3	0.7	33.3
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	33.3	0.7	33.3
	Fem Pres Het Cont	1.0	21.4	.	0.7	22.2	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.3	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	14.3	.	0.3	11.1	.	0.0	0.0	0.7	33.3	0.7	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	1.0	100.0	4.7	100.0	2.0	100.0	1.0	100.0	3.0	100.0
Risk	MSM	3.0	81.8	0.0	0.0	3.0	64.3	1.7	83.3	0.0	0.0	1.7	55.6
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	1.0	100.0	1.0	21.4	0.0	0.0	0.7	66.7	0.7	22.2
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.3	11.1
	Unk	0.7	18.2	0.0	0.0	0.7	14.3	0.3	16.7	0.0	0.0	0.3	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	9	0	8	8
1987	0	8	0	5	5
1988	0	10	0	5	5
1989	0	7	0	4	4
1990	0	9	0	7	7
1991	0	12	0	3	3
1992	0	16	0	7	7
1993	0	12	0	15	15
1994	0	12	0	13	13
1995	0	17	0	14	14
1996	0	11	0	6	6
1997	0	7	0	3	3
1998	0	10	0	4	4
1999	0	10	0	1	1
2000	9	4	0	3	3
2001	4	5	0	0	0
2002	4	2	0	2	2
2003	4	4	0	1	1
2004	2	2	1	1	2
2005	3	1	1	1	2
2006	6	5	1	0	1
2007	5	8	0	1	1
2008	2	3	0	1	1
2009	10	3	1	1	2
2010	7	6	0	0	0
2011	4	2	0	3	3
2012	6	5	0	2	2
2013	4	2	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		109	100.0	68.2	155	100.0	96.9	264	100.0	165.1	159,918
Sex at Birth	Male	69	63.3	.	113	72.9	.	182	68.9	.	.
	Female	40	36.7	.	42	27.1	.	82	31.1	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	0.9	.	0	0.0	.	1	0.4	.	.
	20-24	1	0.9	.	2	1.3	.	3	1.1	.	.
	25-29	13	11.9	.	4	2.6	.	17	6.4	.	.
	30-39	21	19.3	.	19	12.3	.	40	15.2	.	.
	40-49	30	27.5	.	42	27.1	.	72	27.3	.	.
	50-59	31	28.4	.	61	39.4	.	92	34.8	.	.
	60+	12	11.0	.	27	17.4	.	39	14.8	.	.
Race/Ethnicity	White Not-Hispanic	56	51.4	.	81	52.3	.	137	51.9	.	.
	Black Not-Hispanic	22	20.2	.	37	23.9	.	59	22.3	.	.
	Hispanic	15	13.8	.	22	14.2	.	37	14.0	.	.
	Multi Race	15	13.8	.	15	9.7	.	30	11.4	.	.
	Others	1	0.9	.	0	0.0	.	1	0.4	.	.
Risk	MSM	43	39.4	.	59	38.1	.	102	38.6	.	.
	IDU	11	10.1	.	20	12.9	.	31	11.7	.	.
	MSM/IDU	6	5.5	.	7	4.5	.	13	4.9	.	.
	Heterosexual	23	21.1	.	29	18.7	.	52	19.7	.	.
	Fem Pres Het Cont	13	11.9	.	12	7.7	.	25	9.5	.	.
	Blood Prod	0	0.0	.	2	1.3	.	2	0.8	.	.
	Pediatric Risk	1	0.9	.	3	1.9	.	4	1.5	.	.
	Unk	12	11.0	.	23	14.8	.	35	13.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		69	100.0	40	100.0	109	100.0	113	100.0	42	100.0	155	100.0	182	100.0	82	100.0	264	100.0
Risk	MSM	43	62.3	0	0.0	43	39.4	59	52.2	0	0.0	59	38.1	102	56.0	0	0.0	102	38.6
	IDU	6	8.7	5	12.5	11	10.1	13	11.5	7	16.7	20	12.9	19	10.4	12	14.6	31	11.7
	MSM/IDU	6	8.7	0	0.0	6	5.5	7	6.2	0	0.0	7	4.5	13	7.1	0	0.0	13	4.9
	Heterosexual	1	1.4	22	55.0	23	21.1	9	8.0	20	47.6	29	18.7	10	5.5	42	51.2	52	19.7
	Fem Pres Het Cont	0	0.0	13	32.5	13	11.9	0	0.0	12	28.6	12	7.7	0	0.0	25	30.5	25	9.5
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.9	1	2.4	2	1.3	1	0.5	1	1.2	2	0.8
	Pediatric Risk	1	1.4	0	0.0	1	0.9	1	0.9	2	4.8	3	1.9	2	1.1	2	2.4	4	1.5
	Unk	12	17.4	0	0.0	12	11.0	23	20.4	0	0.0	23	14.8	35	19.2	0	0.0	35	13.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		9.3	100.0	5.8	5.7	100.0	3.5	0.3	100.0	4.7	100.0	5.0	100.0
Sex at Birth	Male	7.0	75.0	.	5.0	88.2	.	0.3	100.0	3.3	71.4	3.7	73.3
	Female	2.3	25.0	.	0.7	11.8	.	0.0	0.0	1.3	28.6	1.3	26.7
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	10.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	2.3	25.0	.	1.7	29.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.3	14.3	.	0.7	11.8	.	0.0	0.0	0.3	7.1	0.3	6.7
	40-49	2.0	21.4	.	1.3	23.5	.	0.0	0.0	0.3	7.1	0.3	6.7
	50-59	1.3	14.3	.	1.0	17.6	.	0.0	0.0	2.7	57.1	2.7	53.3
	60+	1.3	14.3	.	1.0	17.6	.	0.3	100.0	1.3	28.6	1.7	33.3
Race/Ethnicity	White Not-Hispanic	4.3	46.4	.	2.7	47.1	.	0.0	0.0	2.0	42.9	2.0	40.0
	Black Not-Hispanic	3.0	32.1	.	2.0	35.3	.	0.3	100.0	0.7	14.3	1.0	20.0
	Hispanic	1.3	14.3	.	1.0	17.6	.	0.0	0.0	0.3	7.1	0.3	6.7
	Multi Race	0.7	7.1	.	0.0	0.0	.	0.0	0.0	1.7	35.7	1.7	33.3
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.3	46.4	.	3.0	52.9	.	0.0	0.0	0.7	14.3	0.7	13.3
	IDU	0.0	0.0	.	0.3	5.9	.	0.0	0.0	2.3	50.0	2.3	46.7
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	7.1	0.3	6.7
	Heterosexual	0.7	7.1	.	1.0	17.6	.	0.0	0.0	0.7	14.3	0.7	13.3
	Fem Pres Het Cont	2.0	21.4	.	0.3	5.9	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	25.0	.	1.0	17.6	.	0.3	100.0	0.7	14.3	1.0	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		7.0	100.0	2.3	100.0	9.3	100.0	5.0	100.0	0.7	100.0	5.7	100.0
Risk	MSM	4.3	61.9	0.0	0.0	4.3	46.4	3.0	60.0	0.0	0.0	3.0	52.9
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.7	0.0	0.0	0.3	5.9
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	4.8	0.3	14.3	0.7	7.1	0.7	13.3	0.3	50.0	1.0	17.6
	Fem Pres Het Cont	0.0	0.0	2.0	85.7	2.0	21.4	0.0	0.0	0.3	50.0	0.3	5.9
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	33.3	0.0	0.0	2.3	25.0	1.0	20.0	0.0	0.0	1.0	17.6

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	6	0	2	2
1987	0	6	0	4	4
1988	0	6	0	4	4
1989	0	13	0	3	3
1990	0	14	0	8	8
1991	0	20	0	10	10
1992	0	29	0	12	12
1993	0	19	0	17	17
1994	0	20	0	11	11
1995	0	22	0	14	14
1996	0	22	0	12	12
1997	0	6	0	8	8
1998	0	9	0	2	2
1999	0	12	0	5	5
2000	10	13	0	5	5
2001	8	5	1	7	8
2002	14	17	0	5	5
2003	14	16	0	7	7
2004	22	15	1	6	7
2005	10	9	3	7	10
2006	8	11	0	5	5
2007	9	12	1	4	5
2008	14	8	2	6	8
2009	8	5	1	5	6
2010	14	10	3	6	9
2011	9	5	1	7	8
2012	8	5	0	4	4
2013	11	7	0	3	3

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		286	100.0	89.1	515	100.0	160.5	801	100.0	249.6	320,903
Sex at Birth	Male	173	60.5	.	356	69.1	.	529	66.0	.	.
	Female	113	39.5	.	159	30.9	.	272	34.0	.	.
Current Age	12 & under	3	1.0	.	0	0.0	.	3	0.4	.	.
	13-19	12	4.2	.	6	1.2	.	18	2.2	.	.
	20-24	6	2.1	.	8	1.6	.	14	1.7	.	.
	25-29	16	5.6	.	8	1.6	.	24	3.0	.	.
	30-39	57	19.9	.	37	7.2	.	94	11.7	.	.
	40-49	87	30.4	.	128	24.9	.	215	26.8	.	.
	50-59	66	23.1	.	214	41.6	.	280	35.0	.	.
	60+	39	13.6	.	114	22.1	.	153	19.1	.	.
Race/Ethnicity	White Not-Hispanic	54	18.9	.	88	17.1	.	142	17.7	.	.
	Black Not-Hispanic	117	40.9	.	227	44.1	.	344	42.9	.	.
	Hispanic	82	28.7	.	135	26.2	.	217	27.1	.	.
	Multi Race	31	10.8	.	65	12.6	.	96	12.0	.	.
	Others	2	0.7	.	0	0.0	.	2	0.2	.	.
Risk	MSM	72	25.2	.	97	18.8	.	169	21.1	.	.
	IDU	25	8.7	.	90	17.5	.	115	14.4	.	.
	MSM/IDU	6	2.1	.	24	4.7	.	30	3.7	.	.
	Heterosexual	125	43.7	.	204	39.6	.	329	41.1	.	.
	Fem Pres Het Cont	13	4.5	.	19	3.7	.	32	4.0	.	.
	Blood Prod	0	0.0	.	2	0.4	.	2	0.2	.	.
	Pediatric Risk	16	5.6	.	14	2.7	.	30	3.7	.	.
	Unk	29	10.1	.	65	12.6	.	94	11.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		173	100.0	113	100.0	286	100.0	356	100.0	159	100.0	515	100.0	529	100.0	272	100.0	801	100.0
Risk	MSM	72	41.6	0	0.0	72	25.2	97	27.2	0	0.0	97	18.8	169	31.9	0	0.0	169	21.1
	IDU	13	7.5	12	10.6	25	8.7	65	18.3	25	15.7	90	17.5	78	14.7	37	13.6	115	14.4
	MSM/IDU	6	3.5	0	0.0	6	2.1	24	6.7	0	0.0	24	4.7	30	5.7	0	0.0	30	3.7
	Heterosexual	47	27.2	78	69.0	125	43.7	95	26.7	109	68.6	204	39.6	142	26.8	187	68.8	329	41.1
	Fem Pres Het Cont	0	0.0	13	11.5	13	4.5	0	0.0	19	11.9	19	3.7	0	0.0	32	11.8	32	4.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.3	1	0.6	2	0.4	1	0.2	1	0.4	2	0.2
	Pediatric Risk	6	3.5	10	8.8	16	5.6	9	2.5	5	3.1	14	2.7	15	2.8	15	5.5	30	3.7
	Unk	29	16.8	0	0.0	29	10.1	65	18.3	0	0.0	65	12.6	94	17.8	0	0.0	94	11.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		27.0	100.0	8.4	13.7	100.0	4.3	3.0	100.0	11.0	100.0	14.0	100.0
Sex at Birth	Male	19.7	72.8	.	11.0	80.5	.	2.7	88.9	8.7	78.8	11.3	81.0
	Female	7.3	27.2	.	2.7	19.5	.	0.3	11.1	2.3	21.2	2.7	19.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	3.7	.	0.3	2.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.3	8.6	.	1.0	7.3	.	0.0	0.0	0.3	3.0	0.3	2.4
	25-29	4.3	16.0	.	0.3	2.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	7.3	27.2	.	2.3	17.1	.	0.3	11.1	1.0	9.1	1.3	9.5
	40-49	6.7	24.7	.	4.3	31.7	.	0.3	11.1	1.7	15.2	2.0	14.3
	50-59	3.0	11.1	.	4.3	31.7	.	1.0	33.3	5.3	48.5	6.3	45.2
	60+	2.3	8.6	.	1.0	7.3	.	1.3	44.4	2.7	24.2	4.0	28.6
Race/Ethnicity	White Not-Hispanic	3.7	13.6	.	3.3	24.4	.	0.7	22.2	3.3	30.3	4.0	28.6
	Black Not-Hispanic	10.7	39.5	.	5.3	39.0	.	1.7	55.6	3.0	27.3	4.7	33.3
	Hispanic	10.7	39.5	.	3.7	26.8	.	0.3	11.1	3.0	27.3	3.3	23.8
	Multi Race	2.0	7.4	.	1.3	9.8	.	0.3	11.1	1.7	15.2	2.0	14.3
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	8.3	30.9	.	3.7	26.8	.	0.7	22.2	3.3	30.3	4.0	28.6
	IDU	1.0	3.7	.	1.7	12.2	.	0.3	11.1	3.0	27.3	3.3	23.8
	MSM/IDU	0.7	2.5	.	0.3	2.4	.	0.3	11.1	0.3	3.0	0.7	4.8
	Heterosexual	15.0	55.6	.	6.7	48.8	.	1.7	55.6	3.3	30.3	5.0	35.7
	Fem Pres Het Cont	0.7	2.5	.	0.3	2.4	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	3.0	0.3	2.4
	Unk	1.3	4.9	.	1.0	7.3	.	0.0	0.0	0.7	6.1	0.7	4.8

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		19.7	100.0	7.3	100.0	27.0	100.0	11.0	100.0	2.7	100.0	13.7	100.0
Risk	MSM	8.3	42.4	0.0	0.0	8.3	30.9	3.7	33.3	0.0	0.0	3.7	26.8
	IDU	0.7	3.4	0.3	4.5	1.0	3.7	1.3	12.1	0.3	12.5	1.7	12.2
	MSM/IDU	0.7	3.4	0.0	0.0	0.7	2.5	0.3	3.0	0.0	0.0	0.3	2.4
	Heterosexual	8.7	44.1	6.3	86.4	15.0	55.6	4.7	42.4	2.0	75.0	6.7	48.8
	Fem Pres Het Cont	0.0	0.0	0.7	9.1	0.7	2.5	0.0	0.0	0.3	12.5	0.3	2.4
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	6.8	0.0	0.0	1.3	4.9	1.0	9.1	0.0	0.0	1.0	7.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	55	0	36	36
1987	0	26	0	16	16
1988	0	30	0	17	17
1989	0	46	0	34	34
1990	0	29	0	27	27
1991	0	52	0	20	20
1992	0	90	0	47	47
1993	0	83	0	49	49
1994	0	67	0	49	49
1995	0	59	0	46	46
1996	0	54	0	27	27
1997	0	36	0	15	15
1998	0	43	0	19	19
1999	0	32	0	21	21
2000	31	84	0	14	14
2001	32	57	0	20	20
2002	23	30	1	21	22
2003	30	28	4	22	26
2004	36	33	4	12	16
2005	39	48	1	13	14
2006	33	26	2	14	16
2007	14	22	1	5	6
2008	24	22	2	11	13
2009	23	20	1	14	15
2010	24	16	0	12	12
2011	32	15	5	12	17
2012	23	15	3	13	16
2013	26	11	1	8	9

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		135	100.0	120.6	166	100.0	148.3	301	100.0	268.8	111,963
Sex at Birth	Male	119	88.1	.	153	92.2	.	272	90.4	.	.
	Female	16	11.9	.	13	7.8	.	29	9.6	.	.
Current Age	13-19	1	0.7	.	0	0.0	.	1	0.3	.	.
	20-24	2	1.5	.	0	0.0	.	2	0.7	.	.
	25-29	5	3.7	.	0	0.0	.	5	1.7	.	.
	30-39	13	9.6	.	10	6.0	.	23	7.6	.	.
	40-49	40	29.6	.	56	33.7	.	96	31.9	.	.
	50-59	53	39.3	.	77	46.4	.	130	43.2	.	.
	60+	21	15.6	.	23	13.9	.	44	14.6	.	.
Race/Ethnicity	White Not-Hispanic	37	27.4	.	39	23.5	.	76	25.2	.	.
	Black Not-Hispanic	37	27.4	.	44	26.5	.	81	26.9	.	.
	Hispanic	53	39.3	.	71	42.8	.	124	41.2	.	.
	Multi Race	8	5.9	.	12	7.2	.	20	6.6	.	.
Risk	MSM	23	17.0	.	27	16.3	.	50	16.6	.	.
	IDU	29	21.5	.	50	30.1	.	79	26.2	.	.
	MSM/IDU	3	2.2	.	10	6.0	.	13	4.3	.	.
	Heterosexual	10	7.4	.	18	10.8	.	28	9.3	.	.
	Fem Pres Het Cont	6	4.4	.	6	3.6	.	12	4.0	.	.
	Blood Prod	1	0.7	.	0	0.0	.	1	0.3	.	.
	Pediatric Risk	2	1.5	.	0	0.0	.	2	0.7	.	.
	Unk	61	45.2	.	55	33.1	.	116	38.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		119	100.0	16	100.0	135	100.0	153	100.0	13	100.0	166	100.0	272	100.0	29	100.0	301	100.0
Risk	MSM	23	19.3	0	0.0	23	17.0	27	17.6	0	0.0	27	16.3	50	18.4	0	0.0	50	16.6
	IDU	25	21.0	4	25.0	29	21.5	50	32.7	0	0.0	50	30.1	75	27.6	4	13.8	79	26.2
	MSM/IDU	3	2.5	0	0.0	3	2.2	10	6.5	0	0.0	10	6.0	13	4.8	0	0.0	13	4.3
	Heterosexual	5	4.2	5	31.3	10	7.4	11	7.2	7	53.8	18	10.8	16	5.9	12	41.4	28	9.3
	Fem Pres Het Cont	0	0.0	6	37.5	6	4.4	0	0.0	6	46.2	6	3.6	0	0.0	12	41.4	12	4.0
	Blood Prod	1	0.8	0	0.0	1	0.7	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.3
	Pediatric Risk	1	0.8	1	6.3	2	1.5	0	0.0	0	0.0	0	0.0	1	0.4	1	3.4	2	0.7
	Unk	61	51.3	0	0.0	61	45.2	55	35.9	0	0.0	55	33.1	116	42.6	0	0.0	116	38.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	4.8	4.0	100.0	3.6	0.3	100.0	2.0	100.0	2.3	100.0
Sex at Birth	Male	5.0	93.8	.	3.7	91.7	.	0.3	100.0	1.7	83.3	2.0	85.7
	Female	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.3	16.7	0.3	14.3
Age at Diagnosis	13-19	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	6.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	12.5	.	0.7	16.7	.	0.0	0.0	0.3	16.7	0.3	14.3
	40-49	2.3	43.8	.	1.7	41.7	.	0.0	0.0	0.3	16.7	0.3	14.3
	50-59	1.3	25.0	.	1.3	33.3	.	0.3	100.0	0.7	33.3	1.0	42.9
	60+	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.7	33.3	0.7	28.6
Race/Ethnicity	White Not-Hispanic	3.0	56.3	.	2.0	50.0	.	0.3	100.0	0.3	16.7	0.7	28.6
	Black Not-Hispanic	0.7	12.5	.	1.7	41.7	.	0.0	0.0	0.7	33.3	0.7	28.6
	Hispanic	0.7	12.5	.	0.3	8.3	.	0.0	0.0	1.0	50.0	1.0	42.9
	Multi Race	1.0	18.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	56.3	.	1.3	33.3	.	0.3	100.0	0.0	0.0	0.3	14.3
	IDU	0.0	0.0	.	0.7	16.7	.	0.0	0.0	1.0	50.0	1.0	42.9
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	16.7	0.3	14.3
	Heterosexual	1.0	18.8	.	0.7	16.7	.	0.0	0.0	0.3	16.7	0.3	14.3
	Fem Pres Het Cont	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	18.8	.	1.0	25.0	.	0.0	0.0	0.3	16.7	0.3	14.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.0	100.0	0.3	100.0	5.3	100.0	3.7	100.0	0.3	100.0	4.0	100.0
Risk	MSM	3.0	60.0	0.0	0.0	3.0	56.3	1.3	36.4	0.0	0.0	1.3	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.7	18.2	0.0	0.0	0.7	16.7
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	1.0	20.0	0.0	0.0	1.0	18.8	0.7	18.2	0.0	0.0	0.7	16.7
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	6.3	0.0	0.0	0.3	100.0	0.3	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.0	20.0	0.0	0.0	1.0	18.8	1.0	27.3	0.0	0.0	1.0	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	10	0	5	5
1987	0	8	0	5	5
1988	0	8	0	8	8
1989	0	11	0	7	7
1990	0	16	0	7	7
1991	0	14	0	9	9
1992	0	31	0	12	12
1993	0	28	0	13	13
1994	0	27	0	16	16
1995	0	23	0	15	15
1996	0	26	0	9	9
1997	0	26	0	5	5
1998	0	14	0	7	7
1999	0	12	0	4	4
2000	15	13	0	2	2
2001	7	16	2	7	9
2002	4	8	1	5	6
2003	8	11	0	4	4
2004	6	4	1	8	9
2005	4	11	0	6	6
2006	5	5	2	5	7
2007	1	9	1	5	6
2008	1	3	1	6	7
2009	5	4	0	5	5
2010	5	1	0	5	5
2011	4	4	0	1	1
2012	6	6	0	1	1
2013	6	2	1	4	5

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		99	100.0	44.2	138	100.0	61.6	237	100.0	105.9	223,865
Sex at Birth	Male	86	86.9	.	111	80.4	.	197	83.1	.	.
	Female	13	13.1	.	27	19.6	.	40	16.9	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	1	1.0	.	2	1.4	.	3	1.3	.	.
	20-24	4	4.0	.	0	0.0	.	4	1.7	.	.
	25-29	2	2.0	.	3	2.2	.	5	2.1	.	.
	30-39	8	8.1	.	10	7.2	.	18	7.6	.	.
	40-49	27	27.3	.	31	22.5	.	58	24.5	.	.
	50-59	41	41.4	.	60	43.5	.	101	42.6	.	.
	60+	16	16.2	.	32	23.2	.	48	20.3	.	.
Race/Ethnicity	White Not-Hispanic	56	56.6	.	66	47.8	.	122	51.5	.	.
	Black Not-Hispanic	20	20.2	.	25	18.1	.	45	19.0	.	.
	Hispanic	16	16.2	.	38	27.5	.	54	22.8	.	.
	Multi Race	6	6.1	.	9	6.5	.	15	6.3	.	.
	Others	1	1.0	.	0	0.0	.	1	0.4	.	.
Risk	MSM	45	45.5	.	46	33.3	.	91	38.4	.	.
	IDU	22	22.2	.	26	18.8	.	48	20.3	.	.
	MSM/IDU	4	4.0	.	14	10.1	.	18	7.6	.	.
	Heterosexual	10	10.1	.	21	15.2	.	31	13.1	.	.
	Fem Pres Het Cont	3	3.0	.	8	5.8	.	11	4.6	.	.
	Blood Prod	1	1.0	.	2	1.4	.	3	1.3	.	.
	Pediatric Risk	2	2.0	.	4	2.9	.	6	2.5	.	.
	Unk	12	12.1	.	17	12.3	.	29	12.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		86	100.0	13	100.0	99	100.0	111	100.0	27	100.0	138	100.0	197	100.0	40	100.0	237	100.0
Risk	MSM	45	52.3	0	0.0	45	45.5	46	41.4	0	0.0	46	33.3	91	46.2	0	0.0	91	38.4
	IDU	18	20.9	4	30.8	22	22.2	21	18.9	5	18.5	26	18.8	39	19.8	9	22.5	48	20.3
	MSM/IDU	4	4.7	0	0.0	4	4.0	14	12.6	0	0.0	14	10.1	18	9.1	0	0.0	18	7.6
	Heterosexual	5	5.8	5	38.5	10	10.1	9	8.1	12	44.4	21	15.2	14	7.1	17	42.5	31	13.1
	Fem Pres Het Cont	0	0.0	3	23.1	3	3.0	0	0.0	8	29.6	8	5.8	0	0.0	11	27.5	11	4.6
	Blood Prod	1	1.2	0	0.0	1	1.0	1	0.9	1	3.7	2	1.4	2	1.0	1	2.5	3	1.3
	Pediatric Risk	2	2.3	0	0.0	2	2.0	3	2.7	1	3.7	4	2.9	5	2.5	1	2.5	6	2.5
	Unk	11	12.8	1	7.7	12	12.1	17	15.3	0	0.0	17	12.3	28	14.2	1	2.5	29	12.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		6.0	100.0	2.7	5.0	100.0	2.2	1.0	100.0	2.3	100.0	3.3	100.0
Sex at Birth	Male	5.0	83.3	.	4.0	80.0	.	0.7	66.7	2.3	100.0	3.0	90.0
	Female	1.0	16.7	.	1.0	20.0	.	0.3	33.3	0.0	0.0	0.3	10.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	5.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	5.6	.	0.3	6.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	33.3	.	2.0	40.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	22.2	.	1.0	20.0	.	0.3	33.3	0.7	28.6	1.0	30.0
	50-59	1.7	27.8	.	1.0	20.0	.	0.3	33.3	1.0	42.9	1.3	40.0
	60+	0.3	5.6	.	0.7	13.3	.	0.3	33.3	0.7	28.6	1.0	30.0
Race/Ethnicity	White Not-Hispanic	3.3	55.6	.	3.3	66.7	.	0.3	33.3	1.0	42.9	1.3	40.0
	Black Not-Hispanic	1.0	16.7	.	0.3	6.7	.	0.3	33.3	0.3	14.3	0.7	20.0
	Hispanic	1.3	22.2	.	1.0	20.0	.	0.3	33.3	0.7	28.6	1.0	30.0
	Multi Race	0.0	0.0	.	0.3	6.7	.	0.0	0.0	0.3	14.3	0.3	10.0
	Others	0.3	5.6	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.0	50.0	.	2.3	46.7	.	0.0	0.0	0.3	14.3	0.3	10.0
	IDU	0.3	5.6	.	0.3	6.7	.	0.3	33.3	1.3	57.1	1.7	50.0
	MSM/IDU	0.3	5.6	.	0.7	13.3	.	0.3	33.3	0.0	0.0	0.3	10.0
	Heterosexual	1.0	16.7	.	1.7	33.3	.	0.3	33.3	0.0	0.0	0.3	10.0
	Fem Pres Het Cont	0.7	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	28.6	0.7	20.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	11.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		5.0	100.0	1.0	100.0	6.0	100.0	4.0	100.0	1.0	100.0	5.0	100.0
Risk	MSM	3.0	60.0	0.0	0.0	3.0	50.0	2.3	58.3	0.0	0.0	2.3	46.7
	IDU	0.3	6.7	0.0	0.0	0.3	5.6	0.3	8.3	0.0	0.0	0.3	6.7
	MSM/IDU	0.3	6.7	0.0	0.0	0.3	5.6	0.7	16.7	0.0	0.0	0.7	13.3
	Heterosexual	0.7	13.3	0.3	33.3	1.0	16.7	0.7	16.7	1.0	100.0	1.7	33.3
	Fem Pres Het Cont	0.0	0.0	0.7	66.7	0.7	11.1	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	13.3	0.0	0.0	0.7	11.1	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	15	0	8	8
1987	0	10	0	8	8
1988	0	8	0	5	5
1989	0	13	0	10	10
1990	0	29	0	5	5
1991	0	27	0	14	14
1992	0	27	0	18	18
1993	0	23	0	19	19
1994	0	24	0	22	22
1995	0	18	0	22	22
1996	0	20	0	9	9
1997	0	15	0	9	9
1998	0	12	0	6	6
1999	0	8	0	1	1
2000	5	10	1	8	9
2001	11	10	0	8	8
2002	5	10	2	7	9
2003	11	15	1	3	4
2004	8	10	2	5	7
2005	7	11	1	5	6
2006	8	5	0	4	4
2007	7	5	0	1	1
2008	6	1	1	3	4
2009	7	3	1	3	4
2010	4	3	0	1	1
2011	7	8	0	1	1
2012	6	3	3	5	8
2013	5	4	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		195	100.0	125.5	246	100.0	158.4	441	100.0	283.9	155,333
Sex at Birth	Male	92	47.2	.	145	58.9	.	237	53.7	.	.
	Female	103	52.8	.	101	41.1	.	204	46.3	.	.
Current Age	12 & under	1	0.5	.	0	0.0	.	1	0.2	.	.
	13-19	3	1.5	.	2	0.8	.	5	1.1	.	.
	20-24	5	2.6	.	3	1.2	.	8	1.8	.	.
	25-29	19	9.7	.	3	1.2	.	22	5.0	.	.
	30-39	29	14.9	.	23	9.3	.	52	11.8	.	.
	40-49	59	30.3	.	89	36.2	.	148	33.6	.	.
	50-59	63	32.3	.	87	35.4	.	150	34.0	.	.
	60+	16	8.2	.	39	15.9	.	55	12.5	.	.
Race/Ethnicity	White Not-Hispanic	69	35.4	.	73	29.7	.	142	32.2	.	.
	Black Not-Hispanic	54	27.7	.	74	30.1	.	128	29.0	.	.
	Hispanic	34	17.4	.	52	21.1	.	86	19.5	.	.
	Multi Race	35	17.9	.	45	18.3	.	80	18.1	.	.
	Others	3	1.5	.	2	0.8	.	5	1.1	.	.
Risk	MSM	48	24.6	.	57	23.2	.	105	23.8	.	.
	IDU	29	14.9	.	63	25.6	.	92	20.9	.	.
	MSM/IDU	2	1.0	.	17	6.9	.	19	4.3	.	.
	Heterosexual	63	32.3	.	70	28.5	.	133	30.2	.	.
	Fem Pres Het Cont	35	17.9	.	16	6.5	.	51	11.6	.	.
	Blood Prod	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	5	2.6	.	3	1.2	.	8	1.8	.	.
	Unk	13	6.7	.	19	7.7	.	32	7.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		92	100.0	103	100.0	195	100.0	145	100.0	101	100.0	246	100.0	237	100.0	204	100.0	441	100.0
Risk	MSM	48	52.2	0	0.0	48	24.6	57	39.3	0	0.0	57	23.2	105	44.3	0	0.0	105	23.8
	IDU	11	12.0	18	17.5	29	14.9	34	23.4	29	28.7	63	25.6	45	19.0	47	23.0	92	20.9
	MSM/IDU	2	2.2	0	0.0	2	1.0	17	11.7	0	0.0	17	6.9	19	8.0	0	0.0	19	4.3
	Heterosexual	15	16.3	48	46.6	63	32.3	17	11.7	53	52.5	70	28.5	32	13.5	101	49.5	133	30.2
	Fem Pres Het Cont	0	0.0	35	34.0	35	17.9	0	0.0	16	15.8	16	6.5	0	0.0	51	25.0	51	11.6
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.4	1	0.4	0	0.0	1	0.2
	Pediatric Risk	3	3.3	2	1.9	5	2.6	0	0.0	3	3.0	3	1.2	3	1.3	5	2.5	8	1.8
	Unk	13	14.1	0	0.0	13	6.7	19	13.1	0	0.0	19	7.7	32	13.5	0	0.0	32	7.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		13.7	100.0	8.8	9.0	100.0	5.8	1.3	100.0	7.0	100.0	8.3	100.0
Sex at Birth	Male	8.3	61.0	.	6.0	66.7	.	1.0	75.0	3.3	47.6	4.3	52.0
	Female	5.3	39.0	.	3.0	33.3	.	0.3	25.0	3.7	52.4	4.0	48.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.7	4.9	.	0.3	3.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	2.7	19.5	.	0.3	3.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	7.3	.	0.3	3.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	2.0	14.6	.	1.7	18.5	.	0.0	0.0	0.7	9.5	0.7	8.0
	40-49	5.7	41.5	.	4.3	48.1	.	0.0	0.0	2.3	33.3	2.3	28.0
	50-59	1.3	9.8	.	0.7	7.4	.	0.7	50.0	1.7	23.8	2.3	28.0
	60+	0.3	2.4	.	1.3	14.8	.	0.7	50.0	2.3	33.3	3.0	36.0
Race/Ethnicity	White Not-Hispanic	3.7	26.8	.	4.0	44.4	.	0.0	0.0	2.7	38.1	2.7	32.0
	Black Not-Hispanic	5.3	39.0	.	2.7	29.6	.	0.7	50.0	3.3	47.6	4.0	48.0
	Hispanic	2.7	19.5	.	1.7	18.5	.	0.0	0.0	0.3	4.8	0.3	4.0
	Multi Race	1.3	9.8	.	0.7	7.4	.	0.7	50.0	0.7	9.5	1.3	16.0
	Others	0.7	4.9	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	3.3	24.4	.	2.0	22.2	.	0.3	25.0	1.3	19.0	1.7	20.0
	IDU	0.7	4.9	.	2.7	29.6	.	0.3	25.0	2.3	33.3	2.7	32.0
	MSM/IDU	1.7	12.2	.	1.3	14.8	.	0.3	25.0	1.0	14.3	1.3	16.0
	Heterosexual	3.7	26.8	.	1.7	18.5	.	0.3	25.0	1.0	14.3	1.3	16.0
	Fem Pres Het Cont	2.0	14.6	.	0.3	3.7	.	0.0	0.0	1.3	19.0	1.3	16.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	17.1	.	1.0	11.1	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		8.3	100.0	5.3	100.0	13.7	100.0	6.0	100.0	3.0	100.0	9.0	100.0
Risk	MSM	3.3	40.0	0.0	0.0	3.3	24.4	2.0	33.3	0.0	0.0	2.0	22.2
	IDU	0.0	0.0	0.7	12.5	0.7	4.9	1.3	22.2	1.3	44.4	2.7	29.6
	MSM/IDU	1.7	20.0	0.0	0.0	1.7	12.2	1.3	22.2	0.0	0.0	1.3	14.8
	Heterosexual	1.0	12.0	2.7	50.0	3.7	26.8	0.3	5.6	1.3	44.4	1.7	18.5
	Fem Pres Het Cont	0.0	0.0	2.0	37.5	2.0	14.6	0.0	0.0	0.3	11.1	0.3	3.7
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.3	28.0	0.0	0.0	2.3	17.1	1.0	16.7	0.0	0.0	1.0	11.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	25	0	16	16
1987	0	5	0	5	5
1988	0	8	0	6	6
1989	0	16	0	9	9
1990	0	26	0	17	17
1991	0	26	0	14	14
1992	0	19	0	21	21
1993	0	27	0	11	11
1994	0	37	0	22	22
1995	0	36	0	17	17
1996	0	25	0	21	21
1997	0	25	0	10	10
1998	0	26	0	11	11
1999	0	14	0	9	9
2000	12	25	2	8	10
2001	20	16	2	6	8
2002	26	22	0	10	10
2003	25	22	0	5	5
2004	26	22	3	9	12
2005	18	20	2	9	11
2006	17	23	1	11	12
2007	16	15	0	7	7
2008	13	8	1	8	9
2009	8	5	1	6	7
2010	13	19	1	5	6
2011	18	12	1	8	9
2012	8	7	1	11	12
2013	15	8	2	2	4

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		18	100.0	56.5	21	100.0	65.9	39	100.0	122.5	31,844
Sex at Birth	Male	14	77.8	.	16	76.2	.	30	76.9	.	.
	Female	4	22.2	.	5	23.8	.	9	23.1	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	0	0.0	.	0	0.0	.	0	0.0	.	.
	30-39	2	11.1	.	3	14.3	.	5	12.8	.	.
	40-49	9	50.0	.	6	28.6	.	15	38.5	.	.
	50-59	5	27.8	.	6	28.6	.	11	28.2	.	.
	60+	2	11.1	.	6	28.6	.	8	20.5	.	.
Race/Ethnicity	White Not-Hispanic	6	33.3	.	12	57.1	.	18	46.2	.	.
	Black Not-Hispanic	5	27.8	.	5	23.8	.	10	25.6	.	.
	Hispanic	6	33.3	.	2	9.5	.	8	20.5	.	.
	Multi Race	0	0.0	.	2	9.5	.	2	5.1	.	.
	Others	1	5.6	.	0	0.0	.	1	2.6	.	.
Risk	MSM	5	27.8	.	6	28.6	.	11	28.2	.	.
	IDU	3	16.7	.	7	33.3	.	10	25.6	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	2	11.1	.	3	14.3	.	5	12.8	.	.
	Fem Pres Het Cont	2	11.1	.	1	4.8	.	3	7.7	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Unk	6	33.3	.	4	19.0	.	10	25.6	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		14	100.0	4	100.0	18	100.0	16	100.0	5	100.0	21	100.0	30	100.0	9	100.0	39	100.0
Risk	MSM	5	35.7	0	0.0	5	27.8	6	37.5	0	0.0	6	28.6	11	36.7	0	0.0	11	28.2
	IDU	2	14.3	1	25.0	3	16.7	6	37.5	1	20.0	7	33.3	8	26.7	2	22.2	10	25.6
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	7.1	1	25.0	2	11.1	0	0.0	3	60.0	3	14.3	1	3.3	4	44.4	5	12.8
	Fem Pres Het Cont	0	0.0	2	50.0	2	11.1	0	0.0	1	20.0	1	4.8	0	0.0	3	33.3	3	7.7
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Unk	6	42.9	0	0.0	6	33.3	4	25.0	0	0.0	4	19.0	10	33.3	0	0.0	10	25.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		0.7	100.0	2.1	0.7	100.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
Sex at Birth	Male	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.7	100.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	50.0	.	0.7	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.3	50.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.7	100.0	0.7	100.0	0.3	100.0	0.3	100.0	0.7	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	50.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	50.0	0.3	50.0	0.0	0.0	0.3	100.0	0.3	50.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	2	0	2	2
1988	0	1	0	0	0
1989	0	1	0	1	1
1990	0	3	0	1	1
1991	0	4	0	3	3
1992	0	3	0	1	1
1993	0	8	0	5	5
1994	0	4	0	2	2
1995	0	2	0	4	4
1996	0	3	0	3	3
1998	0	1	0	0	0
1999	0	3	0	2	2
2000	0	2	0	2	2
2001	2	1	0	0	0
2002	6	0	0	0	0
2003	1	1	0	0	0
2004	2	1	1	1	2
2005	1	0	0	0	0
2006	1	2	0	0	0
2007	1	1	0	0	0
2008	3	2	0	0	0
2009	1	2	0	0	0
2010	0	0	0	1	1
2012	1	2	0	0	0
2013	1	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		15	100.0	81.3	8	100.0	43.3	23	100.0	124.6	18,460
Sex at Birth	Male	13	86.7	.	8	100.0	.	21	91.3	.	.
	Female	2	13.3	.	0	0.0	.	2	8.7	.	.
Current Age	25-29	1	6.7	.	0	0.0	.	1	4.3	.	.
	30-39	4	26.7	.	0	0.0	.	4	17.4	.	.
	40-49	6	40.0	.	2	25.0	.	8	34.8	.	.
	50-59	3	20.0	.	5	62.5	.	8	34.8	.	.
	60+	1	6.7	.	1	12.5	.	2	8.7	.	.
Race/Ethnicity	White Not-Hispanic	10	66.7	.	3	37.5	.	13	56.5	.	.
	Black Not-Hispanic	4	26.7	.	1	12.5	.	5	21.7	.	.
	Hispanic	1	6.7	.	4	50.0	.	5	21.7	.	.
Risk	MSM	8	53.3	.	4	50.0	.	12	52.2	.	.
	IDU	1	6.7	.	2	25.0	.	3	13.0	.	.
	MSM/IDU	0	0.0	.	0	0.0	.	0	0.0	.	.
	Heterosexual	3	20.0	.	0	0.0	.	3	13.0	.	.
	Unk	3	20.0	.	2	25.0	.	5	21.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13	100.0	2	100.0	15	100.0	8	100.0	0	0.0	8	100.0	21	100.0	2	100.0	23	100.0
Risk	MSM	8	61.5	0	0.0	8	53.3	4	50.0	0	0.0	4	50.0	12	57.1	0	0.0	12	52.2
	IDU	1	7.7	0	0.0	1	6.7	2	25.0	0	0.0	2	25.0	3	14.3	0	0.0	3	13.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Heterosexual	1	7.7	2	100.0	3	20.0	0	0.0	0	0.0	0	0.0	1	4.8	2	100.0	3	13.0
	Unk	3	23.1	0	0.0	3	20.0	2	25.0	0	0.0	2	25.0	5	23.8	0	0.0	5	21.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	7.2	0.3	100.0	1.8	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	1.3	100.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	25-29	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	50.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	50-59	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.3	100.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	1.0	75.0	0.0	0.0	1.0	75.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	1	0	1	1
1989	0	1	0	0	0
1990	0	2	0	0	0
1991	0	1	0	2	2
1992	0	1	0	1	1
1993	0	3	0	4	4
1994	0	1	0	0	0
1995	0	0	0	1	1
1996	0	1	0	1	1
2001	1	1	0	0	0
2002	1	1	0	0	0
2003	2	0	0	0	0
2004	0	0	1	0	1
2005	1	1	0	0	0
2006	1	0	0	0	0
2007	1	1	0	0	0
2010	1	1	1	0	1
2011	0	1	0	1	1
2012	1	0	0	0	0
2013	3	0	0	0	0

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		51	100.0	144.0	63	100.0	177.9	114	100.0	322.0	35,409
Sex at Birth	Male	33	64.7	.	53	84.1	.	86	75.4	.	.
	Female	18	35.3	.	10	15.9	.	28	24.6	.	.
Current Age	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	3	5.9	.	2	3.2	.	5	4.4	.	.
	30-39	9	17.6	.	3	4.8	.	12	10.5	.	.
	40-49	16	31.4	.	24	38.1	.	40	35.1	.	.
	50-59	17	33.3	.	28	44.4	.	45	39.5	.	.
	60+	6	11.8	.	6	9.5	.	12	10.5	.	.
Race/Ethnicity	White Not-Hispanic	13	25.5	.	8	12.7	.	21	18.4	.	.
	Black Not-Hispanic	17	33.3	.	23	36.5	.	40	35.1	.	.
	Hispanic	19	37.3	.	20	31.7	.	39	34.2	.	.
	Multi Race	2	3.9	.	12	19.0	.	14	12.3	.	.
Risk	MSM	7	13.7	.	7	11.1	.	14	12.3	.	.
	IDU	16	31.4	.	22	34.9	.	38	33.3	.	.
	MSM/IDU	3	5.9	.	4	6.3	.	7	6.1	.	.
	Heterosexual	6	11.8	.	10	15.9	.	16	14.0	.	.
	Fem Pres Het Cont	8	15.7	.	1	1.6	.	9	7.9	.	.
	Blood Prod	0	0.0	.	1	1.6	.	1	0.9	.	.
	Pediatric Risk	0	0.0	.	1	1.6	.	1	0.9	.	.
	Unk	11	21.6	.	17	27.0	.	28	24.6	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		33	100.0	18	100.0	51	100.0	53	100.0	10	100.0	63	100.0	86	100.0	28	100.0	114	100.0
Risk	MSM	7	21.2	0	0.0	7	13.7	7	13.2	0	0.0	7	11.1	14	16.3	0	0.0	14	12.3
	IDU	8	24.2	8	44.4	16	31.4	15	28.3	7	70.0	22	34.9	23	26.7	15	53.6	38	33.3
	MSM/IDU	3	9.1	0	0.0	3	5.9	4	7.5	0	0.0	4	6.3	7	8.1	0	0.0	7	6.1
	Heterosexual	4	12.1	2	11.1	6	11.8	9	17.0	1	10.0	10	15.9	13	15.1	3	10.7	16	14.0
	Fem Pres Het Cont	0	0.0	8	44.4	8	15.7	0	0.0	1	10.0	1	1.6	0	0.0	9	32.1	9	7.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	1	1.6	1	1.2	0	0.0	1	0.9
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	1.6	0	0.0	1	3.6	1	0.9
	Unk	11	33.3	0	0.0	11	21.6	17	32.1	0	0.0	17	27.0	28	32.6	0	0.0	28	24.6

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.0	100.0	5.6	0.7	100.0	1.9	0.3	100.0	1.7	100.0	2.0	100.0
Sex at Birth	Male	1.7	83.3	.	0.7	100.0	.	0.3	100.0	1.7	100.0	2.0	100.0
	Female	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	50.0	.	0.7	100.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	40-49	0.0	0.0	.	0.0	0.0	.	0.3	100.0	1.0	60.0	1.3	66.7
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	50.0	.	0.3	50.0	.	0.0	0.0	0.3	20.0	0.3	16.7
	Black Not-Hispanic	0.3	16.7	.	0.0	0.0	.	0.3	100.0	0.7	40.0	1.0	50.0
	Hispanic	0.3	16.7	.	0.3	50.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	Multi Race	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	MSM/IDU	0.3	16.7	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.7	33.3	.	0.0	0.0	.	0.0	0.0	0.7	40.0	0.7	33.3
	Fem Pres Het Cont	0.3	16.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	33.3	.	0.3	50.0	.	0.3	100.0	0.3	20.0	0.7	33.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.7	100.0	0.3	100.0	2.0	100.0	0.7	100.0	0.0	0.0	0.7	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	20.0	0.0	0.0	0.3	16.7	0.3	50.0	0.0	0.0	0.3	50.0
	Heterosexual	0.7	40.0	0.0	0.0	0.7	33.3	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.3	100.0	0.3	16.7	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	40.0	0.0	0.0	0.7	33.3	0.3	50.0	0.0	0.0	0.3	50.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates*****

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1987	0	1	0	0	0
1988	0	1	0	1	1
1990	0	2	0	1	1
1991	0	1	0	0	0
1992	0	4	0	1	1
1993	0	3	0	2	2
1994	0	3	0	0	0
1995	0	6	0	1	1
1996	0	10	0	2	2
1997	0	3	0	2	2
1998	0	6	0	0	0
1999	0	2	0	2	2
2000	4	3	0	0	0
2001	5	4	2	1	3
2002	9	12	2	4	6
2003	5	9	0	4	4
2004	3	7	0	1	1
2005	0	5	0	0	0
2006	2	2	0	0	0
2007	2	2	1	3	4
2008	2	3	1	3	4
2009	0	5	0	1	1
2010	2	2	0	1	1
2011	1	1	1	3	4
2012	1	0	0	1	1
2013	4	1	0	1	1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		33	100.0	33.5	41	100.0	41.6	74	100.0	75.0	98,650
Sex at Birth	Male	26	78.8	.	27	65.9	.	53	71.6	.	.
	Female	7	21.2	.	14	34.1	.	21	28.4	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	1	3.0	.	1	2.4	.	2	2.7	.	.
	25-29	4	12.1	.	2	4.9	.	6	8.1	.	.
	30-39	4	12.1	.	6	14.6	.	10	13.5	.	.
	40-49	8	24.2	.	8	19.5	.	16	21.6	.	.
	50-59	10	30.3	.	15	36.6	.	25	33.8	.	.
	60+	6	18.2	.	9	22.0	.	15	20.3	.	.
Race/Ethnicity	White Not-Hispanic	22	66.7	.	25	61.0	.	47	63.5	.	.
	Black Not-Hispanic	6	18.2	.	8	19.5	.	14	18.9	.	.
	Hispanic	2	6.1	.	5	12.2	.	7	9.5	.	.
	Multi Race	1	3.0	.	3	7.3	.	4	5.4	.	.
	Others	2	6.1	.	0	0.0	.	2	2.7	.	.
Risk	MSM	17	51.5	.	12	29.3	.	29	39.2	.	.
	IDU	4	12.1	.	9	22.0	.	13	17.6	.	.
	MSM/IDU	0	0.0	.	2	4.9	.	2	2.7	.	.
	Heterosexual	8	24.2	.	11	26.8	.	19	25.7	.	.
	Fem Pres Het Cont	2	6.1	.	3	7.3	.	5	6.8	.	.
	Blood Prod	0	0.0	.	1	2.4	.	1	1.4	.	.
	Pediatric Risk	0	0.0	.	1	2.4	.	1	1.4	.	.
	Unk	2	6.1	.	2	4.9	.	4	5.4	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		26	100.0	7	100.0	33	100.0	27	100.0	14	100.0	41	100.0	53	100.0	21	100.0	74	100.0
Risk	MSM	17	65.4	0	0.0	17	51.5	12	44.4	0	0.0	12	29.3	29	54.7	0	0.0	29	39.2
	IDU	4	15.4	0	0.0	4	12.1	7	25.9	2	14.3	9	22.0	11	20.8	2	9.5	13	17.6
	MSM/IDU	0	0.0	0	0.0	0	0.0	2	7.4	0	0.0	2	4.9	2	3.8	0	0.0	2	2.7
	Heterosexual	3	11.5	5	71.4	8	24.2	3	11.1	8	57.1	11	26.8	6	11.3	13	61.9	19	25.7
	Fem Pres Het Cont	0	0.0	2	28.6	2	6.1	0	0.0	3	21.4	3	7.3	0	0.0	5	23.8	5	6.8
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	1	2.4	0	0.0	1	4.8	1	1.4
	Pediatric Risk	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	2.4	1	1.9	0	0.0	1	1.4
	Unk	2	7.7	0	0.0	2	6.1	2	7.4	0	0.0	2	4.9	4	7.5	0	0.0	4	5.4

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.7	100.0	3.7	1.0	100.0	1.0	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	3.7	100.0	.	1.0	100.0	.	0.3	100.0	1.0	100.0	1.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	18.2	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	27.3	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	50-59	0.7	18.2	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	9.1	.	0.0	0.0	.	0.3	100.0	0.7	66.7	1.0	75.0
Race/Ethnicity	White Not-Hispanic	2.3	63.6	.	0.7	66.7	.	0.0	0.0	1.0	100.0	1.0	75.0
	Black Not-Hispanic	0.3	9.1	.	0.0	0.0	.	0.3	100.0	0.0	0.0	0.3	25.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.7	18.2	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	2.7	72.7	.	0.3	33.3	.	0.0	0.0	0.7	66.7	0.7	50.0
	IDU	0.7	18.2	.	0.3	33.3	.	0.3	100.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	9.1	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.7	100.0	0.0	0.0	3.7	100.0	1.0	100.0	0.0	0.0	1.0	100.0
Risk	MSM	2.7	72.7	0.0	0.0	2.7	72.7	0.3	33.3	0.0	0.0	0.3	33.3
	IDU	0.7	18.2	0.0	0.0	0.7	18.2	0.3	33.3	0.0	0.0	0.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	33.3	0.0	0.0	0.3	33.3
	Heterosexual	0.3	9.1	0.0	0.0	0.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates*****

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	3	0	2	2
1987	0	3	0	3	3
1988	0	4	0	3	3
1989	0	4	0	0	0
1990	0	4	0	3	3
1991	0	5	0	3	3
1992	0	9	0	6	6
1993	0	5	0	4	4
1994	0	3	0	3	3
1995	0	3	0	5	5
1996	0	5	0	5	5
1997	0	3	0	1	1
1998	0	8	0	1	1
1999	0	6	0	3	3
2000	4	3	0	0	0
2001	5	1	0	1	1
2002	2	2	0	3	3
2003	2	4	1	1	2
2004	1	3	1	2	3
2005	1	3	0	2	2
2006	3	1	0	0	0
2007	2	2	1	0	1
2008	3	7	2	3	5
2009	4	1	0	1	1
2010	4	3	0	1	1
2011	4	1	0	0	0
2012	4	1	1	0	1
2013	3	1	0	3	3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		1,265	100.0	84.3	1,848	100.0	123.2	3,113	100.0	207.6	1,499,738
Sex at Birth	Male	849	67.1	.	1,296	70.1	.	2,145	68.9	.	.
	Female	416	32.9	.	552	29.9	.	968	31.1	.	.
Current Age	12 & under	4	0.3	.	0	0.0	.	4	0.1	.	.
	13-19	16	1.3	.	6	0.3	.	22	0.7	.	.
	20-24	74	5.8	.	33	1.8	.	107	3.4	.	.
	25-29	121	9.6	.	69	3.7	.	190	6.1	.	.
	30-39	212	16.8	.	183	9.9	.	395	12.7	.	.
	40-49	334	26.4	.	511	27.7	.	845	27.1	.	.
	50-59	341	27.0	.	705	38.1	.	1,046	33.6	.	.
	60+	162	12.8	.	341	18.5	.	503	16.2	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	499	39.4	.	647	35.0	.	1,146	36.8	.	.
	Black Not-Hispanic	312	24.7	.	506	27.4	.	818	26.3	.	.
	Hispanic	338	26.7	.	495	26.8	.	833	26.8	.	.
	Multi Race	102	8.1	.	189	10.2	.	291	9.3	.	.
	Others	11	0.9	.	11	0.6	.	22	0.7	.	.
	Unk	3	0.2	.	0	0.0	.	3	0.1	.	.
Risk	MSM	543	42.9	.	722	39.1	.	1,265	40.6	.	.
	IDU	106	8.4	.	327	17.7	.	433	13.9	.	.
	MSM/IDU	47	3.7	.	100	5.4	.	147	4.7	.	.
	Heterosexual	256	20.2	.	328	17.7	.	584	18.8	.	.
	Fem Pres Het Cont	129	10.2	.	126	6.8	.	255	8.2	.	.
	Blood Prod	6	0.5	.	7	0.4	.	13	0.4	.	.
	Pediatric Risk	40	3.2	.	58	3.1	.	98	3.1	.	.
	Unk	138	10.9	.	180	9.7	.	318	10.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		849	100.0	416	100.0	1,265	100.0	1,296	100.0	552	100.0	1,848	100.0	2,145	100.0	968	100.0	3,113	100.0
Risk	MSM	543	64.0	0	0.0	543	42.9	722	55.7	0	0.0	722	39.1	1,265	59.0	0	0.0	1,265	40.6
	IDU	50	5.9	56	13.5	106	8.4	198	15.3	129	23.4	327	17.7	248	11.6	185	19.1	433	13.9
	MSM/IDU	47	5.5	0	0.0	47	3.7	100	7.7	0	0.0	100	5.4	147	6.9	0	0.0	147	4.7
	Heterosexual	44	5.2	212	51.0	256	20.2	59	4.6	269	48.7	328	17.7	103	4.8	481	49.7	584	18.8
	Fem Pres Het Cont	0	0.0	129	31.0	129	10.2	0	0.0	126	22.8	126	6.8	0	0.0	255	26.3	255	8.2
	Blood Prod	4	0.5	2	0.5	6	0.5	6	0.5	1	0.2	7	0.4	10	0.5	3	0.3	13	0.4
	Pediatric Risk	24	2.8	16	3.8	40	3.2	33	2.5	25	4.5	58	3.1	57	2.7	41	4.2	98	3.1
	Unk	137	16.1	1	0.2	138	10.9	178	13.7	2	0.4	180	9.7	315	14.7	3	0.3	318	10.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		107.0	100.0	7.1	69.3	100.0	4.6	7.3	100.0	40.3	100.0	47.7	100.0
Sex at Birth	Male	83.7	78.2	.	52.3	75.5	.	4.7	63.6	25.0	62.0	29.7	62.2
	Female	23.3	21.8	.	17.0	24.5	.	2.7	36.4	15.3	38.0	18.0	37.8
Age at Diagnosis	12 & under	0.3	0.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	3.3	3.1	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	17.7	16.5	.	3.0	4.3	.	0.3	4.5	0.0	0.0	0.3	0.7
	25-29	16.3	15.3	.	9.0	13.0	.	0.0	0.0	1.0	2.5	1.0	2.1
	30-39	24.3	22.7	.	15.3	22.1	.	1.0	13.6	2.7	6.6	3.7	7.7
	40-49	21.3	19.9	.	19.3	27.9	.	0.7	9.1	7.0	17.4	7.7	16.1
	50-59	17.3	16.2	.	15.7	22.6	.	2.7	36.4	17.0	42.1	19.7	41.3
	60+	6.3	5.9	.	6.3	9.1	.	2.7	36.4	12.7	31.4	15.3	32.2
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	39.0	36.4	.	22.7	32.7	.	3.7	50.0	11.7	28.9	15.3	32.2
	Black Not-Hispanic	21.7	20.2	.	17.3	25.0	.	2.3	31.8	12.0	29.8	14.3	30.1
	Hispanic	37.3	34.9	.	20.3	29.3	.	0.7	9.1	11.0	27.3	11.7	24.5
	Multi Race	8.7	8.1	.	8.3	12.0	.	0.7	9.1	5.7	14.0	6.3	13.3
	Others	0.3	0.3	.	0.7	1.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	56.7	53.0	.	35.0	50.5	.	1.3	18.2	10.0	24.8	11.3	23.8
	IDU	2.3	2.2	.	5.0	7.2	.	1.7	22.7	16.7	41.3	18.3	38.5
	MSM/IDU	3.3	3.1	.	1.7	2.4	.	0.0	0.0	3.7	9.1	3.7	7.7
	Heterosexual	12.7	11.8	.	10.7	15.4	.	2.0	27.3	4.7	11.6	6.7	14.0
	Fem Pres Het Cont	12.0	11.2	.	5.0	7.2	.	0.7	9.1	3.0	7.4	3.7	7.7
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	0.8	0.3	0.7
	Pediatric Risk	0.7	0.6	.	1.7	2.4	.	0.0	0.0	0.3	0.8	0.3	0.7
	Unk	19.3	18.1	.	10.3	14.9	.	1.7	22.7	1.7	4.1	3.3	7.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		83.7	100.0	23.3	100.0	107.0	100.0	52.3	100.0	17.0	100.0	69.3	100.0
Risk	MSM	56.7	67.7	0.0	0.0	56.7	53.0	35.0	66.9	0.0	0.0	35.0	50.5
	IDU	1.0	1.2	1.3	5.7	2.3	2.2	2.0	3.8	3.0	17.6	5.0	7.2
	MSM/IDU	3.3	4.0	0.0	0.0	3.3	3.1	1.7	3.2	0.0	0.0	1.7	2.4
	Heterosexual	3.0	3.6	9.7	41.4	12.7	11.8	3.0	5.7	7.7	45.1	10.7	15.4
	Fem Pres Het Cont	0.0	0.0	12.0	51.4	12.0	11.2	0.0	0.0	5.0	29.4	5.0	7.2
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.7	0.8	0.0	0.0	0.7	0.6	0.7	1.3	1.0	5.9	1.7	2.4
	Unk	19.0	22.7	0.3	1.4	19.3	18.1	10.0	19.1	0.3	2.0	10.3	14.9

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	214	0	134	134
1987	0	147	0	81	81
1988	0	190	0	128	128
1989	0	193	0	137	137
1990	0	216	0	142	142
1991	0	279	0	167	167
1992	0	290	0	215	215
1993	0	348	0	203	203
1994	0	322	0	231	231
1995	0	317	0	216	216
1996	0	261	0	167	167
1997	0	198	0	95	95
1998	0	146	0	80	80
1999	0	144	0	76	76
2000	96	164	2	62	64
2001	141	134	12	74	86
2002	126	123	9	77	86
2003	157	136	13	70	83
2004	140	113	19	64	83
2005	131	110	14	80	94
2006	114	103	9	62	71
2007	127	108	11	62	73
2008	114	108	6	44	50
2009	125	83	10	46	56
2010	121	64	10	45	55
2011	111	80	7	44	51
2012	90	52	8	43	51
2013	120	76	7	34	41

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		155	100.0	202.2	254	100.0	331.3	409	100.0	533.5	76,665
Sex at Birth	Male	113	72.9	.	179	70.5	.	292	71.4	.	.
	Female	42	27.1	.	75	29.5	.	117	28.6	.	.
Current Age	12 & under	1	0.6	.	0	0.0	.	1	0.2	.	.
	13-19	1	0.6	.	1	0.4	.	2	0.5	.	.
	20-24	5	3.2	.	3	1.2	.	8	2.0	.	.
	25-29	10	6.5	.	2	0.8	.	12	2.9	.	.
	30-39	18	11.6	.	15	5.9	.	33	8.1	.	.
	40-49	38	24.5	.	57	22.4	.	95	23.2	.	.
	50-59	48	31.0	.	108	42.5	.	156	38.1	.	.
	60+	34	21.9	.	68	26.8	.	102	24.9	.	.
Race/Ethnicity	White Not-Hispanic	33	21.3	.	48	18.9	.	81	19.8	.	.
	Black Not-Hispanic	45	29.0	.	77	30.3	.	122	29.8	.	.
	Hispanic	55	35.5	.	91	35.8	.	146	35.7	.	.
	Multi Race	19	12.3	.	38	15.0	.	57	13.9	.	.
	Others	3	1.9	.	0	0.0	.	3	0.7	.	.
Risk	MSM	28	18.1	.	45	17.7	.	73	17.8	.	.
	IDU	56	36.1	.	102	40.2	.	158	38.6	.	.
	MSM/IDU	11	7.1	.	11	4.3	.	22	5.4	.	.
	Heterosexual	36	23.2	.	48	18.9	.	84	20.5	.	.
	Fem Pres Het Cont	7	4.5	.	9	3.5	.	16	3.9	.	.
	Blood Prod	0	0.0	.	1	0.4	.	1	0.2	.	.
	Pediatric Risk	2	1.3	.	6	2.4	.	8	2.0	.	.
	Unk	15	9.7	.	32	12.6	.	47	11.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		113	100.0	42	100.0	155	100.0	179	100.0	75	100.0	254	100.0	292	100.0	117	100.0	409	100.0
Risk	MSM	28	24.8	0	0.0	28	18.1	45	25.1	0	0.0	45	17.7	73	25.0	0	0.0	73	17.8
	IDU	46	40.7	10	23.8	56	36.1	81	45.3	21	28.0	102	40.2	127	43.5	31	26.5	158	38.6
	MSM/IDU	11	9.7	0	0.0	11	7.1	11	6.1	0	0.0	11	4.3	22	7.5	0	0.0	22	5.4
	Heterosexual	13	11.5	23	54.8	36	23.2	8	4.5	40	53.3	48	18.9	21	7.2	63	53.8	84	20.5
	Fem Pres Het Cont	0	0.0	7	16.7	7	4.5	0	0.0	9	12.0	9	3.5	0	0.0	16	13.7	16	3.9
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.4	0	0.0	1	0.9	1	0.2
	Pediatric Risk	0	0.0	2	4.8	2	1.3	2	1.1	4	5.3	6	2.4	2	0.7	6	5.1	8	2.0
	Unk	15	13.3	0	0.0	15	9.7	32	17.9	0	0.0	32	12.6	47	16.1	0	0.0	47	11.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		5.3	100.0	7.0	4.0	100.0	5.2	2.3	100.0	7.3	100.0	9.7	100.0
Sex at Birth	Male	3.0	56.3	.	2.0	50.0	.	1.0	42.9	4.7	63.6	5.7	58.6
	Female	2.3	43.8	.	2.0	50.0	.	1.3	57.1	2.7	36.4	4.0	41.4
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.0	18.8	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.0	18.8	.	0.3	8.3	.	0.3	14.3	0.0	0.0	0.3	3.4
	30-39	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.3	4.5	0.3	3.4
	40-49	1.3	25.0	.	1.0	25.0	.	0.7	28.6	2.0	27.3	2.7	27.6
	50-59	1.0	18.8	.	1.0	25.0	.	1.3	57.1	1.7	22.7	3.0	31.0
	60+	0.7	12.5	.	1.0	25.0	.	0.0	0.0	3.3	45.5	3.3	34.5
Race/Ethnicity	White Not-Hispanic	2.3	43.8	.	1.7	41.7	.	0.7	28.6	1.0	13.6	1.7	17.2
	Black Not-Hispanic	0.7	12.5	.	1.0	25.0	.	0.3	14.3	2.0	27.3	2.3	24.1
	Hispanic	1.7	31.3	.	1.3	33.3	.	0.7	28.6	2.3	31.8	3.0	31.0
	Multi Race	0.7	12.5	.	0.0	0.0	.	0.7	28.6	2.0	27.3	2.7	27.6
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.0	18.8	.	0.3	8.3	.	0.3	14.3	0.3	4.5	0.7	6.9
	IDU	1.7	31.3	.	1.3	33.3	.	1.0	42.9	3.3	45.5	4.3	44.8
	MSM/IDU	0.0	0.0	.	0.3	8.3	.	0.0	0.0	0.7	9.1	0.7	6.9
	Heterosexual	1.7	31.3	.	1.3	33.3	.	1.0	42.9	2.0	27.3	3.0	31.0
	Fem Pres Het Cont	0.3	6.3	.	0.3	8.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	12.5	.	0.3	8.3	.	0.0	0.0	1.0	13.6	1.0	10.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.0	100.0	2.3	100.0	5.3	100.0	2.0	100.0	2.0	100.0	4.0	100.0
Risk	MSM	1.0	33.3	0.0	0.0	1.0	18.8	0.3	16.7	0.0	0.0	0.3	8.3
	IDU	1.0	33.3	0.7	28.6	1.7	31.3	0.7	33.3	0.7	33.3	1.3	33.3
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16.7	0.0	0.0	0.3	8.3
	Heterosexual	0.3	11.1	1.3	57.1	1.7	31.3	0.3	16.7	1.0	50.0	1.3	33.3
	Fem Pres Het Cont	0.0	0.0	0.3	14.3	0.3	6.3	0.0	0.0	0.3	16.7	0.3	8.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	22.2	0.0	0.0	0.7	12.5	0.3	16.7	0.0	0.0	0.3	8.3

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	34	0	18	18
1987	0	18	0	17	17
1988	0	33	0	21	21
1989	0	34	0	23	23
1990	0	38	0	25	25
1991	0	48	0	26	26
1992	0	62	0	36	36
1993	0	78	0	33	33
1994	0	67	0	44	44
1995	0	46	0	54	54
1996	0	37	0	29	29
1997	0	23	0	15	15
1998	0	18	0	6	6
1999	0	21	0	8	8
2000	13	17	0	18	18
2001	19	21	1	13	14
2002	13	24	0	11	11
2003	14	17	3	9	12
2004	21	16	5	9	14
2005	10	16	1	6	7
2006	9	11	1	9	10
2007	12	13	5	4	9
2008	10	14	0	5	5
2009	4	8	2	5	7
2010	7	1	2	7	9
2011	6	4	3	8	11
2012	3	1	2	7	9
2013	7	7	2	7	9

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		18	100.0	35.8	19	100.0	37.8	37	100.0	73.6	50,243
Sex at Birth	Male	13	72.2	.	12	63.2	.	25	67.6	.	.
	Female	5	27.8	.	7	36.8	.	12	32.4	.	.
Current Age	20-24	0	0.0	.	1	5.3	.	1	2.7	.	.
	25-29	1	5.6	.	0	0.0	.	1	2.7	.	.
	30-39	8	44.4	.	2	10.5	.	10	27.0	.	.
	40-49	5	27.8	.	6	31.6	.	11	29.7	.	.
	50-59	2	11.1	.	7	36.8	.	9	24.3	.	.
	60+	2	11.1	.	3	15.8	.	5	13.5	.	.
Race/Ethnicity	White Not-Hispanic	15	83.3	.	13	68.4	.	28	75.7	.	.
	Black Not-Hispanic	1	5.6	.	1	5.3	.	2	5.4	.	.
	Hispanic	1	5.6	.	4	21.1	.	5	13.5	.	.
	Multi Race	1	5.6	.	1	5.3	.	2	5.4	.	.
Risk	MSM	7	38.9	.	7	36.8	.	14	37.8	.	.
	IDU	0	0.0	.	4	21.1	.	4	10.8	.	.
	MSM/IDU	2	11.1	.	0	0.0	.	2	5.4	.	.
	Heterosexual	3	16.7	.	5	26.3	.	8	21.6	.	.
	Fem Pres Het Cont	2	11.1	.	1	5.3	.	3	8.1	.	.
	Pediatric Risk	0	0.0	.	1	5.3	.	1	2.7	.	.
	Unk	4	22.2	.	1	5.3	.	5	13.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		13	100.0	5	100.0	18	100.0	12	100.0	7	100.0	19	100.0	25	100.0	12	100.0	37	100.0
Risk	MSM	7	53.8	0	0.0	7	38.9	7	58.3	0	0.0	7	36.8	14	56.0	0	0.0	14	37.8
	IDU	0	0.0	0	0.0	0	0.0	3	25.0	1	14.3	4	21.1	3	12.0	1	8.3	4	10.8
	MSM/IDU	2	15.4	0	0.0	2	11.1	0	0.0	0	0.0	0	0.0	2	8.0	0	0.0	2	5.4
	Heterosexual	0	0.0	3	60.0	3	16.7	1	8.3	4	57.1	5	26.3	1	4.0	7	58.3	8	21.6
	Fem Pres Het Cont	0	0.0	2	40.0	2	11.1	0	0.0	1	14.3	1	5.3	0	0.0	3	25.0	3	8.1
	Pediatric Risk	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	5.3	0	0.0	1	8.3	1	2.7
	Unk	4	30.8	0	0.0	4	22.2	1	8.3	0	0.0	1	5.3	5	20.0	0	0.0	5	13.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	2.7	0.3	100.0	0.7	0.0	0.0	0.7	100.0	0.7	100.0
Sex at Birth	Male	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Female	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	75.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	1.0	75.0	.	0.3	100.0	.	0.0	0.0	0.7	100.0	0.7	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	50.0
	Heterosexual	0.3	25.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.0	100.0	0.3	100.0	1.3	100.0	0.0	0.0	0.3	100.0	0.3	100.0
Risk	MSM	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.3	100.0	0.3	25.0	0.0	0.0	0.3	100.0	0.3	100.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	33.3	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	1	0	1	1
1987	0	1	0	0	0
1988	0	2	0	0	0
1989	0	1	0	2	2
1990	0	3	0	2	2
1991	0	3	0	0	0
1992	0	1	0	2	2
1993	0	2	0	4	4
1994	0	1	0	1	1
1995	0	4	0	0	0
1996	0	1	0	2	2
1997	0	0	0	1	1
2000	1	1	0	0	0
2001	4	2	1	1	2
2002	0	0	0	1	1
2003	2	4	0	0	0
2004	2	1	0	0	0
2005	3	1	0	0	0
2006	1	0	0	0	0
2007	0	1	0	0	0
2008	3	5	0	0	0
2009	1	1	0	0	0
2010	1	1	1	1	2
2011	1	0	0	0	0
2012	1	1	0	1	1
2013	2	0	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		63	100.0	60.8	88	100.0	84.9	151	100.0	145.7	103,617
Sex at Birth	Male	40	63.5	.	65	73.9	.	105	69.5	.	.
	Female	23	36.5	.	23	26.1	.	46	30.5	.	.
Current Age	13-19	1	1.6	.	0	0.0	.	1	0.7	.	.
	20-24	4	6.3	.	0	0.0	.	4	2.6	.	.
	25-29	4	6.3	.	4	4.5	.	8	5.3	.	.
	30-39	9	14.3	.	12	13.6	.	21	13.9	.	.
	40-49	23	36.5	.	29	33.0	.	52	34.4	.	.
	50-59	16	25.4	.	27	30.7	.	43	28.5	.	.
	60+	6	9.5	.	16	18.2	.	22	14.6	.	.
Race/Ethnicity	White Not-Hispanic	38	60.3	.	50	56.8	.	88	58.3	.	.
	Black Not-Hispanic	10	15.9	.	15	17.0	.	25	16.6	.	.
	Hispanic	7	11.1	.	12	13.6	.	19	12.6	.	.
	Multi Race	2	3.2	.	10	11.4	.	12	7.9	.	.
	Others	6	9.5	.	1	1.1	.	7	4.6	.	.
Risk	MSM	31	49.2	.	39	44.3	.	70	46.4	.	.
	IDU	1	1.6	.	10	11.4	.	11	7.3	.	.
	MSM/IDU	3	4.8	.	9	10.2	.	12	7.9	.	.
	Heterosexual	10	15.9	.	17	19.3	.	27	17.9	.	.
	Fem Pres Het Cont	11	17.5	.	7	8.0	.	18	11.9	.	.
	Blood Prod	0	0.0	.	1	1.1	.	1	0.7	.	.
	Pediatric Risk	1	1.6	.	0	0.0	.	1	0.7	.	.
	Unk	6	9.5	.	5	5.7	.	11	7.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

*Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates*

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		40	100.0	23	100.0	63	100.0	65	100.0	23	100.0	88	100.0	105	100.0	46	100.0	151	100.0
Risk	MSM	31	77.5	0	0.0	31	49.2	39	60.0	0	0.0	39	44.3	70	66.7	0	0.0	70	46.4
	IDU	0	0.0	1	4.3	1	1.6	8	12.3	2	8.7	10	11.4	8	7.6	3	6.5	11	7.3
	MSM/IDU	3	7.5	0	0.0	3	4.8	9	13.8	0	0.0	9	10.2	12	11.4	0	0.0	12	7.9
	Heterosexual	1	2.5	9	39.1	10	15.9	3	4.6	14	60.9	17	19.3	4	3.8	23	50.0	27	17.9
	Fem Pres Het Cont	0	0.0	11	47.8	11	17.5	0	0.0	7	30.4	7	8.0	0	0.0	18	39.1	18	11.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.5	0	0.0	1	1.1	1	1.0	0	0.0	1	0.7
	Pediatric Risk	0	0.0	1	4.3	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	1	0.7
	Unk	5	12.5	1	4.3	6	9.5	5	7.7	0	0.0	5	5.7	10	9.5	1	2.2	11	7.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		6.3	100.0	6.1	1.0	100.0	1.0	0.7	100.0	1.0	100.0	1.7	100.0
Sex at Birth	Male	4.7	73.7	.	0.3	33.3	.	0.7	100.0	1.0	100.0	1.7	100.0
	Female	1.7	26.3	.	0.7	66.7	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.3	21.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.7	10.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	5.3	.	0.7	66.7	.	0.3	50.0	0.0	0.0	0.3	20.0
	40-49	2.7	42.1	.	0.3	33.3	.	0.3	50.0	0.3	33.3	0.7	40.0
	50-59	1.3	21.1	.	0.0	0.0	.	0.0	0.0	0.7	66.7	0.7	40.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	3.3	52.6	.	0.3	33.3	.	0.3	50.0	0.7	66.7	1.0	60.0
	Black Not-Hispanic	1.3	21.1	.	0.3	33.3	.	0.3	50.0	0.3	33.3	0.7	40.0
	Hispanic	0.7	10.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	1.0	15.8	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	4.0	63.2	.	0.3	33.3	.	0.7	100.0	0.7	66.7	1.3	80.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	20.0
	Heterosexual	0.7	10.5	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	1.3	21.1	.	0.3	33.3	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	5.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4.7	100.0	1.7	100.0	6.3	100.0	0.3	100.0	0.7	100.0	1.0	100.0
Risk	MSM	4.0	85.7	0.0	0.0	4.0	63.2	0.3	100.0	0.0	0.0	0.3	33.3
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	7.1	0.3	20.0	0.7	10.5	0.0	0.0	0.3	50.0	0.3	33.3
	Fem Pres Het Cont	0.0	0.0	1.3	80.0	1.3	21.1	0.0	0.0	0.3	50.0	0.3	33.3
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	7.1	0.0	0.0	0.3	5.3	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1987	0	4	0	2	2
1988	0	5	0	5	5
1989	0	5	0	2	2
1990	0	8	0	4	4
1991	0	7	0	6	6
1992	0	12	0	5	5
1993	0	6	0	5	5
1994	0	10	0	7	7
1995	0	7	0	4	4
1996	0	14	0	5	5
1997	0	7	0	4	4
1998	0	7	0	3	3
1999	0	6	0	2	2
2000	4	5	0	1	1
2001	4	6	0	2	2
2002	10	9	0	0	0
2003	5	3	1	2	3
2004	5	3	0	2	2
2005	6	4	0	1	1
2006	8	4	0	2	2
2007	4	9	0	0	0
2008	7	5	0	1	1
2009	6	4	1	1	2
2010	4	4	0	3	3
2011	5	1	1	0	1
2012	9	0	1	1	2
2013	5	2	0	2	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		280	100.0	154.7	441	100.0	243.6	721	100.0	398.3	180,998
Sex at Birth	Male	213	76.1	.	348	78.9	.	561	77.8	.	.
	Female	67	23.9	.	93	21.1	.	160	22.2	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	3	1.1	.	0	0.0	.	3	0.4	.	.
	20-24	6	2.1	.	6	1.4	.	12	1.7	.	.
	25-29	13	4.6	.	6	1.4	.	19	2.6	.	.
	30-39	27	9.6	.	22	5.0	.	49	6.8	.	.
	40-49	88	31.4	.	127	28.8	.	215	29.8	.	.
	50-59	100	35.7	.	190	43.1	.	290	40.2	.	.
	60+	43	15.4	.	90	20.4	.	133	18.4	.	.
Race/Ethnicity	White Not-Hispanic	106	37.9	.	114	25.9	.	220	30.5	.	.
	Black Not-Hispanic	81	28.9	.	132	29.9	.	213	29.5	.	.
	Hispanic	77	27.5	.	151	34.2	.	228	31.6	.	.
	Multi Race	16	5.7	.	43	9.8	.	59	8.2	.	.
	Others	0	0.0	.	1	0.2	.	1	0.1	.	.
Risk	MSM	51	18.2	.	75	17.0	.	126	17.5	.	.
	IDU	92	32.9	.	181	41.0	.	273	37.9	.	.
	MSM/IDU	11	3.9	.	34	7.7	.	45	6.2	.	.
	Heterosexual	53	18.9	.	75	17.0	.	128	17.8	.	.
	Fem Pres Het Cont	13	4.6	.	12	2.7	.	25	3.5	.	.
	Blood Prod	0	0.0	.	0	0.0	.	0	0.0	.	.
	Pediatric Risk	2	0.7	.	8	1.8	.	10	1.4	.	.
	Unk	58	20.7	.	56	12.7	.	114	15.8	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		213	100.0	67	100.0	280	100.0	348	100.0	93	100.0	441	100.0	561	100.0	160	100.0	721	100.0
Risk	MSM	51	23.9	0	0.0	51	18.2	75	21.6	0	0.0	75	17.0	126	22.5	0	0.0	126	17.5
	IDU	74	34.7	18	26.9	92	32.9	154	44.3	27	29.0	181	41.0	228	40.6	45	28.1	273	37.9
	MSM/IDU	11	5.2	0	0.0	11	3.9	34	9.8	0	0.0	34	7.7	45	8.0	0	0.0	45	6.2
	Heterosexual	17	8.0	36	53.7	53	18.9	26	7.5	49	52.7	75	17.0	43	7.7	85	53.1	128	17.8
	Fem Pres Het Cont	0	0.0	13	19.4	13	4.6	0	0.0	12	12.9	12	2.7	0	0.0	25	15.6	25	3.5
	Blood Prod	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Pediatric Risk	2	0.9	0	0.0	2	0.7	3	0.9	5	5.4	8	1.8	5	0.9	5	3.1	10	1.4
	Unk	58	27.2	0	0.0	58	20.7	56	16.1	0	0.0	56	12.7	114	20.3	0	0.0	114	15.8

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		12.3	100.0	6.8	8.0	100.0	4.4	1.7	100.0	9.3	100.0	11.0	100.0
Sex at Birth	Male	10.7	86.5	.	7.3	91.7	.	1.0	60.0	7.7	82.1	8.7	78.8
	Female	1.7	13.5	.	0.7	8.3	.	0.7	40.0	1.7	17.9	2.3	21.2
Age at Diagnosis	12 & under	0.3	2.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	1.0	8.1	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	1.7	13.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	1.3	10.8	.	1.0	12.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	1.0	8.1	.	0.7	8.3	.	0.0	0.0	0.3	3.6	0.3	3.0
	40-49	5.0	40.5	.	3.3	41.7	.	0.3	20.0	1.7	17.9	2.0	18.2
	50-59	1.3	10.8	.	2.3	29.2	.	0.7	40.0	5.0	53.6	5.7	51.5
	60+	0.7	5.4	.	0.7	8.3	.	0.7	40.0	2.3	25.0	3.0	27.3
Race/Ethnicity	White Not-Hispanic	7.0	56.8	.	3.0	37.5	.	1.3	80.0	4.0	42.9	5.3	48.5
	Black Not-Hispanic	1.3	10.8	.	1.7	20.8	.	0.3	20.0	2.0	21.4	2.3	21.2
	Hispanic	3.0	24.3	.	3.3	41.7	.	0.0	0.0	2.3	25.0	2.3	21.2
	Multi Race	1.0	8.1	.	0.0	0.0	.	0.0	0.0	1.0	10.7	1.0	9.1
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	5.7	45.9	.	4.0	50.0	.	0.0	0.0	2.7	28.6	2.7	24.2
	IDU	1.0	8.1	.	1.7	20.8	.	0.3	20.0	5.7	60.7	6.0	54.5
	MSM/IDU	0.3	2.7	.	1.0	12.5	.	0.0	0.0	0.3	3.6	0.3	3.0
	Heterosexual	1.3	10.8	.	0.7	8.3	.	0.3	20.0	0.3	3.6	0.7	6.1
	Fem Pres Het Cont	1.0	8.1	.	0.3	4.2	.	0.3	20.0	0.3	3.6	0.7	6.1
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	2.7	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.7	21.6	.	0.3	4.2	.	0.7	40.0	0.0	0.0	0.7	6.1

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		10.7	100.0	1.7	100.0	12.3	100.0	7.3	100.0	0.7	100.0	8.0	100.0
Risk	MSM	5.7	53.1	0.0	0.0	5.7	45.9	4.0	54.5	0.0	0.0	4.0	50.0
	IDU	0.7	6.3	0.3	20.0	1.0	8.1	1.7	22.7	0.0	0.0	1.7	20.8
	MSM/IDU	0.3	3.1	0.0	0.0	0.3	2.7	1.0	13.6	0.0	0.0	1.0	12.5
	Heterosexual	1.0	9.4	0.3	20.0	1.3	10.8	0.3	4.5	0.3	50.0	0.7	8.3
	Fem Pres Het Cont	0.0	0.0	1.0	60.0	1.0	8.1	0.0	0.0	0.3	50.0	0.3	4.2
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.3	3.1	0.0	0.0	0.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	2.7	25.0	0.0	0.0	2.7	21.6	0.3	4.5	0.0	0.0	0.3	4.2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	36	0	22	22
1987	0	34	0	17	17
1988	0	37	0	18	18
1989	0	60	0	28	28
1990	0	45	0	36	36
1991	0	70	0	33	33
1992	0	77	0	42	42
1993	0	81	0	51	51
1994	0	87	0	46	46
1995	0	75	0	40	40
1996	0	52	0	50	50
1997	0	41	0	28	28
1998	0	35	0	12	12
1999	0	37	0	15	15
2000	18	39	0	16	16
2001	23	46	3	20	23
2002	23	29	1	12	13
2003	24	37	4	14	18
2004	21	22	5	15	20
2005	20	19	4	15	19
2006	23	26	2	14	16
2007	10	18	6	12	18
2008	17	10	1	15	16
2009	13	16	3	12	15
2010	13	5	7	6	13
2011	18	11	2	11	13
2012	4	6	2	9	11
2013	15	7	1	8	9

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		36	100.0	55.1	39	100.0	59.7	75	100.0	114.8	65,337
Sex at Birth	Male	29	80.6	.	31	79.5	.	60	80.0	.	.
	Female	7	19.4	.	8	20.5	.	15	20.0	.	.
Current Age	12 & under	1	2.8	.	0	0.0	.	1	1.3	.	.
	20-24	3	8.3	.	2	5.1	.	5	6.7	.	.
	25-29	1	2.8	.	2	5.1	.	3	4.0	.	.
	30-39	8	22.2	.	4	10.3	.	12	16.0	.	.
	40-49	10	27.8	.	11	28.2	.	21	28.0	.	.
	50-59	9	25.0	.	14	35.9	.	23	30.7	.	.
	60+	4	11.1	.	6	15.4	.	10	13.3	.	.
Race/Ethnicity	White Not-Hispanic	24	66.7	.	25	64.1	.	49	65.3	.	.
	Black Not-Hispanic	1	2.8	.	2	5.1	.	3	4.0	.	.
	Hispanic	8	22.2	.	8	20.5	.	16	21.3	.	.
	Multi Race	2	5.6	.	4	10.3	.	6	8.0	.	.
	Others	1	2.8	.	0	0.0	.	1	1.3	.	.
Risk	MSM	18	50.0	.	16	41.0	.	34	45.3	.	.
	IDU	2	5.6	.	8	20.5	.	10	13.3	.	.
	MSM/IDU	2	5.6	.	1	2.6	.	3	4.0	.	.
	Heterosexual	5	13.9	.	6	15.4	.	11	14.7	.	.
	Fem Pres Het Cont	2	5.6	.	2	5.1	.	4	5.3	.	.
	Blood Prod	0	0.0	.	2	5.1	.	2	2.7	.	.
	Pediatric Risk	2	5.6	.	3	7.7	.	5	6.7	.	.
	Unk	5	13.9	.	1	2.6	.	6	8.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		29	100.0	7	100.0	36	100.0	31	100.0	8	100.0	39	100.0	60	100.0	15	100.0	75	100.0
Risk	MSM	18	62.1	0	0.0	18	50.0	16	51.6	0	0.0	16	41.0	34	56.7	0	0.0	34	45.3
	IDU	2	6.9	0	0.0	2	5.6	7	22.6	1	12.5	8	20.5	9	15.0	1	6.7	10	13.3
	MSM/IDU	2	6.9	0	0.0	2	5.6	1	3.2	0	0.0	1	2.6	3	5.0	0	0.0	3	4.0
	Heterosexual	0	0.0	5	71.4	5	13.9	2	6.5	4	50.0	6	15.4	2	3.3	9	60.0	11	14.7
	Fem Pres Het Cont	0	0.0	2	28.6	2	5.6	0	0.0	2	25.0	2	5.1	0	0.0	4	26.7	4	5.3
	Blood Prod	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0	2	5.1	2	3.3	0	0.0	2	2.7
	Pediatric Risk	2	6.9	0	0.0	2	5.6	2	6.5	1	12.5	3	7.7	4	6.7	1	6.7	5	6.7
	Unk	5	17.2	0	0.0	5	13.9	1	3.2	0	0.0	1	2.6	6	10.0	0	0.0	6	8.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		3.3	100.0	5.1	0.7	100.0	1.0	0.3	100.0	1.3	100.0	1.7	100.0
Sex at Birth	Male	3.3	100.0	.	0.7	100.0	.	0.0	0.0	1.0	75.0	1.0	60.0
	Female	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.3	25.0	0.7	40.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.7	20.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.3	40.0	.	0.3	50.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	50-59	0.3	10.0	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	60+	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
Race/Ethnicity	White Not-Hispanic	3.0	90.0	.	0.7	100.0	.	0.3	100.0	0.3	25.0	0.7	40.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	40.0
	Multi Race	0.3	10.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.7	50.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	20.0
	MSM/IDU	0.3	10.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.3	100.0	0.7	50.0	1.0	60.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	40.0	.	0.3	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		3.3	100.0	0.0	0.0	3.3	100.0	0.7	100.0	0.0	0.0	0.7	100.0
Risk	MSM	1.7	50.0	0.0	0.0	1.7	50.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.3	10.0	0.0	0.0	0.3	10.0	0.3	50.0	0.0	0.0	0.3	50.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	40.0	0.0	0.0	1.3	40.0	0.3	50.0	0.0	0.0	0.3	50.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	4	0	3	3
1987	0	1	0	2	2
1988	0	3	0	0	0
1989	0	2	0	0	0
1990	0	4	0	5	5
1991	0	2	0	5	5
1992	0	5	0	1	1
1993	0	4	0	1	1
1994	0	3	0	3	3
1995	0	8	0	1	1
1996	0	4	0	4	4
1997	0	3	0	0	0
1998	0	5	0	0	0
1999	0	2	0	1	1
2000	2	2	0	1	1
2001	5	5	0	5	5
2002	5	5	0	0	0
2003	2	0	0	2	2
2004	5	4	1	1	2
2005	2	3	1	3	4
2006	3	0	0	1	1
2007	3	2	0	1	1
2008	2	2	0	3	3
2009	3	2	0	0	0
2010	3	4	0	1	1
2011	2	0	0	1	1
2012	5	0	1	1	2
2013	3	2	0	2	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		81	100.0	128.4	89	100.0	141.1	170	100.0	269.4	63,093
Sex at Birth	Male	73	90.1	.	81	91.0	.	154	90.6	.	.
	Female	8	9.9	.	8	9.0	.	16	9.4	.	.
Current Age	12 & under	1	1.2	.	0	0.0	.	1	0.6	.	.
	13-19	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	3	3.7	.	0	0.0	.	3	1.8	.	.
	25-29	3	3.7	.	0	0.0	.	3	1.8	.	.
	30-39	7	8.6	.	5	5.6	.	12	7.1	.	.
	40-49	21	25.9	.	29	32.6	.	50	29.4	.	.
	50-59	28	34.6	.	36	40.4	.	64	37.6	.	.
	60+	18	22.2	.	19	21.3	.	37	21.8	.	.
Race/Ethnicity	White Not-Hispanic	23	28.4	.	23	25.8	.	46	27.1	.	.
	Black Not-Hispanic	23	28.4	.	28	31.5	.	51	30.0	.	.
	Hispanic	32	39.5	.	33	37.1	.	65	38.2	.	.
	Multi Race	3	3.7	.	5	5.6	.	8	4.7	.	.
Risk	MSM	9	11.1	.	13	14.6	.	22	12.9	.	.
	IDU	18	22.2	.	38	42.7	.	56	32.9	.	.
	MSM/IDU	3	3.7	.	5	5.6	.	8	4.7	.	.
	Heterosexual	4	4.9	.	13	14.6	.	17	10.0	.	.
	Fem Pres Het Cont	3	3.7	.	2	2.2	.	5	2.9	.	.
	Blood Prod	0	0.0	.	1	1.1	.	1	0.6	.	.
	Pediatric Risk	1	1.2	.	0	0.0	.	1	0.6	.	.
	Unk	43	53.1	.	17	19.1	.	60	35.3	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		73	100.0	8	100.0	81	100.0	81	100.0	8	100.0	89	100.0	154	100.0	16	100.0	170	100.0
Risk	MSM	9	12.3	0	0.0	9	11.1	13	16.0	0	0.0	13	14.6	22	14.3	0	0.0	22	12.9
	IDU	16	21.9	2	25.0	18	22.2	38	46.9	0	0.0	38	42.7	54	35.1	2	12.5	56	32.9
	MSM/IDU	3	4.1	0	0.0	3	3.7	5	6.2	0	0.0	5	5.6	8	5.2	0	0.0	8	4.7
	Heterosexual	2	2.7	2	25.0	4	4.9	7	8.6	6	75.0	13	14.6	9	5.8	8	50.0	17	10.0
	Fem Pres Het Cont	0	0.0	3	37.5	3	3.7	0	0.0	2	25.0	2	2.2	0	0.0	5	31.3	5	2.9
	Blood Prod	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	1.1	1	0.6	0	0.0	1	0.6
	Pediatric Risk	0	0.0	1	12.5	1	1.2	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	1	0.6
	Unk	43	58.9	0	0.0	43	53.1	17	21.0	0	0.0	17	19.1	60	39.0	0	0.0	60	35.3

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		2.7	100.0	4.2	1.7	100.0	2.6	0.0	0.0	1.3	100.0	1.3	100.0
Sex at Birth	Male	2.0	75.0	.	1.3	80.0	.	0.0	0.0	1.3	100.0	1.3	100.0
	Female	0.7	25.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	12.5	.	0.3	20.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	50-59	1.0	37.5	.	0.7	40.0	.	0.0	0.0	0.7	50.0	0.7	50.0
	60+	0.7	25.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	2.7	100.0	.	1.3	80.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Black Not-Hispanic	0.0	0.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	1.3	100.0	1.3	100.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	1.3	50.0	.	1.0	60.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	25.0	0.3	25.0
	Heterosexual	0.3	12.5	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.7	25.0	.	0.3	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	12.5	.	0.0	0.0	.	0.0	0.0	0.7	50.0	0.7	50.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.0	100.0	0.7	100.0	2.7	100.0	1.3	100.0	0.3	100.0	1.7	100.0
Risk	MSM	1.3	66.7	0.0	0.0	1.3	50.0	1.0	75.0	0.0	0.0	1.0	60.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	16.7	0.0	0.0	0.3	12.5	0.3	25.0	0.0	0.0	0.3	20.0
	Fem Pres Het Cont	0.0	0.0	0.7	100.0	0.7	25.0	0.0	0.0	0.3	100.0	0.3	20.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.3	16.7	0.0	0.0	0.3	12.5	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	21	0	16	16
1987	0	24	0	16	16
1988	0	25	0	7	7
1989	0	23	0	13	13
1990	0	33	0	15	15
1991	0	18	0	27	27
1992	0	28	0	18	18
1993	0	9	0	20	20
1994	0	21	0	18	18
1995	0	30	0	8	8
1996	0	13	0	8	8
1997	0	6	0	5	5
1998	0	3	0	4	4
1999	0	1	0	5	5
2000	3	7	0	2	2
2001	6	7	1	3	4
2002	2	8	0	3	3
2003	2	1	1	2	3
2004	2	4	0	5	5
2005	4	8	1	5	6
2006	5	1	0	2	2
2007	1	2	1	2	3
2008	0	1	0	1	1
2009	4	1	0	4	4
2010	4	2	0	1	1
2011	3	2	0	1	1
2012	3	2	0	1	1
2013	2	1	0	2	2

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			Population
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	
Total		67	100.0	72.5	64	100.0	69.2	131	100.0	141.7	92,473
Sex at Birth	Male	48	71.6	.	48	75.0	.	96	73.3	.	.
	Female	19	28.4	.	16	25.0	.	35	26.7	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	20-24	2	3.0	.	0	0.0	.	2	1.5	.	.
	25-29	1	1.5	.	1	1.6	.	2	1.5	.	.
	30-39	9	13.4	.	9	14.1	.	18	13.7	.	.
	40-49	19	28.4	.	16	25.0	.	35	26.7	.	.
	50-59	22	32.8	.	25	39.1	.	47	35.9	.	.
	60+	14	20.9	.	13	20.3	.	27	20.6	.	.
Race/Ethnicity	White Not-Hispanic	31	46.3	.	34	53.1	.	65	49.6	.	.
	Black Not-Hispanic	19	28.4	.	15	23.4	.	34	26.0	.	.
	Hispanic	13	19.4	.	11	17.2	.	24	18.3	.	.
	Multi Race	4	6.0	.	4	6.3	.	8	6.1	.	.
Risk	MSM	22	32.8	.	13	20.3	.	35	26.7	.	.
	IDU	4	6.0	.	11	17.2	.	15	11.5	.	.
	MSM/IDU	2	3.0	.	2	3.1	.	4	3.1	.	.
	Heterosexual	12	17.9	.	20	31.3	.	32	24.4	.	.
	Fem Pres Het Cont	7	10.4	.	4	6.3	.	11	8.4	.	.
	Pediatric Risk	1	1.5	.	0	0.0	.	1	0.8	.	.
	Unk	19	28.4	.	14	21.9	.	33	25.2	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

***Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		48	100.0	19	100.0	67	100.0	48	100.0	16	100.0	64	100.0	96	100.0	35	100.0	131	100.0
Risk	MSM	22	45.8	0	0.0	22	32.8	13	27.1	0	0.0	13	20.3	35	36.5	0	0.0	35	26.7
	IDU	3	6.3	1	5.3	4	6.0	9	18.8	2	12.5	11	17.2	12	12.5	3	8.6	15	11.5
	MSM/IDU	2	4.2	0	0.0	2	3.0	2	4.2	0	0.0	2	3.1	4	4.2	0	0.0	4	3.1
	Heterosexual	2	4.2	10	52.6	12	17.9	10	20.8	10	62.5	20	31.3	12	12.5	20	57.1	32	24.4
	Fem Pres Het Cont	0	0.0	7	36.8	7	10.4	0	0.0	4	25.0	4	6.3	0	0.0	11	31.4	11	8.4
	Pediatric Risk	0	0.0	1	5.3	1	1.5	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.8
	Unk	19	39.6	0	0.0	19	28.4	14	29.2	0	0.0	14	21.9	33	34.4	0	0.0	33	25.2

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		4.0	100.0	4.3	3.3	100.0	3.6	0.3	100.0	0.7	100.0	1.0	100.0
Sex at Birth	Male	2.7	66.7	.	2.7	80.0	.	0.0	0.0	0.7	100.0	0.7	66.7
	Female	1.3	33.3	.	0.7	20.0	.	0.3	100.0	0.0	0.0	0.3	33.3
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.3	8.3	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	1.0	25.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	1.3	33.3	.	1.3	40.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	60+	0.7	16.7	.	0.0	0.0	.	0.0	0.0	0.3	50.0	0.3	33.3
Race/Ethnicity	White Not-Hispanic	1.7	41.7	.	2.0	60.0	.	0.3	100.0	0.3	50.0	0.7	66.7
	Black Not-Hispanic	2.0	50.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.3	8.3	.	0.7	20.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.7	16.7	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	10.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	MSM/IDU	0.3	8.3	.	0.3	10.0	.	0.0	0.0	0.3	50.0	0.3	33.3
	Heterosexual	0.7	16.7	.	0.7	20.0	.	0.3	100.0	0.0	0.0	0.3	33.3
	Fem Pres Het Cont	1.0	25.0	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	33.3	.	0.7	20.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		2.7	100.0	1.3	100.0	4.0	100.0	2.7	100.0	0.7	100.0	3.3	100.0
Risk	MSM	0.7	25.0	0.0	0.0	0.7	16.7	0.7	25.0	0.0	0.0	0.7	20.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.5	0.0	0.0	0.3	10.0
	MSM/IDU	0.3	12.5	0.0	0.0	0.3	8.3	0.3	12.5	0.0	0.0	0.3	10.0
	Heterosexual	0.3	12.5	0.3	25.0	0.7	16.7	0.7	25.0	0.0	0.0	0.7	20.0
	Fem Pres Het Cont	0.0	0.0	1.0	75.0	1.0	25.0	0.0	0.0	0.7	100.0	0.7	20.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	1.3	50.0	0.0	0.0	1.3	33.3	0.7	25.0	0.0	0.0	0.7	20.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	7	0	4	4
1987	0	1	0	1	1
1988	0	2	0	2	2
1989	0	1	0	3	3
1990	0	5	0	2	2
1991	0	5	0	4	4
1992	0	10	0	2	2
1993	0	12	0	9	9
1994	0	5	0	6	6
1995	0	7	0	6	6
1996	0	7	0	3	3
1997	0	9	0	2	2
1998	0	8	0	2	2
1999	0	2	0	3	3
2000	5	4	0	0	0
2001	8	7	0	2	2
2002	10	3	0	1	1
2003	4	2	0	3	3
2004	4	3	1	2	3
2005	10	4	0	2	2
2006	10	8	0	1	1
2007	3	2	1	1	2
2008	4	2	1	1	2
2009	6	5	1	2	3
2010	5	2	0	3	3
2011	7	5	1	0	1
2012	4	3	0	1	1
2013	1	2	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		1,482	100.0	153.0	2,392	100.0	246.9	3,874	100.0	399.9	968,802
Sex at Birth	Male	908	61.3	.	1,502	62.8	.	2,410	62.2	.	.
	Female	574	38.7	.	890	37.2	.	1,464	37.8	.	.
Current Age	12 & under	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19	21	1.4	.	6	0.3	.	27	0.7	.	.
	20-24	57	3.8	.	26	1.1	.	83	2.1	.	.
	25-29	121	8.2	.	59	2.5	.	180	4.6	.	.
	30-39	250	16.9	.	204	8.5	.	454	11.7	.	.
	40-49	387	26.1	.	638	26.7	.	1,025	26.5	.	.
	50-59	427	28.8	.	936	39.1	.	1,363	35.2	.	.
	60+	218	14.7	.	523	21.9	.	741	19.1	.	.
	Unk	1	0.1	.	0	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	309	20.9	.	408	17.1	.	717	18.5	.	.
	Black Not-Hispanic	581	39.2	.	932	39.0	.	1,513	39.1	.	.
	Hispanic	460	31.0	.	748	31.3	.	1,208	31.2	.	.
	Multi Race	121	8.2	.	295	12.3	.	416	10.7	.	.
	Others	11	0.7	.	9	0.4	.	20	0.5	.	.
Risk	MSM	508	34.3	.	606	25.3	.	1,114	28.8	.	.
	IDU	220	14.8	.	693	29.0	.	913	23.6	.	.
	MSM/IDU	33	2.2	.	116	4.8	.	149	3.8	.	.
	Heterosexual	417	28.1	.	693	29.0	.	1,110	28.7	.	.
	Fem Pres Het Cont	137	9.2	.	114	4.8	.	251	6.5	.	.
	Blood Prod	1	0.1	.	6	0.3	.	7	0.2	.	.
	Pediatric Risk	24	1.6	.	35	1.5	.	59	1.5	.	.
	Unk	142	9.6	.	129	5.4	.	271	7.0	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		908	100.0	574	100.0	1,482	100.0	1,502	100.0	890	100.0	2,392	100.0	2,410	100.0	1,464	100.0	3,874	100.0
Risk	MSM	508	55.9	0	0.0	508	34.3	606	40.3	0	0.0	606	25.3	1,114	46.2	0	0.0	1,114	28.8
	IDU	92	10.1	128	22.3	220	14.8	412	27.4	281	31.6	693	29.0	504	20.9	409	27.9	913	23.6
	MSM/IDU	33	3.6	0	0.0	33	2.2	116	7.7	0	0.0	116	4.8	149	6.2	0	0.0	149	3.8
	Heterosexual	118	13.0	299	52.1	417	28.1	220	14.6	473	53.1	693	29.0	338	14.0	772	52.7	1,110	28.7
	Fem Pres Het Cont	0	0.0	137	23.9	137	9.2	0	0.0	114	12.8	114	4.8	0	0.0	251	17.1	251	6.5
	Blood Prod	1	0.1	0	0.0	1	0.1	3	0.2	3	0.3	6	0.3	4	0.2	3	0.2	7	0.2
	Pediatric Risk	14	1.5	10	1.7	24	1.6	16	1.1	19	2.1	35	1.5	30	1.2	29	2.0	59	1.5
	Unk	142	15.6	0	0.0	142	9.6	129	8.6	0	0.0	129	5.4	271	11.2	0	0.0	271	7.0

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		113.3	100.0	11.7	66.7	100.0	6.9	7.0	100.0	53.3	100.0	60.3	100.0
Sex at Birth	Male	85.3	75.3	.	44.0	66.0	.	5.0	71.4	33.3	62.5	38.3	63.5
	Female	28.0	24.7	.	22.7	34.0	.	2.0	28.6	20.0	37.5	22.0	36.5
Age at Diagnosis	12 & under	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	13-19	5.0	4.4	.	1.3	2.0	.	0.3	4.8	0.0	0.0	0.3	0.6
	20-24	17.7	15.6	.	4.7	7.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	14.3	12.6	.	6.7	10.0	.	0.3	4.8	0.3	0.6	0.7	1.1
	30-39	23.3	20.6	.	14.3	21.5	.	0.3	4.8	4.0	7.5	4.3	7.2
	40-49	22.0	19.4	.	16.0	24.0	.	1.0	14.3	11.0	20.6	12.0	19.9
	50-59	22.0	19.4	.	16.3	24.5	.	4.3	61.9	22.7	42.5	27.0	44.8
	60+	9.0	7.9	.	7.3	11.0	.	0.7	9.5	15.3	28.8	16.0	26.5
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	19.0	16.8	.	9.0	13.5	.	2.0	28.6	8.3	15.6	10.3	17.1
	Black Not-Hispanic	46.3	40.9	.	24.3	36.5	.	3.7	52.4	23.0	43.1	26.7	44.2
	Hispanic	33.0	29.1	.	20.7	31.0	.	0.7	9.5	16.3	30.6	17.0	28.2
	Multi Race	13.0	11.5	.	11.7	17.5	.	0.7	9.5	5.7	10.6	6.3	10.5
	Others	2.0	1.8	.	1.0	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	54.3	47.9	.	24.3	36.5	.	1.3	19.0	10.0	18.8	11.3	18.8
	IDU	5.7	5.0	.	7.3	11.0	.	1.0	14.3	24.7	46.3	25.7	42.5
	MSM/IDU	1.7	1.5	.	0.3	0.5	.	0.3	4.8	4.3	8.1	4.7	7.7
	Heterosexual	25.3	22.4	.	20.3	30.5	.	3.0	42.9	11.0	20.6	14.0	23.2
	Fem Pres Het Cont	13.3	11.8	.	6.7	10.0	.	0.0	0.0	1.7	3.1	1.7	2.8
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	1.0	1.5	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	13.0	11.5	.	6.7	10.0	.	1.3	19.0	1.7	3.1	3.0	5.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		85.3	100.0	28.0	100.0	113.3	100.0	44.0	100.0	22.7	100.0	66.7	100.0
Risk	MSM	54.3	63.7	0.0	0.0	54.3	47.9	24.3	55.3	0.0	0.0	24.3	36.5
	IDU	4.3	5.1	1.3	4.8	5.7	5.0	4.0	9.1	3.3	14.7	7.3	11.0
	MSM/IDU	1.7	2.0	0.0	0.0	1.7	1.5	0.3	0.8	0.0	0.0	0.3	0.5
	Heterosexual	12.0	14.1	13.3	47.6	25.3	22.4	8.0	18.2	12.3	54.4	20.3	30.5
	Fem Pres Het Cont	0.0	0.0	13.3	47.6	13.3	11.8	0.0	0.0	6.7	29.4	6.7	10.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	0.3	1.5	1.0	1.5
	Unk	13.0	15.2	0.0	0.0	13.0	11.5	6.7	15.2	0.0	0.0	6.7	10.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	293	0	188	188
1987	0	192	0	119	119
1988	0	214	0	142	142
1989	0	250	0	165	165
1990	0	266	0	202	202
1991	0	326	0	203	203
1992	0	443	0	242	242
1993	0	394	0	250	250
1994	0	397	0	286	286
1995	0	383	0	286	286
1996	0	324	0	185	185
1997	0	252	0	107	107
1998	0	237	0	121	121
1999	0	183	0	94	94
2000	220	210	3	123	126
2001	155	210	8	76	84
2002	153	188	10	84	94
2003	139	190	18	97	115
2004	161	162	12	76	88
2005	122	161	16	85	101
2006	150	136	10	69	79
2007	136	137	14	75	89
2008	138	114	12	86	98
2009	130	95	6	73	79
2010	143	95	15	73	88
2011	116	65	6	58	64
2012	115	72	12	63	75
2013	109	63	3	39	42

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		74	100.0	178.2	133	100.0	320.2	207	100.0	498.4	41,531
Sex at Birth	Male	70	94.6	.	131	98.5	.	201	97.1	.	.
	Female	4	5.4	.	2	1.5	.	6	2.9	.	.
Current Age	13-19	0	0.0	.	2	1.5	.	2	1.0	.	.
	20-24	0	0.0	.	0	0.0	.	0	0.0	.	.
	25-29	0	0.0	.	1	0.8	.	1	0.5	.	.
	30-39	6	8.1	.	3	2.3	.	9	4.3	.	.
	40-49	27	36.5	.	38	28.6	.	65	31.4	.	.
	50-59	30	40.5	.	61	45.9	.	91	44.0	.	.
	60+	11	14.9	.	28	21.1	.	39	18.8	.	.
Race/Ethnicity	White Not-Hispanic	8	10.8	.	10	7.5	.	18	8.7	.	.
	Black Not-Hispanic	28	37.8	.	58	43.6	.	86	41.5	.	.
	Hispanic	35	47.3	.	56	42.1	.	91	44.0	.	.
	Multi Race	3	4.1	.	7	5.3	.	10	4.8	.	.
	Others	0	0.0	.	2	1.5	.	2	1.0	.	.
Risk	MSM	7	9.5	.	13	9.8	.	20	9.7	.	.
	IDU	36	48.6	.	61	45.9	.	97	46.9	.	.
	MSM/IDU	3	4.1	.	14	10.5	.	17	8.2	.	.
	Heterosexual	5	6.8	.	6	4.5	.	11	5.3	.	.
	Fem Pres Het Cont	2	2.7	.	0	0.0	.	2	1.0	.	.
	Blood Prod	0	0.0	.	1	0.8	.	1	0.5	.	.
	Pediatric Risk	0	0.0	.	2	1.5	.	2	1.0	.	.
	Unk	21	28.4	.	36	27.1	.	57	27.5	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		70	100.0	4	100.0	74	100.0	131	100.0	2	100.0	133	100.0	201	100.0	6	100.0	207	100.0
Risk	MSM	7	10.0	0	0.0	7	9.5	13	9.9	0	0.0	13	9.8	20	10.0	0	0.0	20	9.7
	IDU	34	48.6	2	50.0	36	48.6	60	45.8	1	50.0	61	45.9	94	46.8	3	50.0	97	46.9
	MSM/IDU	3	4.3	0	0.0	3	4.1	14	10.7	0	0.0	14	10.5	17	8.5	0	0.0	17	8.2
	Heterosexual	5	7.1	0	0.0	5	6.8	5	3.8	1	50.0	6	4.5	10	5.0	1	16.7	11	5.3
	Fem Pres Het Cont	0	0.0	2	50.0	2	2.7	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	2	1.0
	Blood Prod	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.8	1	0.5	0	0.0	1	0.5
	Pediatric Risk	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0	2	1.5	2	1.0	0	0.0	2	1.0
	Unk	21	30.0	0	0.0	21	28.4	36	27.5	0	0.0	36	27.1	57	28.4	0	0.0	57	27.5

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		1.3	100.0	3.2	1.3	100.0	3.2	0.3	100.0	1.0	100.0	1.3	100.0
Sex at Birth	Male	1.3	100.0	.	1.3	100.0	.	0.3	100.0	1.0	100.0	1.3	100.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Age at Diagnosis	13-19	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	20-24	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	25-29	0.3	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.7	50.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.3	25.0	.	0.7	50.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.3	100.0	1.0	100.0	1.3	100.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Race/Ethnicity	White Not-Hispanic	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Black Not-Hispanic	0.3	25.0	.	1.0	75.0	.	0.3	100.0	0.3	33.3	0.7	50.0
	Hispanic	0.7	50.0	.	0.3	25.0	.	0.0	0.0	0.3	33.3	0.3	25.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.3	25.0	.	0.3	25.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	25.0	.	0.3	100.0	0.7	66.7	1.0	75.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	25.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	50.0	.	0.7	50.0	.	0.0	0.0	0.3	33.3	0.3	25.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		1.3	100.0	0.0	0.0	1.3	100.0	1.3	100.0	0.0	0.0	1.3	100.0
Risk	MSM	0.3	25.0	0.0	0.0	0.3	25.0	0.3	25.0	0.0	0.0	0.3	25.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	25.0	0.0	0.0	0.3	25.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.3	25.0	0.0	0.0	0.3	25.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Blood Prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Pediatric Risk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.7	50.0	0.0	0.0	0.7	50.0	0.7	50.0	0.0	0.0	0.7	50.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
<1987	0	29	0	19	19
1987	0	17	0	14	14
1988	0	18	0	10	10
1989	0	18	0	8	8
1990	0	17	0	15	15
1991	0	25	0	13	13
1992	0	25	0	14	14
1993	0	31	0	17	17
1994	0	28	0	17	17
1995	0	31	0	19	19
1996	0	33	0	10	10
1997	0	7	0	10	10
1998	0	13	0	7	7
1999	0	9	0	2	2
2000	6	5	3	6	9
2001	1	6	0	2	2
2002	1	4	2	3	5
2003	7	8	1	5	6
2004	1	5	2	9	11
2005	2	9	0	4	4
2006	0	2	1	3	4
2007	2	5	1	2	3
2008	2	4	1	2	3
2009	0	2	0	4	4
2010	1	0	0	4	4
2011	2	2	0	2	2
2012	2	1	0	0	0
2013	0	1	1	1	2

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates***

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Number	Col %	Prevalence Rate**	Population
Total		6	100.0	23.9	6	100.0	23.9	12	100.0	47.7	25,156
Sex at Birth	Male	4	66.7	.	3	50.0	.	7	58.3	.	.
	Female	2	33.3	.	3	50.0	.	5	41.7	.	.
Current Age	25-29	0	0.0	.	1	16.7	.	1	8.3	.	.
	30-39	3	50.0	.	1	16.7	.	4	33.3	.	.
	40-49	1	16.7	.	1	16.7	.	2	16.7	.	.
	50-59	2	33.3	.	2	33.3	.	4	33.3	.	.
	60+	0	0.0	.	1	16.7	.	1	8.3	.	.
Race/Ethnicity	White Not-Hispanic	1	16.7	.	6	100.0	.	7	58.3	.	.
	Black Not-Hispanic	4	66.7	.	0	0.0	.	4	33.3	.	.
	Hispanic	0	0.0	.	0	0.0	.	0	0.0	.	.
	Multi Race	1	16.7	.	0	0.0	.	1	8.3	.	.
	Others	0	0.0	.	0	0.0	.	0	0.0	.	.
Risk	MSM	2	33.3	.	0	0.0	.	2	16.7	.	.
	IDU	0	0.0	.	3	50.0	.	3	25.0	.	.
	MSM/IDU	0	0.0	.	1	16.7	.	1	8.3	.	.
	Heterosexual	1	16.7	.	0	0.0	.	1	8.3	.	.
	Fem Pres Het Cont	1	16.7	.	2	33.3	.	3	25.0	.	.
	Unk	2	33.3	.	0	0.0	.	2	16.7	.	.

Data as of April 2015

*County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

**Per 100,000 population

**Living HIV and AIDS Cases as of December 2013
by Sex at Birth and Risk
Includes State Prison Inmates**

		Living HIV (not AIDS) Cases						Living AIDS Cases						Living HIV and AIDS Cases					
		Male		Female		Total		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		4	100.0	2	100.0	6	100.0	3	100.0	3	100.0	6	100.0	7	100.0	5	100.0	12	100.0
Risk	MSM	2	50.0	0	0.0	2	33.3	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	16.7
	IDU	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3	3	50.0	2	28.6	1	20.0	3	25.0
	MSM/IDU	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0	1	16.7	1	14.3	0	0.0	1	8.3
	Heterosexual	0	0.0	1	50.0	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	1	8.3
	Fem Pres Het Cont	0	0.0	1	50.0	1	16.7	0	0.0	2	66.7	2	33.3	0	0.0	3	60.0	3	25.0
	Unk	2	50.0	0	0.0	2	33.3	0	0.0	0	0.0	0	0.0	2	28.6	0	0.0	2	16.7

Average Annual Newly Diagnosed HIV* and AIDS Cases and Deaths Among HIV and AIDS Cases, 2011-2013
by Sex at Birth, Age, Race/Ethnicity and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)			AIDS Diagnoses (Annual Average)			Deaths Among HIV Cases (Annual Average)		Deaths Among AIDS Cases (Annual Average)		Deaths Among HIV & AIDS Cases (Annual Average)	
		Number	Col %	Case Rate†	Number	Col %	Case Rate†	Number	Col %	Number	Col %	Number	Col %
Total		0.0	0.0	0.0	0.3	100.0	1.3	0.0	0.0	0.3	100.0	0.3	100.0
Sex at Birth	Male	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Female	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Age at Diagnosis	25-29	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	30-39	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	40-49	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	50-59	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	60+	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.3	100.0	0.3	100.0
Race/Ethnicity	White Not-Hispanic	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	Black Not-Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Multi Race	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Others	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
Risk	MSM	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	.	0.3	100.0	.	0.0	0.0	0.3	100.0	0.3	100.0
	MSM/IDU	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	.	0.0	0.0	.	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

†Per 100,000 population

Newly Diagnosed HIV* and AIDS Cases, 2011-2013
by Sex at Birth and Risk
Includes State Prison Inmates*****

		HIV Diagnoses (Annual Average)						AIDS Diagnoses (Annual Average)					
		Male		Female		Total		Male		Female		Total	
		#	Col %	#	Col %	#	Col %	#	Col %	#	Col %	#	Col %
Total		0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
Risk	MSM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.3	100.0	0.0	0.0	0.3	100.0
	MSM/IDU	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Heterosexual	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Fem Pres Het Cont	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Unk	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data as of April 2015

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

***County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

***Newly Diagnosed HIV* and AIDS Cases by Year of Diagnosis**
and Deaths Among Persons Living With HIV and AIDS by Year of Death
Includes State Prison Inmates******

Year	HIV Diagnoses†	AIDS Diagnoses	Deaths Among HIV Cases‡	Deaths Among AIDS Cases‡	Deaths Among HIV and AIDS Cases‡
1989	0	1	0	0	0
1991	0	2	0	2	2
1992	0	1	0	0	0
1993	0	2	0	2	2
1994	0	1	0	2	2
1995	0	2	0	0	0
1996	0	0	0	1	1
2000	1	0	0	0	0
2002	1	0	0	0	0
2003	3	1	0	0	0
2004	1	1	0	1	1
2006	3	1	1	0	1
2008	0	1	1	0	1
2013	0	1	0	1	1

Data as of April 2015

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

****County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.*

†HIV reporting began in June 2000. No earlier data are available.

‡Death may be due to causes other than HIV or AIDS.