
New York State Cascade of HIV Care, 2018

Persons Residing in NYS† at End of 2018



†Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.




‡ PLWDH and persons living with undiagnosed HIV (7.2% for NYC and 14.2% Rest of State)

^{*}Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: New York City, 2018

Persons Residing in NYC† at End of 2018




†Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.





Cascade of HIV Care: NYS excluding NYC, 2018

Persons Residing in NYS, excl. NYC† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Albany Ryan White Region

Persons Residing in the Albany Ryan White Region† (excludes persons who were incarcerated) at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Binghamton Ryan White Region

Persons Residing in the Binghamton Ryan White Region† (excludes persons who were incarcerated) at End of 2018




†Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.





Cascade of HIV Care: Buffalo Ryan White Region

Persons Residing in the Buffalo Ryan White Region† (excludes persons who were incarcerated) at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Lower Hudson Ryan White Region

Persons Residing in the Lower Hudson Ryan White Region† (excludes persons who were incarcerated) at End of 2018







[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Mid Hudson Ryan White Region

Persons Residing in the Mid Hudson Ryan White Region† (excludes persons who were incarcerated) at End of 2018










Cascade of HIV Care: Nassau-Suffolk Ryan White Region

Persons Residing in the Nassau-Suffolk Ryan White Region† (excludes persons who were incarcerated) at End of 2018




†Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.





Cascade of HIV Care: Rochester Ryan White Region

Persons Residing in the Rochester Ryan White Region† (excludes persons who were incarcerated) at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Syracuse Ryan White Region

Persons Residing in the Syracuse Ryan White Region† (excludes persons who were incarcerated) at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: History of Male to Male Sexual Contact§

Persons Residing in NYS† at End of 2018



§ Includes persons with MSM and MSM/IDU HIV transmission risks




[‡] PLWDH and persons living with undiagnosed HIV (15.7% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: History of Injection Drug Use§





§ Includes persons with IDU and MSM/IDU HIV transmission risks




[‡] PLWDH and persons living with undiagnosed HIV (6.5% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Heterosexual






†Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.



[‡] PLWDH and persons living with undiagnosed HIV (14.5% CDC estimate)

Cascade of HIV Care: Black/African-Americans

Persons Residing in NYS† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (14.8% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Hispanics/Latinos

Persons Residing in NYS† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (16.7% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Asian and Pacific Islanders

Persons Residing in NYS† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (19.1% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Males








[‡] PLWDH and persons living with undiagnosed HIV (15.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Females








[‡] PLWDH and persons living with undiagnosed HIV (11.2% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Youth (Persons between 13-24 years old)

Persons Residing in NYS† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (44% CDC estimate)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Adults aged 50 and Older

Persons Residing in NYS† at End of 2018






[‡] PLWDH and persons living with undiagnosed HIV (5.8% CDC estimate of age 55 and older)

^{*} Any VL, CD4, or nucleotide sequence test during the year

Cascade of HIV Care: Men of Color§

Persons Residing in NYS† at End of 2018



§ Includes males (sex assigned at birth) of all race/ethnicity groups except for Non-Hispanic White


‡ PLWDH and persons living with undiagnosed HIV (15.2% CDC estimate of males)



[†]Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.

Cascade of HIV Care: Women of Color§






§ Includes females (sex assigned at birth) of all race/ethnicity groups except for Non-Hispanic White

‡ PLWDH and persons living with undiagnosed HIV (11.2% CDC estimate of females)



[†]Based on most recent address, regardless of where diagnosed. Excludes persons with AIDS with no evidence of care for 5 years and persons with diagnosed HIV (non-AIDS) with no evidence of care for 8 years.

Cascade of HIV Care: History of Male to Male Sexual Contact Among Persons of Color§ Persons Residing in NYS† at End of 2018



§ Includes MSM and MSM/IDU of all race/ethnicity groups except for Non-Hispanic White



[‡] PLWDH and persons living with undiagnosed HIV (15.7% CDC estimate of MSM and MSM/IDU)

* Any VL, CD4, or nucleotide sequence test during the year