

BUREAU OF COMMUNICABLE DISEASE CONTROL STATEWIDE INFLUENZA SURVEILLANCE REPORT FOR WEEK ENDING December 15, 2012


The New York State Department of Health (NYSDOH) collects, compiles, and analyzes information on influenza activity year round in New York State (NYS) and produces this weekly report during the influenza season (October through the following May).¹

During the week ending December 15, 2012:

- Influenza activity level was categorized as widespread.²
- Laboratory-confirmed influenza was reported in **56 counties** plus New York City. There were **2,794** total reports, a **56% increase** over last week.
- Forty-one of 76 specimens submitted to the NYSDOH laboratory were positive for influenza. Thirty-seven were influenza A (H3) and four were influenza B.
- Reports of percent of patient visits for influenza-like illness (ILI³) from ILINet providers was 2.75%, which is above the regional baseline of 2.0%.
- The number of patients admitted to the hospital with laboratory-confirmed influenza or hospitalized patients newly diagnosed with laboratory-confirmed influenza was **219**, a **25% increase** over last week.
- There were **no** influenza-associated pediatric deaths reported this week.

NYS Epidemiologist's Report to the Centers for Disease Control and Prevention (CDC)

Geographic spread of influenza activity in NYS (including NYC).



¹ Information about influenza monitoring in New York City (NYC) is available from the NYC Department of Health and Mental Hygiene website at:

Sporadic: Small numbers of lab-confirmed cases of influenza reported.

http://www.nyc.gov/html/doh/html/home/home.shtml. National influenza surveillance data is available on CDC's FluView website at http://www.cdc.gov/flu/weekly/. ² No Activity: No laboratory-confirmed cases of influenza reported to the NYSDOH.

Local: Increased or sustained numbers of lab-confirmed cases of influenza reported in a single region of New York State; sporadic in rest of state.


Regional: Increased or sustained numbers of lab-confirmed cases of influenza reported in at least three regions but in fewer than 31 of 62 counties. **Widespread:** Increased or sustained numbers of lab confirmed cases of influenza reported in at least 31 of the 62 counties.

Widespread: Increased or sustained numbers of lab-confirmed cases of influenza reported in at least 31 of the 62 counties.

³ ILI = influenza-like illness, defined as temperature \geq 100° F with cough and/or sore throat in the absence of a known cause other than influenza.

Laboratory Reports of Influenza (including NYC)

All laboratories that perform testing on residents of the state report all positive influenza test results to NYSDOH.




* The totals by age groups excludes 185 cases for which age is unknown.

Reporting Week


Influenza Virus Types and Subtypes (excluding NYC)

Wadsworth Center, the NYSDOH public health laboratory, tests specimens from sources including, but not limited to, outpatient healthcare providers (ILINet program) and hospitals (EIP program).

There are 2 common subtypes of Type A influenza viruses – H1 and H3. Each subtype has a slightly different genetic makeup from the other. Rarely, an influenza virus is unable to be typed by the laboratory.



The figures below represent a subset of the specimens tested through the ILINet and EIP programs.



Influenza Antiviral Resistance Testing


The Virology Laboratory at the Wadsworth Center performs surveillance testing for antiviral drug resistance in influenza viruses. The laboratory has not tested any specimens for antiviral resistance yet this season. Information will be updated in subsequent weekly reports.

Additional information regarding national antiviral resistance testing, as well as recommendations for antiviral treatment and chemoprophylaxis of influenza virus infection, can be found at <u>http://www.cdc.gov/flu/weekly/</u>.

Outpatient Doctor's Office Visits for ILI - ILINet Surveillance Program (excluding NYC)

The NYSDOH works with ILINet healthcare providers who report the total number of patients seen and the total number of those patients with complaints of ILI every week.

The CDC uses trends from past years to determine a regional baseline rate of doctors' office visits for illness consistent with influenza. For NYS, the regional baseline is currently 2.0%. Numbers above this regional baseline suggest high levels of illness consistent with influenza in the state.




Emergency Department Visits for ILI - Syndromic Surveillance (excluding NYC)

Hospitals around NYS report the number of patients seen in their emergency departments with complaints of ILI. This is called syndromic surveillance.


An increase in visits to hospital emergency departments for ILI can be one sign that influenza has arrived in that part of NYS.


Visits for symptoms including fever plus sore throat or cough are counted. Syndromic surveillance does not reveal the actual cause of illness, but is thought to correlate with emergency department visits for influenza.



Patients Hospitalized with Laboratory-Confirmed Influenza (including NYC)


Hospitals in NYS and NYC report the number of hospitalized patients with laboratory-confirmed influenza to NYSDOH.⁴





Underlying Health Conditions among Hospitalized Patients

As part of the CDC's Influenza Hospitalization Network, the NYS Emerging Infections Program (EIP) conducts enhanced surveillance for hospitalized cases of laboratory-confirmed influenza among residents of 15 counties.⁵ Medical chart reviews are completed on all identified cases from October 1 through April 30 of the following year.



⁴ 135 (63%) of 213 hospitals reported this week.

⁵ Counties include, in the Capital District: Albany, Columbia, Greene, Montgomery, Rensselaer, Saratoga, Schenectady, and Schoharie; in the Western Region: Genesee, Livingston, Monroe, Ontario, Orleans, Wayne, and Yates.

Healthcare-associated Influenza Activity (including NYC)

Hospitals and nursing homes in New York State self-report outbreaks of influenza. A healthcare-associated outbreak of influenza is defined as one or more confirmed or two or more suspect cases in persons who were admitted to the facility with no signs or symptoms of influenza infection; that is, influenza infections acquired within the facility. Outbreaks are considered confirmed only with positive laboratory testing. This may include a positive rapid antigen test if no other more advanced testing (polymerase chain reaction, viral culture) is performed. Outbreaks are reported based on the date of onset of symptoms in the first identified case.⁶

NYS Healthcare-Associated Influenza Surveillance, 2012-2013															
Week-to-Date	Capital Region			Central Region			Metropolitan			Western Region			Statewic		ide
Week Ending 12/15/12 (CDC wk 50)	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total
# Outbreaks Confirmed Influenza A	1	2	3		11	11	1		1		1	1	2	14	16
# Outbreaks Confirmed Influenza B			0			0		1	1			0	0	1	1
# Outbreaks Confirmed Mixed Influenza A & B		1	1		1	1			0			0	0	2	2
Total # Outbreaks Confirmed Influenza	1	3	4	0	12	12	1	1	2	0	1	1	2	17	19
Total # Outbreaks Suspect Viral Resp Disease			0			0		2	2		1	1	0	3	3
(not including confirmed influenza)			U			0		2	2		1	T	0	3	3
Grand Total # Outbreaks Viral Resp Disease		_				4.2		_						20	22
(including suspect and confirmed influenza)	1	3	4	0	12	12	1	3	4	0	2	2	2	20	22
Season-to-Date	Capital Region			Central Region			Metropolitan			Western Region			Statewide		
Season-to-Date	Cap		egion	Cer	itrai Re	egion		eropo	litan	vves	Leili N	egion	3	tatewi	ue
Week Ending 12/15/12 (CDC wk 50)	<u> </u>		Total	ACF		Total		· ·	Total		LTCF	_			
	<u> </u>		-			-		· ·				_		1	
Week Ending 12/15/12 (CDC wk 50)	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total	ACF	LTCF	Total
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A	ACF	LTCF	Total 4	ACF	LTCF	Total 38	ACF	LTCF 3	Total 6	ACF	LTCF 11	Total 12	ACF 8	LTCF 52	Total 60
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B	ACF	LTCF 3	Total 4 0	ACF	LTCF 35	Total 38 0	ACF	LTCF 3	Total 6 1	ACF	LTCF 11 1	Total 12 1	ACF 8 0	LTCF 52 2	Total 60 2
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B # Outbreaks Confirmed Mixed Influenza A & B	ACF 1	LTCF 3 1 4	Total 4 0 1 5	ACF 3	LTCF 35 2 37	Total 38 0 2 40	ACF 3	LTCF 3 1 4	Total 6 1 0 7	ACF 1	LTCF 11 1 1 13	Total 12 1 1 14	ACF 8 0 0 8	LTCF 52 2 4 58	Total 60 2 4 66
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B # Outbreaks Confirmed Mixed Influenza A & B Total # Outbreaks Confirmed Influenza	ACF 1	LTCF 3	Total 4 0 1	ACF 3	LTCF 35 2	Total 38 0 2	ACF 3	LTCF 3 1	Total 6 1 0	ACF 1	LTCF 11 1	Total 12 1 1	ACF 8 0	LTCF 52 2 4	Total 60 2 4
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B # Outbreaks Confirmed Mixed Influenza A & B Total # Outbreaks Confirmed Influenza Total # Outbreaks Suspect Viral Resp Disease	ACF 1	LTCF 3 1 4 4	Total 4 0 1 5 4	ACF 3	LTCF 35 2 37 4	Total 38 0 2 40 4	ACF 3 3	LTCF 3 1 4 8	Total 6 1 0 7 8	ACF 1	LTCF 11 1 13 6	Total 12 1 1 14 6	ACF 8 0 0 8 0	LTCF 52 2 4 58 22	Total 60 2 4 66 22
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B # Outbreaks Confirmed Mixed Influenza A & B Total # Outbreaks Confirmed Influenza Total # Outbreaks Suspect Viral Resp Disease (not including confirmed influenza)	ACF 1	LTCF 3 1 4	Total 4 0 1 5	ACF 3	LTCF 35 2 37	Total 38 0 2 40	ACF 3	LTCF 3 1 4	Total 6 1 0 7	ACF 1	LTCF 11 1 1 13	Total 12 1 1 14	ACF 8 0 0 8	LTCF 52 2 4 58	Total 60 2 4 66
Week Ending 12/15/12 (CDC wk 50) # Outbreaks Confirmed Influenza A # Outbreaks Confirmed Influenza B # Outbreaks Confirmed Mixed Influenza A & B Total # Outbreaks Confirmed Influenza Total # Outbreaks Suspect Viral Resp Disease (not including confirmed influenza) Grand Total # Outbreaks Viral Resp Disease	ACF 1	LTCF 3 1 4 4	Total 4 0 1 5 4	ACF 3	LTCF 35 2 37 4	Total 38 0 2 40 4	ACF 3 3	LTCF 3 1 4 8	Total 6 1 0 7 8	ACF 1	LTCF 11 1 13 6	Total 12 1 1 14 6	ACF 8 0 0 8 0	LTCF 52 2 4 58 22	Total 60 2 4 66 22

Outbreaks are reported according to the date of onset of symptoms in the first case

⁶ For more information on reporting of healthcare-associated influenza, visit http://goo.gl/siL6W