

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels  
by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| County      | Year of Test           | Number and Average of Children Newly Identified 10 - 14 mcg/dL | Number and Average of Children Newly Identified 15 - 19 mcg/dL | Number and Average of Children Newly Identified ≥ 20 mcg/dL | Total Number and Average of Children Newly Identified ≥ 10 mcg/dL | Number and Average of Children Tested | Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL <sup>1</sup> |
|-------------|------------------------|--|--|---|---|---------------------------------------|---|
| Statewide   | 2005                   | 1,497  | 460  | 326   | 2,283   | 193,239                               | 11.8  |
|             | 2006                   | 1,328  | 448  | 306   | 2,098   | 203,537                               | 10.3  |
|             | 2007                   | 1,216  | 394  | 275   | 1,901   | 207,452                               | 9.2   |
|             | <b>2005-07 average</b> | <b>1,347</b>   | <b>434</b>   | <b>313</b>  | <b>2,094</b>  | 201,409                               | <b>10.4</b>   |
| Albany      | 2005                   | 68   | 29   | 14  | 111   | 4,089                                 | 27.1  |
|             | 2006                   | 40   | 16   | 13  | 69  | 4,177                                 | 16.5  |
|             | 2007                   | 36   | 23   | 18  | 77  | 4,442                                 | 17.3  |
|             | <b>2005-07 average</b> | <b>48</b>  | <b>23</b>  | <b>15</b>   | <b>86</b>   | 4,236                                 | <b>20.2</b>   |
| Allegany    | 2005                   | 3  | 2  | 0   | 5   | 439                                   | 11.4  |
|             | 2006                   | 5  | 0  | 3   | 8   | 485                                   | 16.5  |
|             | 2007                   | 0  | 2  | 2   | 4   | 541                                   | 7.4   |
|             | <b>2005-07 average</b> | <b>3</b>   | <b>1</b>   | <b>2</b>  | <b>6</b>  | 488                                   | <b>11.6</b>   |
| Broome      | 2005                   | 19   | 6  | 11  | 36  | 1,877                                 | 19.2  |
|             | 2006                   | 19   | 5  | 4   | 28  | 2,134                                 | 13.1  |
|             | 2007                   | 26   | 3  | 6   | 35  | 2,225                                 | 15.7  |
|             | <b>2005-07 average</b> | <b>21</b>  | <b>5</b>   | <b>7</b>  | <b>33</b>   | 2,079                                 | <b>15.9</b>   |
| Cattaraugus | 2005                   | 8  | 6  | 3   | 17  | 1,290                                 | 13.2  |
|             | 2006                   | 7  | 1  | 3   | 11  | 1,310                                 | 8.4   |
|             | 2007                   | 10   | 4  | 1   | 15  | 1,408                                 | 10.7  |
|             | <b>2005-07 average</b> | <b>8</b>   | <b>4</b>   | <b>2</b>  | <b>14</b>   | 1,336                                 | <b>10.7</b>   |
| Cayuga      | 2005                   | 11   | 4  | 2   | 17  | 1,096                                 | 15.5  |
|             | 2006                   | 13   | 4  | 4   | 21  | 1,242                                 | 16.9  |
|             | 2007                   | 12   | 4  | 2   | 18  | 1,225                                 | 14.7  |
|             | <b>2005-07 average</b> | <b>12</b>  | <b>4</b>   | <b>3</b>  | <b>19</b>   | 1,188                                 | <b>15.7</b>   |
| Chautauqua  | 2005                   | 23   | 5  | 5   | 33  | 2,236                                 | 14.8  |
|             | 2006                   | 12   | 7  | 4   | 23  | 2,096                                 | 11.0  |
|             | 2007                   | 21   | 8  | 3   | 32  | 2,401                                 | 13.3  |
|             | <b>2005-07 average</b> | <b>19</b>  | <b>7</b>   | <b>4</b>  | <b>29</b>   | 2,244                                 | <b>13.1</b>   |
| Chemung     | 2005                   | 16   | 2  | 2   | 20  | 1,060                                 | 18.9  |
|             | 2006                   | 9  | 3  | 0   | 12  | 1,142                                 | 10.5  |
|             | 2007                   | 8  | 3  | 0   | 11  | 882                                   | 12.5  |
|             | <b>2005-07 average</b> | <b>11</b>  | <b>3</b>   | <b>1</b>  | <b>14</b>   | 1,028                                 | <b>13.9</b>   |
| Chenango    | 2005                   | 4  | 0  | 0   | 4   | 671                                   | 6.0   |
|             | 2006                   | 8  | 3  | 1   | 12  | 783                                   | 15.3  |
|             | 2007                   | 7  | 2  | 0   | 9   | 788                                   | 11.4  |
|             | <b>2005-07 average</b> | <b>6</b>   | <b>2</b>   | <b>0</b>  | <b>8</b>  | 747                                   | <b>11.1</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels  
by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| County   | Year of Test           | Number and Average of Children Newly Identified 10 - 14 mcg/dL | Number and Average of Children Newly Identified 15 - 19 mcg/dL | Number and Average of Children Newly Identified ≥ 20 mcg/dL | Total Number and Average of Children Newly Identified ≥ 10 mcg/dL | Number and Average of Children Tested | Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL <sup>1</sup> |
|----------|------------------------|--|--|---|---|---------------------------------------|---|
| Clinton  | 2005                   | 2  | 3  | 2   | 7   | 1,056                                 | 6.6   |
|          | 2006                   | 1  | 2  | 0   | 3   | 1,127                                 | 2.7   |
|          | 2007                   | 1  | 0  | 1   | 2   | 988                                   | 2.0   |
|          | <b>2005-07 average</b> | <b>1</b>   | <b>2</b>   | <b>1</b>  | <b>4</b>  | 1,057                                 | <b>3.8</b>  |
| Columbia | 2005                   | 12   | 6  | 6   | 24  | 720                                   | 33.3  |
|          | 2006                   | 10   | 2  | 5   | 17  | 837                                   | 20.3  |
|          | 2007                   | 14   | 3  | 2   | 19  | 851                                   | 22.3  |
|          | <b>2005-07 average</b> | <b>12</b>  | <b>4</b>   | <b>4</b>  | <b>20</b>   | 803                                   | <b>26.3</b>   |
| Cortland | 2005                   | 11   | 0  | 0   | 11  | 889                                   | 12.4  |
|          | 2006                   | 7  | 1  | 3   | 11  | 986                                   | 11.2  |
|          | 2007                   | 3  | 1  | 2   | 6   | 1,004                                 | 6.0   |
|          | <b>2005-07 average</b> | <b>7</b>   | <b>1</b>   | <b>2</b>  | <b>9</b>  | 960                                   | <b>9.7</b>  |
| Delaware | 2005                   | 12   | 2  | 0   | 14  | 551                                   | 25.4  |
|          | 2006                   | 6  | 3  | 1   | 10  | 607                                   | 16.5  |
|          | 2007                   | 6  | 1  | 2   | 9   | 549                                   | 16.4  |
|          | <b>2005-07 average</b> | <b>8</b>   | <b>2</b>   | <b>1</b>  | <b>11</b>   | 569                                   | <b>19.3</b>   |
| Dutchess | 2005                   | 28   | 14   | 11  | 53  | 4,928                                 | 10.8  |
|          | 2006                   | 29   | 9  | 9   | 47  | 5,147                                 | 9.1   |
|          | 2007                   | 15   | 7  | 9   | 31  | 5,286                                 | 5.9   |
|          | <b>2005-07 average</b> | <b>24</b>  | <b>10</b>  | <b>10</b>   | <b>44</b>   | 5,120                                 | <b>8.6</b>  |
| Erie     | 2005                   | 250  | 72   | 61  | 383   | 15,265                                | 25.1  |
|          | 2006                   | 249  | 70   | 52  | 371   | 16,359                                | 22.7  |
|          | 2007                   | 243  | 62   | 48  | 353   | 16,973                                | 20.8  |
|          | <b>2005-07 average</b> | <b>247</b>   | <b>68</b>  | <b>54</b>   | <b>369</b>  | 16,199                                | <b>22.8</b>   |
| Essex    | 2005                   | 1  | 0  | 1   | 2   | 338                                   | 5.9   |
|          | 2006                   | 2  | 0  | 0   | 2   | 381                                   | 5.2   |
|          | 2007                   | 2  | 1  | 0   | 3   | 411                                   | 7.3   |
|          | <b>2005-07 average</b> | <b>2</b>   | <b>0</b>   | <b>0</b>  | <b>2</b>  | 377                                   | <b>8.8</b>  |
| Franklin | 2005                   | 3  | 1  | 0   | 4   | 372                                   | 10.8  |
|          | 2006                   | 1  | 2  | 0   | 3   | 355                                   | 8.5   |
|          | 2007                   | 0  | 1  | 0   | 1   | 384                                   | 2.6   |
|          | <b>2005-07 average</b> | <b>1</b>   | <b>1</b>   | <b>0</b>  | <b>2</b>  | 370                                   | <b>7.2</b>  |
| Fulton   | 2005                   | 27   | 5  | 3   | 35  | 789                                   | 44.4  |
|          | 2006                   | 13   | 8  | 5   | 23  | 728                                   | 31.6  |
|          | 2007                   | 22   | 7  | 3   | 32  | 742                                   | 43.1  |
|          | <b>2005-07 average</b> | <b>20</b>  | <b>7</b>   | <b>3</b>  | <b>30</b>   | 753                                   | <b>40.2</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| County     | Year of Test           | Number and Average of Children Newly Identified 10 - 14 mcg/dL | Number and Average of Children Newly Identified 15 - 19 mcg/dL | Number and Average of Children Newly Identified ≥ 20 mcg/dL | Total Number and Average of Children Newly Identified ≥ 10 mcg/dL | Number and Average of Children Tested | Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL <sup>1</sup> |
|------------|------------------------|--|--|---|---|---------------------------------------|---|
| Genesee    | 2005                   | 7  | 2  | 1   | 10  | 592                                   | 16.9  |
|            | 2006                   | 6  | 8  | 1   | 15  | 841                                   | 17.8  |
|            | 2007                   | 3  | 0  | 3   | 6   | 794                                   | 7.6   |
|            | <b>2005-07 average</b> | <b>5</b>   | <b>3</b>   | <b>2</b>  | <b>10</b>   | <b>742</b>                            | <b>13.9</b>   |
| Greene     | 2005                   | 8  | 3  | 1   | 12  | 716                                   | 16.8  |
|            | 2006                   | 7  | 0  | 4   | 11  | 765                                   | 14.4  |
|            | 2007                   | 3  | 3  | 3   | 9   | 642                                   | 14.0  |
|            | <b>2005-07 average</b> | <b>6</b>   | <b>2</b>   | <b>3</b>  | <b>11</b>   | <b>708</b>                            | <b>15.1</b>   |
| Hamilton   | 2005                   | 2  | 0  | 0   | 2   | 46                                    | 43.5  |
|            | 2006                   | 0  | 0  | 0   | 0   | 35                                    | 0.0   |
|            | 2007                   | 1  | 0  | 0   | 1   | 39                                    | 25.6  |
|            | <b>2005-07 average</b> | <b>1</b>   | <b>0</b>   | <b>0</b>  | <b>1</b>  | <b>40</b>                             | <b>25.0</b>   |
| Herkimer   | 2005                   | 16   | 4  | 1   | 21  | 959                                   | 21.9  |
|            | 2006                   | 18   | 8  | 1   | 27  | 1,162                                 | 23.2  |
|            | 2007                   | 7  | 4  | 5   | 16  | 1,119                                 | 14.3  |
|            | <b>2005-07 average</b> | <b>14</b>  | <b>5</b>   | <b>2</b>  | <b>21</b>   | <b>1,080</b>                          | <b>19.7</b>   |
| Jefferson  | 2005                   | 13   | 6  | 1   | 20  | 2,101                                 | 9.5   |
|            | 2006                   | 9  | 5  | 1   | 15  | 2,227                                 | 6.7   |
|            | 2007                   | 7  | 3  | 0   | 10  | 2,405                                 | 4.2   |
|            | <b>2005-07 average</b> | <b>10</b>  | <b>5</b>   | <b>1</b>  | <b>16</b>   | <b>2,244</b>                          | <b>6.7</b>  |
| Lewis      | 2005                   | 3  | 0  | 1   | 4   | 331                                   | 12.1  |
|            | 2006                   | 4  | 0  | 1   | 5   | 326                                   | 15.3  |
|            | 2007                   | 5  | 1  | 2   | 8   | 399                                   | 20.1  |
|            | <b>2005-07 average</b> | <b>4</b>   | <b>0</b>   | <b>1</b>  | <b>5</b>  | <b>352</b>                            | <b>17.0</b>   |
| Livingston | 2005                   | 11   | 2  | 2   | 15  | 669                                   | 22.4  |
|            | 2006                   | 3  | 0  | 1   | 4   | 673                                   | 5.9   |
|            | 2007                   | 6  | 2  | 0   | 8   | 676                                   | 11.8  |
|            | <b>2005-07 average</b> | <b>7</b>   | <b>1</b>   | <b>1</b>  | <b>9</b>  | <b>673</b>                            | <b>13.4</b>   |
| Madison    | 2005                   | 5  | 3  | 0   | 8   | 930                                   | 8.6   |
|            | 2006                   | 4  | 4  | 1   | 9   | 930                                   | 9.7   |
|            | 2007                   | 5  | 1  | 0   | 6   | 1,197                                 | 5.0   |
|            | <b>2005-07 average</b> | <b>5</b>   | <b>3</b>   | <b>0</b>  | <b>8</b>  | <b>1,019</b>                          | <b>7.5</b>  |
| Monroe     | 2005                   | 186  | 39   | 34  | 259   | 12,940                                | 20.0  |
|            | 2006                   | 181  | 53   | 39  | 273   | 14,114                                | 19.3  |
|            | 2007                   | 149  | 46   | 26  | 221   | 13,851                                | 16.0  |
|            | <b>2005-07 average</b> | <b>172</b>   | <b>46</b>  | <b>33</b>   | <b>251</b>  | <b>13,635</b>                         | <b>18.6</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| County     | Year of Test           | Number and Average of Children Newly Identified 10 - 14 mcg/dL | Number and Average of Children Newly Identified 15 - 19 mcg/dL | Number and Average of Children Newly Identified ≥ 20 mcg/dL | Total Number and Average of Children Newly Identified ≥ 10 mcg/dL | Number and Average of Children Tested | Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL <sup>1</sup> |
|------------|------------------------|--|--|---|---|---------------------------------------|---|
| Montgomery | 2005                   | 29   | 14   | 5   | 48  | 815                                   | 58.9  |
|            | 2006                   | 22   | 12   | 4   | 38  | 884                                   | 43.0  |
|            | 2007                   | 11   | 5  | 3   | 19  | 884                                   | 21.5  |
|            | <b>2005-07 average</b> | <b>21</b>  | <b>10</b>  | <b>4</b>  | <b>35</b>   | <b>861</b>                            | <b>41.4</b>   |
| Nassau     | 2005                   | 38   | 18   | 8   | 64  | 28,563                                | 2.2   |
|            | 2006                   | 55   | 18   | 12  | 85  | 30,015                                | 2.8   |
|            | 2007                   | 59   | 18   | 13  | 90  | 29,897                                | 3.0   |
|            | <b>2005-07 average</b> | <b>51</b>  | <b>18</b>  | <b>11</b>   | <b>80</b>   | <b>29,492</b>                         | <b>2.7</b>  |
| Niagara    | 2005                   | 29   | 7  | 3   | 39  | 3,216                                 | 12.1  |
|            | 2006                   | 33   | 8  | 6   | 47  | 3,190                                 | 14.7  |
|            | 2007                   | 12   | 2  | 4   | 18  | 3,341                                 | 5.4   |
|            | <b>2005-07 average</b> | <b>25</b>  | <b>6</b>   | <b>4</b>  | <b>35</b>   | <b>3,249</b>                          | <b>10.4</b>   |
| Oneida     | 2005                   | 100  | 33   | 19  | 152   | 3,102                                 | 49.0  |
|            | 2006                   | 71   | 28   | 11  | 110   | 3,160                                 | 34.8  |
|            | 2007                   | 80   | 27   | 20  | 127   | 3,259                                 | 39.0  |
|            | <b>2005-07 average</b> | <b>84</b>  | <b>29</b>  | <b>17</b>   | <b>130</b>  | <b>3,174</b>                          | <b>40.8</b>   |
| Onondaga   | 2005                   | 101  | 40   | 30  | 171   | 9,736                                 | 17.6  |
|            | 2006                   | 88   | 33   | 25  | 146   | 10,797                                | 13.5  |
|            | 2007                   | 83   | 33   | 24  | 140   | 10,923                                | 12.8  |
|            | <b>2005-07 average</b> | <b>91</b>  | <b>35</b>  | <b>26</b>   | <b>152</b>  | <b>10,485</b>                         | <b>14.6</b>   |
| Ontario    | 2005                   | 13   | 4  | 2   | 19  | 1,490                                 | 12.8  |
|            | 2006                   | 9  | 1  | 0   | 10  | 1,462                                 | 6.8   |
|            | 2007                   | 4  | 3  | 0   | 7   | 1,680                                 | 4.2   |
|            | <b>average</b>         | <b>9</b>   | <b>3</b>   | <b>1</b>  | <b>12</b>   | <b>1,544</b>                          | <b>7.6</b>  |
| Orange     | 2005                   | 105  | 21   | 30  | 156   | 8,243                                 | 18.9  |
|            | 2006                   | 69   | 34   | 26  | 129   | 8,546                                 | 15.1  |
|            | 2007                   | 57   | 18   | 19  | 94  | 8,196                                 | 11.5  |
|            | <b>2005-07 average</b> | <b>77</b>  | <b>24</b>  | <b>25</b>   | <b>126</b>  | <b>8,328</b>                          | <b>15.1</b>   |
| Orleans    | 2005                   | 5  | 4  | 2   | 11  | 435                                   | 25.3  |
|            | 2006                   | 4  | 2  | 5   | 11  | 490                                   | 22.4  |
|            | 2007                   | 11   | 7  | 1   | 19  | 562                                   | 33.8  |
|            | <b>2005-07 average</b> | <b>7</b>   | <b>4</b>   | <b>3</b>  | <b>14</b>   | <b>496</b>                            | <b>27.5</b>   |
| Oswego     | 2005                   | 8  | 1  | 2   | 11  | 1,462                                 | 7.5   |
|            | 2006                   | 8  | 1  | 2   | 11  | 1,386                                 | 7.9   |
|            | 2007                   | 13   | 8  | 3   | 24  | 1,829                                 | 13.1  |
|            | <b>2005-07 average</b> | <b>10</b>  | <b>3</b>   | <b>2</b>  | <b>15</b>   | <b>1,559</b>                          | <b>9.8</b>  |
| Otsego     | 2005                   | 10   | 4  | 3   | 17  | 908                                   | 18.7  |
|            | 2006                   | 8  | 3  | 0   | 11  | 830                                   | 13.3  |
|            | 2007                   | 6  | 2  | 2   | 10  | 846                                   | 11.8  |
|            | <b>2005-07 average</b> | <b>8</b>   | <b>3</b>   | <b>2</b>  | <b>13</b>   | <b>861</b>                            | <b>14.7</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels  
by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| County       | Year of Test           | Number and Average of Children Newly Identified 10 - 14 mcg/dL | Number and Average of Children Newly Identified 15 - 19 mcg/dL | Number and Average of Children Newly Identified ≥ 20 mcg/dL | Total Number and Average of Children Newly Identified ≥ 10 mcg/dL | Number and Average of Children Tested | Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL <sup>1</sup> |
|--------------|------------------------|--|--|---|---|---------------------------------------|---|
| Putnam       | 2005                   | 3  | 0  | 4   | 7   | 1,691                                 | 4.1   |
|              | 2006                   | 3  | 0  | 0   | 3   | 1,799                                 | 1.7   |
|              | 2007                   | 4  | 0  | 1   | 5   | 1,770                                 | 2.8   |
|              | <b>2005-07 average</b> | <b>3</b>   | <b>0</b>   | <b>2</b>  | <b>5</b>  | 1,753                                 | <b>2.9</b>  |
| Rensselaer   | 2005                   | 25   | 10   | 1   | 36  | 2,192                                 | 16.4  |
|              | 2006                   | 26   | 8  | 9   | 43  | 2,283                                 | 18.8  |
|              | 2007                   | 21   | 11   | 7   | 39  | 2,446                                 | 15.9  |
|              | <b>2005-07 average</b> | <b>24</b>  | <b>10</b>  | <b>6</b>  | <b>40</b>   | 2,307                                 | <b>16.6</b>   |
| Rockland     | 2005                   | 12   | 6  | 4   | 22  | 6,778                                 | 3.2   |
|              | 2006                   | 22   | 5  | 4   | 31  | 7,417                                 | 4.2   |
|              | 2007                   | 18   | 6  | 8   | 32  | 7,199                                 | 4.4   |
|              | <b>2005-07 average</b> | <b>17</b>  | <b>6</b>   | <b>5</b>  | <b>28</b>   | 7,131                                 | <b>4.0</b>  |
| St. Lawrence | 2005                   | 6  | 0  | 1   | 7   | 1,173                                 | 6.0   |
|              | 2006                   | 10   | 1  | 1   | 12  | 1,228                                 | 9.8   |
|              | 2007                   | 6  | 2  | 1   | 9   | 1,206                                 | 7.5   |
|              | <b>2005-07 average</b> | <b>7</b>   | <b>1</b>   | <b>1</b>  | <b>9</b>  | 1,202                                 | <b>3.9</b>  |
| Saratoga     | 2005                   | 6  | 3  | 2   | 11  | 2,823                                 | 3.9   |
|              | 2006                   | 9  | 3  | 3   | 15  | 3,150                                 | 4.8   |
|              | 2007                   | 11   | 0  | 0   | 11  | 3,452                                 | 3.2   |
|              | <b>2005-07 average</b> | <b>9</b>   | <b>2</b>   | <b>2</b>  | <b>13</b>   | 3,142                                 | <b>12.1</b>   |
| Schenectady  | 2005                   | 27   | 8  | 4   | 39  | 2,485                                 | 15.7  |
|              | 2006                   | 12   | 7  | 7   | 26  | 2,508                                 | 10.4  |
|              | 2007                   | 19   | 3  | 4   | 26  | 2,534                                 | 10.3  |
|              | <b>2005-07 average</b> | <b>19</b>  | <b>6</b>   | <b>5</b>  | <b>30</b>   | 2,509                                 | <b>13.2</b>   |
| Schoharie    | 2005                   | 2  | 0  | 1   | 3   | 292                                   | 10.3  |
|              | 2006                   | 5  | 1  | 0   | 6   | 293                                   | 20.5  |
|              | 2007                   | 2  | 1  | 0   | 3   | 325                                   | 9.2   |
|              | <b>2005-07 average</b> | <b>3</b>   | <b>1</b>   | <b>0</b>  | <b>4</b>  | 303                                   | <b>23.2</b>   |
| Schuyler     | 2005                   | 3  | 0  | 0   | 3   | 180                                   | 16.7  |
|              | 2006                   | 5  | 0  | 1   | 6   | 221                                   | 27.1  |
|              | 2007                   | 4  | 1  | 0   | 5   | 202                                   | 24.8  |
|              | <b>2005-07 average</b> | <b>4</b>   | <b>0</b>   | <b>0</b>  | <b>4</b>  | 201                                   | <b>4.5</b>  |
| Seneca       | 2005                   | 2  | 0  | 0   | 2   | 328                                   | 6.1   |
|              | 2006                   | 0  | 1  | 1   | 2   | 364                                   | 5.5   |
|              | 2007                   | 1  | 0  | 0   | 1   | 426                                   | 2.3   |
|              | <b>2005-07 average</b> | <b>1</b>   | <b>0</b>   | <b>0</b>  | <b>1</b>  | 373                                   | <b>8.1</b>  |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels  
by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| <b>County</b>     | <b>Year of Test</b>    | <b>Number and Average of Children Newly Identified 10 - 14 mcg/dL</b> | <b>Number and Average of Children Newly Identified 15 - 19 mcg/dL</b> | <b>Number and Average of Children Newly Identified ≥ 20 mcg/dL</b> | <b>Total Number and Average of Children Newly Identified ≥ 10 mcg/dL</b> | <b>Number and Average of Children Tested</b> | <b>Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL<sup>1</sup></b> |
|-------------------|------------------------|---|---|--|--|--|---|
| <b>Steuben</b>    | 2005                   | 10  | 3   | 4  | 17   | 1,415  | 12.0  |
|                   | 2006                   | 14  | 5   | 2  | 21   | 1,430  | 14.7  |
|                   | 2007                   | 13  | 2   | 1  | 16   | 1,451  | 11.0  |
|                   | <b>2005-07 average</b> | <b>12</b>   | <b>3</b>  | <b>2</b>   | <b>18</b>  | 1,432  | <b>12.6</b>   |
| <b>Suffolk</b>    | 2005                   | 44  | 14  | 2  | 60   | 23,577                                       | 2.5   |
|                   | 2006                   | 39  | 9   | 7  | 55   | 25,532                                       | 2.2   |
|                   | 2007                   | 28  | 6   | 4  | 37   | 26,122                                       | 1.4   |
|                   | <b>2005-07 average</b> | <b>37</b>   | <b>9</b>  | <b>4</b>   | <b>51</b>  | 25,077                                       | <b>2.0</b>  |
| <b>Sullivan</b>   | 2005                   | 11  | 4   | 1  | 16   | 1,046  | 15.3  |
|                   | 2006                   | 3   | 3   | 1  | 7  | 1,053  | 6.6   |
|                   | 2007                   | 3   | 2   | 1  | 6  | 1,302  | 4.6   |
|                   | <b>2005-07 average</b> | <b>6</b>  | <b>3</b>  | <b>1</b>   | <b>10</b>  | 1,134  | <b>8.5</b>  |
| <b>Tioga</b>      | 2005                   | 5   | 1   | 1  | 7  | 506  | 13.8  |
|                   | 2006                   | 6   | 1   | 0  | 7  | 544  | 12.9  |
|                   | 2007                   | 7   | 1   | 0  | 8  | 641  | 12.5  |
|                   | <b>2005-07 average</b> | <b>6</b>  | <b>1</b>  | <b>0</b>   | <b>7</b>   | 564  | <b>13.0</b>   |
| <b>Tompkins</b>   | 2005                   | 1   | 1   | 0  | 2  | 1,126  | 1.8   |
|                   | 2006                   | 4   | 1   | 1  | 6  | 1,101  | 5.4   |
|                   | 2007                   | 0   | 0   | 0  | 0  | 1,134  | 0.0   |
|                   | <b>2005-07 average</b> | <b>2</b>  | <b>1</b>  | <b>0</b>   | <b>3</b>   | 1,120  | <b>2.4</b>  |
| <b>Ulster</b>     | 2005                   | 20  | 6   | 2  | 28   | 2,629  | 10.7  |
|                   | 2006                   | 17  | 4   | 7  | 28   | 2,813  | 10.0  |
|                   | 2007                   | 20  | 9   | 5  | 34   | 2,874  | 11.8  |
|                   | <b>2005-07 average</b> | <b>19</b>   | <b>6</b>  | <b>5</b>   | <b>30</b>  | 2,772  | <b>10.8</b>   |
| <b>Warren</b>     | 2005                   | 5   | 3   | 0  | 8  | 697  | 11.5  |
|                   | 2006                   | 3   | 2   | 0  | 5  | 803  | 6.2   |
|                   | 2007                   | 2   | 0   | 0  | 2  | 937  | 2.1   |
|                   | <b>2005-07 average</b> | <b>3</b>  | <b>2</b>  | <b>0</b>   | <b>5</b>   | 812  | <b>6.6</b>  |
| <b>Washington</b> | 2005                   | 9   | 2   | 1  | 12   | 676  | 17.8  |
|                   | 2006                   | 10  | 4   | 3  | 17   | 766  | 22.2  |
|                   | 2007                   | 8   | 0   | 0  | 8  | 892  | 9.0   |
|                   | <b>2005-07 average</b> | <b>9</b>  | <b>2</b>  | <b>1</b>   | <b>12</b>  | 778  | <b>15.8</b>   |
| <b>Wayne</b>      | 2005                   | 12  | 5   | 2  | 19   | 1,252  | 15.2  |
|                   | 2006                   | 13  | 5   | 4  | 22   | 1,449  | 15.2  |
|                   | 2007                   | 11  | 1   | 1  | 13   | 1,523  | 8.5   |
|                   | <b>2005-07 average</b> | <b>12</b>   | <b>4</b>  | <b>2</b>   | <b>18</b>  | 1,408  | <b>12.8</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.

**Table 2a: Number and Average of Children Under Age Six Years Newly Identified with Elevated Blood Lead Levels by Incident Blood Lead Level and County of Residence, 2005 - 2007  
New York State Excluding New York City**

| <b>County</b>      | <b>Year of Test</b>    | <b>Number and Average of Children Newly Identified 10 - 14 mcg/dL</b> | <b>Number and Average of Children Newly Identified 15 - 19 mcg/dL</b> | <b>Number and Average of Children Newly Identified ≥ 20 mcg/dL</b> | <b>Total Number and Average of Children Newly Identified ≥ 10 mcg/dL</b> | <b>Number and Average of Children Tested</b> | <b>Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL<sup>1</sup></b> |
|--------------------|------------------------|---|---|--|--|--|---|
| <b>Westchester</b> | 2005                   | 101   | 32  | 30   | 163  | 26,792                                       | 6.1   |
|                    | 2006                   | 87  | 33  | 21   | 141  | 26,310                                       | 5.4   |
|                    | 2007                   | 85  | 35  | 31   | 151  | 26,523                                       | 5.7   |
|                    | <b>2005-07 average</b> | <b>91</b>   | <b>33</b>   | <b>27</b>  | <b>151</b>   | 26,542                                       | <b>5.7</b>  |
| <b>Wyoming</b>     | 2005                   | 3   | 0   | 0  | 3  | 422  | 7.1   |
|                    | 2006                   | 3   | 1   | 4  | 8  | 426  | 18.8  |
|                    | 2007                   | 3   | 0   | 0  | 3  | 500  | 6.0   |
|                    | <b>2005-07 average</b> | <b>3</b>  | <b>0</b>  | <b>1</b>   | <b>4</b>   | 449  | <b>10.4</b>   |
| <b>Yates</b>       | 2005                   | 3   | 0   | 0  | 3  | 239  | 12.6  |
|                    | 2006                   | 9   | 0   | 1  | 10   | 317  | 31.5  |
|                    | 2007                   | 2   | 0   | 0  | 2  | 354  | 5.6   |
|                    | <b>2005-07 average</b> | <b>5</b>  | <b>0</b>  | <b>0</b>   | <b>5</b>   | 303  | <b>16.4</b>   |

<sup>1</sup>Numbers were rounded when calculating averages. Averages were not used in calculating total incident numbers and rates.