

**Table 2b: Incidence Rate of Elevated Blood Lead Levels Among Children Under Age Six Years
by Blood Lead Level Category and County of Residence;
Three-Year Average, 2005 - 2007¹
New York State Excluding New York City**

 County	Three-Year Average Incidence Rate per 1,000 Children Tested 10 - 14 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested 15 - 19 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested ≥ 20 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL
Statewide (excluding NYC)	6.7	2.2	1.6	10.4
Albany	11.3	5.3	3.5	20.2
Allegany	5.4	2.7	3.4	11.6
Broome	10.3	2.2	3.4	15.9
Cattaraugus	6.2	2.7	1.7	10.7
Cayuga	10.1	3.4	2.2	15.7
Chauttaqua	8.3	3	1.8	13.1
Chemung	10.7	2.6	0.6	13.9
Chenango	8.5	2.2	0.4	11.1
Clinton	1.3	1.6	0.9	3.8
Columbia	16.5	4.5	5.3	26.3
Cortland	7.3	0.7	1.7	9.7
Delaware	14	3.5	1.8	19.3
Dutchess	4.7	2	1.8	8.6
Erie	15.3	4.2	3.3	22.8
Essex	7.1	0.9	0.9	8.8
Franklin	3.6	3.6	0	7.2
Fulton	27.1	8.7	4.4	40.2
Genesee	7.2	4.5	2.2	13.9
Greene	8.5	2.8	3.8	15.1
Hamilton	25	0	0	25.0
Herkimer	12.6	4.9	2.2	19.7
Jefferson	4.3	2.1	0.3	6.7
Lewis	12.3	0.9	3.8	17.0
Livingston	9.9	2	1.5	13.4
Madison	4.6	2.6	0.3	7.5
Monroe	12.7	3.4	2.5	18.6
Montgomery	24.7	12	4.6	41.4
Nassau	1.7	0.6	0.4	2.7
Niagara	7.4	1.6	1.3	10.4
Oneida	26.4	9.2	5.2	40.8
Onondaga	8.7	3.4	2.5	14.6
Ontario	5.4	1.7	0.4	7.6
Orange	9.3	2.9	3	15.1
Orleans	13.4	8.7	5.4	27.5
Oswego	6.2	2.1	1.5	9.8
Otsego	9.3	3.5	1.9	14.7
Putnam	1.9	0	1	2.9
Rensselaer	10.1	4	2.5	16.6
Rockland	2.4	0.8	0.8	4.0
Saratoga	2.8	0.6	0.5	3.9
Schenectady	7.7	2.4	2	12.1
Schoharie	9.9	2.2	1.1	13.2
Schuyler	19.9	1.7	1.7	23.2
Seneca	2.7	0.9	0.9	4.5

¹ Incidence rates are not presented for individual test years. Instead, a three-year average is calculated to control for instability in rates that may result due to small numbers in an individual test year.

**Table 2b: Incidence Rate of Elevated Blood Lead Levels Among Children Under Age Six Years
by Blood Lead Level Category and County of Residence;
Three-Year Average, 2005 - 2007¹
New York State Excluding New York City**

County	Three-Year Average Incidence Rate per 1,000 Children Tested 10 - 14 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested 15 - 19 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested ≥ 20 mcg/dL	Three-Year Average Incidence Rate per 1,000 Children Tested ≥ 10 mcg/dL
St. Lawrence	6.4	0.8	0.8	8.1
Steuben	8.6	2.3	1.6	12.6
Suffolk	1.5	0.4	0.2	2.0
Sullivan	5	2.6	0.9	8.5
Tioga	10.6	1.8	0.6	13.0
Tompkins	1.5	0.6	0.3	2.4
Ulster	6.7	2.4	1.7	10.8
Warren	4.5	2	0	6.6
Washington	11.6	2.6	1.7	15.8
Wayne	8.5	2.6	1.7	12.8
Westchester	3.4	1.2	1	5.7
Wyoming	6.7	0.7	3	10.4
Yates	15.4	0	1.1	16.4

¹ Incidence rates are not presented for individual test years. Instead, a three-year average is calculated to control for instability in rates that may result due to small numbers in an individual test year.