

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	QHP_HMO, QHP_POS, QHP_PPO, QHP_EPO
GENERAL INFO	30	25	54	Member ID	Member ID should be the Unique Identifier that is used in the All Payer Database (APD) (not the ID used in HEDIS calculations).
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to enrollment data. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' if this member is female 'M' if this member is male 'O' if the member refused to provide gender No other characters are allowed
ABA	1	66	66	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ABA	1	67	67	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

## NYS Patient-Level Detail File Specifications

### MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): Hib	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	89	89	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA	1	90	90	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	91	91	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	92	92	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	93	93	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	94	94	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS	1	95	95	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	96	96	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	97	97	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	98	98	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	99	99	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

## NYS Patient-Level Detail File Specifications

### MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CHL	1	100	100	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	101	101	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	102	102	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	103	103	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	104	104	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CWP	1	105	105	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	106	106	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	107	107	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	108	108	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	109	109	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	1	110	110	Denominator for Appropriate Testing Pharyngitis (CWP): Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	1	111	111	Numerator for Appropriate Testing Pharyngitis (CWP): Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	112	112	Denominator for Medication Management for People with Asthma (MMA): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	113	113	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	114	114	Denominator for Medication Management for People with Asthma (MMA): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	115	115	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	116	116	Denominator for Medication Management for People with Asthma (MMA): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	117	117	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	118	118	Denominator for Medication Management for People with Asthma (MMA): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	119	119	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CBP	1	120	120	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	121	121	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	122	122	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	123	123	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	124	124	Denominator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	125	125	Numerator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	126	126	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	127	127	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	128	128	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	129	129	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMM	1	130	130	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	131	131	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	132	132	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	133	134	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	135	136	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	1	137	137	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
URI	1	138	138	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	1	139	139	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
URI	1	140	140	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	1	141	141	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
URI	1	142	142	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
URI	1	143	143	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
URI	1	144	144	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAB	1	145	145	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAB	1	146	146	Numerator for Avoidance of Antibiotic Treatmentfor Acute Bronchitis/Bronchiolitis (AAB): 3-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAB	1	147	147	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAB	1	148	148	Numerator for Avoidance of Antibiotic Treatmentfor Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAB	1	149	149	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAB	1	150	150	Numerator for Avoidance of Antibiotic Treatmentfor Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAB	1	151	151	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAB	1	152	152	Numerator for Avoidance of Antibiotic Treatmentfor Acute Bronchitis/Bronchiolitis (AAB): Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	153	153	Denominator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
LBP	1	154	154	Numerator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	155	155	Denominator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	156	156	Numerator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	157	157	Denominator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	158	158	Numerator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	159	159	Denominator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	160	160	Numerator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	161	161	Denominator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	162	162	Numerator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	163	163	Denominator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADV	1	164	164	Numerator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	165	165	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	166	166	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	167	167	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	168	168	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	169	169	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	170	170	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	171	171	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	172	172	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

## NYS Patient-Level Detail File Specifications

### MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	173	173	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	174	174	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	175	175	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	176	176	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	177	177	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	178	178	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	179	179	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	180	180	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	181	181	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	182	182	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	183	183	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	184	184	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	185	186	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	187	188	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	189	190	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	191	192	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W15	1	193	193	Denominator for Well-Child Visits in the First 15 Months of Life (W15)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W15	1	194	194	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Six or more Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W34	1	195	195	Denominator for Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W34	1	196	196	Numerator for Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS Patient-Level Detail File Specifications**  
**MARKETPLACE**

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDC	1	197	197	Denominator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	198	198	Numerator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	199	199	Denominator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	200	200	Numerator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	201	201	Denominator for Rate 3: Statins	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	202	202	Numerator for Rate 3: Statins	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS Patient-Level Detail File Specifications**  
**MARKETPLACE**

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	2	203	204	Age Grouping for the member as of December 31 of the measurement year	Enter the age grouping for the member's age as of December 31 of the measurement year. 00 = < 1 year 01 = 1-4 yrs. 02 = 5-9 yrs. 03 = 10-14 yrs. 04 = 15-17 yrs. 05 = 18-19 yrs. 06 = 20-24 yrs. 07 = 25-29 yrs. 08 = 30-34 yrs. 09 = 35-39 yrs. 10 = 40-44 yrs. 11 = 45-49 yrs. 12 = 50-54 yrs. 13 = 55-59 yrs. 14 = 60-64 yrs. 15 = 65 and up 99 = Unknown
General Info	1	205	205	Race	Enter the member's race: 1=White 2=Black 3=Asian/Pacific Islander 4=American Indian/Alaskan Native 5=Other 9=Unknown 0=Declined
General Info	1	206	206	Ethnicity	Enter the Member's ethnicity: 1=Hispanic 2=Non-Hispanic 9=Unknown 0=Declined

# NYS Patient-Level Detail File Specifications

## MARKETPLACE

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	1	207	207	Language Spoken	Enter the member's spoken language: 1=English 2=Non-English 9=Unknown 0=Declined
General Info	3	208	210	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
General Info	3	211	213	Indirect Race Estimate - White	Enter the indirectly estimated probability of the member's race being White as a percentage of 100
General Info	3	214	216	Indirect Race Estimate -Black	Enter the indirectly estimated probability of the member's race being Black as a percentage of 100
General Info	3	217	219	Indirect Race Estimate - Asian/Pacific Islander	Enter the indirectly estimated probability of the member's race being Asian/Pacific Islander as a percentage of 100
General Info	3	220	222	Indirect Race Estimate -American Indian/Alaskan Native	Enter the indirectly estimated probability of the member's race being American Indian/Alaskan Native as a percentage of 100
General Info	3	223	225	Indirect Race Estimate -Other	Enter the indirectly estimated probability of the member's race being Other as a percentage of 100
General Info	3	226	228	Indirect Race Estimate -Hispanic	Enter the indirectly estimated probability of the member's ethnicity being Hispanic as a percentage of 100
General Info	1	229	229	Metal Level	Enter the Metal level of coverage the enrollee is covered under. 1=Platinum 2 = Gold 3 = Silver 4 = Bronze 5 = Catastrophic 9 = Unknown
General Info	1	230	230	Marketplace Product	Enter the '1' if the member enrolled through the Marketplace in an individual benefit, '2' if the member enrolled outside of the Marketplace in an individual benefit, '3' if the member enrolled in the Small Business Health Options Program (SHOP) through the Marketplace, '4' if the member enrolled in the Small Business outside the Marketplace, and '9' if unknown.

**NYS Patient-Level Detail File Specifications**  
**MARKETPLACE**

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
INR	1	231	231	Denominator for International Normalized ratio Monitoring for Individuals on Warfarin	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
INR	1	232	232	Numerator for International Normalized ratio Monitoring for Individuals on Warfarin	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS Patient-Level Detail File Specifications**

**MARKETPLACE**

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
---------	------------------	-----------------	---------------	-------	---------------

**NYS Patient-Level Detail File Specifications**  
**MARKETPLACE**

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
---------	------------------	-----------------	---------------	-------	---------------

Denominator for Use of Opioids at High Dosage (UOD)  
Numerator for Use of Opioids at High Dosage (UOD)