

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	MEDICAID, HIVSNP, HARP
GENERAL INFO	30	25	54	Member ID	Member ID should be Medicaid Client ID Number (CIN). For Medicaid: AA##### For CHP: 0##### or 5#####
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
ABA	1	66	66	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ABA	1	67	67	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	92	92	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	93	93	Numerator for Childhood Immunization Status (CIS): Combo 4	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	94	94	Numerator for Childhood Immunization Status (CIS): Combo 5	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	95	95	Numerator for Childhood Immunization Status (CIS): Combo 6	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	96	96	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	97	97	Numerator for Childhood Immunization Status (CIS): Combo 8	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	98	98	Numerator for Childhood Immunization Status (CIS): Combo 9	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	99	99	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	100	100	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	101	101	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	102	102	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	103	103	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	104	104	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA	1	105	105	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	106	106	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	107	107	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	108	108	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS	1	109	109	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	110	110	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	111	111	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	112	112	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	113	113	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	114	114	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	115	115	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	116	117	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	118	119	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	120	121	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	122	123	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	124	125	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	126	127	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	128	129	Denominator for Appropriate Testing Pharyngitis (CWP): Total	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	130	131	Numerator for Appropriate Testing Pharyngitis (CWP): Total	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SPR	1	132	132	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPR	1	133	133	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	134	135	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	136	137	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	138	139	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
MMA	1	140	140	Denominator for Medication Management for People with Asthma (MMA): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	141	141	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	142	142	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	143	143	Denominator for Medication Management for People with Asthma (MMA): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	144	144	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
MMA	1	145	145	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	146	146	Denominator for Medication Management for People with Asthma (MMA): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	147	147	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	148	148	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	149	149	Denominator for Medication Management for People with Asthma (MMA): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
MMA	1	150	150	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 50%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
MMA	1	151	151	Numerator for Medication Management for People with Asthma (MMA): Medication Compliance 75%, 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	152	152	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	153	153	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	154	154	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	155	155	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	156	156	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	157	157	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	158	158	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	159	159	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CBP	1	160	160	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	161	161	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	162	162	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	163	163	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	164	164	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	165	165	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	166	166	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	167	167	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	168	168	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	169	169	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	170	170	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	171	171	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	172	172	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	173	173	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	174	174	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CDC	1	175	175	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	176	176	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	177	177	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	178	178	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <7% for a selected population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	179	179	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <7% for a selected population	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	180	180	Denominator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	181	181	Numerator for Comprehensive Diabetes Care (CDC): Eye Exam	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	182	182	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	183	183	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	184	184	Denominator for Comprehensive Diabetes Care (CDC): BP Control <140/90	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CDC	1	185	185	Numerator for Comprehensive Diabetes Care (CDC): BP Control <140/90	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	186	186	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	187	187	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	188	188	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	189	189	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMM	1	190	190	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	191	191	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	192	192	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	193	193	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	194	194	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	195	195	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	196	196	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	197	198	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	199	200	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	201	202	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	203	204	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	205	206	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	207	208	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	209	210	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	211	212	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	213	214	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	215	216	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	217	218	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	219	220	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SSD	1	221	221	Denominator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SSD	1	222	222	Numerator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMD	1	223	223	Denominator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMD	1	224	224	Numerator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMC	1	225	225	Denominator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMC	1	226	226	Numerator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SAA	1	227	227	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	228	228	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	229	229	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	230	230	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	231	231	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM	1	232	232	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	233	233	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	234	234	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	235	235	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	236	236	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	237	238	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	239	240	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	241	242	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	243	244	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	245	246	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	247	248	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	249	250	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): Total	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	251	252	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): Total	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	253	254	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	255	256	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	257	258	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	259	260	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	261	262	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	263	264	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	265	266	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): Total	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	267	268	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): Total	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
LBP	1	269	269	Denominator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	270	270	Numerator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	271	271	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	272	272	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	273	273	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	274	274	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	275	275	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	276	276	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	277	277	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-24 months	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CAP	1	278	278	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-24 months	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	279	279	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 25 months - 6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	280	280	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 25 months - 6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	281	281	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 7-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	282	282	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 7-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	283	283	Denominator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-19 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CAP	1	284	284	Numerator for Children and Adolescents' Access to Primary Care Practitioners (CAP): 12-19 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	285	285	Denominator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	286	286	Numerator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	287	287	Denominator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	288	288	Numerator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	289	289	Denominator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	290	290	Numerator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	291	291	Denominator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	292	292	Numerator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADV	1	293	293	Denominator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	294	294	Numerator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	295	295	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	296	296	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	297	297	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	298	298	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	299	299	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	300	300	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	301	301	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	302	302	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	303	303	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	304	304	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	305	305	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	306	306	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	307	307	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	308	308	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	309	309	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	310	310	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	311	311	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	312	312	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	313	313	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	314	314	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	315	316	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	317	318	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	319	320	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	321	322	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APP	1	323	323	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	324	324	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	325	325	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	326	326	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	327	327	Denominator for Well-Child Visits in the First 15 Months of Life (W15)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W15	1	328	328	Numerator for Well-Child Visits in the First 15 Months of Life (W15): No Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	329	329	Numerator for Well-Child Visits in the First 15 Months of Life (W15): One Well-Child Visit	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	330	330	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Two Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	331	331	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Three Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	332	332	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Four Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	333	333	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Five Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	334	334	Numerator for Well-Child Visits in the First 15 Months of Life (W15): Six or more Well-Child Visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W34	1	335	335	Denominator for Well-Child Visits in the Third, fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W34	1	336	336	Numerator for Well-Child Visits in the Third, fourth, Fifth and Sixth Years of Life (W34)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AWC	1	337	337	Denominator for Adolescent Well-Care Visits (AWC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AWC	1	338	338	Numerator for Adolescent Well-Care Visits (AWC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUM	2	339	340	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	341	342	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	343	344	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	345	346	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	347	348	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	349	350	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	351	352	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	353	354	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	355	356	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	357	358	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	359	360	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	361	362	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	363	364	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	365	366	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUA	2	367	368	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	369	370	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	371	372	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	373	374	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADL	1	375	375	Denominator for Adolescent Preventive Care (ADL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADL	1	376	376	Numerator 1 for Adolescent Preventive Care (ADL) – Sexual Activity	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	377	377	Numerator 2 for Adolescent Preventive Care (ADL) – Depression	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	378	378	Numerator 3 for Adolescent Preventive Care (ADL) – Tobacco Use	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADL	1	379	379	Numerator 4 for Adolescent Preventive Care (ADL) – Substance Use	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	380	380	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	381	381	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD-N	1	382	382	Denominator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POD-N	1	383	383	Numerator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POA	1	384	384	Denominator for Use of Pharmacotherapy for Alcohol Abuse or Dependence (POA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POA	1	385	385	Numerator for Use of Pharmacotherapy for Alcohol Abuse or Dependence (POA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
HDO	1	386	386	Denominator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	387	387	Numerator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	388	388	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	389	389	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	390	390	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	391	391	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD	2	392	393	Denominator for Pharmacotherapy for Opioid Disorder (POD)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	394	395	Numerator for Pharmacotherapy for Opioid Disorder (POD)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	396	397	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	398	399	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	400	401	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	402	403	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	404	405	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	406	407	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	408	409	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS Patient-Level Detail File Specifications

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUI	2	410	411	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	412	413	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	414	415	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	416	417	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	418	419	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing