

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID should be the health plan's internal, individual member identifier. Do not report a family identifier, and do not report the identifier used in HEDIS.
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
ABA	1	66	66	Measure Retired	blank
ABA	1	67	67	Measure Retired	blank
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): Hib	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	92	92	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	93	93	Numerator for Childhood Immunization Status (CIS): Combo 4	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	94	94	Numerator for Childhood Immunization Status (CIS): Combo 5	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	95	95	Numerator for Childhood Immunization Status (CIS): Combo 6	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	96	96	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	97	97	Numerator for Childhood Immunization Status (CIS): Combo 8	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	98	98	Numerator for Childhood Immunization Status (CIS): Combo 9	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	99	99	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	100	100	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	101	101	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	102	102	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	103	103	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	104	104	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	105	105	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	106	106	Removed from PLD- See BCS-E	blank
BCS	1	107	107	Removed from PLD- See BCS-E	blank
CCS	1	108	108	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	109	109	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL	1	110	110	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	111	111	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	112	112	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	113	113	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	114	114	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CHL	1	115	115	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	116	117	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	118	119	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	120	121	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	122	123	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	124	125	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	126	127	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	128	129	Denominator Total- removed	blank
CWP	2	130	131	Numerator Total- removed	blank
SPR	1	132	132	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPR	1	133	133	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	134	135	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	136	137	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	138	139	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
MMA	1	140	140	Measure Retired	blank
MMA	1	141	141	Measure Retired	blank
MMA	1	142	142	Measure Retired	blank
MMA	1	143	143	Measure Retired	blank
MMA	1	144	144	Measure Retired	blank
MMA	1	145	145	Measure Retired	blank
MMA	1	146	146	Measure Retired	blank
MMA	1	147	147	Measure Retired	blank
MMA	1	148	148	Measure Retired	blank
MMA	1	149	149	Measure Retired	blank
MMA	1	150	150	Measure Retired	blank
MMA	1	151	151	Measure Retired	blank
AMR	1	152	152	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	153	153	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	154	154	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	155	155	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	156	156	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	157	157	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	158	158	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	159	159	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	160	160	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	161	161	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	162	162	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	163	163	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	164	164	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	165	165	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	166	166	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	167	167	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	168	168	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	169	169	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SPC	1	170	170	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	171	171	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CDC	1	172	172	Retired	Blank
CDC	1	173	173	Retired	Blank
CDC	1	174	174	Retired	Blank
CDC	1	175	175	Retired	Blank
CDC	1	176	176	Retired	Blank
CDC	1	177	177	Retired	Blank
CDC	1	178	178	Retired	Blank
CDC	1	179	179	Retired	Blank
CDC	1	180	180	Retired	Blank
CDC	1	181	181	Retired	Blank
CDC	1	182	182	Retired	Blank
CDC	1	183	183	Retired	Blank
CDC	1	184	184	Retired	Blank
CDC	1	185	185	Retired	Blank
SPD	1	186	186	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	187	187	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	188	188	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	189	189	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	190	190	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	191	191	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	192	192	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	193	193	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	194	194	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	195	195	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	196	196	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	197	198	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	199	200	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	201	202	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	203	204	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	205	206	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	207	208	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	209	210	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	211	212	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	213	214	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	215	216	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	217	218	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	219	220	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
APM	1	221	221	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	222	222	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	223	223	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	224	224	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	225	225	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM	1	226	226	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	227	227	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	228	228	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	229	230	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	231	232	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	233	234	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	235	236	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	237	238	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	239	240	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	241	242	Denominator Total- removed	blank
URI	2	243	244	Numerator Total- removed	blank
AAB	2	245	246	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	247	248	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	249	250	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	251	252	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	253	254	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	255	256	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	257	258	Denominator Total- removed	blank
AAB	2	259	260	Numerator Total- removed	blank
LBP	1	261	261	Denominator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
LBP	1	262	262	Numerator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	263	263	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	264	264	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	265	265	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	266	266	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	267	267	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	268	268	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	269	269	Measure Retired	blank
CAP	1	270	270	Measure Retired	blank
CAP	1	271	271	Measure Retired	blank
CAP	1	272	272	Measure Retired	blank
CAP	1	273	273	Measure Retired	blank
CAP	1	274	274	Measure Retired	blank
CAP	1	275	275	Measure Retired	blank
CAP	1	276	276	Measure Retired	blank
IET	1	277	277	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	278	278	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	279	279	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	280	280	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid Use Disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	281	281	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	282	282	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	283	283	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other substance use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	284	284	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	285	285	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	286	286	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 years Alcohol use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	287	287	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	288	288	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	289	289	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 years Opioid use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	290	290	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	291	291	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	292	292	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 other substance use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	293	293	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	294	294	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	295	296	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	297	298	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	299	300	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	301	302	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
APP	1	303	303	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	304	304	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	305	305	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APP	1	306	306	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	307	307	Measure removed	blank
W15	1	308	308	Measure removed	blank
W15	1	309	309	Measure removed	blank
W15	1	310	310	Measure removed	blank
W15	1	311	311	Measure removed	blank
W15	1	312	312	Measure removed	blank
W15	1	313	313	Measure removed	blank
W15	1	314	314	Measure removed	blank
W34	1	315	315	Measure removed	blank
W34	1	316	316	Measure removed	blank
AWC	1	317	317	Measure removed	blank
AWC	1	318	318	Measure removed	blank
FUM	2	319	320	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	321	322	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	323	324	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	325	326	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	327	328	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	329	330	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	331	332	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	333	334	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	335	336	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	337	338	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	339	340	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	341	342	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADL	1	343	343	Removed	blank
ADL	1	344	344	Removed	blank
ADL	1	345	345	Removed	blank
ADL	1	346	346	Removed	blank
ADL	1	347	347	Removed	blank
FUA	2	348	349	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	350	351	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	352	353	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	354	355	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	356	357	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	358	359	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
LSC	1	360	360	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	361	361	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	362	362	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	363	363	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	364	364	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	365	365	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	366	366	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	367	367	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	2	368	369	Age Grouping for the member as of December 31 of the measurement year	Enter the age grouping for the member's age as of December 31 of the measurement year. 00 = < 1 year 01 = 1-4 yrs. 02 = 5-9 yrs. 03 = 10-14 yrs. 04 = 15-17 yrs. 05 = 18-19 yrs. 06 = 20-24 yrs. 07 = 25-29 yrs. 08 = 30-34 yrs. 09 = 35-39 yrs. 10 = 40-44 yrs. 11 = 45-49 yrs. 12 = 50-54 yrs. 13 = 55-59 yrs. 14 = 60-64 yrs. 15 = 65 and up 99 = Unknown
General Info	1	370	370	Race	Enter the member's race: 1=White 2=Black or African American 3=American Indian/Alaskan Native 4=Asian 5=Native Hawaiian/Pacific Islander 6=SomeOtherRace 7=Two or more races 8=AskedButNoAnswer 9=Unknown
General Info	1	371	371	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered
General Info	1	372	372	Language Spoken	Enter the member's spoken language: 1=English 2=Non-English 9=Unknown 0=Declined
General Info	3	373	375	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
General Info	3	376	378	Indirect Race Estimate - White	Enter the indirectly estimated probability of the member's race being White as a percentage of 100

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	3	379	381	Indirect Race Estimate -Black	Enter the indirectly estimated probability of the member's race being Black as a percentage of 100
General Info	3	382	384	Indirect Race Estimate - Asian	Enter the indirectly estimated probability of the member's race being Asian as a percentage of 100
General Info	3	385	387	Indirect Race Estimate -American Indian/Alaskan Native	Enter the indirectly estimated probability of the member's race being American Indian/Alaskan Native as a percentage of 100
General Info	3	388	390	Indirect Race Estimate - Other	Enter the indirectly estimated probability of the member's race being Other as a percentage of 100
General Info	3	391	393	Indirect Ethnicity Estimate -Hispanic or Latino	Enter the indirectly estimated probability of the member's ethnicity being Hispanic or Latino as a percentage of 100
SAA	1	394	394	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	395	395	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUI	2	396	397	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	398	399	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	400	401	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	402	403	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	404	405	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	406	407	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	408	409	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	410	411	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	412	413	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	414	415	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	416	417	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUI	2	418	419	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	420	421	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	422	423	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	424	425	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	426	427	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
KED	1	428	428	Denominator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	429	429	Numerator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	430	430	Denominator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	431	431	Numerator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	432	432	Denominator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	433	433	Numerator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	434	434	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	435	435	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	436	436	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	437	437	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	438	438	Denominator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	439	439	Numerator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCV	1	440	440	Denominator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	441	441	Numerator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	442	442	Denominator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	443	443	Numerator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS-E	1	444	444	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	445	445	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	446	446	Denominator for Colorectal Cancer Screening (COL-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	447	447	Numerator for Colorectal Cancer Screening (COL-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	448	448	Denominator 1 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	449	449	Numerator for Adult Immunization Status: Influenza (Population Criteria 1)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	450	450	Numerator for Adult Immunization Status: Td/Tdap (Population Criteria 2)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	451	451	Denominator 3 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	452	452	Numerator for Adult Immunization Status: Zoster (Population Criteria 3)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PRS-E	2	453	454	Denominator for Prenatal Immunization Status	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	455	456	Numerator for Prenatal Immunization Status: Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	457	458	Numerator for Prenatal Immunization Status: Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DSF-E	1	459	459	Denominator 1 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	460	460	Numerator Depression Screening (Population Criteria 1): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	461	461	Denominator 1 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	462	462	Numerator Depression Screening (Population Criteria 1): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	463	463	Denominator 1 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	464	464	Numerator Depression Screening (Population Criteria 1): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	465	465	Denominator 2 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	466	466	Numerator Follow-Up on Positive Screen (Population Criteria 2): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	467	467	Denominator 2 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	468	468	Numerator Follow-Up on Positive Screen (Population Criteria 2): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	469	469	Denominator 2 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	470	470	Numerator Follow-Up on Positive Screen (Population Criteria 2): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PLAN CATEGORY	1	471	471	Essential Plan category for the member. This field only applies to members enrolled in an Essential Plan product. Enter '0' for members enrolled in Commercial HMO and PPO products.	0 = Not Applicable 1 = Essential Plan 1: Individuals with income greater than 150 percent of the FPL and less than or equal to 200 percent of the FPL. 2 = Essential Plan 2: Individuals with income greater than 138 percent of the FPL and less than or equal to 150 percent of the FPL. 3 = Essential Plan 3: Individuals with income equal to or greater than 100 percent of the FPL and less than or equal to 138 percent of the FPL and not eligible for Medicaid due to immigration status. 4 = Essential Plan 4: Individuals with income below 100 percent of the FPL and not eligible for Medicaid due to immigration status. 9 = Unknown
PDS-E	2	472	473	Denominator 1 for Postpartum Depression Screening	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	474	475	Numerator 1 for Postpartum Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	476	477	Denominator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	478	479	Numerator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CRE	1	480	480	Denominator for Cardiac Rehabilitation Initiation 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	481	481	Numerator Initiation: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	482	482	Denominator for Cardiac Rehabilitation Initiation 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	483	483	Numerator Initiation: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	484	484	Denominator for Cardiac Rehabilitation Engagement 1 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	485	485	Numerator Engagement 1: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	486	486	Denominator for Cardiac Rehabilitation Engagement 1 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	487	487	Numerator Engagement 1: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	488	488	Denominator for Cardiac Rehabilitation Engagement 2 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	489	489	Numerator Engagement 2: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	490	490	Denominator for Cardiac Rehabilitation Engagement 2 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	491	491	Numerator Engagement 2: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	492	492	Denominator for Cardiac Rehabilitation Achievement 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	493	493	Numerator Achievement: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	494	494	Denominator for Cardiac Rehabilitation Achievement 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	495	495	Numerator Achievement: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	496	496	Denominator for Development Screening 1 : The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	497	497	Denominator for Development Screening 2: The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	498	498	Denominator for Development Screening 3: The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator
DEV-N	1	499	499	Denominator for Development Screening 4: All children in the eligible population who turned 1, 2, or 3 during the measurement year (i.e., the sum of denominators 1, 2, and 3).	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	500	500	Numerator 1: First Year Children in Denominator 1 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 before or on their first birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	501	501	Numerator 2: Second Year Children in Denominator 2 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 after their first and before or on their second birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	502	502	Numerator 3: Third Year Children in Denominator 3 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 after their second and before or on their third birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DEV-N	1	503	503	Numerator 4: Total Children in the entire eligible population who had claim with CPT code 96110 and ICD-10-CM Code Z13.42 in the 12 months preceding or on their 1st, 2nd, or 3rd birthday (the sum of numerators 1, 2 and 3).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	504	504	Denominator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	505	505	Numerator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBP	1	506	506	Denominator for Hemoglobin A1c Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBP	1	507	507	Numerator for HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBP	1	508	508	Numerator for HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	509	509	Denominator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	510	510	Numerator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	511	511	Denominator for Antibiotic Utilization for Respiratory Conditions 3m -17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	512	512	Numerator for Antibiotic Utilization for Respiratory Conditions 3m-17years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	513	513	Denominator for Antibiotic Utilization for Respiratory Conditions 18-64years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	514	514	Numerator for Antibiotic Utilization for Respiratory Conditions 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	515	515	Denominator for Antibiotic Utilization for Respiratory Conditions 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	516	516	Numerator for Antibiotic Utilization for Respiratory Conditions 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	517	517	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	518	518	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	519	519	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADD-E	1	520	520	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	521	521	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ years Alcohol Use Disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	522	522	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 65+ years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	523	523	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 65+ years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	524	524	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ years Opioid use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	525	525	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of Opioid Use Disorder, 65+ years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	526	526	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of Opioid Use Disorder, 65+ years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	527	527	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ other substance use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	528	528	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	529	529	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagment of other substance use disorder 65+ other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	530	530	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	531	531	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PND-E	1	532	532	Denominator for Prenatal Depression Screening and Follow-Up-Electronic: Demoinator 1 Initial Popouation	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PND-E	1	533	533	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 1 Depression Screening	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PND-E	1	534	534	Denominator for Prenatal Depression Screening and Follow Up Electronic: Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PND-E	1	535	535	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 2—Follow-Up on Positive Screen	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
General Info	3	536	538	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Native Hawaiian/Pacific Islander as a percentage of 100
General Info	3	539	541	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Some other Race as a percentage of 100

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

COMMERCIAL

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	3	542	544	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Two or mother other races as a percentage of 100
General Info	3	545	547	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Unknown as a percentage of 100
General Info	3	548	550	Indirect Ethnicity Estimate - Not Hispanic or Latino	Enter the indirectly estimated probability of the member's ethnicity being not Hispanic or Latino as a percentage of 100
General Info	3	551	553	Indirect Ethnicity Estimate - Ethnicity Unknown	Enter the indirectly estimated probability of the member's ethnicity being not Unknown as a percentage of 100

NYS MY2022 Patient-Level Detail File Change Log COMMERCIAL

Revision date: January 10, 2022

Version	Date	Data Element	Change Summary
Specification Release MY2022	11/9/2021	Multiple	Initial MY2022 update per HEDIS 2022 specifications.
Clarification #2	12/24/2021	Multiple	There were multiple places where the column start did not begin in the correct location, creating duplicate column figures. This has been corrected.
Clarification #3	1/10/2022	Multiple	Three rows were added for the DEV-N denominators for individual age stratifications. Children who turned 1 Children who turned 2 Children who turned 3 There were multiple places where the column start did not begin in the correct location, creating duplicate column figures. This has been corrected.