

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	MEDICAID, HIVSNP, HARP
GENERAL INFO	30	25	54	Member ID	Member ID should be Medicaid Client ID Number (CIN). For Medicaid: AA#####A For CHP: 0##### or 5#####
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The gender assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
ABA	1	66	66	Retired	blank
ABA	1	67	67	Retired	blank
WCC	1	68	68	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	69	69	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	70	70	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	71	71	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	72	72	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	73	73	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	74	74	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	75	75	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	76	76	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	77	77	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	78	78	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	79	79	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	80	80	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	81	81	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	82	82	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	83	83	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	84	84	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	85	85	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	86	86	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	87	87	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	88	88	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	89	89	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	90	90	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	91	91	Numerator for Childhood Immunization Status (CIS): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	92	92	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	93	93	Numerator for Childhood Immunization Status (CIS): Combo 4	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	94	94	Numerator for Childhood Immunization Status (CIS): Combo 5	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	95	95	Numerator for Childhood Immunization Status (CIS): Combo 6	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	96	96	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	97	97	Numerator for Childhood Immunization Status (CIS): Combo 8	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	98	98	Numerator for Childhood Immunization Status (CIS): Combo 9	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	99	99	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	100	100	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	101	101	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	102	102	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	103	103	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	104	104	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	105	105	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	106	106	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	107	107	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS	1	108	108	Removed from PLD- See BCS-E	blank
BCS	1	109	109	Removed from PLD- See BCS-E	blank
CCS	1	110	110	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	111	111	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	112	112	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	113	113	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	114	114	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	115	115	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	116	117	Denominator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	118	119	Numerator for Appropriate Testing Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	120	121	Denominator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	122	123	Numerator for Appropriate Testing Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	124	125	Denominator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	126	127	Numerator for Appropriate Testing Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	128	129	Denominator Total	blank
CWP	2	130	131	Numerator Total	blank
SPR	1	132	132	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPR	1	133	133	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	134	135	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	136	137	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	138	139	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
MMA	1	140	140	Retired	blank
MMA	1	141	141	Retired	blank
MMA	1	142	142	Retired	blank
MMA	1	143	143	Retired	blank
MMA	1	144	144	Retired	blank
MMA	1	145	145	Retired	blank
MMA	1	146	146	Retired	blank
MMA	1	147	147	Retired	blank
MMA	1	148	148	Retired	blank
MMA	1	149	149	Retired	blank
MMA	1	150	150	Retired	blank
MMA	1	151	151	Retired	blank
AMR	1	152	152	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	153	153	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	154	154	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	155	155	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	156	156	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	157	157	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	158	158	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	159	159	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	160	160	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	161	161	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	162	162	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	163	163	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	164	164	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	165	165	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	166	166	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	167	167	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	168	168	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	169	169	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	170	170	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	171	171	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CDC	1	172	172	Retired	blank
CDC	1	173	173	Retired	blank
CDC	1	174	174	Retired	blank
CDC	1	175	175	Retired	blank
CDC	1	176	176	Retired	blank
CDC	1	177	177	Retired	blank
CDC	1	178	178	Retired	blank
CDC	1	179	179	Retired	blank
CDC	1	180	180	Retired	blank
CDC	1	181	181	Retired	blank
CDC	1	182	182	Retired	blank
CDC	1	183	183	Retired	blank
CDC	1	184	184	Retired	blank
CDC	1	185	185	Retired	blank
SPD	1	186	186	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	187	187	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	188	188	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	189	189	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	190	190	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	191	191	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	192	192	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	193	193	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	194	194	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD	1	195	195	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD	1	196	196	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	197	198	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	199	200	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	201	202	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	203	204	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	205	206	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	207	208	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	209	210	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	211	212	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	213	214	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	215	216	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	217	218	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	219	220	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SSD	1	221	221	Denominator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SSD	1	222	222	Numerator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMD	1	223	223	Denominator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMD	1	224	224	Numerator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMC	1	225	225	Denominator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMC	1	226	226	Numerator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SAA	1	227	227	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	228	228	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM	1	229	229	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	230	230	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	231	231	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	232	232	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM	1	233	233	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM	1	234	234	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
NCS	1	235	235	Denominator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
NCS	1	236	236	Numerator for Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	237	238	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	239	240	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	241	242	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	243	244	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	245	246	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	247	248	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	249	250	Denominator Total - Removed	blank
URI	2	251	252	Numerator Total -Removed	blank
AAB	2	253	254	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	255	256	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	257	258	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	259	260	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	261	262	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	263	264	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	265	266	Denominator Total - Removed	blank
AAB	2	267	268	Numerator Total -Removed	blank
LBP	1	269	269	Denominator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	270	270	Numerator for Use of Imaging Studies for Low Back Pain (LBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	271	271	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	272	272	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	273	273	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	274	274	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	275	275	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	276	276	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CAP	1	277	277	Retired	blank
CAP	1	278	278	Retired	blank
CAP	1	279	279	Retired	blank
CAP	1	280	280	Retired	blank
CAP	1	281	281	Retired	blank
CAP	1	282	282	Retired	blank
CAP	1	283	283	Retired	blank
CAP	1	284	284	Retired	blank
ADV	1	285	285	Denominator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	286	286	Numerator for Annual Dental Visit (ADV): 2-3 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	287	287	Denominator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ADV	1	288	288	Numerator for Annual Dental Visit (ADV): 4-6 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	289	289	Denominator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	290	290	Numerator for Annual Dental Visit (ADV): 7-10 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	291	291	Denominator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	292	292	Numerator for Annual Dental Visit (ADV): 11-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	293	293	Denominator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	294	294	Numerator for Annual Dental Visit (ADV): 15-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADV	1	295	295	Denominator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADV	1	296	296	Numerator for Annual Dental Visit (ADV): 19-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	297	297	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	298	298	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	299	299	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	300	300	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	301	301	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	302	302	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	303	303	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	304	304	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	305	305	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	306	306	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	307	307	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	308	308	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	309	309	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	310	310	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	311	311	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	312	312	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18-64 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	313	313	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18-64 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	314	314	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18-64 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	315	316	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	317	318	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	319	320	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	321	322	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APP	1	323	323	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	324	324	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	325	325	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	326	326	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W15	1	327	327	See W30	blank
W15	1	328	328	See W30	blank
W15	1	329	329	See W30	blank
W15	1	330	330	See W30	blank
W15	1	331	331	See W30	blank
W15	1	332	332	See W30	blank
W15	1	333	333	See W30	blank
W15	1	334	334	See W30	blank
W34	1	335	335	See WCV	blank
W34	1	336	336	See WCV	blank
AWC	1	337	337	See WCV	blank
AWC	1	338	338	See WCV	blank
FUM	2	339	340	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	341	342	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	343	344	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	345	346	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	347	348	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	349	350	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	351	352	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	353	354	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	355	356	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	357	358	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	359	360	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	361	362	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	363	364	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	365	366	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	367	368	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	369	370	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	371	372	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	373	374	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
ADL	1	375	375	ADL not collected for MY2022	blank
ADL	1	376	376	ADL not collected for MY2022	blank
ADL	1	377	377	ADL not collected for MY2022	blank
ADL	1	378	378	ADL not collected for MY2022	blank
ADL	1	379	379	ADL not collected for MY2022	blank
COL	1	380	380	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL	1	381	381	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD-N	1	382	382	Denominator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POD-N	1	383	383	Numerator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POA	1	384	384	Denominator for Use of Pharmacotherapy for Alcohol Abuse or Dependence (POA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POA	1	385	385	Numerator for Use of Pharmacotherapy for Alcohol Abuse or Dependence (POA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	386	386	Denominator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	387	387	Numerator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
UOP	1	388	388	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	389	389	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	390	390	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	391	391	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD	2	392	393	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	394	395	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	396	397	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	398	399	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	400	401	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	402	403	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	404	405	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	406	407	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	408	409	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	410	411	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	412	413	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	414	415	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	416	417	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	418	419	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUI	2	420	421	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	422	423	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
KED	1	424	424	Denominator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	425	425	Numerator for Kidney Health Evaluation for Patients With Diabetes: 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	426	426	Denominator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	427	427	Numerator for Kidney Health Evaluation for Patients With Diabetes: 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	428	428	Denominator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	429	429	Numerator for Kidney Health Evaluation for Patients With Diabetes: 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	430	430	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	431	431	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	432	432	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	433	433	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	434	434	Denominator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	435	435	Numerator for Child and Adolescent Well-Care Visits: 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	436	436	Denominator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	437	437	Numerator for Child and Adolescent Well-Care Visits: 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	438	438	Denominator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	439	439	Numerator for Child and Adolescent Well-Care Visits: 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
BCS-E	1	440	440	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	441	441	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	442	442	Denominator for Colorectal Cancer Screening (COL-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	443	443	Numerator for Colorectal Cancer Screening (COL-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	444	444	Denominator 1 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	445	445	Numerator for Adult Immunization Status: Influenza (Population Criteria 1)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	446	446	Numerator for Adult Immunization Status: Td/Tdap (Population Criteria 2)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	447	447	Denominator 3 for Adult Immunization Status	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	448	448	Numerator for Adult Immunization Status: Zoster (Population Criteria 3)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PRS-E	2	449	450	Denominator for Prenatal Immunization Status	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	451	452	Numerator for Prenatal Immunization Status: Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	453	454	Numerator for Prenatal Immunization Status: Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DSF-E	1	455	455	Denominator 1 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	456	456	Numerator Depression Screening (Population Criteria 1): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	457	457	Denominator 1 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	458	458	Numerator Depression Screening (Population Criteria 1): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	459	459	Denominator 1 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	460	460	Numerator Depression Screening (Population Criteria 1): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	461	461	Denominator 2 for Depression Screening and Follow-up: 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	462	462	Numerator Follow-Up on Positive Screen (Population Criteria 2): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	463	463	Denominator 2 for Depression Screening and Follow-up: 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	464	464	Numerator Follow-Up on Positive Screen (Population Criteria 2): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	465	465	Denominator 2 for Depression Screening and Follow-up: 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	466	466	Numerator Follow-Up on Positive Screen (Population Criteria 2): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDS-E	2	467	468	Denominator 1 for Postpartum Depression Screening	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	469	470	Numerator 1 for Postpartum Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	471	472	Denominator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	473	474	Numerator 2 for Postpartum Depression Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CRE	1	475	475	Denominator for Cardiac Rehabilitation Initiation 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	476	476	Numerator Initiation: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	477	477	Denominator for Cardiac Rehabilitation Initiation 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	478	478	Numerator Initiation: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	479	479	Denominator for Cardiac Rehabilitation Engagement 1 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	480	480	Numerator Engagement 1: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	481	481	Denominator for Cardiac Rehabilitation Engagement 1 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	482	482	Numerator Engagement 1: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	483	483	Denominator for Cardiac Rehabilitation Engagement 2 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	484	484	Numerator Engagement 2: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	485	485	Denominator for Cardiac Rehabilitation Engagement 2 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	486	486	Numerator Engagement 2: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	487	487	Denominator for Cardiac Rehabilitation Achievement 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	488	488	Numerator Achievement: 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	489	489	Denominator for Cardiac Rehabilitation Achievement 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	490	490	Numerator Achievement: 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	491	491	Denominator for Development Screening 1 : The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	492	492	Denominator for Development Screening 2: The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	493	493	Denominator for Development Screening 3: The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	494	494	Denominator for Development Screening 4: All children in the eligible population who turned 1, 2, or 3 during the measurement year (i.e., the sum of denominators 1, 2, and 3).	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	495	495	Numerator: First Year Children in Denominator 1 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 before or on their first birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	496	496	Numerator 2: Second Year Children in Denominator 2 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 after their first and before or on their second birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	497	497	Numerator 3: Third Year Children in Denominator 3 who had a claim with CPT code 96110 and ICD-10-CM Code Z13.42 after their second and before or on their third birthday.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications

Revision date: January 10, 2022

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DEV-N	1	498	498	Numerator 4: Total Children in the entire eligible population who had claim with CPT code 96110 and ICD-10-CM Code Z13.42 in the 12 months preceding or on their 1st, 2nd, or 3rd birthday (the sum of numerators 1, 2 and 3).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	499	499	Denominator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	500	500	Numerator for Blood Pressure Control for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBP	1	501	501	Denominator for Hemoglobin A1c Control for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBP	1	502	502	Numerator for HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HBP	1	503	503	Numerator for HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	504	504	Denominator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	505	505	Numerator for Eye Exam for Patients with Diabetes	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	506	506	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ years Alcohol Use Disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	507	507	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 65+ years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	508	508	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 65+ years Alcohol use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	509	509	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ years Opioid use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IET	1	510	510	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 65+ years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	511	511	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 65+ years Opioid use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	512	512	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 65+ other substance use disorder	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

MEDICAID

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	1	513	513	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	1	514	514	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of other substance use disorder 65+ other substance use disorder	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	515	515	Denominator for Antibiotic Utilization for Respiratory Conditions 3m -17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	516	516	Numerator for Antibiotic Utilization for Respiratory Conditions 3m-17years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	517	517	Denominator for Antibiotic Utilization for Respiratory Conditions 18-64years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	518	518	Numerator for Antibiotic Utilization for Respiratory Conditions 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	1	519	519	Denominator for Antibiotic Utilization for Respiratory Conditions 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AXR	1	520	520	Numerator for Antibiotic Utilization for Respiratory Conditions 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	521	521	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	522	522	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	523	523	Denominator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	524	524	Numerator for Follow-Up Care for Children Prescribed ADHD Medication (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PND-E	1	525	525	Denominator for Prenatal Depression Screening and Follow-Up-Electronic: Demominator 1 Initial Population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PND-E	1	526	526	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 1 Depression Screening	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PND-E	1	527	527	Denominator for Prenatal Depression Screening and Follow Up Electronic: Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PND-E	1	528	528	Numerator for Prenatal Depression Screening and Follow-Up-Electronic: Numerator 2—Follow-Up on Positive Screen	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2022 Patient-Level Detail File Specifications
MEDICAID

Revision date: January 10, 2022

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
General Info	1	529	529	Race	Enter the member's race: 1=White 2=Black or African American 3=American Indian/Alaskan Native 4=Asian 5=Native Hawaiian/Pacific Islander 6=SomeOtherRace 7=Two or more races 8=AskedButNoAnswer 9=Unknown
General Info	1	530	530	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered
General Info	3	531	533	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being White as a percentage of 100
General Info	3	534	536	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Black as a percentage of 100
General Info	3	537	539	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Asian as a percentage of 100
General Info	3	540	542	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being American Indian/Alaskan Native as a percentage of 100
General Info	3	543	545	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Other as a percentage of 100
General Info	3	546	548	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Native Hawaiian/Pacific Islander as a percentage of 100
General Info	3	549	551	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Some other Race as a percentage of 100
General Info	3	552	554	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Two or mother other races as a percentage of 100
General Info	3	555	557	Indirect Race Estimate	Enter the indirectly estimated probability of the member's race being Uknown as a percentage of 100
General Info	3	558	560	Indirect Ethnicity Estimate - Hispanic or Latino	Enter the indirectly estimated probability of the member's ethnicity being Hispanic or Latino as a percentage of 100
General Info	3	561	563	Indirect Ethnicity Estimate - Not Hispanic or Latino	Enter the indirectly estimated probability of the member's ethnicity being not Hispanic or Latino as a percentage of 100
General Info	3	564	566	Indirect Ethnicity Estimate - Ethnicity Unknown	Enter the indirectly estimated probability of the member's ethnicity being not Unknown as a percentage of 100

NYS MY2022 Patient-Level Detail File Change Log MEDICAID			Revision date: January 10, 2022
Version	Date	Data Element	Change Summary
Specification Release MY2022	11/9/2021	Multiple	Initial MY2022 update per HEDIS 2022 specifications.
Clarification #2	12/21/2021	Multiple	There were multiple places where the column start did not begin in the correct location, creating duplicate column figures. This has been corrected.
Clarification #2	12/21/2021	General Info	Added Race and Ethnicity Column Start 324-361
Clarification #2	12/21/2021	IET	Clarified that the IET age stratification is columns 306-316 is 18-84 and not 18+
Clarification #3	1/10/2022	DEV-N	Three rows were added for the DEV-N denominators for individual age stratifications. <ul style="list-style-type: none"> • Children who turned 1 • Children who turned 2 • Children who turned 3