

Expanded BRFSS, 2003

Warren and Washington Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days 1
Core 2: Health Care Access 4
Core 3: Exercise 8
Core 4: Diabetes 9
Core 5: Asthma 10
Core 6: Arthritis 12
Core 7: Tobacco Use 14
Core 8: Tobacco ETS 17
Core 9: Alcohol Consumption 19
Core 10: Weight Status 21
Core 11: Mammography 23
Core 12: Sexual Behavior 25
Core 13: Family Planning 28
Core 14: Cardiovascular Disease 29
Core 15: Prostate Cancer Screening 31
Core 16: Colorectal Cancer Screening 37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Warren, Washington

Demographic Groups	n ¹	Fair or Poor % ²	n	Good to Excellent %	C.I. ³
Total	100	13.9	547	86.1	2.9
Gender					
Male	34	11.4	226	88.6	4.1
Female	66	16.3	321	83.7	4.0
Age					
18-34	9	7.1	114	92.9	5.1
35-54	28	9.4	238	90.6	3.7
≥55	61	24.3	190	75.7	5.9
Education					
≤High School	64	16.6	250	83.4	4.2
>High School	34	10.4	296	89.6	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Warren, Washington

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	83	11.4	554	88.6	2.6
Gender					
Male	26	8.9	232	91.1	3.7
Female	57	13.8	322	86.2	3.7
Age					
18-34	11	7.5	113	92.5	5.1
35-54	29	9.2	234	90.8	3.5
≥55	42	17.1	201	82.9	5.2
Education					
≤High School	46	12.2	263	87.8	3.7
>High School	36	10.3	289	89.7	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Warren, Washington

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	68	9.8	571	90.2	2.6
Gender					
Male	19	6.6	237	93.4	3.4
Female	49	13.0	334	87.0	3.8
Age					
18-34	15	11.1	107	88.9	6.2
35-54	32	10.0	233	90.0	3.7
≥55	21	8.8	224	91.2	4.0
Education					
≤High School	35	10.6	274	89.4	3.7
>High School	30	8.1	297	91.9	3.4

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	420	84.0	73	16.0	3.9
Gender					
Male	171	79.1	40	20.9	6.4
Female	249	89.3	33	10.7	3.9
Age					
18-34	98	77.9	25	22.1	8.5
35-54	225	85.3	40	14.7	4.8
55-64	97	92.2	8	7.8	5.7
Education					
≤High School	184	80.3	39	19.7	6.3
>High School	234	88.0	33	12.0	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	570	86.9	76	13.1	3.2
Gender					
Male	219	82.3	41	17.7	5.5
Female	351	91.3	35	8.7	3.1
Age					
18-34	98	77.9	25	22.1	8.5
35-54	225	85.3	40	14.7	4.8
≥55	240	95.6	11	4.4	2.8
Education					
≤High School	271	84.2	42	15.8	5.0
>High School	297	90.1	33	9.9	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	557	84.1	87	15.9	3.5
Gender					
Male	201	75.7	56	24.3	6.2
Female	356	92.3	31	7.7	3.0
Age					
18-34	98	75.5	25	24.5	9.1
35-54	215	80.5	49	19.5	5.5
≥55	237	94.9	13	5.1	2.9
Education					
≤High School	269	83.1	44	16.9	5.2
>High School	286	85.5	42	14.5	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	45	6.3	603	93.7	2.1
Gender					
Male	16	6.3	244	93.7	3.4
Female	29	6.4	359	93.6	2.5
Age					
18-34	11	7.9	113	92.1	5.2
35-54	26	8.2	239	91.8	3.4
≥55	7	2.3	245	97.7	1.8
Education					
≤High School	24	6.3	291	93.7	2.7
>High School	19	5.6	311	94.4	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	482	74.3	164	25.7	3.8
Gender					
Male	205	78.1	56	21.9	5.6
Female	277	70.5	108	29.5	5.2
Age					
18-34	96	76.3	28	23.7	8.4
35-54	212	79.7	54	20.3	5.3
≥55	170	66.7	80	33.3	6.5
Education					
≤High School	208	66.7	107	33.3	5.8
>High School	272	82.3	56	17.7	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	50	7.0	598	93.0	2.1
Gender					
Male	22	6.0	239	94.0	2.7
Female	28	8.1	359	91.9	3.3
Age					
18-34	2	2.4	122	97.6	3.4
35-54	12	4.9	253	95.1	3.0
≥55	35	13.1	217	86.9	4.5
Education					
≤High School	27	7.4	288	92.6	3.1
>High School	23	6.8	307	93.2	3.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	95	15.4	553	84.6	3.3
Gender					
Male	31	13.5	229	86.5	5.0
Female	64	17.1	324	82.9	4.3
Age					
18-34	23	21.0	101	79.0	8.3
35-54	39	14.6	227	85.4	4.7
≥55	32	11.6	219	88.4	4.2
Education					
≤High School	52	17.1	264	82.9	4.8
>High School	42	13.4	287	86.6	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	70	10.8	578	89.2	2.7
Gender					
Male	20	8.2	240	91.8	3.9
Female	50	13.2	338	86.8	3.8
Age					
18-34	14	12.0	110	88.0	6.6
35-54	30	11.8	236	88.2	4.3
≥55	26	8.9	225	91.1	3.6
Education					
≤High School	40	12.5	276	87.5	4.1
>High School	29	8.8	300	91.2	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	216	28.7	432	71.3	3.8
Gender					
Male	72	23.3	189	76.7	5.4
Female	144	34.0	243	66.0	5.1
Age					
18-34	10	8.0	114	92.0	5.3
35-54	68	23.5	198	76.5	5.5
≥55	136	52.0	115	48.0	6.9
Education					
≤High School	101	26.6	214	73.4	5.2
>High School	113	30.7	217	69.3	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Warren, Washington

Demographic Groups	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	216	28.7	3.8	105	18.0	3.5	327	53.3	4.4
Gender									
Male	72	23.3	5.4	54	21.8	5.7	135	54.9	6.7
Female	144	34.0	5.1	51	14.3	4.2	192	51.7	5.6
Age									
18-34	10	8.0	5.3	22	21.8	8.5	92	70.3	9.3
35-54	68	23.5	5.5	54	21.7	5.6	144	54.9	6.6
≥55	136	52.0	6.9	29	11.1	4.3	86	36.9	6.7
Education									
≤High School	101	26.6	5.2	45	16.0	4.9	169	57.4	6.2
>High School	113	30.7	5.5	60	20.2	5.1	157	49.1	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	342	54.2	304	45.8	4.4
Gender					
Male	158	59.7	103	40.3	6.7
Female	184	48.8	201	51.2	5.6
Age					
18-34	65	54.1	59	45.9	9.8
35-54	139	51.4	127	48.6	6.6
≥55	137	58.7	112	41.3	6.7
Education					
≤High School	184	60.2	131	39.8	6.2
>High School	155	47.4	173	52.6	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	154	25.9	492	74.1	4.0
Gender					
Male	74	29.3	187	70.7	6.3
Female	80	22.6	305	77.4	4.8
Age					
18-34	45	38.6	79	61.4	9.7
35-54	72	27.0	194	73.0	5.9
≥55	37	14.8	212	85.2	4.9
Education					
≤High School	96	33.0	219	67.0	6.0
>High School	55	17.8	273	82.2	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*Warren, Washington*

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	123	20.2	3.6	31	5.8	2.4	492	74.1	4.0
Gender									
Male	62	22.0	5.5	12	7.3	4.3	187	70.7	6.3
Female	61	18.4	4.5	19	4.3	2.1	305	77.4	4.8
Age									
18-34	33	26.2	8.5	12	12.4	7.2	79	61.4	9.7
35-54	62	23.9	5.7	10	3.1	2.1	194	73.0	5.9
≥55	28	11.4	4.4	9	3.5	2.6	212	85.2	4.9
Education									
≤High School	81	27.7	5.7	15	5.4	3.2	219	67.0	6.0
>High School	39	11.5	3.8	16	6.3	3.5	273	82.2	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies*Warren, Washington*

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	402	63.5	4.2	94	14.2	3.0	149	22.3	3.7
Gender									
Male	153	61.6	6.6	33	12.3	4.5	73	26.1	5.9
Female	249	65.3	5.3	61	16.1	4.1	76	18.6	4.3
Age									
18-34	80	66.2	9.3	23	14.8	6.5	21	19.0	8.0
35-54	154	58.9	6.5	45	16.6	4.9	67	24.5	5.8
≥55	163	66.6	6.5	26	11.4	4.8	59	22.0	5.6
Education									
≤High School	168	54.5	6.3	49	15.8	4.6	96	29.7	5.7
>High School	234	73.4	5.4	44	12.5	3.9	51	14.0	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	183	28.3	466	71.7	3.9
Gender					
Male	84	29.4	177	70.6	6.1
Female	99	27.3	289	72.7	5.0
Age					
18-34	39	28.4	85	71.6	8.7
35-54	95	35.2	171	64.8	6.3
≥55	49	21.2	203	78.8	5.8
Education					
≤High School	115	37.2	201	62.8	6.1
>High School	65	18.4	265	81.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	76	14.2	566	85.8	3.3
Gender					
Male	58	23.6	197	76.4	6.0
Female	18	5.3	369	94.7	2.7
Age					
18-34	23	22.6	101	77.4	8.7
35-54	41	16.5	221	83.5	5.1
≥55	10	3.6	239	96.4	2.4
Education					
≤High School	39	15.0	272	85.0	4.9
>High School	36	13.0	292	87.0	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	35	5.6	607	94.4	2.1
Gender					
Male	18	6.9	239	93.1	3.5
Female	17	4.4	368	95.6	2.3
Age					
18-34	5	3.8	119	96.2	3.9
35-54	18	7.7	245	92.3	3.7
≥55	12	5.0	237	95.0	3.0
Education					
≤High School	18	5.0	292	95.0	2.6
>High School	16	5.8	313	94.2	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	366	60.2	252	39.8	4.4
Gender					
Male	174	67.1	85	32.9	6.4
Female	192	52.8	167	47.2	5.7
Age					
18-34	60	53.5	57	46.5	10.2
35-54	138	57.3	113	42.7	6.7
≥55	165	68.7	79	31.3	6.4
Education					
≤High School	188	63.9	111	36.1	6.2
>High School	177	56.8	139	43.2	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Warren, Washington

Demographic Groups	n ¹	Underweight\ Normal % ²	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	252	39.8	4.4	226	39.5	4.4	140	20.7	3.5
Gender									
Male	85	32.9	6.4	119	48.0	6.8	55	19.2	5.2
Female	167	47.2	5.7	107	30.4	5.3	85	22.3	4.7
Age									
18-34	57	46.5	10.2	36	34.0	9.9	24	19.5	7.8
35-54	113	42.7	6.7	85	38.1	6.8	53	19.1	5.2
≥55	79	31.3	6.4	102	44.9	7.0	63	23.8	5.7
Education									
≤High School	111	36.1	6.2	115	42.2	6.5	73	21.7	5.1
>High School	139	43.2	6.2	110	36.8	6.1	67	20.0	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Female	247	92.6	23	7.4	3.2
Age					
40-64	159	93.1	13	6.9	4.0
≥65	88	91.6	10	8.4	5.3
Education					
≤High School	111	90.9	13	9.1	5.1
>High School	135	94.1	10	5.9	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Female	216	82.5	51	17.5	4.9
Age					
40-64	144	86.0	27	14.0	5.5
≥65	72	75.5	24	24.5	9.5
Education					
≤High School	91	76.9	31	23.1	8.0
>High School	124	87.3	20	12.7	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	65	15.5	423	84.5	3.9
Gender					
Male	10	8.0	199	92.0	4.9
Female	55	23.5	224	76.5	5.9
Age					
18-34	47	37.0	76	63.0	9.5
35-54	13	4.5	248	95.5	2.7
55-64	5	3.2	99	96.8	2.9
Education					
≤High School	36	18.0	186	82.0	6.0
>High School	29	13.3	234	86.7	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	393	88.6	67	11.4	3.3
Gender					
Male	168	87.7	29	12.3	5.3
Female	225	89.6	38	10.4	3.8
Age					
18-34	108	87.9	12	12.1	7.3
35-54	215	91.0	30	9.0	3.5
55-64	70	83.9	25	16.1	6.5
Education					
≤High School	176	88.1	29	11.9	5.4
>High School	214	89.0	38	11.0	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	66	16.1	339	83.9	4.1
Gender					
Male	35	18.6	138	81.4	6.4
Female	31	13.4	201	86.6	4.9
Age					
18-34	29	25.0	83	75.0	8.9
35-54	33	12.5	186	87.5	4.6
55-64	4	7.2	70	92.8	7.0
Education					
≤High School	35	17.9	152	82.1	6.3
>High School	31	14.5	184	85.5	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Warren, Washington

Demographic Groups	Use BC			No BC at risk			No BC		
	n ¹	% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	233	71.4	5.6	32	10.9	4.0	66	17.6	4.7
Gender									
Male	123	67.6	7.6	18	11.3	5.4	46	21.1	6.5
Female	110	78.2	7.5	14	10.2	5.9	20	11.6	5.6
Age									
18-34	87	70.0	9.5	12	12.3	7.1	22	17.6	7.9
35-59	146	72.7	6.4	20	9.7	4.3	44	17.7	5.4
Education									
≤High School	112	73.5	8.0	10	7.7	4.9	35	18.8	7.0
>High School	120	69.9	7.9	21	13.5	6.3	31	16.7	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	65	8.7	577	91.3	2.2
Gender					
Male	27	8.0	232	92.0	3.1
Female	38	9.4	345	90.6	3.2
Age					
18-64	25	4.3	464	95.7	1.8
≥65	40	27.5	106	72.5	8.0
Education					
≤High School	41	9.9	270	90.1	3.2
>High School	24	7.5	304	92.5	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	52	7.0	590	93.0	2.0
Gender					
Male	21	6.3	238	93.7	2.8
Female	31	7.7	352	92.3	2.9
Age					
18-64	23	4.0	466	96.0	1.7
≥65	29	19.9	117	80.1	7.2
Education					
≤High School	30	7.1	281	92.9	2.7
>High School	22	7.1	306	92.9	3.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	110	67.7	55	32.3	7.7
Age					
40-64	73	60.3	48	39.7	9.5
≥65	37	87.2	7	12.8	9.9
Education					
≤High School	53	66.8	26	33.2	11.4
>High School	56	69.5	28	30.5	10.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	100	62.1	64	37.9	8.0
Age					
40-64	63	52.5	57	47.5	9.7
≥65	37	87.2	7	12.8	9.9
Education					
≤High School	49	62.1	30	37.9	11.6
>High School	50	62.9	33	37.1	11.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	142	83.2	32	16.8	5.9
Age					
40-64	97	78.6	29	21.4	7.6
≥65	45	95.3	3	4.7	6.0
Education					
≤High School	68	82.5	15	17.5	8.7
>High School	73	85.2	16	14.8	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	150	44.5	173	55.5	6.0
Gender					
Male	54	39.6	72	60.4	9.1
Female	96	48.8	101	51.2	7.7
Age					
50-64	76	41.4	103	58.6	7.9
≥65	74	48.8	70	51.2	9.1
Education					
≤High School	72	44.6	87	55.4	8.5
>High School	78	44.5	86	55.5	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	60	18.5	260	81.5	4.7
Gender					
Male	29	22.4	96	77.6	7.7
Female	31	15.0	164	85.0	5.6
Age					
50-64	29	17.3	149	82.7	6.3
≥65	31	20.0	111	80.0	7.0
Education					
≤High School	34	22.8	123	77.2	7.3
>High School	26	14.2	137	85.8	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	92	27.7	228	72.3	5.3
Gender					
Male	40	30.4	85	69.6	8.5
Female	52	25.4	143	74.6	6.7
Age					
50-64	48	25.8	130	74.2	7.0
≥65	44	30.4	98	69.6	8.2
Education					
≤High School	47	30.0	110	70.0	7.9
>High School	45	25.5	118	74.5	7.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	181	55.7	142	44.3	6.0
Gender					
Male	71	55.9	55	44.1	9.4
Female	110	55.6	87	44.4	7.7
Age					
50-64	83	45.2	96	54.8	8.0
≥65	98	69.9	46	30.1	8.2
Education					
≤High School	82	52.2	77	47.8	8.6
>High School	99	59.2	65	40.8	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Warren, Washington

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	172	52.9	151	47.1	6.0
Gender					
Male	70	54.8	56	45.2	9.5
Female	102	51.3	95	48.7	7.7
Age					
50-64	77	42.1	102	57.9	7.9
≥65	95	67.5	49	32.5	8.5
Education					
≤High School	77	49.1	82	50.9	8.6
>High School	95	56.8	69	43.2	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Warren, Washington

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	194	59.8	130	40.2	5.9
Gender					
Male	79	62.1	47	37.9	9.3
Female	115	57.8	83	42.2	7.6
Age					
50-64	87	48.6	92	51.4	8.0
≥65	107	74.8	38	25.2	7.8
Education					
≤High School	91	58.7	69	41.3	8.4
>High School	103	60.8	61	39.2	8.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval