

Expanded BRFSS, 2003

Fulton, Montgomery Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days.....	1
Core 2: Health Care Access.....	4
Core 3: Exercise.....	8
Core 4: Diabetes.....	9
Core 5: Asthma.....	10
Core 6: Arthritis.....	12
Core 7: Tobacco Use.....	14
Core 8: Tobacco ETS.....	17
Core 9: Alcohol Consumption.....	19
Core 10: Weight Status.....	21
Core 11: Mammography.....	23
Core 12: Sexual Behavior.....	25
Core 13: Family Planning.....	28
Core 14: Cardiovascular Disease.....	29
Core 15: Prostate Cancer Screening.....	31
Core 16: Colorectal Cancer Screening.....	37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Fulton, Montgomery

Demographic Groups	n ¹	Fair or Poor % ²	n	Good to Excellent %	C.I. ³
Total	123	17.8	505	82.2	3.3
Gender					
Male	49	18.3	197	81.7	5.2
Female	74	17.4	308	82.6	4.1
Age					
18-34	10	7.7	128	92.3	5.3
35-54	44	14.9	201	85.1	4.9
≥55	66	28.0	174	72.0	6.3
Education					
≤High School	90	25.2	253	74.8	5.1
>High School	31	9.0	252	91.0	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Fulton, Montgomery

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	95	15.0	524	85.0	3.3
Gender					
Male	34	14.5	210	85.5	5.3
Female	61	15.4	314	84.6	4.0
Age					
18-34	14	10.6	124	89.4	6.8
35-54	38	14.8	206	85.2	5.1
≥55	42	18.2	191	81.8	5.5
Education					
≤High School	59	18.1	274	81.9	5.0
>High School	36	11.6	248	88.4	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Fulton, Montgomery

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	68	9.4	547	90.6	2.4
Gender					
Male	18	7.1	225	92.9	3.5
Female	50	11.5	322	88.5	3.3
Age					
18-34	21	12.6	115	87.4	5.6
35-54	34	11.3	207	88.7	4.3
≥55	13	5.1	222	94.9	2.9
Education					
≤High School	46	12.6	287	87.4	3.9
>High School	22	6.0	259	94.0	2.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	413	87.0	59	13.0	3.5
Gender					
Male	160	83.6	32	16.4	5.8
Female	253	90.5	27	9.5	3.8
Age					
18-34	112	81.4	26	18.6	7.2
35-54	217	88.1	29	11.9	4.7
55-64	84	95.7	4	4.3	4.4
Education					
≤High School	190	79.5	45	20.5	6.1
>High School	223	94.0	14	6.0	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	568	89.8	61	10.2	2.7
Gender					
Male	214	86.2	34	13.8	4.8
Female	354	93.1	27	6.9	2.8
Age					
18-34	112	81.4	26	18.6	7.2
35-54	217	88.1	29	11.9	4.7
≥55	235	97.7	6	2.3	1.9
Education					
≤High School	294	85.0	47	15.0	4.5
>High School	272	95.0	14	5.0	2.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	561	89.1	61	10.9	3.0
Gender					
Male	205	83.0	37	17.0	5.7
Female	356	94.5	24	5.5	2.3
Age					
18-34	123	89.7	13	10.3	6.0
35-54	207	85.7	33	14.3	5.3
≥55	226	91.8	15	8.2	4.6
Education					
≤High School	308	90.9	30	9.1	3.6
>High School	251	87.0	31	13.0	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	41	6.1	589	93.9	2.0
Gender					
Male	16	6.2	232	93.8	3.2
Female	25	5.9	357	94.1	2.5
Age					
18-34	10	5.7	127	94.3	3.9
35-54	23	9.2	223	90.8	4.1
≥55	8	3.1	234	96.9	2.2
Education					
≤High School	29	8.2	313	91.8	3.2
>High School	12	3.8	274	96.2	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	445	73.1	186	26.9	3.8
Gender					
Male	174	72.8	73	27.2	6.0
Female	271	73.5	113	26.5	4.7
Age					
18-34	115	86.6	23	13.4	5.8
35-54	182	75.8	65	24.2	6.1
≥55	145	60.3	96	39.7	6.8
Education					
≤High School	211	63.9	133	36.1	5.6
>High School	234	83.9	51	16.1	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	56	9.1	575	90.9	2.6
Gender					
Male	26	9.9	222	90.1	4.2
Female	30	8.4	353	91.6	3.1
Age					
18-34	4	3.0	134	97.0	3.5
35-54	15	6.7	232	93.3	3.8
≥55	36	15.9	206	84.1	5.2
Education					
≤High School	41	13.0	302	87.0	4.1
>High School	14	4.8	272	95.2	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	97	16.2	533	83.8	3.5
Gender					
Male	28	15.0	219	85.0	5.7
Female	69	17.4	314	82.6	4.2
Age					
18-34	32	25.0	106	75.0	8.7
35-54	36	14.3	211	85.7	5.1
≥55	29	12.2	212	87.8	4.6
Education					
≤High School	57	19.3	285	80.7	5.3
>High School	39	12.5	247	87.5	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	75	12.7	551	87.3	3.2
Gender					
Male	21	11.1	225	88.9	5.1
Female	54	14.2	326	85.8	3.9
Age					
18-34	21	15.0	116	85.0	7.4
35-54	30	13.2	216	86.8	5.0
≥55	24	10.9	215	89.1	4.5
Education					
≤High School	46	16.2	294	83.8	5.0
>High School	28	8.5	256	91.5	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Arthritis Diagnosed by a Medical Professional
Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	241	36.4	390	63.6	4.2
Gender					
Male	86	32.4	161	67.6	6.4
Female	155	40.0	229	60.0	5.5
Age					
18-34	19	13.5	119	86.5	6.2
35-54	91	36.4	155	63.6	6.9
≥55	128	53.3	114	46.7	7.0
Education					
≤High School	145	41.5	198	58.5	5.9
>High School	96	31.0	190	69.0	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Fulton, Montgomery

Demographic Groups	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	241	36.5	4.2	93	15.1	3.2	295	48.4	4.4
Gender									
Male	86	32.4	6.4	50	19.6	5.5	111	47.9	7.0
Female	155	40.2	5.5	43	11.0	3.4	184	48.7	5.6
Age									
18-34	19	13.5	6.2	25	18.1	7.1	94	68.4	8.6
35-54	91	36.6	6.9	49	19.7	5.5	105	43.8	7.2
≥55	128	53.5	7.0	19	8.4	4.3	94	38.1	6.7
Education									
≤High School	145	41.6	5.9	45	13.0	3.8	152	45.4	6.0
>High School	96	31.2	6.0	47	17.0	5.1	142	51.8	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	374	57.9	256	42.1	4.4
Gender					
Male	156	60.3	92	39.7	7.0
Female	218	55.8	164	44.2	5.5
Age					
18-34	78	51.1	60	48.9	9.4
35-54	158	64.1	89	35.9	6.8
≥55	135	55.9	106	44.1	7.0
Education					
≤High School	220	63.1	123	36.9	5.9
>High School	152	52.0	133	48.0	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	195	29.7	435	70.3	4.0
Gender					
Male	84	32.3	164	67.7	6.5
Female	111	27.3	271	72.7	4.9
Age					
18-34	56	34.8	82	65.2	8.6
35-54	95	34.8	152	65.2	6.7
≥55	42	19.4	199	80.6	5.9
Education					
≤High School	123	35.7	220	64.3	5.7
>High School	72	23.3	213	76.7	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking***Fulton, Montgomery***

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	157	24.4	3.8	38	5.3	1.8	435	70.3	4.0
Gender									
Male	71	28.0	6.2	13	4.3	2.5	164	67.7	6.5
Female	86	21.0	4.5	25	6.2	2.6	271	72.7	4.9
Age									
18-34	42	27.8	8.1	14	7.0	4.0	82	65.2	8.6
35-54	81	30.4	6.5	14	4.4	2.5	152	65.2	6.7
≥55	33	14.8	5.3	9	4.6	3.3	199	80.6	5.9
Education									
≤High School	100	30.0	5.5	23	5.7	2.4	220	64.3	5.7
>High School	57	18.4	5.0	15	4.9	2.8	213	76.7	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies***Fulton, Montgomery***

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	344	55.2	4.4	116	17.0	3.2	170	27.9	4.1
Gender									
Male	121	51.4	7.0	37	13.5	4.6	89	35.1	6.7
Female	223	58.6	5.5	79	20.2	4.4	81	21.3	4.6
Age									
18-34	79	58.2	9.3	27	16.4	6.3	32	25.4	8.7
35-54	123	51.5	7.2	53	19.9	5.6	70	28.6	6.5
≥55	140	57.4	7.0	35	14.2	4.9	66	28.4	6.4
Education									
≤High School	178	52.7	6.0	64	17.3	4.3	102	30.0	5.6
>High School	164	57.5	6.6	52	16.8	4.8	68	25.7	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	198	31.0	434	69.0	4.1
Gender					
Male	81	30.8	167	69.2	6.5
Female	117	31.3	267	68.7	5.3
Age					
18-34	50	35.2	88	64.8	9.1
35-54	97	36.7	150	63.3	6.8
≥55	50	22.1	192	77.9	6.0
Education					
≤High School	118	35.1	226	64.9	5.8
>High School	80	26.8	206	73.2	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	99	17.3	515	82.7	3.4
Gender					
Male	65	27.4	172	72.6	6.3
Female	34	8.3	343	91.7	2.9
Age					
18-34	35	25.5	99	74.5	8.1
35-54	53	22.7	186	77.3	6.0
≥55	11	5.7	225	94.3	3.7
Education					
≤High School	52	18.0	282	82.0	4.9
>High School	47	16.5	232	83.5	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	40	5.6	580	94.4	1.9
Gender					
Male	23	7.6	217	92.4	3.4
Female	17	3.8	363	96.2	1.9
Age					
18-34	10	6.7	123	93.3	4.4
35-54	20	6.6	224	93.4	3.2
≥55	10	3.8	228	96.2	2.7
Education					
≤High School	23	6.3	314	93.7	2.8
>High School	17	4.9	264	95.1	2.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	366	61.2	239	38.8	4.4
Gender					
Male	171	70.5	73	29.5	6.5
Female	195	52.5	166	47.5	5.7
Age					
18-34	64	47.0	66	53.0	9.7
35-54	156	69.9	80	30.1	6.5
≥55	145	62.1	91	37.9	6.9
Education					
≤High School	206	61.5	122	38.5	6.1
>High School	159	60.7	117	39.3	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Fulton, Montgomery

Demographic Groups	n¹	Underweight\ Normal %²	C.I.³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	238	38.6	4.4	224	38.5	4.4	142	22.9	3.7
Gender									
Male	73	29.5	6.5	112	47.0	7.1	59	23.5	5.9
Female	165	47.3	5.7	112	30.3	5.2	83	22.4	4.7
Age									
18-34	66	53.0	9.7	42	31.4	8.9	22	15.6	6.7
35-54	80	30.1	6.5	86	39.4	7.2	70	30.6	6.7
≥55	90	37.5	6.9	96	43.3	7.1	49	19.3	5.4
Education									
≤High School	121	38.2	6.1	125	38.6	5.9	81	23.2	5.0
>High School	117	39.3	6.5	98	37.9	6.6	61	22.7	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Female	236	91.4	24	8.6	3.5
Age					
40-64	147	92.2	14	7.8	4.3
≥65	89	90.1	10	9.9	6.1
Education					
≤High School	135	91.4	15	8.6	4.5
>High School	100	91.3	9	8.7	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	193	74.5	67	25.5	5.9
Age					
40-64	119	74.2	42	25.8	7.5
≥65	74	74.8	25	25.2	9.3
Education					
≤High School	109	74.0	41	26.0	7.6
>High School	84	75.6	25	24.4	9.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	74	15.4	388	84.6	3.8
Gender					
Male	16	9.6	172	90.4	5.0
Female	58	21.3	216	78.7	5.5
Age					
18-34	41	28.5	95	71.5	8.4
35-54	30	10.4	212	89.6	4.2
55-64	3	2.7	81	97.3	3.3
Education					
≤High School	40	15.1	193	84.9	5.0
>High School	34	15.8	195	84.2	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	336	79.1	100	20.9	4.5
Gender					
Male	132	76.4	42	23.6	7.4
Female	204	81.8	58	18.2	4.9
Age					
18-34	115	81.3	17	18.7	9.0
35-54	180	85.3	45	14.7	4.7
55-64	41	54.6	38	45.4	12.5
Education					
≤High School	165	76.4	54	23.6	6.9
>High School	171	81.6	46	18.4	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	62	21.1	277	78.9	5.2
Gender					
Male	32	25.5	104	74.5	8.4
Female	30	16.9	173	83.1	6.1
Age					
18-34	31	29.7	87	70.3	9.5
35-54	27	15.9	155	84.1	6.2
55-64	4	17.1	35	82.9	17.8
Education					
≤High School	26	17.0	138	83.0	6.5
>High School	36	24.5	139	75.5	7.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Fulton, Montgomery

Demographic Groups	Use BC			No BC at risk			No BC		
	n ¹	% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	209	64.7	6.0	38	11.4	3.8	78	23.9	5.5
Gender									
Male	103	60.8	8.5	17	11.0	5.3	47	28.2	8.0
Female	106	70.6	7.7	21	12.1	5.3	31	17.4	6.4
Age									
18-34	86	62.2	9.5	24	14.6	5.9	24	23.2	9.2
35-59	123	66.7	7.6	14	8.9	5.1	54	24.5	6.6
Education									
≤High School	103	62.5	8.8	18	10.6	5.2	42	26.9	8.4
>High School	106	66.6	8.1	20	12.2	5.6	36	21.1	7.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	63	8.3	561	91.7	2.2
Gender					
Male	35	10.6	210	89.4	3.8
Female	28	6.2	351	93.8	2.6
Age					
18-64	26	4.7	439	95.3	2.1
≥65	37	20.2	117	79.8	6.5
Education					
≤High School	46	12.1	294	87.9	3.7
>High School	17	4.1	265	95.9	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	56	7.6	567	92.4	2.2
Gender					
Male	32	9.8	212	90.2	3.7
Female	24	5.5	355	94.5	2.5
Age					
18-64	23	4.3	441	95.7	2.0
≥65	33	18.7	121	81.3	6.4
Education					
≤High School	43	11.6	296	88.4	3.7
>High School	13	3.2	269	96.8	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	87	58.0	61	42.0	8.9
Age					
40-64	47	48.7	49	51.3	11.3
≥65	40	77.4	12	22.6	12.6
Education					
≤High School	46	55.2	30	44.8	12.4
>High School	40	60.0	31	40.0	12.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	72	48.6	73	51.4	9.1
Age					
40-64	39	39.1	57	60.9	10.8
≥65	33	69.5	16	30.5	14.1
Education					
≤High School	36	45.4	37	54.6	12.4
>High School	35	50.5	36	49.5	13.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	121	77.8	37	22.2	7.0
Age					
40-64	72	71.9	32	28.1	9.3
≥65	49	90.8	5	9.2	8.7
Education					
≤High School	59	73.8	22	26.2	10.3
>High School	61	81.1	15	18.9	9.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	95	34.9	198	65.1	6.2
Gender					
Male	40	37.9	72	62.1	10.1
Female	55	32.4	126	67.6	7.6
Age					
50-64	44	33.4	98	66.6	9.0
≥65	51	36.4	100	63.6	8.5
Education					
≤High School	55	33.9	120	66.1	7.8
>High School	38	35.2	78	64.8	10.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	44	16.9	246	83.1	5.0
Gender					
Male	20	19.3	91	80.7	8.4
Female	24	15.0	155	85.0	5.8
Age					
50-64	14	12.5	127	87.5	6.9
≥65	30	21.2	119	78.8	7.1
Education					
≤High School	28	18.3	145	81.7	6.5
>High School	15	13.8	100	86.2	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	61	22.6	229	77.4	5.5
Gender					
Male	27	25.3	84	74.7	9.1
Female	34	20.3	145	79.7	6.5
Age					
50-64	23	18.0	118	82.0	7.6
≥65	38	27.0	111	73.0	7.8
Education					
≤High School	39	24.7	134	75.3	7.2
>High School	21	18.5	94	81.5	8.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	125	44.4	165	55.6	6.4
Gender					
Male	44	39.1	66	60.9	10.1
Female	81	48.6	99	51.4	8.0
Age					
50-64	56	40.1	86	59.9	9.2
≥65	69	48.5	79	51.5	8.8
Education					
≤High School	64	38.6	109	61.4	7.9
>High School	61	53.1	55	46.9	10.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	114	40.2	176	59.8	6.3
Gender					
Male	41	37.0	69	63.0	10.0
Female	73	42.8	107	57.2	8.0
Age					
50-64	52	36.3	90	63.7	8.9
≥65	62	43.9	86	56.1	8.8
Education					
≤High School	58	34.9	115	65.1	7.8
>High School	56	48.3	60	51.7	10.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Fulton, Montgomery

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	140	48.5	155	51.5	6.4
Gender					
Male	54	47.7	58	52.3	10.3
Female	86	49.2	97	50.8	7.9
Age					
50-64	62	43.7	81	56.3	9.2
≥65	78	53.0	74	47.0	8.7
Education					
≤High School	77	45.9	99	54.1	8.1
>High School	62	51.7	55	48.3	10.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval