

**Expanded BRFSS, 2003**

**Erie Locality Tables**

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days ..... 1  
Core 2: Health Care Access ..... 4  
Core 3: Exercise ..... 8  
Core 4: Diabetes ..... 9  
Core 5: Asthma ..... 10  
Core 6: Arthritis ..... 12  
Core 7: Tobacco Use ..... 14  
Core 8: Tobacco ETS ..... 17  
Core 9: Alcohol Consumption ..... 19  
Core 10: Weight Status ..... 21  
Core 11: Mammography ..... 23  
Core 12: Sexual Behavior ..... 25  
Core 13: Family Planning ..... 28  
Core 14: Cardiovascular Disease ..... 29  
Core 15: Prostate Cancer Screening ..... 31  
Core 16: Colorectal Cancer Screening ..... 37

**New York State Department Of Health**

Expanded BRFSS, 2003 - New York State Department of Health

## Self-rated Health Status

*Erie*

Demographic Groups	n <sup>1</sup>	Fair or Poor % <sup>2</sup>	n	Good to Excellent %	C.I. <sup>3</sup>
Total	117	16.3	514	83.7	3.1
Gender					
Male	45	14.5	211	85.5	4.4
Female	72	17.9	303	82.1	4.2
Age					
18-34	3	2.6	130	97.4	3.0
35-54	44	16.7	217	83.3	4.9
≥55	69	28.4	155	71.6	6.4
Education					
≤High School	66	23.5	174	76.5	5.7
>High School	51	12.1	339	87.9	3.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Physical Distress Days in the Past Month

*Erie*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	73	11.2	550	88.8	2.7
Gender					
Male	29	10.3	225	89.7	3.9
Female	44	11.9	325	88.1	3.7
Age					
18-34	9	6.5	124	93.5	4.4
35-54	28	11.0	231	89.0	4.2
≥55	36	16.3	183	83.7	5.4
Education					
≤High School	38	15.4	196	84.6	5.0
>High School	35	8.9	353	91.1	3.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Mental Distress Days in the Past Month

*Erie*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	79	10.7	536	89.3	2.5
Gender					
Male	29	8.4	224	91.6	3.4
Female	50	12.7	312	87.3	3.6
Age					
18-34	20	11.9	111	88.1	5.6
35-54	41	12.8	214	87.2	4.0
≥55	17	6.9	202	93.1	3.6
Education					
≤High School	36	13.7	200	86.3	4.7
>High School	43	9.0	335	91.0	2.8

<sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup> Weighted Percent

<sup>3</sup> 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, 18-64 Years of Age

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	433	92.3	37	7.7	2.8
Gender					
Male	187	91.9	16	8.1	4.3
Female	246	92.7	21	7.3	3.5
Age					
18-34	114	87.6	18	12.4	6.1
35-54	247	95.4	14	4.6	2.7
55-64	72	93.1	5	6.9	7.3
Education					
≤High School	133	88.0	20	12.0	5.8
>High School	300	95.0	16	5.0	2.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, Aged 18 and Older

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	593	93.9	38	6.1	2.2
Gender					
Male	240	93.4	16	6.6	3.5
Female	353	94.4	22	5.6	2.7
Age					
18-34	114	87.6	18	12.4	6.1
35-54	247	95.4	14	4.6	2.7
≥55	219	97.3	6	2.7	2.6
Education					
≤High School	220	91.7	21	8.3	4.0
>High School	373	95.8	16	4.2	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Having a Routine Physical Exam in Past Two Years

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	587	94.0	39	6.0	2.0
Gender					
Male	229	90.9	25	9.1	3.8
Female	358	96.7	14	3.3	1.9
Age					
18-34	118	91.8	13	8.2	4.7
35-54	236	91.7	22	8.3	3.8
≥55	220	98.4	4	1.6	1.8
Education					
≤High School	229	95.9	10	4.1	2.8
>High School	357	92.8	29	7.2	2.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Time in Past 12 Months when Needed Medical Care but Could Not Get It

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	29	4.3	602	95.7	1.8
Gender					
Male	10	3.3	246	96.7	2.3
Female	19	5.2	356	94.8	2.6
Age					
18-34	9	4.9	124	95.1	3.4
35-54	15	4.9	245	95.1	2.6
≥55	5	3.4	220	96.6	3.4
Education					
≤High School	13	5.0	228	95.0	3.0
>High School	15	3.4	374	96.6	1.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	470	76.2	162	23.8	3.6
Gender					
Male	197	78.5	60	21.5	5.5
Female	273	74.2	102	25.8	4.8
Age					
18-34	106	82.1	27	17.9	7.0
35-54	202	78.3	59	21.7	5.4
≥55	152	68.1	73	31.9	6.8
Education					
≤High School	155	65.2	86	34.8	6.8
>High School	315	83.1	75	16.9	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Diabetes

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	55	7.3	577	92.7	2.1
Gender					
Male	18	5.8	239	94.2	2.8
Female	37	8.7	338	91.3	3.0
Age					
18-34	3	1.7	130	98.3	2.1
35-54	14	4.5	247	95.5	2.8
≥55	36	15.3	189	84.7	5.0
Education					
≤High School	32	10.6	209	89.4	3.9
>High School	23	5.4	367	94.6	2.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Lifetime Asthma Diagnosed by a Medical Professional

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	67	10.2	564	89.8	2.6
Gender					
Male	20	7.7	236	92.3	3.7
Female	47	12.4	328	87.6	3.6
Age					
18-34	21	14.9	112	85.1	6.5
35-54	27	9.1	233	90.9	3.5
≥55	18	7.5	207	92.5	3.7
Education					
≤High School	26	9.2	215	90.8	3.8
>High School	41	10.8	348	89.2	3.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Asthma Diagnosed by a Medical Professional

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	47	7.0	583	93.0	2.1
Gender					
Male	12	4.3	244	95.7	2.7
Female	35	9.4	339	90.6	3.2
Age					
18-34	12	8.1	121	91.9	4.8
35-54	20	7.1	240	92.9	3.2
≥55	14	5.9	210	94.1	3.4
Education					
≤High School	22	7.9	219	92.1	3.7
>High School	25	6.5	363	93.5	2.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Arthritis Diagnosed by a Medical Professional**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	225	32.9	405	67.1	4.1
Gender					
Male	80	29.6	177	70.4	6.3
Female	145	35.9	228	64.1	5.3
Age					
18-34	16	12.9	117	87.1	7.2
35-54	66	24.1	194	75.9	5.6
≥55	137	61.5	87	38.5	7.0
Education					
≤High School	108	40.5	133	59.5	6.8
>High School	116	28.1	272	71.9	5.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

*Erie*

Demographic Groups	n <sup>1</sup>	Doctor Diagnosed % <sup>2</sup>	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	225	33.0	4.1	92	14.8	3.1	311	52.2	4.4
Gender									
Male	80	29.6	6.3	38	14.9	4.9	139	55.5	6.9
Female	145	36.0	5.3	54	14.7	4.0	172	49.3	5.7
Age									
18-34	16	12.9	7.2	14	10.2	5.8	103	76.9	8.5
35-54	66	24.1	5.6	57	23.4	5.8	136	52.5	6.7
≥55	137	61.7	7.0	19	7.4	3.5	67	30.9	6.7
Education									
≤High School	108	40.5	6.8	33	14.4	5.1	100	45.0	7.2
>High School	116	28.1	5.1	59	15.1	4.0	211	56.8	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Smoked 100 Cigarettes in Lifetime

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	332	51.4	299	48.6	4.4
Gender					
Male	146	55.1	110	44.9	6.9
Female	186	48.1	189	51.9	5.6
Age					
18-34	50	38.9	83	61.1	9.6
35-54	149	56.5	112	43.5	6.6
≥55	125	55.5	99	44.5	7.2
Education					
≤High School	143	57.9	98	42.1	7.1
>High School	188	47.2	201	52.8	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Smoker

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	146	23.5	483	76.5	3.9
Gender					
Male	65	25.1	191	74.9	6.1
Female	81	22.2	292	77.8	4.8
Age					
18-34	29	23.7	104	76.3	8.7
35-54	79	29.7	182	70.3	6.1
≥55	35	15.2	188	84.8	5.3
Education					
≤High School	71	28.2	169	71.8	6.3
>High School	74	20.4	314	79.6	4.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Status of Cigarette Smoking****Erie**

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Everyday Smoker %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Someday Smoker %</b>	<b>C.I.</b>	<b>n</b>	<b>Former or Never Smoked %</b>	<b>C.I.</b>
Total	104	16.1	3.3	42	7.5	2.5	483	76.5	3.9
Gender									
Male	46	17.0	5.3	19	8.0	3.9	191	74.9	6.1
Female	58	15.2	4.0	23	7.0	3.3	292	77.8	4.8
Age									
18-34	16	11.9	6.8	13	11.8	6.7	104	76.3	8.7
35-54	59	22.7	5.6	20	6.9	3.3	182	70.3	6.1
≥55	27	10.7	4.3	8	4.4	3.5	188	84.8	5.3
Education									
≤High School	52	20.4	5.6	19	7.7	3.9	169	71.8	6.3
>High School	52	13.6	4.1	22	6.8	3.2	314	79.6	4.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Home Smoking Policies**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Not Allowed %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Allowed Some Places %</b>	<b>C.I.</b>	<b>n</b>	<b>Allowed Anywhere %</b>	<b>C.I.</b>
Total	392	64.3	4.2	93	14.0	2.9	146	21.7	3.6
Gender									
Male	158	67.1	6.2	31	10.7	3.9	68	22.2	5.5
Female	234	61.8	5.5	62	17.0	4.3	78	21.2	4.7
Age									
18-34	99	73.1	8.6	12	9.0	5.4	22	17.9	7.5
35-54	149	60.1	6.5	47	17.0	4.8	65	22.9	5.5
≥55	139	64.0	6.9	30	13.3	4.8	55	22.8	6.0
Education									
≤High School	129	55.6	7.1	44	17.3	5.2	68	27.1	6.4
>High School	262	69.3	5.1	49	12.1	3.5	78	18.6	4.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Home Smoking

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	174	26.9	457	73.1	3.9
Gender					
Male	76	26.4	181	73.6	5.9
Female	98	27.3	276	72.7	5.1
Age					
18-34	32	25.0	101	75.0	8.4
35-54	83	29.8	178	70.2	6.0
≥55	54	24.0	170	76.0	6.3
Education					
≤High School	83	33.0	158	67.0	6.7
>High School	90	22.8	299	77.2	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	105	19.2	517	80.8	3.8
Gender					
Male	72	30.0	181	70.0	6.7
Female	33	9.7	336	90.3	3.5
Age					
18-34	38	34.2	94	65.8	9.6
35-54	52	18.4	206	81.6	5.1
≥55	14	6.4	206	93.6	3.5
Education					
≤High School	40	17.8	197	82.2	5.9
>High School	65	20.0	320	80.0	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	47	9.1	577	90.9	2.9
Gender					
Male	31	13.9	223	86.1	5.4
Female	16	4.9	354	95.1	2.6
Age					
18-34	15	14.7	118	85.3	7.8
35-54	19	7.2	238	92.8	3.4
≥55	12	6.0	210	94.0	3.6
Education					
≤High School	19	9.4	219	90.6	4.8
>High School	28	8.9	358	91.1	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Overweight or Obese, BMI(Body Mass Index) 25 or More**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	344	57.5	254	42.5	4.5
Gender					
Male	172	67.4	83	32.6	6.6
Female	172	48.0	171	52.0	5.9
Age					
18-34	55	41.9	74	58.1	9.7
35-54	149	61.8	93	38.2	6.7
≥55	137	67.3	79	32.7	6.6
Education					
≤High School	139	58.4	91	41.6	7.3
>High School	204	56.7	163	43.3	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)***Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Underweight\ Normal %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Overweight %</b>	<b>C.I.</b>	<b>n</b>	<b>Obese %</b>	<b>C.I.</b>
Total	253	42.5	4.5	195	32.6	4.3	149	25.0	3.9
Gender									
Male	83	32.6	6.6	103	39.0	6.8	69	28.4	6.2
Female	170	51.9	5.9	92	26.4	5.2	80	21.7	4.8
Age									
18-34	74	58.1	9.7	32	25.3	8.8	23	16.6	6.9
35-54	93	38.2	6.7	84	34.2	6.6	65	27.6	6.3
≥55	78	32.4	6.6	77	37.6	7.2	60	30.0	7.0
Education									
≤High School	90	41.4	7.3	70	28.7	6.5	69	29.9	6.7
>High School	163	43.3	5.7	125	35.1	5.6	79	21.6	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had Mammography Screening, Women Aged 40 Years and Older

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Female	234	91.2	24	8.8	3.8
Age					
40-64	144	89.1	18	10.9	5.4
≥65	90	95.0	6	5.0	4.0
Education					
≤High School	105	92.6	11	7.4	4.4
>High School	129	89.9	13	10.1	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	210	82.3	47	17.7	5.1
Age					
40-64	128	79.2	34	20.8	6.9
≥65	82	87.9	13	12.1	6.6
Education					
≤High School	93	81.7	23	18.3	7.4
>High School	117	82.7	24	17.3	7.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health  
**Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	60	14.8	386	85.2	4.0
Gender					
Male	15	10.0	179	90.0	5.4
Female	45	19.6	207	80.4	5.9
Age					
18-34	39	31.0	91	69.0	9.2
35-54	20	6.2	224	93.8	3.0
55-64	1	1.6	71	98.4	3.1
Education					
≤High School	24	18.1	122	81.9	7.7
>High School	36	13.4	263	86.6	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Sexually Active, Age 18-64 Years Old**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	319	83.3	82	16.7	4.0
Gender					
Male	135	81.0	34	19.0	6.9
Female	184	85.5	48	14.5	4.3
Age					
18-34	110	88.2	13	11.8	7.1
35-54	170	82.9	44	17.1	5.4
55-64	39	70.0	25	30.0	11.4
Education					
≤High School	97	75.3	38	24.7	8.1
>High School	221	87.1	44	12.9	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	73	21.5	263	78.5	4.9
Gender					
Male	37	23.9	112	76.1	7.6
Female	36	19.2	151	80.8	6.4
Age					
18-34	41	34.5	73	65.5	9.7
35-54	32	15.5	147	84.5	5.5
55-64	0	0.0	43	100	0.0
Education					
≤High School	20	19.3	82	80.7	8.8
>High School	53	22.7	180	77.3	6.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

*Erie*

Demographic Groups	Use BC			No BC at risk			No BC		
	n <sup>1</sup>	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	202	65.7	5.9	36	11.5	3.8	76	22.8	5.2
Gender									
Male	102	61.1	8.3	18	10.8	5.0	49	28.1	7.7
Female	100	72.3	7.8	18	12.5	5.6	27	15.2	6.1
Age									
18-34	89	69.0	8.9	16	11.9	5.8	25	19.0	7.8
35-59	113	62.5	7.6	20	11.0	4.8	51	26.5	7.0
Education									
≤High School	48	52.6	11.6	10	10.6	6.6	35	36.9	11.2
>High School	154	71.1	6.7	26	11.9	4.6	41	17.0	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Physician Diagnosed Heart Attack, Angina or Stroke**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	60	9.2	551	90.8	2.5
Gender					
Male	28	9.4	220	90.6	3.8
Female	32	9.0	331	91.0	3.2
Age					
18-64	20	4.0	435	96.0	1.9
≥65	40	28.6	107	71.4	8.2
Education					
≤High School	33	12.9	202	87.1	4.6
>High School	26	6.4	349	93.6	2.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	47	7.3	564	92.7	2.3
Gender					
Male	24	8.3	224	91.7	3.6
Female	23	6.5	340	93.5	2.8
Age					
18-64	15	3.1	440	96.9	1.7
≥65	32	23.6	115	76.4	7.8
Education					
≤High School	25	10.0	210	90.0	4.1
>High School	21	5.2	354	94.8	2.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	105	66.1	59	33.9	7.8
Age					
40-64	62	58.3	52	41.7	9.8
≥65	43	84.2	7	15.8	11.7
Education					
≤High School	41	63.9	26	36.1	12.5
>High School	63	66.7	33	33.3	10.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

### *Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	91	57.9	73	42.1	8.2
Age					
40-64	52	49.3	62	50.7	10.1
≥65	39	77.6	11	22.4	12.8
Education					
≤High School	37	59.8	30	40.2	12.7
>High School	53	55.7	43	44.3	10.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Digital Rectal Exam, Men Aged 40 and Older

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	138	83.8	28	16.2	6.0
Age					
40-64	92	80.1	24	19.9	7.7
≥65	46	92.4	4	7.6	8.3
Education					
≤High School	57	85.5	11	14.5	8.8
>High School	80	82.3	17	17.7	8.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Used a Blood Stool Test at Home, Aged 50 and Older

*Erie*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	157	58.0	125	42.0	6.3
Gender					
Male	53	50.5	55	49.5	10.3
Female	104	63.9	70	36.1	7.6
Age					
50-64	77	55.7	60	44.3	9.2
≥65	80	60.4	65	39.6	8.6
Education					
≤High School	70	53.6	66	46.4	9.3
>High School	87	63.1	58	36.9	8.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	80	29.3	197	70.7	5.9
Gender					
Male	32	29.3	74	70.7	9.3
Female	48	29.3	123	70.7	7.6
Age					
50-64	43	30.3	92	69.7	8.4
≥65	37	28.3	105	71.7	8.3
Education					
≤High School	32	26.8	100	73.2	8.6
>High School	48	32.1	96	67.9	8.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	114	42.4	163	57.6	6.4
Gender					
Male	43	40.2	63	59.8	10.1
Female	71	44.2	100	55.8	8.2
Age					
50-64	57	41.7	78	58.3	9.1
≥65	57	43.1	85	56.9	9.1
Education					
≤High School	50	41.1	82	58.9	9.4
>High School	64	44.4	80	55.6	8.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	169	58.6	113	41.4	6.4
Gender					
Male	65	59.7	42	40.3	10.3
Female	104	57.8	71	42.2	8.2
Age					
50-64	76	53.8	61	46.2	9.2
≥65	93	63.5	52	36.5	8.8
Education					
≤High School	72	54.7	63	45.3	9.3
>High School	96	61.4	50	38.6	8.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older**

*Erie*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	158	55.3	123	44.7	6.5
Gender					
Male	63	58.0	44	42.0	10.3
Female	95	53.2	79	46.8	8.2
Age					
50-64	69	49.2	68	50.8	9.2
≥65	89	61.4	55	38.6	8.9
Education					
≤High School	68	51.6	67	48.4	9.4
>High School	89	57.8	56	42.2	9.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older**

***Erie***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	191	66.4	92	33.6	6.2
Gender					
Male	73	64.9	35	35.1	10.1
Female	118	67.5	57	32.5	7.7
Age					
50-64	89	63.7	48	36.3	9.0
≥65	102	69.0	44	31.0	8.4
Education					
≤High School	83	62.5	53	37.5	9.0
>High School	107	69.3	39	30.7	8.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval