

New York State Expanded Behavioral Risk Factor Surveillance System

Allegany County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Allegany County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Allegany County and New York State	14
Table 2b. Fair or poor general health among adults in Allegany County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Allegany County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Allegany County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Allegany County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Allegany County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Allegany County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Allegany County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Allegany County and New York State	22
Table 6b. Health insurance among adults in Allegany County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Allegany County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Allegany County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Allegany County and New York State	26
Table 8b. No health insurance among adults in Allegany County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Allegany County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Allegany County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Allegany County and New York State	30
Table 10b. Adults with regular health care provider in Allegany County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Allegany County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Allegany County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Allegany County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Allegany County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Allegany County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Allegany County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Allegany County and New York State	38
Table 14b. Dentist visit within the past year among adults in Allegany County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Allegany County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Allegany County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Allegany County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Allegany County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Allegany County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Allegany County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Allegany County and New York State	46
Table 18b. Flu shot within the past 12 months in Allegany County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Allegany County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Allegany County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Allegany County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Allegany County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Allegany County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Allegany County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Allegany County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Allegany County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Allegany County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Allegany County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Allegany County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Allegany County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Allegany County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Allegany County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Allegany County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Allegany County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Allegany County and New York State	64
Table 27b. Ever had a Pap test among women in Allegany County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Allegany County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Allegany County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Allegany County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Allegany County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Allegany County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Allegany County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Allegany County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Allegany County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Allegany County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Allegany County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Allegany County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Allegany County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Allegany County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Allegany County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Allegany County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Allegany County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Allegany County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Allegany County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Allegany County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Allegany County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Allegany County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Allegany County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Allegany County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Allegany County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Allegany County and New York State	90
Table 40b. High blood pressure among adults in Allegany County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Allegany County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Allegany County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Allegany County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Allegany County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Allegany County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Allegany County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Allegany County and New York State	98
Table 44b. Cardiovascular disease among adults in Allegany County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Allegany County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Allegany County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Allegany County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Allegany County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Allegany County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Allegany County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Allegany County and New York State	106
Table 48b. Current asthma among adults in Allegany County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Allegany County and New York State	108
Table 49b. Chronic joint symptoms among adults in Allegany County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Allegany County and New York State	110
Table 50b. Arthritis among adults in Allegany County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Allegany County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Allegany County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Allegany County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Allegany County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Allegany County and New York State	116
Table 53b. Disability among adults in Allegany County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Allegany County and New York State	118
Table 54b. Current smoking among adults in Allegany County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Allegany County and New York State	120
Table 55b. Everyday smoking among adults in Allegany County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Allegany County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Allegany County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Allegany County and New York State	124
Table 57b. Binge drinking within the past month among adults in Allegany County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Allegany County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Allegany County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Allegany County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Allegany County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Allegany County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Allegany County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Allegany County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Allegany County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Allegany County and New York State	134
Table 62b. Overweight among adults in Allegany County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Allegany County and New York State	136
Table 63b. Obesity among adults in Allegany County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Allegany County and New York State	138
Table 64b. Overweight or obesity among adults in Allegany County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Allegany County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Allegany County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Allegany County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Allegany County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Allegany County and New York State	144
Table 67b. No leisure-time physical activity among adults in Allegany County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Allegany County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Allegany County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Allegany County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Allegany County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Allegany County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Allegany County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 1. Allegany County and New York State adult US Census Bureau population estimates,¹ 2007

	Allegany County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	39,561	100	14,884,315	100
Gender				
Male	19,709	49.8	7,103,791	47.7
Female	19,852	50.2	7,780,524	52.3
Age (years)				
18-34	14,929	37.7	4,497,479	30.2
35-44	5,246	13.3	2,844,115	19.1
45-54	6,766	17.1	2,854,316	19.2
55-64	5,284	13.4	2,142,000	14.4
≥ 65	7,336	18.5	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	38,047	96.2	9,343,884	62.8
Black Non-Hispanic	474	1.2	2,156,941	14.5
Hispanic	464	1.2	2,258,717	15.2
Other Non-Hispanic	576	1.5	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 2a. Fair or poor general health among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	6,300	15.8	(11.8 - 19.8)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	248	3,000	15.1	(8.5 - 21.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	414	3,300	16.5	(11.9 - 21.1)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	78	600	12.3	(4.8 - 19.9)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	133	700	10.8	(5.5 - 16.2)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	143	1,100	21.5	(13.5 - 29.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	239	2,400	33.3	(24.0 - 42.5)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	642	5,500	14.5	(10.7 - 18.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	320	3,500	18.6	(12.6 - 24.7)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	190	2,100	17.0	(8.6 - 25.4)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	150	600	7.7	(3.8 - 11.5)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	193	1,300	12.0	(7.2 - 16.7)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 2b. Fair or poor general health among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	15.6	(11.8 - 19.4)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	248	15.0	(8.9 - 21.1)	14,599	15.3	(12.6 - 18.0)
Female	414	16.1	(11.7 - 20.6)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	642	14.2	(10.8 - 17.7)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	320	18.7	(12.8 - 24.6)	15,682	25.8	(22.1 - 29.5)
Some College	190	16.0	(8.4 - 23.5)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	150	8.3	(3.8 - 12.7)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	222	30.3	(20.5 - 40.1)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	193	12.4	(7.2 - 17.7)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	4,600	11.9	(8.5 - 15.3)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	243	1,900	9.5	(4.2 - 14.8)	14,325	604,200	8.7	(7.0 - 10.5)
Female	401	2,800	14.3	(10.2 - 18.4)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	131	900	12.8	(6.9 - 18.7)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	141	800	14.8	(8.0 - 21.7)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	225	1,700	24.1	(14.1 - 34.0)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	624	4,000	10.6	(7.7 - 13.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	309	2,900	15.5	(9.5 - 21.5)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	183	1,200	9.8	(4.8 - 14.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	150	600	7.1	(3.3 - 10.9)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	209	2,600	23.6	(14.1 - 33.1)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	190	1,200	11.1	(6.6 - 15.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	11.9	(8.5 - 15.2)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	243	9.9	(4.6 - 15.2)	14,325	8.7	(6.9 - 10.5)
Female	401	13.8	(9.8 - 17.8)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	624	10.6	(7.7 - 13.4)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	309	15.1	(9.3 - 20.9)	15,178	12.7	(10.2 - 15.1)
Some College	183	10.4	(5.1 - 15.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	150	7.1	(3.2 - 11.0)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	209	23.6	(14.3 - 32.9)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	190	11.5	(6.4 - 16.6)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	3,100	8.2	(5.4 - 11.0)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	241	700	3.9	(1.1 - 6.7)	14,407	555,200	7.9	(6.3 - 9.6)
Female	403	2,400	12.3	(7.7 - 16.9)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	77	600	12.1	(5.0 - 19.2)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	133	600	9.4	(4.2 - 14.5)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	137	400	7.4	(3.2 - 11.5)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	230	400	5.8	(2.4 - 9.2)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	625	3,000	8.1	(5.2 - 10.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	308	1,300	7.3	(3.8 - 10.8)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	186	1,300	10.5	(4.1 - 16.8)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	148	500	6.7	(2.0 - 11.3)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	213	1,300	12.2	(5.1 - 19.3)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	193	900	8.4	(3.9 - 12.8)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	8.6	(5.8 - 11.4)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	241	4.7	(1.5 - 7.9)	14,407	7.9	(6.3 - 9.6)
Female	403	12.5	(8.0 - 17.0)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	625	8.5	(5.6 - 11.3)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	308	7.5	(4.1 - 10.9)	15,335	12.3	(10.0 - 14.6)
Some College	186	11.7	(5.2 - 18.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	148	6.6	(2.1 - 11.2)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	213	12.3	(5.6 - 19.0)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	193	9.6	(4.3 - 14.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	6,200	16.1	(12.2 - 20.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	238	2,100	11.0	(5.5 - 16.5)	14,231	937,700	13.6	(11.4 - 15.8)
Female	397	4,100	21.3	(15.9 - 26.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	77	900	17.4	(8.7 - 26.0)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	131	1,200	17.6	(10.8 - 24.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	137	900	16.9	(9.7 - 24.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	223	1,800	25.5	(15.6 - 35.5)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	615	5,500	14.8	(11.2 - 18.4)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	306	3,400	18.7	(12.3 - 25.1)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	179	2,000	16.3	(9.1 - 23.4)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	148	800	10.2	(5.0 - 15.5)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	190	1,700	15.8	(10.2 - 21.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	16.4	(12.6 - 20.3)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	238	11.9	(6.3 - 17.5)	14,231	13.6	(11.4 - 15.8)
Female	397	20.9	(15.7 - 26.2)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	615	15.1	(11.5 - 18.6)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	306	18.6	(12.4 - 24.7)	15,018	20.1	(17.1 - 23.1)
Some College	179	17.8	(10.5 - 25.1)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	148	10.0	(4.9 - 15.0)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	190	16.6	(10.5 - 22.8)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 6a. Health insurance among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	31,800	82.7	(77.1 - 88.3)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	245	15,000	80.5	(70.8 - 90.1)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	413	16,800	84.8	(79.1 - 90.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	132	6,100	91.7	(86.1 - 97.3)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	143	4,700	89.6	(83.9 - 95.4)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	238	7,100	97.5	(95.4 - 99.6)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	638	30,600	82.7	(77.0 - 88.4)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	317	13,900	76.6	(67.2 - 86.0)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	189	10,500	85.6	(76.6 - 94.7)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	150	7,400	93.0	(87.3 - 98.7)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	193	9,200	85.0	(77.2 - 92.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	98	6,700	97.1	(92.9 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	*	*	*	*	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 6b. Health insurance among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	83.3	(78.3 - 88.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	245	82.6	(74.5 - 90.6)	14,597	83.6	(79.7 - 87.5)
Female	413	84.1	(77.9 - 90.2)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	638	83.3	(78.2 - 88.5)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	317	77.1	(68.5 - 85.7)	15,673	80.1	(75.4 - 84.7)
Some College	189	86.3	(78.3 - 94.3)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	150	93.3	(87.9 - 98.7)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	193	85.4	(78.2 - 92.7)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	98	96.8	(92.4 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	*	*	*	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 7a. Health insurance among adults aged 18-64¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	417	24,600	79.3	(72.5 - 86.0)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	254	12,800	81.6	(74.5 - 88.7)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	132	6,100	91.7	(86.1 - 97.3)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	140	4,700	90.0	(84.2 - 95.8)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	404	24,000	79.5	(72.7 - 86.4)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	112	6,300	92.3	(85.7 - 99.0)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	131	7,200	81.8	(72.3 - 91.3)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	91	6,500	96.9	(92.6 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	*	*	*	*	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 7b. Health insurance among adults aged 18-64¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	417	80.4	(74.4 - 86.4)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	163	79.4	(69.8 - 89.0)	10,078	80.5	(75.9 - 85.1)
Female	254	81.4	(74.1 - 88.6)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	404	80.7	(74.6 - 86.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	132	84.4	(75.4 - 93.5)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	112	92.8	(86.7 - 98.9)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	131	82.6	(74.0 - 91.2)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	91	96.7	(92.1 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	*	*	*	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 8a. No health insurance among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	6,700	17.3	(11.7 - 22.9)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	245	3,600	19.5	(9.9 - 29.2)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	413	3,000	15.2	(9.5 - 20.9)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	132	600	8.3	(2.7 - 13.9)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	143	500	10.4	(4.6 - 16.1)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	638	6,400	17.3	(11.6 - 23.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	317	4,200	23.4	(14.0 - 32.8)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	189	1,800	14.4	(5.3 - 23.4)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	193	1,600	15.0	(7.1 - 22.8)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 8b. No health insurance among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	16.7	(11.6 - 21.7)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	245	17.4	(9.4 - 25.5)	14,597	16.4	(12.5 - 20.3)
Female	413	15.9	(9.8 - 22.1)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	638	16.7	(11.5 - 21.8)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	317	22.9	(14.3 - 31.5)	15,673	19.9	(15.3 - 24.6)
Some College	189	13.7	(5.7 - 21.7)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	193	14.6	(7.3 - 21.8)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 9a. No health insurance among adults aged 18-64¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	417	6,400	20.7	(14.0 - 27.5)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	254	2,900	18.4	(11.3 - 25.5)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	132	600	8.3	(2.7 - 13.9)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	140	500	10.0	(4.2 - 15.8)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	404	6,200	20.5	(13.6 - 27.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	131	1,600	18.2	(8.7 - 27.7)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 9b. No health insurance among adults aged 18-64¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	417	19.6	(13.6 - 25.6)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	163	20.6	(11.0 - 30.2)	10,078	19.5	(14.9 - 24.1)
Female	254	18.6	(11.4 - 25.9)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	404	19.3	(13.2 - 25.4)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	132	15.6	(6.5 - 24.6)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	131	17.4	(8.8 - 26.0)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 10a. Adults with regular health care provider¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	33,200	84.1	(79.2 - 89.0)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	248	15,600	79.3	(70.7 - 87.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	412	17,600	88.8	(84.2 - 93.5)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	133	5,800	86.2	(77.3 - 95.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	142	4,600	87.4	(81.2 - 93.6)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	238	6,900	94.2	(91.0 - 97.5)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	640	31,800	83.7	(78.6 - 88.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	319	15,600	83.3	(75.9 - 90.8)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	189	10,900	86.0	(77.7 - 94.3)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	*	*	*	*	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	193	8,500	77.9	(68.2 - 87.6)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	98	6,300	91.0	(82.8 - 99.2)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	*	*	*	*	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 10b. Adults with regular health care provider¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	83.6	(78.9 - 88.3)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	248	79.3	(71.6 - 87.0)	14,593	78.1	(73.9 - 82.3)
Female	412	87.9	(82.6 - 93.3)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	640	83.3	(78.5 - 88.2)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	319	81.4	(73.9 - 88.9)	15,692	75.8	(71.0 - 80.6)
Some College	189	86.4	(78.9 - 94.0)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	150	85.0	(76.0 - 94.1)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	193	77.0	(67.8 - 86.3)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	98	91.9	(85.0 - 98.8)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	*	*	*	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	5,200	13.1	(9.0 - 17.2)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	247	1,900	9.5	(3.4 - 15.6)	14,607	903,300	12.7	(9.5 - 16.0)
Female	414	3,300	16.7	(11.3 - 22.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	69	2,600	17.5	(7.7 - 27.3)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	78	900	16.3	(7.8 - 24.7)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	132	900	12.7	(7.0 - 18.4)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	143	600	10.6	(4.4 - 16.8)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	641	4,700	12.4	(8.3 - 16.6)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	319	2,500	13.1	(7.3 - 18.9)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	190	2,300	18.1	(9.2 - 26.9)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	222	2,200	19.4	(11.1 - 27.7)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	193	1,500	14.2	(7.8 - 20.6)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	13.3	(9.5 - 17.1)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	247	9.4	(4.0 - 14.7)	14,607	12.5	(9.4 - 15.6)
Female	414	17.2	(11.9 - 22.5)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	641	12.7	(8.8 - 16.5)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	319	13.0	(7.8 - 18.3)	15,696	17.8	(13.8 - 21.7)
Some College	190	18.5	(10.3 - 26.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	222	19.6	(11.7 - 27.6)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	193	15.8	(9.0 - 22.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	26,600	67.6	(61.7 - 73.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	247	12,300	62.4	(52.6 - 72.2)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	410	14,300	72.7	(66.2 - 79.3)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	*	*	*	*	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	143	4,300	81.1	(73.9 - 88.3)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	235	6,300	87.5	(82.8 - 92.3)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	637	25,500	67.5	(61.4 - 73.5)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	318	13,700	73.0	(64.7 - 81.2)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	148	5,500	68.9	(59.0 - 78.9)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	220	8,800	77.0	(67.7 - 86.3)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	66.6	(61.0 - 72.2)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	247	61.8	(52.9 - 70.7)	14,592	67.1	(63.3 - 70.9)
Female	410	71.4	(64.7 - 78.2)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	637	66.3	(60.6 - 72.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	318	71.7	(63.8 - 79.7)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	*	*	*	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	220	75.2	(65.4 - 85.0)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	190	62.4	(52.6 - 72.2)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	31,000	78.8	(73.3 - 84.3)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	247	14,400	73.3	(64.0 - 82.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	410	16,600	84.4	(78.8 - 90.0)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	*	*	*	*	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	143	4,700	89.2	(83.1 - 95.3)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	235	6,600	91.9	(88.1 - 95.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	637	29,600	78.3	(72.6 - 84.0)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	318	15,600	83.2	(75.8 - 90.6)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	148	6,400	81.2	(72.5 - 89.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	220	9,800	86.2	(78.4 - 93.9)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	79.0	(74.0 - 84.1)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	247	74.2	(65.9 - 82.5)	14,592	81.9	(78.4 - 85.3)
Female	410	83.9	(78.4 - 89.4)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	637	78.5	(73.3 - 83.7)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	318	82.9	(76.1 - 89.7)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	148	80.4	(70.9 - 89.8)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	220	85.5	(78.1 - 93.0)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	190	73.2	(63.7 - 82.8)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 14a. Dentist visit within the past year among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	24,700	63.0	(57.3 - 68.7)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	246	12,500	63.6	(54.3 - 72.9)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	410	12,200	62.5	(55.9 - 69.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	132	4,500	66.4	(56.7 - 76.0)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	143	3,000	57.3	(47.8 - 66.9)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	235	3,700	50.9	(42.3 - 59.4)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	636	24,100	64.0	(58.2 - 69.7)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	317	10,200	54.6	(45.4 - 63.7)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	150	6,600	82.3	(75.2 - 89.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	191	6,300	59.7	(49.9 - 69.4)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	97	5,600	81.9	(72.8 - 91.0)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	*	*	*	*	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 14b. Dentist visit within the past year among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	63.0	(57.6 - 68.4)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	246	64.1	(55.7 - 72.4)	14,573	68.3	(64.6 - 72.1)
Female	410	61.9	(55.2 - 68.6)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	636	64.0	(58.6 - 69.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	317	53.7	(45.1 - 62.3)	15,613	65.3	(60.9 - 69.6)
Some College	187	65.4	(55.8 - 75.0)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	150	80.9	(73.3 - 88.5)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	191	59.4	(50.1 - 68.8)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	97	80.4	(70.9 - 89.8)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 15a. Had teeth cleaned within the past year among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	542	21,300	62.2	(55.9 - 68.5)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	*	*	*	*	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	339	11,100	64.4	(57.4 - 71.5)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	*	*	*	*	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	*	*	*	*	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	158	2,900	62.9	(54.5 - 71.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	528	20,900	62.7	(56.3 - 69.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	143	6,100	79.3	(71.5 - 87.1)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	93	5,300	79.7	(70.0 - 89.3)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	72	4,400	89.8	(82.6 - 97.1)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 15b. Had teeth cleaned within the past year among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	542	61.5	(55.7 - 67.3)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	203	59.3	(50.0 - 68.7)	13,173	69.2	(65.3 - 73.1)
Female	339	63.6	(56.7 - 70.6)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	528	62.1	(56.1 - 68.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	52.2	(42.5 - 62.0)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	143	77.8	(69.6 - 85.9)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	93	78.0	(68.1 - 87.9)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	72	88.8	(80.2 - 97.3)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	22,700	58.6	(52.3 - 64.8)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	*	*	*	*	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	409	11,700	59.2	(52.2 - 66.2)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	130	4,300	65.0	(55.7 - 74.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	142	4,200	81.0	(73.9 - 88.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	235	6,500	90.0	(85.8 - 94.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	634	21,900	58.5	(52.1 - 64.9)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	316	12,500	67.2	(57.3 - 77.2)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	*	*	*	*	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	219	9,100	79.9	(69.9 - 89.8)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	59.9	(54.2 - 65.7)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	244	59.9	(50.6 - 69.2)	14,457	47.9	(44.1 - 51.7)
Female	409	60.0	(53.1 - 66.8)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	634	59.9	(54.0 - 65.7)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	316	70.0	(61.2 - 78.9)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	148	41.0	(31.0 - 51.0)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	219	82.2	(73.5 - 90.9)	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	191	62.0	(52.3 - 71.7)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	235	2,700	36.8	(27.5 - 46.0)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	154	1,300	32.0	(23.8 - 40.2)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	235	2,700	36.8	(27.5 - 46.0)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	229	2,100	32.3	(25.7 - 39.0)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	235	37.1	(27.5 - 46.6)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	154	31.9	(23.7 - 40.1)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	229	32.5	(25.7 - 39.3)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 18a. Flu shot within the past 12 months¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	15,200	39.1	(33.3 - 44.9)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	247	6,700	34.6	(24.8 - 44.4)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	411	8,600	43.5	(37.0 - 50.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	199	5,800	26.0	(17.0 - 35.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	222	4,300	45.2	(37.5 - 52.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	237	5,200	71.2	(64.3 - 78.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	638	14,300	38.2	(32.4 - 44.1)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	7,800	41.6	(32.4 - 50.8)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	187	3,900	32.1	(23.0 - 41.1)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	*	*	*	*	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	192	3,900	36.4	(27.2 - 45.7)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 18b. Flu shot within the past 12 months¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	37.7	(32.4 - 43.1)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	247	34.4	(25.7 - 43.2)	14,579	40.0	(36.2 - 43.8)
Female	411	41.0	(34.6 - 47.4)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	638	37.0	(31.6 - 42.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	320	40.6	(32.1 - 49.0)	15,663	43.7	(39.1 - 48.2)
Some College	187	29.7	(21.6 - 37.9)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	*	*	*	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	192	33.9	(25.5 - 42.4)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	15,200	39.1	(33.3 - 44.9)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	247	6,700	34.6	(24.8 - 44.4)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	411	8,600	43.5	(37.0 - 50.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	199	5,800	26.0	(17.0 - 35.1)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	222	4,300	45.2	(37.5 - 52.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	237	5,200	71.2	(64.3 - 78.0)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	638	14,300	38.2	(32.4 - 44.1)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	7,800	41.6	(32.4 - 50.8)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	187	3,900	32.1	(23.0 - 41.1)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	*	*	*	*	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	192	3,900	36.4	(27.2 - 45.7)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	37.7	(32.4 - 43.1)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	247	34.4	(25.7 - 43.2)	14,568	40.4	(36.6 - 44.2)
Female	411	41.0	(34.6 - 47.4)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	638	37.0	(31.6 - 42.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	320	40.6	(32.1 - 49.0)	15,651	44.1	(39.6 - 48.6)
Some College	187	29.7	(21.6 - 37.9)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	*	*	*	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	192	33.9	(25.5 - 42.4)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 21a. Flu shot among adults aged 65 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	237	5,200	71.2	(64.3 - 78.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	156	3,000	74.2	(66.7 - 81.7)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	237	5,200	71.2	(64.3 - 78.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	231	4,700	69.8	(63.3 - 76.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	145	3,300	71.2	(62.3 - 80.2)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	126	2,900	75.9	(66.8 - 85.0)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 21b. Flu shot among adults aged 65 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	237	70.7	(63.6 - 77.8)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	156	74.2	(66.6 - 81.7)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	231	69.2	(62.5 - 75.9)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	145	71.1	(61.9 - 80.3)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	126	75.4	(65.9 - 85.0)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	9,500	26.9	(21.9 - 31.9)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	227	4,300	25.3	(16.5 - 34.1)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	396	5,200	28.3	(23.0 - 33.5)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	177	2,800	14.4	(6.5 - 22.3)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	216	2,200	24.5	(18.5 - 30.5)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	230	4,500	63.7	(54.3 - 73.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	603	9,100	27.0	(21.9 - 32.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	299	5,500	32.6	(24.2 - 41.0)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	181	2,200	20.5	(14.1 - 26.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	*	*	*	*	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	185	3,100	29.9	(20.7 - 39.2)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	92	600	9.6	(4.0 - 15.1)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	65	300	6.6	(1.8 - 11.4)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	25.1	(20.6 - 29.6)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	227	24.7	(17.0 - 32.4)	13,052	25.8	(22.3 - 29.4)
Female	396	25.4	(20.5 - 30.4)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	603	25.3	(20.8 - 29.9)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	299	31.2	(23.5 - 38.9)	14,700	29.5	(25.6 - 33.5)
Some College	181	19.2	(13.2 - 25.2)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	141	21.1	(12.1 - 30.0)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	185	27.0	(18.8 - 35.2)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	92	9.6	(3.9 - 15.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	65	6.0	(1.6 - 10.4)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	230	4,500	63.7	(54.3 - 73.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	151	2,800	71.2	(63.0 - 79.4)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	230	4,500	63.7	(54.3 - 73.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	224	4,400	67.4	(60.5 - 74.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	230	63.0	(53.3 - 72.8)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	151	71.2	(62.9 - 79.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	224	67.0	(60.0 - 74.0)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	342	10,700	92.6	(89.4 - 95.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	342	10,700	92.6	(89.4 - 95.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	54	2,600	89.3	(81.2 - 97.3)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	132	4,300	93.7	(88.8 - 98.7)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	156	3,800	93.7	(89.5 - 97.8)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	333	10,300	92.7	(89.5 - 96.0)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	168	5,000	92.3	(87.9 - 96.6)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	98	3,300	96.4	(92.0 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	76	2,400	88.4	(79.9 - 96.9)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	140	3,900	92.4	(87.8 - 97.0)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	96	3,000	93.2	(86.8 - 99.6)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	342	92.4	(89.0 - 95.9)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	342	92.4	(89.0 - 95.9)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	333	92.7	(89.1 - 96.2)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	168	91.7	(86.6 - 96.8)	8,266	90.2	(86.1 - 94.2)
Some College	98	95.6	(90.0 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	76	89.8	(81.9 - 97.7)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	140	92.7	(88.0 - 97.4)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	96	92.4	(85.0 - 99.8)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	338	8,600	75.3	(69.9 - 80.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	338	8,600	75.3	(69.9 - 80.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	132	3,500	76.8	(68.1 - 85.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	152	3,000	75.2	(67.5 - 82.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	329	8,500	77.2	(72.1 - 82.4)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	165	3,700	70.1	(62.0 - 78.1)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	97	2,900	84.7	(75.3 - 94.1)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	137	2,900	71.8	(62.5 - 81.0)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	338	75.7	(69.8 - 81.5)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	338	75.7	(69.8 - 81.5)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	329	77.8	(72.2 - 83.5)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	165	71.0	(62.1 - 79.8)	8,204	80.1	(75.6 - 84.7)
Some College	97	84.9	(75.3 - 94.4)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	137	74.5	(64.9 - 84.1)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	284	6,500	76.1	(70.2 - 82.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	284	6,500	76.1	(70.2 - 82.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	132	3,500	76.8	(68.1 - 85.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	152	3,000	75.2	(67.5 - 82.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	278	6,400	77.8	(72.3 - 83.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	144	2,900	70.6	(62.3 - 78.9)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	124	2,300	69.3	(59.5 - 79.1)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	284	76.3	(70.3 - 82.2)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	284	76.3	(70.3 - 82.2)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	278	77.9	(72.3 - 83.6)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	144	70.5	(62.0 - 78.9)	7,026	83.6	(80.1 - 87.0)
Some College	80	88.5	(78.7 - 98.2)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	124	69.5	(59.8 - 79.2)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 27a. Ever had a Pap test among women¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	408	18,500	94.8	(90.9 - 98.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	408	18,500	94.8	(90.9 - 98.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	78	3,200	97.2	(93.2 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	87	2,600	99.1	(97.2 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	154	3,700	93.1	(88.0 - 98.3)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	397	17,800	94.7	(90.7 - 98.7)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	7,800	93.0	(86.0 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	124	6,600	96.3	(90.6 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	93	4,100	95.9	(89.9 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	154	5,700	92.8	(85.9 - 99.6)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	119	5,700	96.9	(92.4 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	*	*	*	*	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 27b. Ever had a Pap test among women¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	408	95.4	(92.0 - 98.9)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	408	95.4	(92.0 - 98.9)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	397	95.4	(91.9 - 98.9)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	191	93.8	(87.5 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	124	96.6	(91.5 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	93	96.7	(91.6 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	154	93.6	(87.4 - 99.9)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	119	97.4	(93.5 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	*	*	*	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	400	14,700	76.3	(70.7 - 81.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	400	14,700	76.3	(70.7 - 81.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	*	*	*	*	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	87	2,200	82.5	(74.0 - 91.0)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	147	1,800	48.3	(39.4 - 57.2)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	390	14,100	75.7	(69.9 - 81.4)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	188	5,500	65.7	(55.8 - 75.7)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	121	5,900	88.1	(81.1 - 95.0)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	91	3,300	78.4	(68.7 - 88.1)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	119	5,000	85.0	(77.8 - 92.2)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 28b. Had a Pap test within the past 3 years among women¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	400	76.6	(70.7 - 82.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	400	76.6	(70.7 - 82.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	390	76.1	(70.0 - 82.2)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	121	89.5	(83.2 - 95.8)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	*	*	*	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	119	85.9	(78.7 - 93.1)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	210	7,400	68.7	(60.5 - 77.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	210	7,400	68.7	(60.5 - 77.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	81	2,600	80.4	(70.8 - 90.0)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	202	6,600	66.8	(58.4 - 75.2)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	210	64.6	(55.6 - 73.7)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	210	64.6	(55.6 - 73.7)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	202	62.4	(53.3 - 71.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	5,600	53.0	(44.5 - 61.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	208	5,600	53.0	(44.5 - 61.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	200	5,100	51.3	(43.0 - 59.5)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	49.5	(40.6 - 58.3)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	208	49.5	(40.6 - 58.3)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	47.6	(39.0 - 56.2)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	193	6,700	67.9	(59.9 - 76.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	193	6,700	67.9	(59.9 - 76.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	75	2,600	86.0	(77.8 - 94.2)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	185	6,100	66.6	(58.4 - 74.7)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	193	64.9	(56.2 - 73.7)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	193	64.9	(56.2 - 73.7)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	63.7	(54.9 - 72.6)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	192	5,800	59.1	(50.3 - 67.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	192	5,800	59.1	(50.3 - 67.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	184	5,300	57.9	(49.3 - 66.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegheny County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Allegheny County and New York State - Age-Adjusted²

	Allegheny County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	192	56.9	(47.7 - 66.1)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	192	56.9	(47.7 - 66.1)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	184	55.9	(46.7 - 65.1)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 33a. Prostate cancer among men aged 40 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	211	300	3.2	(1.0 - 5.4)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	211	300	3.2	(1.0 - 5.4)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 33b. Prostate cancer among men aged 40 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	211	2.9	(1.0 - 4.8)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	211	2.9	(1.0 - 4.8)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	456	5,800	34.9	(29.8 - 40.0)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	169	2,400	29.6	(21.8 - 37.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	287	3,400	39.9	(33.6 - 46.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	222	3,000	32.1	(25.1 - 39.0)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	234	2,800	38.6	(31.0 - 46.3)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	445	5,700	35.9	(30.9 - 41.0)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	2,900	36.0	(28.6 - 43.4)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	121	1,200	25.9	(17.4 - 34.4)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	176	1,900	34.0	(25.2 - 42.8)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	130	1,500	30.3	(21.3 - 39.3)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	456	34.2	(29.0 - 39.3)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	169	29.2	(21.5 - 36.9)	9,571	39.4	(35.3 - 43.5)
Female	287	39.3	(32.9 - 45.7)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	445	35.1	(30.0 - 40.2)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	35.2	(27.8 - 42.7)	11,146	35.1	(30.3 - 39.9)
Some College	121	24.8	(16.3 - 33.2)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	176	33.9	(24.9 - 42.8)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	130	29.2	(20.1 - 38.2)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	453	2,400	14.6	(11.0 - 18.1)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	169	1,100	13.9	(8.4 - 19.5)	9,508	444,400	16.0	(13.2 - 18.9)
Female	284	1,300	15.2	(10.8 - 19.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	222	1,300	13.5	(8.6 - 18.3)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	231	1,200	16.1	(10.9 - 21.3)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	442	2,300	14.5	(10.9 - 18.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	229	1,200	15.2	(10.3 - 20.2)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	120	400	8.0	(3.5 - 12.6)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	102	800	21.4	(12.1 - 30.7)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	174	1,100	20.1	(13.1 - 27.0)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	130	500	10.2	(5.0 - 15.5)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	453	14.4	(10.8 - 18.0)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	169	13.9	(8.4 - 19.4)	9,508	16.4	(13.2 - 19.6)
Female	284	15.0	(10.5 - 19.4)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	442	14.3	(10.7 - 17.9)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	14.9	(10.0 - 19.9)	11,026	12.7	(9.2 - 16.1)
Some College	120	7.9	(3.3 - 12.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	102	21.4	(12.0 - 30.8)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	174	20.1	(13.0 - 27.1)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	130	10.0	(4.8 - 15.3)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	453	3,300	19.7	(15.7 - 23.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	169	1,400	16.9	(10.9 - 22.8)	9,508	593,100	21.4	(18.3 - 24.5)
Female	284	1,900	22.4	(17.1 - 27.6)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	222	1,700	17.6	(12.2 - 23.0)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	231	1,600	22.5	(16.5 - 28.5)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	442	3,100	19.9	(15.8 - 23.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	229	1,600	19.5	(13.9 - 25.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	120	600	14.5	(8.1 - 21.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	102	1,000	26.8	(17.1 - 36.5)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	174	1,300	23.7	(16.2 - 31.1)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	130	700	14.4	(8.3 - 20.6)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	453	19.5	(15.4 - 23.6)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	169	16.9	(11.0 - 22.9)	9,508	21.7	(18.3 - 25.1)
Female	284	22.2	(16.8 - 27.5)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	442	19.6	(15.6 - 23.7)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	19.1	(13.5 - 24.7)	11,026	19.5	(15.4 - 23.7)
Some College	120	14.5	(7.9 - 21.2)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	102	26.6	(16.8 - 36.4)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	174	23.7	(16.1 - 31.3)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	130	14.0	(7.9 - 20.0)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	455	9,200	55.6	(49.9 - 61.3)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	169	4,100	51.1	(41.5 - 60.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	286	5,100	59.8	(53.4 - 66.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	142	2,700	51.3	(41.8 - 60.8)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	234	4,500	62.3	(54.7 - 70.0)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	445	8,800	55.7	(50.2 - 61.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	4,600	55.9	(47.7 - 64.0)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	455	55.3	(49.5 - 61.2)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	169	51.3	(41.6 - 61.1)	9,582	68.5	(64.5 - 72.5)
Female	286	59.5	(52.8 - 66.1)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	445	55.4	(49.7 - 61.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	55.7	(47.4 - 64.0)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	8,600	52.1	(46.3 - 57.8)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	169	4,000	49.8	(40.1 - 59.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	283	4,600	54.2	(47.6 - 60.7)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	140	2,500	48.9	(39.4 - 58.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	233	4,100	57.7	(49.6 - 65.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	442	8,200	52.0	(46.5 - 57.5)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	229	4,300	53.3	(45.0 - 61.6)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	51.9	(46.0 - 57.9)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	169	50.1	(40.3 - 59.8)	9,521	66.9	(62.9 - 70.9)
Female	283	53.8	(47.1 - 60.5)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	442	51.8	(46.1 - 57.4)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	53.3	(44.8 - 61.8)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	447	9,700	59.3	(53.5 - 65.0)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	168	4,600	57.6	(48.0 - 67.2)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	279	5,100	60.8	(54.3 - 67.4)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	137	2,700	53.3	(43.6 - 63.1)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	231	4,800	66.6	(59.3 - 73.9)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	438	9,100	58.6	(53.0 - 64.1)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	4,900	61.3	(53.5 - 69.2)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	172	3,400	62.4	(52.8 - 72.1)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	447	59.2	(53.3 - 65.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	168	58.0	(48.4 - 67.6)	9,418	71.5	(67.6 - 75.4)
Female	279	60.5	(53.8 - 67.2)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	438	58.4	(52.7 - 64.2)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	61.4	(53.4 - 69.5)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	172	62.8	(53.0 - 72.6)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 40a. High blood pressure among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	10,700	27.0	(22.7 - 31.4)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	248	4,600	23.5	(16.9 - 30.1)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	414	6,100	30.5	(25.1 - 36.0)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	78	900	16.9	(7.7 - 26.0)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	133	1,800	27.2	(19.1 - 35.3)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	143	2,500	47.3	(37.8 - 56.7)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	239	4,500	61.5	(52.4 - 70.5)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	642	10,400	27.2	(22.8 - 31.7)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	5,300	28.0	(21.5 - 34.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	190	3,500	27.3	(18.8 - 35.8)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	150	2,000	24.9	(17.2 - 32.7)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	222	3,600	31.2	(23.0 - 39.4)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	193	3,300	30.1	(22.5 - 37.8)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	98	1,200	17.1	(9.1 - 25.1)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	74	1,100	20.5	(10.7 - 30.3)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 40b. High blood pressure among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	26.5	(22.4 - 30.7)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	248	24.8	(18.4 - 31.1)	14,611	27.7	(24.7 - 30.7)
Female	414	28.3	(23.0 - 33.6)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	642	26.7	(22.4 - 30.9)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	320	27.1	(21.1 - 33.1)	15,688	32.1	(28.4 - 35.8)
Some College	190	27.8	(19.5 - 36.1)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	150	23.8	(16.4 - 31.2)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	222	29.8	(22.1 - 37.4)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	193	30.1	(22.4 - 37.9)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	98	17.2	(9.3 - 25.1)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	286	8,700	81.4	(74.4 - 88.3)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	96	3,800	83.1	(74.4 - 91.7)	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	69	2,200	90.0	(83.0 - 97.1)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	157	4,200	93.0	(89.1 - 96.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	281	8,400	81.0	(73.8 - 88.1)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	126	3,200	88.1	(82.1 - 94.1)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	81	2,900	87.6	(78.4 - 96.9)	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	286	79.7	(72.4 - 87.0)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	281	79.1	(71.6 - 86.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	126	86.4	(79.1 - 93.7)	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	81	87.3	(77.9 - 96.7)	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 42a. Ever had blood cholesterol checked among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	28,800	75.4	(69.2 - 81.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	*	*	*	*	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	405	15,200	78.5	(71.6 - 85.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	132	6,000	89.7	(83.4 - 96.0)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	142	5,100	96.9	(94.5 - 99.3)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	233	7,000	96.8	(94.5 - 99.0)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	631	27,600	74.8	(68.4 - 81.2)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	150	6,600	83.3	(75.4 - 91.1)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	190	7,900	74.4	(64.5 - 84.3)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	74	4,800	90.4	(83.0 - 97.7)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 42b. Ever had blood cholesterol checked among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	76.5	(71.0 - 82.0)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	245	74.3	(65.5 - 83.1)	14,389	78.0	(73.9 - 82.1)
Female	405	78.6	(72.0 - 85.2)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	631	75.9	(70.2 - 81.6)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	72.5	(63.5 - 81.6)	15,342	70.2	(65.2 - 75.1)
Some College	187	78.7	(69.2 - 88.1)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	150	81.3	(73.0 - 89.5)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	190	74.2	(65.0 - 83.4)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	98	88.3	(78.6 - 98.1)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	74	88.8	(80.7 - 97.0)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	27,500	72.6	(66.4 - 78.8)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	*	*	*	*	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	402	14,500	76.1	(69.2 - 83.1)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	132	5,800	85.9	(78.9 - 92.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	142	4,700	89.4	(83.4 - 95.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	231	6,700	93.4	(90.0 - 96.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	627	26,200	71.8	(65.4 - 78.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	150	6,400	80.9	(72.7 - 89.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	74	4,800	89.3	(81.6 - 97.0)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	73.6	(68.1 - 79.2)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	244	71.3	(62.4 - 80.1)	14,307	74.8	(70.7 - 79.0)
Female	402	76.0	(69.3 - 82.7)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	627	73.0	(67.3 - 78.7)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	309	70.0	(61.0 - 79.0)	15,215	67.8	(62.9 - 72.8)
Some College	185	75.9	(66.4 - 85.5)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	150	78.7	(70.1 - 87.2)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	189	71.8	(62.4 - 81.1)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	74	87.8	(79.4 - 96.1)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 44a. Cardiovascular disease among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,500	8.8	(6.2 - 11.5)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	244	1,900	9.8	(5.1 - 14.5)	14,477	664,600	9.4	(7.5 - 11.4)
Female	407	1,500	7.9	(5.3 - 10.4)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	138	800	15.2	(8.0 - 22.4)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	236	2,200	29.9	(20.4 - 39.4)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	633	2,800	7.4	(5.6 - 9.3)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	313	2,100	11.5	(6.6 - 16.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	188	800	6.0	(2.8 - 9.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	148	600	7.2	(3.3 - 11.0)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	218	1,900	16.8	(9.1 - 24.4)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	189	900	8.5	(4.7 - 12.3)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 44b. Cardiovascular disease among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	8.5	(5.9 - 11.0)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	244	9.9	(5.3 - 14.5)	14,477	9.7	(7.8 - 11.7)
Female	407	7.0	(4.7 - 9.3)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	633	7.1	(5.3 - 8.9)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	313	11.4	(6.5 - 16.2)	15,486	10.5	(8.0 - 13.0)
Some College	188	5.5	(2.6 - 8.4)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	148	6.7	(3.0 - 10.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	218	16.4	(8.9 - 23.9)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	189	8.3	(4.5 - 12.0)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 45a. Coronary heart disease among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,100	7.9	(5.3 - 10.5)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	242	1,800	9.0	(4.3 - 13.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	409	1,300	6.8	(4.3 - 9.2)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	137	700	14.4	(7.2 - 21.5)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	237	1,900	26.5	(16.9 - 36.1)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	633	2,500	6.5	(4.8 - 8.2)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	314	2,000	10.7	(5.8 - 15.5)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	188	600	4.9	(1.9 - 8.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	147	500	6.1	(2.5 - 9.7)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	216	1,600	14.4	(6.9 - 21.9)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	189	900	8.0	(4.3 - 11.7)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 45b. Coronary heart disease among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	7.5	(5.0 - 10.0)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	242	9.1	(4.5 - 13.6)	14,479	8.8	(6.9 - 10.8)
Female	409	5.9	(3.8 - 8.1)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	633	6.2	(4.5 - 7.9)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	314	10.5	(5.7 - 15.3)	15,485	8.5	(6.2 - 10.7)
Some College	188	4.4	(1.7 - 7.0)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	147	5.7	(2.3 - 9.1)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	216	13.8	(6.4 - 21.1)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	189	7.8	(4.1 - 11.4)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 46a. Ever diagnosed with diabetes among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	3,600	9.1	(6.3 - 11.9)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	248	1,400	7.1	(2.5 - 11.6)	14,626	530,400	7.5	(6.2 - 8.8)
Female	414	2,200	11.1	(7.9 - 14.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	133	500	7.8	(3.1 - 12.5)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	143	900	16.5	(10.3 - 22.6)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	239	1,300	18.2	(12.8 - 23.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	642	3,500	9.1	(6.3 - 12.0)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	320	1,800	9.8	(6.6 - 13.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	190	1,300	10.3	(3.4 - 17.3)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	150	400	5.0	(2.0 - 8.0)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	222	1,200	10.5	(6.4 - 14.5)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	193	1,000	9.0	(4.3 - 13.7)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	98	400	6.4	(2.0 - 10.8)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 46b. Ever diagnosed with diabetes among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	8.7	(6.1 - 11.2)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	248	7.2	(3.0 - 11.3)	14,626	7.5	(6.1 - 8.9)
Female	414	10.2	(7.1 - 13.2)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	642	8.7	(6.0 - 11.3)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	320	9.8	(6.3 - 13.2)	15,709	12.6	(10.0 - 15.2)
Some College	190	9.5	(3.6 - 15.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	150	4.6	(1.9 - 7.4)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	222	10.5	(6.0 - 15.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	193	8.3	(4.0 - 12.7)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	98	6.4	(2.0 - 10.9)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	6,600	16.6	(11.3 - 22.0)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	248	3,200	16.4	(7.3 - 25.5)	14,601	875,800	12.4	(10.1 - 14.7)
Female	413	3,300	16.9	(11.3 - 22.4)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	78	700	13.6	(4.1 - 23.2)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	133	900	13.8	(7.4 - 20.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	142	500	9.0	(3.8 - 14.2)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	239	1,200	16.4	(6.6 - 26.2)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	641	6,100	16.1	(10.8 - 21.3)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	4,500	23.8	(14.1 - 33.4)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	189	1,400	11.3	(5.2 - 17.3)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	150	700	8.7	(3.0 - 14.3)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	192	1,600	14.5	(7.1 - 22.0)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	16.1	(11.2 - 20.9)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	248	14.7	(6.9 - 22.4)	14,601	12.6	(10.3 - 14.9)
Female	413	17.5	(11.6 - 23.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	641	15.5	(10.7 - 20.2)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	320	23.1	(14.3 - 31.8)	15,675	15.1	(12.1 - 18.0)
Some College	189	10.8	(5.2 - 16.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	150	8.9	(3.4 - 14.4)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	192	14.1	(7.3 - 20.9)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 48a. Current asthma among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	4,800	12.2	(7.5 - 16.9)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	248	2,000	10.2	(2.3 - 18.0)	14,546	440,700	6.3	(4.8 - 7.7)
Female	413	2,800	14.2	(8.9 - 19.5)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	133	700	10.7	(4.7 - 16.6)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	142	300	6.1	(2.4 - 9.8)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	239	1,000	13.7	(3.9 - 23.5)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	641	4,300	11.4	(6.9 - 16.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	320	3,300	17.7	(9.0 - 26.5)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	189	1,000	7.9	(2.7 - 13.0)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	150	500	6.2	(1.6 - 10.7)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	222	2,000	17.5	(8.5 - 26.5)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	192	1,100	10.1	(3.5 - 16.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 48b. Current asthma among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	12.1	(7.7 - 16.4)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	248	9.0	(2.4 - 15.7)	14,546	6.4	(4.9 - 7.9)
Female	413	15.1	(9.4 - 20.8)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	641	11.3	(7.1 - 15.5)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	320	17.6	(9.4 - 25.8)	15,594	10.8	(8.3 - 13.3)
Some College	189	7.5	(2.7 - 12.2)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	150	6.9	(2.0 - 11.7)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	222	19.1	(9.2 - 29.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	192	10.1	(3.9 - 16.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 49a. Chronic joint symptoms among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	18,200	46.0	(40.1 - 51.9)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	247	8,600	43.9	(34.2 - 53.6)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	413	9,500	48.1	(41.4 - 54.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	143	3,300	63.0	(53.7 - 72.3)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	237	4,600	63.6	(56.1 - 71.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	640	17,000	44.9	(38.9 - 50.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	319	8,400	45.1	(36.1 - 54.1)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	*	*	*	*	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	193	5,100	46.9	(37.2 - 56.6)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 49b. Chronic joint symptoms among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	45.8	(40.3 - 51.4)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	247	45.3	(36.4 - 54.1)	14,595	42.6	(38.8 - 46.3)
Female	413	46.4	(39.8 - 53.1)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	640	44.8	(39.3 - 50.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	319	45.6	(37.1 - 54.0)	15,676	43.1	(38.8 - 47.5)
Some College	189	43.1	(33.4 - 52.8)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	193	47.1	(37.8 - 56.4)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 50a. Arthritis among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	12,100	30.8	(25.9 - 35.7)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	245	5,500	28.3	(20.3 - 36.2)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	411	6,600	33.4	(27.8 - 39.0)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	132	1,700	24.6	(17.0 - 32.1)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	140	2,700	52.8	(43.2 - 62.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	237	4,900	66.9	(59.6 - 74.2)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	636	11,300	29.8	(25.1 - 34.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	316	6,600	35.2	(27.0 - 43.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	188	3,100	24.2	(17.0 - 31.5)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	150	2,500	31.1	(22.3 - 39.9)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	190	3,700	34.8	(26.1 - 43.5)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	98	1,500	21.6	(12.7 - 30.5)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 50b. Arthritis among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	30.5	(25.8 - 35.2)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	245	27.8	(20.6 - 35.1)	14,555	23.5	(20.9 - 26.1)
Female	411	33.2	(27.2 - 39.1)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	636	29.6	(25.0 - 34.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	316	34.8	(27.0 - 42.6)	15,652	30.4	(26.9 - 33.8)
Some College	188	24.2	(17.1 - 31.3)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	150	30.7	(22.1 - 39.4)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	190	34.1	(25.7 - 42.6)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	98	20.9	(12.5 - 29.3)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	9,000	23.3	(18.7 - 27.9)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	246	3,900	20.2	(13.1 - 27.3)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	407	5,100	26.3	(20.6 - 32.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	67	2,300	16.2	(6.8 - 25.6)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	78	800	16.0	(7.7 - 24.2)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	133	1,100	17.0	(10.7 - 23.3)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	143	1,700	32.2	(23.4 - 41.0)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	232	3,000	42.3	(33.2 - 51.3)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	634	8,100	21.7	(17.3 - 26.0)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	314	4,700	25.7	(18.0 - 33.4)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	188	2,800	22.7	(15.3 - 30.1)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	149	1,500	18.4	(11.4 - 25.4)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	189	1,900	17.9	(11.9 - 23.8)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	98	700	10.6	(4.5 - 16.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	*	*	*	*	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	22.6	(18.3 - 26.9)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	246	20.4	(13.8 - 27.0)	14,566	18.6	(15.8 - 21.4)
Female	407	24.7	(19.3 - 30.2)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	634	20.9	(16.9 - 25.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	314	25.1	(17.9 - 32.3)	15,626	23.8	(20.1 - 27.4)
Some College	188	21.6	(14.6 - 28.5)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	149	18.4	(11.3 - 25.4)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	189	18.3	(12.0 - 24.6)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	98	9.9	(4.3 - 15.6)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	*	*	*	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	4,000	10.0	(7.4 - 12.6)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	248	1,800	9.2	(5.1 - 13.3)	14,617	460,700	6.5	(5.3 - 7.7)
Female	414	2,200	10.9	(7.7 - 14.1)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	133	700	9.8	(4.9 - 14.8)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	143	700	12.9	(6.7 - 19.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	239	1,600	22.5	(16.6 - 28.3)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	642	3,800	10.1	(7.4 - 12.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	320	2,200	11.7	(7.5 - 15.9)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	190	1,200	9.1	(4.5 - 13.7)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	150	600	7.1	(3.4 - 10.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	222	2,100	18.1	(11.4 - 24.8)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	193	900	8.1	(4.2 - 12.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	9.8	(7.3 - 12.4)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	248	9.6	(5.5 - 13.7)	14,617	6.8	(5.5 - 8.0)
Female	414	10.0	(7.0 - 13.1)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	642	9.8	(7.2 - 12.4)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	320	11.1	(7.2 - 15.1)	15,711	10.3	(8.3 - 12.3)
Some College	190	9.7	(4.7 - 14.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	150	6.9	(3.2 - 10.6)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	222	17.7	(11.3 - 24.2)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	193	8.4	(3.8 - 12.9)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 53a. Disability among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	9,600	24.8	(20.2 - 29.5)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	246	4,200	21.6	(14.3 - 28.8)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	407	5,500	28.1	(22.3 - 33.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	67	2,300	16.2	(6.8 - 25.6)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	78	900	17.0	(8.5 - 25.4)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	133	1,200	17.9	(11.3 - 24.4)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	143	1,800	33.6	(24.8 - 42.5)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	232	3,400	48.1	(39.4 - 56.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	634	8,700	23.2	(18.8 - 27.7)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	314	5,200	28.1	(20.2 - 35.9)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	188	2,900	23.6	(16.1 - 31.1)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	149	1,500	19.1	(12.0 - 26.2)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	189	2,100	20.0	(13.8 - 26.2)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	98	800	12.0	(5.5 - 18.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	*	*	*	*	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 53b. Disability among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	24.1	(19.7 - 28.5)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	246	21.7	(15.0 - 28.5)	14,568	20.9	(18.0 - 23.8)
Female	407	26.4	(20.9 - 32.0)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	634	22.5	(18.3 - 26.6)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	314	27.3	(20.0 - 34.6)	15,638	26.8	(23.0 - 30.6)
Some College	188	22.7	(15.6 - 29.8)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	149	19.0	(11.9 - 26.1)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	189	20.4	(13.8 - 26.9)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	98	11.3	(5.3 - 17.3)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	*	*	*	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 54a. Current smoking among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	9,700	24.6	(19.3 - 29.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	247	4,700	23.7	(15.2 - 32.2)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	413	5,000	25.5	(19.3 - 31.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	133	1,600	23.8	(15.7 - 32.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	143	1,000	19.3	(12.5 - 26.1)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	238	600	8.8	(4.9 - 12.8)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	640	9,200	24.2	(18.8 - 29.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	5,500	29.2	(21.0 - 37.4)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	188	2,900	23.1	(13.8 - 32.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	*	*	*	*	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	222	2,200	19.2	(11.5 - 27.0)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	98	1,300	18.7	(9.3 - 28.0)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 54b. Current smoking among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	25.5	(20.5 - 30.5)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	247	24.3	(16.7 - 31.9)	14,559	19.2	(16.3 - 22.1)
Female	413	26.6	(20.2 - 33.1)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	640	25.1	(20.1 - 30.2)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	320	31.6	(23.6 - 39.6)	15,654	22.8	(19.5 - 26.0)
Some College	188	22.5	(14.1 - 30.8)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	150	16.8	(7.7 - 25.9)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	222	22.4	(13.3 - 31.5)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	191	37.1	(27.5 - 46.7)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	98	19.5	(10.3 - 28.8)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 55a. Everyday smoking among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	7,400	18.9	(14.3 - 23.5)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	247	3,600	18.6	(11.4 - 25.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	413	3,800	19.2	(13.4 - 25.0)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	133	1,400	20.6	(12.8 - 28.4)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	143	800	15.2	(8.9 - 21.4)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	238	500	7.3	(3.5 - 11.0)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	640	7,100	18.7	(14.0 - 23.4)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	320	4,600	24.3	(16.8 - 31.7)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	188	2,100	17.3	(8.7 - 25.9)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	150	700	9.1	(3.5 - 14.7)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	222	1,800	15.9	(8.5 - 23.3)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	191	3,000	28.3	(19.0 - 37.6)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	98	1,000	14.4	(6.7 - 22.0)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 55b. Everyday smoking among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	20.2	(15.7 - 24.7)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	247	19.9	(13.3 - 26.6)	14,559	12.1	(10.1 - 14.1)
Female	413	20.5	(14.3 - 26.6)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	640	19.9	(15.3 - 24.6)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	320	27.2	(19.6 - 34.7)	15,654	16.4	(13.8 - 19.0)
Some College	188	16.9	(9.3 - 24.6)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	150	10.0	(4.1 - 15.9)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	222	18.9	(10.0 - 27.9)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	191	29.8	(20.8 - 38.7)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	98	15.8	(7.6 - 24.0)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	27,800	70.6	(65.2 - 76.0)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	247	13,500	68.6	(59.6 - 77.6)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	410	14,300	72.6	(66.5 - 78.7)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	78	4,000	75.8	(65.9 - 85.7)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	132	4,900	74.0	(65.6 - 82.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	143	3,700	70.4	(62.0 - 78.7)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	235	4,800	66.4	(59.1 - 73.8)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	637	26,600	70.1	(64.6 - 75.7)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	317	11,700	62.4	(53.5 - 71.4)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	189	9,600	76.5	(67.5 - 85.4)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	149	6,500	81.2	(74.0 - 88.4)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	193	7,600	69.6	(61.0 - 78.2)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	73	4,700	89.9	(83.2 - 96.6)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	71.2	(66.3 - 76.2)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	247	68.5	(60.5 - 76.6)	14,577	79.4	(76.7 - 82.2)
Female	410	73.9	(68.0 - 79.8)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	637	70.8	(65.7 - 75.9)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	317	62.5	(54.2 - 70.7)	15,647	76.9	(73.8 - 80.0)
Some College	189	77.8	(69.8 - 85.8)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	149	81.3	(74.0 - 88.6)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	193	69.2	(60.8 - 77.6)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	73	89.5	(82.3 - 96.6)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 57a. Binge drinking within the past month among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	7,700	19.8	(14.4 - 25.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	246	5,400	28.0	(18.4 - 37.5)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	406	2,300	11.8	(6.9 - 16.6)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	78	1,000	19.4	(10.2 - 28.6)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	133	1,200	17.4	(9.8 - 25.1)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	142	700	14.2	(8.1 - 20.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	632	7,100	19.1	(13.7 - 24.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	313	3,700	20.6	(12.0 - 29.1)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	187	2,600	20.7	(11.2 - 30.3)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	*	*	*	*	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	190	2,100	19.4	(9.6 - 29.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	98	1,300	19.4	(9.5 - 29.3)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 57b. Binge drinking within the past month among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	19.4	(14.5 - 24.3)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	246	27.1	(18.7 - 35.5)	14,420	24.5	(21.0 - 27.9)
Female	406	11.8	(7.1 - 16.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	632	18.8	(14.0 - 23.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	313	20.6	(12.8 - 28.4)	15,491	17.5	(13.5 - 21.5)
Some College	187	20.2	(11.6 - 28.8)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	150	16.1	(7.2 - 25.0)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	219	14.4	(4.9 - 23.8)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	190	17.5	(9.1 - 25.8)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 58a. Heavy drinking within the past month among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	2,100	5.5	(2.3 - 8.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	243	1,600	8.4	(2.4 - 14.5)	14,330	333,300	4.8	(3.9 - 5.7)
Female	406	500	2.6	(0.9 - 4.4)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	132	500	7.4	(2.8 - 11.9)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	630	2,100	5.7	(2.4 - 9.0)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	312	1,200	6.4	(1.5 - 11.2)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 58b. Heavy drinking within the past month among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	5.1	(2.4 - 7.8)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	243	7.8	(2.7 - 12.9)	14,330	4.9	(3.9 - 5.9)
Female	406	2.5	(0.8 - 4.1)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	630	5.3	(2.5 - 8.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	312	6.4	(2.1 - 10.7)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	25,800	72.6	(66.5 - 78.6)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	*	*	*	*	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	389	12,300	67.8	(61.1 - 74.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	124	4,600	74.7	(65.4 - 84.0)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	131	3,800	78.7	(71.2 - 86.2)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	227	6,300	90.7	(86.6 - 94.8)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	595	24,800	72.7	(66.5 - 78.9)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	298	12,400	70.5	(60.6 - 80.4)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	173	8,000	76.4	(67.8 - 85.0)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	*	*	*	*	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	72.5	(67.0 - 78.1)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	224	78.3	(69.3 - 87.2)	13,299	67.9	(64.0 - 71.9)
Female	389	67.1	(60.4 - 73.8)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	595	72.5	(66.9 - 78.2)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	298	70.8	(61.8 - 79.7)	14,264	59.5	(54.7 - 64.3)
Some College	173	76.5	(68.3 - 84.8)	9,156	59.7	(54.4 - 65.0)
≥ College Degree	*	*	*	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	177	76.9	(68.1 - 85.7)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	386	23,400	87.1	(82.3 - 91.9)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	157	14,100	93.2	(87.4 - 99.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	229	9,400	79.3	(71.7 - 86.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	53	10,300	85.5	(76.2 - 94.8)	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	82	3,800	86.7	(79.2 - 94.2)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	77	2,500	93.7	(88.2 - 99.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	116	3,800	99.5	(98.6 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	374	22,600	87.6	(82.7 - 92.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	10,900	88.3	(80.1 - 96.5)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	110	7,700	88.0	(80.8 - 95.2)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	97	4,600	82.6	(73.2 - 92.0)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	118	7,300	92.7	(85.8 - 99.6)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	120	6,100	86.1	(77.7 - 94.6)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	53	3,800	88.8	(79.7 - 97.9)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	386	85.8	(80.8 - 90.9)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	157	92.2	(86.5 - 97.9)	9,034	81.1	(77.4 - 84.8)
Female	229	77.9	(69.6 - 86.2)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	374	86.2	(81.0 - 91.3)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	88.2	(79.9 - 96.4)	8,879	81.6	(77.4 - 85.7)
Some College	110	86.9	(79.4 - 94.5)	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	118	90.6	(80.8 - 100)	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	120	84.5	(75.7 - 93.4)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	628	32,900	87.2	(83.7 - 90.7)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	236	16,500	88.6	(83.3 - 93.8)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	392	16,500	85.9	(81.2 - 90.5)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	67	13,600	95.2	(90.7 - 99.7)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	*	*	*	*	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	129	5,900	90.2	(84.7 - 95.7)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	140	4,700	91.0	(84.7 - 97.3)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	217	4,500	66.9	(57.1 - 76.8)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	609	32,100	88.3	(85.2 - 91.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	298	14,200	81.6	(75.2 - 88.0)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	184	11,300	90.1	(85.0 - 95.3)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	144	7,300	95.4	(91.7 - 99.1)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	208	8,800	79.7	(70.9 - 88.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	181	8,500	84.4	(77.3 - 91.6)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	97	6,800	99.1	(97.7 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	74	5,100	96.6	(93.1 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	628	86.5	(82.7 - 90.3)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	236	87.4	(82.1 - 92.8)	13,893	89.1	(86.9 - 91.3)
Female	392	85.6	(80.3 - 91.0)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	609	87.7	(84.2 - 91.2)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	298	80.2	(73.2 - 87.1)	14,507	84.6	(81.8 - 87.4)
Some College	184	89.8	(84.4 - 95.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	144	95.4	(91.3 - 99.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	208	77.2	(67.2 - 87.1)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	181	83.9	(76.6 - 91.2)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	97	99.2	(98.1 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	74	96.7	(93.3 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 62a. Overweight among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	13,300	35.0	(28.9 - 41.1)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	*	*	*	*	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	388	4,500	24.6	(19.3 - 29.9)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	130	2,100	32.2	(23.3 - 41.2)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	139	1,900	37.7	(28.5 - 46.9)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	231	2,800	39.1	(31.3 - 46.9)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	618	13,000	35.5	(29.2 - 41.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	313	6,700	36.1	(26.7 - 45.5)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	144	2,300	29.8	(20.4 - 39.1)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	183	2,700	26.5	(18.5 - 34.4)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 62b. Overweight among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	34.3	(28.8 - 39.9)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	247	43.9	(34.8 - 52.9)	14,502	43.9	(40.1 - 47.6)
Female	388	24.0	(18.7 - 29.3)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	618	34.7	(29.0 - 40.4)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	313	35.2	(26.7 - 43.6)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	144	30.6	(20.7 - 40.5)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	183	26.6	(18.8 - 34.3)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 63a. Obesity among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	11,300	29.9	(24.4 - 35.3)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	247	5,500	27.9	(19.4 - 36.4)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	388	5,900	32.0	(25.4 - 38.6)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	130	2,200	32.5	(23.5 - 41.4)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	139	2,100	40.9	(31.3 - 50.6)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	231	2,100	30.0	(20.4 - 39.7)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	618	10,400	28.5	(23.1 - 33.8)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	313	6,500	35.2	(26.3 - 44.2)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	177	3,200	27.5	(18.7 - 36.3)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	144	1,500	19.7	(12.2 - 27.2)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	219	3,500	30.4	(20.4 - 40.4)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 63b. Obesity among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	30.5	(25.3 - 35.8)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	247	28.2	(20.5 - 36.0)	14,502	21.5	(19.0 - 24.0)
Female	388	33.0	(26.2 - 39.9)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	618	29.4	(24.2 - 34.5)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	313	35.3	(26.9 - 43.8)	15,079	29.4	(25.4 - 33.3)
Some College	177	29.3	(20.6 - 38.0)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	144	20.7	(12.7 - 28.6)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	183	37.3	(27.8 - 46.8)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 64a. Overweight or obesity among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	24,600	64.9	(58.9 - 70.8)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	247	14,300	72.5	(63.5 - 81.6)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	388	10,400	56.6	(49.5 - 63.8)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	*	*	*	*	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	139	4,000	78.6	(71.3 - 86.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	231	4,900	69.1	(61.9 - 76.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	618	23,400	64.0	(57.8 - 70.1)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	313	13,200	71.3	(63.0 - 79.7)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	*	*	*	*	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 64b. Overweight or obesity among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	64.9	(59.3 - 70.4)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	247	72.1	(63.9 - 80.3)	14,502	65.4	(61.3 - 69.4)
Female	388	57.0	(49.9 - 64.1)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	618	64.1	(58.4 - 69.7)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	313	70.5	(62.6 - 78.4)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	183	63.9	(54.2 - 73.6)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 65a. Received advice about weight by a health professional among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	5,800	15.4	(12.1 - 18.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	247	2,300	11.9	(7.7 - 16.1)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	387	3,500	19.2	(14.3 - 24.1)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	71	800	15.9	(6.5 - 25.2)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	130	1,600	23.8	(15.7 - 31.9)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	138	1,500	28.7	(20.0 - 37.4)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	231	1,400	19.4	(13.5 - 25.2)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	617	5,500	15.1	(11.8 - 18.4)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	314	2,700	14.4	(9.8 - 19.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	175	2,000	16.7	(10.2 - 23.1)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	144	1,200	16.0	(9.2 - 22.8)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	219	2,000	17.5	(11.2 - 23.9)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	183	1,500	15.1	(9.3 - 20.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	94	800	12.4	(5.8 - 19.1)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	*	*	*	*	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 65b. Received advice about weight by a health professional among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	16.1	(12.6 - 19.5)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	247	13.7	(8.8 - 18.5)	14,499	23.4	(20.5 - 26.3)
Female	387	18.7	(13.9 - 23.5)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	617	16.0	(12.5 - 19.4)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	314	15.0	(10.2 - 19.8)	15,116	27.3	(23.4 - 31.2)
Some College	175	17.8	(11.0 - 24.6)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	144	16.2	(9.1 - 23.4)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	219	17.7	(11.3 - 24.2)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	183	15.7	(9.6 - 21.8)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	94	14.0	(6.1 - 21.9)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	134	4,700	80.6	(71.8 - 89.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	131	4,400	79.5	(70.3 - 88.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	134	79.9	(70.5 - 89.2)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	131	79.0	(69.3 - 88.6)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 67a. No leisure-time physical activity among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	9,600	24.2	(19.1 - 29.3)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	248	4,400	22.3	(13.8 - 30.8)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	414	5,200	26.0	(20.3 - 31.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	133	1,100	16.7	(10.1 - 23.3)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	143	1,100	21.4	(13.8 - 29.0)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	239	3,100	42.6	(33.7 - 51.4)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	642	9,000	23.6	(18.5 - 28.6)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	320	6,200	33.0	(24.3 - 41.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	190	2,600	20.4	(12.2 - 28.5)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	150	800	10.0	(5.4 - 14.7)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	193	2,000	18.0	(12.2 - 23.8)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	74	600	11.5	(2.6 - 20.3)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 67b. No leisure-time physical activity among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	25.0	(20.1 - 29.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	248	23.9	(16.1 - 31.7)	14,602	20.9	(17.8 - 23.9)
Female	414	26.0	(20.1 - 32.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	642	24.2	(19.4 - 29.1)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	320	34.2	(25.9 - 42.5)	15,683	32.3	(28.3 - 36.4)
Some College	190	20.8	(13.1 - 28.5)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	150	11.2	(5.8 - 16.6)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	193	18.8	(12.5 - 25.0)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	74	12.4	(3.3 - 21.5)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	8,700	21.9	(17.1 - 26.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	248	3,400	17.4	(9.5 - 25.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	414	5,200	26.3	(20.9 - 31.8)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	78	1,000	18.6	(10.0 - 27.2)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	133	1,200	18.1	(11.2 - 25.0)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	143	1,200	23.6	(15.5 - 31.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	239	1,700	22.7	(16.7 - 28.7)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	642	8,200	21.4	(16.6 - 26.3)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	320	4,700	25.1	(16.9 - 33.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	190	2,000	15.9	(9.8 - 22.1)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	150	1,900	24.2	(15.8 - 32.5)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	222	2,500	21.8	(12.8 - 30.9)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	193	2,400	22.1	(14.2 - 30.1)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	98	1,300	18.8	(9.7 - 27.9)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	21.2	(16.9 - 25.5)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	248	15.8	(9.2 - 22.4)	14,634	22.7	(19.6 - 25.9)
Female	414	26.5	(21.0 - 32.0)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	642	20.8	(16.5 - 25.2)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	320	23.9	(16.6 - 31.2)	15,726	23.3	(19.3 - 27.3)
Some College	190	15.9	(9.9 - 21.9)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	150	23.4	(15.3 - 31.5)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	222	21.1	(12.9 - 29.3)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	193	20.9	(13.6 - 28.2)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	98	19.5	(10.5 - 28.5)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 69a. Had a fall within the past 3 months among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	508	4,300	22.6	(17.9 - 27.3)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	190	2,300	25.3	(17.3 - 33.3)	10,966	489,400	14.4	(11.9 - 16.8)
Female	318	2,000	20.1	(14.9 - 25.3)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	133	1,400	21.2	(12.2 - 30.2)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	140	1,200	24.1	(14.8 - 33.4)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	235	1,700	22.8	(16.6 - 29.1)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	497	4,100	22.5	(17.8 - 27.2)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	257	2,100	21.8	(15.8 - 27.7)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	*	*	*	*	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	116	900	20.7	(12.1 - 29.4)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	183	1,800	30.7	(22.0 - 39.3)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	*	*	*	*	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	70	400	13.2	(4.5 - 22.0)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 69b. Had a fall within the past 3 months among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	508	22.6	(17.8 - 27.4)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	190	25.3	(17.3 - 33.3)	10,966	15.0	(12.1 - 17.8)
Female	318	19.9	(14.7 - 25.1)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	497	22.6	(17.8 - 27.4)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	257	21.6	(15.6 - 27.6)	12,417	17.4	(13.0 - 21.7)
Some College	*	*	*	7,232	19.0	(14.7 - 23.2)
≥ College Degree	116	20.9	(12.1 - 29.6)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	183	31.5	(22.6 - 40.4)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	*	*	*	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	70	13.0	(4.4 - 21.6)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Allegany County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Allegany County and New York State

	Allegany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	507	1,400	7.1	(4.5 - 9.8)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	190	600	6.5	(2.3 - 10.8)	10,957	120,000	3.5	(2.5 - 4.6)
Female	317	800	7.7	(4.5 - 10.9)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	140	500	9.6	(2.7 - 16.6)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	234	600	8.2	(4.3 - 12.1)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	496	1,300	7.0	(4.3 - 9.7)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	257	800	8.6	(4.6 - 12.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	182	500	8.8	(4.5 - 13.1)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	149	600	9.8	(3.3 - 16.3)	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Allegany County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Allegany County and New York State - Age-Adjusted²

	Allegany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	507	6.9	(4.4 - 9.5)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	190	6.3	(2.3 - 10.2)	10,957	3.6	(2.4 - 4.7)
Female	317	7.5	(4.4 - 10.7)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	496	6.8	(4.2 - 9.4)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	257	8.3	(4.3 - 12.2)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	182	9.2	(4.6 - 13.8)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	149	9.0	(3.0 - 15.0)	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)