

New York State Expanded Behavioral Risk Factor Surveillance System

Cattaraugus County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Cattaraugus County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Cattaraugus County and New York State	14
Table 2b. Fair or poor general health among adults in Cattaraugus County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Cattaraugus County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Cattaraugus County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Cattaraugus County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Cattaraugus County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Cattaraugus County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Cattaraugus County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Cattaraugus County and New York State	22
Table 6b. Health insurance among adults in Cattaraugus County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Cattaraugus County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Cattaraugus County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Cattaraugus County and New York State	26
Table 8b. No health insurance among adults in Cattaraugus County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Cattaraugus County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Cattaraugus County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Cattaraugus County and New York State	30
Table 10b. Adults with regular health care provider in Cattaraugus County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Cattaraugus County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Cattaraugus County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Cattaraugus County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Cattaraugus County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Cattaraugus County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Cattaraugus County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Cattaraugus County and New York State	38
Table 14b. Dentist visit within the past year among adults in Cattaraugus County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Cattaraugus County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Cattaraugus County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Cattaraugus County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Cattaraugus County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Cattaraugus County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Cattaraugus County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Cattaraugus County and New York State	46
Table 18b. Flu shot within the past 12 months in Cattaraugus County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Cattaraugus County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Cattaraugus County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Cattaraugus County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Cattaraugus County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Cattaraugus County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Cattaraugus County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Cattaraugus County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Cattaraugus County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Cattaraugus County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Cattaraugus County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Cattaraugus County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Cattaraugus County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Cattaraugus County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Cattaraugus County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Cattaraugus County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Cattaraugus County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Cattaraugus County and New York State	64
Table 27b. Ever had a Pap test among women in Cattaraugus County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Cattaraugus County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Cattaraugus County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Cattaraugus County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Cattaraugus County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Cattaraugus County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Cattaraugus County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Cattaraugus County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Cattaraugus County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Cattaraugus County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Cattaraugus County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Cattaraugus County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Cattaraugus County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Cattaraugus County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Cattaraugus County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Cattaraugus County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Cattaraugus County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cattaraugus County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cattaraugus County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cattaraugus County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Cattaraugus County and New York State	90
Table 40b. High blood pressure among adults in Cattaraugus County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Cattaraugus County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Cattaraugus County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Cattaraugus County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Cattaraugus County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Cattaraugus County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Cattaraugus County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Cattaraugus County and New York State	98
Table 44b. Cardiovascular disease among adults in Cattaraugus County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Cattaraugus County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Cattaraugus County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Cattaraugus County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Cattaraugus County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Cattaraugus County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Cattaraugus County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Cattaraugus County and New York State	106
Table 48b. Current asthma among adults in Cattaraugus County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Cattaraugus County and New York State	108
Table 49b. Chronic joint symptoms among adults in Cattaraugus County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Cattaraugus County and New York State	110
Table 50b. Arthritis among adults in Cattaraugus County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Cattaraugus County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Cattaraugus County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Cattaraugus County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Cattaraugus County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Cattaraugus County and New York State	116
Table 53b. Disability among adults in Cattaraugus County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Cattaraugus County and New York State	118
Table 54b. Current smoking among adults in Cattaraugus County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Cattaraugus County and New York State	120
Table 55b. Everyday smoking among adults in Cattaraugus County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Cattaraugus County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Cattaraugus County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Cattaraugus County and New York State	124
Table 57b. Binge drinking within the past month among adults in Cattaraugus County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Cattaraugus County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Cattaraugus County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Cattaraugus County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Cattaraugus County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Cattaraugus County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Cattaraugus County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Cattaraugus County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Cattaraugus County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Cattaraugus County and New York State	134
Table 62b. Overweight among adults in Cattaraugus County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Cattaraugus County and New York State	136
Table 63b. Obesity among adults in Cattaraugus County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Cattaraugus County and New York State	138
Table 64b. Overweight or obesity among adults in Cattaraugus County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Cattaraugus County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Cattaraugus County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Cattaraugus County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Cattaraugus County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Cattaraugus County and New York State	144
Table 67b. No leisure-time physical activity among adults in Cattaraugus County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Cattaraugus County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Cattaraugus County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Cattaraugus County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Cattaraugus County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Cattaraugus County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Cattaraugus County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 1. Cattaraugus County and New York State adult US Census Bureau population estimates,¹ 2007

	Cattaraugus County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	61,940	100	14,884,315	100
Gender				
Male	29,977	48.4	7,103,791	47.7
Female	31,963	51.6	7,780,524	52.3
Age (years)				
18-34	18,124	29.3	4,497,479	30.2
35-44	9,759	15.8	2,844,115	19.1
45-54	12,561	20.3	2,854,316	19.2
55-64	9,478	15.3	2,142,000	14.4
≥ 65	12,018	19.4	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	58,625	94.6	9,343,884	62.8
Black Non-Hispanic	708	1.1	2,156,941	14.5
Hispanic	608	1.0	2,258,717	15.2
Other Non-Hispanic	1,999	3.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 2a. Fair or poor general health among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	9,500	15.5	(12.0 - 18.9)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	235	4,700	15.8	(10.1 - 21.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	404	4,800	15.2	(11.2 - 19.2)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	138	2,300	18.1	(10.8 - 25.4)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	153	1,400	15.4	(9.2 - 21.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	195	3,100	25.8	(18.4 - 33.2)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	619	9,100	15.6	(12.0 - 19.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	310	6,800	22.6	(17.0 - 28.3)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	165	2,100	13.0	(6.0 - 20.1)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	164	600	4.1	(1.5 - 6.7)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	211	5,200	30.2	(21.9 - 38.5)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	194	2,800	13.4	(7.3 - 19.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 2b. Fair or poor general health among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	15.0	(11.3 - 18.7)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	235	15.2	(9.2 - 21.2)	14,599	15.3	(12.6 - 18.0)
Female	404	14.8	(10.5 - 19.2)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	619	15.0	(11.3 - 18.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	310	22.1	(15.9 - 28.3)	15,682	25.8	(22.1 - 29.5)
Some College	165	12.8	(5.5 - 20.0)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	164	4.0	(1.2 - 6.7)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	211	31.1	(21.8 - 40.5)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	194	12.1	(6.2 - 18.1)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	628	7,700	12.8	(9.5 - 16.1)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	228	3,400	11.7	(6.3 - 17.2)	14,325	604,200	8.7	(7.0 - 10.5)
Female	400	4,300	13.8	(9.9 - 17.7)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	136	1,500	12.6	(6.4 - 18.7)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	151	800	9.0	(4.0 - 14.0)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	189	2,500	21.7	(15.0 - 28.5)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	608	7,200	12.8	(9.4 - 16.1)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	303	5,400	18.4	(13.0 - 23.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	163	1,400	8.8	(2.4 - 15.1)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	162	900	6.2	(2.3 - 10.1)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	204	4,500	27.5	(19.2 - 35.8)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	191	1,700	8.0	(2.8 - 13.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	628	12.7	(9.1 - 16.4)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	228	11.8	(5.9 - 17.7)	14,325	8.7	(6.9 - 10.5)
Female	400	13.6	(9.3 - 18.0)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	608	12.6	(8.9 - 16.4)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	303	18.8	(12.6 - 25.0)	15,178	12.7	(10.2 - 15.1)
Some College	163	8.1	(1.8 - 14.5)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	162	6.1	(2.1 - 10.1)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	204	28.5	(19.0 - 38.1)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	191	7.5	(2.2 - 12.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	6,400	10.6	(7.5 - 13.8)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	229	3,200	11.2	(5.7 - 16.6)	14,407	555,200	7.9	(6.3 - 9.6)
Female	400	3,200	10.1	(6.7 - 13.6)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	139	2,100	16.8	(9.9 - 23.8)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	149	900	10.0	(4.9 - 15.0)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	189	500	4.2	(1.6 - 6.7)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	610	6,000	10.4	(7.2 - 13.7)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	302	3,700	13.0	(8.1 - 17.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	165	2,200	14.0	(6.6 - 21.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	203	3,300	20.1	(13.4 - 26.8)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	192	1,800	8.8	(2.1 - 15.4)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	10.6	(7.2 - 13.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	229	10.5	(5.0 - 16.0)	14,407	7.9	(6.3 - 9.6)
Female	400	10.7	(6.7 - 14.6)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	610	10.4	(7.0 - 13.8)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	302	12.9	(7.6 - 18.2)	15,335	12.3	(10.0 - 14.6)
Some College	165	13.9	(6.3 - 21.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	203	20.4	(13.0 - 27.8)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	192	9.0	(2.1 - 15.9)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	11,400	19.4	(15.4 - 23.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	223	5,200	18.7	(12.0 - 25.4)	14,231	937,700	13.6	(11.4 - 15.8)
Female	395	6,200	20.0	(15.3 - 24.6)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	70	2,400	14.7	(5.4 - 24.0)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	136	2,900	24.2	(16.1 - 32.3)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	147	1,300	14.9	(8.8 - 21.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	186	2,600	22.8	(15.9 - 29.7)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	599	10,900	19.6	(15.5 - 23.7)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	296	7,300	25.8	(19.3 - 32.2)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	161	3,000	19.1	(11.1 - 27.1)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	161	1,100	7.4	(3.2 - 11.6)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	198	6,300	39.6	(30.5 - 48.8)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	188	2,800	13.7	(6.4 - 20.9)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	19.3	(15.0 - 23.6)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	223	18.4	(11.3 - 25.5)	14,231	13.6	(11.4 - 15.8)
Female	395	20.1	(14.9 - 25.2)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	599	19.5	(15.0 - 23.9)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	296	26.1	(18.9 - 33.3)	15,018	20.1	(17.1 - 23.1)
Some College	161	18.5	(10.4 - 26.7)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	161	7.4	(3.1 - 11.7)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	188	13.3	(5.9 - 20.7)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 6a. Health insurance among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	56,300	91.0	(87.9 - 94.1)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	236	26,600	88.9	(83.4 - 94.4)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	407	29,700	92.9	(89.7 - 96.2)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	76	15,800	87.4	(79.2 - 95.7)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	79	9,100	92.9	(85.8 - 100)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	140	11,300	89.8	(83.6 - 95.9)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	153	8,500	90.7	(85.0 - 96.4)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	195	11,600	96.2	(93.2 - 99.3)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	623	53,000	90.5	(87.2 - 93.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	26,700	88.8	(83.8 - 93.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	167	14,700	91.0	(85.2 - 96.8)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	165	14,800	95.2	(90.2 - 100)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	212	15,000	86.7	(80.7 - 92.6)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	196	19,500	91.3	(85.1 - 97.4)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	89	8,200	93.0	(84.3 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	87	9,300	97.4	(92.8 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 6b. Health insurance among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	90.9	(87.6 - 94.3)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	236	89.1	(83.5 - 94.7)	14,597	83.6	(79.7 - 87.5)
Female	407	92.6	(89.0 - 96.3)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	623	90.4	(86.9 - 93.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	88.9	(83.6 - 94.1)	15,673	80.1	(75.4 - 84.7)
Some College	167	90.7	(84.4 - 97.0)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	165	95.0	(89.7 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	212	86.9	(80.8 - 93.0)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	196	91.0	(84.5 - 97.6)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	89	91.9	(81.9 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	87	97.8	(93.9 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 7a. Health insurance among adults aged 18-64¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	442	44,400	90.2	(86.4 - 94.0)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	175	21,500	88.4	(82.0 - 94.9)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	267	23,000	91.9	(87.9 - 96.0)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	76	15,800	87.4	(79.2 - 95.7)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	79	9,100	92.9	(85.8 - 100)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	140	11,300	89.8	(83.6 - 95.9)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	147	8,200	93.6	(89.6 - 97.6)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	425	41,300	89.6	(85.5 - 93.6)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	192	20,000	88.0	(81.8 - 94.2)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	129	12,500	90.2	(83.6 - 96.8)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	121	11,900	94.2	(87.9 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	105	9,300	82.5	(74.0 - 91.0)	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	145	15,900	90.6	(83.3 - 97.9)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	76	7,100	92.0	(82.2 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	84	9,100	97.3	(92.7 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 7b. Health insurance among adults aged 18-64¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	442	90.2	(86.3 - 94.2)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	175	88.5	(81.8 - 95.1)	10,078	80.5	(75.9 - 85.1)
Female	267	91.8	(87.5 - 96.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	425	89.6	(85.4 - 93.7)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	192	88.1	(81.6 - 94.6)	9,037	75.1	(69.3 - 80.9)
Some College	129	90.2	(83.2 - 97.2)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	121	94.0	(87.7 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	105	83.4	(74.8 - 91.9)	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	145	90.4	(82.7 - 98.0)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	84	97.8	(93.8 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 8a. No health insurance among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	5,600	9.0	(5.9 - 12.1)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	236	3,300	11.1	(5.6 - 16.6)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	407	2,300	7.1	(3.8 - 10.3)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	76	2,300	12.6	(4.3 - 20.8)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	140	1,300	10.2	(4.1 - 16.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	153	900	9.3	(3.6 - 15.0)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	623	5,600	9.5	(6.2 - 12.8)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	3,400	11.2	(6.2 - 16.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	167	1,500	9.0	(3.2 - 14.8)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	212	2,300	13.3	(7.4 - 19.3)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	196	1,900	8.7	(2.6 - 14.9)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 8b. No health insurance among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	9.1	(5.7 - 12.4)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	236	10.9	(5.3 - 16.5)	14,597	16.4	(12.5 - 20.3)
Female	407	7.4	(3.7 - 11.0)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	623	9.6	(6.1 - 13.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	11.1	(5.9 - 16.4)	15,673	19.9	(15.3 - 24.6)
Some College	167	9.3	(3.0 - 15.6)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	212	13.1	(7.0 - 19.2)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	196	9.0	(2.4 - 15.5)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 9a. No health insurance among adults aged 18-64¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	442	4,800	9.8	(6.0 - 13.6)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	175	2,800	11.6	(5.1 - 18.0)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	267	2,000	8.1	(4.0 - 12.1)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	76	2,300	12.6	(4.3 - 20.8)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	140	1,300	10.2	(4.1 - 16.4)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	147	600	6.4	(2.4 - 10.4)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	425	4,800	10.4	(6.4 - 14.5)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	192	2,700	12.0	(5.8 - 18.2)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	129	1,400	9.8	(3.2 - 16.4)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	105	2,000	17.5	(9.0 - 26.0)	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 9b. No health insurance among adults aged 18-64¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	442	9.8	(5.8 - 13.7)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	175	11.5	(4.9 - 18.2)	10,078	19.5	(14.9 - 24.1)
Female	267	8.2	(3.8 - 12.5)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	425	10.4	(6.3 - 14.6)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	192	11.9	(5.4 - 18.4)	9,037	24.9	(19.1 - 30.7)
Some College	129	9.8	(2.8 - 16.8)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	105	16.6	(8.1 - 25.2)	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 10a. Adults with regular health care provider¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	55,600	90.0	(86.6 - 93.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	235	25,100	84.1	(77.7 - 90.5)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	408	30,500	95.5	(93.2 - 97.8)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	76	15,100	83.4	(74.0 - 92.9)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	79	8,800	90.4	(82.1 - 98.8)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	139	11,300	90.3	(84.8 - 95.8)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	155	9,100	95.6	(92.5 - 98.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	194	11,300	94.8	(91.5 - 98.1)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	623	53,000	90.5	(87.2 - 93.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	26,400	87.8	(82.4 - 93.2)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	167	14,700	90.7	(84.0 - 97.3)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	165	14,500	93.5	(88.2 - 98.7)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	210	15,100	88.0	(81.4 - 94.5)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	196	19,300	90.5	(84.4 - 96.7)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	87	9,200	96.8	(92.8 - 100)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 10b. Adults with regular health care provider¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	89.8	(86.1 - 93.4)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	235	83.3	(76.5 - 90.1)	14,593	78.1	(73.9 - 82.3)
Female	408	95.8	(93.5 - 98.2)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	623	90.4	(86.9 - 93.9)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	87.4	(81.6 - 93.2)	15,692	75.8	(71.0 - 80.6)
Some College	167	90.6	(83.8 - 97.4)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	165	93.2	(87.6 - 98.9)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	210	88.4	(81.7 - 95.1)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	196	89.8	(83.2 - 96.5)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	87	96.5	(91.6 - 100)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	6,000	9.7	(6.6 - 12.8)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	236	1,900	6.4	(3.1 - 9.6)	14,607	903,300	12.7	(9.5 - 16.0)
Female	408	4,100	12.8	(7.7 - 17.9)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	76	2,700	14.6	(6.2 - 23.1)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	139	1,200	9.9	(4.4 - 15.5)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	*	*	*	*	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	195	600	4.6	(1.6 - 7.6)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	624	5,700	9.7	(6.5 - 13.0)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	313	3,400	11.1	(6.6 - 15.7)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	167	2,100	13.1	(5.6 - 20.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	212	3,600	20.6	(12.5 - 28.8)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	195	1,900	8.8	(3.7 - 13.8)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	10.2	(6.8 - 13.6)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	236	6.5	(3.0 - 10.0)	14,607	12.5	(9.4 - 15.6)
Female	408	13.7	(8.1 - 19.2)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	624	10.2	(6.7 - 13.7)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	313	11.7	(6.7 - 16.8)	15,696	17.8	(13.8 - 21.7)
Some College	167	13.6	(5.4 - 21.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	212	21.3	(12.4 - 30.2)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	195	9.9	(4.1 - 15.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	45,800	74.1	(69.4 - 78.7)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	237	21,200	70.7	(63.1 - 78.4)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	405	24,600	77.2	(71.9 - 82.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	140	9,000	71.9	(63.9 - 80.0)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	155	8,500	89.2	(84.4 - 94.1)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	192	10,100	85.3	(79.9 - 90.7)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	622	42,800	73.1	(68.3 - 77.9)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	310	22,300	74.3	(67.6 - 81.0)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	167	12,000	73.9	(64.6 - 83.3)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	165	11,500	73.9	(65.1 - 82.6)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	212	12,400	71.5	(62.9 - 80.2)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	195	15,700	73.6	(64.6 - 82.5)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	89	7,000	79.9	(70.2 - 89.5)	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	72.6	(67.6 - 77.6)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	237	68.7	(60.6 - 76.8)	14,592	67.1	(63.3 - 70.9)
Female	405	76.3	(70.5 - 82.2)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	622	71.6	(66.5 - 76.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	310	72.3	(64.9 - 79.7)	15,640	74.4	(70.4 - 78.4)
Some College	167	73.7	(64.0 - 83.4)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	165	72.2	(62.8 - 81.6)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	212	70.0	(60.4 - 79.5)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	195	72.6	(63.3 - 81.9)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	52,000	84.1	(80.2 - 88.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	237	24,200	80.7	(74.1 - 87.3)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	405	27,800	87.4	(83.2 - 91.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	79	7,900	81.2	(71.9 - 90.5)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	140	10,300	82.3	(75.6 - 89.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	155	8,600	91.0	(86.5 - 95.6)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	192	10,700	90.4	(86.0 - 94.7)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	622	48,900	83.6	(79.6 - 87.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	310	25,300	84.3	(78.8 - 89.7)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	167	13,300	82.1	(73.3 - 90.9)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	165	13,400	86.0	(79.5 - 92.5)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	212	14,600	84.2	(78.3 - 90.1)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	195	18,100	84.9	(77.1 - 92.7)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	89	7,500	85.6	(76.8 - 94.5)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	87	8,000	83.3	(73.9 - 92.8)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	83.5	(79.4 - 87.7)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	237	79.5	(72.4 - 86.5)	14,592	81.9	(78.4 - 85.3)
Female	405	87.4	(82.9 - 91.9)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	622	83.1	(78.8 - 87.4)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	310	83.2	(77.2 - 89.2)	15,640	84.6	(81.1 - 88.1)
Some College	167	82.3	(73.3 - 91.4)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	165	85.5	(78.5 - 92.6)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	212	84.2	(77.8 - 90.5)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	195	84.4	(76.2 - 92.5)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	89	84.7	(75.1 - 94.4)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 14a. Dentist visit within the past year among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	40,800	65.9	(61.2 - 70.6)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	236	18,400	61.5	(53.9 - 69.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	408	22,400	70.0	(64.4 - 75.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	140	8,000	63.9	(54.9 - 72.8)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	154	6,500	69.3	(61.3 - 77.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	195	6,400	53.5	(45.5 - 61.5)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	624	37,900	64.8	(60.0 - 69.6)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	312	17,400	57.8	(50.8 - 64.8)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	167	10,000	61.8	(52.0 - 71.5)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	165	13,400	85.9	(78.7 - 93.1)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	212	8,900	51.2	(42.0 - 60.4)	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	196	12,800	59.9	(51.0 - 68.8)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	89	7,100	80.7	(71.0 - 90.4)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	87	8,900	92.9	(87.2 - 98.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 14b. Dentist visit within the past year among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	66.4	(61.4 - 71.4)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	236	61.5	(53.4 - 69.5)	14,573	68.3	(64.6 - 72.1)
Female	408	71.0	(64.9 - 77.1)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	624	65.3	(60.1 - 70.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	312	58.5	(51.0 - 66.0)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	165	85.9	(78.4 - 93.4)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	196	60.9	(51.7 - 70.1)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	87	93.1	(87.1 - 99.1)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	548	36,600	66.6	(61.5 - 71.6)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	203	16,300	61.6	(53.4 - 69.7)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	345	20,300	71.2	(65.0 - 77.4)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	127	7,200	63.3	(53.9 - 72.7)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	133	6,000	74.1	(65.8 - 82.4)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	137	5,200	61.1	(51.7 - 70.5)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	532	34,400	66.0	(60.8 - 71.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	14,600	58.8	(51.0 - 66.7)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	161	12,600	82.6	(74.7 - 90.5)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	175	12,100	60.9	(51.5 - 70.4)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	87	8,500	88.7	(81.1 - 96.2)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 15b. Had teeth cleaned within the past year among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	548	66.6	(61.2 - 71.9)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	203	61.7	(53.2 - 70.2)	13,173	69.2	(65.3 - 73.1)
Female	345	71.1	(64.4 - 77.8)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	532	66.0	(60.6 - 71.5)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	58.8	(50.5 - 67.1)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	161	82.4	(74.2 - 90.6)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	175	61.4	(51.6 - 71.2)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	87	88.5	(80.5 - 96.4)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	34,900	57.2	(52.0 - 62.3)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	234	17,100	57.9	(49.8 - 66.0)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	401	17,800	56.5	(50.1 - 62.9)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	138	6,900	56.6	(47.5 - 65.7)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	154	6,200	65.9	(57.5 - 74.3)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	190	10,400	87.9	(82.9 - 92.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	615	32,900	57.0	(51.8 - 62.1)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	21,100	71.2	(63.9 - 78.5)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	164	8,200	51.7	(41.9 - 61.4)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	165	5,600	36.1	(27.0 - 45.1)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	209	12,000	69.7	(60.4 - 79.0)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	192	11,600	55.6	(46.0 - 65.1)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	54.9	(49.5 - 60.3)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	234	56.5	(48.0 - 65.0)	14,457	47.9	(44.1 - 51.7)
Female	401	53.4	(46.5 - 60.2)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	615	54.6	(49.1 - 60.0)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	69.3	(61.4 - 77.2)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	165	33.7	(24.5 - 42.8)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	192	53.2	(43.3 - 63.2)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	190	3,600	30.0	(22.5 - 37.5)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	133	2,100	30.7	(22.1 - 39.2)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	190	3,600	30.0	(22.5 - 37.5)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	187	3,500	30.0	(22.4 - 37.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	190	29.9	(22.1 - 37.7)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	133	30.7	(22.1 - 39.2)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	187	29.9	(22.0 - 37.9)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 18a. Flu shot within the past 12 months¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	25,700	41.6	(36.9 - 46.4)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	236	11,500	38.6	(31.1 - 46.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	408	14,200	44.4	(38.4 - 50.5)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	209	9,700	29.8	(22.7 - 37.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	240	7,700	44.8	(37.5 - 52.1)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	195	8,300	68.9	(61.2 - 76.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	625	24,600	42.0	(37.2 - 46.8)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	312	11,400	38.1	(31.3 - 44.8)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	167	6,200	38.4	(29.7 - 47.1)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	*	*	*	*	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	211	7,000	40.6	(32.0 - 49.2)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	196	8,400	39.2	(30.5 - 47.8)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 18b. Flu shot within the past 12 months¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	40.5	(35.4 - 45.5)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	236	38.6	(30.6 - 46.5)	14,579	40.0	(36.2 - 43.8)
Female	408	42.2	(35.8 - 48.6)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	625	41.0	(35.9 - 46.1)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	312	37.0	(29.7 - 44.2)	15,663	43.7	(39.1 - 48.2)
Some College	167	36.2	(27.3 - 45.2)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	*	*	*	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	211	38.5	(29.1 - 47.8)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	196	38.5	(29.5 - 47.5)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	25,800	41.7	(36.9 - 46.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	236	11,500	38.6	(31.1 - 46.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	407	14,300	44.6	(38.6 - 50.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	209	9,700	29.8	(22.7 - 37.0)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	239	7,700	44.9	(37.6 - 52.2)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	195	8,300	69.3	(61.6 - 77.1)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	624	24,700	42.1	(37.3 - 46.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	11,500	38.3	(31.5 - 45.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	167	6,200	38.4	(29.7 - 47.1)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	*	*	*	*	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	211	7,000	40.6	(32.0 - 49.2)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	196	8,400	39.2	(30.5 - 47.8)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	40.5	(35.5 - 45.6)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	236	38.6	(30.6 - 46.5)	14,568	40.4	(36.6 - 44.2)
Female	407	42.4	(36.0 - 48.8)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	624	41.1	(35.9 - 46.2)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	37.1	(29.8 - 44.4)	15,651	44.1	(39.6 - 48.6)
Some College	167	36.2	(27.3 - 45.2)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	*	*	*	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	211	38.5	(29.1 - 47.8)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	196	38.5	(29.5 - 47.5)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 21a. Flu shot among adults aged 65 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	195	8,300	68.9	(61.2 - 76.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	138	5,100	73.8	(65.9 - 81.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	195	8,300	68.9	(61.2 - 76.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	192	8,200	69.0	(61.2 - 76.9)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 21b. Flu shot among adults aged 65 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	195	68.3	(60.1 - 76.5)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	138	73.8	(65.8 - 81.7)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	192	68.5	(60.2 - 76.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	595	15,700	28.1	(23.6 - 32.6)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	208	6,300	24.3	(17.7 - 30.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	387	9,400	31.5	(25.5 - 37.4)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	185	4,100	14.5	(7.8 - 21.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	222	3,700	23.3	(17.1 - 29.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	188	7,900	68.4	(61.1 - 75.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	580	14,200	26.5	(22.4 - 30.7)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	286	8,600	32.5	(25.5 - 39.5)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	156	4,000	27.3	(18.9 - 35.7)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	153	3,100	21.0	(14.0 - 28.0)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	200	6,800	43.1	(33.6 - 52.7)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	178	4,500	23.5	(16.4 - 30.6)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	85	1,900	22.4	(13.2 - 31.5)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	75	1,200	15.1	(5.8 - 24.4)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	595	26.3	(21.6 - 30.9)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	208	23.5	(16.6 - 30.4)	13,052	25.8	(22.3 - 29.4)
Female	387	28.7	(22.5 - 34.9)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	580	24.7	(20.4 - 29.1)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	286	31.0	(23.5 - 38.5)	14,700	29.5	(25.6 - 33.5)
Some College	156	25.0	(16.5 - 33.5)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	153	19.2	(12.5 - 26.0)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	178	21.8	(14.8 - 28.8)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	85	21.1	(11.8 - 30.4)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	75	15.0	(5.4 - 24.6)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	188	7,900	68.4	(61.1 - 75.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	135	4,400	65.3	(56.6 - 74.0)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	188	7,900	68.4	(61.1 - 75.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	185	7,700	67.9	(60.5 - 75.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	111	4,800	70.5	(61.2 - 79.8)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	102	4,100	74.1	(65.0 - 83.3)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	188	68.8	(61.2 - 76.4)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	135	65.2	(56.5 - 74.0)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	185	68.4	(60.7 - 76.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	111	70.5	(60.8 - 80.2)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	102	74.1	(64.5 - 83.7)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	338	18,900	90.7	(87.1 - 94.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	338	18,900	90.7	(87.1 - 94.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	59	4,900	86.0	(77.0 - 95.0)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	142	7,900	93.6	(88.3 - 98.9)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	137	6,200	91.0	(86.3 - 95.6)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	328	18,200	90.3	(86.6 - 94.0)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	8,800	92.4	(88.3 - 96.5)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	92	5,800	91.5	(85.1 - 97.8)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	84	4,300	86.4	(76.8 - 95.9)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	121	5,700	86.8	(79.6 - 94.1)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	96	5,600	92.5	(86.7 - 98.2)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	338	89.8	(85.6 - 94.1)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	338	89.8	(85.6 - 94.1)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	328	89.5	(85.1 - 93.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	92.4	(88.0 - 96.9)	8,266	90.2	(86.1 - 94.2)
Some College	92	91.1	(83.5 - 98.7)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	*	*	*	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	121	87.6	(80.3 - 94.9)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	96	91.2	(83.9 - 98.4)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	337	15,600	75.2	(70.1 - 80.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	337	15,600	75.2	(70.1 - 80.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	141	6,700	80.3	(72.9 - 87.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	137	4,600	67.4	(59.0 - 75.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	327	15,000	74.9	(69.7 - 80.1)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	7,500	78.4	(71.9 - 85.0)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	92	4,800	76.1	(66.5 - 85.7)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	121	4,400	67.8	(58.2 - 77.3)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	96	4,800	78.3	(69.7 - 86.8)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	337	75.7	(70.2 - 81.2)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	337	75.7	(70.2 - 81.2)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	327	75.3	(69.7 - 81.0)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	80.0	(73.3 - 86.7)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	121	70.4	(60.5 - 80.4)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	96	78.7	(69.6 - 87.8)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	278	11,300	74.5	(68.9 - 80.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	278	11,300	74.5	(68.9 - 80.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	141	6,700	80.3	(72.9 - 87.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	137	4,600	67.4	(59.0 - 75.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	270	11,000	74.6	(68.9 - 80.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	141	5,500	75.1	(67.6 - 82.6)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	76	3,500	78.7	(69.3 - 88.2)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	278	74.6	(68.9 - 80.3)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	278	74.6	(68.9 - 80.3)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	270	74.7	(69.0 - 80.5)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	141	75.3	(67.8 - 82.8)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	76	79.4	(70.2 - 88.7)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 27a. Ever had a Pap test among women¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	406	30,800	96.9	(93.2 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	406	30,800	96.9	(93.2 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	83	6,300	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	94	4,800	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	137	6,600	96.5	(93.9 - 99.1)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	394	29,800	98.6	(97.2 - 99.9)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	180	12,100	94.0	(85.8 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	123	10,800	98.3	(94.9 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	103	7,900	99.6	(98.7 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	115	8,800	97.2	(93.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	53	5,100	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 27b. Ever had a Pap test among women¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	406	96.9	(93.2 - 100)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	406	96.9	(93.2 - 100)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	394	98.7	(97.3 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	180	94.0	(85.3 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	123	98.2	(94.6 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	103	99.7	(99.0 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	115	97.1	(92.6 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	53	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	405	26,400	83.1	(78.5 - 87.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	405	26,400	83.1	(78.5 - 87.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	82	5,300	84.9	(76.4 - 93.5)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	94	4,000	84.2	(76.5 - 91.8)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	137	4,300	62.1	(53.4 - 70.8)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	393	25,600	84.7	(81.0 - 88.4)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	179	10,000	77.9	(69.1 - 86.7)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	123	9,300	84.5	(77.7 - 91.4)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	103	7,100	89.6	(83.6 - 95.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	114	7,400	82.4	(75.1 - 89.7)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	53	4,900	96.4	(92.1 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 28b. Had a Pap test within the past 3 years among women¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	405	85.3	(80.8 - 89.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	405	85.3	(80.8 - 89.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	393	86.9	(83.5 - 90.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	179	79.9	(70.7 - 89.1)	9,384	76.4	(71.3 - 81.5)
Some College	123	86.9	(80.5 - 93.4)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	103	91.3	(85.9 - 96.6)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	114	84.8	(77.9 - 91.7)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	53	97.0	(93.5 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	187	12,500	68.0	(60.0 - 76.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	187	12,500	68.0	(60.0 - 76.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	60	4,100	87.6	(78.6 - 96.6)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	183	12,200	68.8	(60.9 - 76.6)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	187	64.6	(55.7 - 73.5)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	187	64.6	(55.7 - 73.5)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	183	65.8	(57.1 - 74.4)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	184	8,600	47.4	(39.4 - 55.5)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	184	8,600	47.4	(39.4 - 55.5)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	180	8,500	48.7	(40.6 - 56.8)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	184	44.4	(36.0 - 52.8)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	184	44.4	(36.0 - 52.8)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	180	45.8	(37.3 - 54.3)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	180	10,100	58.3	(50.0 - 66.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	180	10,100	58.3	(50.0 - 66.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	59	3,900	87.2	(78.0 - 96.4)	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	55	4,200	86.1	(77.0 - 95.2)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	177	10,000	59.6	(51.3 - 67.9)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	180	54.4	(45.4 - 63.3)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	180	54.4	(45.4 - 63.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	177	55.8	(46.9 - 64.7)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	176	9,000	53.1	(44.7 - 61.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	176	9,000	53.1	(44.7 - 61.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	56	3,700	88.2	(79.5 - 96.9)	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	173	8,900	54.2	(45.8 - 62.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	176	49.1	(40.3 - 58.0)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	176	49.1	(40.3 - 58.0)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	173	50.5	(41.7 - 59.3)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 33b. Prostate cancer among men aged 40 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	433	13,600	46.6	(41.2 - 52.0)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	151	6,200	44.4	(35.6 - 53.1)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	282	7,400	48.7	(42.1 - 55.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	240	7,000	40.7	(33.6 - 47.9)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	193	6,600	55.2	(47.2 - 63.2)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	423	13,100	45.8	(40.3 - 51.2)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	6,600	43.8	(36.2 - 51.4)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	161	5,300	55.4	(46.3 - 64.5)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	124	4,100	44.6	(34.7 - 54.4)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	433	46.3	(40.8 - 51.9)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	151	44.3	(35.5 - 53.2)	9,571	39.4	(35.3 - 43.5)
Female	282	48.3	(41.6 - 54.9)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	423	45.5	(40.0 - 51.1)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	43.8	(36.0 - 51.6)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	161	54.9	(45.5 - 64.2)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	429	5,900	20.4	(16.1 - 24.8)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	150	2,900	20.9	(14.1 - 27.7)	9,508	444,400	16.0	(13.2 - 18.9)
Female	279	3,000	20.0	(14.5 - 25.5)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	238	3,400	20.1	(14.2 - 25.9)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	191	2,500	20.9	(14.5 - 27.3)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	419	5,800	20.6	(16.2 - 25.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	3,100	20.3	(14.3 - 26.3)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	101	1,200	16.9	(7.9 - 25.9)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	106	1,700	24.1	(15.3 - 33.0)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	159	2,400	25.5	(17.6 - 33.4)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	123	1,600	18.1	(10.4 - 25.7)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	429	20.0	(15.7 - 24.4)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	150	20.2	(13.6 - 26.9)	9,508	16.4	(13.2 - 19.6)
Female	279	19.8	(14.2 - 25.4)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	419	20.2	(15.8 - 24.6)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	20.0	(14.0 - 26.1)	11,026	12.7	(9.2 - 16.1)
Some College	101	16.5	(7.4 - 25.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	106	23.5	(14.8 - 32.3)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	159	25.4	(17.4 - 33.4)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	123	17.3	(9.7 - 25.0)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	429	8,600	29.6	(24.6 - 34.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	150	4,300	31.1	(23.1 - 39.0)	9,508	593,100	21.4	(18.3 - 24.5)
Female	279	4,300	28.2	(22.2 - 34.3)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	238	4,500	26.2	(19.8 - 32.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	191	4,100	34.5	(26.8 - 42.3)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	419	8,300	29.4	(24.4 - 34.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	4,400	29.3	(22.3 - 36.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	106	2,300	32.4	(22.7 - 42.2)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	159	3,500	37.2	(28.2 - 46.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	123	2,200	24.6	(16.1 - 33.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Cattaraugus County and New York State - Age-Adjusted²**

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	429	29.3	(24.3 - 34.3)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	150	30.6	(22.5 - 38.6)	9,508	21.7	(18.3 - 25.1)
Female	279	28.0	(21.9 - 34.2)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	419	29.2	(24.1 - 34.3)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	29.3	(22.1 - 36.5)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	106	31.9	(22.0 - 41.7)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	159	37.0	(27.8 - 46.2)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	123	24.1	(15.6 - 32.7)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	436	18,700	63.6	(58.5 - 68.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	153	9,500	67.5	(59.2 - 75.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	283	9,200	60.1	(53.8 - 66.5)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	155	6,300	66.4	(58.3 - 74.5)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	195	8,000	66.7	(59.5 - 73.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	426	18,400	64.1	(58.8 - 69.3)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	227	9,900	64.4	(57.2 - 71.6)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	107	4,800	67.6	(57.8 - 77.3)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	162	5,300	55.7	(46.7 - 64.7)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	125	6,200	67.2	(58.0 - 76.4)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	436	63.8	(58.5 - 69.1)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	153	67.4	(59.1 - 75.8)	9,582	68.5	(64.5 - 72.5)
Female	283	60.3	(53.9 - 66.7)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	426	64.2	(58.9 - 69.5)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	227	64.5	(57.1 - 71.8)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	107	67.9	(58.0 - 77.8)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	162	55.7	(46.5 - 65.0)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	125	68.0	(58.7 - 77.3)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	18,200	62.0	(56.8 - 67.2)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	152	9,300	66.2	(57.8 - 74.6)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	283	9,000	58.2	(51.8 - 64.6)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	155	6,200	65.2	(56.9 - 73.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	194	7,800	65.4	(58.1 - 72.6)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	425	17,900	62.4	(57.1 - 67.7)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	9,700	63.2	(56.0 - 70.5)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	107	4,600	65.9	(56.0 - 75.8)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	161	5,100	53.3	(44.3 - 62.4)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	125	6,000	65.1	(55.7 - 74.4)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	62.2	(56.9 - 67.5)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	152	66.2	(57.7 - 74.7)	9,521	66.9	(62.9 - 70.9)
Female	283	58.3	(51.8 - 64.8)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	425	62.5	(57.1 - 67.9)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	63.3	(55.9 - 70.7)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	161	53.5	(44.1 - 62.8)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	125	65.8	(56.4 - 75.3)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	425	19,600	68.5	(63.4 - 73.6)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	146	9,600	72.0	(63.6 - 80.3)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	279	9,900	65.4	(59.2 - 71.6)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	147	6,300	71.3	(63.5 - 79.2)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	192	8,700	73.8	(67.1 - 80.4)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	415	19,300	69.0	(63.9 - 74.2)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	219	10,400	70.6	(63.5 - 77.7)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	106	5,100	74.0	(64.8 - 83.2)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	158	5,800	63.1	(54.2 - 72.1)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	125	6,500	70.7	(61.7 - 79.6)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	425	68.6	(63.3 - 73.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	146	71.9	(63.5 - 80.3)	9,418	71.5	(67.6 - 75.4)
Female	279	65.4	(59.1 - 71.7)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	415	69.1	(63.8 - 74.3)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	219	70.6	(63.4 - 77.8)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	106	74.2	(64.8 - 83.6)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	158	63.4	(54.2 - 72.5)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	125	71.2	(62.1 - 80.3)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 40a. High blood pressure among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	23,300	37.6	(33.0 - 42.2)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	237	11,700	39.1	(31.6 - 46.5)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	407	11,600	36.2	(30.6 - 41.8)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	76	2,700	15.1	(6.3 - 24.0)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	140	4,300	34.1	(25.3 - 42.9)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	154	5,700	59.9	(51.4 - 68.4)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	195	8,000	66.3	(58.8 - 73.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	624	22,200	37.8	(33.2 - 42.5)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	312	12,400	41.1	(34.2 - 48.0)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	167	7,000	43.0	(33.7 - 52.4)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	165	3,900	25.2	(17.8 - 32.6)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	212	7,900	45.5	(36.5 - 54.4)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	196	8,000	37.6	(29.2 - 46.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	*	*	*	*	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 40b. High blood pressure among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	35.0	(30.2 - 39.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	237	36.9	(29.2 - 44.6)	14,611	27.7	(24.7 - 30.7)
Female	407	33.1	(27.3 - 38.9)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	624	35.0	(30.2 - 39.9)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	312	39.0	(31.7 - 46.3)	15,688	32.1	(28.4 - 35.8)
Some College	167	38.6	(29.1 - 48.2)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	165	23.6	(16.1 - 31.0)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	212	43.7	(33.9 - 53.4)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	196	34.4	(26.0 - 42.8)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	297	17,200	73.7	(66.3 - 81.1)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	190	9,400	81.0	(72.8 - 89.1)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	129	7,300	91.5	(86.0 - 97.0)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	288	16,400	73.9	(66.5 - 81.3)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	9,500	76.5	(67.0 - 86.0)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	297	71.6	(63.2 - 80.0)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	190	80.1	(71.0 - 89.3)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	288	71.7	(63.2 - 80.2)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	631	49,000	81.4	(76.7 - 86.2)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	232	22,500	77.0	(69.3 - 84.7)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	399	26,500	85.6	(80.1 - 91.1)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	137	10,800	87.6	(81.4 - 93.9)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	153	9,100	96.2	(92.7 - 99.6)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	191	11,300	95.6	(93.1 - 98.2)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	611	46,900	82.5	(77.9 - 87.1)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	22,900	77.6	(70.3 - 84.8)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	162	13,200	86.5	(78.6 - 94.5)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	163	12,800	83.8	(74.7 - 92.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	205	13,000	77.4	(68.0 - 86.7)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	192	16,800	82.2	(73.2 - 91.1)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	86	8,200	88.8	(80.1 - 97.5)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 42b. Ever had blood cholesterol checked among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	631	80.4	(75.3 - 85.4)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	232	75.5	(67.3 - 83.7)	14,389	78.0	(73.9 - 82.1)
Female	399	84.9	(79.1 - 90.8)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	611	81.5	(76.6 - 86.4)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	76.3	(68.4 - 84.1)	15,342	70.2	(65.2 - 75.1)
Some College	162	85.4	(77.1 - 93.8)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	163	82.9	(73.3 - 92.4)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	205	76.5	(66.5 - 86.5)	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	192	80.7	(71.2 - 90.2)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	86	88.4	(79.3 - 97.4)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	46,400	77.8	(73.0 - 82.7)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	230	20,900	72.7	(64.8 - 80.6)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	397	25,500	82.6	(76.9 - 88.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	137	10,000	80.9	(73.6 - 88.2)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	153	8,900	94.1	(90.0 - 98.3)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	189	10,800	91.9	(87.5 - 96.3)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	608	44,600	78.8	(74.1 - 83.5)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	21,800	75.0	(67.6 - 82.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	162	12,400	80.9	(72.5 - 89.4)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	163	12,300	80.2	(70.9 - 89.5)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	204	12,200	73.0	(63.5 - 82.5)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	192	16,200	79.1	(70.0 - 88.1)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	86	7,900	85.7	(76.7 - 94.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	76.8	(71.6 - 82.0)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	230	71.2	(62.8 - 79.5)	14,307	74.8	(70.7 - 79.0)
Female	397	82.1	(76.0 - 88.1)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	608	77.9	(72.8 - 82.9)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	73.6	(65.7 - 81.6)	15,215	67.8	(62.9 - 72.8)
Some College	162	80.3	(71.5 - 89.1)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	163	79.2	(69.4 - 88.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	192	77.4	(67.9 - 87.0)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	86	85.2	(75.7 - 94.7)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 44a. Cardiovascular disease among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	7,600	12.4	(9.3 - 15.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	230	3,800	12.9	(7.5 - 18.3)	14,477	664,600	9.4	(7.5 - 11.4)
Female	406	3,800	12.0	(8.5 - 15.5)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	139	900	7.4	(2.7 - 12.1)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	154	1,800	19.1	(12.0 - 26.2)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	189	3,200	27.1	(19.6 - 34.7)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	616	7,400	12.7	(9.4 - 16.0)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	307	4,300	14.5	(9.7 - 19.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	166	1,700	10.8	(4.3 - 17.3)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	163	1,600	10.2	(5.3 - 15.1)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	205	3,400	20.2	(12.9 - 27.6)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	194	2,100	10.1	(4.6 - 15.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	89	1,200	13.1	(5.3 - 20.9)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 44b. Cardiovascular disease among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	11.6	(8.3 - 15.0)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	230	12.4	(6.6 - 18.1)	14,477	9.7	(7.8 - 11.7)
Female	406	11.0	(7.3 - 14.6)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	616	11.8	(8.3 - 15.2)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	307	14.2	(8.7 - 19.7)	15,486	10.5	(8.0 - 13.0)
Some College	166	9.2	(2.9 - 15.4)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	163	9.5	(4.7 - 14.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	205	20.4	(11.7 - 29.0)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	194	8.7	(3.4 - 13.9)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	89	11.9	(4.4 - 19.3)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 45a. Coronary heart disease among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	5,600	9.1	(6.5 - 11.6)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	231	2,900	9.7	(5.4 - 14.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	406	2,700	8.5	(5.5 - 11.4)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	154	1,600	16.5	(9.7 - 23.4)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	189	2,400	20.3	(13.6 - 26.9)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	617	5,300	9.1	(6.5 - 11.8)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	307	3,200	10.8	(6.5 - 15.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	166	1,100	6.8	(3.1 - 10.5)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	164	1,300	8.2	(3.6 - 12.7)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	206	2,500	15.0	(8.4 - 21.5)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	194	1,500	7.0	(3.4 - 10.7)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	89	1,100	12.0	(4.3 - 19.7)	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 45b. Coronary heart disease among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	8.3	(5.6 - 11.0)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	231	9.2	(4.5 - 13.9)	14,479	8.8	(6.9 - 10.8)
Female	406	7.5	(4.5 - 10.4)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	617	8.2	(5.5 - 11.0)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	307	10.5	(5.5 - 15.4)	15,485	8.5	(6.2 - 10.7)
Some College	166	5.3	(2.3 - 8.3)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	164	7.4	(3.1 - 11.8)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	206	14.9	(7.1 - 22.6)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	194	5.7	(2.6 - 8.8)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	89	11.0	(3.6 - 18.3)	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	7,100	11.4	(8.6 - 14.3)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	237	2,700	8.9	(5.4 - 12.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	407	4,400	13.8	(9.4 - 18.2)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	140	1,200	9.5	(3.7 - 15.2)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	155	1,500	15.4	(9.4 - 21.5)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	194	2,400	19.9	(13.7 - 26.1)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	624	6,500	11.0	(8.2 - 13.9)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	313	3,800	12.5	(8.6 - 16.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	167	1,900	11.5	(5.0 - 18.0)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	164	1,400	9.2	(4.1 - 14.3)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	211	3,000	17.3	(10.4 - 24.3)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	196	1,900	8.7	(4.8 - 12.5)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 46b. Ever diagnosed with diabetes among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	10.9	(7.9 - 13.8)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	237	8.0	(4.8 - 11.2)	14,626	7.5	(6.1 - 8.9)
Female	407	13.5	(8.8 - 18.3)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	624	10.4	(7.5 - 13.3)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	313	11.8	(7.7 - 15.9)	15,709	12.6	(10.0 - 15.2)
Some College	167	10.9	(4.2 - 17.6)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	164	9.1	(3.8 - 14.4)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	211	17.2	(9.6 - 24.8)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	196	7.6	(4.1 - 11.2)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	10,900	17.6	(13.6 - 21.6)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	237	3,500	11.6	(6.4 - 16.8)	14,601	875,800	12.4	(10.1 - 14.7)
Female	408	7,400	23.2	(17.5 - 29.0)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	79	1,600	16.5	(7.7 - 25.3)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	140	2,100	16.4	(9.7 - 23.1)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	155	1,100	11.7	(6.4 - 17.1)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	195	1,300	11.1	(6.2 - 15.9)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	625	10,000	17.1	(13.1 - 21.1)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	313	5,200	17.3	(11.3 - 23.3)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	167	3,500	21.4	(13.2 - 29.6)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	165	2,200	14.2	(7.7 - 20.6)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	212	4,100	23.9	(15.6 - 32.2)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	196	3,100	14.7	(8.0 - 21.4)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	89	1,000	11.1	(3.9 - 18.3)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	87	1,600	16.4	(7.2 - 25.7)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	18.2	(14.0 - 22.5)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	237	11.1	(5.9 - 16.4)	14,601	12.6	(10.3 - 14.9)
Female	408	24.9	(18.5 - 31.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	625	17.8	(13.5 - 22.1)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	313	18.4	(11.9 - 25.0)	15,675	15.1	(12.1 - 18.0)
Some College	167	21.7	(13.1 - 30.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	165	14.2	(7.5 - 21.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	212	25.8	(16.5 - 35.2)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	196	14.8	(7.8 - 21.7)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	89	12.6	(4.2 - 20.9)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	87	15.8	(6.3 - 25.2)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 48a. Current asthma among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	7,900	12.8	(9.4 - 16.2)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	234	1,300	4.3	(1.7 - 6.9)	14,546	440,700	6.3	(4.8 - 7.7)
Female	407	6,600	20.8	(15.1 - 26.5)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	75	3,200	17.8	(8.6 - 26.9)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	79	1,600	16.5	(7.7 - 25.3)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	138	1,400	11.4	(5.4 - 17.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	155	800	8.1	(3.8 - 12.5)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	194	900	7.7	(3.7 - 11.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	621	7,400	12.7	(9.3 - 16.2)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	310	3,200	10.8	(6.2 - 15.3)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	166	2,800	17.5	(9.6 - 25.3)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	165	1,900	12.0	(5.8 - 18.1)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	209	3,300	19.5	(11.3 - 27.6)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	195	1,800	8.4	(4.0 - 12.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	89	900	10.4	(3.3 - 17.5)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	87	1,400	14.5	(5.4 - 23.5)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 48b. Current asthma among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	13.7	(9.9 - 17.5)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	234	4.0	(1.4 - 6.6)	14,546	6.4	(4.9 - 7.9)
Female	407	22.8	(16.4 - 29.2)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	621	13.6	(9.7 - 17.4)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	310	12.0	(6.7 - 17.4)	15,594	10.8	(8.3 - 13.3)
Some College	166	18.1	(9.8 - 26.4)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	165	12.3	(5.7 - 18.8)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	209	21.8	(12.5 - 31.1)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	195	8.7	(4.1 - 13.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	89	11.9	(3.7 - 20.2)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	87	14.1	(4.8 - 23.3)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 49a. Chronic joint symptoms among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	29,200	47.4	(42.4 - 52.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	234	14,000	47.4	(39.5 - 55.3)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	408	15,100	47.4	(41.2 - 53.6)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	140	7,000	55.6	(46.5 - 64.7)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	153	5,300	57.0	(48.3 - 65.7)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	194	6,200	52.3	(44.3 - 60.3)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	622	27,400	47.0	(42.0 - 52.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	14,100	47.1	(39.9 - 54.3)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	166	7,800	48.6	(39.0 - 58.3)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	165	7,300	46.7	(36.7 - 56.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	211	9,600	56.2	(46.8 - 65.7)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	194	9,500	45.0	(35.8 - 54.2)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 49b. Chronic joint symptoms among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	45.9	(40.6 - 51.2)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	234	46.2	(38.0 - 54.5)	14,595	42.6	(38.8 - 46.3)
Female	408	45.6	(38.9 - 52.2)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	622	45.4	(40.1 - 50.7)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	45.9	(38.2 - 53.6)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	194	43.9	(34.3 - 53.5)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 50a. Arthritis among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	22,100	35.9	(31.3 - 40.5)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	235	8,600	28.8	(22.1 - 35.6)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	405	13,500	42.5	(36.5 - 48.6)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	136	4,400	35.4	(26.7 - 44.1)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	155	4,300	45.3	(36.6 - 54.0)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	194	7,300	61.2	(53.4 - 68.9)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	620	21,100	36.2	(31.5 - 40.9)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	312	10,700	35.5	(29.2 - 41.8)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	165	6,200	38.8	(29.3 - 48.3)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	163	5,200	33.7	(24.6 - 42.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	210	7,700	45.0	(36.0 - 54.0)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	194	7,500	35.5	(27.0 - 44.1)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 50b. Arthritis among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	34.0	(29.2 - 38.8)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	235	27.8	(20.9 - 34.8)	14,555	23.5	(20.9 - 26.1)
Female	405	39.9	(33.4 - 46.3)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	620	34.3	(29.5 - 39.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	312	33.7	(27.0 - 40.4)	15,652	30.4	(26.9 - 33.8)
Some College	165	36.7	(26.8 - 46.6)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	163	31.8	(22.6 - 41.1)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	210	43.1	(33.3 - 52.8)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	194	34.2	(25.3 - 43.0)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	15,500	25.1	(20.9 - 29.3)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	235	6,400	21.4	(15.2 - 27.7)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	406	9,100	28.4	(22.9 - 34.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	76	3,600	20.0	(10.4 - 29.7)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	138	3,400	27.0	(18.9 - 35.2)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	154	2,400	25.2	(17.9 - 32.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	194	3,700	31.2	(23.9 - 38.5)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	621	15,000	25.7	(21.4 - 30.0)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	311	8,700	28.8	(22.5 - 35.2)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	166	4,000	24.6	(16.0 - 33.3)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	164	2,800	18.1	(11.5 - 24.7)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	210	7,500	43.7	(34.6 - 52.9)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	196	4,000	18.8	(12.1 - 25.5)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	89	1,500	17.2	(7.9 - 26.4)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	86	900	9.0	(3.7 - 14.4)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	24.7	(20.2 - 29.3)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	235	21.0	(14.3 - 27.7)	14,566	18.6	(15.8 - 21.4)
Female	406	28.2	(22.2 - 34.3)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	621	25.3	(20.7 - 30.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	311	29.3	(22.2 - 36.3)	15,626	23.8	(20.1 - 27.4)
Some College	166	23.3	(14.5 - 32.2)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	164	17.8	(10.9 - 24.6)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	196	18.1	(11.2 - 25.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	89	16.2	(7.0 - 25.5)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	86	9.3	(3.4 - 15.1)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	5,600	9.0	(6.7 - 11.3)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	237	2,200	7.3	(3.9 - 10.6)	14,617	460,700	6.5	(5.3 - 7.7)
Female	408	3,400	10.6	(7.5 - 13.8)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	155	1,000	10.1	(5.1 - 15.1)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	195	2,800	23.1	(16.6 - 29.7)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	625	5,300	9.1	(6.7 - 11.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	313	3,800	12.6	(8.5 - 16.7)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	167	1,000	6.1	(3.1 - 9.1)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	165	800	5.0	(1.9 - 8.2)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	212	3,000	17.5	(11.8 - 23.1)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	196	1,300	6.2	(2.7 - 9.8)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	8.1	(5.8 - 10.4)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	237	6.9	(3.5 - 10.3)	14,617	6.8	(5.5 - 8.0)
Female	408	9.2	(6.2 - 12.2)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	625	8.0	(5.8 - 10.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	313	11.6	(7.5 - 15.8)	15,711	10.3	(8.3 - 12.3)
Some College	167	4.9	(2.4 - 7.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	165	4.8	(1.6 - 7.9)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	212	15.9	(10.2 - 21.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	196	5.5	(2.0 - 8.9)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 53a. Disability among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	16,600	26.9	(22.6 - 31.1)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	235	6,800	22.9	(16.5 - 29.3)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	406	9,800	30.6	(24.9 - 36.2)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	76	3,600	20.0	(10.4 - 29.7)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	138	3,400	27.7	(19.5 - 35.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	154	2,500	27.0	(19.4 - 34.5)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	194	4,400	36.8	(29.2 - 44.4)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	621	15,800	27.1	(22.8 - 31.5)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	311	9,700	32.1	(25.6 - 38.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	166	4,100	25.5	(16.8 - 34.1)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	164	2,800	18.1	(11.5 - 24.7)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	210	8,200	47.7	(38.5 - 56.9)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	196	4,200	19.8	(13.0 - 26.6)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	89	1,500	17.2	(7.9 - 26.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	86	900	9.9	(4.3 - 15.5)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 53b. Disability among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	26.4	(21.8 - 30.9)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	235	22.5	(15.7 - 29.3)	14,568	20.9	(18.0 - 23.8)
Female	406	30.0	(23.9 - 36.1)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	621	26.5	(21.9 - 31.2)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	311	32.2	(25.1 - 39.4)	15,638	26.8	(23.0 - 30.6)
Some College	166	24.0	(15.1 - 32.9)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	164	17.8	(10.9 - 24.6)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	196	18.8	(11.9 - 25.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	89	16.2	(7.0 - 25.5)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	86	10.0	(4.0 - 16.0)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 54a. Current smoking among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	14,500	23.5	(19.2 - 27.8)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	237	6,300	20.9	(14.4 - 27.5)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	405	8,200	25.9	(20.3 - 31.6)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	140	4,300	34.2	(25.3 - 43.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	155	1,500	16.1	(9.4 - 22.8)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	194	1,100	8.8	(4.8 - 12.8)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	622	13,900	23.9	(19.5 - 28.3)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	312	9,200	30.6	(23.8 - 37.4)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	166	4,300	26.7	(18.1 - 35.4)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	164	1,000	6.2	(1.6 - 10.8)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	212	5,600	32.4	(24.2 - 40.6)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	194	5,600	26.6	(17.8 - 35.4)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	89	1,000	10.8	(4.2 - 17.5)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	87	1,400	15.1	(6.5 - 23.7)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 54b. Current smoking among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	24.4	(19.7 - 29.1)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	237	20.8	(14.0 - 27.7)	14,559	19.2	(16.3 - 22.1)
Female	405	27.8	(21.5 - 34.1)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	622	24.8	(20.0 - 29.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	312	32.1	(24.7 - 39.6)	15,654	22.8	(19.5 - 26.0)
Some College	166	27.5	(18.3 - 36.7)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	164	6.4	(1.5 - 11.4)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	212	33.8	(24.7 - 42.9)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	194	28.1	(18.7 - 37.4)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	89	11.6	(3.8 - 19.4)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	87	14.6	(5.9 - 23.2)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 55a. Everyday smoking among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	11,700	19.0	(14.9 - 23.1)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	237	5,300	17.7	(11.4 - 24.1)	14,559	848,400	12.0	(10.0 - 14.1)
Female	405	6,400	20.2	(14.9 - 25.4)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	140	3,500	27.9	(19.5 - 36.3)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	155	1,300	13.2	(7.5 - 18.9)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	194	500	4.2	(1.4 - 7.0)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	622	11,100	19.1	(14.9 - 23.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	312	7,700	25.4	(18.9 - 31.9)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	166	3,200	20.1	(12.0 - 28.2)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	212	4,500	25.9	(18.3 - 33.6)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	194	4,700	22.5	(13.9 - 31.0)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	89	800	9.2	(3.3 - 15.2)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 55b. Everyday smoking among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	19.8	(15.3 - 24.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	237	17.5	(10.9 - 24.2)	14,559	12.1	(10.1 - 14.1)
Female	405	21.9	(16.0 - 27.8)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	622	19.9	(15.4 - 24.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	312	26.8	(19.6 - 34.0)	15,654	16.4	(13.8 - 19.0)
Some College	166	20.8	(12.2 - 29.3)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	212	27.5	(18.8 - 36.1)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	194	23.5	(14.5 - 32.5)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	89	9.3	(2.6 - 16.0)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	43,100	69.9	(65.3 - 74.6)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	233	19,800	66.9	(59.4 - 74.4)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	408	23,200	72.7	(67.2 - 78.3)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	139	7,800	62.1	(53.3 - 71.0)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	152	7,100	77.3	(70.2 - 84.4)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	195	8,100	67.6	(60.3 - 75.0)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	621	41,600	71.3	(66.8 - 75.8)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	311	17,300	57.8	(50.6 - 65.0)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	167	12,800	79.2	(71.5 - 87.0)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	163	12,900	83.7	(76.4 - 91.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	210	10,000	58.0	(48.9 - 67.0)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	195	15,200	71.3	(62.5 - 80.2)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	89	7,400	83.7	(76.1 - 91.3)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	86	7,700	81.4	(71.6 - 91.3)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	70.2	(65.2 - 75.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	233	66.8	(58.9 - 74.7)	14,577	79.4	(76.7 - 82.2)
Female	408	73.3	(67.3 - 79.2)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	621	71.5	(66.8 - 76.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	311	57.0	(49.2 - 64.8)	15,647	76.9	(73.8 - 80.0)
Some College	167	79.9	(71.9 - 87.8)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	163	84.5	(77.0 - 92.0)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	210	57.5	(47.6 - 67.4)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	195	70.8	(61.5 - 80.2)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	89	84.7	(76.9 - 92.5)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	86	82.1	(72.2 - 91.9)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 57a. Binge drinking within the past month among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	14,100	23.2	(18.4 - 28.1)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	231	9,600	33.0	(25.0 - 41.1)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	405	4,500	14.2	(9.2 - 19.2)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	137	2,200	17.7	(10.2 - 25.1)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	154	1,300	13.5	(7.1 - 20.0)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	193	700	6.3	(2.3 - 10.3)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	617	13,700	23.6	(18.6 - 28.5)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	305	6,400	22.0	(15.3 - 28.7)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	166	3,700	23.2	(14.1 - 32.3)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	*	*	*	*	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	210	1,900	11.0	(4.2 - 17.8)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	193	6,500	31.0	(21.4 - 40.6)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 57b. Binge drinking within the past month among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	24.5	(19.4 - 29.6)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	231	34.3	(25.9 - 42.8)	14,420	24.5	(21.0 - 27.9)
Female	405	15.4	(9.9 - 21.0)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	617	25.0	(19.7 - 30.3)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	305	23.3	(16.1 - 30.5)	15,491	17.5	(13.5 - 21.5)
Some College	166	24.8	(15.2 - 34.4)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	*	*	*	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	210	11.2	(3.8 - 18.5)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 58a. Heavy drinking within the past month among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	6,300	10.4	(6.7 - 14.1)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	231	4,200	14.4	(7.6 - 21.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	403	2,100	6.6	(3.7 - 9.5)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	136	1,200	9.9	(4.7 - 15.1)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	152	600	6.7	(2.6 - 10.9)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	195	700	5.5	(1.9 - 9.1)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	614	5,800	10.1	(6.3 - 13.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	304	3,100	10.6	(5.5 - 15.7)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	166	1,900	11.6	(4.5 - 18.6)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	211	900	5.5	(2.2 - 8.8)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	191	2,800	13.8	(5.3 - 22.3)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 58b. Heavy drinking within the past month among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	10.5	(6.6 - 14.4)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	231	14.7	(7.6 - 21.8)	14,330	4.9	(3.9 - 5.9)
Female	403	6.6	(3.4 - 9.7)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	614	10.3	(6.3 - 14.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	304	11.1	(5.5 - 16.6)	15,411	4.3	(3.2 - 5.3)
Some College	166	11.4	(4.2 - 18.5)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	211	5.0	(1.7 - 8.2)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	191	14.2	(5.4 - 23.0)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	42,100	72.7	(67.8 - 77.7)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	213	20,900	78.1	(70.6 - 85.6)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	391	21,200	68.1	(61.7 - 74.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	133	9,800	81.7	(75.1 - 88.3)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	143	6,300	72.6	(64.0 - 81.2)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	183	8,800	78.2	(70.8 - 85.6)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	585	39,900	72.8	(67.9 - 77.7)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	289	21,000	76.0	(68.9 - 83.1)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	154	10,200	67.3	(58.0 - 76.7)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	*	*	*	*	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	185	15,100	75.4	(66.7 - 84.1)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	71.9	(66.6 - 77.2)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	213	78.3	(70.3 - 86.3)	13,299	67.9	(64.0 - 71.9)
Female	391	66.4	(59.5 - 73.3)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	585	72.0	(66.7 - 77.3)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	289	75.3	(67.5 - 83.1)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	*	*	*	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	185	74.9	(65.7 - 84.0)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	405	33,900	78.6	(73.0 - 84.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	158	19,000	87.9	(80.9 - 95.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	247	15,000	69.3	(61.0 - 77.5)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	77	6,600	90.1	(83.3 - 97.0)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	93	5,600	93.7	(89.0 - 98.4)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	116	7,100	95.8	(92.0 - 99.5)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	395	32,500	78.2	(72.5 - 83.9)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	188	17,200	85.3	(78.4 - 92.2)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	405	76.4	(70.3 - 82.5)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	158	87.0	(79.5 - 94.4)	9,034	81.1	(77.4 - 84.8)
Female	247	65.8	(56.8 - 74.7)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	395	76.0	(69.8 - 82.2)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	188	84.2	(76.6 - 91.8)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	51,700	86.8	(83.3 - 90.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	224	24,400	85.5	(80.2 - 90.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	389	27,300	88.1	(83.4 - 92.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	74	15,600	87.8	(78.8 - 96.8)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	76	8,700	94.7	(89.7 - 99.7)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	136	11,000	89.3	(83.4 - 95.1)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	149	8,000	87.4	(81.2 - 93.5)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	178	8,400	75.6	(68.4 - 82.8)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	594	49,700	87.9	(84.8 - 91.0)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	289	22,500	79.8	(73.4 - 86.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	161	14,300	89.5	(84.6 - 94.4)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	163	14,900	96.9	(94.3 - 99.5)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	198	12,100	73.8	(64.5 - 83.1)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	187	18,800	92.2	(88.2 - 96.3)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	89	8,200	93.4	(88.2 - 98.7)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	85	8,800	93.3	(86.2 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	87.6	(84.1 - 91.2)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	224	86.3	(81.1 - 91.5)	13,893	89.1	(86.9 - 91.3)
Female	389	88.9	(84.0 - 93.7)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	594	88.8	(85.6 - 91.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	289	80.7	(74.1 - 87.3)	14,507	84.6	(81.8 - 87.4)
Some College	161	89.9	(84.8 - 95.0)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	163	97.4	(95.2 - 99.6)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	198	75.3	(65.6 - 85.0)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	187	91.9	(87.5 - 96.3)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	89	94.0	(89.1 - 98.9)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	85	94.0	(87.5 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 62a. Overweight among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	19,400	32.0	(27.5 - 36.5)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	237	11,400	38.2	(30.8 - 45.6)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	392	8,000	25.9	(20.7 - 31.0)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	74	3,800	21.6	(11.6 - 31.6)	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	134	4,000	33.1	(24.1 - 42.0)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	151	3,600	38.2	(29.7 - 46.7)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	192	5,400	45.5	(37.5 - 53.6)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	609	18,400	32.0	(27.5 - 36.5)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	9,300	31.0	(24.6 - 37.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	162	4,900	31.1	(22.6 - 39.6)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	161	5,300	34.7	(25.2 - 44.2)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	207	4,400	25.9	(18.7 - 33.2)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	194	7,100	33.2	(25.0 - 41.5)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 62b. Overweight among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	30.9	(26.2 - 35.6)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	237	37.3	(29.7 - 45.0)	14,502	43.9	(40.1 - 47.6)
Female	392	24.6	(19.1 - 30.1)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	609	30.9	(26.2 - 35.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	29.6	(23.0 - 36.3)	15,079	35.2	(31.1 - 39.4)
Some College	162	31.4	(22.3 - 40.5)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	161	32.7	(23.0 - 42.4)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	207	26.0	(18.0 - 34.1)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	194	31.6	(23.1 - 40.0)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 63a. Obesity among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	19,000	31.3	(26.6 - 36.0)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	237	9,300	31.0	(23.8 - 38.1)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	392	9,800	31.6	(25.7 - 37.6)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	134	4,200	34.4	(25.3 - 43.6)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	151	3,100	33.5	(25.0 - 42.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	192	2,700	22.3	(15.8 - 28.8)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	609	17,800	31.0	(26.3 - 35.8)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	306	10,700	35.7	(28.7 - 42.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	162	5,000	32.0	(22.7 - 41.4)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	161	3,300	22.0	(14.4 - 29.6)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	207	6,600	38.6	(29.3 - 47.9)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	194	6,800	32.0	(23.7 - 40.4)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 63b. Obesity among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	31.7	(26.7 - 36.7)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	237	31.2	(23.5 - 38.8)	14,502	21.5	(19.0 - 24.0)
Female	392	32.3	(25.8 - 38.8)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	609	31.5	(26.4 - 36.6)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	306	36.3	(28.8 - 43.9)	15,079	29.4	(25.4 - 33.3)
Some College	162	31.3	(21.6 - 40.9)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	161	23.5	(15.1 - 31.8)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	194	32.1	(23.4 - 40.7)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 64a. Overweight or obesity among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	38,500	63.3	(58.2 - 68.3)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	237	20,700	69.2	(61.3 - 77.0)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	392	17,700	57.5	(51.1 - 63.9)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	134	8,200	67.5	(59.0 - 76.0)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	151	6,700	71.7	(63.7 - 79.7)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	192	8,100	67.9	(60.4 - 75.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	609	36,200	63.0	(57.9 - 68.1)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	19,900	66.7	(59.5 - 73.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	162	9,900	63.1	(53.5 - 72.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	*	*	*	*	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	207	11,000	64.5	(55.4 - 73.6)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	194	13,900	65.3	(55.8 - 74.8)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 64b. Overweight or obesity among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	62.6	(57.2 - 68.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	237	68.5	(60.2 - 76.8)	14,502	65.4	(61.3 - 69.4)
Female	392	56.9	(49.9 - 63.8)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	609	62.4	(57.0 - 67.8)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	66.0	(58.2 - 73.7)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	207	66.1	(56.5 - 75.8)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	194	63.7	(53.7 - 73.7)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 65a. Received advice about weight by a health professional among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	628	13,900	23.0	(18.9 - 27.1)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	236	6,100	20.4	(14.5 - 26.4)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	392	7,800	25.5	(20.0 - 31.0)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	74	3,100	17.2	(7.5 - 26.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	134	2,400	19.8	(12.9 - 26.7)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	150	3,300	35.8	(27.2 - 44.4)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	192	2,800	24.0	(16.8 - 31.1)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	608	13,300	23.3	(19.1 - 27.4)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	305	6,800	22.9	(17.2 - 28.6)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	162	4,000	25.7	(17.4 - 34.0)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	161	3,100	20.4	(12.4 - 28.4)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	208	3,900	22.9	(15.1 - 30.7)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	193	5,900	27.7	(19.9 - 35.4)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	86	1,900	21.9	(12.3 - 31.6)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	86	1,900	19.7	(10.4 - 29.0)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 65b. Received advice about weight by a health professional among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	628	22.7	(18.4 - 27.0)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	236	19.2	(13.2 - 25.2)	14,499	23.4	(20.5 - 26.3)
Female	392	26.1	(20.1 - 32.2)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	608	22.9	(18.5 - 27.2)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	305	22.2	(16.2 - 28.3)	15,116	27.3	(23.4 - 31.2)
Some College	162	26.1	(17.3 - 35.0)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	161	20.1	(11.8 - 28.3)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	208	22.6	(14.0 - 31.3)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	193	27.3	(19.2 - 35.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	86	19.0	(9.5 - 28.5)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	161	12,100	87.0	(81.3 - 92.8)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	54	5,600	91.2	(82.5 - 99.9)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	107	6,600	83.8	(76.1 - 91.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	156	11,500	86.4	(80.4 - 92.5)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	81	5,900	86.1	(77.6 - 94.7)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	59	5,300	90.1	(80.9 - 99.3)	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	161	88.7	(83.4 - 94.1)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	54	91.6	(82.5 - 100)	3,807	88.7	(85.7 - 91.8)
Female	107	86.7	(80.1 - 93.3)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	156	88.2	(82.6 - 93.8)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	81	86.9	(78.2 - 95.7)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	59	91.1	(82.1 - 100)	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 67a. No leisure-time physical activity among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	13,700	22.1	(18.2 - 26.1)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	237	7,100	23.5	(16.9 - 30.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	407	6,600	20.8	(16.4 - 25.2)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	76	2,500	14.1	(5.8 - 22.3)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	140	3,200	25.7	(18.0 - 33.4)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	154	2,100	22.1	(14.9 - 29.3)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	195	3,600	29.6	(22.7 - 36.5)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	624	13,000	22.2	(18.2 - 26.2)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	313	9,500	31.3	(24.9 - 37.8)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	166	2,600	15.9	(8.6 - 23.1)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	165	1,700	10.8	(6.1 - 15.5)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	211	5,100	29.7	(21.6 - 37.8)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	196	4,800	22.3	(14.8 - 29.7)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	89	1,800	20.3	(11.0 - 29.6)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	*	*	*	*	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 67b. No leisure-time physical activity among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	21.6	(17.4 - 25.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	237	23.7	(16.6 - 30.9)	14,602	20.9	(17.8 - 23.9)
Female	407	19.7	(15.0 - 24.3)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	624	21.7	(17.4 - 25.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	313	31.0	(24.0 - 38.1)	15,683	32.3	(28.3 - 36.4)
Some College	166	15.1	(7.6 - 22.5)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	165	11.0	(5.8 - 16.1)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	211	29.7	(20.5 - 38.8)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	196	21.5	(13.7 - 29.2)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	89	19.7	(10.2 - 29.2)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	12,400	20.1	(16.2 - 24.0)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	237	4,800	16.1	(10.3 - 22.0)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	408	7,600	23.8	(18.7 - 28.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	76	2,900	15.9	(6.5 - 25.2)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	79	1,900	19.8	(10.5 - 29.1)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	140	2,800	22.1	(14.5 - 29.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	155	1,800	19.4	(12.3 - 26.4)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	195	3,000	25.2	(18.5 - 32.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	625	11,500	19.6	(15.8 - 23.4)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	313	4,800	15.9	(11.0 - 20.9)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	167	3,400	21.0	(14.3 - 27.7)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	165	4,200	27.2	(17.8 - 36.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	212	2,700	15.4	(9.8 - 21.1)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	196	3,800	18.0	(10.9 - 25.0)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	87	1,600	17.3	(7.9 - 26.6)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	20.0	(15.9 - 24.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	237	15.4	(9.6 - 21.3)	14,634	22.7	(19.6 - 25.9)
Female	408	24.2	(18.6 - 29.8)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	625	19.4	(15.4 - 23.5)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	313	16.1	(10.8 - 21.5)	15,726	23.3	(19.3 - 27.3)
Some College	167	20.0	(13.3 - 26.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	165	27.0	(17.3 - 36.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	212	15.7	(9.4 - 22.0)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	196	17.7	(10.4 - 25.0)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	87	16.1	(7.0 - 25.1)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 69a. Had a fall within the past 3 months among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	481	6,700	20.1	(16.0 - 24.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	170	3,200	20.5	(13.6 - 27.4)	10,966	489,400	14.4	(11.9 - 16.8)
Female	311	3,500	19.8	(15.0 - 24.6)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	140	2,700	21.8	(14.0 - 29.7)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	147	1,700	19.3	(12.1 - 26.6)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	194	2,300	18.9	(13.1 - 24.7)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	469	6,700	20.6	(16.4 - 24.8)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	246	3,200	18.6	(13.0 - 24.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	113	1,900	23.8	(14.7 - 32.9)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	122	1,600	19.6	(11.8 - 27.3)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	171	2,200	22.2	(14.7 - 29.7)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	139	1,400	13.2	(7.6 - 18.7)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County

Table 69b. Had a fall within the past 3 months among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	481	19.9	(15.8 - 24.1)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	170	20.2	(13.3 - 27.0)	10,966	15.0	(12.1 - 17.8)
Female	311	19.7	(14.8 - 24.6)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	469	20.4	(16.2 - 24.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	246	18.3	(12.6 - 24.0)	12,417	17.4	(13.0 - 21.7)
Some College	113	23.6	(14.4 - 32.7)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	122	19.9	(12.0 - 27.8)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	171	21.9	(14.3 - 29.5)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	139	12.4	(7.1 - 17.6)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Cattaraugus County and New York State

	Cattaraugus County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	481	1,800	5.3	(3.0 - 7.7)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	311	1,000	5.6	(2.9 - 8.3)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	194	800	6.5	(2.9 - 10.1)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	469	1,800	5.5	(3.1 - 7.9)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	246	1,000	5.8	(2.0 - 9.6)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	171	900	9.4	(3.5 - 15.3)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cattaraugus County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Cattaraugus County and New York State - Age-Adjusted²

	Cattaraugus County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	481	5.3	(2.9 - 7.7)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	311	5.6	(2.9 - 8.3)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	469	5.4	(3.0 - 7.9)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	246	5.8	(1.9 - 9.6)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	171	9.2	(3.3 - 15.2)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)