

New York State Expanded Behavioral Risk Factor Surveillance System

Cayuga County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Cayuga County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Cayuga County and New York State	14
Table 2b. Fair or poor general health among adults in Cayuga County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Cayuga County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Cayuga County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Cayuga County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Cayuga County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Cayuga County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Cayuga County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Cayuga County and New York State	22
Table 6b. Health insurance among adults in Cayuga County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Cayuga County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Cayuga County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Cayuga County and New York State	26
Table 8b. No health insurance among adults in Cayuga County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Cayuga County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Cayuga County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Cayuga County and New York State	30
Table 10b. Adults with regular health care provider in Cayuga County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Cayuga County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Cayuga County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Cayuga County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Cayuga County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Cayuga County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Cayuga County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Cayuga County and New York State	38
Table 14b. Dentist visit within the past year among adults in Cayuga County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Cayuga County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Cayuga County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Cayuga County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Cayuga County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Cayuga County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Cayuga County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Cayuga County and New York State	46
Table 18b. Flu shot within the past 12 months in Cayuga County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Cayuga County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Cayuga County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Cayuga County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Cayuga County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Cayuga County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Cayuga County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Cayuga County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Cayuga County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Cayuga County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Cayuga County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Cayuga County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Cayuga County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Cayuga County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Cayuga County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Cayuga County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Cayuga County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Cayuga County and New York State	64
Table 27b. Ever had a Pap test among women in Cayuga County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Cayuga County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Cayuga County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Cayuga County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Cayuga County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Cayuga County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Cayuga County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Cayuga County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Cayuga County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Cayuga County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Cayuga County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Cayuga County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Cayuga County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Cayuga County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Cayuga County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Cayuga County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Cayuga County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cayuga County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cayuga County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Cayuga County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Cayuga County and New York State	90
Table 40b. High blood pressure among adults in Cayuga County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Cayuga County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Cayuga County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Cayuga County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Cayuga County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Cayuga County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Cayuga County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Cayuga County and New York State	98
Table 44b. Cardiovascular disease among adults in Cayuga County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Cayuga County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Cayuga County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Cayuga County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Cayuga County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Cayuga County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Cayuga County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Cayuga County and New York State	106
Table 48b. Current asthma among adults in Cayuga County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Cayuga County and New York State	108
Table 49b. Chronic joint symptoms among adults in Cayuga County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Cayuga County and New York State	110
Table 50b. Arthritis among adults in Cayuga County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Cayuga County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Cayuga County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Cayuga County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Cayuga County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Cayuga County and New York State	116
Table 53b. Disability among adults in Cayuga County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Cayuga County and New York State	118
Table 54b. Current smoking among adults in Cayuga County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Cayuga County and New York State	120
Table 55b. Everyday smoking among adults in Cayuga County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Cayuga County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Cayuga County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Cayuga County and New York State	124
Table 57b. Binge drinking within the past month among adults in Cayuga County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Cayuga County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Cayuga County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Cayuga County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Cayuga County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Cayuga County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Cayuga County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Cayuga County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Cayuga County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Cayuga County and New York State	134
Table 62b. Overweight among adults in Cayuga County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Cayuga County and New York State	136
Table 63b. Obesity among adults in Cayuga County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Cayuga County and New York State	138
Table 64b. Overweight or obesity among adults in Cayuga County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Cayuga County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Cayuga County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Cayuga County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Cayuga County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Cayuga County and New York State	144
Table 67b. No leisure-time physical activity among adults in Cayuga County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Cayuga County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Cayuga County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Cayuga County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Cayuga County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Cayuga County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Cayuga County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 1. Cayuga County and New York State adult US Census Bureau population estimates,¹ 2007

	Cayuga County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	63,010	100	14,884,315	100
Gender				
Male	31,855	50.6	7,103,791	47.7
Female	31,155	49.4	7,780,524	52.3
Age (years)				
18-34	18,255	29.0	4,497,479	30.2
35-44	11,091	17.6	2,844,115	19.1
45-54	12,728	20.2	2,854,316	19.2
55-64	9,249	14.7	2,142,000	14.4
≥ 65	11,687	18.5	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	58,440	92.7	9,343,884	62.8
Black Non-Hispanic	2,650	4.2	2,156,941	14.5
Hispanic	1,391	2.2	2,258,717	15.2
Other Non-Hispanic	529	0.8	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 2a. Fair or poor general health among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	8,400	13.3	(10.2 - 16.5)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	248	4,200	13.3	(8.5 - 18.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	413	4,200	13.4	(9.5 - 17.2)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	97	1,700	15.4	(7.5 - 23.3)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	154	1,300	10.4	(5.1 - 15.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	160	1,300	14.5	(8.9 - 20.1)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	177	2,500	21.5	(14.8 - 28.1)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	7,400	12.8	(9.8 - 15.9)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	293	4,900	17.2	(12.2 - 22.2)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	177	2,100	13.0	(5.9 - 20.1)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	191	1,400	7.7	(3.7 - 11.7)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	181	4,500	31.3	(22.2 - 40.3)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	168	2,200	13.6	(6.8 - 20.3)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 2b. Fair or poor general health among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	13.2	(10.0 - 16.5)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	248	13.5	(8.5 - 18.5)	14,599	15.3	(12.6 - 18.0)
Female	413	12.9	(8.7 - 17.1)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	643	12.7	(9.5 - 15.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	293	17.4	(12.1 - 22.6)	15,682	25.8	(22.1 - 29.5)
Some College	177	12.7	(5.4 - 19.9)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	191	7.6	(3.2 - 12.0)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	181	31.5	(21.7 - 41.2)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	168	14.1	(7.0 - 21.3)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	6,800	11.0	(7.5 - 14.5)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	243	3,100	9.7	(5.5 - 14.0)	14,325	604,200	8.7	(7.0 - 10.5)
Female	402	3,800	12.3	(6.7 - 17.8)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	96	1,300	11.9	(4.9 - 19.0)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	153	1,500	11.7	(4.1 - 19.3)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	153	1,200	13.5	(7.7 - 19.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	170	1,700	15.2	(9.3 - 21.0)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	628	5,000	8.7	(6.5 - 10.9)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	281	4,000	14.4	(8.0 - 20.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	173	1,400	8.7	(3.9 - 13.6)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	191	1,400	7.8	(2.7 - 12.9)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	176	2,600	18.4	(11.9 - 24.9)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	166	1,300	8.2	(3.9 - 12.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	110	1,000	8.9	(2.9 - 14.9)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	10.7	(7.0 - 14.5)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	243	9.7	(5.4 - 13.9)	14,325	8.7	(6.9 - 10.5)
Female	402	11.8	(5.7 - 18.0)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	628	8.3	(6.0 - 10.6)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	281	14.6	(7.4 - 21.8)	15,178	12.7	(10.2 - 15.1)
Some College	173	8.8	(3.8 - 13.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	191	6.7	(2.2 - 11.2)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	176	17.5	(10.9 - 24.0)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	166	7.6	(3.5 - 11.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	110	9.1	(2.6 - 15.5)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	8,800	14.1	(9.9 - 18.4)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	248	3,000	9.4	(4.3 - 14.6)	14,407	555,200	7.9	(6.3 - 9.6)
Female	410	5,900	18.9	(12.5 - 25.4)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	96	1,400	13.0	(3.8 - 22.2)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	155	1,400	11.0	(5.2 - 16.8)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	159	1,200	12.8	(5.7 - 20.0)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	641	6,200	10.8	(7.6 - 14.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	290	4,700	16.7	(9.4 - 24.0)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	176	2,100	13.0	(5.2 - 20.9)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	192	2,000	11.1	(5.7 - 16.6)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	180	2,400	16.5	(8.5 - 24.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	169	2,700	16.4	(8.8 - 24.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	130	1,800	12.7	(4.5 - 20.9)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	14.8	(10.2 - 19.4)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	248	9.1	(3.8 - 14.3)	14,407	7.9	(6.3 - 9.6)
Female	410	20.7	(13.4 - 27.9)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	641	11.3	(7.8 - 14.8)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	290	17.6	(9.5 - 25.7)	15,335	12.3	(10.0 - 14.6)
Some College	176	13.8	(5.1 - 22.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	192	11.6	(5.7 - 17.5)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	180	17.3	(8.7 - 26.0)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	169	17.1	(9.0 - 25.3)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	130	13.6	(4.5 - 22.7)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	13,000	21.2	(16.6 - 25.8)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	242	5,200	16.8	(10.6 - 23.0)	14,231	937,700	13.6	(11.4 - 15.8)
Female	401	7,800	25.7	(19.2 - 32.3)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	153	2,300	18.5	(10.2 - 26.8)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	153	2,000	23.3	(14.9 - 31.6)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	170	2,100	18.5	(12.2 - 24.9)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	626	10,000	17.8	(14.1 - 21.5)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	280	6,700	24.3	(16.7 - 32.0)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	172	3,100	20.2	(11.7 - 28.7)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	191	3,200	17.4	(10.4 - 24.4)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	176	4,100	29.0	(20.0 - 38.0)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	166	3,600	22.3	(14.1 - 30.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	109	1,200	11.1	(4.7 - 17.5)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	129	2,300	16.7	(7.1 - 26.4)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	21.5	(16.6 - 26.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	242	16.6	(10.3 - 22.9)	14,231	13.6	(11.4 - 15.8)
Female	401	26.5	(19.3 - 33.8)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	626	17.9	(14.0 - 21.9)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	280	24.7	(16.4 - 33.1)	15,018	20.1	(17.1 - 23.1)
Some College	172	21.3	(12.1 - 30.6)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	191	17.0	(10.0 - 24.0)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	176	29.1	(19.5 - 38.7)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	166	22.5	(13.9 - 31.0)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	109	11.0	(4.2 - 17.7)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 6a. Health insurance among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	55,800	89.9	(86.5 - 93.3)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	248	27,400	88.6	(83.1 - 94.2)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	413	28,400	91.2	(87.3 - 95.1)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	97	10,000	89.8	(83.0 - 96.6)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	155	11,800	93.0	(88.2 - 97.8)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	160	8,100	87.6	(82.0 - 93.2)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	177	11,700	100	(100 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	644	52,000	89.7	(86.1 - 93.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	23,600	85.5	(79.2 - 91.9)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	177	15,200	93.3	(89.1 - 97.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	192	17,100	93.5	(88.7 - 98.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	181	11,800	81.9	(73.9 - 89.9)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	168	12,800	82.5	(74.0 - 91.1)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	115	11,100	99.3	(98.1 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	131	13,600	94.2	(87.2 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 6b. Health insurance among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	89.7	(86.1 - 93.3)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	248	88.7	(83.1 - 94.3)	14,597	83.6	(79.7 - 87.5)
Female	413	90.7	(86.2 - 95.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	644	89.4	(85.6 - 93.2)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	85.1	(78.4 - 91.8)	15,673	80.1	(75.4 - 84.7)
Some College	177	93.4	(89.1 - 97.8)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	192	92.9	(87.6 - 98.3)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	181	81.7	(73.2 - 90.1)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	168	80.9	(71.5 - 90.2)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	115	99.5	(98.5 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	131	94.4	(87.5 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 7a. Health insurance among adults aged 18-64¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	483	44,100	87.6	(83.4 - 91.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	191	22,400	86.4	(79.9 - 93.0)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	292	21,600	88.7	(83.8 - 93.7)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	97	10,000	89.8	(83.0 - 96.6)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	154	11,800	92.9	(88.1 - 97.8)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	160	8,100	87.6	(82.0 - 93.2)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	469	40,500	87.1	(82.7 - 91.5)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	193	17,500	81.4	(73.4 - 89.5)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	134	12,200	91.8	(86.7 - 96.9)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	156	14,400	92.3	(86.8 - 97.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	103	9,900	99.3	(97.8 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	121	12,800	93.9	(86.5 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 7b. Health insurance among adults aged 18-64¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	483	87.5	(83.2 - 91.8)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	191	86.3	(79.5 - 93.0)	10,078	80.5	(75.9 - 85.1)
Female	292	88.7	(83.4 - 94.1)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	469	87.0	(82.5 - 91.6)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	193	81.4	(73.2 - 89.7)	9,037	75.1	(69.3 - 80.9)
Some College	134	92.1	(86.9 - 97.3)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	156	91.8	(85.6 - 98.0)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	103	99.4	(98.3 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	121	94.1	(86.8 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 8a. No health insurance among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	6,300	10.1	(6.7 - 13.5)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	248	3,500	11.4	(5.8 - 16.9)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	413	2,700	8.8	(4.9 - 12.7)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	155	900	7.0	(2.2 - 11.8)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	160	1,200	12.4	(6.8 - 18.0)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	644	6,000	10.3	(6.8 - 13.9)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	4,000	14.5	(8.1 - 20.8)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	177	1,100	6.7	(2.5 - 10.9)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	181	2,600	18.1	(10.1 - 26.1)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	168	2,700	17.5	(8.9 - 26.0)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 8b. No health insurance among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	10.3	(6.7 - 13.9)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	248	11.3	(5.7 - 16.9)	14,597	16.4	(12.5 - 20.3)
Female	413	9.3	(4.9 - 13.8)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	644	10.6	(6.8 - 14.4)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	14.9	(8.2 - 21.6)	15,673	19.9	(15.3 - 24.6)
Some College	177	6.6	(2.2 - 10.9)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	181	18.3	(9.9 - 26.8)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	168	19.1	(9.8 - 28.5)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 9a. No health insurance among adults aged 18-64¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	483	6,300	12.4	(8.3 - 16.6)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	191	3,500	13.6	(7.0 - 20.1)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	292	2,700	11.3	(6.3 - 16.2)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	154	900	7.1	(2.2 - 11.9)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	160	1,200	12.4	(6.8 - 18.0)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	469	6,000	12.9	(8.5 - 17.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	193	4,000	18.6	(10.5 - 26.6)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	134	1,100	8.2	(3.1 - 13.3)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 9b. No health insurance among adults aged 18-64¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	483	12.5	(8.2 - 16.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	191	13.7	(7.0 - 20.5)	10,078	19.5	(14.9 - 24.1)
Female	292	11.3	(5.9 - 16.6)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	469	13.0	(8.4 - 17.5)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	193	18.6	(10.3 - 26.8)	9,037	24.9	(19.1 - 30.7)
Some College	134	7.9	(2.7 - 13.1)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 10a. Adults with regular health care provider¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	56,600	89.8	(86.7 - 93.0)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	249	27,900	87.6	(82.2 - 92.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	413	28,700	92.1	(88.9 - 95.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	73	15,700	85.7	(77.0 - 94.5)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	97	10,000	90.3	(84.0 - 96.7)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	155	11,400	89.2	(83.7 - 94.7)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	160	8,200	88.8	(82.8 - 94.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	177	11,400	97.2	(95.2 - 99.2)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	644	51,800	89.3	(85.9 - 92.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	24,700	86.7	(81.1 - 92.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	177	15,200	93.3	(88.8 - 97.8)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	192	16,700	91.6	(86.7 - 96.4)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	181	12,600	87.4	(81.3 - 93.4)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	169	14,700	89.5	(83.7 - 95.3)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	115	10,500	94.2	(89.4 - 99.0)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	131	12,900	89.8	(81.7 - 97.8)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 10b. Adults with regular health care provider¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	89.8	(86.6 - 93.1)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	249	87.7	(82.4 - 93.1)	14,593	78.1	(73.9 - 82.3)
Female	413	92.0	(88.4 - 95.5)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	644	89.2	(85.8 - 92.6)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	86.1	(80.1 - 92.0)	15,692	75.8	(71.0 - 80.6)
Some College	177	93.6	(89.0 - 98.2)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	192	92.1	(87.4 - 96.8)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	181	86.7	(79.9 - 93.5)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	169	89.2	(83.1 - 95.4)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	115	94.6	(90.1 - 99.2)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	131	90.4	(82.6 - 98.3)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	7,700	12.2	(8.8 - 15.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	249	3,000	9.3	(4.5 - 14.2)	14,607	903,300	12.7	(9.5 - 16.0)
Female	413	4,700	15.0	(10.4 - 19.7)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	73	3,400	18.4	(8.9 - 28.0)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	97	1,600	14.9	(7.2 - 22.5)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	155	1,200	9.1	(4.4 - 13.9)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	160	1,100	12.2	(6.3 - 18.2)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	644	7,200	12.4	(8.9 - 15.9)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	293	3,600	12.7	(7.5 - 17.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	177	2,100	13.2	(6.0 - 20.4)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	192	1,900	10.5	(4.9 - 16.0)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	181	3,500	24.4	(15.6 - 33.3)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	169	2,300	14.3	(6.8 - 21.8)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	12.8	(9.2 - 16.4)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	249	9.6	(4.6 - 14.6)	14,607	12.5	(9.4 - 15.6)
Female	413	16.1	(10.9 - 21.3)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	644	13.1	(9.4 - 16.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	293	13.1	(7.7 - 18.6)	15,696	17.8	(13.8 - 21.7)
Some College	177	14.0	(6.3 - 21.7)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	192	11.2	(5.2 - 17.3)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	181	26.0	(16.3 - 35.8)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	169	15.6	(7.5 - 23.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	46,000	73.0	(68.5 - 77.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	249	22,600	71.1	(63.9 - 78.2)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	412	23,300	75.0	(69.6 - 80.4)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	155	9,200	72.3	(64.4 - 80.2)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	159	6,800	73.6	(65.7 - 81.5)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	177	10,500	89.5	(84.9 - 94.1)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	644	41,100	70.9	(66.2 - 75.5)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	20,100	70.8	(63.5 - 78.1)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	177	12,100	74.5	(66.6 - 82.4)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	192	13,700	75.1	(67.4 - 82.8)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	181	10,000	69.3	(60.1 - 78.5)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	169	10,800	65.8	(56.1 - 75.6)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	131	11,900	82.9	(75.2 - 90.5)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	72.5	(67.8 - 77.2)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	249	70.9	(63.6 - 78.2)	14,592	67.1	(63.3 - 70.9)
Female	412	74.1	(68.1 - 80.1)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	644	70.2	(65.3 - 75.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	70.0	(62.3 - 77.8)	15,640	74.4	(70.4 - 78.4)
Some College	177	74.3	(66.0 - 82.7)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	192	74.5	(66.4 - 82.6)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	181	68.3	(58.3 - 78.3)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	131	83.2	(75.4 - 91.0)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	52,000	82.6	(78.7 - 86.4)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	249	25,900	81.4	(75.4 - 87.4)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	412	26,100	83.8	(78.9 - 88.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	97	8,700	78.4	(69.3 - 87.5)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	155	11,300	89.0	(83.8 - 94.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	159	7,500	81.8	(74.8 - 88.9)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	177	11,000	93.9	(90.2 - 97.6)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	644	47,100	81.3	(77.2 - 85.3)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	23,100	81.1	(74.9 - 87.3)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	177	13,700	84.5	(77.6 - 91.3)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	192	15,200	83.2	(76.4 - 90.0)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	181	11,800	81.7	(74.6 - 88.8)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	169	12,300	74.5	(65.1 - 83.8)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	115	9,700	86.7	(79.4 - 93.9)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	131	12,900	89.5	(82.9 - 96.1)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	82.0	(77.9 - 86.1)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	249	81.1	(75.0 - 87.3)	14,592	81.9	(78.4 - 85.3)
Female	412	82.9	(77.4 - 88.3)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	644	80.5	(76.2 - 84.9)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	80.4	(73.7 - 87.0)	15,640	84.6	(81.1 - 88.1)
Some College	177	83.9	(76.5 - 91.3)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	192	82.7	(75.5 - 89.9)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	181	81.3	(73.6 - 89.0)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	169	73.4	(63.6 - 83.3)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	115	85.8	(78.0 - 93.6)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	131	89.4	(82.5 - 96.3)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 14a. Dentist visit within the past year among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	44,800	71.2	(66.4 - 76.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	248	21,600	67.9	(60.5 - 75.4)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	412	23,200	74.5	(68.5 - 80.5)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	97	8,800	79.8	(70.1 - 89.5)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	155	9,400	74.2	(66.6 - 81.9)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	160	6,600	71.8	(63.9 - 79.7)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	175	7,900	68.3	(60.8 - 75.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	642	41,300	71.3	(66.8 - 75.9)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	17,500	61.9	(53.8 - 70.0)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	177	12,000	73.7	(65.5 - 82.0)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	192	15,200	83.3	(76.3 - 90.3)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	169	12,000	72.7	(63.7 - 81.6)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	115	8,600	76.8	(68.0 - 85.7)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	131	13,100	90.7	(83.9 - 97.5)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 14b. Dentist visit within the past year among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	71.7	(66.7 - 76.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	248	67.8	(60.2 - 75.4)	14,573	68.3	(64.6 - 72.1)
Female	412	75.7	(69.1 - 82.3)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	642	72.1	(67.4 - 76.8)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	61.8	(53.1 - 70.4)	15,613	65.3	(60.9 - 69.6)
Some College	177	74.5	(66.1 - 83.0)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	192	84.0	(77.0 - 90.9)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	169	72.8	(63.6 - 82.1)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	115	77.0	(67.9 - 86.1)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	131	91.2	(84.6 - 97.8)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	585	41,600	72.3	(67.2 - 77.4)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	218	19,900	68.5	(60.6 - 76.4)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	367	21,700	76.1	(69.7 - 82.6)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	95	8,600	79.7	(70.0 - 89.3)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	143	8,200	69.3	(60.8 - 77.8)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	143	6,000	72.9	(64.5 - 81.3)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	133	6,900	77.3	(69.7 - 85.0)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	570	38,200	72.3	(67.5 - 77.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	232	15,400	63.5	(54.4 - 72.6)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	168	11,600	75.4	(67.3 - 83.5)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	185	14,600	81.6	(74.3 - 88.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	152	10,800	71.1	(61.5 - 80.7)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	112	8,200	75.5	(66.4 - 84.7)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	127	12,600	90.3	(83.8 - 96.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 15b. Had teeth cleaned within the past year among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	585	72.6	(67.3 - 77.9)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	218	68.6	(60.5 - 76.6)	13,173	69.2	(65.3 - 73.1)
Female	367	76.7	(69.7 - 83.8)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	570	72.9	(68.0 - 77.8)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	232	62.8	(53.1 - 72.5)	12,740	67.7	(63.2 - 72.3)
Some College	168	76.0	(67.7 - 84.4)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	185	82.6	(75.4 - 89.8)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	152	71.5	(61.6 - 81.4)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	112	75.7	(66.3 - 85.2)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	127	91.2	(84.9 - 97.5)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	35,200	56.2	(50.9 - 61.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	245	17,800	56.2	(47.7 - 64.6)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	409	17,400	56.3	(50.0 - 62.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	155	8,200	64.5	(55.9 - 73.1)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	157	6,200	68.2	(59.6 - 76.8)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	172	9,500	83.1	(76.2 - 90.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	636	32,400	56.3	(51.3 - 61.3)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	288	20,300	71.7	(63.4 - 80.0)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	177	8,600	52.9	(43.3 - 62.4)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	189	6,300	34.9	(26.6 - 43.1)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	54.1	(48.6 - 59.6)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	245	55.4	(46.9 - 64.0)	14,457	47.9	(44.1 - 51.7)
Female	409	52.8	(45.9 - 59.6)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	636	54.0	(48.8 - 59.2)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	288	70.5	(61.9 - 79.2)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	189	33.6	(25.2 - 42.0)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	131	31.6	(21.7 - 41.5)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	172	2,800	24.3	(17.2 - 31.4)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	118	1,600	23.9	(15.8 - 32.0)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	172	2,800	24.3	(17.2 - 31.4)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	169	2,600	23.5	(16.4 - 30.7)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	172	24.4	(16.8 - 32.0)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	118	23.8	(15.7 - 31.9)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	169	23.8	(16.1 - 31.5)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 18a. Flu shot within the past 12 months¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	26,100	41.4	(36.4 - 46.4)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	249	10,600	33.2	(26.0 - 40.5)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	413	15,500	49.7	(43.5 - 56.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	235	10,500	29.9	(22.4 - 37.5)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	250	6,600	40.1	(33.2 - 47.0)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	177	9,100	77.4	(70.6 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	644	24,200	41.7	(36.9 - 46.4)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	9,600	33.7	(26.4 - 41.0)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	177	8,100	49.8	(40.3 - 59.2)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	192	8,400	45.9	(36.9 - 55.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	169	6,000	36.6	(27.5 - 45.7)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	131	5,000	34.4	(25.0 - 43.8)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 18b. Flu shot within the past 12 months¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	40.4	(35.2 - 45.7)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	249	33.8	(26.3 - 41.2)	14,579	40.0	(36.2 - 43.8)
Female	413	47.3	(40.4 - 54.1)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	644	40.5	(35.6 - 45.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	31.6	(23.9 - 39.3)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	192	46.1	(36.8 - 55.4)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	169	35.6	(26.3 - 45.0)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	131	34.7	(25.0 - 44.4)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	26,300	41.7	(36.8 - 46.7)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	249	10,600	33.2	(26.0 - 40.5)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	413	15,700	50.5	(44.2 - 56.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	235	10,700	30.6	(23.0 - 38.2)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	250	6,600	40.1	(33.2 - 47.0)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	177	9,100	77.4	(70.6 - 84.3)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	644	24,400	42.1	(37.3 - 46.8)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	9,800	34.5	(27.1 - 41.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	177	8,100	49.8	(40.3 - 59.2)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	192	8,400	45.9	(36.9 - 55.0)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	169	6,000	36.6	(27.5 - 45.7)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	131	5,000	34.4	(25.0 - 43.8)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	40.9	(35.6 - 46.1)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	249	33.8	(26.3 - 41.2)	14,568	40.4	(36.6 - 44.2)
Female	413	48.1	(41.2 - 55.0)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	644	41.0	(36.0 - 45.9)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	32.6	(24.7 - 40.4)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	192	46.1	(36.8 - 55.4)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	169	35.6	(26.3 - 45.0)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	131	34.7	(25.0 - 44.4)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 21a. Flu shot among adults aged 65 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	177	9,100	77.4	(70.6 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	121	5,500	81.2	(73.9 - 88.6)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	177	9,100	77.4	(70.6 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	174	8,800	77.3	(70.4 - 84.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 21b. Flu shot among adults aged 65 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	177	76.7	(69.3 - 84.0)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	121	81.2	(73.9 - 88.6)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	174	76.5	(69.0 - 84.0)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	15,500	28.5	(23.8 - 33.1)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	219	6,700	25.5	(17.7 - 33.4)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	392	8,800	31.2	(25.9 - 36.5)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	202	4,300	15.4	(7.9 - 22.9)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	237	3,100	19.9	(14.5 - 25.3)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	172	8,200	71.6	(64.0 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	595	14,200	28.0	(23.9 - 32.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	268	6,700	28.6	(20.8 - 36.5)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	163	4,700	32.6	(24.1 - 41.2)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	180	4,100	24.7	(17.4 - 32.1)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	173	4,700	37.2	(28.5 - 45.9)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	106	2,600	25.3	(15.5 - 35.1)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	117	2,100	18.0	(9.8 - 26.3)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	26.7	(22.0 - 31.4)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	219	25.8	(17.9 - 33.8)	13,052	25.8	(22.3 - 29.4)
Female	392	27.4	(22.2 - 32.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	595	26.2	(22.1 - 30.3)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	268	25.9	(17.9 - 33.9)	14,700	29.5	(25.6 - 33.5)
Some College	163	31.0	(22.3 - 39.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	180	24.0	(16.4 - 31.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	173	34.0	(25.3 - 42.7)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	117	17.9	(9.4 - 26.4)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	172	8,200	71.6	(64.0 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	117	5,200	79.3	(71.6 - 86.9)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	172	8,200	71.6	(64.0 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	169	8,000	71.9	(64.2 - 79.6)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	172	70.1	(61.7 - 78.4)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	117	79.2	(71.6 - 86.9)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	169	70.5	(62.1 - 78.9)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	348	19,400	92.7	(89.3 - 96.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	348	19,400	92.7	(89.3 - 96.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	153	7,900	97.9	(95.8 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	121	6,500	95.7	(92.3 - 99.0)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	345	19,200	92.8	(89.4 - 96.3)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	8,800	94.8	(90.8 - 98.8)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	91	5,000	94.5	(89.8 - 99.2)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	96	5,500	88.1	(79.4 - 96.7)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	113	5,500	92.7	(87.2 - 98.1)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	*	*	*	*	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	51	3,300	93.9	(87.0 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	60	4,100	98.9	(96.8 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	348	91.1	(86.6 - 95.6)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	348	91.1	(86.6 - 95.6)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	345	91.2	(86.6 - 95.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	94.2	(89.2 - 99.3)	8,266	90.2	(86.1 - 94.2)
Some College	91	94.0	(88.3 - 99.6)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	*	*	*	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	113	91.0	(84.1 - 97.9)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	51	93.5	(85.6 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	60	98.5	(95.7 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	347	16,600	79.8	(75.0 - 84.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	347	16,600	79.8	(75.0 - 84.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	153	7,100	88.1	(82.9 - 93.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	120	5,100	75.4	(66.8 - 83.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	344	16,400	79.7	(74.9 - 84.6)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	7,400	79.6	(72.8 - 86.5)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	90	4,600	87.1	(80.1 - 94.1)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	113	4,200	70.3	(60.6 - 80.1)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	51	3,100	88.5	(79.4 - 97.6)	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	60	3,600	86.0	(77.1 - 94.9)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	347	78.7	(73.2 - 84.1)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	347	78.7	(73.2 - 84.1)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	344	78.6	(73.1 - 84.1)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	79.9	(72.8 - 87.1)	8,204	80.1	(75.6 - 84.7)
Some College	90	86.2	(78.2 - 94.3)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	60	85.8	(76.4 - 95.1)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	273	12,200	82.3	(77.4 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	273	12,200	82.3	(77.4 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	153	7,100	88.1	(82.9 - 93.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	120	5,100	75.4	(66.8 - 83.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	271	12,100	82.4	(77.5 - 87.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	144	6,200	78.9	(71.7 - 86.1)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	66	3,100	90.1	(83.5 - 96.8)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	104	3,800	71.9	(61.9 - 81.8)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	62	2,800	86.4	(77.9 - 94.9)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	273	82.5	(77.6 - 87.3)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	273	82.5	(77.6 - 87.3)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	271	82.6	(77.7 - 87.5)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	144	79.1	(71.9 - 86.2)	7,026	83.6	(80.1 - 87.0)
Some College	66	90.2	(83.7 - 96.7)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	104	71.7	(61.8 - 81.6)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	62	86.4	(78.0 - 94.8)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 27a. Ever had a Pap test among women¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	411	30,000	96.8	(94.4 - 99.1)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	411	30,000	96.8	(94.4 - 99.1)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	97	6,100	98.9	(97.5 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	94	4,600	99.4	(98.2 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	120	6,600	98.4	(96.6 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	402	28,300	96.6	(94.1 - 99.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	180	12,900	99.2	(98.4 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	111	8,200	98.8	(97.4 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	120	8,900	91.7	(84.6 - 98.8)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	126	7,500	99.2	(98.1 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	94	6,700	91.7	(83.1 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	69	5,800	98.5	(95.5 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	73	5,900	97.8	(93.5 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 27b. Ever had a Pap test among women¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	411	96.2	(93.2 - 99.1)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	411	96.2	(93.2 - 99.1)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	402	95.9	(92.8 - 99.0)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	180	99.4	(98.6 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	111	99.0	(97.8 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	120	90.0	(81.5 - 98.4)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	126	99.3	(98.2 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	69	98.1	(94.4 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	73	97.2	(91.9 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	25,300	81.9	(77.8 - 86.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	407	25,300	81.9	(77.8 - 86.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	97	5,300	85.4	(78.2 - 92.6)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	92	3,700	81.1	(71.9 - 90.4)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	118	4,400	66.3	(57.3 - 75.3)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	399	23,800	81.4	(77.2 - 85.7)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	10,000	77.5	(70.6 - 84.4)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	110	7,500	90.8	(85.9 - 95.8)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	120	7,800	80.2	(71.6 - 88.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	124	5,500	72.7	(64.0 - 81.4)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	69	5,500	94.1	(89.0 - 99.3)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	73	5,400	88.9	(81.7 - 96.2)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 28b. Had a Pap test within the past 3 years among women¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	83.0	(78.5 - 87.4)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	407	83.0	(78.5 - 87.4)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	399	82.3	(77.7 - 86.8)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	79.9	(72.9 - 86.9)	9,384	76.4	(71.3 - 81.5)
Some College	110	91.6	(86.6 - 96.6)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	120	79.5	(70.0 - 89.1)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	124	75.3	(66.7 - 83.8)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	69	94.6	(89.6 - 99.6)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	73	89.3	(81.6 - 97.0)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	15,200	83.0	(76.6 - 89.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	194	15,200	83.0	(76.6 - 89.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	64	4,400	96.0	(91.8 - 100)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	56	4,500	92.1	(84.2 - 100)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	189	14,200	83.0	(76.5 - 89.4)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	60	4,800	88.9	(79.8 - 98.0)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	81.9	(75.0 - 88.8)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	194	81.9	(75.0 - 88.8)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	189	81.7	(74.7 - 88.8)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	62	85.8	(75.8 - 95.7)	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	192	12,200	66.8	(59.1 - 74.5)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	192	12,200	66.8	(59.1 - 74.5)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	187	11,100	65.5	(57.7 - 73.3)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	192	66.0	(58.0 - 74.0)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	192	66.0	(58.0 - 74.0)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	187	64.7	(56.5 - 72.8)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	184	12,200	70.2	(62.6 - 77.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	184	12,200	70.2	(62.6 - 77.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	*	*	*	*	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	179	10,900	67.9	(60.0 - 75.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	184	69.3	(61.2 - 77.3)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	184	69.3	(61.2 - 77.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	179	66.9	(58.6 - 75.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	10,500	60.7	(52.6 - 68.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	183	10,500	60.7	(52.6 - 68.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	178	9,300	57.6	(49.4 - 65.8)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	59.8	(51.3 - 68.2)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	183	59.8	(51.3 - 68.2)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	178	56.7	(48.1 - 65.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 33a. Prostate cancer among men aged 40 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 33b. Prostate cancer among men aged 40 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	422	12,900	46.7	(41.1 - 52.3)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	148	5,600	44.3	(34.7 - 53.9)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	274	7,200	48.8	(42.3 - 55.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	247	6,600	41.1	(33.5 - 48.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	175	6,200	54.6	(46.3 - 63.0)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	416	11,900	44.9	(39.5 - 50.3)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	6,400	49.1	(41.1 - 57.0)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	106	2,400	36.0	(26.1 - 46.0)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	139	4,000	51.9	(42.5 - 61.3)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	422	46.4	(40.6 - 52.2)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	148	44.9	(35.2 - 54.5)	9,571	39.4	(35.3 - 43.5)
Female	274	47.9	(41.4 - 54.4)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	416	44.6	(39.0 - 50.2)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	48.1	(40.0 - 56.2)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	139	50.4	(40.7 - 60.1)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	418	5,500	20.3	(15.5 - 25.0)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	147	2,800	22.2	(14.0 - 30.5)	9,508	444,400	16.0	(13.2 - 18.9)
Female	271	2,700	18.6	(13.4 - 23.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	246	2,700	17.1	(11.1 - 23.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	172	2,800	24.8	(17.2 - 32.4)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	412	5,300	20.0	(15.4 - 24.6)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	3,100	24.2	(17.0 - 31.4)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	106	900	14.0	(6.8 - 21.2)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	112	1,500	19.0	(9.4 - 28.6)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	137	1,900	25.2	(17.2 - 33.3)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	*	*	*	*	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	418	20.5	(15.6 - 25.5)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	147	22.8	(14.3 - 31.2)	9,508	16.4	(13.2 - 19.6)
Female	271	18.2	(13.1 - 23.3)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	412	20.3	(15.5 - 25.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	24.2	(17.0 - 31.4)	11,026	12.7	(9.2 - 16.1)
Some College	106	14.0	(6.5 - 21.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	*	*	*	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	137	24.7	(16.6 - 32.8)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	*	*	*	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	418	7,500	27.6	(22.2 - 33.0)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	147	3,500	27.6	(18.1 - 37.1)	9,508	593,100	21.4	(18.3 - 24.5)
Female	271	4,000	27.5	(21.7 - 33.4)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	246	3,800	23.9	(16.5 - 31.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	172	3,700	32.8	(24.8 - 40.8)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	412	6,800	26.0	(21.1 - 30.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	4,000	30.9	(23.3 - 38.5)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	106	1,200	17.8	(10.0 - 25.6)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	*	*	*	*	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	137	2,600	34.5	(25.6 - 43.3)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	*	*	*	*	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Cayuga County and New York State - Age-Adjusted²**

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	418	27.3	(21.8 - 32.9)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	147	27.7	(18.2 - 37.1)	9,508	21.7	(18.3 - 25.1)
Female	271	27.0	(21.2 - 32.8)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	412	25.8	(20.7 - 30.8)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	30.3	(22.7 - 37.9)	11,026	19.5	(15.4 - 23.7)
Some College	106	17.4	(9.4 - 25.4)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	*	*	*	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	137	33.3	(24.4 - 42.2)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	*	*	*	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	421	19,500	70.8	(65.9 - 75.7)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	149	9,500	74.4	(66.6 - 82.1)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	272	10,000	67.7	(61.6 - 73.7)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	158	6,100	67.0	(58.9 - 75.2)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	174	9,500	83.2	(77.3 - 89.2)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	415	18,700	70.2	(65.3 - 75.1)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	202	8,700	66.5	(59.1 - 73.9)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	107	5,000	73.8	(64.7 - 82.8)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	112	5,800	75.5	(66.6 - 84.3)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	138	4,900	63.4	(54.3 - 72.6)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	107	5,000	69.8	(60.0 - 79.7)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	59	3,700	85.9	(77.0 - 94.9)	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	421	71.3	(66.3 - 76.2)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	149	75.6	(68.1 - 83.1)	9,582	68.5	(64.5 - 72.5)
Female	272	66.9	(60.8 - 73.1)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	415	70.8	(65.9 - 75.8)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	202	66.3	(58.8 - 73.8)	11,121	61.3	(56.4 - 66.2)
Some College	107	74.9	(65.9 - 83.8)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	112	76.3	(67.3 - 85.2)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	138	63.4	(54.2 - 72.7)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	107	71.1	(61.3 - 80.9)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	59	86.4	(77.6 - 95.3)	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	418	19,200	70.0	(65.0 - 74.9)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	148	9,400	74.2	(66.4 - 82.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	270	9,700	66.3	(60.2 - 72.4)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	157	6,000	66.2	(58.0 - 74.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	172	9,200	82.1	(76.0 - 88.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	412	18,400	69.6	(64.6 - 74.5)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	8,500	65.5	(58.0 - 73.0)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	107	4,900	72.7	(63.6 - 81.8)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	111	5,700	75.2	(66.3 - 84.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	136	4,700	62.2	(52.9 - 71.5)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	107	4,900	68.8	(58.9 - 78.8)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	59	3,700	85.9	(77.0 - 94.9)	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	418	70.5	(65.5 - 75.5)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	148	75.5	(67.9 - 83.1)	9,521	66.9	(62.9 - 70.9)
Female	270	65.6	(59.4 - 71.8)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	412	70.2	(65.2 - 75.2)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	65.4	(57.7 - 73.0)	11,017	59.0	(54.1 - 63.9)
Some College	107	73.9	(64.9 - 83.0)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	111	76.0	(67.1 - 85.0)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	136	62.3	(52.9 - 71.7)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	107	70.2	(60.3 - 80.1)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	59	86.4	(77.6 - 95.3)	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	416	20,700	76.0	(71.4 - 80.5)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	146	10,200	81.5	(74.7 - 88.3)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	270	10,500	71.3	(65.4 - 77.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	157	6,700	73.9	(66.5 - 81.2)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	172	9,700	86.2	(80.6 - 91.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	410	19,900	75.8	(71.2 - 80.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	9,500	73.3	(66.3 - 80.2)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	106	5,100	77.1	(68.5 - 85.7)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	110	6,000	79.6	(71.7 - 87.5)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	136	5,400	71.1	(62.3 - 79.9)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	106	5,500	78.6	(70.5 - 86.6)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	58	3,700	86.6	(77.7 - 95.5)	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	416	76.4	(71.9 - 81.0)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	146	82.5	(75.9 - 89.0)	9,418	71.5	(67.6 - 75.4)
Female	270	70.5	(64.5 - 76.5)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	410	76.3	(71.8 - 80.9)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	73.3	(66.3 - 80.4)	10,872	64.5	(59.8 - 69.3)
Some College	106	78.0	(69.4 - 86.5)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	110	80.3	(72.4 - 88.2)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	136	71.3	(62.5 - 80.1)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	106	79.3	(71.2 - 87.4)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	58	87.0	(78.2 - 95.9)	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 40a. High blood pressure among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	18,700	29.7	(25.5 - 34.0)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	249	9,100	28.6	(22.0 - 35.2)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	411	9,600	30.9	(25.7 - 36.1)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	97	2,900	25.9	(15.9 - 35.8)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	155	3,900	30.5	(21.4 - 39.6)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	160	4,000	43.0	(34.1 - 51.8)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	176	7,000	60.1	(51.9 - 68.3)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	642	17,500	30.3	(26.2 - 34.5)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	8,600	30.2	(23.8 - 36.7)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	177	5,200	32.1	(23.9 - 40.3)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	191	4,900	26.8	(19.1 - 34.6)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	181	5,000	34.7	(26.0 - 43.4)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	168	4,900	30.0	(21.3 - 38.8)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	115	3,300	29.3	(19.8 - 38.8)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	131	3,400	23.6	(14.9 - 32.3)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 40b. High blood pressure among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	28.0	(23.7 - 32.3)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	249	28.5	(21.8 - 35.1)	14,611	27.7	(24.7 - 30.7)
Female	411	27.5	(22.2 - 32.8)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	642	28.8	(24.6 - 33.0)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	292	28.5	(22.0 - 35.1)	15,688	32.1	(28.4 - 35.8)
Some College	177	30.6	(22.2 - 39.0)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	191	24.8	(17.2 - 32.4)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	181	32.5	(23.5 - 41.5)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	168	29.2	(20.3 - 38.0)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	115	27.4	(17.8 - 37.0)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	131	22.6	(14.0 - 31.1)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	245	14,500	77.7	(70.3 - 85.0)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	154	7,900	82.9	(74.9 - 90.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	106	6,700	95.9	(92.0 - 99.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	239	13,900	79.4	(72.6 - 86.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	119	7,100	82.4	(73.3 - 91.5)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	245	75.9	(68.0 - 83.8)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	154	79.8	(70.1 - 89.6)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	239	77.6	(69.9 - 85.2)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 42a. Ever had blood cholesterol checked among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	49,700	81.0	(75.7 - 86.2)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	244	24,900	79.5	(71.4 - 87.5)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	404	24,800	82.5	(75.9 - 89.1)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	96	8,900	81.2	(72.3 - 90.1)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	154	11,900	94.1	(90.1 - 98.0)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	158	8,300	91.7	(87.0 - 96.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	172	11,000	96.0	(93.6 - 98.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	630	47,100	83.5	(79.1 - 87.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	20,400	74.3	(65.0 - 83.6)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	174	14,000	87.5	(80.9 - 94.2)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	189	15,300	85.3	(77.4 - 93.3)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	115	10,000	89.5	(82.6 - 96.3)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	130	12,500	87.9	(80.2 - 95.5)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 42b. Ever had blood cholesterol checked among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	79.7	(74.1 - 85.2)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	244	79.1	(70.9 - 87.3)	14,389	78.0	(73.9 - 82.1)
Female	404	80.3	(72.8 - 87.8)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	630	82.3	(77.7 - 87.0)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	72.4	(62.5 - 82.3)	15,342	70.2	(65.2 - 75.1)
Some College	174	86.7	(79.2 - 94.1)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	189	84.1	(75.9 - 92.4)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	115	88.6	(81.1 - 96.1)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	130	87.0	(78.9 - 95.1)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	46,600	76.0	(70.7 - 81.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	243	23,400	74.6	(66.3 - 82.9)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	404	23,300	77.5	(70.8 - 84.2)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	96	8,300	75.3	(65.7 - 84.9)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	154	11,500	90.9	(86.4 - 95.4)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	158	8,000	87.9	(82.3 - 93.6)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	171	10,700	94.2	(90.6 - 97.9)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	629	44,100	78.3	(73.7 - 83.0)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	19,200	69.9	(60.7 - 79.2)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	174	13,400	83.7	(76.2 - 91.1)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	188	14,000	78.5	(70.0 - 87.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	115	9,200	82.6	(74.0 - 91.2)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	130	12,000	83.8	(75.5 - 92.2)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	74.6	(69.0 - 80.3)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	243	74.0	(65.6 - 82.4)	14,307	74.8	(70.7 - 79.0)
Female	404	75.2	(67.7 - 82.8)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	629	77.1	(72.1 - 82.0)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	68.2	(58.4 - 78.0)	15,215	67.8	(62.9 - 72.8)
Some College	174	82.6	(74.5 - 90.7)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	188	77.0	(68.2 - 85.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	115	80.9	(71.6 - 90.1)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	130	83.0	(74.3 - 91.8)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 44a. Cardiovascular disease among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	5,000	8.0	(5.6 - 10.5)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	247	2,800	8.9	(5.2 - 12.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	412	2,200	7.1	(3.8 - 10.3)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	160	1,300	13.8	(8.0 - 19.6)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	175	1,900	16.6	(10.7 - 22.6)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	641	4,500	7.8	(5.5 - 10.2)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	291	2,800	10.0	(5.8 - 14.2)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	176	1,500	9.3	(4.0 - 14.5)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	192	700	3.8	(1.4 - 6.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	180	2,300	16.2	(9.7 - 22.8)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	168	1,500	9.3	(4.2 - 14.4)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 44b. Cardiovascular disease among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	7.6	(5.1 - 10.1)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	247	8.6	(5.0 - 12.3)	14,477	9.7	(7.8 - 11.7)
Female	412	6.5	(3.1 - 10.0)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	641	7.3	(5.0 - 9.7)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	291	9.6	(5.2 - 14.0)	15,486	10.5	(8.0 - 13.0)
Some College	176	9.1	(3.5 - 14.6)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	192	3.3	(1.2 - 5.4)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	180	15.3	(8.4 - 22.2)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	168	9.3	(3.9 - 14.8)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 45a. Coronary heart disease among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	4,500	7.2	(4.8 - 9.5)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	247	2,500	8.0	(4.5 - 11.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	412	1,900	6.3	(3.1 - 9.5)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	160	1,000	11.2	(5.9 - 16.6)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	175	1,700	15.0	(9.3 - 20.7)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	641	4,000	6.9	(4.6 - 9.2)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	291	2,600	9.1	(4.9 - 13.2)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	176	1,300	7.8	(2.8 - 12.8)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	192	700	3.6	(1.2 - 6.1)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	180	2,000	14.3	(7.9 - 20.6)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	168	1,400	8.6	(3.6 - 13.6)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 45b. Coronary heart disease among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	6.8	(4.4 - 9.3)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	247	7.8	(4.3 - 11.4)	14,479	8.8	(6.9 - 10.8)
Female	412	5.8	(2.4 - 9.2)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	641	6.5	(4.2 - 8.8)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	291	8.8	(4.4 - 13.1)	15,485	8.5	(6.2 - 10.7)
Some College	176	7.7	(2.4 - 13.0)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	192	3.1	(1.0 - 5.2)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	180	13.6	(6.9 - 20.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	168	8.6	(3.3 - 14.0)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 46a. Ever diagnosed with diabetes among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	6,300	9.9	(7.2 - 12.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	249	3,400	10.6	(6.1 - 15.1)	14,626	530,400	7.5	(6.2 - 8.8)
Female	413	2,900	9.3	(6.2 - 12.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	155	1,000	7.7	(3.0 - 12.5)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	160	1,900	20.8	(12.6 - 28.9)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	177	2,000	16.9	(10.6 - 23.1)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	644	5,200	9.0	(6.7 - 11.2)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	293	3,300	11.5	(7.6 - 15.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	177	1,900	11.7	(4.8 - 18.5)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	192	1,100	6.0	(2.3 - 9.7)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	181	2,700	18.9	(11.2 - 26.6)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	169	2,200	13.2	(6.9 - 19.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 46b. Ever diagnosed with diabetes among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	9.5	(6.7 - 12.3)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	249	10.3	(5.7 - 14.9)	14,626	7.5	(6.1 - 8.9)
Female	413	8.7	(5.5 - 11.9)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	644	8.5	(6.2 - 10.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	293	10.5	(6.9 - 14.2)	15,709	12.6	(10.0 - 15.2)
Some College	177	11.6	(4.2 - 18.9)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	192	6.1	(2.0 - 10.2)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	181	18.6	(10.1 - 27.1)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	169	12.8	(6.5 - 19.1)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	10,800	17.1	(13.2 - 21.1)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	249	4,700	14.8	(8.5 - 21.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	412	6,100	19.6	(14.7 - 24.5)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	73	3,100	17.2	(7.5 - 26.8)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	155	1,600	12.9	(6.8 - 19.0)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	160	1,500	16.7	(10.7 - 22.8)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	177	1,900	15.9	(9.1 - 22.7)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	643	9,700	16.8	(12.9 - 20.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	3,800	13.5	(8.8 - 18.2)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	177	3,300	20.4	(11.7 - 29.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	191	3,600	19.9	(11.7 - 28.1)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	169	2,300	14.1	(7.6 - 20.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	114	1,800	16.1	(7.6 - 24.6)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	131	1,500	10.7	(3.2 - 18.2)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	17.6	(13.3 - 21.8)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	249	15.3	(8.7 - 21.9)	14,601	12.6	(10.3 - 14.9)
Female	412	19.9	(14.5 - 25.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	643	17.2	(13.1 - 21.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	13.8	(8.6 - 18.9)	15,675	15.1	(12.1 - 18.0)
Some College	177	20.7	(11.4 - 30.0)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	191	20.4	(11.9 - 28.9)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	169	13.9	(7.2 - 20.6)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	114	16.8	(7.6 - 25.9)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	131	11.2	(2.9 - 19.4)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 48a. Current asthma among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	7,800	12.4	(8.9 - 15.9)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	249	3,400	10.7	(5.0 - 16.4)	14,546	440,700	6.3	(4.8 - 7.7)
Female	412	4,400	14.2	(10.1 - 18.3)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	155	1,200	9.2	(4.0 - 14.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	160	1,100	11.4	(6.4 - 16.3)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	177	1,400	11.7	(6.5 - 16.9)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	643	6,800	11.7	(8.4 - 15.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	293	2,600	9.3	(5.4 - 13.1)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	177	2,800	17.1	(8.6 - 25.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	191	2,400	13.1	(6.1 - 20.2)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	*	*	*	*	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	169	1,200	7.5	(3.3 - 11.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	114	1,000	8.6	(2.7 - 14.5)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	131	1,200	8.7	(1.5 - 15.8)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 48b. Current asthma among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	12.7	(8.9 - 16.5)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	249	11.2	(5.1 - 17.3)	14,546	6.4	(4.9 - 7.9)
Female	412	14.2	(9.7 - 18.8)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	643	11.9	(8.3 - 15.4)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	293	9.6	(5.2 - 14.0)	15,594	10.8	(8.3 - 13.3)
Some College	177	17.5	(8.4 - 26.6)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	191	13.0	(5.8 - 20.2)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	169	7.3	(3.0 - 11.5)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	114	9.0	(2.6 - 15.4)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	131	9.4	(1.4 - 17.5)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 49a. Chronic joint symptoms among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	30,800	48.8	(43.7 - 54.0)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	249	16,200	50.9	(42.7 - 59.1)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	412	14,500	46.7	(40.6 - 52.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	155	7,900	61.7	(53.1 - 70.3)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	160	4,500	49.0	(40.2 - 57.8)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	176	7,100	61.3	(53.2 - 69.4)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	643	28,900	49.9	(44.9 - 54.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	14,900	52.4	(44.1 - 60.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	177	7,500	46.1	(36.7 - 55.6)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	191	8,300	45.7	(36.6 - 54.8)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 49b. Chronic joint symptoms among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	47.3	(42.0 - 52.7)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	249	50.0	(41.6 - 58.3)	14,595	42.6	(38.8 - 46.3)
Female	412	44.6	(38.0 - 51.3)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	643	48.4	(43.3 - 53.5)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	51.2	(42.4 - 59.9)	15,676	43.1	(38.8 - 47.5)
Some College	177	44.4	(34.5 - 54.4)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	191	44.3	(35.0 - 53.6)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 50a. Arthritis among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	22,600	35.9	(31.2 - 40.5)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	248	9,800	31.0	(23.9 - 38.1)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	413	12,700	40.9	(35.0 - 46.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	73	2,600	14.5	(6.0 - 22.9)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	155	5,500	43.1	(33.8 - 52.4)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	159	3,700	40.2	(31.7 - 48.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	177	7,700	66.2	(58.3 - 74.1)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	643	20,800	35.9	(31.4 - 40.3)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	292	11,300	39.9	(32.4 - 47.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	177	6,400	39.2	(30.1 - 48.4)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	192	4,900	26.7	(19.1 - 34.4)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	169	5,600	34.3	(25.1 - 43.5)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	130	3,700	25.6	(16.1 - 35.1)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 50b. Arthritis among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	34.1	(29.3 - 38.8)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	248	30.8	(23.5 - 38.0)	14,555	23.5	(20.9 - 26.1)
Female	413	37.4	(31.2 - 43.6)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	643	33.9	(29.4 - 38.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	292	37.8	(30.1 - 45.5)	15,652	30.4	(26.9 - 33.8)
Some College	177	37.3	(27.8 - 46.9)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	192	25.6	(17.9 - 33.3)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	169	32.9	(23.6 - 42.3)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	130	24.8	(15.1 - 34.5)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	15,400	24.5	(20.0 - 29.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	248	7,700	24.2	(17.6 - 30.7)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	408	7,700	24.9	(18.7 - 31.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	97	2,400	22.1	(12.6 - 31.6)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	155	3,600	28.4	(19.5 - 37.3)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	157	2,300	25.1	(17.8 - 32.4)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	174	3,500	30.5	(22.8 - 38.2)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	638	13,100	22.7	(18.8 - 26.6)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	289	8,000	28.4	(20.9 - 36.0)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	176	4,400	26.9	(18.6 - 35.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	191	3,000	16.3	(9.9 - 22.6)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	180	5,900	40.9	(31.0 - 50.7)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	166	3,000	18.6	(12.1 - 25.2)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	115	2,200	19.8	(11.7 - 27.9)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	130	1,500	10.8	(3.6 - 18.0)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹
in Cayuga County and New York State - Age-Adjusted²**

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	24.4	(19.7 - 29.2)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	248	24.1	(17.5 - 30.7)	14,566	18.6	(15.8 - 21.4)
Female	408	24.8	(18.0 - 31.6)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	638	22.5	(18.4 - 26.6)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	289	29.4	(21.1 - 37.6)	15,626	23.8	(20.1 - 27.4)
Some College	176	26.2	(17.6 - 34.8)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	191	15.5	(9.4 - 21.7)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	166	18.1	(11.5 - 24.7)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	115	19.4	(10.9 - 27.8)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	130	11.0	(3.9 - 18.1)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	5,600	8.9	(6.5 - 11.3)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	249	2,700	8.5	(4.7 - 12.3)	14,617	460,700	6.5	(5.3 - 7.7)
Female	413	2,900	9.3	(6.4 - 12.1)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	97	1,100	9.7	(3.4 - 16.0)	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	160	900	10.2	(5.2 - 15.3)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	177	2,500	21.7	(15.0 - 28.3)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	644	5,400	9.3	(6.8 - 11.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	293	3,200	11.1	(7.5 - 14.8)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	177	1,700	10.3	(4.1 - 16.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	192	700	4.1	(1.7 - 6.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	181	2,000	13.6	(7.2 - 20.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	169	1,600	9.5	(4.8 - 14.2)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	8.5	(6.1 - 10.9)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	249	8.8	(4.8 - 12.8)	14,617	6.8	(5.5 - 8.0)
Female	413	8.2	(5.5 - 10.9)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	644	9.0	(6.4 - 11.5)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	293	11.0	(7.1 - 14.8)	15,711	10.3	(8.3 - 12.3)
Some College	177	10.0	(3.9 - 16.1)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	192	3.6	(1.4 - 5.8)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	181	12.4	(6.1 - 18.8)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	169	9.5	(4.7 - 14.2)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 53a. Disability among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	16,500	26.3	(21.7 - 30.8)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	248	8,100	25.3	(18.7 - 31.9)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	409	8,400	27.2	(21.1 - 33.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	97	2,800	25.6	(15.6 - 35.5)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	155	3,700	28.9	(20.0 - 37.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	157	2,400	26.8	(19.4 - 34.3)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	175	4,000	34.8	(26.9 - 42.7)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	639	14,200	24.6	(20.6 - 28.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	290	8,900	31.4	(23.8 - 39.0)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	176	4,500	28.0	(19.6 - 36.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	191	3,000	16.7	(10.3 - 23.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	180	6,100	42.2	(32.2 - 52.1)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	167	3,400	20.7	(13.8 - 27.5)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	115	2,400	21.5	(13.1 - 29.8)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	130	1,700	12.2	(4.8 - 19.6)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 53b. Disability among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	26.1	(21.3 - 30.9)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	248	25.4	(18.7 - 32.1)	14,568	20.9	(18.0 - 23.8)
Female	409	26.9	(20.1 - 33.7)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	639	24.3	(20.2 - 28.5)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	290	32.3	(24.0 - 40.6)	15,638	26.8	(23.0 - 30.6)
Some College	176	27.4	(18.6 - 36.1)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	191	15.9	(9.7 - 22.1)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	167	20.1	(13.2 - 27.1)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	115	21.3	(12.5 - 30.1)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	130	12.4	(5.1 - 19.8)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 54a. Current smoking among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	13,900	22.1	(17.4 - 26.8)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	247	7,500	23.7	(16.5 - 30.8)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	413	6,400	20.4	(14.3 - 26.6)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	155	2,700	20.9	(14.2 - 27.5)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	160	1,700	18.4	(12.1 - 24.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	175	800	6.8	(3.0 - 10.6)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	642	12,500	21.6	(17.2 - 25.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	8,500	29.9	(21.8 - 38.1)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	177	2,500	15.7	(8.4 - 22.9)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	191	2,800	15.5	(8.8 - 22.3)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	180	4,200	29.3	(19.8 - 38.8)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	168	3,600	22.2	(13.6 - 30.8)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	115	2,400	21.2	(12.7 - 29.8)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 54b. Current smoking among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	22.9	(17.8 - 27.9)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	247	23.6	(16.2 - 30.9)	14,559	19.2	(16.3 - 22.1)
Female	413	22.2	(15.2 - 29.2)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	642	22.2	(17.6 - 26.7)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	31.8	(22.9 - 40.6)	15,654	22.8	(19.5 - 26.0)
Some College	177	16.1	(8.0 - 24.1)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	191	15.8	(8.7 - 22.8)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	168	23.1	(13.9 - 32.3)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	115	21.9	(12.8 - 31.0)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 55a. Everyday smoking among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	11,100	17.6	(13.2 - 22.1)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	247	6,200	19.7	(13.0 - 26.5)	14,559	848,400	12.0	(10.0 - 14.1)
Female	413	4,800	15.5	(9.6 - 21.3)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	155	2,200	16.9	(10.8 - 23.0)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	160	1,200	13.4	(8.0 - 18.8)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	175	500	4.6	(1.5 - 7.7)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	642	9,700	16.7	(12.8 - 20.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	292	7,700	27.2	(19.2 - 35.3)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	177	1,900	11.9	(5.0 - 18.8)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	191	1,400	7.7	(3.2 - 12.3)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	180	3,800	26.8	(17.4 - 36.2)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	168	2,500	15.3	(8.1 - 22.5)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	115	1,700	15.5	(7.8 - 23.2)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 55b. Everyday smoking among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	18.4	(13.6 - 23.3)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	247	20.0	(12.9 - 27.0)	14,559	12.1	(10.1 - 14.1)
Female	413	16.9	(10.2 - 23.6)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	642	17.3	(13.1 - 21.5)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	292	28.8	(20.1 - 37.6)	15,654	16.4	(13.8 - 19.0)
Some College	177	12.4	(4.7 - 20.1)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	191	8.3	(3.1 - 13.5)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	168	16.0	(8.2 - 23.7)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	115	16.2	(7.9 - 24.5)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	47,400	76.0	(71.4 - 80.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	248	24,700	77.9	(71.6 - 84.2)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	408	22,600	74.0	(67.6 - 80.4)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	155	9,400	74.0	(66.7 - 81.4)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	160	7,000	75.6	(68.4 - 82.7)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	174	9,000	78.0	(71.2 - 84.7)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	638	44,300	77.3	(73.2 - 81.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	19,000	66.7	(58.9 - 74.6)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	175	12,500	77.8	(69.5 - 86.2)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	189	15,900	89.1	(84.2 - 94.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	181	9,900	68.8	(59.7 - 78.0)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	166	12,300	77.0	(68.7 - 85.3)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	114	8,700	78.1	(69.2 - 86.9)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	131	12,200	84.8	(76.9 - 92.7)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 56b. Adults living in homes in which smoking is prohibited¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	75.7	(70.8 - 80.6)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	248	77.9	(71.4 - 84.5)	14,577	79.4	(76.7 - 82.2)
Female	408	73.4	(66.2 - 80.6)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	638	77.3	(73.1 - 81.6)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	66.1	(57.6 - 74.6)	15,647	76.9	(73.8 - 80.0)
Some College	175	77.3	(68.2 - 86.4)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	189	89.0	(83.7 - 94.2)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	181	69.6	(59.9 - 79.3)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	166	76.9	(68.1 - 85.8)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	114	77.5	(68.0 - 87.0)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	131	84.0	(75.3 - 92.6)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 57a. Binge drinking within the past month among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	13,900	22.3	(17.4 - 27.2)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	243	9,400	30.0	(21.7 - 38.3)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	413	4,600	14.6	(10.1 - 19.2)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	155	2,400	19.2	(11.1 - 27.2)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	157	1,300	14.3	(7.8 - 20.8)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	638	12,300	21.4	(17.0 - 25.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	290	6,900	24.6	(16.4 - 32.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	176	2,900	18.0	(11.2 - 24.8)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	190	4,100	22.6	(13.7 - 31.5)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	114	2,700	24.4	(15.1 - 33.8)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	130	3,200	22.6	(13.3 - 31.8)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 57b. Binge drinking within the past month among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	23.2	(18.2 - 28.3)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	243	30.3	(21.9 - 38.7)	14,420	24.5	(21.0 - 27.9)
Female	413	16.2	(11.0 - 21.4)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	638	22.6	(17.9 - 27.4)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	290	26.0	(17.3 - 34.6)	15,491	17.5	(13.5 - 21.5)
Some College	176	18.9	(11.6 - 26.3)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	190	23.0	(14.1 - 32.0)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	114	25.6	(15.7 - 35.4)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	130	22.9	(13.7 - 32.1)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 58a. Heavy drinking within the past month among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	4,600	7.3	(4.8 - 9.9)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	243	2,800	9.0	(4.8 - 13.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	411	1,800	5.7	(3.0 - 8.4)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	96	1,200	10.6	(4.0 - 17.1)	4,924	137,200	4.8	(3.0 - 6.7)
45-54	154	1,000	8.0	(3.4 - 12.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	636	4,600	8.0	(5.3 - 10.7)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	290	1,900	6.8	(3.0 - 10.5)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	175	1,000	6.2	(1.9 - 10.5)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	189	1,700	9.3	(4.1 - 14.4)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	168	1,700	10.2	(3.6 - 16.8)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	115	1,400	12.2	(6.1 - 18.4)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 58b. Heavy drinking within the past month among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	7.6	(4.9 - 10.3)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	243	9.0	(4.7 - 13.3)	14,330	4.9	(3.9 - 5.9)
Female	411	6.2	(3.0 - 9.4)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	636	8.3	(5.4 - 11.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	290	7.0	(3.1 - 11.0)	15,411	4.3	(3.2 - 5.3)
Some College	175	6.0	(1.7 - 10.3)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	189	9.8	(4.2 - 15.4)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	168	11.1	(4.0 - 18.2)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	115	11.3	(5.4 - 17.2)	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	35,900	63.1	(57.5 - 68.7)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	230	19,500	68.6	(59.5 - 77.6)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	374	16,400	57.7	(50.9 - 64.4)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	143	8,000	67.4	(58.0 - 76.8)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	145	6,300	73.8	(65.1 - 82.4)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	164	8,600	79.2	(72.1 - 86.3)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	589	34,700	66.5	(61.5 - 71.6)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	266	16,600	65.9	(56.7 - 75.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	160	9,400	63.5	(53.7 - 73.4)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	178	9,900	58.5	(48.8 - 68.3)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	61.5	(55.6 - 67.4)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	230	68.6	(59.4 - 77.7)	13,299	67.9	(64.0 - 71.9)
Female	374	54.5	(47.2 - 61.9)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	589	64.8	(59.6 - 70.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	266	64.2	(54.4 - 74.1)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	178	57.0	(47.0 - 66.9)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	34,100	78.3	(73.1 - 83.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	173	19,800	84.8	(77.8 - 91.7)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	242	14,300	70.8	(63.2 - 78.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	108	7,300	79.8	(71.5 - 88.1)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	91	4,700	87.4	(79.9 - 94.8)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	82	6,000	97.0	(93.3 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	402	31,000	77.7	(72.5 - 82.9)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	171	15,900	82.6	(74.7 - 90.5)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	135	10,100	72.9	(63.8 - 81.9)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	103	7,100	83.1	(73.4 - 92.8)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	77.1	(71.5 - 82.6)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	173	84.6	(77.6 - 91.6)	9,034	81.1	(77.4 - 84.8)
Female	242	68.6	(60.3 - 76.9)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	402	76.5	(71.0 - 82.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	171	81.7	(73.3 - 90.0)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	135	71.4	(61.9 - 81.0)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	55,500	89.8	(87.2 - 92.5)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	243	28,300	90.1	(85.9 - 94.3)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	397	27,100	89.5	(86.4 - 92.7)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	73	17,900	97.9	(93.9 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	96	10,000	90.6	(83.8 - 97.5)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	155	11,700	92.1	(87.5 - 96.7)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	153	7,700	86.7	(80.4 - 93.0)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	163	8,200	75.2	(67.7 - 82.7)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	622	50,600	89.1	(86.2 - 91.9)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	276	23,100	84.2	(79.4 - 88.9)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	176	15,300	94.5	(91.1 - 97.8)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	188	17,000	94.2	(89.5 - 99.0)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	175	11,700	82.4	(75.7 - 89.1)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	161	14,700	92.3	(88.0 - 96.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	114	10,900	98.0	(96.0 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	131	13,500	93.9	(89.7 - 98.1)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	90.3	(87.6 - 92.9)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	243	89.7	(85.2 - 94.1)	13,893	89.1	(86.9 - 91.3)
Female	397	90.9	(88.0 - 93.8)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	622	89.6	(86.7 - 92.4)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	276	84.7	(79.8 - 89.7)	14,507	84.6	(81.8 - 87.4)
Some College	176	94.5	(91.0 - 97.9)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	188	94.6	(90.0 - 99.2)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	175	82.8	(75.7 - 89.9)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	161	92.5	(88.1 - 96.8)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	114	98.3	(96.6 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	131	94.2	(90.1 - 98.3)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 62a. Overweight among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	21,900	36.3	(31.2 - 41.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	246	12,600	39.8	(31.8 - 47.8)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	381	9,400	32.5	(26.6 - 38.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	145	4,400	36.6	(27.0 - 46.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	152	3,400	38.8	(30.1 - 47.4)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	170	4,800	42.8	(34.4 - 51.2)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	610	20,600	37.1	(32.2 - 42.0)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	274	9,200	33.8	(26.1 - 41.5)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	170	5,400	34.4	(25.3 - 43.5)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	183	7,400	42.0	(32.5 - 51.4)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	166	5,400	33.0	(24.2 - 41.8)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 62b. Overweight among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	36.0	(30.7 - 41.3)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	246	40.0	(31.8 - 48.1)	14,502	43.9	(40.1 - 47.6)
Female	381	31.6	(25.3 - 38.0)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	610	36.8	(31.7 - 41.9)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	274	32.8	(24.9 - 40.8)	15,079	35.2	(31.1 - 39.4)
Some College	170	34.8	(25.1 - 44.6)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	183	41.7	(32.1 - 51.4)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	166	33.3	(24.0 - 42.6)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 63a. Obesity among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	16,900	28.0	(23.1 - 32.9)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	246	9,600	30.4	(23.0 - 37.9)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	381	7,300	25.3	(19.0 - 31.7)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	145	4,000	33.9	(24.8 - 43.0)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	152	2,600	29.6	(20.8 - 38.4)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	170	2,900	25.6	(18.3 - 33.0)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	610	15,000	27.1	(22.5 - 31.6)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	274	7,800	28.9	(21.1 - 36.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	170	4,800	30.4	(20.9 - 39.9)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	183	4,300	24.5	(16.3 - 32.7)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	172	3,900	28.0	(18.6 - 37.4)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	166	4,900	29.7	(20.7 - 38.8)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	126	3,200	22.6	(13.1 - 32.2)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 63b. Obesity among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	27.6	(22.5 - 32.8)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	246	30.2	(22.6 - 37.8)	14,502	21.5	(19.0 - 24.0)
Female	381	24.8	(17.8 - 31.8)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	610	26.6	(21.9 - 31.2)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	274	29.1	(20.8 - 37.5)	15,079	29.4	(25.4 - 33.3)
Some College	170	29.8	(19.8 - 39.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	183	23.4	(15.2 - 31.7)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	172	28.8	(18.8 - 38.8)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	166	28.3	(19.2 - 37.3)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	126	22.6	(12.7 - 32.6)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 64a. Overweight or obesity among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	38,900	64.3	(59.2 - 69.4)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	246	22,200	70.2	(62.3 - 78.1)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	381	16,700	57.8	(51.4 - 64.3)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	145	8,400	70.5	(62.5 - 78.6)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	152	6,000	68.4	(60.2 - 76.6)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	170	7,700	68.4	(60.3 - 76.5)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	610	35,600	64.2	(59.3 - 69.0)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	274	17,000	62.6	(54.1 - 71.1)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	170	10,200	64.8	(55.9 - 73.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	183	11,700	66.5	(58.1 - 74.9)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	172	8,700	62.4	(52.8 - 72.1)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	126	9,700	69.2	(59.7 - 78.7)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 64b. Overweight or obesity among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	63.6	(58.2 - 69.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	246	70.2	(62.1 - 78.2)	14,502	65.4	(61.3 - 69.4)
Female	381	56.4	(49.3 - 63.5)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	610	63.3	(58.2 - 68.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	274	62.0	(53.0 - 70.9)	15,079	64.6	(59.9 - 69.3)
Some College	170	64.6	(55.0 - 74.1)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	183	65.2	(56.3 - 74.0)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	126	68.1	(58.2 - 78.1)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 65a. Received advice about weight by a health professional among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	15,500	25.8	(21.3 - 30.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	246	7,000	22.1	(16.2 - 28.0)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	381	8,600	29.8	(23.2 - 36.4)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	145	4,000	33.1	(24.2 - 42.1)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	152	3,400	38.1	(29.0 - 47.3)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	172	2,400	21.4	(14.4 - 28.4)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	610	14,200	25.7	(21.6 - 29.9)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	275	6,400	23.5	(16.2 - 30.8)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	171	4,400	27.8	(19.5 - 36.2)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	181	4,700	27.4	(19.9 - 35.0)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	172	2,900	20.9	(13.6 - 28.3)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	166	3,700	22.8	(15.2 - 30.4)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	106	2,500	24.5	(15.4 - 33.7)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	124	4,500	32.9	(23.0 - 42.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 65b. Received advice about weight by a health professional among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	25.6	(20.9 - 30.4)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	246	21.4	(15.5 - 27.2)	14,499	23.4	(20.5 - 26.3)
Female	381	30.3	(23.0 - 37.6)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	610	25.6	(21.2 - 29.9)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	275	23.3	(15.4 - 31.3)	15,116	27.3	(23.4 - 31.2)
Some College	171	28.0	(19.3 - 36.7)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	181	26.9	(19.1 - 34.7)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	172	20.7	(13.1 - 28.4)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	166	21.9	(14.2 - 29.5)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	106	23.6	(14.2 - 33.0)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	169	13,300	85.6	(80.0 - 91.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	66	5,900	85.1	(76.9 - 93.3)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	103	7,400	86.0	(78.3 - 93.8)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	52	2,900	87.3	(78.3 - 96.3)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	165	12,100	85.0	(79.3 - 90.8)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	62	5,500	85.8	(76.9 - 94.8)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	60	4,400	92.5	(86.8 - 98.2)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	169	85.5	(79.5 - 91.5)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	66	85.0	(76.6 - 93.5)	3,807	88.7	(85.7 - 91.8)
Female	103	85.8	(77.4 - 94.3)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	165	84.9	(78.8 - 91.1)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	62	86.8	(77.9 - 95.7)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	60	92.3	(86.3 - 98.3)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 67a. No leisure-time physical activity among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	14,900	23.7	(19.4 - 28.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	249	6,800	21.5	(15.2 - 27.7)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	413	8,100	26.0	(20.1 - 31.9)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	97	2,400	21.9	(12.5 - 31.2)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	155	2,800	22.2	(14.5 - 29.9)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	160	2,600	27.6	(19.2 - 35.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	177	4,000	34.3	(26.5 - 42.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	644	12,900	22.3	(18.4 - 26.1)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	9,800	34.5	(26.6 - 42.3)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	177	3,200	19.8	(13.1 - 26.5)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	192	1,900	10.4	(5.8 - 15.1)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	181	4,800	33.4	(24.6 - 42.3)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	169	5,000	30.3	(21.0 - 39.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	115	1,200	11.0	(4.3 - 17.7)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	131	1,400	9.8	(4.5 - 15.2)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 67b. No leisure-time physical activity among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	22.9	(18.4 - 27.4)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	249	21.3	(15.0 - 27.6)	14,602	20.9	(17.8 - 23.9)
Female	413	24.6	(18.1 - 31.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	644	21.3	(17.4 - 25.2)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	33.9	(25.6 - 42.2)	15,683	32.3	(28.3 - 36.4)
Some College	177	19.4	(12.5 - 26.4)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	192	9.6	(5.0 - 14.2)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	181	32.0	(22.8 - 41.3)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	169	28.5	(19.2 - 37.9)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	115	11.9	(4.4 - 19.3)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	131	9.5	(4.1 - 14.9)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	17,100	27.2	(22.3 - 32.2)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	249	6,600	20.8	(13.3 - 28.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	413	10,500	33.8	(27.4 - 40.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	97	2,100	18.8	(10.9 - 26.7)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	155	2,400	18.8	(12.2 - 25.5)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	160	3,000	32.6	(24.0 - 41.2)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	177	4,200	36.2	(28.3 - 44.2)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	644	15,000	25.8	(21.6 - 30.1)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	293	7,300	25.6	(17.0 - 34.2)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	177	3,500	21.7	(14.5 - 28.8)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	192	6,300	34.7	(26.2 - 43.2)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	181	4,100	28.1	(18.9 - 37.4)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	115	2,300	20.7	(13.1 - 28.3)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	131	4,500	31.6	(21.7 - 41.4)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	27.0	(21.8 - 32.2)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	249	20.4	(13.0 - 27.9)	14,634	22.7	(19.6 - 25.9)
Female	413	33.7	(26.7 - 40.7)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	644	25.6	(21.2 - 30.1)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	293	25.5	(16.4 - 34.7)	15,726	23.3	(19.3 - 27.3)
Some College	177	21.9	(14.3 - 29.6)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	192	33.7	(25.0 - 42.4)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	181	27.3	(17.6 - 37.0)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	115	19.3	(11.7 - 26.9)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 69a. Had a fall within the past 3 months among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	489	5,000	14.8	(11.4 - 18.3)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	176	2,500	16.0	(10.4 - 21.7)	10,966	489,400	14.4	(11.9 - 16.8)
Female	313	2,400	13.8	(9.7 - 17.9)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	154	1,600	12.3	(7.2 - 17.4)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	159	1,400	15.4	(8.9 - 21.9)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	176	2,000	17.2	(11.0 - 23.4)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	481	4,900	15.1	(11.6 - 18.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	227	2,000	12.7	(8.3 - 17.1)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	132	1,500	17.3	(10.0 - 24.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	130	1,500	16.0	(8.9 - 23.0)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	148	1,400	17.1	(10.5 - 23.7)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	130	1,500	16.2	(9.3 - 23.1)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	75	1,000	17.1	(7.7 - 26.4)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 69b. Had a fall within the past 3 months among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	489	15.1	(11.6 - 18.7)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	176	16.4	(10.6 - 22.2)	10,966	15.0	(12.1 - 17.8)
Female	313	13.8	(9.7 - 17.9)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	481	15.3	(11.7 - 18.9)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	227	13.0	(8.4 - 17.5)	12,417	17.4	(13.0 - 21.7)
Some College	132	17.9	(10.3 - 25.6)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	130	15.8	(8.6 - 23.1)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	148	16.6	(10.2 - 23.1)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	130	17.3	(9.7 - 25.0)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	75	17.6	(7.8 - 27.3)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Cayuga County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Cayuga County and New York State

	Cayuga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	488	1,200	3.7	(2.1 - 5.2)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	313	800	4.6	(2.2 - 6.9)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	176	600	5.1	(2.0 - 8.1)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	480	1,200	3.8	(2.2 - 5.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	227	800	5.5	(2.7 - 8.3)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	148	700	8.2	(3.8 - 12.6)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Cayuga County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Cayuga County and New York State - Age-Adjusted²

	Cayuga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	488	3.6	(2.1 - 5.1)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	313	4.5	(2.2 - 6.8)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	480	3.7	(2.2 - 5.3)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	227	5.6	(2.8 - 8.4)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	148	8.1	(3.7 - 12.4)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)