

New York State Expanded Behavioral Risk Factor Surveillance System

Chemung County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Chemung County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Chemung County and New York State	14
Table 2b. Fair or poor general health among adults in Chemung County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Chemung County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Chemung County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Chemung County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Chemung County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Chemung County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Chemung County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Chemung County and New York State	22
Table 6b. Health insurance among adults in Chemung County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Chemung County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Chemung County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Chemung County and New York State	26
Table 8b. No health insurance among adults in Chemung County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Chemung County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Chemung County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Chemung County and New York State	30
Table 10b. Adults with regular health care provider in Chemung County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Chemung County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Chemung County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Chemung County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Chemung County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Chemung County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Chemung County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Chemung County and New York State	38
Table 14b. Dentist visit within the past year among adults in Chemung County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Chemung County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Chemung County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Chemung County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Chemung County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Chemung County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Chemung County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Chemung County and New York State	46
Table 18b. Flu shot within the past 12 months in Chemung County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Chemung County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Chemung County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Chemung County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Chemung County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Chemung County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Chemung County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Chemung County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Chemung County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Chemung County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Chemung County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Chemung County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Chemung County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Chemung County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Chemung County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Chemung County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Chemung County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Chemung County and New York State	64
Table 27b. Ever had a Pap test among women in Chemung County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Chemung County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Chemung County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Chemung County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Chemung County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Chemung County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Chemung County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Chemung County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Chemung County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Chemung County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Chemung County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Chemung County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Chemung County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Chemung County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Chemung County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Chemung County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Chemung County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Chemung County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Chemung County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Chemung County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Chemung County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chemung County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chemung County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chemung County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chemung County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Chemung County and New York State	90
Table 40b. High blood pressure among adults in Chemung County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Chemung County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Chemung County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Chemung County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Chemung County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Chemung County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Chemung County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Chemung County and New York State	98
Table 44b. Cardiovascular disease among adults in Chemung County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Chemung County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Chemung County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Chemung County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Chemung County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Chemung County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Chemung County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Chemung County and New York State	106
Table 48b. Current asthma among adults in Chemung County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Chemung County and New York State	108
Table 49b. Chronic joint symptoms among adults in Chemung County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Chemung County and New York State	110
Table 50b. Arthritis among adults in Chemung County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Chemung County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Chemung County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Chemung County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Chemung County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Chemung County and New York State	116
Table 53b. Disability among adults in Chemung County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Chemung County and New York State	118
Table 54b. Current smoking among adults in Chemung County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Chemung County and New York State	120
Table 55b. Everyday smoking among adults in Chemung County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Chemung County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Chemung County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Chemung County and New York State	124
Table 57b. Binge drinking within the past month among adults in Chemung County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Chemung County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Chemung County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Chemung County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Chemung County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Chemung County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Chemung County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Chemung County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Chemung County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Chemung County and New York State	134
Table 62b. Overweight among adults in Chemung County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Chemung County and New York State	136
Table 63b. Obesity among adults in Chemung County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Chemung County and New York State	138
Table 64b. Overweight or obesity among adults in Chemung County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Chemung County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Chemung County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Chemung County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Chemung County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Chemung County and New York State	144
Table 67b. No leisure-time physical activity among adults in Chemung County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Chemung County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Chemung County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Chemung County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Chemung County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Chemung County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Chemung County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 1. Chemung County and New York State adult US Census Bureau population estimates,¹ 2007

	Chemung County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	68,668	100	14,884,315	100
Gender				
Male	33,759	49.2	7,103,791	47.7
Female	34,909	50.8	7,780,524	52.3
Age (years)				
18-34	20,362	29.7	4,497,479	30.2
35-44	11,165	16.3	2,844,115	19.1
45-54	13,503	19.7	2,854,316	19.2
55-64	10,161	14.8	2,142,000	14.4
≥ 65	13,477	19.6	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	62,064	90.4	9,343,884	62.8
Black Non-Hispanic	4,197	6.1	2,156,941	14.5
Hispanic	1,385	2.0	2,258,717	15.2
Other Non-Hispanic	1,022	1.5	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 2a. Fair or poor general health among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	11,900	17.4	(13.7 - 21.1)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	261	5,000	14.8	(9.8 - 19.8)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	412	7,000	20.1	(14.8 - 25.4)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	85	1,800	12.2	(3.3 - 21.0)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	140	2,600	19.6	(12.2 - 27.0)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	154	2,300	22.6	(15.5 - 29.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	243	3,400	25.5	(19.8 - 31.3)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	637	10,500	17.0	(13.3 - 20.7)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	296	7,200	25.6	(19.1 - 32.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	191	3,600	16.4	(8.9 - 24.0)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	185	1,200	6.4	(3.3 - 9.5)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	206	6,300	34.6	(25.0 - 44.2)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	178	3,000	18.4	(10.9 - 25.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 2b. Fair or poor general health among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	16.8	(12.9 - 20.7)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	261	14.3	(9.2 - 19.4)	14,599	15.3	(12.6 - 18.0)
Female	412	19.2	(13.4 - 24.9)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	637	16.2	(12.3 - 20.1)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	296	24.9	(18.0 - 31.8)	15,682	25.8	(22.1 - 29.5)
Some College	191	16.3	(8.1 - 24.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	185	5.7	(2.7 - 8.7)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	178	17.8	(10.0 - 25.6)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	8,500	12.5	(9.1 - 15.8)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	254	3,900	11.8	(6.5 - 17.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	408	4,500	13.1	(8.9 - 17.3)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	139	1,500	11.3	(6.0 - 16.6)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	152	1,800	17.9	(11.5 - 24.3)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	235	2,100	16.5	(11.4 - 21.5)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	626	7,400	12.1	(8.8 - 15.3)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	284	4,300	15.7	(11.0 - 20.4)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	191	3,300	15.3	(7.0 - 23.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	186	800	4.4	(1.8 - 7.1)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	199	4,100	22.9	(14.1 - 31.7)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	176	2,500	15.6	(7.7 - 23.4)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	12.0	(8.5 - 15.6)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	254	11.6	(6.1 - 17.0)	14,325	8.7	(6.9 - 10.5)
Female	408	12.5	(8.0 - 17.1)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	626	11.7	(8.2 - 15.2)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	284	14.6	(9.8 - 19.3)	15,178	12.7	(10.2 - 15.1)
Some College	191	15.8	(6.9 - 24.7)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	186	4.3	(1.6 - 6.9)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	199	23.5	(13.8 - 33.3)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	176	15.2	(7.2 - 23.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	8,200	12.0	(8.3 - 15.8)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	254	3,600	10.9	(5.3 - 16.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	407	4,600	13.2	(8.2 - 18.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	137	2,000	15.1	(7.4 - 22.7)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	151	600	6.4	(2.4 - 10.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	238	700	5.5	(2.4 - 8.7)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	626	7,400	12.1	(8.2 - 16.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	285	4,100	15.1	(9.1 - 21.2)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	190	3,500	16.0	(7.6 - 24.5)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	203	4,400	24.4	(14.4 - 34.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	174	2,000	12.2	(5.1 - 19.4)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	12.8	(8.7 - 16.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	254	11.1	(5.2 - 17.0)	14,407	7.9	(6.3 - 9.6)
Female	407	14.4	(8.8 - 20.0)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	626	12.8	(8.6 - 17.0)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	285	15.9	(9.4 - 22.5)	15,335	12.3	(10.0 - 14.6)
Some College	190	17.3	(8.1 - 26.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	174	12.2	(4.7 - 19.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	13,100	19.5	(15.2 - 23.8)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	252	6,000	18.2	(11.6 - 24.9)	14,231	937,700	13.6	(11.4 - 15.8)
Female	404	7,100	20.7	(15.2 - 26.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	139	3,000	22.4	(14.1 - 30.7)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	151	1,900	19.2	(12.6 - 25.7)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	231	2,500	19.1	(13.7 - 24.6)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	621	11,500	18.9	(14.7 - 23.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	280	6,700	24.9	(18.1 - 31.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	189	5,300	24.1	(14.6 - 33.7)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	186	1,200	6.3	(3.1 - 9.5)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	173	3,700	23.3	(13.8 - 32.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	19.6	(15.0 - 24.1)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	252	18.2	(11.2 - 25.1)	14,231	13.6	(11.4 - 15.8)
Female	404	20.9	(15.0 - 26.9)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	621	19.0	(14.5 - 23.5)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	280	24.6	(17.4 - 31.9)	15,018	20.1	(17.1 - 23.1)
Some College	*	*	*	9,672	17.6	(14.1 - 21.1)
≥ College Degree	186	6.4	(3.0 - 9.7)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	173	23.3	(13.4 - 33.3)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 6a. Health insurance among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	60,700	89.6	(86.0 - 93.2)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	259	28,600	86.9	(80.8 - 93.0)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	413	32,000	92.2	(88.2 - 96.1)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	85	12,800	88.2	(80.3 - 96.0)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	141	12,000	89.0	(81.9 - 96.2)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	154	9,300	91.3	(85.7 - 96.8)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	242	12,900	97.0	(94.8 - 99.1)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	638	55,200	89.2	(85.3 - 93.0)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	23,400	85.9	(80.0 - 91.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	192	19,800	90.7	(84.1 - 97.3)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	186	17,400	93.7	(87.6 - 99.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	203	13,500	78.1	(69.0 - 87.2)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	178	14,900	92.1	(87.7 - 96.5)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	*	*	*	*	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	107	15,200	100	(100 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 6b. Health insurance among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	89.2	(85.3 - 93.0)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	259	86.8	(80.4 - 93.2)	14,597	83.6	(79.7 - 87.5)
Female	413	91.4	(86.9 - 95.9)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	638	88.7	(84.5 - 92.8)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	85.5	(79.2 - 91.8)	15,673	80.1	(75.4 - 84.7)
Some College	192	89.8	(82.5 - 97.0)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	186	93.5	(86.9 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	203	77.2	(67.4 - 87.0)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	178	91.4	(86.4 - 96.3)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	*	*	*	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	107	100	(100 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 7a. Health insurance among adults aged 18-64¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	426	47,500	87.7	(83.3 - 92.2)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	169	23,300	84.9	(77.6 - 92.2)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	257	24,200	90.7	(85.6 - 95.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	85	12,800	88.2	(80.3 - 96.0)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	140	11,900	89.0	(81.8 - 96.2)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	151	9,000	91.0	(85.4 - 96.7)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	402	42,700	87.0	(82.2 - 91.8)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	165	16,700	82.6	(74.8 - 90.4)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	133	16,600	89.4	(81.6 - 97.2)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	127	14,100	92.5	(85.1 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	110	11,000	90.5	(84.7 - 96.3)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	97	14,500	100	(100 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 7b. Health insurance among adults aged 18-64¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	426	87.5	(82.9 - 92.1)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	169	84.6	(76.9 - 92.3)	10,078	80.5	(75.9 - 85.1)
Female	257	90.2	(84.8 - 95.6)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	402	86.8	(81.8 - 91.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	165	82.5	(74.5 - 90.6)	9,037	75.1	(69.3 - 80.9)
Some College	133	88.6	(80.4 - 96.8)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	127	92.4	(84.6 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	110	89.7	(83.4 - 96.1)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	97	100	(100 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 8a. No health insurance among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	7,000	10.4	(6.8 - 14.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	259	4,300	13.1	(7.0 - 19.2)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	413	2,700	7.8	(3.9 - 11.8)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	85	1,700	11.8	(4.0 - 19.7)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	141	1,500	11.0	(3.8 - 18.1)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	154	900	8.7	(3.2 - 14.3)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	638	6,700	10.8	(7.0 - 14.7)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	3,800	14.1	(8.2 - 20.0)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	192	2,000	9.3	(2.7 - 15.9)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	203	3,800	21.9	(12.8 - 31.0)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	178	1,300	7.9	(3.5 - 12.3)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 8b. No health insurance among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	10.8	(7.0 - 14.7)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	259	13.2	(6.8 - 19.6)	14,597	16.4	(12.5 - 20.3)
Female	413	8.6	(4.1 - 13.1)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	638	11.3	(7.2 - 15.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	14.5	(8.2 - 20.8)	15,673	19.9	(15.3 - 24.6)
Some College	192	10.2	(3.0 - 17.5)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	203	22.8	(13.0 - 32.6)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	178	8.6	(3.7 - 13.6)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 9a. No health insurance among adults aged 18-64¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	426	6,600	12.3	(7.8 - 16.7)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	169	4,100	15.1	(7.8 - 22.4)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	257	2,500	9.3	(4.2 - 14.4)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	85	1,700	11.8	(4.0 - 19.7)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	140	1,500	11.0	(3.8 - 18.2)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	151	900	9.0	(3.3 - 14.6)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	402	6,400	13.0	(8.2 - 17.8)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	165	3,500	17.4	(9.6 - 25.2)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	133	2,000	10.6	(2.8 - 18.4)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	110	1,200	9.5	(3.7 - 15.3)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 9b. No health insurance among adults aged 18-64¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	426	12.5	(7.9 - 17.1)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	169	15.4	(7.7 - 23.1)	10,078	19.5	(14.9 - 24.1)
Female	257	9.8	(4.4 - 15.2)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	402	13.2	(8.2 - 18.2)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	165	17.5	(9.4 - 25.5)	9,037	24.9	(19.1 - 30.7)
Some College	133	11.4	(3.2 - 19.6)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	110	10.3	(3.9 - 16.6)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 10a. Adults with regular health care provider¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	55,800	81.4	(76.2 - 86.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	260	25,700	76.3	(67.7 - 84.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	414	30,100	86.4	(80.3 - 92.5)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	141	12,600	93.0	(88.2 - 97.7)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	154	9,000	88.8	(82.9 - 94.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	243	12,700	95.2	(92.4 - 98.0)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	638	51,300	82.9	(77.9 - 87.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	296	22,500	80.1	(71.4 - 88.7)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	192	18,200	83.1	(74.4 - 91.7)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	*	*	*	*	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	107	13,200	86.9	(77.2 - 96.5)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 10b. Adults with regular health care provider¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	80.4	(74.8 - 86.0)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	260	75.4	(66.4 - 84.5)	14,593	78.1	(73.9 - 82.3)
Female	414	85.2	(78.6 - 91.9)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	638	81.8	(76.4 - 87.3)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	296	79.1	(69.8 - 88.3)	15,692	75.8	(71.0 - 80.6)
Some College	192	81.9	(72.6 - 91.3)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	*	*	*	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	107	86.3	(76.4 - 96.2)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	8,100	11.9	(8.3 - 15.4)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	260	2,800	8.4	(4.0 - 12.8)	14,607	903,300	12.7	(9.5 - 16.0)
Female	414	5,300	15.2	(9.9 - 20.5)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	85	1,900	13.0	(5.0 - 21.0)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	141	2,300	16.8	(9.0 - 24.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	154	600	6.4	(2.2 - 10.5)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	243	600	4.8	(2.0 - 7.6)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	638	7,200	11.7	(8.1 - 15.3)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	295	4,900	17.4	(11.0 - 23.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	192	2,200	10.3	(5.0 - 15.5)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	205	4,600	25.0	(15.7 - 34.2)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	178	1,800	11.4	(5.8 - 16.9)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	12.4	(8.6 - 16.2)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	260	8.5	(4.0 - 13.0)	14,607	12.5	(9.4 - 15.6)
Female	414	16.2	(10.3 - 22.2)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	638	12.2	(8.4 - 16.1)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	295	18.1	(11.2 - 25.0)	15,696	17.8	(13.8 - 21.7)
Some College	192	11.2	(5.3 - 17.1)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	178	12.4	(6.2 - 18.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	48,100	70.3	(64.9 - 75.8)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	261	21,200	62.7	(53.6 - 71.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	412	26,900	77.8	(72.0 - 83.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	141	8,400	62.6	(53.1 - 72.1)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	154	7,900	77.5	(70.3 - 84.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	244	11,400	84.7	(79.8 - 89.6)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	638	43,900	70.8	(65.6 - 76.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	295	20,200	72.3	(64.4 - 80.3)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	*	*	*	*	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	206	13,300	72.7	(63.1 - 82.3)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	69.9	(64.1 - 75.6)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	261	62.3	(52.9 - 71.8)	14,592	67.1	(63.3 - 70.9)
Female	412	77.2	(70.9 - 83.5)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	638	70.4	(64.9 - 75.9)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	295	71.8	(63.2 - 80.4)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	*	*	*	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	57,100	83.5	(79.3 - 87.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	261	26,400	78.3	(70.8 - 85.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	412	30,700	88.6	(84.7 - 92.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	141	11,400	84.4	(77.7 - 91.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	154	8,800	86.7	(80.6 - 92.9)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	244	12,600	93.7	(90.5 - 96.9)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	638	51,000	82.3	(77.7 - 86.9)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	295	23,300	83.4	(77.1 - 89.6)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	192	18,900	86.2	(79.5 - 92.9)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	185	14,900	80.5	(70.9 - 90.2)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	206	14,300	78.6	(69.2 - 88.1)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	177	14,700	90.8	(86.7 - 94.9)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	82.9	(78.3 - 87.5)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	261	77.7	(69.7 - 85.7)	14,592	81.9	(78.4 - 85.3)
Female	412	87.9	(83.5 - 92.3)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	638	81.7	(76.7 - 86.6)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	295	83.1	(76.3 - 89.8)	15,640	84.6	(81.1 - 88.1)
Some College	192	85.5	(78.3 - 92.7)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	*	*	*	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	177	90.9	(86.8 - 95.1)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 14a. Dentist visit within the past year among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	47,600	69.6	(64.6 - 74.7)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	261	22,100	65.4	(57.1 - 73.7)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	410	25,600	73.8	(67.9 - 79.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	141	10,200	75.9	(67.9 - 83.8)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	153	7,400	73.8	(66.2 - 81.4)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	241	8,200	61.6	(55.0 - 68.2)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	635	42,200	68.2	(63.0 - 73.5)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	295	17,700	63.1	(55.4 - 70.9)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	184	15,500	84.1	(76.2 - 91.9)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	178	12,400	76.7	(68.2 - 85.3)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	107	12,900	85.3	(76.2 - 94.3)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 14b. Dentist visit within the past year among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	69.3	(63.9 - 74.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	261	65.1	(56.4 - 73.8)	14,573	68.3	(64.6 - 72.1)
Female	410	73.4	(66.9 - 80.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	635	67.9	(62.2 - 73.5)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	295	63.1	(54.8 - 71.5)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	184	83.9	(75.6 - 92.3)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	178	76.3	(67.1 - 85.5)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	107	84.8	(75.3 - 94.2)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 15a. Had teeth cleaned within the past year among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	596	44,200	69.9	(64.5 - 75.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	226	20,300	65.3	(56.5 - 74.1)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	370	23,900	74.3	(67.8 - 80.8)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	138	9,600	73.4	(65.1 - 81.7)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	137	6,700	73.0	(65.1 - 81.0)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	190	7,700	73.4	(66.7 - 80.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	562	39,200	69.1	(63.5 - 74.7)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	240	15,800	64.5	(55.9 - 73.1)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	178	15,000	82.5	(74.0 - 90.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	158	10,900	74.2	(64.7 - 83.6)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	107	13,000	85.5	(77.3 - 93.7)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 15b. Had teeth cleaned within the past year among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	596	69.2	(63.4 - 75.0)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	226	65.0	(55.7 - 74.2)	13,173	69.2	(65.3 - 73.1)
Female	370	73.3	(66.1 - 80.5)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	562	68.5	(62.5 - 74.5)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	240	64.5	(55.2 - 73.7)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	178	82.2	(73.3 - 91.1)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	107	85.0	(76.3 - 93.7)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	37,400	54.9	(49.2 - 60.6)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	258	18,800	55.8	(46.4 - 65.2)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	409	18,700	54.0	(47.3 - 60.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	141	8,400	62.1	(52.9 - 71.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	153	7,400	73.5	(66.0 - 81.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	237	10,800	82.7	(77.5 - 88.0)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	631	33,500	54.3	(48.7 - 60.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	19,300	69.2	(59.6 - 78.8)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	185	6,700	36.3	(27.8 - 44.8)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	51.9	(45.9 - 58.0)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	258	54.4	(44.6 - 64.2)	14,457	47.9	(44.1 - 51.7)
Female	409	49.6	(42.3 - 56.8)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	631	51.4	(45.4 - 57.4)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	185	32.5	(24.3 - 40.8)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	237	2,800	21.6	(16.0 - 27.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	87	1,200	22.8	(13.5 - 32.1)	4,352	167,200	16.4	(11.8 - 20.9)
Female	150	1,600	20.8	(13.9 - 27.8)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	237	2,800	21.6	(16.0 - 27.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	227	2,800	22.8	(16.9 - 28.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	125	2,100	30.8	(22.0 - 39.7)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	91	1,300	27.8	(17.8 - 37.8)	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	65	600	16.1	(7.4 - 24.9)	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	237	21.9	(16.1 - 27.7)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	87	22.9	(13.6 - 32.2)	4,352	16.5	(11.5 - 21.4)
Female	150	20.9	(13.9 - 27.8)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	227	23.0	(16.9 - 29.0)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	125	31.8	(22.6 - 41.0)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	65	15.7	(7.1 - 24.3)	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 18a. Flu shot within the past 12 months¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	27,800	40.5	(35.4 - 45.6)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	261	12,500	37.0	(29.0 - 44.9)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	414	15,300	44.0	(37.7 - 50.2)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	212	9,400	24.3	(17.5 - 31.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	219	8,300	50.0	(42.3 - 57.7)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	244	10,100	75.4	(69.5 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	639	26,200	42.3	(37.1 - 47.5)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	296	10,800	38.5	(30.8 - 46.2)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	192	8,300	37.9	(28.7 - 47.0)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	186	8,600	46.4	(36.8 - 56.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	207	6,700	36.9	(28.1 - 45.6)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 18b. Flu shot within the past 12 months¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	38.2	(32.9 - 43.4)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	261	36.2	(28.0 - 44.4)	14,579	40.0	(36.2 - 43.8)
Female	414	40.1	(33.5 - 46.6)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	639	40.0	(34.6 - 45.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	296	36.5	(28.4 - 44.6)	15,663	43.7	(39.1 - 48.2)
Some College	192	34.6	(25.5 - 43.7)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	186	44.3	(34.4 - 54.2)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	207	33.6	(24.8 - 42.5)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	28,200	41.3	(36.1 - 46.4)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	261	12,500	37.0	(29.0 - 44.9)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	413	15,700	45.5	(39.1 - 51.8)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	211	9,600	25.3	(18.3 - 32.2)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	219	8,400	50.4	(42.7 - 58.2)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	244	10,100	75.4	(69.5 - 81.3)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	638	26,600	43.1	(37.9 - 48.3)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	296	10,800	38.5	(30.8 - 46.2)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	191	8,300	38.6	(29.3 - 47.9)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	186	8,900	48.2	(38.5 - 57.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	207	6,700	36.9	(28.1 - 45.6)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	39.0	(33.6 - 44.3)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	261	36.2	(28.0 - 44.4)	14,568	40.4	(36.6 - 44.2)
Female	413	41.7	(35.0 - 48.4)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	638	40.8	(35.4 - 46.3)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	296	36.5	(28.4 - 44.6)	15,651	44.1	(39.6 - 48.6)
Some College	191	35.3	(26.1 - 44.6)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	*	*	*	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	207	33.6	(24.8 - 42.5)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 21a. Flu shot among adults aged 65 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	244	10,100	75.4	(69.5 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	90	4,100	75.7	(66.3 - 85.2)	4,417	772,900	74.6	(69.3 - 79.8)
Female	154	6,000	75.1	(67.6 - 82.7)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	244	10,100	75.4	(69.5 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	234	9,600	75.4	(69.4 - 81.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	129	5,100	73.3	(64.8 - 81.7)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	95	3,700	78.9	(69.8 - 88.0)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 21b. Flu shot among adults aged 65 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	244	75.4	(69.4 - 81.4)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	90	75.6	(66.2 - 85.1)	4,417	74.4	(68.7 - 80.1)
Female	154	75.2	(67.6 - 82.8)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	234	75.2	(69.0 - 81.4)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	129	73.6	(65.0 - 82.2)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	95	78.9	(69.7 - 88.0)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	18,600	30.5	(25.8 - 35.2)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	238	7,000	24.5	(18.2 - 30.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	397	11,600	35.7	(29.4 - 42.1)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	186	5,200	16.2	(9.4 - 23.0)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	213	4,200	25.8	(19.4 - 32.2)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	236	9,200	71.6	(65.3 - 77.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	603	17,400	31.3	(26.5 - 36.0)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	279	9,400	37.7	(29.8 - 45.5)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	178	5,100	26.9	(18.3 - 35.6)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	177	4,000	23.5	(16.4 - 30.6)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	171	5,200	32.9	(23.8 - 41.9)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	89	1,800	20.4	(11.8 - 29.0)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	99	1,800	13.8	(6.4 - 21.3)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	28.5	(23.6 - 33.3)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	238	24.1	(17.7 - 30.4)	13,052	25.8	(22.3 - 29.4)
Female	397	32.3	(25.5 - 39.1)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	603	29.3	(24.2 - 34.3)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	279	35.3	(26.9 - 43.6)	14,700	29.5	(25.6 - 33.5)
Some College	178	25.1	(16.0 - 34.1)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	177	22.2	(15.1 - 29.4)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	171	31.3	(21.9 - 40.8)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	89	18.7	(10.3 - 27.2)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	99	13.4	(6.0 - 20.8)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	236	9,200	71.6	(65.3 - 77.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	85	3,700	73.0	(63.2 - 82.7)	4,180	606,400	62.1	(55.5 - 68.7)
Female	151	5,500	70.8	(62.5 - 79.0)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	236	9,200	71.6	(65.3 - 77.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	226	8,900	73.0	(66.7 - 79.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	125	5,100	75.7	(67.6 - 83.8)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	93	3,800	83.0	(74.4 - 91.6)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	236	71.9	(65.6 - 78.2)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	85	72.9	(63.2 - 82.7)	4,180	61.5	(54.3 - 68.6)
Female	151	70.9	(62.7 - 79.1)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	226	72.9	(66.5 - 79.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	125	76.5	(68.4 - 84.5)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	93	82.5	(73.8 - 91.3)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	351	21,400	95.1	(92.8 - 97.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	351	21,400	95.1	(92.8 - 97.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	80	6,300	93.9	(88.9 - 98.9)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	116	7,500	96.4	(92.9 - 99.9)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	155	7,600	94.9	(91.0 - 98.9)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	339	20,500	95.3	(93.0 - 97.7)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	8,900	94.0	(89.9 - 98.0)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	117	7,600	94.5	(90.3 - 98.8)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	80	4,800	98.4	(95.2 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	125	6,500	96.0	(92.4 - 99.6)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	89	5,600	92.6	(86.6 - 98.5)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	351	94.6	(91.9 - 97.4)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	351	94.6	(91.9 - 97.4)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	339	95.0	(92.4 - 97.6)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	94.2	(90.3 - 98.0)	8,266	90.2	(86.1 - 94.2)
Some College	117	93.3	(87.8 - 98.8)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	80	97.4	(92.5 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	125	95.7	(91.8 - 99.5)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	89	92.1	(85.7 - 98.5)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	349	18,800	84.0	(79.6 - 88.4)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	349	18,800	84.0	(79.6 - 88.4)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	80	5,300	79.4	(69.4 - 89.4)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	115	6,700	87.5	(81.2 - 93.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	154	6,700	84.4	(77.8 - 91.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	337	17,900	84.2	(79.8 - 88.7)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	7,500	79.0	(71.4 - 86.6)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	116	6,700	84.5	(77.4 - 91.5)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	79	4,500	92.6	(85.7 - 99.5)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	124	5,300	78.4	(69.2 - 87.7)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	89	5,100	84.4	(76.5 - 92.3)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	349	82.8	(77.8 - 87.8)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	349	82.8	(77.8 - 87.8)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	337	83.4	(78.5 - 88.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	78.3	(70.1 - 86.5)	8,204	80.1	(75.6 - 84.7)
Some College	116	82.6	(74.2 - 91.0)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	79	90.9	(81.8 - 99.9)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	89	83.7	(75.3 - 92.1)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	269	13,400	85.9	(81.3 - 90.5)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	269	13,400	85.9	(81.3 - 90.5)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	115	6,700	87.5	(81.2 - 93.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	154	6,700	84.4	(77.8 - 91.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	261	12,900	85.4	(80.7 - 90.1)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	124	5,600	81.4	(73.7 - 89.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	89	4,800	85.7	(78.1 - 93.4)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	55	2,900	96.2	(90.7 - 100)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	107	4,600	83.8	(75.6 - 92.0)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	66	3,500	85.0	(75.6 - 94.4)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	269	86.0	(81.4 - 90.6)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	269	86.0	(81.4 - 90.6)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	261	85.5	(80.8 - 90.3)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	124	81.1	(73.2 - 89.0)	7,026	83.6	(80.1 - 87.0)
Some College	89	86.1	(78.6 - 93.6)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	55	96.2	(90.7 - 100)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	107	83.5	(75.1 - 91.9)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	66	85.1	(75.7 - 94.4)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 27a. Ever had a Pap test among women¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	34,100	97.8	(96.4 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	415	34,100	97.8	(96.4 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	58	5,300	99.2	(97.7 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	90	6,700	97.4	(93.8 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	79	4,900	95.6	(90.3 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	155	7,800	97.6	(95.4 - 99.7)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	397	31,600	97.6	(96.1 - 99.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	168	13,000	97.1	(94.7 - 99.5)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	135	11,300	98.4	(96.4 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	111	9,700	97.9	(94.9 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	144	10,000	94.9	(91.0 - 98.9)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	101	8,600	99.6	(98.8 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	51	4,500	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	57	6,400	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 27b. Ever had a Pap test among women¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	98.0	(96.6 - 99.3)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	415	98.0	(96.6 - 99.3)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	397	97.8	(96.3 - 99.3)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	168	97.4	(95.2 - 99.6)	9,526	87.8	(83.2 - 92.4)
Some College	135	98.7	(96.8 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	111	98.0	(95.0 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	144	94.9	(90.6 - 99.1)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	101	99.7	(99.1 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	51	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	57	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	409	25,900	75.1	(69.9 - 80.3)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	409	25,900	75.1	(69.9 - 80.3)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	*	*	*	*	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	150	4,100	52.8	(44.2 - 61.4)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	391	23,400	73.3	(67.8 - 78.8)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	166	9,500	71.5	(63.0 - 80.0)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	109	8,500	86.5	(80.1 - 92.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	99	6,600	77.6	(68.4 - 86.8)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	57	5,800	90.2	(81.8 - 98.6)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 28b. Had a Pap test within the past 3 years among women¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	409	77.4	(71.9 - 82.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	409	77.4	(71.9 - 82.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	391	75.5	(69.7 - 81.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	166	73.7	(64.8 - 82.7)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	109	88.3	(82.1 - 94.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	99	79.8	(70.6 - 88.9)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	57	89.7	(80.2 - 99.1)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	222	14,700	73.5	(65.0 - 82.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	222	14,700	73.5	(65.0 - 82.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	74	4,400	88.2	(78.6 - 97.8)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	87	4,800	90.9	(85.2 - 96.6)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	207	13,400	72.8	(63.8 - 81.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	222	72.7	(63.7 - 81.7)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	222	72.7	(63.7 - 81.7)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	207	72.0	(62.5 - 81.5)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	221	10,500	53.8	(45.3 - 62.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	221	10,500	53.8	(45.3 - 62.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	87	4,000	76.1	(67.0 - 85.1)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	206	9,400	52.4	(43.6 - 61.2)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	221	53.2	(44.4 - 61.9)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	221	53.2	(44.4 - 61.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	206	51.9	(42.8 - 61.0)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	216	12,000	60.5	(51.7 - 69.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	216	12,000	60.5	(51.7 - 69.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	82	4,400	87.3	(80.2 - 94.5)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	201	10,700	58.6	(49.4 - 67.9)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	216	60.1	(50.9 - 69.3)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	216	60.1	(50.9 - 69.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	201	58.3	(48.6 - 67.9)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	214	10,800	55.2	(46.4 - 64.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	214	10,800	55.2	(46.4 - 64.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	81	4,100	81.7	(73.3 - 90.1)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	199	9,500	52.8	(43.6 - 62.0)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	214	54.8	(45.7 - 64.0)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	214	54.8	(45.7 - 64.0)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	199	52.6	(43.0 - 62.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 33a. Prostate cancer among men aged 40 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	225	900	4.5	(1.7 - 7.3)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	225	900	4.5	(1.7 - 7.3)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	88	700	12.6	(5.1 - 20.1)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	210	900	4.5	(1.6 - 7.5)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 33b. Prostate cancer among men aged 40 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	225	4.6	(1.9 - 7.4)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	225	4.6	(1.9 - 7.4)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	210	4.6	(1.7 - 7.6)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	459	13,800	46.6	(41.4 - 51.8)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	186	5,900	42.8	(34.6 - 51.0)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	273	7,900	49.8	(43.4 - 56.3)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	218	6,100	37.0	(29.7 - 44.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	241	7,700	58.6	(51.9 - 65.3)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	439	13,400	47.8	(42.5 - 53.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	5,700	41.9	(34.6 - 49.1)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	124	4,200	50.0	(40.1 - 59.8)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	156	4,300	48.3	(39.0 - 57.5)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	126	4,100	50.6	(40.9 - 60.3)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	459	46.0	(40.7 - 51.3)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	186	43.1	(34.8 - 51.3)	9,571	39.4	(35.3 - 43.5)
Female	273	48.9	(42.3 - 55.4)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	439	47.0	(41.6 - 52.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	41.6	(34.2 - 49.1)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	156	47.9	(38.4 - 57.4)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	126	50.6	(40.9 - 60.4)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	5,500	18.9	(14.8 - 23.1)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	185	2,400	17.6	(11.0 - 24.2)	9,508	444,400	16.0	(13.2 - 18.9)
Female	267	3,100	20.1	(14.9 - 25.3)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	216	2,400	14.9	(9.1 - 20.7)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	236	3,100	24.1	(18.2 - 29.9)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	432	5,300	19.1	(14.8 - 23.4)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	217	2,200	16.2	(11.1 - 21.3)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	121	1,600	19.6	(12.0 - 27.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	*	*	*	*	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	154	1,700	18.5	(12.0 - 25.1)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	124	1,600	20.5	(12.7 - 28.3)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	19.0	(14.7 - 23.3)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	185	18.3	(11.5 - 25.1)	9,508	16.4	(13.2 - 19.6)
Female	267	19.8	(14.5 - 25.0)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	432	19.1	(14.6 - 23.5)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	217	16.5	(11.2 - 21.9)	11,026	12.7	(9.2 - 16.1)
Some College	121	18.8	(11.4 - 26.3)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	*	*	*	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	154	18.8	(12.1 - 25.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	124	20.6	(12.6 - 28.6)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	8,200	28.0	(23.3 - 32.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	185	3,300	24.0	(16.9 - 31.1)	9,508	593,100	21.4	(18.3 - 24.5)
Female	267	4,900	31.5	(25.4 - 37.6)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	216	4,000	24.2	(17.5 - 30.8)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	236	4,200	32.8	(26.4 - 39.3)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	432	7,900	28.7	(23.9 - 33.6)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	217	3,300	24.4	(18.3 - 30.5)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	121	2,500	31.0	(22.0 - 40.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	*	*	*	*	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	154	2,600	29.6	(21.6 - 37.5)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	124	2,500	31.0	(22.1 - 39.9)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	27.9	(23.1 - 32.7)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	185	24.5	(17.3 - 31.8)	9,508	21.7	(18.3 - 25.1)
Female	267	31.3	(25.1 - 37.5)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	432	28.4	(23.4 - 33.4)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	217	24.9	(18.6 - 31.3)	11,026	19.5	(15.4 - 23.7)
Some College	121	29.5	(20.7 - 38.4)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	*	*	*	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	154	29.8	(21.6 - 38.1)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	124	31.3	(22.3 - 40.4)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	458	20,600	69.2	(64.1 - 74.3)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	186	9,100	65.8	(57.3 - 74.3)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	272	11,500	72.2	(66.4 - 77.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	153	6,900	68.4	(60.2 - 76.6)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	240	10,200	77.1	(71.4 - 82.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	436	19,900	71.1	(66.0 - 76.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	219	8,600	62.5	(54.8 - 70.2)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	123	6,500	77.9	(69.6 - 86.1)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	155	5,700	62.5	(52.8 - 72.1)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	126	5,800	70.9	(62.0 - 79.9)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	458	69.0	(63.8 - 74.2)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	186	66.5	(58.0 - 74.9)	9,582	68.5	(64.5 - 72.5)
Female	272	71.6	(65.7 - 77.5)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	436	70.7	(65.5 - 76.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	219	62.6	(54.7 - 70.6)	11,121	61.3	(56.4 - 66.2)
Some College	123	77.2	(68.5 - 85.8)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	155	62.1	(52.1 - 72.1)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	126	70.7	(61.6 - 79.8)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	453	18,900	64.3	(59.0 - 69.6)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	186	8,500	61.4	(52.6 - 70.1)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	267	10,400	66.9	(60.8 - 73.0)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	152	6,700	66.6	(58.3 - 74.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	238	9,400	71.8	(65.6 - 77.9)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	431	18,200	66.1	(60.7 - 71.4)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	216	7,900	58.1	(50.4 - 65.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	121	6,000	73.4	(64.5 - 82.2)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	154	5,400	59.4	(49.7 - 69.0)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	124	5,400	67.6	(58.3 - 76.9)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	453	64.0	(58.5 - 69.4)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	186	61.8	(53.1 - 70.5)	9,521	66.9	(62.9 - 70.9)
Female	267	66.3	(60.0 - 72.5)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	431	65.6	(60.1 - 71.2)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	216	58.1	(50.2 - 66.1)	11,017	59.0	(54.1 - 63.9)
Some College	121	72.9	(63.7 - 82.1)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	154	58.8	(48.8 - 68.8)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	124	67.1	(57.7 - 76.6)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	450	20,400	70.1	(65.0 - 75.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	185	9,400	69.2	(60.6 - 77.7)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	265	11,000	71.0	(65.1 - 76.9)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	149	6,900	70.4	(62.3 - 78.5)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	239	10,300	78.1	(72.4 - 83.8)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	430	19,500	71.1	(66.0 - 76.2)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	8,700	64.9	(57.1 - 72.7)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	122	6,300	76.8	(68.4 - 85.3)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	153	6,000	67.4	(57.7 - 77.2)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	125	5,800	71.9	(62.9 - 81.0)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	450	70.0	(64.8 - 75.3)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	185	69.8	(61.4 - 78.2)	9,418	71.5	(67.6 - 75.4)
Female	265	70.3	(64.2 - 76.3)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	430	70.8	(65.5 - 76.1)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	215	65.1	(57.1 - 73.1)	10,872	64.5	(59.8 - 69.3)
Some College	122	76.1	(67.3 - 84.9)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	125	71.8	(62.7 - 80.9)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 40a. High blood pressure among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	23,600	34.6	(29.7 - 39.5)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	261	10,800	32.1	(24.3 - 39.9)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	410	12,800	37.0	(31.1 - 42.9)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	140	5,100	37.8	(28.5 - 47.1)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	154	5,100	50.2	(41.6 - 58.8)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	241	7,500	56.6	(49.9 - 63.4)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	635	21,300	34.4	(29.5 - 39.2)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	294	10,800	38.6	(31.0 - 46.3)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	192	7,800	35.7	(26.2 - 45.3)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	184	4,900	26.6	(17.8 - 35.3)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	106	2,900	19.3	(10.4 - 28.3)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 40b. High blood pressure among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	32.5	(27.4 - 37.5)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	261	31.0	(23.0 - 39.0)	14,611	27.7	(24.7 - 30.7)
Female	410	33.9	(27.7 - 40.0)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	635	32.3	(27.2 - 37.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	294	36.6	(28.6 - 44.5)	15,688	32.1	(28.4 - 35.8)
Some College	192	33.7	(23.9 - 43.6)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	184	24.7	(15.7 - 33.7)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	106	19.0	(9.8 - 28.3)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	301	18,000	76.2	(67.8 - 84.6)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	185	9,800	76.7	(68.0 - 85.4)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	80	4,700	91.9	(86.5 - 97.4)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	141	7,100	94.5	(90.2 - 98.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	282	16,200	76.2	(67.8 - 84.6)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	9,000	83.3	(74.5 - 92.1)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	301	73.2	(63.8 - 82.6)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	282	73.0	(63.6 - 82.5)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	81.3	(71.4 - 91.3)	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 42a. Ever had blood cholesterol checked among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	56,100	83.2	(78.1 - 88.2)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	259	25,600	76.1	(67.5 - 84.6)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	407	30,500	90.2	(85.3 - 95.2)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	139	11,700	88.4	(81.3 - 95.4)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	153	9,900	97.6	(95.3 - 100)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	242	13,000	97.3	(95.3 - 99.2)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	630	50,200	82.5	(77.3 - 87.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	23,000	83.3	(76.2 - 90.5)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	190	17,300	80.4	(70.8 - 90.1)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	185	15,700	86.1	(76.1 - 96.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	106	12,700	85.5	(75.7 - 95.3)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 42b. Ever had blood cholesterol checked among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	81.9	(76.5 - 87.3)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	259	74.9	(65.8 - 83.9)	14,389	78.0	(73.9 - 82.1)
Female	407	89.0	(83.3 - 94.6)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	630	81.2	(75.5 - 86.9)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	82.3	(74.5 - 90.0)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	*	*	*	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	52,900	79.0	(73.7 - 84.2)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	258	24,500	73.1	(64.4 - 81.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	401	28,500	84.8	(79.3 - 90.4)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	137	11,300	86.5	(79.2 - 93.8)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	153	9,500	93.8	(90.2 - 97.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	237	12,600	96.7	(94.6 - 98.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	623	47,000	77.9	(72.4 - 83.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	286	22,100	81.2	(73.7 - 88.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	189	16,400	76.5	(66.6 - 86.3)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	*	*	*	*	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	77.3	(71.6 - 82.9)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	258	71.7	(62.5 - 80.9)	14,307	74.8	(70.7 - 79.0)
Female	401	82.8	(76.5 - 89.2)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	623	76.0	(70.1 - 81.9)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	286	80.2	(72.1 - 88.3)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	*	*	*	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 44a. Cardiovascular disease among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	8,200	11.9	(8.1 - 15.8)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	258	4,600	13.8	(6.6 - 21.0)	14,477	664,600	9.4	(7.5 - 11.4)
Female	412	3,500	10.1	(7.2 - 13.0)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	141	1,200	8.7	(3.5 - 13.8)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	151	1,100	11.4	(6.3 - 16.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	242	3,400	25.7	(19.9 - 31.5)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	635	6,600	10.8	(8.0 - 13.5)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	293	4,200	15.0	(10.5 - 19.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	*	*	*	*	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	185	700	3.6	(1.3 - 6.0)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	205	3,400	18.6	(11.6 - 25.5)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	176	1,500	9.3	(4.9 - 13.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 44b. Cardiovascular disease among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	11.2	(7.2 - 15.2)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	258	13.7	(6.3 - 21.1)	14,477	9.7	(7.8 - 11.7)
Female	412	8.8	(5.9 - 11.6)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	635	9.7	(7.0 - 12.5)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	293	13.9	(9.3 - 18.6)	15,486	10.5	(8.0 - 13.0)
Some College	*	*	*	9,849	6.4	(4.5 - 8.2)
≥ College Degree	185	3.3	(0.9 - 5.7)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	205	17.9	(10.5 - 25.3)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	176	8.5	(4.4 - 12.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 45a. Coronary heart disease among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	7,300	10.7	(6.9 - 14.6)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	259	4,600	13.6	(6.4 - 20.8)	14,479	598,600	8.5	(6.6 - 10.4)
Female	412	2,800	7.9	(5.3 - 10.5)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	141	1,100	7.9	(2.8 - 12.9)	7,778	108,300	3.8	(2.1 - 5.6)
55-64	152	1,100	10.6	(5.7 - 15.4)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	242	2,900	21.5	(16.0 - 27.1)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	636	5,800	9.4	(6.8 - 12.1)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	294	3,700	13.2	(8.9 - 17.6)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	*	*	*	*	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	185	600	3.3	(1.0 - 5.6)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	205	2,800	15.7	(9.0 - 22.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	177	1,400	8.6	(4.4 - 12.8)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 45b. Coronary heart disease among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	10.2	(6.2 - 14.1)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	259	13.5	(6.1 - 20.9)	14,479	8.8	(6.9 - 10.8)
Female	412	6.9	(4.3 - 9.6)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	636	8.6	(5.9 - 11.2)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	294	12.5	(8.0 - 17.0)	15,485	8.5	(6.2 - 10.7)
Some College	*	*	*	9,860	5.5	(3.7 - 7.2)
≥ College Degree	185	3.1	(0.7 - 5.5)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	205	15.2	(8.1 - 22.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	177	7.9	(3.9 - 11.9)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	8,300	12.1	(9.4 - 14.8)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	261	3,900	11.5	(7.5 - 15.4)	14,626	530,400	7.5	(6.2 - 8.8)
Female	413	4,400	12.7	(8.9 - 16.5)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	140	1,000	7.6	(2.7 - 12.6)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	153	2,300	22.9	(15.2 - 30.5)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	245	3,100	23.1	(17.1 - 29.0)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	639	7,300	11.8	(9.0 - 14.7)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	295	4,000	14.4	(9.9 - 18.9)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	192	2,200	9.9	(5.4 - 14.5)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	186	2,000	10.7	(5.6 - 15.8)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	205	2,600	14.7	(8.9 - 20.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	178	2,400	14.7	(8.9 - 20.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	97	1,100	10.4	(3.2 - 17.6)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 46b. Ever diagnosed with diabetes among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	11.3	(8.5 - 14.0)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	261	10.7	(6.9 - 14.6)	14,626	7.5	(6.1 - 8.9)
Female	413	11.8	(7.8 - 15.8)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	639	11.2	(8.3 - 14.1)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	295	13.4	(8.8 - 18.0)	15,709	12.6	(10.0 - 15.2)
Some College	192	9.3	(4.6 - 13.9)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	186	10.1	(4.9 - 15.2)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	205	13.7	(7.8 - 19.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	178	13.9	(8.2 - 19.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	97	9.9	(2.8 - 17.0)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	9,900	14.4	(10.6 - 18.2)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	261	3,200	9.3	(4.4 - 14.3)	14,601	875,800	12.4	(10.1 - 14.7)
Female	415	6,700	19.2	(13.7 - 24.8)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	85	2,400	16.3	(7.0 - 25.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	141	1,800	13.0	(6.9 - 19.1)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	154	1,200	12.3	(7.0 - 17.6)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	245	1,600	12.1	(7.9 - 16.3)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	640	9,400	15.1	(11.0 - 19.2)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	3,800	13.5	(8.6 - 18.3)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	192	4,000	18.1	(9.6 - 26.6)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	186	2,000	10.9	(4.3 - 17.4)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	207	4,300	23.4	(14.2 - 32.6)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	178	1,600	9.8	(5.4 - 14.3)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	15.1	(10.9 - 19.2)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	261	9.6	(4.3 - 14.8)	14,601	12.6	(10.3 - 14.9)
Female	415	20.3	(14.1 - 26.6)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	640	15.8	(11.3 - 20.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	14.0	(8.6 - 19.3)	15,675	15.1	(12.1 - 18.0)
Some College	192	19.6	(10.3 - 28.9)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	186	10.9	(3.8 - 18.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	178	9.7	(5.1 - 14.4)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 48a. Current asthma among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	7,200	10.6	(7.2 - 13.9)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	261	2,300	6.7	(2.7 - 10.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	410	5,000	14.3	(9.2 - 19.5)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	84	2,100	14.2	(5.2 - 23.2)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	140	1,400	10.2	(4.5 - 15.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	153	900	9.4	(4.6 - 14.1)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	243	1,300	9.6	(5.8 - 13.3)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	635	6,700	10.9	(7.3 - 14.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	296	3,300	11.9	(7.3 - 16.5)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	191	2,800	12.8	(5.7 - 19.9)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	183	1,000	5.3	(0.0 - 11.0)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	205	3,600	19.6	(10.8 - 28.3)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	177	1,300	7.9	(3.8 - 12.0)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 48b. Current asthma among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	11.1	(7.4 - 14.8)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	261	6.8	(2.5 - 11.0)	14,546	6.4	(4.9 - 7.9)
Female	410	15.3	(9.5 - 21.1)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	635	11.4	(7.5 - 15.4)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	296	12.5	(7.3 - 17.6)	15,594	10.8	(8.3 - 13.3)
Some College	191	13.9	(6.0 - 21.8)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	183	5.4	(0.0 - 11.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	205	21.0	(11.3 - 30.8)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	177	8.0	(3.6 - 12.4)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 49a. Chronic joint symptoms among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	35,700	52.0	(46.4 - 57.6)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	261	18,100	53.6	(44.5 - 62.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	414	17,600	50.5	(43.9 - 57.1)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	141	7,600	56.4	(46.8 - 66.0)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	154	6,500	64.4	(56.1 - 72.8)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	244	7,700	57.2	(50.5 - 63.8)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	639	32,700	52.6	(47.1 - 58.2)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	296	14,700	52.4	(43.6 - 61.1)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	186	8,100	43.8	(34.2 - 53.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 49b. Chronic joint symptoms among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	50.6	(44.6 - 56.5)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	261	53.3	(43.8 - 62.7)	14,595	42.6	(38.8 - 46.3)
Female	414	48.0	(40.8 - 55.1)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	639	51.3	(45.4 - 57.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	296	50.7	(41.2 - 60.1)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	186	41.7	(31.8 - 51.5)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 50a. Arthritis among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	25,300	36.9	(31.7 - 42.0)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	261	11,800	34.9	(26.4 - 43.5)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	414	13,500	38.7	(32.9 - 44.6)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	141	5,700	42.5	(32.8 - 52.2)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	153	5,200	52.1	(43.4 - 60.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	245	8,400	62.4	(55.9 - 68.9)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	639	23,200	37.5	(32.6 - 42.4)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	297	11,400	40.6	(32.7 - 48.5)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	186	5,400	29.3	(21.5 - 37.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	207	7,800	42.6	(32.7 - 52.5)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	177	6,700	41.8	(32.1 - 51.6)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 50b. Arthritis among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	34.6	(29.3 - 39.8)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	261	34.2	(25.4 - 43.0)	14,555	23.5	(20.9 - 26.1)
Female	414	34.9	(28.9 - 40.9)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	639	35.1	(30.0 - 40.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	297	38.1	(29.9 - 46.3)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	186	27.2	(19.4 - 35.0)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	18,600	27.1	(22.6 - 31.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	261	8,300	24.5	(17.5 - 31.5)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	414	10,400	29.7	(24.1 - 35.3)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	141	4,400	32.7	(23.4 - 42.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	154	3,600	35.3	(27.2 - 43.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	244	4,600	34.3	(27.9 - 40.6)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	639	17,700	28.6	(23.9 - 33.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	297	7,800	27.6	(21.1 - 34.0)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	192	7,400	34.0	(24.2 - 43.8)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	185	3,400	18.5	(11.9 - 25.2)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	178	5,300	32.9	(23.4 - 42.4)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	96	1,800	17.3	(8.7 - 25.8)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	107	1,600	10.6	(4.1 - 17.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	26.6	(21.8 - 31.3)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	261	23.8	(16.7 - 31.0)	14,566	18.6	(15.8 - 21.4)
Female	414	29.2	(23.1 - 35.3)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	639	27.9	(22.9 - 32.8)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	297	26.1	(19.4 - 32.8)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	185	17.7	(11.0 - 24.4)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	178	31.9	(21.9 - 41.8)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	96	16.4	(7.8 - 25.0)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	107	10.7	(4.1 - 17.3)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	7,300	10.7	(7.8 - 13.6)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	258	3,300	9.8	(5.0 - 14.6)	14,617	460,700	6.5	(5.3 - 7.7)
Female	415	4,100	11.6	(8.4 - 14.9)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	141	900	6.9	(2.5 - 11.4)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	154	1,700	17.1	(10.7 - 23.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	242	2,700	20.2	(14.7 - 25.7)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	637	6,600	10.7	(7.7 - 13.8)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	295	3,800	13.5	(9.1 - 17.9)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	191	2,400	10.9	(4.4 - 17.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	186	1,100	5.8	(2.8 - 8.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	207	3,500	19.3	(12.3 - 26.4)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	176	1,800	11.5	(4.7 - 18.2)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	9.9	(7.0 - 12.9)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	258	9.6	(4.5 - 14.6)	14,617	6.8	(5.5 - 8.0)
Female	415	10.3	(7.1 - 13.5)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	637	9.8	(6.8 - 12.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	295	12.3	(7.9 - 16.8)	15,711	10.3	(8.3 - 12.3)
Some College	191	10.7	(3.8 - 17.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	186	5.1	(2.2 - 8.0)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	207	18.1	(10.7 - 25.5)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	176	11.0	(3.9 - 18.1)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 53a. Disability among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	20,200	29.5	(24.9 - 34.1)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	261	9,100	27.0	(19.8 - 34.2)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	414	11,100	31.9	(26.1 - 37.6)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	141	4,800	35.5	(26.1 - 44.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	154	4,100	40.7	(32.3 - 49.1)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	244	5,300	39.3	(32.7 - 45.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	639	19,100	30.9	(26.1 - 35.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	297	8,500	30.1	(23.4 - 36.8)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	192	7,900	36.3	(26.4 - 46.2)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	185	3,700	20.0	(13.2 - 26.8)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	178	5,800	35.5	(25.9 - 45.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	96	1,800	17.6	(9.0 - 26.1)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	107	1,800	11.8	(5.0 - 18.5)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 53b. Disability among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	28.6	(23.8 - 33.4)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	261	26.1	(18.8 - 33.5)	14,568	20.9	(18.0 - 23.8)
Female	414	30.9	(24.7 - 37.1)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	639	29.9	(24.9 - 34.9)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	297	28.3	(21.4 - 35.2)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	185	18.9	(12.1 - 25.8)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	*	*	*	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	96	16.6	(8.0 - 25.3)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	107	11.7	(4.9 - 18.4)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 54a. Current smoking among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	20,500	30.0	(24.4 - 35.7)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	260	12,000	35.7	(26.4 - 45.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	413	8,500	24.5	(18.3 - 30.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	140	4,500	33.8	(24.9 - 42.7)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	153	2,400	23.8	(16.1 - 31.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	244	1,300	9.4	(5.7 - 13.1)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	637	17,400	28.2	(22.9 - 33.5)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	296	9,800	34.9	(26.5 - 43.2)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	185	1,900	10.2	(3.0 - 17.4)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 54b. Current smoking among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	30.8	(24.8 - 36.8)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	260	35.9	(26.2 - 45.7)	14,559	19.2	(16.3 - 22.1)
Female	413	25.8	(19.0 - 32.6)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	637	29.0	(23.3 - 34.7)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	296	36.1	(27.0 - 45.1)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	185	9.7	(2.3 - 17.2)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 55a. Everyday smoking among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	17,300	25.3	(19.7 - 30.8)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	260	10,500	31.1	(21.9 - 40.4)	14,559	848,400	12.0	(10.0 - 14.1)
Female	413	6,800	19.6	(13.7 - 25.5)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	140	3,100	23.3	(15.5 - 31.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	153	2,100	21.2	(13.7 - 28.6)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	244	1,000	7.2	(3.9 - 10.4)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	637	14,800	23.9	(18.7 - 29.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	296	9,100	32.5	(24.2 - 40.8)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	185	1,400	7.8	(0.8 - 14.8)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 55b. Everyday smoking among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	26.1	(20.2 - 32.0)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	260	31.5	(21.8 - 41.2)	14,559	12.1	(10.1 - 14.1)
Female	413	20.9	(14.4 - 27.5)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	637	24.9	(19.3 - 30.5)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	296	33.8	(24.8 - 42.8)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	185	7.5	(0.2 - 14.8)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	48,500	70.7	(65.3 - 76.0)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	261	21,800	64.5	(55.4 - 73.5)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	415	26,800	76.7	(71.2 - 82.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	141	8,900	65.8	(56.4 - 75.3)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	154	7,400	72.5	(64.7 - 80.3)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	245	10,300	76.6	(71.1 - 82.1)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	640	44,000	71.0	(65.8 - 76.1)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	18,600	66.0	(58.0 - 74.0)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	186	16,200	87.2	(80.5 - 93.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	207	11,600	63.5	(53.8 - 73.3)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	*	*	*	*	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	71.0	(65.4 - 76.6)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	261	64.5	(55.1 - 74.0)	14,577	79.4	(76.7 - 82.2)
Female	415	77.3	(71.3 - 83.2)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	640	71.2	(65.7 - 76.7)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	65.7	(57.2 - 74.3)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	186	88.4	(81.7 - 95.1)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	*	*	*	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 57a. Binge drinking within the past month among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	13,500	19.8	(14.8 - 24.8)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	258	9,300	27.7	(19.1 - 36.3)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	413	4,300	12.2	(7.1 - 17.3)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	139	3,000	22.1	(13.8 - 30.4)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	153	900	8.5	(3.7 - 13.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	243	900	6.8	(3.2 - 10.4)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	635	12,300	19.9	(14.8 - 24.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	294	4,700	16.7	(9.5 - 23.8)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	184	3,300	18.1	(8.9 - 27.4)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	206	3,300	18.1	(8.9 - 27.2)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	107	2,800	18.4	(9.0 - 27.7)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 57b. Binge drinking within the past month among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	20.5	(15.1 - 25.8)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	258	28.6	(19.6 - 37.7)	14,420	24.5	(21.0 - 27.9)
Female	413	12.6	(7.1 - 18.1)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	635	20.6	(15.2 - 25.9)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	294	17.0	(9.4 - 24.5)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	184	18.5	(8.8 - 28.3)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	206	19.0	(9.1 - 28.9)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	107	18.4	(8.8 - 28.0)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 58a. Heavy drinking within the past month among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	4,300	6.3	(3.5 - 9.1)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	257	2,000	6.1	(1.3 - 10.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	414	2,300	6.5	(3.5 - 9.5)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	138	1,400	10.6	(3.6 - 17.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	153	600	6.4	(2.1 - 10.7)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	244	500	4.0	(1.6 - 6.4)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	635	4,300	7.0	(3.9 - 10.1)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	293	1,100	4.0	(0.7 - 7.3)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	191	1,200	5.7	(1.4 - 10.0)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	186	1,900	10.5	(3.1 - 17.9)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	206	2,000	11.1	(2.8 - 19.5)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	177	500	3.3	(1.0 - 5.6)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	106	1,000	6.8	(1.5 - 12.1)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 58b. Heavy drinking within the past month among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	6.1	(3.2 - 9.1)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	257	6.1	(1.1 - 11.1)	14,330	4.9	(3.9 - 5.9)
Female	414	6.2	(3.1 - 9.3)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	635	6.8	(3.6 - 10.0)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	293	3.7	(0.6 - 6.8)	15,411	4.3	(3.2 - 5.3)
Some College	191	5.7	(1.1 - 10.3)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	186	10.2	(2.5 - 17.9)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	206	11.6	(2.6 - 20.6)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	177	2.8	(0.9 - 4.8)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	106	6.2	(1.1 - 11.3)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	42,500	70.6	(65.1 - 76.1)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	231	21,900	78.7	(70.8 - 86.7)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	392	20,700	63.6	(56.6 - 70.7)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	134	9,200	73.4	(64.9 - 81.8)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	142	7,100	75.1	(67.3 - 82.9)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	229	10,700	84.7	(79.6 - 89.8)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	591	39,700	73.3	(68.2 - 78.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	270	16,600	68.0	(58.9 - 77.0)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	178	14,500	74.2	(64.5 - 83.9)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	174	11,400	70.0	(60.9 - 79.0)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	69.4	(63.5 - 75.2)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	231	78.7	(70.4 - 87.0)	13,299	67.9	(64.0 - 71.9)
Female	392	61.4	(53.8 - 69.1)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	591	72.2	(66.7 - 77.8)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	270	67.0	(57.2 - 76.7)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	174	68.9	(59.3 - 78.5)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	409	31,000	68.8	(61.6 - 76.0)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	250	15,100	62.4	(53.5 - 71.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	4,600	78.1	(68.9 - 87.4)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	124	6,500	96.6	(93.0 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	391	29,800	71.9	(65.4 - 78.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	409	67.0	(59.4 - 74.5)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	250	59.5	(50.1 - 69.0)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	391	70.1	(63.1 - 77.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	58,800	90.4	(87.4 - 93.4)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	243	28,400	91.5	(87.3 - 95.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	398	30,400	89.4	(85.2 - 93.7)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	50	14,500	90.7	(81.9 - 99.6)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	84	13,400	95.2	(90.2 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	137	12,100	93.2	(87.4 - 98.9)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	150	9,200	93.2	(88.9 - 97.4)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	220	9,600	79.3	(73.7 - 84.9)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	606	52,800	90.1	(86.8 - 93.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	274	22,100	85.5	(79.6 - 91.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	187	20,000	94.5	(91.7 - 97.4)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	180	16,700	92.7	(87.0 - 98.5)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	196	15,700	89.1	(84.6 - 93.6)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	170	14,900	95.1	(92.3 - 98.0)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	96	9,400	93.0	(88.3 - 97.8)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	106	14,100	93.9	(87.2 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	90.8	(87.6 - 94.0)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	243	91.6	(87.3 - 95.9)	13,893	89.1	(86.9 - 91.3)
Female	398	90.1	(85.5 - 94.8)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	606	90.4	(87.0 - 93.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	274	85.9	(79.5 - 92.3)	14,507	84.6	(81.8 - 87.4)
Some College	187	95.0	(92.3 - 97.7)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	180	92.7	(86.9 - 98.5)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	196	90.1	(85.7 - 94.5)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	170	95.5	(92.6 - 98.3)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	96	93.6	(89.2 - 98.0)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	106	93.9	(87.3 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 62a. Overweight among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	26,300	39.9	(34.3 - 45.5)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	259	14,700	44.0	(35.0 - 52.9)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	390	11,500	35.6	(28.9 - 42.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	145	4,100	43.7	(34.8 - 52.6)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	239	4,600	35.2	(28.9 - 41.6)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	614	25,300	42.6	(36.9 - 48.3)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	10,000	36.2	(28.1 - 44.2)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	*	*	*	*	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	173	5,800	37.2	(27.2 - 47.1)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 62b. Overweight among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	39.7	(33.8 - 45.7)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	259	43.6	(34.3 - 52.9)	14,502	43.9	(40.1 - 47.6)
Female	390	35.7	(28.3 - 43.1)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	614	42.7	(36.6 - 48.7)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	35.7	(27.0 - 44.4)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 63a. Obesity among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	19,900	30.1	(24.9 - 35.4)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	259	11,100	33.1	(24.2 - 42.0)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	390	8,800	27.1	(21.7 - 32.4)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	135	4,600	35.1	(25.8 - 44.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	145	3,000	31.8	(23.6 - 40.0)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	239	4,000	30.5	(24.0 - 37.0)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	614	16,700	28.1	(23.3 - 32.9)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	290	8,100	29.4	(22.1 - 36.7)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	178	3,800	21.4	(14.3 - 28.4)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	201	4,500	25.5	(17.2 - 33.8)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 63b. Obesity among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	30.0	(24.4 - 35.5)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	259	32.8	(23.6 - 42.0)	14,502	21.5	(19.0 - 24.0)
Female	390	27.0	(21.2 - 32.9)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	614	27.9	(22.9 - 33.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	290	29.1	(21.3 - 37.0)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	178	19.9	(12.9 - 26.9)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	201	25.5	(16.5 - 34.5)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 64a. Overweight or obesity among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	46,100	70.0	(64.6 - 75.4)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	259	25,800	77.1	(68.9 - 85.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	390	20,300	62.7	(55.8 - 69.6)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	83	11,400	79.9	(70.5 - 89.2)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	135	10,200	78.6	(71.3 - 85.9)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	145	7,100	75.5	(68.0 - 83.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	239	8,700	65.8	(59.4 - 72.1)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	614	42,000	70.8	(65.5 - 76.0)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	18,100	65.6	(56.2 - 74.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	180	16,000	78.9	(70.9 - 86.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	178	12,000	66.7	(57.7 - 75.7)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	173	11,600	74.1	(64.7 - 83.6)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	103	11,300	75.7	(66.2 - 85.1)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 64b. Overweight or obesity among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	69.7	(63.9 - 75.5)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	259	76.4	(67.8 - 85.0)	14,502	65.4	(61.3 - 69.4)
Female	390	62.8	(55.2 - 70.3)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	614	70.6	(64.9 - 76.3)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	180	79.8	(71.6 - 88.1)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	178	65.4	(55.8 - 75.1)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	103	74.3	(64.3 - 84.3)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 65a. Received advice about weight by a health professional among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	18,700	28.5	(23.7 - 33.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	258	8,100	24.4	(17.5 - 31.4)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	390	10,600	32.7	(26.2 - 39.2)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	135	4,400	34.1	(24.9 - 43.4)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	145	3,400	35.8	(27.4 - 44.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	239	3,000	22.5	(16.5 - 28.5)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	613	17,600	29.9	(24.8 - 34.9)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	7,700	28.1	(20.7 - 35.5)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	180	6,300	31.0	(21.2 - 40.8)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	177	4,600	25.8	(17.8 - 33.9)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	201	4,800	27.3	(18.5 - 36.1)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	173	5,000	31.9	(22.1 - 41.7)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	102	2,900	20.0	(11.0 - 29.0)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 65b. Received advice about weight by a health professional among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	28.9	(23.7 - 34.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	258	23.8	(16.6 - 30.9)	14,499	23.4	(20.5 - 26.3)
Female	390	34.2	(27.0 - 41.4)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	613	30.5	(25.0 - 35.9)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	28.7	(20.7 - 36.8)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	177	25.5	(17.1 - 33.8)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	201	27.8	(18.1 - 37.6)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	102	19.3	(10.3 - 28.4)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	190	15,800	84.4	(76.1 - 92.8)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	179	14,900	84.3	(75.5 - 93.0)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	50	4,000	87.8	(78.9 - 96.7)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	190	83.5	(74.4 - 92.6)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	179	83.2	(73.6 - 92.7)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 67a. No leisure-time physical activity among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	14,400	20.9	(16.6 - 25.3)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	261	6,900	20.5	(13.4 - 27.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	414	7,400	21.4	(16.4 - 26.3)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	141	2,500	18.6	(11.0 - 26.2)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	154	2,500	24.7	(17.1 - 32.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	244	4,500	33.7	(27.4 - 40.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	639	12,900	20.9	(16.6 - 25.1)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	8,400	29.9	(22.4 - 37.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	192	4,700	21.4	(12.8 - 29.9)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	185	1,300	6.9	(3.5 - 10.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	178	3,600	22.1	(14.1 - 30.2)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	97	1,200	11.8	(4.2 - 19.4)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	*	*	*	*	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 67b. No leisure-time physical activity among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	20.0	(15.5 - 24.5)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	261	20.3	(13.0 - 27.6)	14,602	20.9	(17.8 - 23.9)
Female	414	19.7	(14.4 - 25.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	639	20.1	(15.6 - 24.5)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	28.8	(20.8 - 36.7)	15,683	32.3	(28.3 - 36.4)
Some College	192	21.5	(12.3 - 30.6)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	185	5.9	(2.9 - 8.8)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	178	20.9	(12.5 - 29.2)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	97	11.2	(3.5 - 18.9)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	18,900	27.5	(22.4 - 32.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	261	5,800	17.1	(9.6 - 24.6)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	415	13,100	37.6	(31.0 - 44.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	141	2,700	19.9	(13.0 - 26.8)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	154	2,600	25.1	(17.7 - 32.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	245	4,200	30.9	(24.7 - 37.1)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	640	17,600	28.4	(23.0 - 33.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	297	7,200	25.7	(17.1 - 34.3)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	192	5,200	23.6	(15.3 - 31.8)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	186	6,500	35.2	(25.6 - 44.9)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	178	3,100	18.9	(12.0 - 25.8)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	97	1,900	18.4	(10.5 - 26.3)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	107	3,800	24.9	(15.5 - 34.4)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	28.0	(22.4 - 33.6)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	261	17.3	(9.3 - 25.4)	14,634	22.7	(19.6 - 25.9)
Female	415	38.4	(31.0 - 45.7)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	640	28.7	(22.9 - 34.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	297	25.5	(16.0 - 35.0)	15,726	23.3	(19.3 - 27.3)
Some College	192	23.4	(14.6 - 32.2)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	*	*	*	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	178	18.9	(11.5 - 26.4)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	97	17.8	(9.7 - 25.8)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	107	26.1	(16.2 - 36.1)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 69a. Had a fall within the past 3 months among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	533	7,300	20.0	(15.9 - 24.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	214	3,800	22.5	(15.4 - 29.5)	10,966	489,400	14.4	(11.9 - 16.8)
Female	319	3,500	17.9	(13.1 - 22.7)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	140	2,800	21.2	(12.5 - 29.8)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	150	2,100	21.5	(14.5 - 28.5)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	243	2,400	17.8	(12.5 - 23.1)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	510	6,600	19.2	(15.1 - 23.4)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	251	3,600	21.4	(14.9 - 27.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	144	2,000	19.3	(11.8 - 26.8)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	137	1,800	18.7	(11.0 - 26.4)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	172	2,500	23.6	(14.9 - 32.4)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	149	2,600	25.8	(17.6 - 34.1)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	72	800	14.8	(6.3 - 23.2)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	68	800	13.1	(3.8 - 22.3)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 69b. Had a fall within the past 3 months among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	533	20.2	(15.9 - 24.5)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	214	22.4	(15.3 - 29.4)	10,966	15.0	(12.1 - 17.8)
Female	319	18.1	(13.1 - 23.0)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	510	19.5	(15.2 - 23.8)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	251	21.7	(14.9 - 28.5)	12,417	17.4	(13.0 - 21.7)
Some College	144	19.1	(11.5 - 26.8)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	137	18.9	(11.1 - 26.8)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	172	24.0	(14.7 - 33.2)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	149	26.6	(18.1 - 35.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	72	14.9	(6.2 - 23.6)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	68	12.7	(3.7 - 21.8)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Chemung County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Chemung County and New York State

	Chemung County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	532	3,000	8.3	(5.3 - 11.3)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	214	1,400	8.1	(2.8 - 13.4)	10,957	120,000	3.5	(2.5 - 4.6)
Female	318	1,700	8.4	(5.1 - 11.7)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	139	1,100	8.5	(2.0 - 15.0)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	150	1,100	10.8	(5.5 - 16.2)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	243	800	6.2	(2.8 - 9.5)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	509	2,600	7.5	(4.4 - 10.6)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	251	1,700	10.3	(4.9 - 15.6)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	144	1,000	9.6	(3.9 - 15.3)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	172	1,300	12.5	(4.9 - 20.1)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	149	900	9.3	(3.6 - 15.1)	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Chemung County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Chemung County and New York State - Age-Adjusted²

	Chemung County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	532	8.2	(5.1 - 11.3)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	214	8.0	(2.6 - 13.3)	10,957	3.6	(2.4 - 4.7)
Female	318	8.4	(5.1 - 11.7)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	509	7.5	(4.3 - 10.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	251	10.2	(4.7 - 15.8)	12,404	5.2	(3.5 - 6.8)
Some College	144	9.5	(3.7 - 15.2)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	172	12.6	(4.5 - 20.7)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	149	9.4	(3.6 - 15.3)	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)