

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Chenango County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Chenango County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Chenango County and New York State	14
Table 2b. Fair or poor general health among adults in Chenango County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Chenango County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Chenango County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Chenango County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Chenango County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Chenango County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Chenango County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Chenango County and New York State	22
Table 6b. Health insurance among adults in Chenango County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Chenango County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Chenango County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Chenango County and New York State	26
Table 8b. No health insurance among adults in Chenango County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Chenango County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Chenango County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Chenango County and New York State	30
Table 10b. Adults with regular health care provider in Chenango County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Chenango County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Chenango County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Chenango County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Chenango County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Chenango County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Chenango County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Chenango County and New York State	38
Table 14b. Dentist visit within the past year among adults in Chenango County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Chenango County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Chenango County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Chenango County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Chenango County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Chenango County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Chenango County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Chenango County and New York State	46
Table 18b. Flu shot within the past 12 months in Chenango County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Chenango County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Chenango County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Chenango County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Chenango County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Chenango County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Chenango County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Chenango County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Chenango County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Chenango County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Chenango County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Chenango County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Chenango County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Chenango County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Chenango County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Chenango County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Chenango County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Chenango County and New York State	64
Table 27b. Ever had a Pap test among women in Chenango County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Chenango County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Chenango County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Chenango County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Chenango County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Chenango County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Chenango County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Chenango County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Chenango County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Chenango County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Chenango County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Chenango County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Chenango County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Chenango County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Chenango County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Chenango County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Chenango County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Chenango County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Chenango County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Chenango County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Chenango County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chenango County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chenango County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chenango County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Chenango County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Chenango County and New York State	90
Table 40b. High blood pressure among adults in Chenango County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Chenango County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Chenango County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Chenango County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Chenango County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Chenango County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Chenango County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Chenango County and New York State	98
Table 44b. Cardiovascular disease among adults in Chenango County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Chenango County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Chenango County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Chenango County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Chenango County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Chenango County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Chenango County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Chenango County and New York State	106
Table 48b. Current asthma among adults in Chenango County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Chenango County and New York State	108
Table 49b. Chronic joint symptoms among adults in Chenango County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Chenango County and New York State	110
Table 50b. Arthritis among adults in Chenango County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Chenango County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Chenango County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Chenango County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Chenango County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Chenango County and New York State	116
Table 53b. Disability among adults in Chenango County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Chenango County and New York State	118
Table 54b. Current smoking among adults in Chenango County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Chenango County and New York State	120
Table 55b. Everyday smoking among adults in Chenango County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Chenango County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Chenango County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Chenango County and New York State	124
Table 57b. Binge drinking within the past month among adults in Chenango County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Chenango County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Chenango County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Chenango County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Chenango County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Chenango County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Chenango County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Chenango County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Chenango County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Chenango County and New York State	134
Table 62b. Overweight among adults in Chenango County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Chenango County and New York State	136
Table 63b. Obesity among adults in Chenango County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Chenango County and New York State	138
Table 64b. Overweight or obesity among adults in Chenango County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Chenango County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Chenango County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Chenango County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Chenango County and New York State - Age-adjusted	143

### **Physical Activity / Nutrition**

Table 67a. No leisure-time physical activity among adults in Chenango County and New York State	144
Table 67b. No leisure-time physical activity among adults in Chenango County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Chenango County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Chenango County and New York State - Age-adjusted	147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Chenango County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Chenango County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Chenango County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Chenango County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 1. Chenango County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Chenango County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	39,959	100	14,884,315	100
<b>Gender</b>				
Male	19,554	48.9	7,103,791	47.7
Female	20,405	51.1	7,780,524	52.3
<b>Age (years)</b>				
18-34	11,129	27.9	4,497,479	30.2
35-44	6,675	16.7	2,844,115	19.1
45-54	7,855	19.7	2,854,316	19.2
55-64	6,352	15.9	2,142,000	14.4
≥ 65	7,948	19.9	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	38,667	96.8	9,343,884	62.8
Black Non-Hispanic	437	1.1	2,156,941	14.5
Hispanic	541	1.4	2,258,717	15.2
Other Non-Hispanic	314	0.8	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	7,500	18.8	(15.0 - 22.6)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	259	3,500	17.9	(13.0 - 22.8)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	408	4,000	19.6	(13.8 - 25.4)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	140	1,400	18.2	(11.1 - 25.2)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	151	1,100	17.3	(10.8 - 23.8)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	230	2,600	32.2	(25.3 - 39.0)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	6,600	17.2	(13.7 - 20.6)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	353	5,700	27.1	(20.7 - 33.5)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	156	1,100	11.2	(6.3 - 16.1)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	158	800	8.0	(3.7 - 12.3)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	243	4,300	36.0	(27.3 - 44.6)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	170	1,400	13.3	(7.7 - 19.0)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	18.2	(14.0 - 22.3)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	259	17.2	(12.2 - 22.2)	14,599	15.3	(12.6 - 18.0)
Female	408	19.1	(12.5 - 25.7)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	16.3	(12.7 - 20.0)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	353	27.2	(20.1 - 34.4)	15,682	25.8	(22.1 - 29.5)
Some College	156	9.7	(5.2 - 14.2)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	158	7.1	(3.0 - 11.2)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	243	35.8	(26.0 - 45.7)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	170	12.6	(6.7 - 18.5)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	5,700	14.6	(11.4 - 17.8)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	252	2,800	14.5	(10.0 - 19.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	397	2,900	14.7	(10.2 - 19.2)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	79	1,100	17.1	(8.0 - 26.1)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	139	800	10.7	(5.1 - 16.3)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	148	1,300	21.2	(13.5 - 29.0)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	218	1,400	18.4	(12.8 - 24.1)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	629	5,400	14.3	(11.1 - 17.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	341	3,600	17.9	(13.1 - 22.7)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	154	1,400	14.9	(7.7 - 22.2)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	154	700	7.2	(3.1 - 11.3)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	235	2,900	24.7	(17.5 - 31.9)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	168	1,300	13.0	(7.2 - 18.9)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	99	600	8.3	(3.0 - 13.6)	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	14.3	(10.8 - 17.7)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	252	13.8	(9.3 - 18.4)	14,325	8.7	(6.9 - 10.5)
Female	397	14.7	(9.6 - 19.8)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	629	13.9	(10.5 - 17.3)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	341	18.0	(12.7 - 23.2)	15,178	12.7	(10.2 - 15.1)
Some College	154	14.4	(6.6 - 22.1)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	154	6.3	(2.4 - 10.3)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	235	25.0	(16.9 - 33.1)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	168	12.8	(6.5 - 19.1)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	99	7.4	(2.4 - 12.4)	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	4,900	12.6	(8.8 - 16.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	251	1,400	7.2	(3.2 - 11.2)	14,407	555,200	7.9	(6.3 - 9.6)
Female	400	3,500	17.7	(11.5 - 23.9)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	138	1,000	13.3	(7.4 - 19.1)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	146	500	8.3	(2.4 - 14.2)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	225	500	6.2	(3.0 - 9.4)	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	4,300	11.5	(8.1 - 14.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	339	3,200	15.8	(9.5 - 22.2)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	156	1,300	14.0	(7.3 - 20.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	234	2,300	19.6	(10.7 - 28.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	169	900	8.8	(3.7 - 14.0)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	13.5	(9.1 - 17.9)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	251	7.7	(3.0 - 12.3)	14,407	7.9	(6.3 - 9.6)
Female	400	19.0	(11.9 - 26.2)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	12.2	(8.3 - 16.1)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	339	17.7	(10.2 - 25.2)	15,335	12.3	(10.0 - 14.6)
Some College	156	14.1	(6.9 - 21.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	169	9.3	(3.3 - 15.2)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	8,500	22.1	(17.8 - 26.5)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	249	3,300	17.9	(12.6 - 23.2)	14,231	937,700	13.6	(11.4 - 15.8)
Female	395	5,200	26.1	(19.4 - 32.8)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	64	1,800	17.2	(7.5 - 26.9)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	138	1,400	17.8	(11.1 - 24.5)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	147	1,600	26.5	(17.9 - 35.1)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	217	1,600	21.6	(15.7 - 27.6)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	624	7,800	21.0	(16.9 - 25.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	336	5,300	26.5	(19.7 - 33.2)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	155	2,300	24.0	(15.5 - 32.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	153	1,000	10.6	(5.5 - 15.7)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	232	4,000	34.5	(25.2 - 43.7)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	167	1,900	18.8	(11.9 - 25.6)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	83	800	13.3	(4.1 - 22.4)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	98	900	12.6	(6.0 - 19.2)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	22.3	(17.5 - 27.2)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	249	17.6	(11.9 - 23.3)	14,231	13.6	(11.4 - 15.8)
Female	395	26.8	(19.2 - 34.3)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	624	20.9	(16.4 - 25.4)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	336	27.6	(19.9 - 35.3)	15,018	20.1	(17.1 - 23.1)
Some College	155	23.5	(14.4 - 32.6)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	153	10.0	(4.7 - 15.2)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	167	18.4	(11.1 - 25.8)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	83	13.0	(3.2 - 22.7)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	98	11.9	(5.2 - 18.6)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 6a. Health insurance among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	34,400	87.0	(83.3 - 90.8)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	256	15,700	82.2	(76.0 - 88.4)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	407	18,700	91.6	(87.3 - 95.9)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	80	5,700	85.1	(75.9 - 94.4)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	140	7,200	92.1	(87.6 - 96.6)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	150	5,700	89.8	(84.8 - 94.8)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	229	7,800	98.5	(96.9 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	33,300	87.0	(83.2 - 90.9)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	349	17,200	83.8	(77.8 - 89.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	156	8,400	87.8	(81.1 - 94.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	158	8,800	93.3	(87.9 - 98.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	242	10,000	83.2	(76.6 - 89.8)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	169	8,400	83.9	(75.9 - 92.0)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	84	5,800	92.3	(85.6 - 99.1)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	101	6,900	98.3	(95.5 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 6b. Health insurance among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	86.2	(82.0 - 90.4)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	256	81.2	(74.4 - 88.0)	14,597	83.6	(79.7 - 87.5)
Female	407	90.9	(85.9 - 95.9)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	86.1	(81.7 - 90.4)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	349	82.5	(75.7 - 89.3)	15,673	80.1	(75.4 - 84.7)
Some College	156	86.7	(79.2 - 94.2)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	158	93.4	(87.7 - 99.1)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	242	82.2	(74.6 - 89.7)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	169	82.3	(73.5 - 91.2)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	84	91.7	(84.1 - 99.2)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	101	98.6	(96.0 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	26,300	84.0	(79.3 - 88.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	190	12,200	78.6	(71.1 - 86.1)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	239	14,100	89.4	(83.9 - 94.9)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	80	5,700	85.1	(75.9 - 94.4)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	137	7,100	91.9	(87.4 - 96.5)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	148	5,500	89.5	(84.4 - 94.7)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	417	25,400	84.0	(79.2 - 88.8)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	202	12,300	79.0	(71.2 - 86.8)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	107	6,500	85.2	(76.9 - 93.5)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	120	7,500	92.6	(86.4 - 98.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	113	6,200	76.1	(66.4 - 85.8)	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	127	6,700	80.7	(71.2 - 90.1)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	72	5,300	91.8	(84.6 - 99.0)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	90	6,200	98.1	(95.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	83.5	(78.4 - 88.6)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	190	77.5	(69.5 - 85.6)	10,078	80.5	(75.9 - 85.1)
Female	239	89.1	(83.1 - 95.1)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	417	83.4	(78.2 - 88.6)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	202	78.2	(69.8 - 86.6)	9,037	75.1	(69.3 - 80.9)
Some College	107	84.4	(75.4 - 93.3)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	120	92.8	(86.4 - 99.3)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	72	91.2	(83.3 - 99.2)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	90	98.4	(95.6 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 8a. No health insurance among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	5,100	13.0	(9.2 - 16.7)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	256	3,400	17.8	(11.6 - 24.0)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	407	1,700	8.4	(4.1 - 12.7)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	80	1,000	14.9	(5.6 - 24.1)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	140	600	7.9	(3.4 - 12.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	150	600	10.2	(5.2 - 15.2)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	5,000	13.0	(9.1 - 16.8)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	349	3,300	16.2	(10.2 - 22.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	156	1,200	12.2	(5.5 - 18.9)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	158	600	6.7	(1.2 - 12.1)	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	242	2,000	16.8	(10.2 - 23.4)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	169	1,600	16.1	(8.0 - 24.1)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 8b. No health insurance among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	13.8	(9.6 - 18.0)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	256	18.8	(12.0 - 25.6)	14,597	16.4	(12.5 - 20.3)
Female	407	9.1	(4.1 - 14.1)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	13.9	(9.6 - 18.3)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	349	17.5	(10.7 - 24.3)	15,673	19.9	(15.3 - 24.6)
Some College	156	13.3	(5.8 - 20.8)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	158	6.6	(0.9 - 12.3)	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	242	17.8	(10.3 - 25.4)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	169	17.7	(8.8 - 26.5)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	5,000	16.0	(11.3 - 20.7)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	190	3,300	21.4	(13.9 - 28.9)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	239	1,700	10.6	(5.1 - 16.1)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	80	1,000	14.9	(5.6 - 24.1)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	137	600	8.1	(3.5 - 12.6)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	148	600	10.5	(5.3 - 15.6)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	417	4,800	16.0	(11.2 - 20.8)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	202	3,300	21.0	(13.2 - 28.8)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	107	1,100	14.8	(6.5 - 23.1)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	113	1,900	23.9	(14.2 - 33.6)	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	127	1,600	19.3	(9.9 - 28.8)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	16.5	(11.4 - 21.6)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	190	22.5	(14.4 - 30.5)	10,078	19.5	(14.9 - 24.1)
Female	239	10.9	(4.9 - 16.9)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	417	16.6	(11.4 - 21.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	202	21.8	(13.4 - 30.2)	9,037	24.9	(19.1 - 30.7)
Some College	107	15.6	(6.7 - 24.6)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	32,800	82.3	(78.2 - 86.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	257	14,300	73.8	(67.1 - 80.6)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	408	18,400	90.4	(85.9 - 94.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	79	5,700	87.4	(80.3 - 94.4)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	140	6,900	87.5	(81.6 - 93.3)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	150	5,200	82.4	(75.5 - 89.2)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	230	7,200	91.0	(86.2 - 95.9)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	31,800	82.4	(78.2 - 86.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	351	16,900	81.3	(75.3 - 87.4)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	156	8,000	83.6	(76.5 - 90.6)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	158	7,800	83.2	(74.7 - 91.6)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	242	9,700	81.3	(74.0 - 88.7)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	170	8,200	79.9	(72.1 - 87.8)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	84	5,200	82.9	(72.9 - 92.9)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	101	6,300	89.3	(82.5 - 96.1)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	82.1	(77.6 - 86.5)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	257	73.6	(66.5 - 80.7)	14,593	78.1	(73.9 - 82.3)
Female	408	90.1	(85.1 - 95.1)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	82.1	(77.6 - 86.6)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	351	81.4	(74.8 - 88.0)	15,692	75.8	(71.0 - 80.6)
Some College	156	83.7	(76.3 - 91.2)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	158	81.8	(72.7 - 90.9)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	242	81.6	(73.8 - 89.5)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	170	79.5	(71.1 - 87.9)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	101	88.8	(81.6 - 96.1)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	5,700	14.2	(10.2 - 18.3)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	259	3,500	17.9	(11.3 - 24.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	408	2,200	10.8	(6.1 - 15.5)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	80	1,000	15.0	(6.2 - 23.8)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	140	1,000	13.1	(7.1 - 19.1)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	151	800	12.3	(5.5 - 19.0)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	5,600	14.6	(10.4 - 18.7)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	353	3,300	15.8	(9.9 - 21.6)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	156	1,900	19.8	(10.6 - 29.0)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	243	1,900	15.7	(9.4 - 21.9)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	170	1,300	12.5	(5.2 - 19.8)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	14.9	(10.5 - 19.4)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	259	18.6	(11.6 - 25.6)	14,607	12.5	(9.4 - 15.6)
Female	408	11.4	(6.2 - 16.7)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	15.3	(10.7 - 19.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	353	16.8	(10.3 - 23.4)	15,696	17.8	(13.8 - 21.7)
Some College	156	20.1	(10.5 - 29.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	243	16.5	(9.3 - 23.6)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	170	13.5	(5.4 - 21.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	24,800	62.4	(57.4 - 67.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	257	10,100	52.1	(44.7 - 59.4)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	406	14,700	72.3	(65.9 - 78.8)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	139	4,400	56.8	(47.7 - 65.8)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	151	4,600	71.8	(63.8 - 79.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	227	6,300	79.9	(73.7 - 86.1)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	24,000	62.3	(57.2 - 67.4)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	352	13,500	64.5	(57.3 - 71.7)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	158	5,800	61.9	(51.9 - 71.8)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	241	7,900	65.9	(56.8 - 75.0)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	169	5,300	52.2	(42.9 - 61.5)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	61.5	(56.0 - 67.0)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	257	50.9	(43.1 - 58.6)	14,592	67.1	(63.3 - 70.9)
Female	406	71.6	(64.4 - 78.9)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	61.3	(55.7 - 66.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	352	63.6	(55.6 - 71.5)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	*	*	*	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	169	51.4	(41.5 - 61.3)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	30,900	77.7	(73.4 - 82.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	257	13,600	70.3	(63.3 - 77.3)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	406	17,200	84.7	(80.1 - 89.4)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	139	5,700	72.8	(64.6 - 81.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	151	5,400	84.7	(78.7 - 90.8)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	227	7,200	92.0	(87.6 - 96.4)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	29,800	77.6	(73.2 - 82.0)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	352	16,200	77.3	(71.1 - 83.6)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	153	7,200	76.5	(68.1 - 84.8)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	158	7,500	79.7	(71.5 - 87.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	241	9,400	78.5	(70.7 - 86.2)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	169	6,700	65.6	(56.4 - 74.9)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	100	6,000	86.0	(78.5 - 93.6)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	77.0	(72.3 - 81.7)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	257	69.6	(62.1 - 77.1)	14,592	81.9	(78.4 - 85.3)
Female	406	84.0	(78.8 - 89.3)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	76.8	(72.0 - 81.5)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	352	76.8	(70.0 - 83.6)	15,640	84.6	(81.1 - 88.1)
Some College	153	76.0	(67.0 - 85.1)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	158	78.3	(69.3 - 87.2)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	241	77.8	(69.2 - 86.5)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	169	64.1	(54.2 - 74.0)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	100	85.6	(77.5 - 93.7)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	24,100	60.8	(55.5 - 66.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	255	11,800	61.0	(53.8 - 68.2)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	408	12,400	60.5	(53.0 - 68.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	139	5,600	71.2	(62.9 - 79.6)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	150	4,200	67.9	(59.5 - 76.2)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	229	4,500	57.3	(49.9 - 64.7)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	644	23,800	61.8	(56.6 - 67.0)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	350	10,800	52.3	(45.0 - 59.7)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	156	6,400	66.9	(57.3 - 76.5)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	*	*	*	*	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	240	5,400	46.0	(36.8 - 55.2)	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	170	6,700	65.7	(56.5 - 74.9)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	101	5,400	77.4	(67.9 - 87.0)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	60.7	(55.0 - 66.5)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	255	61.7	(54.2 - 69.3)	14,573	68.3	(64.6 - 72.1)
Female	408	59.7	(51.3 - 68.2)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	644	61.9	(56.2 - 67.6)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	350	53.0	(44.8 - 61.2)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	*	*	*	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	170	65.7	(55.9 - 75.4)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	101	77.5	(67.6 - 87.5)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	568	23,000	64.3	(58.9 - 69.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	229	10,100	57.1	(49.4 - 64.7)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	339	12,800	71.4	(63.8 - 79.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	132	4,800	64.8	(56.0 - 73.7)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	126	3,600	69.7	(60.8 - 78.5)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	167	3,900	68.1	(59.7 - 76.4)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	552	22,300	64.4	(58.9 - 69.8)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	278	10,400	58.6	(50.7 - 66.6)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	*	*	*	*	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	148	5,800	63.8	(53.8 - 73.7)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	98	5,300	77.7	(68.2 - 87.3)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	568	64.0	(58.2 - 69.8)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	229	57.5	(49.4 - 65.5)	13,173	69.2	(65.3 - 73.1)
Female	339	70.3	(61.9 - 78.8)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	552	64.0	(58.1 - 69.9)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	278	59.5	(50.9 - 68.1)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	*	*	*	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	98	78.0	(68.2 - 87.8)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	23,400	58.8	(53.5 - 64.0)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	258	11,400	58.2	(50.7 - 65.8)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	402	12,000	59.3	(51.9 - 66.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	140	5,500	69.5	(61.0 - 77.9)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	148	4,700	75.7	(68.3 - 83.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	226	7,100	91.1	(87.0 - 95.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	641	22,300	57.9	(52.6 - 63.2)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	347	14,500	70.0	(62.4 - 77.6)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	156	4,800	49.8	(39.9 - 59.8)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	157	4,100	43.1	(33.3 - 52.9)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	239	8,900	74.8	(65.7 - 84.0)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	168	6,200	60.7	(51.1 - 70.3)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	55.5	(49.8 - 61.2)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	258	56.0	(48.1 - 64.0)	14,457	47.9	(44.1 - 51.7)
Female	402	54.9	(46.7 - 63.1)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	641	54.4	(48.7 - 60.1)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	347	66.6	(58.2 - 75.0)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	*	*	*	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	226	2,100	26.3	(19.7 - 32.8)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	63	500	15.9	(6.8 - 24.9)	4,352	167,200	16.4	(11.8 - 20.9)
Female	163	1,500	34.4	(25.9 - 43.0)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	226	2,100	26.3	(19.7 - 32.8)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	218	2,000	25.9	(19.3 - 32.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	143	1,600	32.5	(23.7 - 41.4)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	126	1,400	36.3	(26.6 - 45.9)	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	226	25.2	(18.7 - 31.8)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	63	15.9	(6.8 - 25.0)	4,352	16.5	(11.5 - 21.4)
Female	163	34.3	(25.8 - 42.9)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	218	25.0	(18.3 - 31.6)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	143	31.3	(22.4 - 40.1)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	126	34.9	(25.2 - 44.7)	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	17,200	43.0	(38.0 - 48.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	258	7,100	36.7	(29.9 - 43.5)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	408	10,000	49.1	(42.0 - 56.1)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	203	6,900	32.6	(24.5 - 40.7)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	233	4,800	44.7	(37.6 - 51.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	230	5,400	68.3	(61.1 - 75.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	16,700	43.4	(38.3 - 48.4)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	352	9,400	45.3	(38.0 - 52.5)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	156	3,200	33.0	(24.3 - 41.8)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	*	*	*	*	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	243	5,900	49.5	(40.2 - 58.8)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	169	3,300	32.1	(23.9 - 40.3)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	41.6	(36.2 - 47.0)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	258	35.6	(28.5 - 42.8)	14,579	40.0	(36.2 - 43.8)
Female	408	47.3	(39.3 - 55.2)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	42.0	(36.6 - 47.5)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	352	43.8	(35.8 - 51.8)	15,663	43.7	(39.1 - 48.2)
Some College	156	32.1	(22.7 - 41.5)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	*	*	*	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	169	29.9	(21.4 - 38.4)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	17,300	43.3	(38.3 - 48.3)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	258	7,300	37.2	(30.4 - 44.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	407	10,000	49.1	(42.0 - 56.2)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	203	7,000	33.1	(25.1 - 41.2)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	232	4,800	44.8	(37.7 - 51.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	230	5,400	68.3	(61.1 - 75.5)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	645	16,800	43.7	(38.6 - 48.7)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	351	9,600	45.8	(38.6 - 53.1)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	156	3,200	33.0	(24.3 - 41.8)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	*	*	*	*	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	242	6,100	50.5	(41.2 - 59.8)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	169	3,300	32.1	(23.9 - 40.3)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	41.9	(36.5 - 47.3)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	258	36.2	(29.1 - 43.4)	14,568	40.4	(36.6 - 44.2)
Female	407	47.3	(39.4 - 55.3)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	645	42.4	(36.9 - 47.8)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	351	44.4	(36.4 - 52.4)	15,651	44.1	(39.6 - 48.6)
Some College	156	32.1	(22.7 - 41.5)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	*	*	*	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	169	29.9	(21.4 - 38.4)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	230	5,400	68.3	(61.1 - 75.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	167	3,100	68.1	(60.0 - 76.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	230	5,400	68.3	(61.1 - 75.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	222	5,300	69.0	(61.7 - 76.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	147	3,500	71.0	(62.6 - 79.5)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	129	2,600	68.3	(59.0 - 77.6)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	230	68.4	(60.9 - 75.9)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	167	68.2	(60.1 - 76.3)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	222	69.0	(61.4 - 76.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	147	71.5	(62.8 - 80.1)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	129	68.8	(59.3 - 78.3)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	628	10,600	30.0	(25.6 - 34.3)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	232	4,400	26.5	(20.3 - 32.7)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	396	6,200	33.1	(27.1 - 39.1)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	175	2,600	15.2	(8.7 - 21.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	228	2,800	26.7	(20.4 - 33.0)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	225	5,200	67.2	(59.7 - 74.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	610	10,300	30.2	(25.8 - 34.5)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	335	6,300	33.0	(26.6 - 39.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	146	2,100	25.4	(17.5 - 33.3)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	147	2,200	27.4	(19.2 - 35.7)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	236	4,600	42.0	(33.4 - 50.6)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	158	1,900	21.0	(14.2 - 27.7)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	75	1,000	20.3	(10.8 - 29.8)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	94	1,200	19.7	(11.2 - 28.2)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	628	27.9	(23.3 - 32.5)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	232	26.2	(19.5 - 32.8)	13,052	25.8	(22.3 - 29.4)
Female	396	29.4	(23.0 - 35.8)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	610	28.1	(23.4 - 32.8)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	335	30.8	(23.9 - 37.8)	14,700	29.5	(25.6 - 33.5)
Some College	146	23.4	(15.4 - 31.4)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	147	25.6	(17.0 - 34.2)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	236	39.4	(29.8 - 49.0)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	158	19.3	(12.3 - 26.3)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	75	18.5	(8.6 - 28.4)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	94	18.9	(10.1 - 27.7)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	225	5,200	67.2	(59.7 - 74.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	164	3,100	70.4	(62.1 - 78.7)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	225	5,200	67.2	(59.7 - 74.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	217	5,100	67.6	(60.0 - 75.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	145	3,500	71.4	(62.6 - 80.3)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	127	2,500	66.1	(56.4 - 75.8)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	225	66.8	(59.0 - 74.6)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	164	70.4	(62.1 - 78.7)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	217	67.2	(59.2 - 75.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	145	71.4	(62.3 - 80.5)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	127	66.3	(56.4 - 76.2)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	353	11,600	90.1	(86.4 - 93.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	353	11,600	90.1	(86.4 - 93.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	135	4,900	90.2	(84.6 - 95.8)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	167	4,100	91.5	(87.2 - 95.9)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	343	11,300	90.0	(86.3 - 93.7)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	191	5,800	89.4	(84.9 - 93.9)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	84	3,000	91.4	(83.6 - 99.3)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	78	2,700	89.9	(81.5 - 98.4)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	144	3,800	89.8	(84.7 - 94.8)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	*	*	*	*	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	353	89.5	(85.2 - 93.8)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	353	89.5	(85.2 - 93.8)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	343	89.4	(85.0 - 93.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	191	90.1	(85.7 - 94.4)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	78	88.1	(78.2 - 98.1)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	144	90.5	(85.7 - 95.4)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	352	9,600	74.6	(69.2 - 79.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	352	9,600	74.6	(69.2 - 79.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	135	4,300	78.2	(69.9 - 86.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	166	3,300	73.8	(66.2 - 81.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	342	9,400	74.8	(69.3 - 80.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	191	4,800	73.5	(66.5 - 80.6)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	143	2,800	67.2	(58.4 - 76.0)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	352	73.9	(67.9 - 79.8)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	352	73.9	(67.9 - 79.8)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	342	74.0	(67.9 - 80.0)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	191	74.5	(67.4 - 81.6)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	143	68.5	(59.4 - 77.7)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	301	7,600	76.2	(70.5 - 81.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	301	7,600	76.2	(70.5 - 81.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	135	4,300	78.2	(69.9 - 86.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	166	3,300	73.8	(66.2 - 81.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	292	7,400	76.7	(70.9 - 82.4)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	171	3,900	72.1	(64.5 - 79.6)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	66	1,900	85.3	(76.5 - 94.1)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	131	2,300	65.4	(56.1 - 74.8)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	301	76.3	(70.4 - 82.3)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	301	76.3	(70.4 - 82.3)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	292	76.7	(70.6 - 82.7)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	171	72.3	(64.7 - 79.9)	7,026	83.6	(80.1 - 87.0)
Some College	66	85.6	(76.8 - 94.4)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	131	65.3	(55.8 - 74.8)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	406	19,500	97.0	(93.6 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	406	19,500	97.0	(93.6 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	78	3,900	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	88	3,200	98.5	(96.4 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	166	4,300	95.1	(92.3 - 98.0)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	395	18,900	97.0	(93.6 - 100)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	216	9,800	94.9	(88.4 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	98	5,100	99.6	(98.9 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	92	4,700	98.7	(97.1 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	157	6,400	97.4	(95.6 - 99.3)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	96	4,600	99.0	(97.6 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	56	3,800	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	50	2,800	99.4	(98.1 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	406	97.0	(93.1 - 100)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	406	97.0	(93.1 - 100)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	395	97.0	(93.0 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	216	94.6	(87.0 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	98	99.7	(99.2 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	92	99.0	(97.9 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	157	98.0	(96.4 - 99.5)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	96	99.3	(98.2 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	56	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	50	99.6	(98.8 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	15,800	78.7	(73.6 - 83.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	402	15,800	78.7	(73.6 - 83.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	*	*	*	*	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	88	2,500	76.2	(66.8 - 85.6)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	162	2,400	53.6	(45.0 - 62.1)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	391	15,200	78.4	(73.2 - 83.6)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	214	7,600	73.8	(65.6 - 82.1)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	98	4,300	83.2	(76.0 - 90.3)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	90	3,900	84.5	(75.3 - 93.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	155	4,700	72.3	(63.2 - 81.4)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	96	3,500	75.9	(66.4 - 85.3)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	56	3,600	95.0	(90.2 - 99.8)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	80.9	(75.5 - 86.3)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	402	80.9	(75.5 - 86.3)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	391	80.6	(75.0 - 86.1)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	214	75.7	(66.5 - 84.9)	9,384	76.4	(71.3 - 81.5)
Some College	98	85.9	(79.4 - 92.5)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	90	86.2	(77.3 - 95.1)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	155	76.1	(66.8 - 85.4)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	56	95.3	(90.1 - 100)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	210	9,500	74.2	(67.3 - 81.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	210	9,500	74.2	(67.3 - 81.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	63	3,100	89.9	(80.5 - 99.4)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	204	9,300	74.7	(67.7 - 81.6)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	210	72.0	(64.2 - 79.8)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	210	72.0	(64.2 - 79.8)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	204	72.6	(64.8 - 80.4)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	207	6,100	48.0	(40.4 - 55.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	207	6,100	48.0	(40.4 - 55.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	201	6,000	48.4	(40.7 - 56.1)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	207	46.1	(38.0 - 54.2)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	207	46.1	(38.0 - 54.2)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	201	46.5	(38.3 - 54.7)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	201	7,600	62.3	(54.6 - 70.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	201	7,600	62.3	(54.6 - 70.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	61	3,000	89.6	(81.8 - 97.5)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	195	7,500	62.8	(55.0 - 70.5)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	201	59.6	(51.2 - 68.1)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	201	59.6	(51.2 - 68.1)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	195	60.2	(51.7 - 68.7)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	195	6,500	54.5	(46.6 - 62.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	195	6,500	54.5	(46.6 - 62.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	189	6,400	54.8	(46.8 - 62.8)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	195	52.7	(44.1 - 61.2)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	195	52.7	(44.1 - 61.2)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	189	53.0	(44.4 - 61.7)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	461	6,400	34.4	(29.4 - 39.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	158	2,400	28.3	(20.6 - 36.0)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	303	4,000	39.5	(33.1 - 45.9)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	232	3,400	31.5	(24.7 - 38.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	229	3,000	38.3	(31.0 - 45.6)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	448	6,200	34.0	(28.9 - 39.0)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	255	3,000	29.7	(23.4 - 36.0)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	194	1,900	30.8	(23.7 - 38.0)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	461	33.7	(28.6 - 38.8)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	158	28.0	(20.2 - 35.8)	9,571	39.4	(35.3 - 43.5)
Female	303	38.8	(32.2 - 45.3)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	448	33.4	(28.2 - 38.5)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	255	28.6	(22.4 - 34.9)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	194	30.0	(22.8 - 37.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	2,100	11.2	(7.8 - 14.7)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	158	1,000	11.6	(5.7 - 17.6)	9,508	444,400	16.0	(13.2 - 18.9)
Female	295	1,100	10.9	(7.1 - 14.7)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	231	800	7.3	(3.6 - 11.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	222	1,300	16.7	(10.6 - 22.9)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	440	2,100	11.5	(8.0 - 15.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	249	1,200	11.8	(7.1 - 16.6)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	100	700	16.0	(7.0 - 25.0)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	*	*	*	*	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	192	800	12.5	(7.1 - 18.0)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	110	700	14.0	(6.0 - 22.0)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	11.2	(7.7 - 14.7)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	158	11.7	(5.6 - 17.9)	9,508	16.4	(13.2 - 19.6)
Female	295	10.7	(6.9 - 14.5)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	440	11.4	(7.8 - 15.0)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	249	11.5	(6.8 - 16.2)	11,026	12.7	(9.2 - 16.1)
Some College	100	17.0	(7.1 - 26.8)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	*	*	*	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	192	12.5	(6.9 - 18.1)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	110	14.2	(5.9 - 22.4)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	3,000	16.2	(12.2 - 20.3)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	158	1,400	16.3	(9.7 - 22.9)	9,508	593,100	21.4	(18.3 - 24.5)
Female	295	1,600	16.2	(11.3 - 21.1)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	231	1,300	12.3	(7.3 - 17.3)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	222	1,700	21.7	(15.1 - 28.3)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	440	3,000	16.4	(12.3 - 20.6)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	249	1,400	14.2	(9.3 - 19.1)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	104	600	14.1	(6.8 - 21.3)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	192	1,000	15.5	(9.7 - 21.3)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	110	1,000	19.7	(10.8 - 28.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	16.0	(11.9 - 20.1)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	158	16.3	(9.5 - 23.1)	9,508	21.7	(18.3 - 25.1)
Female	295	15.8	(10.9 - 20.6)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	440	16.2	(12.0 - 20.4)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	249	13.7	(8.9 - 18.6)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	104	13.5	(6.2 - 20.8)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	192	15.4	(9.5 - 21.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	110	20.1	(10.9 - 29.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	460	10,100	54.5	(49.3 - 59.7)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	157	4,700	55.3	(46.9 - 63.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	303	5,500	53.8	(47.4 - 60.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	151	3,400	54.1	(45.1 - 63.1)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	228	5,100	64.6	(57.5 - 71.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	447	10,100	55.3	(50.0 - 60.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	254	4,900	48.9	(41.9 - 55.9)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	193	3,200	50.9	(43.0 - 58.8)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	460	54.8	(49.5 - 60.2)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	157	56.2	(47.7 - 64.7)	9,582	68.5	(64.5 - 72.5)
Female	303	53.6	(46.9 - 60.2)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	447	55.5	(50.1 - 60.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	254	49.3	(42.1 - 56.4)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	193	52.1	(44.0 - 60.2)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	9,500	51.3	(46.1 - 56.6)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	156	4,400	51.7	(43.2 - 60.2)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	302	5,200	51.0	(44.6 - 57.5)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	149	3,200	51.5	(42.5 - 60.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	228	4,800	60.8	(53.6 - 68.0)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	445	9,500	52.0	(46.7 - 57.3)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	253	4,400	44.8	(37.8 - 51.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	193	2,800	44.6	(36.7 - 52.5)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	51.8	(46.4 - 57.1)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	156	52.7	(44.1 - 61.3)	9,521	66.9	(62.9 - 70.9)
Female	302	50.9	(44.2 - 57.5)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	445	52.4	(46.9 - 57.8)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	253	45.1	(38.0 - 52.3)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	193	45.7	(37.6 - 53.8)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	448	9,900	55.1	(49.9 - 60.4)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	152	4,500	54.8	(46.1 - 63.4)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	296	5,400	55.4	(49.0 - 61.8)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	146	3,400	55.6	(46.6 - 64.5)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	224	4,900	63.8	(56.7 - 71.0)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	435	9,900	55.9	(50.6 - 61.2)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	248	4,600	47.7	(40.7 - 54.8)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	190	3,100	49.7	(41.7 - 57.7)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	448	55.4	(50.1 - 60.8)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	152	55.5	(46.8 - 64.2)	9,418	71.5	(67.6 - 75.4)
Female	296	55.4	(48.8 - 62.0)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	435	56.2	(50.7 - 61.6)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	248	47.9	(40.7 - 55.1)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	190	50.7	(42.5 - 58.9)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	13,600	34.3	(29.7 - 38.8)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	258	7,000	35.9	(29.1 - 42.7)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	406	6,600	32.7	(26.7 - 38.7)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	140	2,400	30.0	(21.7 - 38.2)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	151	3,200	50.1	(41.2 - 59.1)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	228	4,600	58.4	(51.0 - 65.9)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	644	12,800	33.3	(28.9 - 37.7)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	352	7,900	37.9	(31.2 - 44.6)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	156	2,800	28.6	(20.7 - 36.6)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	156	2,900	31.9	(22.9 - 40.8)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	242	5,000	41.6	(32.7 - 50.5)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	170	3,600	35.3	(26.6 - 44.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	99	1,900	28.1	(18.4 - 37.8)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	32.0	(27.2 - 36.8)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	258	35.0	(27.9 - 42.1)	14,611	27.7	(24.7 - 30.7)
Female	406	29.1	(22.6 - 35.5)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	644	30.9	(26.3 - 35.5)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	352	36.5	(29.1 - 43.8)	15,688	32.1	(28.4 - 35.8)
Some College	156	25.7	(17.8 - 33.7)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	156	28.6	(19.4 - 37.7)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	170	33.2	(24.1 - 42.2)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	99	26.4	(16.5 - 36.2)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	288	10,500	77.3	(69.5 - 85.2)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	79	2,700	84.7	(76.2 - 93.1)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	137	4,300	96.0	(93.2 - 98.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	276	10,200	79.5	(72.7 - 86.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	288	73.9	(64.6 - 83.3)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	276	76.5	(68.5 - 84.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	31,300	82.0	(77.2 - 86.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	251	14,800	79.8	(72.7 - 86.8)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	396	16,500	84.1	(77.7 - 90.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	80	5,600	83.4	(74.0 - 92.7)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	136	7,000	91.2	(86.0 - 96.4)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	151	5,900	93.1	(88.6 - 97.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	223	7,400	96.6	(94.1 - 99.0)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	628	30,300	82.1	(77.2 - 86.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	344	16,200	79.9	(73.0 - 86.9)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	155	8,400	91.7	(85.5 - 97.8)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	234	8,800	77.9	(68.8 - 87.0)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	165	8,000	80.1	(71.2 - 88.9)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	83	5,300	89.0	(80.0 - 98.1)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	100	6,400	91.9	(82.6 - 100)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	80.3	(75.1 - 85.6)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	251	78.5	(70.9 - 86.1)	14,389	78.0	(73.9 - 82.1)
Female	396	82.1	(74.8 - 89.3)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	628	80.4	(75.0 - 85.8)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	344	78.1	(70.2 - 85.9)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	155	91.0	(84.4 - 97.6)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	165	78.1	(68.4 - 87.7)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	83	88.3	(78.6 - 98.0)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	100	91.0	(81.2 - 100)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	29,400	77.5	(72.7 - 82.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	249	13,900	75.5	(68.3 - 82.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	395	15,500	79.4	(73.0 - 85.9)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	135	6,500	84.9	(78.2 - 91.6)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	151	5,500	86.9	(81.3 - 92.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	222	7,200	93.7	(90.1 - 97.4)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	28,600	77.7	(72.8 - 82.6)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	343	15,300	75.8	(68.8 - 82.9)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	154	8,000	88.7	(82.0 - 95.4)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	233	8,300	73.5	(64.3 - 82.6)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	164	7,400	74.4	(65.3 - 83.6)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	83	5,200	86.2	(76.7 - 95.7)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	99	5,900	85.9	(76.0 - 95.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	75.8	(70.4 - 81.1)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	249	74.5	(66.8 - 82.2)	14,307	74.8	(70.7 - 79.0)
Female	395	77.0	(69.6 - 84.4)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	75.9	(70.4 - 81.3)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	343	74.2	(66.3 - 82.1)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	154	87.5	(80.2 - 94.8)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	164	72.3	(62.3 - 82.2)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	4,100	10.3	(8.0 - 12.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	255	2,500	12.8	(8.9 - 16.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	401	1,600	8.0	(5.4 - 10.5)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	149	1,100	17.9	(11.0 - 24.8)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	223	2,000	25.7	(19.2 - 32.1)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	636	4,000	10.5	(8.1 - 12.9)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	348	3,100	15.1	(11.1 - 19.1)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	152	400	4.4	(1.3 - 7.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	156	500	5.8	(2.2 - 9.4)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	236	2,000	16.9	(11.6 - 22.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	168	800	7.7	(3.7 - 11.8)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	9.3	(7.0 - 11.6)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	255	11.6	(7.8 - 15.4)	14,477	9.7	(7.8 - 11.7)
Female	401	7.2	(4.5 - 9.9)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	636	9.5	(7.1 - 11.9)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	348	14.1	(10.0 - 18.2)	15,486	10.5	(8.0 - 13.0)
Some College	152	3.6	(1.0 - 6.2)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	156	4.8	(1.7 - 7.9)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	236	15.2	(9.8 - 20.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	168	7.7	(3.2 - 12.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	3,600	9.2	(6.9 - 11.4)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	254	2,300	11.8	(7.9 - 15.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	401	1,400	6.7	(4.3 - 9.1)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	149	1,000	16.8	(10.0 - 23.6)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	222	1,700	22.2	(16.0 - 28.4)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	635	3,600	9.4	(7.1 - 11.7)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	346	2,700	13.0	(9.2 - 16.7)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	153	400	4.4	(1.3 - 7.6)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	156	500	5.6	(2.1 - 9.2)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	235	1,800	15.1	(10.1 - 20.2)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	169	700	7.0	(3.2 - 10.8)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	8.2	(6.0 - 10.3)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	254	10.6	(6.9 - 14.3)	14,479	8.8	(6.9 - 10.8)
Female	401	5.8	(3.4 - 8.2)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	635	8.4	(6.1 - 10.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	346	12.0	(8.1 - 15.8)	15,485	8.5	(6.2 - 10.7)
Some College	153	3.6	(1.0 - 6.2)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	156	4.7	(1.6 - 7.8)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	235	13.7	(8.6 - 18.9)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	169	6.7	(2.6 - 10.8)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	5,200	12.9	(9.3 - 16.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	258	2,100	10.8	(7.1 - 14.6)	14,626	530,400	7.5	(6.2 - 8.8)
Female	408	3,000	14.9	(8.9 - 21.0)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	140	1,000	12.3	(6.3 - 18.4)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	150	1,200	19.6	(12.2 - 27.0)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	230	1,600	19.6	(13.6 - 25.5)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	4,600	12.0	(8.7 - 15.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	352	3,300	15.6	(10.4 - 20.7)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	156	700	7.6	(3.7 - 11.5)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	158	1,200	12.5	(3.2 - 21.8)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	243	2,100	17.1	(9.9 - 24.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	170	1,200	11.7	(6.0 - 17.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	12.1	(8.2 - 16.1)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	258	9.4	(6.1 - 12.8)	14,626	7.5	(6.1 - 8.9)
Female	408	14.7	(7.8 - 21.6)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	11.1	(7.6 - 14.5)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	352	14.9	(9.2 - 20.6)	15,709	12.6	(10.0 - 15.2)
Some College	156	6.7	(3.0 - 10.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	*	*	*	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	243	15.8	(7.6 - 24.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	170	11.3	(5.4 - 17.2)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	6,500	16.2	(12.4 - 20.0)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	259	2,800	14.2	(8.8 - 19.5)	14,601	875,800	12.4	(10.1 - 14.7)
Female	408	3,700	18.1	(12.8 - 23.5)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	80	1,100	15.9	(6.1 - 25.8)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	140	1,100	14.4	(8.0 - 20.8)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	151	800	12.5	(6.9 - 18.0)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	230	900	11.1	(6.3 - 15.9)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	6,100	15.7	(11.9 - 19.6)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	353	3,100	14.6	(9.5 - 19.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	156	2,000	21.3	(12.9 - 29.7)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	158	1,400	14.5	(7.2 - 21.8)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	243	2,200	17.9	(11.0 - 24.9)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	170	1,800	17.6	(10.0 - 25.1)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	101	1,000	14.4	(5.6 - 23.2)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	16.8	(12.6 - 20.9)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	259	14.3	(8.5 - 20.1)	14,601	12.6	(10.3 - 14.9)
Female	408	19.1	(13.1 - 25.2)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	16.4	(12.2 - 20.7)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	353	15.1	(9.4 - 20.8)	15,675	15.1	(12.1 - 18.0)
Some College	156	22.0	(12.8 - 31.2)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	158	15.1	(7.1 - 23.1)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	243	18.8	(10.7 - 26.9)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	170	18.3	(10.0 - 26.7)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	101	14.5	(5.4 - 23.6)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 48a. Current asthma among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	5,200	12.9	(9.4 - 16.5)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	258	2,100	10.9	(6.0 - 15.9)	14,546	440,700	6.3	(4.8 - 7.7)
Female	408	3,000	14.8	(9.8 - 19.8)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	80	900	12.9	(3.8 - 22.1)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	139	700	9.3	(3.8 - 14.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	151	600	9.6	(4.5 - 14.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	230	600	7.8	(4.3 - 11.4)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	4,800	12.4	(8.8 - 15.9)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	353	2,400	11.4	(6.7 - 16.1)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	156	1,500	15.4	(7.7 - 23.1)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	157	1,300	13.8	(6.5 - 21.0)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	243	2,000	16.3	(9.5 - 23.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	169	1,300	12.5	(5.7 - 19.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 48b. Current asthma among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	13.5	(9.5 - 17.4)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	258	11.1	(5.6 - 16.5)	14,546	6.4	(4.9 - 7.9)
Female	408	15.7	(10.1 - 21.4)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	13.0	(9.0 - 17.0)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	353	11.7	(6.4 - 16.9)	15,594	10.8	(8.3 - 13.3)
Some College	156	16.2	(7.6 - 24.8)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	157	14.5	(6.5 - 22.5)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	243	17.1	(9.2 - 25.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	169	13.0	(5.4 - 20.6)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	19,900	50.4	(45.3 - 55.5)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	257	9,800	50.3	(43.0 - 57.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	405	10,100	50.5	(43.3 - 57.6)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	139	5,300	67.2	(59.0 - 75.4)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	150	3,700	59.2	(50.2 - 68.3)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	229	4,500	57.3	(49.8 - 64.8)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	642	19,500	51.0	(45.8 - 56.1)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	350	10,400	50.2	(42.9 - 57.5)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	155	5,300	55.1	(45.2 - 65.1)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	*	*	*	*	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	242	5,800	48.8	(39.6 - 58.1)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	168	5,500	53.7	(44.4 - 63.1)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	48.6	(43.1 - 54.1)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	257	49.1	(41.4 - 56.9)	14,595	42.6	(38.8 - 46.3)
Female	405	48.1	(40.2 - 55.9)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	642	49.2	(43.7 - 54.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	350	48.2	(40.3 - 56.2)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	168	52.4	(42.5 - 62.4)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 50a. Arthritis among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	13,700	34.6	(30.1 - 39.1)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	259	5,700	29.2	(22.8 - 35.6)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	406	8,000	39.8	(33.4 - 46.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	140	2,800	36.2	(27.6 - 44.8)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	151	3,400	53.1	(44.1 - 62.1)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	229	4,400	56.1	(48.5 - 63.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	645	13,500	35.0	(30.5 - 39.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	353	8,100	38.9	(32.1 - 45.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	154	2,900	31.2	(23.1 - 39.4)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	158	2,700	28.3	(20.4 - 36.2)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	242	4,800	40.1	(31.7 - 48.5)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	169	3,300	32.3	(24.3 - 40.4)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	101	2,000	28.2	(18.9 - 37.5)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 50b. Arthritis among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	32.1	(27.4 - 36.9)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	259	28.0	(21.2 - 34.7)	14,555	23.5	(20.9 - 26.1)
Female	406	36.1	(29.2 - 43.0)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	645	32.7	(27.8 - 37.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	353	36.5	(29.2 - 43.9)	15,652	30.4	(26.9 - 33.8)
Some College	154	28.9	(20.6 - 37.3)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	158	25.7	(17.7 - 33.7)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	242	36.9	(27.7 - 46.0)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	169	30.5	(22.1 - 38.8)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	101	26.8	(17.3 - 36.4)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	11,100	27.8	(23.5 - 32.1)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	259	5,500	28.0	(21.6 - 34.5)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	404	5,600	27.6	(21.8 - 33.3)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	140	1,900	24.1	(16.5 - 31.7)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	151	2,300	36.8	(28.2 - 45.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	227	2,700	34.8	(27.8 - 41.8)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	10,800	28.1	(23.7 - 32.4)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	352	6,200	29.5	(23.4 - 35.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	155	2,700	28.2	(19.4 - 37.1)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	156	2,200	23.6	(15.3 - 31.8)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	241	4,200	34.8	(26.7 - 42.8)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	170	3,200	31.2	(22.5 - 39.8)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	100	1,200	17.7	(10.1 - 25.3)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup>  
in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	27.1	(22.5 - 31.7)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	259	27.5	(20.7 - 34.3)	14,566	18.6	(15.8 - 21.4)
Female	404	26.7	(20.4 - 33.0)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	27.4	(22.7 - 32.1)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	352	29.3	(22.6 - 36.0)	15,626	23.8	(20.1 - 27.4)
Some College	155	27.6	(18.2 - 37.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	156	21.8	(13.4 - 30.3)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	241	33.9	(24.8 - 42.9)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	170	32.5	(23.1 - 42.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	100	16.3	(8.8 - 23.7)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	3,900	9.8	(7.5 - 12.1)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	259	2,000	10.2	(6.6 - 13.8)	14,617	460,700	6.5	(5.3 - 7.7)
Female	408	1,900	9.4	(6.6 - 12.3)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	140	500	6.8	(2.4 - 11.2)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	151	900	14.3	(8.4 - 20.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	230	1,700	21.8	(16.1 - 27.5)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	3,800	9.8	(7.5 - 12.1)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	353	2,500	11.8	(8.4 - 15.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	156	800	7.8	(3.4 - 12.3)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	158	700	7.3	(3.3 - 11.3)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	243	2,200	18.3	(12.9 - 23.7)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	170	700	6.9	(2.9 - 10.8)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	9.1	(6.7 - 11.4)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	259	9.6	(6.0 - 13.1)	14,617	6.8	(5.5 - 8.0)
Female	408	8.6	(5.5 - 11.6)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	9.0	(6.6 - 11.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	353	10.9	(7.4 - 14.4)	15,711	10.3	(8.3 - 12.3)
Some College	156	7.5	(2.7 - 12.3)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	158	6.6	(2.5 - 10.7)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	243	16.6	(11.0 - 22.2)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	170	6.8	(2.4 - 11.3)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 53a. Disability among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	11,500	29.0	(24.6 - 33.3)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	259	5,700	29.2	(22.8 - 35.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	404	5,800	28.7	(22.9 - 34.5)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	140	1,900	24.5	(16.9 - 32.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	151	2,300	36.8	(28.2 - 45.5)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	227	3,200	40.3	(33.0 - 47.6)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	11,300	29.3	(24.9 - 33.7)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	352	6,400	30.4	(24.3 - 36.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	155	2,800	29.5	(20.6 - 38.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	156	2,300	25.1	(16.8 - 33.5)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	241	4,400	37.0	(28.8 - 45.3)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	170	3,200	31.4	(22.8 - 40.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	100	1,200	17.7	(10.1 - 25.3)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 53b. Disability among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	28.1	(23.4 - 32.8)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	259	28.6	(21.8 - 35.5)	14,568	20.9	(18.0 - 23.8)
Female	404	27.6	(21.3 - 33.9)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	28.4	(23.7 - 33.2)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	352	30.2	(23.4 - 36.9)	15,638	26.8	(23.0 - 30.6)
Some College	155	28.6	(19.2 - 38.1)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	156	23.1	(14.6 - 31.6)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	241	35.9	(26.7 - 45.1)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	170	32.7	(23.3 - 42.2)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	100	16.3	(8.8 - 23.7)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 54a. Current smoking among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	9,500	23.8	(19.3 - 28.4)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	258	4,500	22.9	(16.9 - 29.0)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	408	5,000	24.7	(18.0 - 31.3)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	139	2,000	25.5	(17.7 - 33.3)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	151	1,300	20.5	(13.2 - 27.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	230	600	7.8	(4.2 - 11.4)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	8,800	22.7	(18.3 - 27.0)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	353	6,300	30.2	(23.3 - 37.2)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	155	2,500	26.4	(17.4 - 35.4)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	158	700	7.0	(2.5 - 11.4)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	243	4,400	36.9	(27.3 - 46.6)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	169	2,700	26.9	(18.5 - 35.2)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	101	800	11.6	(5.1 - 18.1)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 54b. Current smoking among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	25.0	(20.0 - 30.0)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	258	23.1	(16.7 - 29.5)	14,559	19.2	(16.3 - 22.1)
Female	408	26.9	(19.2 - 34.5)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	23.6	(18.8 - 28.4)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	353	32.1	(24.3 - 39.9)	15,654	22.8	(19.5 - 26.0)
Some College	155	27.9	(18.1 - 37.7)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	158	6.9	(2.3 - 11.5)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	169	27.8	(18.9 - 36.8)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	101	11.2	(4.7 - 17.7)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	7,300	18.2	(14.2 - 22.2)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	258	3,400	17.3	(12.0 - 22.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	408	3,900	19.1	(13.2 - 25.0)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	80	1,400	21.3	(11.5 - 31.2)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	139	1,800	22.6	(15.1 - 30.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	151	1,000	15.5	(8.8 - 22.2)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	230	500	6.3	(3.0 - 9.7)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	7,100	18.3	(14.3 - 22.4)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	353	5,100	24.6	(18.2 - 31.0)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	155	1,900	20.0	(12.3 - 27.8)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	243	3,100	25.6	(17.0 - 34.3)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	169	2,500	24.1	(16.0 - 32.1)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	19.0	(14.6 - 23.4)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	258	17.1	(11.5 - 22.6)	14,559	12.1	(10.1 - 14.1)
Female	408	20.9	(14.1 - 27.7)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	19.1	(14.6 - 23.6)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	353	26.0	(18.9 - 33.1)	15,654	16.4	(13.8 - 19.0)
Some College	155	21.2	(12.6 - 29.8)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	243	27.4	(17.6 - 37.2)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	169	25.1	(16.4 - 33.8)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	28,800	72.0	(67.4 - 76.7)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	259	14,000	71.4	(65.0 - 77.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	407	14,800	72.6	(65.8 - 79.4)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	140	6,000	75.8	(68.2 - 83.3)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	151	4,200	65.7	(57.3 - 74.1)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	229	6,000	76.0	(69.8 - 82.1)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	28,100	72.6	(68.0 - 77.2)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	352	12,900	61.6	(54.3 - 68.9)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	156	7,700	79.8	(72.8 - 86.9)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	158	8,200	87.3	(81.8 - 92.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	242	7,300	60.6	(51.2 - 70.0)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	170	7,300	70.8	(62.4 - 79.1)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	101	6,200	88.3	(81.8 - 94.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	72.3	(67.1 - 77.4)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	259	71.7	(64.9 - 78.5)	14,577	79.4	(76.7 - 82.2)
Female	407	72.8	(65.1 - 80.5)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	73.0	(68.0 - 78.0)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	352	61.1	(52.9 - 69.2)	15,647	76.9	(73.8 - 80.0)
Some College	156	80.0	(72.4 - 87.6)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	158	88.5	(83.1 - 93.8)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	170	71.8	(63.0 - 80.5)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	101	89.2	(82.8 - 95.5)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	6,400	16.2	(12.0 - 20.4)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	256	4,400	22.7	(16.0 - 29.4)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	404	2,000	9.8	(5.0 - 14.7)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	140	1,400	17.3	(10.4 - 24.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	150	500	8.6	(3.9 - 13.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	641	5,800	15.3	(11.4 - 19.2)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	348	3,100	15.4	(9.7 - 21.1)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	155	1,800	18.7	(9.4 - 28.0)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	157	1,400	15.4	(7.2 - 23.6)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	241	1,900	16.2	(7.6 - 24.8)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	169	1,600	15.6	(7.8 - 23.4)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	83	1,000	16.2	(7.4 - 25.0)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	17.3	(12.6 - 21.9)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	256	23.7	(16.5 - 30.9)	14,420	24.5	(21.0 - 27.9)
Female	404	10.9	(5.2 - 16.7)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	641	16.1	(11.9 - 20.4)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	348	16.6	(10.1 - 23.1)	15,491	17.5	(13.5 - 21.5)
Some College	155	19.8	(9.9 - 29.8)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	157	16.1	(7.3 - 24.8)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	241	18.4	(8.6 - 28.3)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	169	16.2	(7.8 - 24.6)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	83	16.2	(6.8 - 25.5)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	2,700	7.0	(4.1 - 9.9)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	252	1,500	7.9	(4.2 - 11.5)	14,330	333,300	4.8	(3.9 - 5.7)
Female	402	1,200	6.2	(1.8 - 10.6)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	139	700	9.1	(3.7 - 14.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	149	500	8.7	(3.8 - 13.6)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	636	2,300	6.1	(3.9 - 8.3)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	344	1,400	6.9	(2.4 - 11.3)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	154	1,000	11.0	(4.5 - 17.5)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	240	900	7.9	(0.9 - 14.8)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	168	800	7.7	(3.3 - 12.2)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	83	600	9.5	(3.4 - 15.7)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	7.0	(3.8 - 10.2)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	252	7.4	(3.7 - 11.2)	14,330	4.9	(3.9 - 5.9)
Female	402	6.6	(1.4 - 11.8)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	636	5.9	(3.7 - 8.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	344	7.2	(2.0 - 12.3)	15,411	4.3	(3.2 - 5.3)
Some College	154	11.2	(4.3 - 18.1)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	240	9.0	(0.7 - 17.4)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	168	7.2	(2.9 - 11.5)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	83	8.7	(2.5 - 14.8)	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	595	25,400	71.0	(65.7 - 76.3)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	229	13,400	78.3	(71.5 - 85.2)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	366	12,000	64.3	(56.6 - 72.1)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	126	5,400	74.3	(65.7 - 82.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	138	4,600	78.1	(70.4 - 85.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	205	6,200	86.4	(81.1 - 91.6)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	580	24,900	71.8	(66.6 - 77.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	315	12,900	70.4	(62.4 - 78.4)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	142	6,400	73.5	(64.3 - 82.7)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	151	6,500	72.0	(62.8 - 81.2)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	595	69.4	(63.6 - 75.3)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	229	77.7	(70.4 - 84.9)	13,299	67.9	(64.0 - 71.9)
Female	366	62.0	(53.3 - 70.6)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	580	70.4	(64.7 - 76.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	315	68.6	(59.6 - 77.6)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	*	*	*	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	151	71.3	(61.4 - 81.2)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	377	19,800	78.6	(72.5 - 84.6)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	152	10,400	84.8	(78.0 - 91.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	225	9,400	72.7	(63.0 - 82.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	87	4,000	83.6	(75.5 - 91.8)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	94	3,400	84.9	(75.5 - 94.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	93	3,200	94.1	(87.4 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	363	18,900	78.5	(72.2 - 84.7)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	191	10,800	87.2	(80.1 - 94.3)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	110	6,100	85.0	(76.9 - 93.0)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	377	77.3	(70.6 - 84.0)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	152	84.2	(77.1 - 91.4)	9,034	81.1	(77.4 - 84.8)
Female	*	*	*	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	363	77.2	(70.3 - 84.0)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	191	86.0	(78.1 - 94.0)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	110	83.1	(73.9 - 92.3)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	33,700	88.9	(85.6 - 92.2)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	245	15,900	84.8	(78.8 - 90.8)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	381	17,800	92.9	(90.5 - 95.3)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	64	9,700	90.3	(81.9 - 98.6)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	77	5,800	89.9	(81.0 - 98.8)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	138	7,300	95.1	(90.9 - 99.2)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	140	5,300	91.4	(86.6 - 96.2)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	207	5,500	77.2	(70.7 - 83.8)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	608	32,700	88.9	(85.6 - 92.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	322	16,100	83.5	(77.7 - 89.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	152	8,900	94.5	(90.9 - 98.0)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	152	8,700	94.6	(90.7 - 98.4)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	231	9,500	82.1	(75.0 - 89.2)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	160	9,000	92.4	(87.8 - 97.0)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	81	5,500	92.5	(84.2 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	99	6,600	95.5	(91.3 - 99.7)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	89.3	(85.7 - 92.9)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	245	84.1	(77.6 - 90.7)	13,893	89.1	(86.9 - 91.3)
Female	381	94.3	(92.3 - 96.4)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	608	89.3	(85.6 - 92.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	322	83.7	(77.3 - 90.1)	14,507	84.6	(81.8 - 87.4)
Some College	152	94.9	(91.3 - 98.5)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	152	95.0	(91.2 - 98.8)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	231	82.5	(74.5 - 90.5)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	160	92.8	(88.0 - 97.6)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	81	92.4	(83.9 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	99	95.7	(91.4 - 99.9)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 62a. Overweight among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	13,100	34.1	(29.4 - 38.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	258	7,600	39.0	(31.9 - 46.1)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	380	5,500	29.0	(23.2 - 34.8)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	135	2,200	29.4	(21.2 - 37.5)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	141	2,700	46.4	(37.2 - 55.5)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	221	3,100	40.1	(32.6 - 47.6)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	12,600	34.1	(29.3 - 38.9)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	339	6,000	29.8	(23.5 - 36.0)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	148	3,200	34.6	(24.9 - 44.2)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	*	*	*	*	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	239	3,500	29.8	(22.3 - 37.4)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	159	3,400	34.4	(25.3 - 43.4)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 62b. Overweight among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	32.9	(27.9 - 37.9)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	258	38.7	(31.2 - 46.2)	14,502	43.9	(40.1 - 47.6)
Female	380	26.9	(20.7 - 33.2)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	32.9	(27.8 - 38.0)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	339	27.8	(21.3 - 34.4)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	239	27.6	(19.6 - 35.6)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	159	33.3	(23.7 - 42.8)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 63a. Obesity among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	13,300	34.7	(29.5 - 39.8)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	258	6,600	33.9	(27.1 - 40.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	380	6,700	35.5	(27.8 - 43.1)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	135	3,100	40.5	(31.5 - 49.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	141	1,900	32.7	(24.3 - 41.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	221	2,200	29.0	(21.6 - 36.4)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	12,600	34.0	(28.9 - 39.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	339	7,600	38.1	(30.7 - 45.4)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	148	3,200	34.9	(25.2 - 44.7)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	*	*	*	*	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	239	4,100	35.0	(25.5 - 44.6)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	159	3,100	32.0	(23.2 - 40.7)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 63b. Obesity among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	34.9	(29.3 - 40.6)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	258	33.8	(26.6 - 41.1)	14,502	21.5	(19.0 - 24.0)
Female	380	36.1	(27.4 - 44.7)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	34.2	(28.7 - 39.8)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	339	38.6	(30.4 - 46.8)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	*	*	*	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	159	32.1	(22.8 - 41.4)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	26,400	68.7	(63.9 - 73.6)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	258	14,200	72.9	(66.2 - 79.6)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	380	12,200	64.4	(57.4 - 71.5)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	135	5,300	69.9	(61.1 - 78.7)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	141	4,700	79.1	(71.7 - 86.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	221	5,300	69.1	(62.4 - 75.8)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	25,200	68.1	(63.1 - 73.0)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	339	13,600	67.8	(60.8 - 74.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	148	6,400	69.5	(60.2 - 78.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	151	6,300	69.9	(60.5 - 79.3)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	239	7,600	64.9	(55.9 - 73.9)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	159	6,500	66.3	(57.2 - 75.4)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	67.8	(62.5 - 73.2)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	258	72.5	(65.4 - 79.7)	14,502	65.4	(61.3 - 69.4)
Female	380	63.0	(55.1 - 70.9)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	67.1	(61.7 - 72.6)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	339	66.4	(58.6 - 74.3)	15,079	64.6	(59.9 - 69.3)
Some College	148	69.4	(59.5 - 79.4)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	159	65.4	(55.6 - 75.1)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	8,900	23.1	(18.7 - 27.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	257	4,500	23.0	(17.2 - 28.8)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	380	4,400	23.3	(16.4 - 30.1)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	135	2,000	26.8	(18.8 - 34.8)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	142	1,900	31.5	(23.1 - 39.8)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	220	1,600	21.0	(14.3 - 27.7)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	8,300	22.4	(18.1 - 26.7)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	340	4,100	20.6	(14.6 - 26.6)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	148	2,100	22.2	(14.2 - 30.3)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	*	*	*	*	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	239	2,700	22.6	(14.2 - 31.0)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	159	2,100	21.8	(14.5 - 29.2)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	99	1,600	23.2	(14.1 - 32.3)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	22.9	(18.0 - 27.9)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	257	22.7	(16.5 - 28.9)	14,499	23.4	(20.5 - 26.3)
Female	380	23.1	(15.4 - 30.9)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	22.0	(17.3 - 26.6)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	340	20.9	(14.0 - 27.7)	15,116	27.3	(23.4 - 31.2)
Some College	148	21.6	(13.2 - 30.0)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	*	*	*	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	239	23.1	(13.2 - 33.0)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	159	21.3	(13.6 - 29.1)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	99	22.7	(13.3 - 32.1)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	7,800	88.5	(82.8 - 94.2)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	85	4,200	94.7	(90.5 - 99.0)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	147	7,400	89.1	(83.6 - 94.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	72	3,700	88.5	(79.6 - 97.4)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	89.1	(83.0 - 95.1)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	85	95.2	(90.9 - 99.4)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	147	89.8	(84.0 - 95.6)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	72	88.9	(79.1 - 98.6)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	9,100	22.9	(18.9 - 26.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	258	4,900	25.3	(19.2 - 31.4)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	405	4,200	20.7	(15.4 - 25.9)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	66	1,700	15.0	(5.3 - 24.7)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	80	1,000	15.0	(6.5 - 23.5)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	140	1,500	19.6	(12.6 - 26.6)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	150	1,900	29.5	(20.8 - 38.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	227	3,100	39.0	(31.7 - 46.3)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	8,800	22.8	(18.8 - 26.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	350	6,500	31.2	(24.7 - 37.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	156	1,700	18.1	(11.5 - 24.7)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	157	900	9.6	(4.8 - 14.3)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	240	4,100	34.5	(25.8 - 43.2)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	170	1,700	16.8	(10.5 - 23.1)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	84	800	12.5	(4.7 - 20.3)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	101	1,200	17.7	(8.8 - 26.5)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	21.5	(17.3 - 25.7)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	258	24.6	(18.4 - 30.9)	14,602	20.9	(17.8 - 23.9)
Female	405	18.5	(12.9 - 24.0)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	21.4	(17.1 - 25.6)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	350	29.7	(22.7 - 36.7)	15,683	32.3	(28.3 - 36.4)
Some College	156	16.9	(10.4 - 23.4)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	157	8.5	(3.8 - 13.2)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	240	33.4	(23.7 - 43.0)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	170	15.2	(9.0 - 21.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	84	11.8	(3.9 - 19.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	101	16.6	(7.6 - 25.6)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	9,600	24.0	(19.6 - 28.4)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	259	3,900	19.7	(14.1 - 25.4)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	408	5,700	28.1	(21.4 - 34.7)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	140	1,800	22.3	(15.0 - 29.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	151	1,300	20.0	(13.5 - 26.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	230	1,900	24.3	(17.7 - 30.8)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	9,300	24.1	(19.5 - 28.6)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	353	3,700	17.9	(12.5 - 23.2)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	156	2,000	21.0	(12.3 - 29.7)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	*	*	*	*	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	243	2,200	18.6	(11.5 - 25.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	170	1,600	15.6	(9.0 - 22.2)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	24.4	(19.5 - 29.3)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	259	20.5	(14.5 - 26.6)	14,634	22.7	(19.6 - 25.9)
Female	408	28.1	(20.6 - 35.6)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	24.5	(19.6 - 29.5)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	353	17.8	(11.9 - 23.7)	15,726	23.3	(19.3 - 27.3)
Some College	156	21.4	(12.0 - 30.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	*	*	*	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	243	17.5	(9.7 - 25.4)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	170	16.1	(8.9 - 23.4)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	512	5,200	23.9	(19.7 - 28.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	181	2,500	24.4	(17.6 - 31.2)	10,966	489,400	14.4	(11.9 - 16.8)
Female	331	2,700	23.5	(18.2 - 28.7)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	136	2,200	29.1	(20.7 - 37.4)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	146	1,500	24.2	(16.4 - 31.9)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	230	1,500	18.8	(13.2 - 24.3)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	497	5,100	24.2	(19.8 - 28.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	284	2,600	21.6	(16.1 - 27.1)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	115	1,300	26.6	(17.5 - 35.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	113	1,300	26.8	(17.2 - 36.4)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	201	1,600	24.3	(17.6 - 31.1)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	134	1,300	20.7	(13.2 - 28.1)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	512	24.0	(19.7 - 28.4)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	181	24.2	(17.4 - 31.0)	10,966	15.0	(12.1 - 17.8)
Female	331	23.9	(18.4 - 29.4)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	497	24.2	(19.8 - 28.7)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	284	21.5	(15.9 - 27.0)	12,417	17.4	(13.0 - 21.7)
Some College	115	26.4	(17.2 - 35.6)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	*	*	*	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	201	24.4	(17.5 - 31.3)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	134	20.6	(13.1 - 28.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Chenango County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Chenango County and New York State**

	Chenango County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	512	1,300	6.0	(3.8 - 8.3)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	331	1,000	8.4	(5.0 - 11.8)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	146	400	7.1	(3.0 - 11.2)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	230	400	4.5	(1.6 - 7.5)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	497	1,300	6.0	(3.7 - 8.2)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	284	800	7.0	(3.7 - 10.2)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	201	600	9.0	(4.4 - 13.7)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Chenango County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Chenango County and New York State - Age-Adjusted<sup>2</sup>**

	Chenango County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	512	6.0	(3.7 - 8.3)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	331	8.4	(4.9 - 11.9)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	497	5.9	(3.6 - 8.3)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	284	7.0	(3.7 - 10.4)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	201	9.4	(4.4 - 14.5)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)