

New York State Expanded Behavioral Risk Factor Surveillance System

Clinton County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Clinton County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Clinton County and New York State	14
Table 2b. Fair or poor general health among adults in Clinton County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Clinton County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Clinton County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Clinton County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Clinton County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Clinton County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Clinton County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Clinton County and New York State	22
Table 6b. Health insurance among adults in Clinton County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Clinton County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Clinton County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Clinton County and New York State	26
Table 8b. No health insurance among adults in Clinton County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Clinton County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Clinton County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Clinton County and New York State	30
Table 10b. Adults with regular health care provider in Clinton County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Clinton County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Clinton County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Clinton County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Clinton County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Clinton County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Clinton County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Clinton County and New York State	38
Table 14b. Dentist visit within the past year among adults in Clinton County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Clinton County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Clinton County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Clinton County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Clinton County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Clinton County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Clinton County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Clinton County and New York State	46
Table 18b. Flu shot within the past 12 months in Clinton County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Clinton County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Clinton County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Clinton County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Clinton County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Clinton County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Clinton County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Clinton County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Clinton County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Clinton County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Clinton County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Clinton County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Clinton County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Clinton County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Clinton County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Clinton County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Clinton County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Clinton County and New York State	64
Table 27b. Ever had a Pap test among women in Clinton County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Clinton County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Clinton County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Clinton County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Clinton County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Clinton County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Clinton County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Clinton County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Clinton County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Clinton County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Clinton County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Clinton County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Clinton County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Clinton County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Clinton County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Clinton County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Clinton County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Clinton County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Clinton County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Clinton County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Clinton County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Clinton County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Clinton County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Clinton County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Clinton County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Clinton County and New York State	90
Table 40b. High blood pressure among adults in Clinton County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Clinton County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Clinton County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Clinton County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Clinton County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Clinton County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Clinton County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Clinton County and New York State	98
Table 44b. Cardiovascular disease among adults in Clinton County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Clinton County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Clinton County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Clinton County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Clinton County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Clinton County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Clinton County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Clinton County and New York State	106
Table 48b. Current asthma among adults in Clinton County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Clinton County and New York State	108
Table 49b. Chronic joint symptoms among adults in Clinton County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Clinton County and New York State	110
Table 50b. Arthritis among adults in Clinton County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Clinton County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Clinton County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Clinton County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Clinton County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Clinton County and New York State	116
Table 53b. Disability among adults in Clinton County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Clinton County and New York State	118
Table 54b. Current smoking among adults in Clinton County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Clinton County and New York State	120
Table 55b. Everyday smoking among adults in Clinton County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Clinton County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Clinton County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Clinton County and New York State	124
Table 57b. Binge drinking within the past month among adults in Clinton County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Clinton County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Clinton County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Clinton County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Clinton County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Clinton County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Clinton County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Clinton County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Clinton County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Clinton County and New York State	134
Table 62b. Overweight among adults in Clinton County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Clinton County and New York State	136
Table 63b. Obesity among adults in Clinton County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Clinton County and New York State	138
Table 64b. Overweight or obesity among adults in Clinton County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Clinton County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Clinton County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Clinton County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Clinton County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Clinton County and New York State	144
Table 67b. No leisure-time physical activity among adults in Clinton County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Clinton County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Clinton County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Clinton County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Clinton County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Clinton County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Clinton County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 1. Clinton County and New York State adult US Census Bureau population estimates,¹ 2007

	Clinton County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	66,550	100	14,884,315	100
Gender				
Male	34,042	51.2	7,103,791	47.7
Female	32,508	48.8	7,780,524	52.3
Age (years)				
18-34	23,364	35.1	4,497,479	30.2
35-44	11,712	17.6	2,844,115	19.1
45-54	12,196	18.3	2,854,316	19.2
55-64	8,531	12.8	2,142,000	14.4
≥ 65	10,747	16.1	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	61,182	91.9	9,343,884	62.8
Black Non-Hispanic	2,555	3.8	2,156,941	14.5
Hispanic	1,920	2.9	2,258,717	15.2
Other Non-Hispanic	893	1.3	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 2a. Fair or poor general health among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	11,600	17.5	(13.1 - 21.9)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	241	5,200	15.2	(9.3 - 21.1)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	407	6,500	19.9	(13.5 - 26.2)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	104	1,100	9.1	(3.3 - 15.0)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	138	2,600	21.6	(13.4 - 29.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	132	1,900	22.2	(13.7 - 30.8)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	196	3,300	31.0	(24.0 - 37.9)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	616	9,900	16.2	(12.4 - 20.0)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	284	7,800	25.4	(17.6 - 33.2)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	156	2,400	14.3	(5.0 - 23.7)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	208	1,400	7.5	(4.1 - 10.9)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	169	3,200	19.0	(12.2 - 25.9)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 2b. Fair or poor general health among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	17.4	(13.2 - 21.6)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	241	16.0	(10.3 - 21.6)	14,599	15.3	(12.6 - 18.0)
Female	407	19.0	(12.9 - 25.2)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	616	16.2	(12.6 - 19.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	284	25.9	(18.3 - 33.4)	15,682	25.8	(22.1 - 29.5)
Some College	156	13.9	(5.4 - 22.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	208	7.5	(4.0 - 10.9)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	169	19.9	(13.0 - 26.9)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	8,800	13.4	(9.9 - 16.9)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	237	4,100	12.2	(6.7 - 17.7)	14,325	604,200	8.7	(7.0 - 10.5)
Female	399	4,700	14.7	(10.6 - 18.8)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	103	1,500	13.0	(5.1 - 20.8)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	137	2,200	17.9	(10.3 - 25.6)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	131	1,200	13.8	(7.4 - 20.1)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	188	2,000	19.5	(13.6 - 25.4)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	604	8,500	14.0	(10.3 - 17.7)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	278	6,500	21.2	(14.2 - 28.1)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	153	1,500	9.1	(5.1 - 13.1)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	205	900	4.7	(1.7 - 7.7)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	*	*	*	*	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	166	2,000	12.0	(6.0 - 18.0)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	13.3	(10.0 - 16.7)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	237	12.5	(7.2 - 17.9)	14,325	8.7	(6.9 - 10.5)
Female	399	14.2	(10.2 - 18.2)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	604	13.9	(10.4 - 17.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	278	21.1	(14.4 - 27.8)	15,178	12.7	(10.2 - 15.1)
Some College	153	9.2	(5.1 - 13.2)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	205	4.9	(1.8 - 8.1)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	166	11.7	(6.1 - 17.4)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	6,300	9.6	(6.8 - 12.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	240	2,500	7.2	(3.3 - 11.1)	14,407	555,200	7.9	(6.3 - 9.6)
Female	398	3,900	12.1	(8.1 - 16.2)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	77	2,100	9.0	(3.2 - 14.9)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	104	1,900	16.3	(7.8 - 24.8)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	136	1,200	9.5	(4.7 - 14.4)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	132	500	6.2	(2.0 - 10.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	189	600	6.2	(2.6 - 9.9)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	607	6,100	10.0	(7.0 - 13.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	278	3,900	12.7	(7.4 - 18.1)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	153	1,300	8.3	(3.8 - 12.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	207	1,100	5.8	(2.3 - 9.2)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	160	2,300	14.0	(7.1 - 21.0)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	164	2,000	11.8	(5.1 - 18.6)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	10.0	(7.1 - 12.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	240	7.7	(3.7 - 11.7)	14,407	7.9	(6.3 - 9.6)
Female	398	12.5	(8.3 - 16.7)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	607	10.5	(7.4 - 13.6)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	278	13.3	(7.9 - 18.7)	15,335	12.3	(10.0 - 14.6)
Some College	153	8.8	(4.1 - 13.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	207	6.1	(2.4 - 9.8)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	160	14.5	(7.4 - 21.7)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	164	12.3	(5.6 - 18.9)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	12,400	18.9	(14.9 - 23.0)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	236	5,100	15.2	(9.1 - 21.3)	14,231	937,700	13.6	(11.4 - 15.8)
Female	396	7,300	22.8	(17.7 - 28.0)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	77	3,500	15.1	(6.5 - 23.6)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	103	2,500	21.8	(12.7 - 31.0)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	137	2,800	22.8	(14.8 - 30.8)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	131	1,300	15.1	(8.4 - 21.8)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	184	2,300	22.8	(16.4 - 29.2)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	600	11,900	19.8	(15.5 - 24.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	274	8,300	27.4	(19.6 - 35.2)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	153	2,300	14.1	(8.5 - 19.8)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	205	1,800	9.6	(5.2 - 13.9)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	163	3,600	21.7	(13.1 - 30.2)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	101	1,000	8.2	(3.0 - 13.5)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	143	1,200	8.1	(3.5 - 12.7)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	19.1	(15.2 - 23.0)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	236	15.6	(9.7 - 21.4)	14,231	13.6	(11.4 - 15.8)
Female	396	22.8	(17.7 - 27.9)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	600	20.0	(15.9 - 24.2)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	274	27.5	(20.0 - 35.0)	15,018	20.1	(17.1 - 23.1)
Some College	153	14.5	(8.8 - 20.2)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	205	10.2	(5.6 - 14.8)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	163	21.7	(13.5 - 29.8)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	101	9.2	(3.5 - 14.9)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	143	8.9	(3.8 - 14.0)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 6a. Health insurance among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	57,700	87.7	(82.0 - 93.5)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	241	28,700	85.8	(76.4 - 95.2)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	406	29,000	89.8	(83.3 - 96.2)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	104	10,100	86.4	(78.1 - 94.6)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	138	11,300	92.8	(88.2 - 97.3)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	133	7,800	91.5	(86.3 - 96.7)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	196	10,700	99.3	(98.0 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	615	54,000	89.5	(84.0 - 95.0)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	208	18,100	94.4	(90.7 - 98.0)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	169	16,500	97.6	(94.9 - 100)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	*	*	*	*	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	144	14,800	98.0	(95.8 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 6b. Health insurance among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	88.2	(82.9 - 93.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	241	86.5	(78.1 - 94.8)	14,597	83.6	(79.7 - 87.5)
Female	406	90.0	(83.8 - 96.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	615	90.0	(85.1 - 94.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	85.3	(75.6 - 95.0)	15,673	80.1	(75.4 - 84.7)
Some College	155	85.8	(76.2 - 95.4)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	208	94.3	(90.5 - 98.1)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	169	97.2	(94.0 - 100)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	*	*	*	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	144	98.1	(96.0 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 7a. Health insurance among adults aged 18-64¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	447	46,800	85.4	(78.6 - 92.2)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	279	22,700	87.3	(79.5 - 95.1)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	104	10,100	86.4	(78.1 - 94.6)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	138	11,300	92.8	(88.2 - 97.3)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	129	7,600	91.3	(85.9 - 96.7)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	423	43,700	87.5	(80.9 - 94.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	161	15,600	93.9	(89.8 - 98.1)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	113	13,200	97.0	(93.7 - 100)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	125	13,600	97.8	(95.5 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 7b. Health insurance among adults aged 18-64¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	447	85.8	(79.6 - 92.1)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	168	83.9	(73.9 - 93.9)	10,078	80.5	(75.9 - 85.1)
Female	279	87.9	(80.5 - 95.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	423	88.0	(82.2 - 93.9)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	161	93.9	(89.6 - 98.2)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	113	96.4	(92.4 - 100)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	125	98.0	(95.7 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 8a. No health insurance among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	8,100	12.3	(6.5 - 18.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	241	4,800	14.2	(4.8 - 23.6)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	406	3,300	10.2	(3.8 - 16.7)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	104	1,600	13.6	(5.4 - 21.9)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	138	900	7.2	(2.7 - 11.8)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	133	700	8.5	(3.3 - 13.7)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	615	6,300	10.5	(5.0 - 16.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	208	1,100	5.6	(2.0 - 9.3)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 8b. No health insurance among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	11.8	(6.6 - 17.1)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	241	13.5	(5.2 - 21.9)	14,597	16.4	(12.5 - 20.3)
Female	406	10.0	(3.9 - 16.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	615	10.0	(5.1 - 14.9)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	14.7	(5.0 - 24.4)	15,673	19.9	(15.3 - 24.6)
Some College	155	14.2	(4.6 - 23.8)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	208	5.7	(1.9 - 9.5)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 9a. No health insurance among adults aged 18-64¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	447	8,000	14.6	(7.8 - 21.4)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	279	3,300	12.7	(4.9 - 20.5)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	104	1,600	13.6	(5.4 - 21.9)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	138	900	7.2	(2.7 - 11.8)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	129	700	8.7	(3.3 - 14.1)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	423	6,300	12.5	(6.0 - 19.1)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	161	1,000	6.1	(1.9 - 10.2)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 9b. No health insurance among adults aged 18-64¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	447	14.2	(7.9 - 20.4)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	168	16.1	(6.1 - 26.1)	10,078	19.5	(14.9 - 24.1)
Female	279	12.1	(4.8 - 19.5)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	423	12.0	(6.1 - 17.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	161	6.1	(1.8 - 10.4)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 10a. Adults with regular health care provider¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	54,600	82.9	(77.9 - 88.0)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	241	26,300	79.1	(71.4 - 86.8)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	407	28,200	86.9	(80.2 - 93.6)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	138	11,300	93.0	(88.1 - 97.9)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	133	8,100	94.9	(91.2 - 98.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	196	10,000	92.9	(89.3 - 96.5)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	616	51,000	84.5	(79.9 - 89.1)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	25,000	80.9	(72.9 - 89.0)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	208	16,800	87.8	(82.4 - 93.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	101	9,800	86.9	(77.8 - 96.0)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	144	13,500	89.8	(83.0 - 96.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 10b. Adults with regular health care provider¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	83.0	(78.2 - 87.8)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	241	78.9	(71.6 - 86.1)	14,593	78.1	(73.9 - 82.3)
Female	407	87.3	(80.8 - 93.7)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	616	84.6	(80.3 - 88.9)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	80.8	(73.1 - 88.6)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	208	87.5	(82.0 - 93.0)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	101	87.5	(79.2 - 95.9)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	144	89.7	(83.2 - 96.2)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	8,800	13.3	(8.7 - 17.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	241	4,000	11.6	(5.2 - 18.1)	14,607	903,300	12.7	(9.5 - 16.0)
Female	405	4,900	15.1	(8.5 - 21.6)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	104	1,600	13.7	(5.4 - 21.9)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	138	1,900	15.2	(8.3 - 22.2)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	132	900	10.3	(4.4 - 16.3)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	194	600	5.6	(2.3 - 8.8)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	614	7,300	12.0	(8.0 - 16.1)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	282	5,000	16.3	(8.6 - 23.9)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	208	900	4.6	(1.4 - 7.8)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	*	*	*	*	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	13.1	(8.7 - 17.5)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	241	11.4	(5.4 - 17.5)	14,607	12.5	(9.4 - 15.6)
Female	405	14.9	(8.5 - 21.2)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	614	11.8	(8.1 - 15.6)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	282	15.9	(8.5 - 23.2)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	208	4.5	(1.2 - 7.8)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	169	15.9	(6.3 - 25.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	45,600	68.7	(62.9 - 74.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	242	22,700	66.8	(57.7 - 75.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	405	22,900	70.7	(63.4 - 78.0)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	137	9,500	78.3	(70.9 - 85.8)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	133	6,900	81.4	(73.5 - 89.2)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	196	9,800	90.9	(86.6 - 95.1)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	615	43,200	70.8	(65.2 - 76.3)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	20,300	65.8	(56.2 - 75.4)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	208	13,200	68.9	(60.1 - 77.8)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	144	11,200	74.1	(64.7 - 83.4)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	69.2	(63.8 - 74.7)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	242	67.3	(58.9 - 75.6)	14,592	67.1	(63.3 - 70.9)
Female	405	71.3	(64.2 - 78.3)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	615	71.2	(66.0 - 76.4)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	66.3	(57.2 - 75.4)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	208	69.6	(61.2 - 78.0)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	144	75.0	(66.2 - 83.7)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	54,900	82.6	(78.2 - 87.1)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	242	27,100	79.7	(72.5 - 86.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	405	27,800	85.7	(80.8 - 90.7)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	137	10,800	89.2	(83.8 - 94.6)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	133	7,700	90.1	(84.4 - 95.7)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	196	10,000	92.9	(89.0 - 96.7)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	615	51,000	83.6	(79.3 - 87.8)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	26,200	84.8	(78.8 - 90.8)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	155	13,400	82.2	(72.6 - 91.7)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	208	15,300	79.6	(71.3 - 87.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	163	14,300	86.4	(78.5 - 94.3)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	144	12,800	85.1	(76.9 - 93.2)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	82.7	(78.5 - 86.9)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	242	79.7	(72.8 - 86.5)	14,592	81.9	(78.4 - 85.3)
Female	405	85.9	(81.1 - 90.7)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	615	83.6	(79.5 - 87.7)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	84.7	(78.9 - 90.5)	15,640	84.6	(81.1 - 88.1)
Some College	155	82.4	(73.2 - 91.6)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	208	79.9	(72.1 - 87.7)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	163	85.2	(76.9 - 93.6)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	168	78.1	(68.4 - 87.7)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	102	79.6	(69.9 - 89.4)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	144	85.3	(77.9 - 92.8)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 14a. Dentist visit within the past year among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	44,700	67.2	(61.5 - 72.9)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	242	23,500	69.0	(60.1 - 78.0)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	407	21,200	65.3	(58.4 - 72.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	138	9,200	75.1	(66.9 - 83.4)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	*	*	*	*	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	196	6,500	60.8	(53.5 - 68.1)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	617	42,700	69.8	(64.7 - 75.0)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	16,000	51.6	(41.9 - 61.3)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	156	12,500	76.4	(68.1 - 84.7)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	208	16,200	84.5	(76.4 - 92.6)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	102	10,400	87.0	(79.8 - 94.3)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	144	13,400	88.7	(82.2 - 95.1)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 14b. Dentist visit within the past year among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	67.3	(61.8 - 72.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	242	68.4	(60.1 - 76.8)	14,573	68.3	(64.6 - 72.1)
Female	407	66.0	(59.3 - 72.8)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	617	69.9	(65.0 - 74.8)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	51.4	(42.2 - 60.6)	15,613	65.3	(60.9 - 69.6)
Some College	156	74.9	(66.3 - 83.5)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	208	85.3	(78.0 - 92.6)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	102	86.5	(79.3 - 93.7)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	144	89.2	(83.2 - 95.2)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 15a. Had teeth cleaned within the past year among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	564	43,500	71.4	(65.8 - 76.9)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	212	24,100	76.5	(68.9 - 84.1)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	352	19,400	65.8	(58.3 - 73.3)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	122	8,500	77.7	(69.8 - 85.6)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	*	*	*	*	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	148	6,000	72.5	(65.0 - 80.0)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	535	40,500	72.6	(67.4 - 77.8)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	146	12,000	76.0	(67.1 - 85.0)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	204	15,900	84.2	(76.0 - 92.4)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	99	9,900	84.4	(76.3 - 92.4)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	140	12,700	86.3	(78.3 - 94.3)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 15b. Had teeth cleaned within the past year among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	564	71.4	(66.0 - 76.7)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	212	75.9	(68.6 - 83.2)	13,173	69.2	(65.3 - 73.1)
Female	352	66.6	(59.2 - 73.9)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	535	72.6	(67.7 - 77.6)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	59.1	(49.1 - 69.0)	12,740	67.7	(63.2 - 72.3)
Some College	146	74.9	(65.8 - 83.9)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	204	84.9	(77.5 - 92.3)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	99	83.6	(75.6 - 91.7)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	140	87.2	(80.0 - 94.4)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	34,000	51.5	(45.4 - 57.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	*	*	*	*	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	404	16,900	52.2	(45.5 - 58.8)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	138	7,800	63.6	(54.4 - 72.8)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	131	6,400	75.6	(66.3 - 84.9)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	193	8,800	83.0	(77.2 - 88.8)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	611	30,300	49.9	(43.9 - 55.9)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	206	6,100	32.1	(24.8 - 39.4)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	144	5,400	35.6	(26.2 - 44.9)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	51.7	(46.0 - 57.4)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	239	52.7	(43.4 - 62.0)	14,457	47.9	(44.1 - 51.7)
Female	404	50.7	(44.1 - 57.3)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	611	50.1	(44.5 - 55.8)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	64.0	(54.4 - 73.6)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	206	32.5	(25.2 - 39.9)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	144	34.5	(25.6 - 43.4)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	193	2,400	22.6	(16.4 - 28.8)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	123	1,300	21.8	(14.2 - 29.4)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	193	2,400	22.6	(16.4 - 28.8)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	185	2,300	22.8	(16.4 - 29.1)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	193	22.8	(16.3 - 29.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	123	21.8	(14.1 - 29.4)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	185	22.9	(16.3 - 29.5)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 18a. Flu shot within the past 12 months¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	24,600	37.1	(32.0 - 42.2)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	242	9,600	28.3	(21.4 - 35.2)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	405	15,000	46.3	(39.9 - 52.8)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	237	8,700	21.8	(15.8 - 27.8)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	214	7,400	47.8	(38.6 - 57.0)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	196	8,400	78.6	(72.3 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	616	23,900	39.1	(33.8 - 44.3)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	10,600	34.6	(26.9 - 42.3)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	208	8,100	42.4	(34.1 - 50.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	168	6,400	38.2	(28.5 - 47.8)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	144	5,500	36.2	(27.2 - 45.2)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 18b. Flu shot within the past 12 months¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	37.9	(32.9 - 42.8)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	242	31.2	(24.2 - 38.2)	14,579	40.0	(36.2 - 43.8)
Female	405	44.9	(38.5 - 51.2)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	616	39.9	(34.8 - 44.9)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	36.1	(28.5 - 43.6)	15,663	43.7	(39.1 - 48.2)
Some College	156	35.8	(26.0 - 45.6)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	208	42.2	(34.1 - 50.3)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	168	39.6	(30.1 - 49.1)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	144	36.1	(27.3 - 44.9)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	25,900	39.0	(33.7 - 44.3)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	242	10,300	30.3	(23.0 - 37.6)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	406	15,600	48.1	(41.6 - 54.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	238	9,700	24.3	(17.8 - 30.7)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	214	7,600	48.5	(39.2 - 57.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	196	8,600	80.2	(74.3 - 86.0)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	617	24,600	40.2	(34.9 - 45.6)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	11,100	36.0	(28.1 - 44.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	208	8,800	45.9	(37.3 - 54.4)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	144	5,700	38.0	(28.9 - 47.1)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	39.8	(34.7 - 44.9)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	242	33.1	(25.9 - 40.4)	14,568	40.4	(36.6 - 44.2)
Female	406	46.8	(40.4 - 53.3)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	617	41.0	(35.9 - 46.1)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	37.3	(29.6 - 45.1)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	208	45.7	(37.3 - 54.0)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	169	42.2	(32.3 - 52.0)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	144	38.1	(29.2 - 47.1)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 21a. Flu shot among adults aged 65 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	196	8,400	78.6	(72.3 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	125	4,800	78.2	(70.7 - 85.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	196	8,400	78.6	(72.3 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	188	8,100	80.1	(74.1 - 86.1)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	106	4,100	74.7	(65.8 - 83.6)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	53	2,800	88.5	(79.4 - 97.6)	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 21b. Flu shot among adults aged 65 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	196	78.6	(71.9 - 85.2)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	125	78.2	(70.7 - 85.8)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	188	80.3	(74.1 - 86.4)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	106	74.9	(65.7 - 84.2)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	53	87.9	(78.1 - 97.7)	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	602	18,500	30.5	(25.5 - 35.6)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	220	8,500	27.5	(19.4 - 35.6)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	382	10,000	33.7	(27.9 - 39.4)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	213	5,400	15.0	(8.6 - 21.5)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	200	4,800	32.7	(24.6 - 40.9)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	189	8,400	80.7	(74.8 - 86.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	571	17,600	31.9	(26.6 - 37.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	264	8,900	31.9	(24.1 - 39.8)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	191	4,900	27.7	(20.5 - 34.8)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	94	1,800	17.2	(9.1 - 25.3)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	131	3,300	24.1	(16.2 - 32.0)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	602	31.2	(26.3 - 36.1)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	220	30.3	(22.5 - 38.1)	13,052	25.8	(22.3 - 29.4)
Female	382	32.1	(26.6 - 37.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	571	32.4	(27.4 - 37.4)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	264	33.4	(25.7 - 41.2)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	191	28.0	(20.8 - 35.1)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	94	18.1	(9.9 - 26.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	131	24.5	(16.6 - 32.4)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	189	8,400	80.7	(74.8 - 86.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	69	3,700	82.4	(73.0 - 91.7)	4,180	606,400	62.1	(55.5 - 68.7)
Female	120	4,700	79.4	(72.0 - 86.9)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	189	8,400	80.7	(74.8 - 86.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	181	7,800	79.9	(73.7 - 86.0)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	103	4,200	77.5	(68.9 - 86.2)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	52	2,800	89.9	(82.1 - 97.7)	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	189	81.0	(74.9 - 87.0)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	69	82.4	(73.1 - 91.8)	4,180	61.5	(54.3 - 68.6)
Female	120	79.4	(72.0 - 86.9)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	181	80.0	(73.7 - 86.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	103	77.6	(68.6 - 86.6)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	52	89.5	(81.1 - 98.0)	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	325	18,000	92.9	(89.1 - 96.6)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	325	18,000	92.9	(89.1 - 96.6)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	127	7,400	98.6	(95.9 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	125	5,900	95.5	(92.1 - 99.0)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	311	17,300	93.1	(89.3 - 96.9)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	7,200	91.6	(84.8 - 98.4)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	91	5,200	94.1	(88.5 - 99.7)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	96	5,500	93.4	(87.3 - 99.5)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	88	4,000	93.8	(87.6 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	92	5,300	93.3	(85.0 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	62	4,100	88.2	(79.4 - 97.0)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	325	91.7	(87.2 - 96.2)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	325	91.7	(87.2 - 96.2)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	311	92.1	(87.5 - 96.6)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	90.3	(81.9 - 98.8)	8,266	90.2	(86.1 - 94.2)
Some College	91	93.0	(86.0 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	96	92.3	(85.4 - 99.2)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	88	93.0	(85.2 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	62	86.7	(77.0 - 96.3)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	323	16,100	83.6	(79.0 - 88.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	323	16,100	83.6	(79.0 - 88.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	127	6,900	91.7	(86.9 - 96.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	123	5,200	85.8	(79.4 - 92.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	309	15,600	83.9	(79.2 - 88.7)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	137	6,100	78.1	(69.8 - 86.3)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	90	4,800	87.6	(80.3 - 94.8)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	96	5,200	87.3	(79.8 - 94.9)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	88	3,300	78.8	(69.4 - 88.2)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	92	4,700	83.6	(73.9 - 93.4)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	62	3,900	84.8	(75.1 - 94.4)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	323	82.4	(77.1 - 87.7)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	323	82.4	(77.1 - 87.7)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	309	82.8	(77.4 - 88.2)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	137	76.8	(67.3 - 86.3)	8,204	80.1	(75.6 - 84.7)
Some College	90	86.7	(78.6 - 94.9)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	96	85.6	(77.1 - 94.1)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	250	12,000	89.0	(85.1 - 93.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	250	12,000	89.0	(85.1 - 93.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	127	6,900	91.7	(86.9 - 96.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	123	5,200	85.8	(79.4 - 92.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	238	11,500	89.4	(85.4 - 93.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	112	4,900	83.4	(76.3 - 90.4)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	73	3,800	90.1	(83.2 - 97.0)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	65	3,400	97.3	(93.4 - 100)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	77	2,900	81.9	(73.4 - 90.4)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	69	3,500	93.2	(87.2 - 99.3)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	250	89.2	(85.3 - 93.1)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	250	89.2	(85.3 - 93.1)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	238	89.5	(85.6 - 93.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	112	83.5	(76.4 - 90.6)	7,026	83.6	(80.1 - 87.0)
Some College	73	90.3	(83.5 - 97.1)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	65	97.3	(93.6 - 100)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	77	82.2	(73.7 - 90.6)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	69	93.3	(87.2 - 99.3)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 27a. Ever had a Pap test among women¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	30,800	94.7	(88.6 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	407	30,800	94.7	(88.6 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	61	5,300	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	85	5,900	99.4	(98.3 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	82	4,200	98.1	(95.3 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	125	6,000	97.9	(95.8 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	387	29,300	98.1	(96.2 - 99.9)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	114	8,600	98.3	(96.1 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	121	9,500	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	117	9,800	100	(100 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	57	4,900	98.3	(95.1 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	76	6,600	99.5	(98.4 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 27b. Ever had a Pap test among women¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	95.0	(89.2 - 100)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	407	95.0	(89.2 - 100)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	387	98.2	(96.5 - 99.9)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	114	98.4	(96.4 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	121	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	117	100	(100 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	57	98.5	(95.5 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	76	99.5	(98.5 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	405	27,200	83.8	(77.5 - 90.0)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	405	27,200	83.8	(77.5 - 90.0)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	61	4,700	89.5	(79.6 - 99.5)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	85	5,400	91.8	(86.0 - 97.5)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	82	3,400	80.7	(71.9 - 89.5)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	123	4,500	73.9	(65.7 - 82.2)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	385	25,800	86.6	(82.8 - 90.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	114	7,400	84.2	(77.6 - 90.8)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	120	8,900	94.3	(89.8 - 98.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	116	8,200	84.7	(77.5 - 91.8)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	57	4,500	91.5	(84.8 - 98.3)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	76	6,300	94.9	(89.3 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 28b. Had a Pap test within the past 3 years among women¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	405	84.3	(78.2 - 90.4)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	405	84.3	(78.2 - 90.4)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	385	86.9	(83.1 - 90.7)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	114	84.5	(77.8 - 91.2)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	120	94.5	(90.1 - 98.9)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	116	84.2	(76.1 - 92.2)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	57	91.8	(85.2 - 98.5)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	76	95.2	(89.8 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	190	14,300	80.7	(74.0 - 87.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	190	14,300	80.7	(74.0 - 87.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	71	4,100	89.4	(81.9 - 96.9)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	182	12,600	79.6	(72.7 - 86.5)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	190	80.7	(74.1 - 87.3)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	190	80.7	(74.1 - 87.3)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	182	79.6	(72.8 - 86.5)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	186	9,400	53.9	(44.4 - 63.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	186	9,400	53.9	(44.4 - 63.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	178	8,200	52.8	(44.3 - 61.2)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	186	53.2	(43.9 - 62.5)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	186	53.2	(43.9 - 62.5)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	178	52.5	(44.0 - 60.9)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	189	11,800	66.8	(58.3 - 75.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	189	11,800	66.8	(58.3 - 75.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	69	3,700	82.4	(73.3 - 91.5)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	180	10,400	66.4	(58.5 - 74.4)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	189	66.8	(58.4 - 75.2)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	189	66.8	(58.4 - 75.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	180	66.8	(58.9 - 74.7)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	186	10,300	58.8	(49.7 - 68.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	186	10,300	58.8	(49.7 - 68.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	68	3,600	79.8	(70.2 - 89.4)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	177	8,900	57.5	(49.1 - 65.9)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	186	58.8	(49.8 - 67.8)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	186	58.8	(49.8 - 67.8)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	177	57.9	(49.5 - 66.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	185	600	3.9	(1.4 - 6.3)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 33b. Prostate cancer among men aged 40 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	8.9	(0.0 - 18.1)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	194	8.9	(0.0 - 18.1)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	4.1	(1.5 - 6.6)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	406	10,200	40.7	(35.4 - 46.0)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	154	4,100	35.6	(27.2 - 43.9)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	252	6,200	45.1	(38.3 - 51.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	211	4,700	32.7	(25.7 - 39.8)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	195	5,500	51.5	(43.9 - 59.1)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	388	9,600	40.1	(34.7 - 45.5)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	190	4,100	35.0	(27.5 - 42.5)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	117	3,200	44.8	(34.8 - 54.7)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	117	2,600	44.1	(34.3 - 53.9)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	406	40.6	(35.2 - 46.0)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	154	36.4	(28.0 - 44.7)	9,571	39.4	(35.3 - 43.5)
Female	252	44.8	(38.0 - 51.7)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	388	39.9	(34.4 - 45.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	190	35.0	(27.4 - 42.6)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	117	43.4	(33.5 - 53.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	400	2,900	11.8	(8.1 - 15.5)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	153	1,600	14.1	(7.7 - 20.6)	9,508	444,400	16.0	(13.2 - 18.9)
Female	247	1,300	9.8	(5.9 - 13.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	210	1,500	10.4	(5.5 - 15.3)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	190	1,400	13.8	(8.3 - 19.3)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	382	2,900	12.2	(8.4 - 16.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	1,100	9.6	(4.2 - 15.0)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	99	1,100	17.5	(9.1 - 26.0)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	117	700	10.1	(4.5 - 15.7)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	115	800	13.5	(6.8 - 20.1)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	107	900	13.4	(6.4 - 20.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	400	11.9	(8.2 - 15.7)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	153	14.3	(7.9 - 20.7)	9,508	16.4	(13.2 - 19.6)
Female	247	9.6	(5.8 - 13.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	382	12.4	(8.5 - 16.3)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	9.8	(4.3 - 15.3)	11,026	12.7	(9.2 - 16.1)
Some College	99	17.6	(9.0 - 26.2)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	117	10.4	(4.6 - 16.3)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	115	13.9	(7.1 - 20.7)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	107	13.2	(6.1 - 20.4)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	400	5,100	20.3	(15.8 - 24.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	153	2,100	18.7	(11.6 - 25.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	247	2,900	21.7	(15.9 - 27.6)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	210	2,800	19.3	(13.1 - 25.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	190	2,300	21.7	(15.0 - 28.4)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	382	4,800	20.1	(15.4 - 24.7)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	1,800	15.4	(9.0 - 21.9)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	99	1,500	24.1	(14.4 - 33.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	117	1,800	24.8	(16.3 - 33.3)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	115	1,200	20.7	(12.2 - 29.1)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	107	1,600	24.0	(15.1 - 33.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	70	600	11.1	(4.2 - 17.9)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Clinton County and New York State - Age-Adjusted²**

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	400	20.1	(15.5 - 24.7)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	153	18.4	(11.5 - 25.4)	9,508	21.7	(18.3 - 25.1)
Female	247	21.8	(15.8 - 27.7)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	382	19.9	(15.2 - 24.6)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	15.6	(9.1 - 22.1)	11,026	19.5	(15.4 - 23.7)
Some College	99	23.6	(13.9 - 33.3)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	117	24.2	(15.7 - 32.7)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	115	21.3	(12.7 - 29.9)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	107	23.4	(14.4 - 32.4)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	70	10.6	(3.9 - 17.3)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	19,100	75.8	(71.1 - 80.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	154	8,200	71.5	(63.7 - 79.2)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	253	10,900	79.4	(73.7 - 85.1)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	131	5,500	73.5	(65.0 - 81.9)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	196	9,000	84.0	(78.7 - 89.2)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	389	18,200	75.8	(70.9 - 80.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	189	8,000	68.6	(61.1 - 76.0)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	100	5,400	85.1	(77.2 - 92.9)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	118	5,700	79.3	(71.0 - 87.7)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	116	4,000	68.1	(59.0 - 77.3)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	110	5,200	76.1	(66.8 - 85.5)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	75.8	(71.0 - 80.6)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	154	72.5	(65.0 - 80.0)	9,582	68.5	(64.5 - 72.5)
Female	253	79.0	(73.2 - 84.9)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	389	75.7	(70.8 - 80.5)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	189	68.7	(61.2 - 76.2)	11,121	61.3	(56.4 - 66.2)
Some College	100	85.3	(77.5 - 93.1)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	118	79.1	(70.6 - 87.6)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	116	67.9	(58.5 - 77.3)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	110	75.5	(66.0 - 85.0)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	404	18,500	73.9	(69.0 - 78.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	152	8,000	70.1	(62.2 - 78.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	252	10,500	77.0	(71.1 - 82.9)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	131	5,500	73.1	(64.7 - 81.6)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	193	8,400	79.8	(73.9 - 85.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	386	17,700	74.2	(69.2 - 79.1)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	187	7,500	65.1	(57.4 - 72.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	100	5,400	84.3	(76.4 - 92.2)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	117	5,600	78.8	(70.3 - 87.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	114	3,600	61.7	(51.9 - 71.4)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	110	5,100	74.6	(65.1 - 84.1)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	404	73.8	(68.9 - 78.7)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	152	70.9	(63.2 - 78.6)	9,521	66.9	(62.9 - 70.9)
Female	252	76.7	(70.6 - 82.7)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	386	74.0	(69.0 - 79.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	187	65.1	(57.3 - 72.8)	11,017	59.0	(54.1 - 63.9)
Some College	100	84.6	(76.7 - 92.5)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	117	78.6	(70.0 - 87.2)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	114	60.9	(51.0 - 70.9)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	110	74.1	(64.5 - 83.7)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	401	19,000	76.5	(71.8 - 81.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	150	8,200	72.9	(65.2 - 80.7)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	251	10,800	79.5	(73.8 - 85.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	128	5,800	78.6	(70.7 - 86.6)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	193	8,600	81.7	(76.1 - 87.3)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	383	18,300	76.9	(72.2 - 81.7)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	185	7,700	67.6	(60.0 - 75.2)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	99	5,600	87.7	(80.6 - 94.9)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	117	5,700	80.9	(72.7 - 89.0)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	114	3,800	65.5	(56.0 - 75.0)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	107	5,100	77.2	(67.8 - 86.5)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	70	4,400	86.6	(76.8 - 96.5)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	401	76.4	(71.6 - 81.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	150	73.5	(66.0 - 81.1)	9,418	71.5	(67.6 - 75.4)
Female	251	79.1	(73.2 - 85.0)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	383	76.7	(71.8 - 81.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	185	67.7	(60.0 - 75.3)	10,872	64.5	(59.8 - 69.3)
Some College	99	87.8	(80.6 - 95.0)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	117	80.5	(72.1 - 88.8)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	114	65.1	(55.4 - 74.7)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	107	76.5	(66.9 - 86.0)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	70	86.4	(76.5 - 96.3)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 40a. High blood pressure among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	21,900	32.9	(27.2 - 38.6)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	242	11,400	33.4	(24.2 - 42.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	407	10,500	32.4	(26.0 - 38.7)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	104	2,300	19.7	(10.7 - 28.7)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	138	4,400	36.2	(27.0 - 45.4)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	*	*	*	*	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	196	7,500	69.6	(62.6 - 76.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	617	20,100	32.8	(27.2 - 38.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	12,600	40.7	(30.8 - 50.5)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	156	3,500	21.4	(14.2 - 28.6)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	208	5,800	30.2	(23.0 - 37.4)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	169	4,700	27.8	(19.9 - 35.7)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	102	2,800	23.3	(14.0 - 32.6)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	144	4,100	27.0	(19.1 - 34.9)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 40b. High blood pressure among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	33.1	(27.8 - 38.4)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	242	35.0	(26.5 - 43.5)	14,611	27.7	(24.7 - 30.7)
Female	407	31.0	(24.8 - 37.2)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	617	33.1	(27.9 - 38.2)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	285	40.8	(31.6 - 50.1)	15,688	32.1	(28.4 - 35.8)
Some College	156	21.1	(14.2 - 28.0)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	208	30.9	(23.6 - 38.1)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	169	29.3	(21.3 - 37.3)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	102	24.0	(14.9 - 33.2)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	144	27.1	(19.3 - 34.9)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	66	3,400	86.3	(76.6 - 96.0)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	138	7,100	95.1	(91.3 - 98.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	54	3,200	89.8	(81.3 - 98.4)	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	71	4,000	86.0	(77.0 - 95.0)	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	54	89.7	(81.2 - 98.2)	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	71	86.0	(77.1 - 94.9)	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	51,200	80.1	(74.5 - 85.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	239	26,200	81.8	(73.5 - 90.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	398	25,000	78.4	(70.9 - 85.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	103	10,000	86.1	(77.7 - 94.5)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	136	11,100	92.6	(88.0 - 97.1)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	131	8,200	97.1	(94.4 - 99.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	192	10,400	98.4	(96.6 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	605	48,600	83.0	(77.9 - 88.1)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	276	22,500	78.3	(69.3 - 87.4)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	207	16,800	87.8	(80.1 - 95.5)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	144	13,100	87.1	(78.6 - 95.6)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 42b. Ever had blood cholesterol checked among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	81.2	(76.0 - 86.4)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	239	83.1	(75.7 - 90.6)	14,389	78.0	(73.9 - 82.1)
Female	398	79.2	(72.0 - 86.4)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	605	84.1	(79.5 - 88.7)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	276	79.4	(70.9 - 87.9)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	207	88.8	(82.0 - 95.7)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	144	88.6	(81.2 - 95.9)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	48,800	76.6	(70.9 - 82.2)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	239	24,800	77.6	(69.1 - 86.0)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	396	23,900	75.6	(68.0 - 83.1)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	102	8,800	76.5	(66.7 - 86.3)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	136	10,700	89.6	(84.4 - 94.8)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	130	8,000	95.7	(92.4 - 99.0)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	192	10,200	96.5	(93.9 - 99.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	603	46,200	79.2	(74.0 - 84.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	276	21,800	75.9	(66.9 - 84.9)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	206	15,700	82.4	(74.1 - 90.6)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	143	12,500	83.9	(75.0 - 92.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	77.4	(72.1 - 82.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	239	78.6	(70.9 - 86.3)	14,307	74.8	(70.7 - 79.0)
Female	396	76.1	(68.9 - 83.4)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	603	79.9	(75.1 - 84.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	276	76.6	(68.1 - 85.2)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	206	83.4	(75.8 - 90.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	143	85.1	(77.1 - 93.1)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 44a. Cardiovascular disease among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	7,300	11.1	(7.6 - 14.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	239	3,000	8.9	(5.6 - 12.2)	14,477	664,600	9.4	(7.5 - 11.4)
Female	402	4,300	13.5	(7.4 - 19.5)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	136	1,000	8.0	(3.5 - 12.6)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	133	1,400	16.1	(8.7 - 23.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	191	3,200	30.6	(23.7 - 37.5)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	609	5,900	9.8	(7.5 - 12.0)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	278	4,700	15.5	(8.7 - 22.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	156	1,200	7.3	(3.7 - 10.8)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	207	1,500	7.6	(3.6 - 11.6)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	*	*	*	*	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	166	2,200	13.3	(8.2 - 18.5)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	102	800	6.3	(1.9 - 10.7)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 44b. Cardiovascular disease among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	11.2	(7.8 - 14.6)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	239	10.0	(6.4 - 13.6)	14,477	9.7	(7.8 - 11.7)
Female	402	12.4	(6.7 - 18.2)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	609	9.9	(7.6 - 12.2)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	278	15.4	(8.8 - 21.9)	15,486	10.5	(8.0 - 13.0)
Some College	156	7.5	(3.7 - 11.3)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	207	8.0	(3.8 - 12.2)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	*	*	*	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	166	14.4	(8.9 - 19.9)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	102	6.4	(2.0 - 10.9)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 45a. Coronary heart disease among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	6,600	10.0	(6.6 - 13.4)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	238	2,900	8.6	(5.3 - 11.8)	14,479	598,600	8.5	(6.6 - 10.4)
Female	399	3,700	11.5	(5.5 - 17.5)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	136	900	7.8	(3.3 - 12.3)	7,778	108,300	3.8	(2.1 - 5.6)
55-64	132	1,300	15.5	(8.2 - 22.9)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	188	2,700	26.0	(19.3 - 32.6)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	606	5,200	8.6	(6.5 - 10.7)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	274	4,200	13.8	(7.1 - 20.6)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	156	1,100	6.8	(3.3 - 10.2)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	207	1,300	6.7	(3.1 - 10.4)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	*	*	*	*	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	166	2,200	12.9	(7.9 - 18.0)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 45b. Coronary heart disease among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	10.1	(6.8 - 13.5)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	238	9.6	(6.1 - 13.2)	14,479	8.8	(6.9 - 10.8)
Female	399	10.7	(4.9 - 16.4)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	606	8.8	(6.6 - 11.0)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	274	13.7	(7.2 - 20.3)	15,485	8.5	(6.2 - 10.7)
Some College	156	7.0	(3.3 - 10.7)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	207	7.2	(3.3 - 11.2)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	*	*	*	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	166	14.1	(8.6 - 19.5)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 46a. Ever diagnosed with diabetes among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	6,600	9.9	(7.5 - 12.3)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	241	2,700	8.0	(4.8 - 11.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	407	3,900	11.9	(8.5 - 15.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	138	1,900	15.9	(8.8 - 23.1)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	132	1,700	19.7	(11.6 - 27.8)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	196	2,200	20.5	(14.5 - 26.6)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	616	6,500	10.7	(8.1 - 13.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	285	3,800	12.2	(8.1 - 16.2)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	156	1,300	7.8	(3.7 - 11.9)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	207	1,500	8.1	(4.4 - 11.8)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	164	1,700	10.0	(5.4 - 14.5)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	169	1,700	9.9	(5.5 - 14.3)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	101	1,700	14.6	(6.7 - 22.4)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	144	900	5.7	(1.9 - 9.6)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 46b. Ever diagnosed with diabetes among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	10.0	(7.6 - 12.3)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	241	8.6	(5.3 - 12.0)	14,626	7.5	(6.1 - 8.9)
Female	407	11.4	(8.1 - 14.7)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	616	10.8	(8.2 - 13.3)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	285	12.3	(8.3 - 16.4)	15,709	12.6	(10.0 - 15.2)
Some College	156	8.2	(3.8 - 12.5)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	207	7.8	(4.2 - 11.4)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	164	10.3	(5.7 - 15.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	169	10.3	(5.8 - 14.9)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	101	14.9	(7.1 - 22.7)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	144	5.5	(1.8 - 9.1)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	14,100	21.3	(16.5 - 26.2)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	242	5,700	16.8	(8.8 - 24.8)	14,601	875,800	12.4	(10.1 - 14.7)
Female	403	8,400	26.1	(20.7 - 31.5)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	104	2,400	20.2	(11.7 - 28.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	138	1,800	14.9	(8.7 - 21.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	133	1,700	19.6	(11.7 - 27.5)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	192	2,200	20.5	(14.4 - 26.5)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	613	13,700	22.5	(17.4 - 27.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	8,100	26.5	(18.9 - 34.0)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	*	*	*	*	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	208	2,200	11.4	(7.0 - 15.7)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	162	3,300	20.0	(11.7 - 28.3)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	*	*	*	*	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	144	2,100	13.7	(6.9 - 20.6)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	20.9	(16.4 - 25.4)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	242	16.1	(8.9 - 23.2)	14,601	12.6	(10.3 - 14.9)
Female	403	25.9	(20.6 - 31.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	613	22.0	(17.3 - 26.8)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	26.4	(19.2 - 33.6)	15,675	15.1	(12.1 - 18.0)
Some College	*	*	*	9,893	16.9	(13.4 - 20.4)
≥ College Degree	208	11.4	(7.0 - 15.7)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	162	20.4	(12.2 - 28.6)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	144	14.1	(7.5 - 20.6)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 48a. Current asthma among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	10,300	15.6	(11.5 - 19.8)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	240	3,800	11.2	(4.6 - 17.8)	14,546	440,700	6.3	(4.8 - 7.7)
Female	398	6,500	20.4	(15.4 - 25.4)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	103	1,800	15.4	(7.5 - 23.4)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	137	1,000	8.4	(4.0 - 12.7)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	132	1,200	14.3	(7.8 - 20.9)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	190	1,900	17.9	(12.1 - 23.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	608	10,100	16.7	(12.3 - 21.2)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	276	6,600	21.6	(14.4 - 28.9)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	154	2,600	16.2	(6.5 - 25.8)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	208	1,100	5.8	(3.0 - 8.5)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	160	2,900	17.4	(9.8 - 25.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	167	3,400	20.2	(11.0 - 29.5)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	143	1,100	7.5	(1.6 - 13.4)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 48b. Current asthma among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	15.3	(11.4 - 19.2)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	240	10.9	(4.9 - 16.9)	14,546	6.4	(4.9 - 7.9)
Female	398	20.0	(15.1 - 24.9)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	608	16.3	(12.2 - 20.5)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	276	21.8	(14.9 - 28.7)	15,594	10.8	(8.3 - 13.3)
Some College	154	15.5	(6.7 - 24.3)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	208	5.6	(2.9 - 8.2)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	160	18.1	(10.4 - 25.8)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	167	19.5	(10.8 - 28.1)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	143	7.1	(1.9 - 12.3)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 49a. Chronic joint symptoms among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	31,700	47.8	(41.8 - 53.8)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	241	15,600	45.8	(36.0 - 55.6)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	406	16,100	49.8	(43.2 - 56.5)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	138	6,100	50.1	(40.5 - 59.6)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	*	*	*	*	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	195	6,600	61.7	(54.2 - 69.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	615	29,100	47.6	(41.7 - 53.5)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	15,800	51.0	(41.2 - 60.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	206	8,700	45.6	(36.8 - 54.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	143	5,600	37.4	(28.2 - 46.6)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 49b. Chronic joint symptoms among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	47.7	(42.1 - 53.4)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	241	46.3	(37.3 - 55.3)	14,595	42.6	(38.8 - 46.3)
Female	406	49.2	(42.7 - 55.8)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	615	47.7	(42.2 - 53.3)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	51.1	(41.9 - 60.3)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	206	45.3	(36.9 - 53.8)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	143	37.9	(28.9 - 46.9)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 50a. Arthritis among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	19,500	29.4	(24.9 - 33.9)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	242	8,300	24.3	(17.7 - 30.9)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	404	11,200	34.9	(29.2 - 40.5)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	78	2,700	11.5	(4.2 - 18.7)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	104	2,100	18.0	(9.9 - 26.1)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	137	4,000	33.2	(24.4 - 42.0)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	*	*	*	*	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	195	7,200	67.2	(59.9 - 74.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	614	18,800	30.8	(26.2 - 35.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	283	10,300	33.3	(25.6 - 41.1)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	155	4,800	29.2	(20.2 - 38.3)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	208	4,500	23.4	(17.2 - 29.5)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	169	5,300	31.3	(22.4 - 40.1)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	144	2,500	16.8	(11.0 - 22.6)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 50b. Arthritis among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	29.6	(25.3 - 34.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	242	25.8	(19.3 - 32.2)	14,555	23.5	(20.9 - 26.1)
Female	404	33.7	(28.1 - 39.3)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	614	31.1	(26.6 - 35.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	283	33.7	(26.2 - 41.1)	15,652	30.4	(26.9 - 33.8)
Some College	155	29.7	(21.0 - 38.4)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	208	23.5	(17.4 - 29.7)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	169	31.8	(23.1 - 40.4)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	144	17.2	(11.3 - 23.2)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	16,800	25.2	(19.9 - 30.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	242	9,100	26.6	(17.4 - 35.8)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	406	7,700	23.8	(18.7 - 28.9)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	104	2,500	21.3	(11.7 - 30.9)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	138	3,700	30.6	(21.7 - 39.5)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	133	2,200	25.3	(16.1 - 34.4)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	195	3,900	36.3	(29.1 - 43.5)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	616	15,900	25.9	(20.4 - 31.5)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	284	9,500	30.6	(21.0 - 40.3)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	156	3,200	19.7	(12.4 - 26.9)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	208	4,100	21.3	(14.7 - 27.9)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	169	4,800	28.2	(18.5 - 37.9)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	102	1,300	11.1	(5.1 - 17.1)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	144	2,200	14.8	(8.0 - 21.6)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	25.1	(20.2 - 30.1)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	242	27.1	(18.7 - 35.5)	14,566	18.6	(15.8 - 21.4)
Female	406	23.1	(18.1 - 28.0)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	616	25.8	(20.6 - 30.9)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	284	30.2	(21.3 - 39.0)	15,626	23.8	(20.1 - 27.4)
Some College	156	20.7	(13.1 - 28.3)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	208	21.1	(14.6 - 27.5)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	169	27.9	(18.9 - 37.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	102	12.3	(5.9 - 18.7)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	144	14.7	(8.1 - 21.3)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	5,200	7.8	(5.7 - 9.8)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	242	2,100	6.0	(3.2 - 8.9)	14,617	460,700	6.5	(5.3 - 7.7)
Female	407	3,100	9.6	(6.7 - 12.5)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	138	1,200	10.1	(4.9 - 15.2)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	133	600	7.6	(3.0 - 12.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	196	2,000	18.9	(13.5 - 24.3)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	617	5,000	8.1	(5.9 - 10.3)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	285	2,600	8.3	(5.0 - 11.6)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	156	1,200	7.0	(3.7 - 10.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	208	1,500	7.6	(3.6 - 11.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	164	2,200	13.4	(7.5 - 19.2)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	169	1,400	8.1	(4.2 - 12.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	7.9	(5.8 - 10.0)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	242	6.6	(3.6 - 9.7)	14,617	6.8	(5.5 - 8.0)
Female	407	9.2	(6.3 - 12.1)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	617	8.2	(6.0 - 10.5)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	285	8.5	(5.1 - 11.8)	15,711	10.3	(8.3 - 12.3)
Some College	156	6.9	(3.6 - 10.3)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	208	7.8	(3.7 - 12.0)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	164	13.7	(7.8 - 19.7)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	169	8.3	(4.3 - 12.3)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 53a. Disability among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	17,700	26.6	(21.2 - 32.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	242	9,600	28.2	(18.9 - 37.4)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	406	8,100	24.9	(19.8 - 30.1)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	138	3,700	30.6	(21.7 - 39.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	133	2,200	25.7	(16.4 - 34.9)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	195	4,100	38.6	(31.3 - 45.9)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	616	16,800	27.4	(21.8 - 33.0)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	284	9,700	31.4	(21.8 - 41.1)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	156	3,200	19.7	(12.4 - 26.9)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	208	4,700	24.7	(17.7 - 31.7)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	169	4,900	29.1	(19.3 - 38.8)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	102	1,300	11.1	(5.1 - 17.1)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	144	2,600	17.4	(10.0 - 24.7)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 53b. Disability among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	26.7	(21.7 - 31.7)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	242	28.9	(20.4 - 37.4)	14,568	20.9	(18.0 - 23.8)
Female	406	24.4	(19.3 - 29.4)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	616	27.5	(22.3 - 32.7)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	284	31.0	(22.1 - 39.9)	15,638	26.8	(23.0 - 30.6)
Some College	156	20.7	(13.1 - 28.3)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	208	25.0	(18.0 - 32.0)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	169	29.2	(20.0 - 38.4)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	102	12.3	(5.9 - 18.7)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	144	17.6	(10.3 - 24.9)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 54a. Current smoking among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	14,300	21.5	(16.1 - 26.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	241	7,300	21.6	(12.3 - 30.9)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	407	7,000	21.4	(16.1 - 26.8)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	138	2,800	22.8	(14.6 - 31.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	132	1,000	11.8	(5.7 - 18.0)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	196	700	6.9	(3.2 - 10.6)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	616	13,400	21.9	(16.3 - 27.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	9,200	29.9	(20.3 - 39.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	156	3,200	19.8	(10.7 - 28.9)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	208	1,800	9.5	(5.1 - 13.9)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	168	4,000	23.7	(14.8 - 32.7)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	102	1,600	13.5	(5.0 - 21.9)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	144	1,900	12.4	(4.5 - 20.3)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 54b. Current smoking among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	21.7	(16.7 - 26.8)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	241	21.1	(12.7 - 29.5)	14,559	19.2	(16.3 - 22.1)
Female	407	22.3	(16.9 - 27.8)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	616	22.0	(16.8 - 27.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	30.2	(21.2 - 39.2)	15,654	22.8	(19.5 - 26.0)
Some College	156	20.8	(11.7 - 29.8)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	208	9.6	(5.2 - 13.9)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	168	25.2	(16.2 - 34.3)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	102	13.1	(5.3 - 21.0)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	144	11.5	(4.5 - 18.4)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 55a. Everyday smoking among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	12,200	18.3	(13.0 - 23.5)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	241	6,200	18.2	(9.1 - 27.2)	14,559	848,400	12.0	(10.0 - 14.1)
Female	407	6,000	18.4	(13.4 - 23.5)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	104	2,800	23.7	(14.3 - 33.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	138	2,400	20.0	(12.1 - 27.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	132	800	9.9	(4.3 - 15.6)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	196	700	6.6	(2.9 - 10.3)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	616	11,700	19.1	(13.6 - 24.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	284	8,400	27.2	(17.5 - 36.9)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	156	2,400	14.8	(7.4 - 22.2)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	208	1,300	6.9	(3.2 - 10.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	168	3,600	21.6	(12.9 - 30.3)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	102	1,500	12.1	(4.0 - 20.2)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 55b. Everyday smoking among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	18.4	(13.5 - 23.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	241	17.6	(9.5 - 25.8)	14,559	12.1	(10.1 - 14.1)
Female	407	19.2	(14.0 - 24.3)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	616	19.3	(14.1 - 24.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	284	27.3	(18.3 - 36.3)	15,654	16.4	(13.8 - 19.0)
Some College	156	15.7	(8.3 - 23.1)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	208	7.0	(3.3 - 10.8)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	168	23.1	(14.3 - 31.9)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	102	11.8	(4.3 - 19.4)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	49,100	74.5	(68.9 - 80.1)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	240	23,700	70.9	(61.2 - 80.7)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	407	25,400	78.1	(73.0 - 83.2)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	104	9,000	77.1	(67.7 - 86.5)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	138	9,000	73.7	(65.2 - 82.1)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	132	6,400	75.4	(66.0 - 84.9)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	196	8,800	82.0	(76.5 - 87.6)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	615	44,500	73.6	(67.7 - 79.5)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	19,300	63.7	(54.0 - 73.5)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	156	13,000	79.3	(70.1 - 88.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	208	16,800	87.4	(80.5 - 94.2)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	102	10,200	84.8	(77.1 - 92.4)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	144	13,300	88.5	(82.1 - 94.9)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	74.9	(69.8 - 80.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	240	71.9	(63.1 - 80.8)	14,577	79.4	(76.7 - 82.2)
Female	407	78.0	(72.9 - 83.1)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	615	74.2	(68.8 - 79.6)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	64.2	(55.1 - 73.2)	15,647	76.9	(73.8 - 80.0)
Some College	156	78.9	(69.9 - 87.9)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	208	87.9	(81.7 - 94.0)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	168	71.2	(61.5 - 80.8)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	102	84.7	(77.1 - 92.2)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	144	89.3	(83.6 - 95.0)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 57a. Binge drinking within the past month among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	12,800	19.6	(13.9 - 25.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	238	8,800	26.7	(16.8 - 36.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	404	4,000	12.4	(7.8 - 17.1)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	137	1,600	12.8	(6.6 - 19.1)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	130	600	8.4	(3.1 - 13.6)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	611	11,900	19.6	(13.7 - 25.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	281	6,700	22.6	(12.8 - 32.5)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	207	2,400	12.7	(7.5 - 18.0)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	168	3,100	18.5	(10.1 - 26.8)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	144	4,100	26.9	(17.1 - 36.7)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 57b. Binge drinking within the past month among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	19.5	(14.3 - 24.8)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	238	26.4	(17.5 - 35.4)	14,420	24.5	(21.0 - 27.9)
Female	404	12.6	(8.0 - 17.1)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	611	19.4	(14.0 - 24.9)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	281	22.7	(13.6 - 31.7)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	207	13.3	(7.8 - 18.8)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	168	19.4	(11.2 - 27.6)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	144	25.8	(16.7 - 34.9)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 58a. Heavy drinking within the past month among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	4,400	6.8	(2.3 - 11.3)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	234	3,000	9.1	(0.5 - 17.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	401	1,400	4.4	(2.2 - 6.7)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	605	4,400	7.2	(2.4 - 12.1)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	277	2,800	9.4	(0.3 - 18.5)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	205	1,200	6.5	(2.7 - 10.3)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	165	900	5.3	(1.4 - 9.2)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	144	1,200	7.7	(2.5 - 12.9)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 58b. Heavy drinking within the past month among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	6.8	(2.7 - 10.8)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	234	8.8	(1.4 - 16.3)	14,330	4.9	(3.9 - 5.9)
Female	401	4.6	(2.3 - 7.0)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	605	7.2	(2.9 - 11.5)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	277	9.4	(1.2 - 17.5)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	205	6.5	(2.6 - 10.4)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	165	5.8	(1.4 - 10.1)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	144	8.0	(2.7 - 13.3)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	599	40,100	67.2	(61.0 - 73.4)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	*	*	*	*	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	382	17,900	58.0	(51.2 - 64.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	125	8,700	78.6	(71.4 - 85.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	125	5,400	74.1	(65.6 - 82.6)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	183	8,600	86.0	(80.5 - 91.4)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	570	37,000	66.7	(60.3 - 73.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	193	12,500	70.6	(62.3 - 78.8)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	139	10,200	71.4	(62.2 - 80.5)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	599	67.4	(61.6 - 73.1)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	217	77.9	(68.2 - 87.6)	13,299	67.9	(64.0 - 71.9)
Female	382	57.4	(50.7 - 64.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	570	66.8	(60.9 - 72.7)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	67.7	(58.3 - 77.2)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	193	70.6	(62.5 - 78.7)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	139	70.9	(62.0 - 79.9)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	389	35,100	80.6	(74.7 - 86.5)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	152	18,600	82.8	(73.2 - 92.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	237	16,600	78.2	(71.7 - 84.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	86	6,300	84.6	(76.2 - 92.9)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	78	4,000	87.0	(78.8 - 95.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	94	5,000	94.2	(89.6 - 98.7)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	371	32,100	80.0	(73.8 - 86.2)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	158	16,800	87.9	(80.2 - 95.6)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	139	10,500	78.6	(70.9 - 86.2)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	95	9,100	88.6	(80.7 - 96.5)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	389	80.1	(74.5 - 85.6)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	152	83.5	(74.8 - 92.2)	9,034	81.1	(77.4 - 84.8)
Female	237	76.5	(69.8 - 83.3)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	371	79.4	(73.6 - 85.2)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	87.7	(80.3 - 95.0)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	139	77.3	(69.6 - 85.1)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	95	88.0	(79.8 - 96.1)	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	619	58,200	90.3	(85.8 - 94.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	231	29,300	88.6	(80.1 - 97.0)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	388	28,900	92.2	(89.6 - 94.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	*	*	*	*	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	99	10,800	97.1	(92.1 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	132	10,300	87.7	(81.5 - 93.9)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	128	7,600	91.8	(86.1 - 97.4)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	183	8,000	78.8	(72.4 - 85.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	589	53,000	89.7	(84.7 - 94.6)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	265	24,800	83.9	(74.7 - 93.1)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	147	14,900	95.2	(92.3 - 98.1)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	207	18,400	96.3	(93.3 - 99.2)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	160	14,500	89.4	(84.4 - 94.4)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	100	11,500	96.5	(93.5 - 99.5)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	143	14,400	96.4	(93.0 - 99.8)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	619	90.5	(86.4 - 94.6)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	231	88.4	(80.9 - 95.9)	13,893	89.1	(86.9 - 91.3)
Female	388	92.6	(90.2 - 95.1)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	589	89.9	(85.5 - 94.3)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	265	84.1	(75.8 - 92.4)	14,507	84.6	(81.8 - 87.4)
Some College	147	95.2	(92.3 - 98.0)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	207	96.2	(93.3 - 99.1)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	160	89.1	(84.1 - 94.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	100	96.4	(93.2 - 99.6)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	143	96.5	(93.2 - 99.8)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 62a. Overweight among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	23,300	37.1	(31.5 - 42.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	240	14,500	43.7	(34.2 - 53.2)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	378	8,800	29.8	(24.1 - 35.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	130	4,600	39.5	(29.8 - 49.1)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	192	5,100	48.5	(40.9 - 56.2)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	592	21,900	37.2	(31.7 - 42.7)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	269	9,700	34.1	(25.2 - 43.1)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	200	7,600	41.4	(32.7 - 50.1)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	162	3,700	22.5	(15.1 - 29.9)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 62b. Overweight among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	38.0	(32.6 - 43.3)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	240	45.3	(36.4 - 54.2)	14,502	43.9	(40.1 - 47.6)
Female	378	29.7	(24.1 - 35.4)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	592	38.1	(32.8 - 43.3)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	269	34.3	(25.8 - 42.8)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	200	42.8	(34.3 - 51.4)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	162	23.3	(15.8 - 30.8)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	140	49.4	(39.7 - 59.1)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 63a. Obesity among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	21,300	34.0	(27.9 - 40.1)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	*	*	*	*	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	378	9,500	32.3	(26.4 - 38.2)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	99	2,500	22.4	(13.2 - 31.6)	4,785	662,200	23.6	(19.4 - 27.9)
45-54	130	4,800	41.1	(31.3 - 50.9)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	*	*	*	*	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	192	2,900	27.5	(20.7 - 34.2)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	592	20,400	34.6	(28.4 - 40.9)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	269	11,600	41.0	(31.1 - 50.9)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	200	4,800	26.1	(17.6 - 34.5)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	140	3,200	21.8	(14.3 - 29.3)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 63b. Obesity among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	33.0	(27.4 - 38.7)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	240	34.3	(25.1 - 43.5)	14,502	21.5	(19.0 - 24.0)
Female	378	31.6	(25.8 - 37.4)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	592	33.6	(27.9 - 39.4)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	269	40.4	(31.2 - 49.6)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	200	25.0	(17.1 - 32.9)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	140	21.5	(14.1 - 28.8)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 64a. Overweight or obesity among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	44,600	71.2	(65.9 - 76.4)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	240	26,300	79.2	(71.2 - 87.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	378	18,300	62.1	(55.9 - 68.2)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	130	9,400	80.6	(73.8 - 87.4)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	127	6,100	73.7	(64.2 - 83.3)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	192	8,100	76.0	(69.4 - 82.6)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	592	42,300	71.8	(66.6 - 77.1)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	269	21,300	75.1	(67.8 - 82.5)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	200	12,400	67.5	(59.1 - 75.9)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	140	10,300	70.7	(61.6 - 79.9)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 64b. Overweight or obesity among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	71.0	(66.0 - 76.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	240	79.6	(72.3 - 86.9)	14,502	65.4	(61.3 - 69.4)
Female	378	61.3	(55.1 - 67.5)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	592	71.7	(66.7 - 76.7)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	269	74.7	(67.6 - 81.8)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	200	67.9	(59.8 - 75.9)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	100	78.5	(68.5 - 88.4)	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	140	70.8	(62.1 - 79.6)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 65a. Received advice about weight by a health professional among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	620	16,500	25.9	(20.4 - 31.4)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	240	7,900	23.7	(14.4 - 33.0)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	380	8,600	28.2	(22.6 - 33.8)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	100	2,800	24.0	(14.9 - 33.2)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	131	4,500	38.5	(29.0 - 47.9)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	127	1,800	21.5	(12.8 - 30.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	191	2,400	22.7	(16.4 - 29.1)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	593	16,000	27.1	(21.4 - 32.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	270	9,400	32.0	(22.0 - 42.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	149	2,700	17.1	(10.5 - 23.7)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	201	4,400	23.8	(17.0 - 30.5)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	162	4,200	25.4	(16.5 - 34.4)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	101	2,600	21.4	(12.2 - 30.5)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	140	3,600	24.6	(16.7 - 32.4)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 65b. Received advice about weight by a health professional among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	620	25.9	(20.9 - 31.0)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	240	23.6	(15.2 - 32.0)	14,499	23.4	(20.5 - 26.3)
Female	380	28.4	(22.9 - 34.0)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	593	27.1	(21.8 - 32.4)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	270	31.5	(22.3 - 40.7)	15,116	27.3	(23.4 - 31.2)
Some College	149	17.9	(11.2 - 24.5)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	201	24.1	(17.3 - 31.0)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	162	26.1	(17.4 - 34.7)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	101	22.4	(13.3 - 31.5)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	140	24.9	(17.1 - 32.8)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	171	15,400	93.4	(89.8 - 97.0)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	59	7,700	97.7	(95.2 - 100)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	112	7,700	89.4	(83.5 - 95.4)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	52	4,400	96.9	(92.7 - 100)	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	165	14,900	93.2	(89.5 - 96.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	82	8,900	94.6	(90.0 - 99.2)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	52	4,200	94.5	(88.9 - 100)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	53	3,900	94.4	(88.9 - 99.9)	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	171	93.1	(89.3 - 96.8)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	59	97.6	(95.0 - 100)	3,807	88.7	(85.7 - 91.8)
Female	112	88.9	(82.7 - 95.2)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	165	92.8	(89.0 - 96.7)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	82	94.4	(89.8 - 98.9)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	52	94.4	(88.5 - 100)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	53	94.2	(88.0 - 100)	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 67a. No leisure-time physical activity among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	13,900	20.9	(16.3 - 25.5)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	242	6,000	17.6	(11.2 - 23.9)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	406	7,900	24.3	(17.9 - 30.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	104	1,100	9.7	(3.8 - 15.5)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	138	2,700	22.3	(14.6 - 29.9)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	133	1,800	21.2	(12.7 - 29.7)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	195	4,000	37.4	(30.1 - 44.7)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	616	12,500	20.5	(16.3 - 24.7)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	8,800	28.3	(20.1 - 36.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	155	2,800	17.1	(9.8 - 24.3)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	208	2,300	12.1	(5.5 - 18.8)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	169	4,300	25.1	(15.3 - 35.0)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	102	2,100	17.5	(8.1 - 26.9)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	144	1,000	6.7	(2.5 - 11.0)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 67b. No leisure-time physical activity among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	20.6	(16.2 - 24.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	242	17.9	(12.0 - 23.8)	14,602	20.9	(17.8 - 23.9)
Female	406	23.4	(17.2 - 29.7)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	616	20.3	(16.3 - 24.2)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	28.2	(20.4 - 36.0)	15,683	32.3	(28.3 - 36.4)
Some College	155	17.3	(10.3 - 24.3)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	208	11.5	(5.6 - 17.4)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	169	25.2	(16.0 - 34.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	102	16.9	(8.2 - 25.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	144	6.8	(2.5 - 11.0)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	18,400	27.7	(22.1 - 33.3)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	242	8,100	23.8	(14.3 - 33.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	407	10,300	31.7	(25.9 - 37.6)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	104	2,900	24.8	(15.6 - 33.9)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	138	2,600	20.9	(13.6 - 28.3)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	*	*	*	*	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	196	2,600	24.4	(17.8 - 31.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	617	16,300	26.7	(21.3 - 32.1)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	285	6,800	21.9	(13.5 - 30.3)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	208	5,100	26.5	(19.6 - 33.3)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	144	3,100	20.9	(13.8 - 28.0)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	27.2	(22.0 - 32.4)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	242	22.7	(14.0 - 31.4)	14,634	22.7	(19.6 - 25.9)
Female	407	31.9	(26.1 - 37.7)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	617	26.1	(21.1 - 31.0)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	285	21.5	(13.6 - 29.4)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	208	26.4	(19.7 - 33.2)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	144	21.3	(14.1 - 28.4)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 69a. Had a fall within the past 3 months among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	460	6,000	19.2	(14.8 - 23.7)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	172	2,800	18.5	(11.0 - 26.0)	10,966	489,400	14.4	(11.9 - 16.8)
Female	288	3,200	19.9	(14.9 - 25.0)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	137	2,900	24.1	(15.3 - 32.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	128	1,500	17.6	(9.8 - 25.4)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	195	1,600	15.0	(9.9 - 20.2)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	440	5,800	20.0	(15.5 - 24.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	208	2,700	18.8	(12.0 - 25.6)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	111	1,400	19.5	(11.4 - 27.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	141	1,800	19.7	(11.4 - 28.1)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	125	1,200	15.4	(8.8 - 22.0)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 69b. Had a fall within the past 3 months among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	460	19.1	(14.6 - 23.5)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	172	18.1	(10.9 - 25.3)	10,966	15.0	(12.1 - 17.8)
Female	288	20.1	(15.0 - 25.2)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	440	19.8	(15.3 - 24.4)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	208	18.5	(11.8 - 25.2)	12,417	17.4	(13.0 - 21.7)
Some College	111	19.9	(11.6 - 28.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	141	19.4	(11.1 - 27.7)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	125	15.2	(8.6 - 21.9)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Clinton County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Clinton County and New York State

	Clinton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	459	2,400	7.8	(4.4 - 11.1)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	172	1,200	8.0	(2.2 - 13.9)	10,957	120,000	3.5	(2.5 - 4.6)
Female	287	1,200	7.5	(4.0 - 11.1)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	137	1,300	11.1	(3.8 - 18.4)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	195	700	6.4	(2.8 - 10.1)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	439	2,300	8.0	(4.5 - 11.6)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	207	1,100	7.5	(2.3 - 12.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Clinton County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Clinton County and New York State - Age-Adjusted²

	Clinton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	459	7.9	(4.5 - 11.3)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	172	8.1	(2.4 - 13.7)	10,957	3.6	(2.4 - 4.7)
Female	287	7.7	(4.0 - 11.3)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	439	8.2	(4.6 - 11.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	207	7.6	(2.3 - 12.8)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)