

New York State Expanded Behavioral Risk Factor Surveillance System

Dutchess County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Dutchess County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Dutchess County and New York State	14
Table 2b. Fair or poor general health among adults in Dutchess County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Dutchess County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Dutchess County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Dutchess County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Dutchess County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Dutchess County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Dutchess County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Dutchess County and New York State	22
Table 6b. Health insurance among adults in Dutchess County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Dutchess County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Dutchess County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Dutchess County and New York State	26
Table 8b. No health insurance among adults in Dutchess County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Dutchess County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Dutchess County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Dutchess County and New York State	30
Table 10b. Adults with regular health care provider in Dutchess County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Dutchess County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Dutchess County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Dutchess County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Dutchess County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Dutchess County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Dutchess County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Dutchess County and New York State	38
Table 14b. Dentist visit within the past year among adults in Dutchess County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Dutchess County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Dutchess County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Dutchess County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Dutchess County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Dutchess County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Dutchess County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Dutchess County and New York State	46
Table 18b. Flu shot within the past 12 months in Dutchess County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Dutchess County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Dutchess County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Dutchess County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Dutchess County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Dutchess County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Dutchess County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Dutchess County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Dutchess County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Dutchess County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Dutchess County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Dutchess County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Dutchess County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Dutchess County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Dutchess County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Dutchess County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Dutchess County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Dutchess County and New York State	64
Table 27b. Ever had a Pap test among women in Dutchess County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Dutchess County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Dutchess County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Dutchess County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Dutchess County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Dutchess County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Dutchess County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Dutchess County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Dutchess County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Dutchess County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Dutchess County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Dutchess County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Dutchess County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Dutchess County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Dutchess County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Dutchess County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Dutchess County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Dutchess County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Dutchess County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Dutchess County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Dutchess County and New York State	90
Table 40b. High blood pressure among adults in Dutchess County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Dutchess County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Dutchess County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Dutchess County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Dutchess County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Dutchess County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Dutchess County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Dutchess County and New York State	98
Table 44b. Cardiovascular disease among adults in Dutchess County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Dutchess County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Dutchess County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Dutchess County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Dutchess County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Dutchess County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Dutchess County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Dutchess County and New York State	106
Table 48b. Current asthma among adults in Dutchess County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Dutchess County and New York State	108
Table 49b. Chronic joint symptoms among adults in Dutchess County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Dutchess County and New York State	110
Table 50b. Arthritis among adults in Dutchess County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Dutchess County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Dutchess County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Dutchess County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Dutchess County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Dutchess County and New York State	116
Table 53b. Disability among adults in Dutchess County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Dutchess County and New York State	118
Table 54b. Current smoking among adults in Dutchess County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Dutchess County and New York State	120
Table 55b. Everyday smoking among adults in Dutchess County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Dutchess County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Dutchess County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Dutchess County and New York State	124
Table 57b. Binge drinking within the past month among adults in Dutchess County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Dutchess County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Dutchess County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Dutchess County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Dutchess County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Dutchess County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Dutchess County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Dutchess County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Dutchess County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Dutchess County and New York State	134
Table 62b. Overweight among adults in Dutchess County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Dutchess County and New York State	136
Table 63b. Obesity among adults in Dutchess County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Dutchess County and New York State	138
Table 64b. Overweight or obesity among adults in Dutchess County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Dutchess County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Dutchess County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Dutchess County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Dutchess County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Dutchess County and New York State	144
Table 67b. No leisure-time physical activity among adults in Dutchess County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Dutchess County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Dutchess County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Dutchess County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Dutchess County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Dutchess County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Dutchess County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 1. Dutchess County and New York State adult US Census Bureau population estimates,¹ 2007

	Dutchess County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	226,776	100	14,884,315	100
Gender				
Male	113,002	49.8	7,103,791	47.7
Female	113,774	50.2	7,780,524	52.3
Age (years)				
18-34	68,576	30.2	4,497,479	30.2
35-44	42,013	18.5	2,844,115	19.1
45-54	46,423	20.5	2,854,316	19.2
55-64	33,087	14.6	2,142,000	14.4
≥ 65	36,677	16.2	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	179,546	79.2	9,343,884	62.8
Black Non-Hispanic	20,898	9.2	2,156,941	14.5
Hispanic	18,217	8.0	2,258,717	15.2
Other Non-Hispanic	8,115	3.6	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 2a. Fair or poor general health among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	34,900	15.4	(10.1 - 20.7)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	283	16,400	14.5	(5.3 - 23.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	395	18,500	16.3	(10.9 - 21.6)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	159	5,800	12.4	(6.4 - 18.4)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	147	3,900	11.7	(5.5 - 17.9)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	197	7,400	20.2	(14.1 - 26.3)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	604	19,800	11.0	(7.9 - 14.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	*	*	*	*	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	186	9,000	13.5	(7.2 - 19.9)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	288	7,600	8.7	(3.7 - 13.7)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	133	5,100	14.2	(6.9 - 21.6)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	118	5,200	13.9	(4.4 - 23.5)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	252	3,700	3.9	(1.3 - 6.6)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 2b. Fair or poor general health among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	15.4	(10.0 - 20.7)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	283	14.7	(5.5 - 23.8)	14,599	15.3	(12.6 - 18.0)
Female	395	16.1	(10.5 - 21.6)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	604	11.1	(7.8 - 14.3)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	*	*	*	15,682	25.8	(22.1 - 29.5)
Some College	186	13.7	(7.0 - 20.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	288	8.7	(3.6 - 13.8)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	133	14.5	(7.0 - 22.0)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	118	14.1	(4.3 - 24.0)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	252	3.7	(1.2 - 6.1)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	20,300	9.0	(6.0 - 12.0)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	281	10,100	9.0	(3.9 - 14.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	390	10,200	9.0	(5.7 - 12.3)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	159	4,300	9.3	(4.0 - 14.7)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	147	3,400	10.4	(5.2 - 15.6)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	192	3,800	10.5	(6.2 - 14.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	598	15,100	8.4	(5.9 - 11.0)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	201	10,400	14.5	(6.8 - 22.3)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	181	5,600	8.5	(3.5 - 13.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	288	4,300	4.8	(2.5 - 7.1)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	97	5,500	18.0	(9.5 - 26.5)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	132	3,000	8.5	(2.4 - 14.5)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	118	4,300	11.6	(3.9 - 19.2)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	251	3,400	3.6	(1.0 - 6.2)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	8.9	(5.9 - 12.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	281	9.3	(4.2 - 14.3)	14,325	8.7	(6.9 - 10.5)
Female	390	8.6	(5.3 - 11.9)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	598	8.4	(5.8 - 11.0)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	201	14.5	(6.9 - 22.2)	15,178	12.7	(10.2 - 15.1)
Some College	181	8.6	(3.3 - 13.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	288	4.7	(2.4 - 7.0)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	97	17.1	(8.6 - 25.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	132	8.3	(2.3 - 14.4)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	118	11.8	(3.9 - 19.6)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	251	3.9	(1.0 - 6.8)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	28,500	12.7	(8.9 - 16.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	278	8,700	7.8	(2.8 - 12.8)	14,407	555,200	7.9	(6.3 - 9.6)
Female	390	19,800	17.6	(12.0 - 23.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	101	4,700	11.3	(5.1 - 17.5)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	157	6,300	13.9	(8.1 - 19.6)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	146	2,400	7.3	(2.9 - 11.7)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	192	1,800	4.9	(1.9 - 7.8)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	594	24,600	13.9	(9.9 - 17.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	198	11,700	16.4	(8.0 - 24.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	183	10,500	16.0	(8.2 - 23.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	286	6,300	7.2	(3.5 - 10.9)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	131	3,700	10.4	(4.9 - 15.8)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	251	7,400	7.9	(3.3 - 12.6)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	13.0	(9.1 - 16.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	278	7.9	(2.9 - 12.8)	14,407	7.9	(6.3 - 9.6)
Female	390	18.1	(12.1 - 24.0)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	594	14.4	(10.1 - 18.6)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	198	16.6	(8.2 - 25.0)	15,335	12.3	(10.0 - 14.6)
Some College	183	16.3	(8.1 - 24.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	286	7.6	(3.6 - 11.5)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	131	10.0	(4.7 - 15.3)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	251	8.2	(3.2 - 13.1)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	40,800	18.2	(14.0 - 22.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	279	14,400	12.8	(7.1 - 18.4)	14,231	937,700	13.6	(11.4 - 15.8)
Female	387	26,500	23.6	(17.7 - 29.5)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	101	7,100	17.1	(9.0 - 25.3)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	158	8,700	18.9	(12.1 - 25.7)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	146	4,800	14.6	(8.6 - 20.6)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	189	4,700	13.1	(8.3 - 18.0)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	593	35,000	19.7	(15.3 - 24.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	198	16,400	22.9	(13.8 - 32.0)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	181	14,700	22.4	(13.9 - 30.9)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	286	9,800	11.2	(7.0 - 15.4)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	131	6,500	18.1	(10.3 - 25.9)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	251	10,200	11.0	(5.8 - 16.2)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	18.5	(14.2 - 22.8)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	279	13.1	(7.4 - 18.7)	14,231	13.6	(11.4 - 15.8)
Female	387	23.9	(17.7 - 30.1)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	593	20.1	(15.5 - 24.6)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	198	23.1	(13.9 - 32.2)	15,018	20.1	(17.1 - 23.1)
Some College	181	23.1	(14.1 - 32.0)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	286	11.4	(7.0 - 15.8)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	131	17.6	(9.9 - 25.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	251	11.5	(5.9 - 17.1)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 6a. Health insurance among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	202,000	89.3	(85.2 - 93.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	283	96,100	85.0	(77.8 - 92.2)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	394	105,900	93.5	(90.0 - 97.1)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	102	36,700	87.2	(79.6 - 94.9)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	159	43,500	93.7	(89.2 - 98.3)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	147	31,800	96.2	(92.9 - 99.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	197	35,900	98.0	(96.2 - 99.8)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	603	164,600	92.0	(88.6 - 95.3)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	186	62,800	94.7	(91.2 - 98.1)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	287	83,200	95.3	(91.4 - 99.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	133	30,300	84.4	(74.9 - 93.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	118	35,200	94.1	(87.1 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	252	88,900	94.9	(89.4 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 6b. Health insurance among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	89.2	(85.1 - 93.3)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	283	85.0	(77.8 - 92.1)	14,597	83.6	(79.7 - 87.5)
Female	394	93.4	(89.7 - 97.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	603	91.8	(88.3 - 95.2)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	80.1	(75.4 - 84.7)
Some College	186	94.8	(91.5 - 98.2)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	287	95.1	(91.0 - 99.3)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	133	84.4	(74.7 - 94.2)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	118	93.9	(86.9 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	252	95.0	(89.5 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 7a. Health insurance among adults aged 18-64¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	472	162,100	87.3	(82.4 - 92.2)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	195	77,700	82.3	(73.8 - 90.8)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	277	84,400	92.6	(88.2 - 96.9)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	100	34,900	86.7	(78.7 - 94.6)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	158	43,000	93.7	(89.1 - 98.3)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	142	30,200	96.0	(92.5 - 99.6)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	419	133,000	90.7	(86.7 - 94.7)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	133	52,000	93.8	(89.7 - 98.0)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	223	69,600	94.8	(90.2 - 99.4)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	90	30,300	93.2	(85.2 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	220	81,000	94.5	(88.4 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 7b. Health insurance among adults aged 18-64¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	472	87.1	(82.1 - 92.1)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	195	81.6	(72.9 - 90.3)	10,078	80.5	(75.9 - 85.1)
Female	277	92.5	(88.0 - 96.9)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	419	90.4	(86.2 - 94.5)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	133	94.0	(90.0 - 98.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	223	94.5	(89.5 - 99.4)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	90	92.9	(84.8 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	220	94.5	(88.5 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 8a. No health insurance among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	24,200	10.7	(6.6 - 14.8)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	283	16,900	15.0	(7.8 - 22.2)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	394	7,300	6.5	(2.9 - 10.0)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	102	5,400	12.8	(5.1 - 20.4)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	603	14,400	8.0	(4.7 - 11.4)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	186	3,500	5.3	(1.9 - 8.8)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	133	5,600	15.6	(6.1 - 25.1)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 8b. No health insurance among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	10.8	(6.7 - 14.9)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	283	15.0	(7.9 - 22.2)	14,597	16.4	(12.5 - 20.3)
Female	394	6.6	(2.9 - 10.3)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	603	8.2	(4.8 - 11.7)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	19.9	(15.3 - 24.6)
Some College	186	5.2	(1.8 - 8.5)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	133	15.6	(5.8 - 25.3)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 9a. No health insurance among adults aged 18-64¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	472	23,500	12.7	(7.8 - 17.6)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	195	16,700	17.7	(9.2 - 26.2)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	277	6,800	7.4	(3.1 - 11.8)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	100	5,400	13.3	(5.4 - 21.3)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	419	13,700	9.3	(5.3 - 13.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	133	3,400	6.2	(2.0 - 10.3)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 9b. No health insurance among adults aged 18-64¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	472	12.9	(7.9 - 17.9)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	195	18.4	(9.7 - 27.1)	10,078	19.5	(14.9 - 24.1)
Female	277	7.5	(3.1 - 12.0)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	419	9.6	(5.5 - 13.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	133	6.0	(2.0 - 10.0)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 10a. Adults with regular health care provider¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	192,600	85.0	(79.9 - 90.2)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	282	89,500	79.2	(70.1 - 88.4)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	394	103,100	90.8	(87.2 - 94.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	102	36,400	86.7	(79.4 - 94.0)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	159	40,200	86.6	(80.9 - 92.3)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	147	30,800	93.0	(88.5 - 97.4)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	196	33,500	91.7	(87.0 - 96.3)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	602	156,400	87.3	(83.6 - 90.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	186	60,500	91.2	(86.4 - 96.0)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	287	77,600	88.6	(83.9 - 93.3)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	133	31,600	87.9	(80.0 - 95.7)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	117	34,500	92.8	(86.9 - 98.6)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	252	83,400	89.1	(84.2 - 93.9)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 10b. Adults with regular health care provider¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	85.0	(79.8 - 90.2)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	282	79.1	(69.9 - 88.3)	14,593	78.1	(73.9 - 82.3)
Female	394	90.9	(87.2 - 94.6)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	602	87.1	(83.3 - 90.8)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,692	75.8	(71.0 - 80.6)
Some College	186	91.8	(87.1 - 96.4)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	287	88.4	(83.6 - 93.3)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	133	87.1	(78.9 - 95.3)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	117	92.6	(86.6 - 98.7)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	252	89.4	(84.6 - 94.3)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	28,000	12.4	(8.5 - 16.3)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	282	14,200	12.6	(6.3 - 18.8)	14,607	903,300	12.7	(9.5 - 16.0)
Female	392	13,900	12.3	(7.5 - 17.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	102	9,400	22.3	(12.8 - 31.8)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	158	3,400	7.4	(3.2 - 11.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	*	*	*	*	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	601	18,700	10.4	(7.1 - 13.8)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	201	14,500	20.1	(10.8 - 29.4)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	184	6,600	10.0	(4.5 - 15.6)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	288	7,000	7.9	(2.9 - 12.9)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	132	4,400	12.2	(5.5 - 18.9)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	117	5,400	14.7	(5.5 - 23.8)	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	12.9	(8.9 - 17.0)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	282	12.7	(6.4 - 19.0)	14,607	12.5	(9.4 - 15.6)
Female	392	13.1	(8.0 - 18.3)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	601	11.0	(7.4 - 14.5)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	201	20.6	(11.2 - 30.0)	15,696	17.8	(13.8 - 21.7)
Some College	184	10.7	(4.7 - 16.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	288	8.3	(3.1 - 13.6)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	132	12.0	(5.2 - 18.9)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	117	16.1	(6.2 - 25.9)	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	150,500	66.4	(61.1 - 71.7)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	283	67,900	60.1	(51.4 - 68.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	394	82,600	72.7	(66.8 - 78.5)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	158	32,100	69.3	(61.4 - 77.2)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	147	25,200	76.2	(68.5 - 83.9)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	197	30,300	82.5	(75.8 - 89.2)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	603	121,800	67.9	(62.7 - 73.1)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	185	45,700	68.9	(59.5 - 78.2)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	288	61,400	69.9	(62.9 - 76.9)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	118	28,700	76.7	(66.7 - 86.7)	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	251	59,800	63.9	(55.5 - 72.3)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	66.4	(61.1 - 71.8)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	283	60.5	(51.9 - 69.2)	14,592	67.1	(63.3 - 70.9)
Female	394	72.3	(66.2 - 78.4)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	603	67.7	(62.4 - 73.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,640	74.4	(70.4 - 78.4)
Some College	185	69.4	(59.8 - 78.9)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	288	69.3	(62.0 - 76.5)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	251	63.6	(55.1 - 72.2)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	186,500	82.3	(78.0 - 86.5)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	283	87,500	77.5	(70.4 - 84.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	394	98,900	87.0	(82.4 - 91.7)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	102	35,300	84.1	(76.3 - 91.8)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	158	37,500	80.9	(74.0 - 87.8)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	147	29,400	88.9	(83.5 - 94.4)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	197	33,200	90.6	(86.0 - 95.1)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	603	149,700	83.4	(79.4 - 87.4)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	55,200	76.3	(66.8 - 85.9)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	185	58,800	88.7	(83.6 - 93.7)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	288	72,300	82.3	(76.0 - 88.6)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	133	30,400	84.5	(76.2 - 92.7)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	118	34,400	92.0	(85.9 - 98.1)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	251	79,100	84.6	(78.9 - 90.3)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	82.5	(78.2 - 86.7)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	283	77.8	(70.8 - 84.8)	14,592	81.9	(78.4 - 85.3)
Female	394	87.1	(82.3 - 91.9)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	603	83.5	(79.5 - 87.5)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	76.6	(67.1 - 86.1)	15,640	84.6	(81.1 - 88.1)
Some College	185	89.4	(84.5 - 94.3)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	288	82.0	(75.5 - 88.5)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	133	84.9	(76.6 - 93.3)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	118	92.2	(86.1 - 98.3)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	251	84.8	(79.0 - 90.5)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 14a. Dentist visit within the past year among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	163,500	72.3	(66.7 - 77.9)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	282	78,900	70.2	(60.7 - 79.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	395	84,600	74.4	(68.6 - 80.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	102	32,600	77.6	(68.3 - 87.0)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	159	35,100	75.6	(68.0 - 83.1)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	147	27,200	82.3	(75.6 - 89.1)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	196	26,500	73.5	(66.6 - 80.5)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	604	139,500	77.7	(73.6 - 81.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	185	52,800	80.3	(73.7 - 87.0)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	288	71,500	81.3	(75.0 - 87.7)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	133	26,000	72.3	(62.6 - 81.9)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	118	30,200	80.7	(72.0 - 89.4)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	252	78,400	83.7	(77.3 - 90.1)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 14b. Dentist visit within the past year among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	72.3	(66.6 - 78.0)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	282	70.1	(60.6 - 79.6)	14,573	68.3	(64.6 - 72.1)
Female	395	74.5	(68.5 - 80.5)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	604	77.6	(73.3 - 81.8)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,613	65.3	(60.9 - 69.6)
Some College	185	80.5	(73.6 - 87.3)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	288	80.8	(74.2 - 87.4)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	133	72.2	(62.4 - 82.1)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	118	80.8	(71.9 - 89.7)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	252	83.8	(77.3 - 90.2)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	157,900	72.4	(66.6 - 78.2)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	271	76,500	69.6	(59.8 - 79.3)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	365	81,300	75.3	(69.3 - 81.3)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	101	31,900	76.5	(67.0 - 86.0)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	155	33,100	73.4	(65.7 - 81.2)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	137	25,500	82.1	(74.9 - 89.3)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	170	25,400	80.0	(73.3 - 86.7)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	571	136,300	78.4	(74.2 - 82.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	177	50,500	79.0	(71.9 - 86.0)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	284	70,400	80.5	(74.1 - 86.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	117	30,000	80.7	(72.1 - 89.4)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	249	76,200	81.8	(75.2 - 88.3)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 15b. Had teeth cleaned within the past year among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	72.4	(66.5 - 78.3)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	271	69.6	(59.8 - 79.3)	13,173	69.2	(65.3 - 73.1)
Female	365	75.3	(69.1 - 81.5)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	571	78.1	(73.8 - 82.4)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	177	79.2	(72.1 - 86.4)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	284	80.1	(73.4 - 86.7)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	117	80.6	(71.7 - 89.5)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	249	82.0	(75.4 - 88.6)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	101,800	45.1	(39.8 - 50.3)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	280	50,200	44.6	(36.1 - 53.0)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	390	51,500	45.6	(39.3 - 51.9)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	159	22,100	47.5	(38.7 - 56.4)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	145	19,100	58.5	(49.4 - 67.7)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	191	28,200	78.1	(71.7 - 84.5)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	596	76,700	42.9	(37.9 - 47.9)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	185	29,600	44.7	(35.5 - 53.8)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	285	29,500	33.8	(27.4 - 40.2)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	251	32,500	34.8	(27.6 - 42.0)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	44.6	(39.2 - 49.9)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	280	45.0	(36.6 - 53.5)	14,457	47.9	(44.1 - 51.7)
Female	390	44.1	(37.6 - 50.6)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	596	42.3	(37.2 - 47.4)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	185	44.3	(34.9 - 53.7)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	285	33.1	(26.5 - 39.6)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	251	34.5	(27.1 - 41.8)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	191	4,400	12.1	(6.9 - 17.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	109	3,200	15.5	(7.8 - 23.3)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	191	4,400	12.1	(6.9 - 17.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	173	3,000	9.8	(5.4 - 14.2)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	83	3,000	19.4	(9.6 - 29.2)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	57	1,400	13.6	(5.0 - 22.1)	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	191	11.5	(6.6 - 16.3)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	109	15.4	(7.7 - 23.0)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	173	9.7	(5.2 - 14.2)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	83	17.8	(8.8 - 26.9)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	57	13.6	(5.0 - 22.1)	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 18a. Flu shot within the past 12 months¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	89,200	39.7	(34.3 - 45.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	282	40,800	36.7	(27.8 - 45.5)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	393	48,400	42.7	(36.4 - 48.9)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	257	39,600	29.7	(21.4 - 38.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	223	24,200	43.6	(36.1 - 51.1)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	195	25,500	70.1	(62.4 - 77.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	601	70,500	39.7	(34.8 - 44.5)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	185	25,400	38.5	(29.7 - 47.3)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	288	36,100	41.0	(34.2 - 47.9)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	132	12,500	34.9	(25.5 - 44.3)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	251	35,400	38.4	(31.1 - 45.8)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 18b. Flu shot within the past 12 months¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	39.4	(34.0 - 44.8)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	282	37.1	(28.3 - 45.9)	14,579	40.0	(36.2 - 43.8)
Female	393	41.7	(35.2 - 48.1)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	601	39.6	(34.6 - 44.5)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	185	37.1	(28.2 - 46.1)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	288	40.9	(33.8 - 47.9)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	132	34.8	(25.3 - 44.3)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	251	38.1	(30.6 - 45.6)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	89,200	39.7	(34.4 - 45.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	281	40,800	36.7	(27.9 - 45.5)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	393	48,400	42.7	(36.4 - 48.9)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	257	39,600	29.7	(21.4 - 38.0)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	223	24,200	43.6	(36.1 - 51.1)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	194	25,500	70.3	(62.6 - 78.0)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	600	70,500	39.7	(34.8 - 44.6)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	185	25,400	38.5	(29.7 - 47.3)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	288	36,100	41.0	(34.2 - 47.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	132	12,500	34.9	(25.5 - 44.3)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	251	35,400	38.4	(31.1 - 45.8)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	39.4	(34.0 - 44.8)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	281	37.1	(28.3 - 46.0)	14,568	40.4	(36.6 - 44.2)
Female	393	41.7	(35.2 - 48.1)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	600	39.6	(34.6 - 44.6)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,651	44.1	(39.6 - 48.6)
Some College	185	37.1	(28.2 - 46.1)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	288	40.9	(33.8 - 47.9)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	132	34.8	(25.3 - 44.3)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	251	38.1	(30.6 - 45.6)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 21a. Flu shot among adults aged 65 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	195	25,500	70.1	(62.4 - 77.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	*	*	*	*	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	195	25,500	70.1	(62.4 - 77.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	177	22,700	74.7	(68.0 - 81.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 21b. Flu shot among adults aged 65 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	195	70.1	(62.4 - 77.9)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	*	*	*	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	177	74.8	(68.0 - 81.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	616	48,000	23.8	(18.4 - 29.2)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	249	23,700	24.4	(14.7 - 34.2)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	367	24,300	23.2	(18.1 - 28.4)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	221	14,800	12.9	(3.8 - 21.9)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	209	9,500	18.5	(12.1 - 25.0)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	186	23,700	67.1	(59.1 - 75.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	551	35,800	22.1	(18.2 - 26.0)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	*	*	*	*	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	171	13,200	21.9	(14.9 - 28.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	263	13,700	17.4	(12.8 - 22.1)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	123	9,500	29.1	(20.4 - 37.8)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	225	9,600	11.5	(7.2 - 15.8)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	616	23.6	(18.2 - 29.1)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	249	25.7	(16.0 - 35.4)	13,052	25.8	(22.3 - 29.4)
Female	367	21.8	(16.6 - 26.9)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	551	22.1	(18.2 - 26.0)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	*	*	*	14,700	29.5	(25.6 - 33.5)
Some College	171	21.3	(14.5 - 28.2)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	263	17.1	(12.5 - 21.8)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	123	29.2	(20.4 - 38.0)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	109	23.2	(13.4 - 33.0)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	225	11.4	(7.1 - 15.7)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	186	23,700	67.1	(59.1 - 75.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	*	*	*	*	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	186	23,700	67.1	(59.1 - 75.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	169	21,200	71.9	(64.7 - 79.0)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	186	67.0	(58.9 - 75.1)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	*	*	*	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	169	71.7	(64.4 - 79.0)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	310	62,100	94.3	(91.3 - 97.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	310	62,100	94.3	(91.3 - 97.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	76	18,300	95.1	(90.6 - 99.6)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	123	24,500	94.0	(88.5 - 99.5)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	111	19,300	94.1	(88.6 - 99.6)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	284	53,400	94.3	(91.1 - 97.5)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	97	19,100	95.3	(89.4 - 100)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	86	18,300	94.2	(89.1 - 99.3)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	127	24,600	93.7	(88.7 - 98.7)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	62	11,300	95.5	(90.0 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	65	12,800	98.4	(95.2 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	98	22,200	91.3	(84.4 - 98.2)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	310	94.3	(91.2 - 97.4)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	310	94.3	(91.2 - 97.4)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	284	94.2	(91.1 - 97.4)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	97	95.4	(89.7 - 100)	8,266	90.2	(86.1 - 94.2)
Some College	86	94.6	(89.8 - 99.4)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	127	93.2	(87.9 - 98.5)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	62	95.5	(90.0 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	65	98.6	(95.8 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	98	91.2	(84.2 - 98.1)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	308	53,800	82.2	(77.3 - 87.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	308	53,800	82.2	(77.3 - 87.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	76	16,300	85.1	(76.8 - 93.3)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	123	21,500	82.7	(74.8 - 90.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	109	15,900	78.8	(69.7 - 87.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	283	46,600	82.4	(77.4 - 87.5)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	85	16,300	84.9	(76.9 - 92.9)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	127	22,400	85.2	(78.2 - 92.2)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	65	11,500	88.6	(81.0 - 96.2)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	98	20,100	82.7	(74.1 - 91.2)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	308	82.4	(77.5 - 87.3)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	308	82.4	(77.5 - 87.3)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	283	82.6	(77.5 - 87.6)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	85	85.7	(78.0 - 93.4)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	127	85.0	(77.9 - 92.1)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	65	89.0	(81.6 - 96.5)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	98	82.9	(74.4 - 91.5)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	232	37,400	81.0	(75.1 - 87.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	232	37,400	81.0	(75.1 - 87.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	123	21,500	82.7	(74.8 - 90.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	109	15,900	78.8	(69.7 - 87.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	215	32,700	81.6	(75.5 - 87.6)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	95	16,500	86.1	(77.9 - 94.3)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	53	8,800	87.2	(78.1 - 96.2)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	232	80.8	(74.8 - 86.8)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	232	80.8	(74.8 - 86.8)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	215	81.3	(75.2 - 87.5)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	95	85.8	(77.3 - 94.2)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	53	87.3	(78.2 - 96.3)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 27a. Ever had a Pap test among women¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	392	109,300	96.4	(92.9 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	392	109,300	96.4	(92.9 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	59	20,500	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	98	22,800	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	81	16,500	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	111	19,700	95.7	(92.0 - 99.4)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	349	91,600	98.5	(97.0 - 99.9)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	113	30,300	97.9	(95.9 - 99.9)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	109	34,000	99.3	(97.9 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	170	45,100	93.5	(85.6 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	77	20,000	98.8	(96.4 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	65	21,000	96.3	(89.3 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	127	37,300	98.5	(95.7 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 27b. Ever had a Pap test among women¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	392	96.4	(92.8 - 100)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	392	96.4	(92.8 - 100)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	349	98.5	(97.0 - 99.9)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	113	98.1	(96.2 - 99.9)	9,526	87.8	(83.2 - 92.4)
Some College	109	99.3	(98.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	170	93.2	(85.1 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	77	98.9	(96.6 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	65	96.4	(89.5 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	127	98.4	(95.3 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	389	95,900	85.1	(80.6 - 89.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	389	95,900	85.1	(80.6 - 89.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	59	20,000	97.5	(92.8 - 100)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	98	19,600	85.9	(77.6 - 94.1)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	81	13,700	83.4	(74.4 - 92.4)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	108	13,200	66.4	(56.7 - 76.1)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	347	80,000	86.3	(82.4 - 90.1)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	112	24,900	81.2	(73.6 - 88.9)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	107	29,900	88.5	(83.0 - 94.0)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	170	41,000	85.1	(76.6 - 93.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	76	16,700	83.2	(74.4 - 91.9)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	64	19,000	88.4	(79.0 - 97.8)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	127	34,600	91.6	(86.1 - 97.1)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 28b. Had a Pap test within the past 3 years among women¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	389	86.0	(81.5 - 90.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	389	86.0	(81.5 - 90.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	347	87.2	(83.5 - 91.0)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	112	82.9	(75.8 - 90.0)	9,384	76.4	(71.3 - 81.5)
Some College	107	89.9	(84.9 - 94.8)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	170	85.2	(76.5 - 93.9)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	76	84.0	(75.1 - 92.9)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	64	89.3	(80.1 - 98.4)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	127	92.3	(87.0 - 97.6)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	237	55,600	79.7	(73.1 - 86.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	237	55,600	79.7	(73.1 - 86.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	65	14,300	87.3	(77.9 - 96.6)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	83	14,600	92.5	(87.4 - 97.6)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	216	48,300	82.6	(76.5 - 88.7)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	99	22,600	80.2	(70.2 - 90.1)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	104	29,500	81.3	(72.4 - 90.3)	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	237	79.6	(72.9 - 86.3)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	237	79.6	(72.9 - 86.3)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	216	82.4	(76.2 - 88.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	104	80.4	(71.0 - 89.7)	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	235	40,500	58.9	(51.3 - 66.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	235	40,500	58.9	(51.3 - 66.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	83	13,000	82.1	(73.6 - 90.7)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	215	35,800	61.8	(54.3 - 69.3)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	235	59.4	(51.7 - 67.2)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	235	59.4	(51.7 - 67.2)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	215	62.2	(54.7 - 69.7)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	228	43,400	65.9	(58.4 - 73.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	228	43,400	65.9	(58.4 - 73.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	84	14,200	89.6	(83.2 - 96.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	207	35,700	65.4	(57.7 - 73.1)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	228	65.8	(58.1 - 73.4)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	228	65.8	(58.1 - 73.4)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	207	65.1	(57.4 - 72.9)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	223	36,500	56.7	(48.7 - 64.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	223	36,500	56.7	(48.7 - 64.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	81	13,100	84.0	(75.8 - 92.3)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	203	32,000	59.5	(51.7 - 67.3)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	223	56.3	(48.2 - 64.4)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	223	56.3	(48.2 - 64.4)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	203	59.4	(51.5 - 67.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 33a. Prostate cancer among men aged 40 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	238	2,200	3.2	(0.8 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	238	2,200	3.2	(0.8 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	217	1,600	2.7	(0.9 - 4.5)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 33b. Prostate cancer among men aged 40 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	238	3.4	(1.0 - 5.8)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	238	3.4	(1.0 - 5.8)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	217	3.1	(1.0 - 5.2)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	417	37,200	39.9	(34.5 - 45.3)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	180	18,700	41.0	(32.7 - 49.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	237	18,500	38.9	(32.0 - 45.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	221	16,900	30.6	(23.8 - 37.5)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	194	20,300	56.0	(48.0 - 64.0)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	383	34,900	44.0	(38.3 - 49.6)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	140	10,200	35.9	(26.8 - 44.9)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	168	16,000	42.8	(34.2 - 51.4)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	129	12,700	36.5	(27.2 - 45.9)	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	417	41.3	(35.8 - 46.8)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	180	43.1	(34.7 - 51.5)	9,571	39.4	(35.3 - 43.5)
Female	237	39.4	(32.5 - 46.4)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	383	45.4	(39.8 - 51.0)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	140	37.4	(28.3 - 46.5)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	168	43.9	(35.1 - 52.7)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	129	36.3	(26.9 - 45.7)	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	413	10,900	11.8	(8.3 - 15.4)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	178	5,900	13.1	(7.5 - 18.7)	9,508	444,400	16.0	(13.2 - 18.9)
Female	235	5,000	10.6	(6.3 - 15.0)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	221	6,100	11.0	(6.3 - 15.8)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	190	4,800	13.6	(8.2 - 19.1)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	379	10,300	13.2	(9.2 - 17.1)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	3,300	11.7	(5.3 - 18.1)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	106	2,800	10.3	(3.5 - 17.2)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	167	4,800	13.0	(7.6 - 18.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	99	1,800	8.7	(3.5 - 14.0)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	128	4,500	13.1	(6.3 - 19.9)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	413	11.7	(8.2 - 15.2)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	178	12.6	(7.3 - 17.9)	9,508	16.4	(13.2 - 19.6)
Female	235	10.7	(6.3 - 15.1)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	379	13.1	(9.2 - 17.0)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	12.0	(5.7 - 18.4)	11,026	12.7	(9.2 - 16.1)
Some College	106	10.0	(3.4 - 16.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	167	12.7	(7.4 - 18.0)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	99	9.3	(3.7 - 14.9)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	128	12.4	(6.0 - 18.9)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	413	17,900	19.4	(15.1 - 23.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	178	10,500	23.3	(16.3 - 30.3)	9,508	593,100	21.4	(18.3 - 24.5)
Female	235	7,400	15.7	(10.7 - 20.6)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	221	8,300	15.1	(9.9 - 20.4)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	190	9,600	27.0	(19.9 - 34.2)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	379	16,400	20.8	(16.2 - 25.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	5,000	17.9	(10.6 - 25.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	106	5,600	20.8	(11.9 - 29.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	167	7,300	19.6	(13.3 - 26.0)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	99	3,600	17.8	(10.1 - 25.4)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	128	7,000	20.3	(12.6 - 27.9)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Dutchess County and New York State - Age-Adjusted²**

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	413	20.1	(15.7 - 24.5)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	178	24.1	(17.0 - 31.2)	9,508	21.7	(18.3 - 25.1)
Female	235	15.8	(10.8 - 20.8)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	379	21.5	(16.9 - 26.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	19.1	(11.6 - 26.6)	11,026	19.5	(15.4 - 23.7)
Some College	106	22.1	(12.7 - 31.6)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	167	19.5	(13.2 - 25.8)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	99	19.2	(11.1 - 27.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	128	20.1	(12.6 - 27.6)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	416	63,400	68.1	(62.9 - 73.3)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	180	31,100	68.3	(60.2 - 76.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	236	32,300	67.9	(61.3 - 74.6)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	146	21,800	66.3	(57.8 - 74.8)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	193	28,700	79.3	(72.9 - 85.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	382	53,700	67.7	(62.3 - 73.1)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	19,300	68.4	(59.7 - 77.2)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	168	26,300	70.0	(61.9 - 78.1)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	67	11,100	84.6	(76.2 - 93.0)	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	129	21,600	62.2	(52.5 - 71.8)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	416	69.1	(63.9 - 74.3)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	180	70.2	(62.3 - 78.0)	9,582	68.5	(64.5 - 72.5)
Female	236	68.0	(61.3 - 74.6)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	382	68.8	(63.6 - 74.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	69.5	(61.1 - 78.0)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	168	71.0	(62.9 - 79.1)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	99	71.4	(61.4 - 81.4)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	67	85.3	(77.1 - 93.4)	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	129	62.5	(52.7 - 72.3)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	414	61,000	65.7	(60.4 - 71.0)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	179	30,000	66.1	(57.9 - 74.3)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	235	31,000	65.3	(58.5 - 72.1)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	145	20,600	62.7	(54.0 - 71.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	192	27,500	76.3	(69.6 - 83.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	380	51,300	64.8	(59.4 - 70.3)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	18,600	66.2	(57.3 - 75.2)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	167	25,800	69.0	(60.9 - 77.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	67	11,000	83.9	(75.4 - 92.4)	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	129	20,700	59.7	(49.9 - 69.4)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	414	66.7	(61.4 - 72.0)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	179	68.0	(60.0 - 76.0)	9,521	66.9	(62.9 - 70.9)
Female	235	65.4	(58.6 - 72.2)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	380	66.0	(60.6 - 71.3)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	67.3	(58.6 - 76.0)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	167	69.9	(61.7 - 78.1)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	67	84.6	(76.4 - 92.9)	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	129	60.0	(50.1 - 69.9)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	405	61,100	68.9	(63.7 - 74.1)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	175	30,100	70.6	(62.6 - 78.5)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	230	31,000	67.3	(60.5 - 74.1)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	140	21,700	69.6	(61.3 - 77.9)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	192	28,000	77.9	(71.3 - 84.6)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	374	52,700	68.3	(62.9 - 73.7)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	18,900	67.4	(58.5 - 76.3)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	161	25,700	74.6	(67.0 - 82.2)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	67	11,200	85.4	(77.1 - 93.6)	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	124	19,500	60.9	(51.2 - 70.6)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	405	69.7	(64.6 - 74.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	175	72.0	(64.4 - 79.6)	9,418	71.5	(67.6 - 75.4)
Female	230	67.3	(60.5 - 74.2)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	374	69.2	(63.9 - 74.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	68.6	(60.1 - 77.2)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	161	75.0	(67.4 - 82.5)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	67	86.0	(78.0 - 94.0)	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	124	60.9	(51.3 - 70.6)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 40a. High blood pressure among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	68,200	30.2	(25.8 - 34.6)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	280	33,100	29.5	(22.9 - 36.2)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	395	35,100	30.8	(25.1 - 36.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	101	6,400	15.4	(8.3 - 22.5)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	157	17,100	37.2	(28.4 - 46.0)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	147	16,400	49.7	(40.5 - 58.8)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	197	21,500	58.7	(50.9 - 66.4)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	602	55,900	31.2	(26.8 - 35.7)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	24,700	34.1	(24.7 - 43.6)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	185	22,500	34.1	(25.6 - 42.5)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	286	21,000	24.0	(18.5 - 29.5)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	133	13,300	37.0	(27.2 - 46.9)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	250	23,200	25.0	(19.0 - 31.1)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 40b. High blood pressure among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	29.1	(24.7 - 33.5)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	280	29.1	(22.5 - 35.6)	14,611	27.7	(24.7 - 30.7)
Female	395	29.1	(23.3 - 34.9)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	602	30.0	(25.6 - 34.4)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	203	33.2	(23.9 - 42.6)	15,688	32.1	(28.4 - 35.8)
Some College	185	33.1	(24.5 - 41.7)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	286	22.8	(17.3 - 28.2)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	133	36.2	(26.3 - 46.0)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	250	23.6	(17.7 - 29.6)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	264	49,200	72.1	(64.1 - 80.2)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	74	13,400	81.5	(71.7 - 91.4)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	113	20,400	95.0	(90.2 - 99.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	237	41,500	74.2	(66.0 - 82.4)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	264	71.3	(62.9 - 79.8)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	237	73.6	(65.0 - 82.3)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	173,100	79.4	(73.1 - 85.8)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	*	*	*	*	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	382	91,400	84.0	(77.9 - 90.1)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	97	36,000	89.4	(82.1 - 96.7)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	156	42,500	93.4	(89.1 - 97.6)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	145	30,600	94.4	(89.9 - 98.8)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	194	33,700	93.7	(89.7 - 97.7)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	591	149,500	85.8	(80.7 - 90.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	183	52,900	80.8	(70.9 - 90.7)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	281	74,500	87.4	(80.7 - 94.1)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	117	32,200	87.2	(78.0 - 96.4)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	245	77,100	85.5	(77.0 - 94.0)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 42b. Ever had blood cholesterol checked among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	79.2	(72.8 - 85.6)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	*	*	*	14,389	78.0	(73.9 - 82.1)
Female	382	83.2	(76.8 - 89.7)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	591	85.4	(80.2 - 90.6)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	281	86.9	(80.0 - 93.9)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	117	87.1	(77.8 - 96.4)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	245	85.3	(76.7 - 94.0)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	166,900	77.1	(70.7 - 83.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	*	*	*	*	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	379	88,100	81.9	(75.7 - 88.1)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	96	33,700	84.9	(76.6 - 93.2)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	156	40,300	88.6	(83.0 - 94.1)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	144	30,100	93.3	(88.6 - 98.0)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	193	33,400	93.1	(89.0 - 97.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	587	143,300	82.9	(77.7 - 88.1)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	183	51,400	78.5	(68.6 - 88.4)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	279	71,800	84.8	(77.9 - 91.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	116	31,600	87.0	(77.7 - 96.3)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	245	76,200	84.5	(75.9 - 93.0)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	76.8	(70.4 - 83.2)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	14,307	74.8	(70.7 - 79.0)
Female	379	81.1	(74.5 - 87.7)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	587	82.5	(77.2 - 87.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	279	84.2	(77.1 - 91.4)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	116	86.9	(77.4 - 96.4)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	245	84.4	(75.7 - 93.0)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 44a. Cardiovascular disease among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	15,200	6.8	(4.7 - 8.8)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	278	9,600	8.6	(5.0 - 12.3)	14,477	664,600	9.4	(7.5 - 11.4)
Female	393	5,600	5.0	(3.0 - 7.0)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	146	2,800	8.5	(3.5 - 13.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	192	7,600	21.5	(15.1 - 27.9)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	599	11,900	6.7	(4.7 - 8.7)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	201	6,800	9.4	(5.2 - 13.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	184	5,500	8.5	(3.5 - 13.4)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	285	2,900	3.3	(1.6 - 5.1)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	98	5,200	17.2	(8.9 - 25.4)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	132	3,300	9.3	(3.9 - 14.7)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	117	1,900	5.2	(2.0 - 8.5)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	251	4,500	4.8	(1.5 - 8.1)	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 44b. Cardiovascular disease among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	6.8	(4.7 - 9.0)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	278	9.0	(5.2 - 12.9)	14,477	9.7	(7.8 - 11.7)
Female	393	4.6	(2.7 - 6.5)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	599	6.6	(4.6 - 8.7)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	201	9.6	(5.3 - 13.8)	15,486	10.5	(8.0 - 13.0)
Some College	184	8.6	(3.3 - 13.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	285	3.3	(1.5 - 5.0)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	98	17.1	(8.6 - 25.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	132	9.4	(4.2 - 14.6)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	117	5.3	(1.9 - 8.6)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	251	4.9	(1.3 - 8.5)	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 45a. Coronary heart disease among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	13,400	6.0	(4.0 - 7.9)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	278	9,100	8.1	(4.6 - 11.7)	14,479	598,600	8.5	(6.6 - 10.4)
Female	391	4,300	3.8	(2.0 - 5.6)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	146	2,400	7.2	(2.8 - 11.6)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	190	6,400	18.2	(12.1 - 24.3)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	597	10,700	6.0	(4.1 - 8.0)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	199	5,500	7.6	(3.9 - 11.4)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	184	5,100	7.8	(2.9 - 12.7)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	285	2,800	3.2	(1.4 - 5.0)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	97	4,400	14.4	(6.5 - 22.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	131	3,100	8.7	(3.4 - 14.0)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	117	1,700	4.6	(1.6 - 7.7)	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	251	4,000	4.3	(1.2 - 7.5)	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 45b. Coronary heart disease among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	6.1	(4.0 - 8.1)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	278	8.6	(4.8 - 12.4)	14,479	8.8	(6.9 - 10.8)
Female	391	3.6	(1.8 - 5.3)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	597	6.0	(4.0 - 8.0)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	199	8.0	(4.0 - 12.0)	15,485	8.5	(6.2 - 10.7)
Some College	184	7.9	(2.7 - 13.2)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	285	3.1	(1.4 - 4.8)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	97	14.5	(6.3 - 22.6)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	131	8.7	(3.6 - 13.9)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	117	4.8	(1.6 - 7.9)	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	251	4.5	(1.0 - 8.1)	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	22,600	10.0	(6.9 - 13.0)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	282	11,600	10.3	(6.5 - 14.1)	14,626	530,400	7.5	(6.2 - 8.8)
Female	394	11,000	9.7	(4.9 - 14.4)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	158	4,600	10.0	(3.9 - 16.0)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	147	5,900	17.8	(10.0 - 25.5)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	196	5,800	15.9	(9.8 - 22.1)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	603	15,600	8.7	(6.1 - 11.2)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	202	8,400	11.6	(5.4 - 17.8)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	186	6,400	9.6	(5.0 - 14.2)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	287	7,800	8.9	(4.0 - 13.8)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	133	5,200	14.4	(7.2 - 21.6)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	118	2,200	6.0	(1.5 - 10.5)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	251	7,400	7.9	(4.3 - 11.6)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 46b. Ever diagnosed with diabetes among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	9.7	(6.7 - 12.8)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	282	10.0	(6.4 - 13.5)	14,626	7.5	(6.1 - 8.9)
Female	394	9.5	(4.6 - 14.4)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	603	8.4	(6.0 - 10.9)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	202	11.6	(5.3 - 17.9)	15,709	12.6	(10.0 - 15.2)
Some College	186	9.0	(4.7 - 13.3)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	287	8.8	(3.9 - 13.7)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	*	*	*	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	133	13.8	(7.0 - 20.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	118	5.8	(1.6 - 10.0)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	251	7.4	(3.9 - 10.8)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	675	29,600	13.1	(9.5 - 16.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	281	11,600	10.4	(4.9 - 15.9)	14,601	875,800	12.4	(10.1 - 14.7)
Female	394	18,000	15.8	(11.1 - 20.5)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	72	9,200	13.4	(4.1 - 22.8)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	102	7,200	17.1	(8.7 - 25.5)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	157	3,900	8.5	(4.0 - 12.9)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	147	5,500	16.7	(9.6 - 23.7)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	197	3,900	10.6	(5.4 - 15.7)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	602	22,800	12.7	(9.3 - 16.2)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	202	7,200	10.0	(3.1 - 17.0)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	185	13,000	19.7	(11.7 - 27.7)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	287	9,400	10.7	(6.8 - 14.6)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	100	3,600	11.6	(4.8 - 18.4)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	133	3,700	10.3	(3.9 - 16.8)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	251	12,100	13.0	(6.8 - 19.2)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	675	13.4	(9.7 - 17.2)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	281	10.7	(5.1 - 16.3)	14,601	12.6	(10.3 - 14.9)
Female	394	16.1	(11.2 - 21.1)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	602	13.1	(9.5 - 16.7)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	202	10.1	(3.3 - 16.9)	15,675	15.1	(12.1 - 18.0)
Some College	185	20.8	(12.2 - 29.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	287	10.6	(6.5 - 14.7)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	100	11.5	(4.5 - 18.5)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	133	10.7	(4.0 - 17.4)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	251	13.1	(6.7 - 19.4)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 48a. Current asthma among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	15,500	6.9	(4.2 - 9.5)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	281	4,900	4.4	(0.1 - 8.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	392	10,500	9.3	(6.0 - 12.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	102	3,500	8.3	(3.1 - 13.5)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	*	*	*	*	7,787	240,000	8.4	(6.1 - 10.8)
55-64	146	2,900	8.6	(3.6 - 13.7)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	196	2,000	5.4	(2.1 - 8.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	600	11,400	6.4	(4.3 - 8.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	202	6,400	8.9	(2.1 - 15.7)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	185	4,700	7.1	(3.1 - 11.2)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	285	4,300	5.0	(2.4 - 7.6)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	100	2,500	8.1	(2.8 - 13.4)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	*	*	*	*	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	118	3,000	8.0	(2.6 - 13.4)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	251	7,200	7.7	(2.2 - 13.1)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 48b. Current asthma among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	7.0	(4.3 - 9.7)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	281	4.4	(0.3 - 8.6)	14,546	6.4	(4.9 - 7.9)
Female	392	9.5	(6.0 - 13.0)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	600	6.6	(4.4 - 8.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	202	8.9	(2.2 - 15.6)	15,594	10.8	(8.3 - 13.3)
Some College	185	7.6	(3.2 - 12.1)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	285	5.0	(2.2 - 7.7)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	100	7.6	(2.6 - 12.6)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	*	*	*	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	118	8.5	(2.6 - 14.5)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	251	7.6	(2.2 - 13.0)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 49a. Chronic joint symptoms among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	676	105,900	46.8	(41.3 - 52.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	283	53,200	47.1	(38.2 - 56.0)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	393	52,700	46.5	(40.1 - 52.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	159	26,800	57.7	(49.0 - 66.4)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	147	18,400	55.5	(46.4 - 64.6)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	195	17,800	48.8	(40.8 - 56.7)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	602	85,400	47.6	(42.4 - 52.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	186	32,000	48.3	(38.7 - 57.8)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	287	37,000	42.2	(35.2 - 49.2)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	252	42,700	45.6	(37.6 - 53.6)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 49b. Chronic joint symptoms among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	676	45.6	(40.1 - 51.2)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	283	46.1	(37.2 - 55.1)	14,595	42.6	(38.8 - 46.3)
Female	393	45.1	(38.5 - 51.7)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	602	46.6	(41.2 - 51.9)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	186	47.0	(37.2 - 56.8)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	287	40.9	(33.7 - 48.0)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	252	44.2	(36.0 - 52.4)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 50a. Arthritis among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	66,000	29.3	(24.8 - 33.8)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	280	26,200	23.4	(16.8 - 30.0)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	393	39,800	35.0	(29.2 - 40.9)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	102	5,000	11.9	(4.8 - 19.1)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	157	17,400	37.9	(29.3 - 46.6)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	147	13,800	41.6	(32.6 - 50.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	195	22,000	60.3	(52.6 - 68.0)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	601	55,200	30.9	(26.2 - 35.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	200	20,900	29.1	(20.6 - 37.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	186	23,800	35.8	(26.4 - 45.2)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	286	21,400	24.5	(18.9 - 30.0)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	132	11,600	32.4	(23.2 - 41.6)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	250	20,700	22.2	(15.5 - 28.9)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 50b. Arthritis among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	28.2	(23.7 - 32.8)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	280	23.4	(16.8 - 30.0)	14,555	23.5	(20.9 - 26.1)
Female	393	33.0	(27.0 - 39.0)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	601	29.6	(24.9 - 34.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	200	28.6	(20.1 - 37.1)	15,652	30.4	(26.9 - 33.8)
Some College	186	34.9	(25.2 - 44.5)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	286	23.1	(17.6 - 28.5)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	132	30.2	(21.3 - 39.1)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	250	20.8	(14.2 - 27.4)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	38,200	16.8	(13.1 - 20.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	283	17,400	15.4	(9.9 - 21.0)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	395	20,700	18.2	(13.2 - 23.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	102	4,800	11.4	(4.3 - 18.5)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	159	8,100	17.5	(11.2 - 23.9)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	147	6,200	18.8	(12.0 - 25.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	197	10,100	27.7	(20.8 - 34.5)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	604	30,900	17.2	(13.5 - 21.0)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	203	15,300	21.2	(13.0 - 29.3)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	186	11,100	16.8	(9.8 - 23.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	288	11,700	13.3	(8.6 - 18.1)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	133	8,100	22.5	(13.4 - 31.6)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	118	8,100	21.8	(12.3 - 31.2)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	252	7,500	8.0	(3.7 - 12.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹
in Dutchess County and New York State - Age-Adjusted²**

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	16.8	(12.9 - 20.6)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	283	15.9	(10.2 - 21.5)	14,566	18.6	(15.8 - 21.4)
Female	395	17.7	(12.5 - 22.9)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	604	17.2	(13.3 - 21.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	203	21.3	(13.1 - 29.4)	15,626	23.8	(20.1 - 27.4)
Some College	186	16.7	(9.4 - 24.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	288	13.2	(8.3 - 18.1)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	133	21.6	(12.5 - 30.8)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	118	21.9	(12.2 - 31.6)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	252	8.3	(3.7 - 12.9)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	14,500	6.4	(4.4 - 8.4)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	283	5,800	5.2	(2.4 - 7.9)	14,617	460,700	6.5	(5.3 - 7.7)
Female	395	8,600	7.6	(4.7 - 10.5)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	147	2,700	8.1	(2.8 - 13.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	197	6,300	17.1	(11.7 - 22.6)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	604	11,900	6.6	(4.5 - 8.8)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	203	6,100	8.5	(4.5 - 12.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	186	4,100	6.2	(2.2 - 10.3)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	288	4,200	4.8	(2.0 - 7.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	101	4,500	14.4	(6.8 - 22.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	133	3,600	10.0	(4.5 - 15.4)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	118	3,800	10.1	(2.8 - 17.4)	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	6.4	(4.3 - 8.4)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	283	5.3	(2.5 - 8.2)	14,617	6.8	(5.5 - 8.0)
Female	395	7.4	(4.4 - 10.4)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	604	6.6	(4.4 - 8.8)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	203	8.3	(4.3 - 12.2)	15,711	10.3	(8.3 - 12.3)
Some College	186	6.2	(2.0 - 10.4)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	288	4.9	(2.1 - 7.8)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	101	13.4	(5.9 - 20.9)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	133	9.0	(4.1 - 13.9)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	118	10.9	(3.1 - 18.8)	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 53a. Disability among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	43,300	19.1	(15.2 - 23.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	283	20,000	17.7	(11.9 - 23.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	395	23,300	20.5	(15.4 - 25.6)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	102	5,200	12.3	(5.1 - 19.5)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	159	8,700	18.8	(12.3 - 25.3)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	147	7,700	23.2	(15.6 - 30.7)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	197	12,900	35.2	(27.8 - 42.5)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	604	35,200	19.6	(15.8 - 23.5)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	203	18,000	24.8	(16.2 - 33.4)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	186	12,600	19.0	(11.9 - 26.2)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	288	12,700	14.5	(9.7 - 19.3)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	133	9,900	27.4	(17.9 - 37.0)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	118	8,900	23.8	(14.2 - 33.3)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	252	8,000	8.6	(4.3 - 12.9)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 53b. Disability among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	18.9	(15.0 - 22.9)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	283	18.0	(12.2 - 23.8)	14,568	20.9	(18.0 - 23.8)
Female	395	19.8	(14.6 - 25.1)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	604	19.5	(15.5 - 23.5)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	203	24.5	(16.0 - 33.0)	15,638	26.8	(23.0 - 30.6)
Some College	186	18.9	(11.4 - 26.3)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	288	14.4	(9.4 - 19.4)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	133	26.0	(16.5 - 35.6)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	118	24.0	(14.1 - 33.8)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	252	8.8	(4.2 - 13.5)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 54a. Current smoking among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	41,000	18.3	(13.9 - 22.6)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	279	22,500	20.3	(13.7 - 26.9)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	395	18,500	16.3	(10.6 - 22.0)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	100	6,100	15.2	(7.1 - 23.3)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	159	8,800	19.0	(11.2 - 26.7)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	147	3,900	11.8	(6.2 - 17.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	195	3,900	10.6	(5.7 - 15.5)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	601	33,700	18.8	(14.2 - 23.5)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	202	17,700	24.5	(15.2 - 33.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	185	13,600	20.6	(12.3 - 28.8)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	286	9,700	11.3	(6.1 - 16.4)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	251	12,500	13.5	(7.7 - 19.4)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 54b. Current smoking among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	18.4	(14.0 - 22.9)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	279	20.0	(13.4 - 26.5)	14,559	19.2	(16.3 - 22.1)
Female	395	16.9	(10.9 - 23.0)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	601	19.0	(14.2 - 23.7)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	202	24.5	(15.1 - 34.0)	15,654	22.8	(19.5 - 26.0)
Some College	185	21.0	(12.4 - 29.5)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	286	11.4	(6.1 - 16.8)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	251	13.7	(7.7 - 19.6)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 55a. Everyday smoking among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	674	26,800	11.9	(8.4 - 15.4)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	279	14,300	12.9	(8.0 - 17.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	395	12,500	11.0	(5.9 - 16.1)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	100	4,800	11.9	(4.3 - 19.5)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	159	6,900	14.8	(7.7 - 21.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	147	3,000	9.1	(4.0 - 14.2)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	195	2,900	8.0	(3.6 - 12.5)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	601	21,400	12.0	(8.3 - 15.6)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	202	9,900	13.7	(6.8 - 20.5)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	185	10,500	15.9	(8.3 - 23.5)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	286	6,400	7.4	(3.4 - 11.4)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	132	5,200	14.6	(6.8 - 22.5)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	251	6,400	6.9	(3.2 - 10.6)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 55b. Everyday smoking among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	674	12.1	(8.4 - 15.7)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	279	12.6	(7.8 - 17.5)	14,559	12.1	(10.1 - 14.1)
Female	395	11.5	(6.0 - 17.0)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	601	12.0	(8.2 - 15.8)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	202	13.9	(6.8 - 21.1)	15,654	16.4	(13.8 - 19.0)
Some College	185	16.1	(8.2 - 24.1)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	286	7.4	(3.3 - 11.5)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	132	14.3	(6.6 - 22.0)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	251	7.0	(3.2 - 10.8)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	677	189,000	83.4	(79.6 - 87.2)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	282	92,500	82.0	(75.8 - 88.2)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	395	96,500	84.8	(80.3 - 89.3)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	73	59,200	86.3	(76.8 - 95.7)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	102	38,000	90.5	(83.8 - 97.2)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	159	38,200	82.3	(75.0 - 89.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	147	26,800	81.0	(74.4 - 87.7)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	196	26,800	73.5	(66.2 - 80.8)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	603	152,000	84.8	(81.3 - 88.2)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	56,000	77.3	(68.6 - 86.1)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	185	55,400	83.8	(77.1 - 90.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	288	77,400	88.1	(83.7 - 92.5)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	101	24,700	79.2	(69.7 - 88.7)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	118	32,000	85.6	(76.9 - 94.3)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	252	84,200	89.9	(86.1 - 93.7)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	677	83.7	(79.9 - 87.6)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	282	82.2	(76.1 - 88.3)	14,577	79.4	(76.7 - 82.2)
Female	395	85.3	(80.6 - 89.9)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	603	84.9	(81.4 - 88.5)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	78.0	(69.3 - 86.6)	15,647	76.9	(73.8 - 80.0)
Some College	185	83.8	(76.9 - 90.7)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	288	88.4	(83.9 - 92.8)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	118	86.1	(77.4 - 94.8)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	252	90.3	(86.6 - 94.0)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 57a. Binge drinking within the past month among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	673	39,900	17.7	(12.3 - 23.1)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	283	24,900	22.0	(12.8 - 31.3)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	390	15,000	13.3	(8.2 - 18.4)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	102	6,900	16.3	(9.0 - 23.6)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	158	5,700	12.3	(7.1 - 17.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	145	2,900	8.9	(3.7 - 14.1)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	599	32,000	17.9	(13.5 - 22.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	*	*	*	*	15,491	945,800	17.4	(13.2 - 21.6)
Some College	186	11,100	16.7	(9.2 - 24.2)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	285	12,300	14.1	(9.0 - 19.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	132	4,800	13.5	(5.8 - 21.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	115	5,100	13.8	(3.9 - 23.7)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	251	17,800	19.0	(12.6 - 25.4)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 57b. Binge drinking within the past month among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	673	18.1	(12.6 - 23.5)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	283	22.2	(12.9 - 31.4)	14,420	24.5	(21.0 - 27.9)
Female	390	14.0	(8.5 - 19.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	599	18.3	(13.7 - 23.0)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	*	*	*	15,491	17.5	(13.5 - 21.5)
Some College	186	17.4	(9.5 - 25.3)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	285	14.2	(9.0 - 19.5)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	132	13.7	(5.8 - 21.6)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	251	19.2	(12.6 - 25.8)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 58a. Heavy drinking within the past month among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	10,500	4.6	(2.8 - 6.5)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	279	4,700	4.2	(1.5 - 6.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	391	5,700	5.1	(2.4 - 7.7)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	192	2,400	6.8	(2.9 - 10.6)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	596	9,900	5.5	(3.2 - 7.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	201	2,100	3.0	(0.9 - 5.0)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	284	5,400	6.2	(2.7 - 9.7)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	250	5,200	5.6	(2.4 - 8.8)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 58b. Heavy drinking within the past month among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	4.7	(2.8 - 6.7)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	279	4.6	(1.7 - 7.4)	14,330	4.9	(3.9 - 5.9)
Female	391	4.9	(2.2 - 7.6)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	596	5.6	(3.2 - 8.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	201	3.1	(0.9 - 5.3)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	284	6.0	(2.5 - 9.5)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	250	5.5	(2.2 - 8.8)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	616	129,100	63.2	(57.0 - 69.3)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	*	*	*	*	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	355	64,100	63.1	(56.2 - 69.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	145	29,700	69.4	(60.7 - 78.2)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	137	24,800	79.4	(71.5 - 87.3)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	178	28,400	86.3	(81.1 - 91.5)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	554	110,500	67.0	(61.4 - 72.6)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	264	54,500	70.3	(63.2 - 77.3)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	123	24,100	75.5	(65.7 - 85.4)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	238	59,400	66.8	(58.1 - 75.5)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	616	62.7	(56.4 - 68.9)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	*	*	*	13,299	67.9	(64.0 - 71.9)
Female	355	61.8	(54.6 - 68.9)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	554	66.4	(60.7 - 72.2)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	264	69.8	(62.5 - 77.1)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	123	76.2	(66.2 - 86.1)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	238	66.4	(57.6 - 75.3)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	391	109,200	72.5	(64.6 - 80.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	221	50,200	69.8	(61.2 - 78.5)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	106	26,700	87.1	(80.5 - 93.6)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	78	14,500	82.2	(72.8 - 91.7)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	74	13,000	95.7	(90.8 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	351	88,500	75.4	(68.5 - 82.2)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	169	46,800	80.1	(73.1 - 87.1)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	391	71.8	(63.9 - 79.7)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	221	68.5	(59.4 - 77.5)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	351	74.5	(67.5 - 81.6)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	169	79.4	(71.9 - 86.8)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	206,400	93.2	(91.0 - 95.5)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	276	103,300	93.3	(89.7 - 96.9)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	375	103,000	93.2	(90.5 - 95.9)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	72	66,100	96.8	(92.4 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	100	40,000	97.0	(93.7 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	157	42,300	91.7	(86.3 - 97.1)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	141	29,200	91.4	(86.0 - 96.8)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	181	28,900	85.2	(79.9 - 90.5)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	582	163,900	93.6	(91.2 - 95.9)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	187	62,000	90.0	(84.6 - 95.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	183	61,100	92.9	(88.6 - 97.3)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	280	83,100	96.1	(93.9 - 98.2)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	92	26,600	91.2	(85.8 - 96.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	130	32,100	90.2	(84.8 - 95.6)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	114	33,900	92.8	(87.0 - 98.6)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	248	89,100	95.9	(92.5 - 99.2)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	93.5	(91.3 - 95.6)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	276	93.2	(89.7 - 96.8)	13,893	89.1	(86.9 - 91.3)
Female	375	93.7	(91.1 - 96.3)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	582	93.7	(91.4 - 96.0)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	187	90.2	(84.9 - 95.5)	14,507	84.6	(81.8 - 87.4)
Some College	183	93.3	(89.3 - 97.4)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	280	96.1	(94.0 - 98.3)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	92	92.0	(87.1 - 96.8)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	130	90.8	(85.7 - 95.9)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	114	93.4	(88.2 - 98.6)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	248	95.9	(92.6 - 99.3)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 62a. Overweight among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	75,700	34.8	(29.7 - 39.9)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	283	47,500	42.0	(33.7 - 50.3)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	367	28,300	27.0	(21.1 - 33.0)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	153	15,600	34.5	(25.7 - 43.2)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	140	12,200	38.5	(29.3 - 47.6)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	193	14,300	40.0	(32.2 - 47.8)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	581	65,500	38.0	(32.8 - 43.3)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	193	22,800	33.1	(23.2 - 42.9)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	181	22,600	34.9	(25.0 - 44.7)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	275	30,200	36.1	(29.0 - 43.2)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	127	12,000	35.4	(25.4 - 45.4)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	244	32,900	36.1	(28.2 - 44.0)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 62b. Overweight among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	35.0	(29.8 - 40.1)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	283	42.3	(34.0 - 50.6)	14,502	43.9	(40.1 - 47.6)
Female	367	27.0	(20.8 - 33.2)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	581	38.3	(32.9 - 43.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	193	33.3	(23.4 - 43.2)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	275	35.9	(28.6 - 43.1)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	244	36.0	(27.9 - 44.1)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 63a. Obesity among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	61,300	28.2	(22.6 - 33.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	283	33,100	29.3	(20.2 - 38.4)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	367	28,300	27.0	(21.0 - 33.0)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	153	14,600	32.2	(23.8 - 40.6)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	140	10,700	33.7	(24.6 - 42.8)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	193	6,600	18.6	(12.1 - 25.1)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	581	38,400	22.3	(18.1 - 26.5)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	*	*	*	*	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	181	21,600	33.4	(24.5 - 42.3)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	275	15,800	18.8	(12.8 - 24.8)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	127	8,900	26.4	(16.7 - 36.1)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	244	22,300	24.5	(17.6 - 31.4)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 63b. Obesity among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	27.6	(22.0 - 33.2)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	283	28.8	(19.6 - 38.0)	14,502	21.5	(19.0 - 24.0)
Female	367	26.3	(20.1 - 32.4)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	581	21.5	(17.3 - 25.7)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	*	*	*	15,079	29.4	(25.4 - 33.3)
Some College	181	32.6	(23.5 - 41.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	275	18.3	(12.3 - 24.4)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	127	24.9	(15.4 - 34.5)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	244	23.7	(16.7 - 30.7)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 64a. Overweight or obesity among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	137,000	63.0	(57.8 - 68.2)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	283	80,500	71.3	(63.5 - 79.0)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	367	56,500	54.0	(47.4 - 60.6)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	153	30,200	66.7	(58.4 - 74.9)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	140	22,800	72.2	(64.2 - 80.2)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	193	20,900	58.6	(50.8 - 66.4)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	581	104,000	60.3	(55.1 - 65.5)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	181	44,200	68.3	(59.7 - 76.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	275	46,000	54.9	(47.6 - 62.2)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	244	55,200	60.6	(52.7 - 68.6)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 64b. Overweight or obesity among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	62.6	(57.2 - 67.9)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	283	71.1	(63.4 - 78.8)	14,502	65.4	(61.3 - 69.4)
Female	367	53.3	(46.4 - 60.2)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	581	59.8	(54.4 - 65.1)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	181	68.0	(59.1 - 76.9)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	275	54.2	(46.7 - 61.7)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	244	59.7	(51.5 - 67.9)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 65a. Received advice about weight by a health professional among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	56,900	26.2	(21.7 - 30.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	282	24,800	22.0	(16.0 - 28.0)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	366	32,000	30.7	(24.4 - 37.0)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	95	9,300	23.5	(14.0 - 33.0)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	153	14,300	31.6	(23.3 - 40.0)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	140	12,200	38.7	(29.4 - 48.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	191	8,200	23.1	(16.6 - 29.6)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	579	43,500	25.3	(21.0 - 29.6)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	193	15,200	22.1	(14.3 - 29.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	180	19,300	29.9	(21.5 - 38.4)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	274	22,300	26.7	(19.9 - 33.5)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	127	8,300	24.6	(16.2 - 33.0)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	115	8,400	23.0	(13.7 - 32.3)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	244	25,300	27.8	(21.0 - 34.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 65b. Received advice about weight by a health professional among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	25.7	(21.2 - 30.2)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	282	21.8	(15.8 - 27.8)	14,499	23.4	(20.5 - 26.3)
Female	366	30.0	(23.5 - 36.5)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	579	24.6	(20.3 - 28.9)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	193	21.9	(14.0 - 29.8)	15,116	27.3	(23.4 - 31.2)
Some College	180	29.6	(20.9 - 38.3)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	274	26.0	(19.1 - 32.8)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	127	23.7	(15.4 - 32.0)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	115	22.9	(13.4 - 32.4)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	244	27.0	(20.1 - 33.9)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	180	52,600	92.6	(88.6 - 96.5)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	72	23,600	95.0	(90.5 - 99.5)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	108	29,000	90.7	(84.6 - 96.8)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	50	11,400	93.6	(86.8 - 100)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	158	40,300	92.5	(88.3 - 96.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	56	14,300	93.7	(87.6 - 99.8)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	54	18,900	98.2	(96.1 - 100)	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	70	19,400	86.9	(78.1 - 95.7)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	71	23,100	91.0	(84.2 - 97.9)	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	180	92.2	(88.0 - 96.4)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	72	94.2	(89.0 - 99.4)	3,807	88.7	(85.7 - 91.8)
Female	108	90.6	(84.3 - 97.0)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	158	92.1	(87.6 - 96.6)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	56	92.8	(85.5 - 100)	3,962	84.6	(78.7 - 90.5)
Some College	54	98.1	(95.9 - 100)	2,633	85.6	(79.5 - 91.7)
≥ College Degree	70	86.7	(77.5 - 95.9)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	71	90.4	(82.9 - 97.8)	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 67a. No leisure-time physical activity among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	36,700	16.2	(12.8 - 19.5)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	283	16,700	14.8	(10.1 - 19.5)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	395	20,000	17.6	(12.8 - 22.3)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	102	7,600	18.0	(9.7 - 26.3)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	159	8,700	18.7	(11.8 - 25.7)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	147	5,800	17.4	(10.4 - 24.4)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	197	9,300	25.4	(18.6 - 32.2)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	604	27,500	15.3	(11.9 - 18.7)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	17,100	23.6	(16.2 - 31.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	186	10,400	15.7	(9.3 - 22.1)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	288	9,200	10.5	(6.1 - 14.9)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	133	6,700	18.6	(9.6 - 27.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	118	6,600	17.6	(9.2 - 25.9)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	252	9,700	10.4	(6.4 - 14.3)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 67b. No leisure-time physical activity among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	16.3	(12.8 - 19.7)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	283	15.2	(10.4 - 20.0)	14,602	20.9	(17.8 - 23.9)
Female	395	17.4	(12.5 - 22.3)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	604	15.3	(11.8 - 18.8)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	23.1	(15.7 - 30.5)	15,683	32.3	(28.3 - 36.4)
Some College	186	16.4	(9.6 - 23.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	288	10.6	(6.0 - 15.3)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	133	18.2	(9.1 - 27.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	118	17.9	(9.2 - 26.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	252	10.6	(6.5 - 14.7)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	678	63,000	27.8	(22.6 - 33.0)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	283	27,000	23.9	(14.9 - 32.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	395	36,100	31.7	(26.1 - 37.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	159	13,300	28.7	(20.4 - 36.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	147	10,000	30.1	(21.4 - 38.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	197	12,200	33.2	(25.8 - 40.5)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	604	47,200	26.3	(22.1 - 30.5)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	*	*	*	*	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	186	19,700	29.8	(21.7 - 37.8)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	288	24,100	27.5	(21.4 - 33.5)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	133	9,900	27.4	(18.2 - 36.6)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	252	24,600	26.3	(19.9 - 32.7)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	678	27.8	(22.5 - 33.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	283	24.1	(15.1 - 33.1)	14,634	22.7	(19.6 - 25.9)
Female	395	31.5	(25.7 - 37.2)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	604	26.3	(22.0 - 30.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	*	*	*	15,726	23.3	(19.3 - 27.3)
Some College	186	29.6	(21.4 - 37.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	288	27.2	(21.0 - 33.3)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	133	28.2	(18.6 - 37.8)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	252	25.7	(19.3 - 32.1)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 69a. Had a fall within the past 3 months among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	495	16,600	14.6	(11.1 - 18.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	208	8,800	16.0	(10.2 - 21.8)	10,966	489,400	14.4	(11.9 - 16.8)
Female	287	7,800	13.3	(9.1 - 17.4)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	158	8,000	17.4	(10.7 - 24.1)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	141	3,900	12.4	(6.4 - 18.5)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	196	4,700	13.0	(8.2 - 17.7)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	454	15,200	15.5	(11.6 - 19.3)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	159	6,200	17.9	(11.0 - 24.8)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	135	5,600	15.9	(8.8 - 23.0)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	200	4,800	11.0	(6.4 - 15.5)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	81	2,700	15.9	(7.2 - 24.5)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	109	4,300	19.4	(10.2 - 28.6)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	175	5,000	10.5	(5.8 - 15.3)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 69b. Had a fall within the past 3 months among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	495	14.7	(11.2 - 18.2)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	208	16.1	(10.5 - 21.8)	10,966	15.0	(12.1 - 17.8)
Female	287	13.3	(9.1 - 17.4)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	454	15.7	(11.9 - 19.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	159	17.6	(10.9 - 24.3)	12,417	17.4	(13.0 - 21.7)
Some College	135	16.0	(8.9 - 23.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	200	11.4	(6.7 - 16.1)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	81	15.4	(7.0 - 23.7)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	109	19.6	(10.5 - 28.6)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	175	10.7	(5.9 - 15.5)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Dutchess County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Dutchess County and New York State

	Dutchess County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	495	5,000	4.4	(2.2 - 6.5)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	208	2,800	5.0	(1.4 - 8.6)	10,957	120,000	3.5	(2.5 - 4.6)
Female	287	2,200	3.8	(1.4 - 6.3)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	454	4,300	4.4	(2.1 - 6.7)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	159	2,600	7.6	(2.2 - 13.0)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Dutchess County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Dutchess County and New York State - Age-Adjusted²

	Dutchess County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	495	4.4	(2.3 - 6.5)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	208	5.1	(1.6 - 8.6)	10,957	3.6	(2.4 - 4.7)
Female	287	3.7	(1.3 - 6.0)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	454	4.5	(2.2 - 6.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	159	7.5	(2.3 - 12.7)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)