

New York State Expanded Behavioral Risk Factor Surveillance System

Franklin County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Franklin County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Franklin County and New York State	14
Table 2b. Fair or poor general health among adults in Franklin County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Franklin County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Franklin County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Franklin County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Franklin County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Franklin County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Franklin County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Franklin County and New York State	22
Table 6b. Health insurance among adults in Franklin County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Franklin County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Franklin County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Franklin County and New York State	26
Table 8b. No health insurance among adults in Franklin County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Franklin County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Franklin County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Franklin County and New York State	30
Table 10b. Adults with regular health care provider in Franklin County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Franklin County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Franklin County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Franklin County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Franklin County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Franklin County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Franklin County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Franklin County and New York State	38
Table 14b. Dentist visit within the past year among adults in Franklin County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Franklin County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Franklin County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Franklin County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Franklin County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Franklin County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Franklin County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Franklin County and New York State	46
Table 18b. Flu shot within the past 12 months in Franklin County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Franklin County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Franklin County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Franklin County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Franklin County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Franklin County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Franklin County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Franklin County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Franklin County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Franklin County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Franklin County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Franklin County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Franklin County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Franklin County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Franklin County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Franklin County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Franklin County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Franklin County and New York State	64
Table 27b. Ever had a Pap test among women in Franklin County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Franklin County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Franklin County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Franklin County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Franklin County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Franklin County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Franklin County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Franklin County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Franklin County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Franklin County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Franklin County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Franklin County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Franklin County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Franklin County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Franklin County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Franklin County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Franklin County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Franklin County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Franklin County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Franklin County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Franklin County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Franklin County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Franklin County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Franklin County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Franklin County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Franklin County and New York State	90
Table 40b. High blood pressure among adults in Franklin County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Franklin County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Franklin County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Franklin County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Franklin County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Franklin County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Franklin County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Franklin County and New York State	98
Table 44b. Cardiovascular disease among adults in Franklin County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Franklin County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Franklin County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Franklin County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Franklin County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Franklin County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Franklin County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Franklin County and New York State	106
Table 48b. Current asthma among adults in Franklin County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Franklin County and New York State	108
Table 49b. Chronic joint symptoms among adults in Franklin County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Franklin County and New York State	110
Table 50b. Arthritis among adults in Franklin County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Franklin County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Franklin County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Franklin County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Franklin County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Franklin County and New York State	116
Table 53b. Disability among adults in Franklin County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Franklin County and New York State	118
Table 54b. Current smoking among adults in Franklin County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Franklin County and New York State	120
Table 55b. Everyday smoking among adults in Franklin County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Franklin County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Franklin County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Franklin County and New York State	124
Table 57b. Binge drinking within the past month among adults in Franklin County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Franklin County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Franklin County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Franklin County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Franklin County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Franklin County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Franklin County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Franklin County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Franklin County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Franklin County and New York State	134
Table 62b. Overweight among adults in Franklin County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Franklin County and New York State	136
Table 63b. Obesity among adults in Franklin County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Franklin County and New York State	138
Table 64b. Overweight or obesity among adults in Franklin County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Franklin County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Franklin County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Franklin County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Franklin County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Franklin County and New York State	144
Table 67b. No leisure-time physical activity among adults in Franklin County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Franklin County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Franklin County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Franklin County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Franklin County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Franklin County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Franklin County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 1. Franklin County and New York State adult US Census Bureau population estimates,¹ 2007

	Franklin County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	40,964	100	14,884,315	100
Gender				
Male	22,753	55.5	7,103,791	47.7
Female	18,211	44.5	7,780,524	52.3
Age (years)				
18-34	13,480	32.9	4,497,479	30.2
35-44	7,759	18.9	2,844,115	19.1
45-54	7,566	18.5	2,854,316	19.2
55-64	5,482	13.4	2,142,000	14.4
≥ 65	6,677	16.3	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	33,363	81.4	9,343,884	62.8
Black Non-Hispanic	3,024	7.4	2,156,941	14.5
Hispanic	1,935	4.7	2,258,717	15.2
Other Non-Hispanic	2,642	6.4	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 2a. Fair or poor general health among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	6,700	16.5	(12.6 - 20.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	231	3,400	14.9	(9.3 - 20.4)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	422	3,400	18.5	(13.5 - 23.5)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	152	1,800	23.9	(15.8 - 32.0)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	*	*	*	*	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	188	1,600	23.4	(16.5 - 30.4)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	612	5,400	16.2	(12.6 - 19.8)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	300	4,100	20.9	(14.8 - 27.0)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	182	1,400	11.3	(5.9 - 16.8)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	170	1,200	13.4	(5.1 - 21.6)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	185	3,500	32.3	(22.6 - 42.1)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	185	1,300	10.8	(5.6 - 16.0)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	113	1,300	16.5	(7.0 - 26.1)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 2b. Fair or poor general health among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	16.6	(12.7 - 20.5)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	231	15.7	(10.1 - 21.3)	14,599	15.3	(12.6 - 18.0)
Female	422	17.6	(12.4 - 22.9)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	612	16.3	(12.7 - 19.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	300	20.8	(14.6 - 27.0)	15,682	25.8	(22.1 - 29.5)
Some College	182	11.4	(6.0 - 16.9)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	170	13.8	(5.5 - 22.2)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	185	31.2	(21.5 - 40.9)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	185	11.7	(5.9 - 17.5)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	113	17.2	(7.4 - 27.1)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	4,800	11.9	(8.8 - 15.1)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	227	2,400	10.8	(6.0 - 15.6)	14,325	604,200	8.7	(7.0 - 10.5)
Female	414	2,400	13.4	(9.5 - 17.2)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	85	900	11.3	(3.0 - 19.7)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	151	1,300	17.2	(9.7 - 24.7)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	145	1,000	18.2	(10.3 - 26.1)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	178	900	13.5	(7.8 - 19.2)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	600	4,100	12.5	(9.3 - 15.7)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	291	2,500	12.9	(8.3 - 17.5)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	181	1,200	9.9	(4.8 - 15.0)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	169	1,100	12.6	(5.0 - 20.1)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	183	2,300	21.7	(13.4 - 30.1)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	184	1,000	7.7	(3.5 - 11.9)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	112	500	6.3	(1.6 - 11.0)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	12.0	(8.8 - 15.2)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	227	11.2	(6.4 - 16.1)	14,325	8.7	(6.9 - 10.5)
Female	414	13.0	(9.0 - 17.0)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	600	12.5	(9.3 - 15.7)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	291	12.6	(8.2 - 17.1)	15,178	12.7	(10.2 - 15.1)
Some College	181	10.2	(4.9 - 15.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	169	13.1	(5.1 - 21.1)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	183	21.2	(12.8 - 29.6)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	184	8.1	(3.6 - 12.6)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	112	6.4	(1.4 - 11.4)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	3,400	8.4	(5.5 - 11.3)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	229	1,900	8.2	(3.7 - 12.6)	14,407	555,200	7.9	(6.3 - 9.6)
Female	417	1,600	8.7	(5.5 - 11.9)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	151	900	12.2	(6.3 - 18.0)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	145	600	11.4	(5.4 - 17.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	606	3,100	9.4	(6.2 - 12.7)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	296	1,900	9.6	(4.6 - 14.6)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	180	1,100	9.6	(4.8 - 14.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	183	1,600	14.6	(8.2 - 21.0)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	183	600	4.5	(1.6 - 7.4)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	8.3	(5.6 - 11.0)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	229	7.9	(3.9 - 11.9)	14,407	7.9	(6.3 - 9.6)
Female	417	8.7	(5.4 - 12.1)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	606	9.2	(6.2 - 12.2)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	296	9.3	(4.7 - 13.9)	15,335	12.3	(10.0 - 14.6)
Some College	180	10.0	(5.1 - 14.9)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	183	14.1	(7.9 - 20.4)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	183	4.9	(1.7 - 8.0)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	7,000	17.4	(13.4 - 21.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	226	3,600	16.0	(9.9 - 22.1)	14,231	937,700	13.6	(11.4 - 15.8)
Female	409	3,400	19.1	(14.6 - 23.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	81	1,600	12.3	(4.3 - 20.3)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	83	1,200	16.0	(6.6 - 25.3)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	151	1,900	25.1	(16.7 - 33.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	143	1,200	22.9	(14.5 - 31.4)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	177	1,000	15.8	(9.7 - 21.9)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	595	6,000	18.5	(14.5 - 22.6)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	288	3,700	19.2	(13.0 - 25.3)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	179	2,000	16.5	(9.6 - 23.4)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	168	1,300	14.6	(6.9 - 22.3)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	180	3,200	29.6	(20.3 - 38.8)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	181	1,300	10.4	(5.4 - 15.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	99	800	11.5	(4.3 - 18.7)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	17.4	(13.4 - 21.3)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	226	16.2	(10.3 - 22.1)	14,231	13.6	(11.4 - 15.8)
Female	409	18.9	(14.0 - 23.7)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	595	18.4	(14.5 - 22.3)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	288	18.7	(12.8 - 24.6)	15,018	20.1	(17.1 - 23.1)
Some College	179	17.1	(10.1 - 24.2)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	168	15.0	(6.8 - 23.1)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	180	28.9	(19.5 - 38.3)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	181	11.1	(5.8 - 16.5)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	111	14.0	(5.0 - 23.0)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	99	11.6	(4.4 - 18.9)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 6a. Health insurance among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	32,600	79.6	(71.7 - 87.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	*	*	*	*	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	424	15,800	86.5	(81.7 - 91.4)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	152	7,000	92.1	(87.3 - 96.9)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	147	4,900	89.1	(83.1 - 95.1)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	189	6,600	98.9	(97.3 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	615	28,700	86.1	(81.7 - 90.6)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	15,700	78.9	(69.9 - 87.9)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	170	8,300	92.1	(86.0 - 98.1)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	113	7,000	90.7	(82.5 - 98.9)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	100	6,500	95.0	(89.1 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 6b. Health insurance among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	80.4	(73.1 - 87.6)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	*	*	*	14,597	83.6	(79.7 - 87.5)
Female	424	85.4	(79.9 - 90.8)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	615	86.8	(82.7 - 90.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	79.2	(70.2 - 88.3)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	170	92.4	(86.6 - 98.2)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	113	90.2	(81.4 - 99.0)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	100	94.6	(88.4 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 7a. Health insurance among adults aged 18-64¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	463	25,900	75.7	(66.7 - 84.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	294	11,900	83.3	(77.3 - 89.4)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	150	6,900	92.0	(87.1 - 96.8)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	145	4,900	89.0	(83.0 - 95.1)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	430	22,700	83.3	(77.9 - 88.7)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	120	6,600	90.6	(83.1 - 98.1)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	95	6,200	89.8	(80.8 - 98.7)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	82	5,700	94.3	(87.8 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 7b. Health insurance among adults aged 18-64¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	463	76.4	(68.0 - 84.9)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	*	*	*	10,078	80.5	(75.9 - 85.1)
Female	294	82.7	(76.3 - 89.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	430	83.9	(78.9 - 88.9)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	120	90.7	(83.5 - 98.0)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	95	89.2	(79.5 - 98.8)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	82	93.8	(86.7 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 8a. No health insurance among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	8,400	20.4	(12.6 - 28.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	*	*	*	*	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	424	2,500	13.5	(8.6 - 18.3)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	152	600	7.9	(3.1 - 12.7)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	147	600	10.9	(4.9 - 16.9)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	615	4,600	13.9	(9.4 - 18.3)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	4,200	21.1	(12.1 - 30.1)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 8b. No health insurance among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	19.6	(12.4 - 26.9)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	*	*	*	14,597	16.4	(12.5 - 20.3)
Female	424	14.6	(9.2 - 20.1)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	615	13.2	(9.1 - 17.3)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	20.8	(11.7 - 29.8)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 9a. No health insurance among adults aged 18-64¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	463	8,300	24.3	(15.3 - 33.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	294	2,400	16.7	(10.6 - 22.7)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	150	600	8.0	(3.2 - 12.9)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	145	600	11.0	(4.9 - 17.0)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	430	4,600	16.7	(11.3 - 22.1)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 9b. No health insurance among adults aged 18-64¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	463	23.6	(15.1 - 32.0)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	*	*	*	10,078	19.5	(14.9 - 24.1)
Female	294	17.3	(10.8 - 23.7)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	430	16.1	(11.1 - 21.1)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 10a. Adults with regular health care provider¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	32,000	78.2	(70.6 - 85.8)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	*	*	*	*	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	423	16,400	90.4	(87.1 - 93.6)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	151	6,600	87.6	(81.4 - 93.9)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	147	4,900	90.1	(83.9 - 96.3)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	187	6,100	91.2	(85.7 - 96.7)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	612	27,400	82.5	(77.7 - 87.3)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	299	14,800	74.8	(66.1 - 83.5)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	170	8,100	90.2	(84.2 - 96.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	113	6,500	84.3	(75.7 - 92.9)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	*	*	*	*	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 10b. Adults with regular health care provider¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	78.9	(71.9 - 86.0)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	*	*	*	14,593	78.1	(73.9 - 82.3)
Female	423	89.9	(86.3 - 93.5)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	612	83.3	(79.0 - 87.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	299	75.4	(66.7 - 84.1)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	170	90.5	(84.8 - 96.2)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	113	84.9	(76.7 - 93.0)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	100	84.8	(75.0 - 94.6)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	5,200	12.8	(9.1 - 16.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	232	2,900	12.7	(6.9 - 18.5)	14,607	903,300	12.7	(9.5 - 16.0)
Female	424	2,300	12.9	(8.9 - 16.9)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	83	1,800	13.2	(5.1 - 21.4)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	152	600	8.4	(3.7 - 13.2)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	147	600	10.7	(5.4 - 15.9)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	189	700	11.1	(4.6 - 17.5)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	615	4,300	12.8	(9.0 - 16.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	302	2,600	13.0	(7.4 - 18.6)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	183	1,800	15.1	(7.4 - 22.8)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	170	800	9.3	(4.2 - 14.5)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	187	2,900	26.0	(16.5 - 35.5)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	186	1,100	9.0	(2.8 - 15.1)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	113	800	9.8	(3.2 - 16.4)	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	13.5	(9.7 - 17.2)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	232	13.1	(7.4 - 18.8)	14,607	12.5	(9.4 - 15.6)
Female	424	13.9	(9.4 - 18.5)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	615	13.1	(9.5 - 16.7)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	302	13.8	(7.9 - 19.6)	15,696	17.8	(13.8 - 21.7)
Some College	183	16.1	(8.4 - 23.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	170	9.5	(4.2 - 14.9)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	187	24.9	(15.7 - 34.1)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	186	10.4	(3.4 - 17.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	113	11.4	(3.8 - 18.9)	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	27,400	66.9	(60.7 - 73.1)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	*	*	*	*	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	423	13,900	76.7	(71.4 - 81.9)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	151	5,400	72.5	(63.1 - 81.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	147	4,400	79.4	(71.1 - 87.6)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	188	6,100	91.6	(86.2 - 97.0)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	613	22,900	68.7	(63.5 - 74.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	11,800	59.6	(50.4 - 68.8)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	170	6,800	75.9	(67.0 - 84.7)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	66.9	(60.9 - 72.9)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	231	60.5	(50.8 - 70.1)	14,592	67.1	(63.3 - 70.9)
Female	423	75.0	(69.1 - 80.9)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	613	69.1	(64.0 - 74.1)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	301	59.5	(50.3 - 68.7)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	170	76.1	(67.2 - 85.0)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	31,500	77.0	(71.1 - 82.9)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	231	15,600	68.9	(58.9 - 78.8)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	423	15,900	87.1	(83.4 - 90.9)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	151	6,200	82.1	(73.3 - 90.8)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	147	4,700	85.5	(77.9 - 93.0)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	188	6,300	94.7	(89.9 - 99.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	613	26,600	79.8	(75.0 - 84.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	13,900	70.2	(60.6 - 79.7)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	182	9,600	80.2	(70.8 - 89.6)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	170	7,900	87.7	(81.0 - 94.3)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	112	6,400	84.4	(76.0 - 92.8)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	77.4	(71.7 - 83.1)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	231	70.0	(60.6 - 79.4)	14,592	81.9	(78.4 - 85.3)
Female	423	86.5	(82.4 - 90.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	613	80.5	(76.0 - 85.0)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	301	70.4	(60.9 - 79.9)	15,640	84.6	(81.1 - 88.1)
Some College	182	80.4	(71.6 - 89.1)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	170	88.2	(81.8 - 94.6)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	112	84.0	(75.6 - 92.5)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 14a. Dentist visit within the past year among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	26,200	64.3	(58.4 - 70.2)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	231	13,900	61.4	(51.6 - 71.2)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	421	12,300	68.0	(62.5 - 73.4)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	151	5,000	67.2	(57.5 - 77.0)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	146	3,500	65.2	(56.0 - 74.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	188	3,900	58.5	(50.2 - 66.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	612	21,100	63.6	(58.4 - 68.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	298	10,900	55.6	(46.9 - 64.3)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	*	*	*	*	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	*	*	*	*	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 14b. Dentist visit within the past year among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	64.9	(59.3 - 70.5)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	231	61.8	(52.8 - 70.9)	14,573	68.3	(64.6 - 72.1)
Female	421	68.8	(62.9 - 74.7)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	612	64.3	(59.3 - 69.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	298	56.5	(47.9 - 65.1)	15,613	65.3	(60.9 - 69.6)
Some College	183	71.9	(62.1 - 81.8)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	*	*	*	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 15a. Had teeth cleaned within the past year among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	561	23,000	62.0	(55.3 - 68.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	*	*	*	*	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	356	10,900	69.0	(63.2 - 74.9)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	145	4,700	64.8	(54.9 - 74.8)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	*	*	*	*	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	136	3,300	70.1	(61.4 - 78.8)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	527	18,700	62.6	(56.9 - 68.3)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	*	*	*	*	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	*	*	*	*	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 15b. Had teeth cleaned within the past year among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	561	62.8	(56.5 - 69.1)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	*	*	*	13,173	69.2	(65.3 - 73.1)
Female	356	68.7	(62.4 - 75.1)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	527	63.3	(57.8 - 68.8)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	232	52.4	(42.4 - 62.3)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	163	76.1	(66.5 - 85.8)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	22,800	56.0	(49.1 - 62.9)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	*	*	*	*	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	419	10,800	59.9	(53.7 - 66.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	150	4,300	58.0	(48.1 - 67.8)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	146	4,400	80.8	(74.1 - 87.6)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	186	5,800	88.1	(82.9 - 93.2)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	609	19,700	59.3	(53.9 - 64.7)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	299	13,300	66.9	(57.6 - 76.2)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	*	*	*	*	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	56.3	(49.7 - 62.9)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	*	*	*	14,457	47.9	(44.1 - 51.7)
Female	419	56.3	(49.5 - 63.1)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	609	59.6	(54.4 - 64.8)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	299	67.4	(58.1 - 76.6)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	*	*	*	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	186	1,900	28.7	(20.8 - 36.5)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	125	1,100	29.6	(20.3 - 38.9)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	186	1,900	28.7	(20.8 - 36.5)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	178	1,600	26.3	(19.1 - 33.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	186	28.5	(19.8 - 37.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	125	29.7	(20.2 - 39.1)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	178	25.7	(17.8 - 33.6)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 18a. Flu shot within the past 12 months¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	13,600	33.6	(28.3 - 38.9)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	231	6,400	28.4	(20.6 - 36.2)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	423	7,200	40.0	(34.2 - 45.8)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	235	4,800	19.8	(13.3 - 26.2)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	230	4,500	46.8	(38.9 - 54.7)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	189	4,400	65.3	(57.0 - 73.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	613	11,900	36.1	(31.4 - 40.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	300	5,800	29.7	(22.7 - 36.8)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	183	3,100	25.7	(16.4 - 35.0)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	170	4,700	52.3	(42.3 - 62.3)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	186	3,800	34.7	(25.4 - 44.1)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	185	2,800	22.7	(14.1 - 31.2)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 18b. Flu shot within the past 12 months¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	34.0	(28.8 - 39.2)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	231	31.5	(23.6 - 39.4)	14,579	40.0	(36.2 - 43.8)
Female	423	37.1	(31.0 - 43.2)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	613	36.5	(31.8 - 41.3)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	300	29.3	(22.3 - 36.3)	15,663	43.7	(39.1 - 48.2)
Some College	183	25.8	(16.8 - 34.7)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	170	54.1	(44.1 - 64.1)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	186	35.5	(25.7 - 45.4)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	185	22.0	(14.0 - 29.9)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	14,100	34.7	(29.3 - 40.1)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	231	6,800	30.0	(21.9 - 38.2)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	422	7,300	40.5	(34.6 - 46.3)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	235	5,300	21.5	(14.8 - 28.3)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	229	4,500	47.0	(39.1 - 54.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	189	4,400	65.3	(57.0 - 73.5)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	612	12,400	37.5	(32.6 - 42.4)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	300	6,200	31.5	(24.2 - 38.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	182	3,200	26.5	(17.0 - 36.1)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	170	4,700	52.3	(42.3 - 62.3)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	186	3,800	34.7	(25.4 - 44.1)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	184	2,800	22.7	(14.1 - 31.3)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	35.0	(29.7 - 40.3)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	231	32.8	(24.7 - 40.9)	14,568	40.4	(36.6 - 44.2)
Female	422	37.7	(31.6 - 43.8)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	612	37.7	(32.9 - 42.6)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	300	30.9	(23.7 - 38.1)	15,651	44.1	(39.6 - 48.6)
Some College	182	26.4	(17.3 - 35.6)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	170	54.1	(44.1 - 64.1)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	186	35.5	(25.7 - 45.4)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	184	22.0	(14.1 - 30.0)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 21a. Flu shot among adults aged 65 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	189	4,400	65.3	(57.0 - 73.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	128	2,600	66.6	(56.9 - 76.3)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	189	4,400	65.3	(57.0 - 73.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	181	4,100	68.4	(60.6 - 76.2)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 21b. Flu shot among adults aged 65 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	189	64.6	(55.4 - 73.8)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	128	66.4	(56.6 - 76.3)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	181	67.9	(59.1 - 76.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	8,700	23.4	(19.0 - 27.8)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	210	3,600	18.1	(11.8 - 24.5)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	401	5,000	29.7	(24.5 - 35.0)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	210	2,400	11.2	(5.8 - 16.5)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	218	2,000	22.5	(16.5 - 28.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	183	4,200	65.3	(56.9 - 73.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	575	7,900	26.1	(21.8 - 30.3)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	278	4,400	25.6	(19.0 - 32.1)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	174	2,300	20.4	(11.6 - 29.2)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	158	1,900	22.8	(16.0 - 29.7)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	172	2,800	28.6	(19.6 - 37.7)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	176	1,900	16.7	(9.6 - 23.7)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	106	1,100	15.3	(8.9 - 21.7)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	*	*	*	*	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	23.3	(18.9 - 27.6)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	210	20.6	(14.0 - 27.1)	13,052	25.8	(22.3 - 29.4)
Female	401	26.5	(21.2 - 31.8)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	575	25.9	(21.6 - 30.2)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	278	25.1	(18.4 - 31.7)	14,700	29.5	(25.6 - 33.5)
Some College	174	20.0	(11.7 - 28.4)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	158	23.5	(16.2 - 30.8)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	172	27.5	(18.6 - 36.4)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	176	16.1	(9.5 - 22.7)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	106	15.7	(8.8 - 22.6)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	*	*	*	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	4,200	65.3	(56.9 - 73.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	126	2,700	69.0	(59.8 - 78.3)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	183	4,200	65.3	(56.9 - 73.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	175	3,900	66.6	(58.6 - 74.7)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	63.8	(54.4 - 73.2)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	126	69.0	(59.7 - 78.3)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	175	65.6	(56.5 - 74.7)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	349	10,900	91.4	(87.3 - 95.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	349	10,900	91.4	(87.3 - 95.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	143	4,400	97.2	(94.8 - 99.7)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	128	3,800	98.1	(96.2 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	331	9,900	94.0	(90.9 - 97.1)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	5,000	87.1	(79.8 - 94.4)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	93	2,900	94.7	(89.3 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	94	3,100	95.9	(90.9 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	105	2,900	88.2	(78.7 - 97.6)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	106	3,600	93.6	(88.4 - 98.9)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	50	1,800	96.7	(90.3 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	349	90.0	(85.0 - 94.9)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	349	90.0	(85.0 - 94.9)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	331	93.1	(89.2 - 96.9)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	84.6	(75.6 - 93.6)	8,266	90.2	(86.1 - 94.2)
Some College	93	94.7	(89.3 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	94	95.1	(89.1 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	106	93.1	(87.2 - 99.0)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	50	96.7	(90.2 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	347	9,600	80.9	(75.5 - 86.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	347	9,600	80.9	(75.5 - 86.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	142	3,900	86.8	(80.3 - 93.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	127	3,500	89.7	(85.0 - 94.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	330	8,700	82.7	(77.7 - 87.8)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	4,400	76.7	(67.9 - 85.6)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	93	2,600	85.7	(77.2 - 94.2)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	93	2,700	83.7	(75.2 - 92.2)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	106	3,300	85.3	(75.8 - 94.8)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	50	1,700	91.3	(82.9 - 99.6)	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	347	79.0	(72.7 - 85.3)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	347	79.0	(72.7 - 85.3)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	330	81.2	(75.2 - 87.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	93	85.5	(76.8 - 94.1)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	93	81.7	(71.9 - 91.6)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	50	91.6	(83.3 - 99.8)	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	269	7,400	88.2	(84.0 - 92.3)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	269	7,400	88.2	(84.0 - 92.3)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	142	3,900	86.8	(80.3 - 93.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	127	3,500	89.7	(85.0 - 94.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	257	6,500	87.8	(83.5 - 92.1)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	3,300	86.3	(80.4 - 92.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	71	1,900	88.9	(79.7 - 98.1)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	72	2,100	90.6	(83.6 - 97.5)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	83	2,700	96.3	(92.8 - 99.8)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	269	88.2	(84.0 - 92.4)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	269	88.2	(84.0 - 92.4)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	257	87.9	(83.5 - 92.2)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	126	86.7	(81.0 - 92.5)	7,026	83.6	(80.1 - 87.0)
Some College	71	88.4	(78.5 - 98.2)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	72	90.6	(83.6 - 97.6)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	83	96.2	(92.6 - 99.8)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 27a. Ever had a Pap test among women¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	422	17,600	97.0	(94.7 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	422	17,600	97.0	(94.7 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	51	4,700	95.9	(90.1 - 100)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	53	3,100	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	100	3,300	94.8	(87.4 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	91	2,600	97.9	(95.4 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	127	3,800	97.4	(94.7 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	397	15,400	97.9	(96.0 - 99.9)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	7,400	94.6	(90.4 - 98.8)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	126	5,500	97.8	(93.6 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	112	4,700	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	123	4,800	93.9	(88.3 - 99.5)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	128	5,400	97.8	(93.5 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	64	3,100	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	57	2,700	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 27b. Ever had a Pap test among women¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	422	97.0	(94.7 - 99.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	422	97.0	(94.7 - 99.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	397	97.9	(95.8 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	94.9	(90.6 - 99.1)	9,526	87.8	(83.2 - 92.4)
Some College	126	97.6	(92.9 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	112	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	123	94.6	(89.2 - 99.9)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	128	97.4	(92.5 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	64	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	57	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	421	14,900	82.3	(78.2 - 86.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	421	14,900	82.3	(78.2 - 86.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	51	4,600	92.8	(85.7 - 99.9)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	100	2,800	79.4	(69.4 - 89.4)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	91	2,200	83.3	(75.1 - 91.4)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	126	2,900	74.1	(65.8 - 82.4)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	396	12,900	82.6	(78.4 - 86.7)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	6,200	79.2	(72.3 - 86.1)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	126	4,500	80.1	(72.3 - 88.0)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	111	4,200	90.4	(85.0 - 95.7)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	123	3,700	71.6	(61.7 - 81.5)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	128	4,700	86.0	(78.9 - 93.1)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	64	2,700	87.8	(79.7 - 96.0)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	57	2,600	94.5	(88.6 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	421	83.0	(78.6 - 87.3)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	421	83.0	(78.6 - 87.3)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	396	83.1	(78.7 - 87.5)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	79.8	(72.3 - 87.3)	9,384	76.4	(71.3 - 81.5)
Some College	126	81.0	(72.9 - 89.2)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	111	90.9	(85.5 - 96.2)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	128	85.8	(78.0 - 93.5)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	64	88.3	(80.0 - 96.6)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	57	94.0	(87.3 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	*	*	*	*	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	56	2,500	87.5	(78.7 - 96.4)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	173	7,400	73.3	(65.0 - 81.5)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,033	73.7	(69.6 - 77.8)
Gender						
Male	*	*	*	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	173	74.1	(66.0 - 82.2)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	5,600	47.6	(38.3 - 57.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	183	5,600	47.6	(38.3 - 57.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	173	5,300	52.9	(44.3 - 61.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	48.4	(38.9 - 57.8)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	183	48.4	(38.9 - 57.8)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	173	54.0	(45.5 - 62.5)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	*	*	*	*	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	*	*	*	*	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	166	5,800	59.5	(50.6 - 68.4)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	11,557	67.4	(63.7 - 71.1)
Gender						
Male	*	*	*	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	166	61.6	(53.0 - 70.3)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	175	5,600	49.8	(40.0 - 59.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	175	5,600	49.8	(40.0 - 59.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	165	5,200	54.2	(45.3 - 63.0)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	175	50.9	(41.1 - 60.8)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	175	50.9	(41.1 - 60.8)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	165	55.7	(46.9 - 64.4)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 33a. Prostate cancer among men aged 40 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 33b. Prostate cancer among men aged 40 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	416	7,100	44.4	(38.6 - 50.1)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	143	3,200	43.3	(34.1 - 52.5)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	273	3,800	45.3	(38.1 - 52.5)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	228	3,500	37.7	(29.8 - 45.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	188	3,600	53.7	(45.3 - 62.1)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	395	6,200	43.0	(37.4 - 48.6)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	3,200	41.8	(33.7 - 49.9)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	416	43.9	(37.9 - 49.9)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	143	43.5	(34.3 - 52.6)	9,571	39.4	(35.3 - 43.5)
Female	273	44.4	(37.1 - 51.8)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	395	42.9	(36.9 - 48.9)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	40.4	(32.0 - 48.9)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	414	3,500	22.1	(16.8 - 27.3)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	143	1,700	23.3	(15.4 - 31.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	271	1,800	21.0	(14.0 - 28.0)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	227	1,900	20.8	(13.4 - 28.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	187	1,600	23.9	(16.6 - 31.2)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	393	2,900	20.4	(15.8 - 24.9)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	199	1,600	20.9	(14.1 - 27.7)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	98	800	20.6	(10.7 - 30.4)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	*	*	*	*	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	121	800	18.6	(9.8 - 27.4)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	121	1,200	27.3	(17.7 - 37.0)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	414	22.1	(16.7 - 27.4)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	143	23.0	(15.3 - 30.8)	9,508	16.4	(13.2 - 19.6)
Female	271	20.8	(13.7 - 28.0)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	393	20.7	(15.8 - 25.6)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	199	19.9	(13.1 - 26.7)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	*	*	*	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	121	17.4	(8.6 - 26.2)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	121	27.1	(17.2 - 36.9)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	414	4,600	29.0	(23.5 - 34.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	143	2,200	29.6	(21.2 - 38.1)	9,508	593,100	21.4	(18.3 - 24.5)
Female	271	2,400	28.5	(21.3 - 35.7)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	227	2,500	26.8	(19.2 - 34.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	187	2,100	32.1	(24.3 - 39.9)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	393	3,900	27.0	(22.1 - 32.0)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	199	2,100	27.9	(20.5 - 35.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	*	*	*	*	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	121	1,200	27.5	(17.9 - 37.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	121	1,300	28.8	(19.1 - 38.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	414	28.8	(23.2 - 34.5)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	143	29.4	(21.1 - 37.8)	9,508	21.7	(18.3 - 25.1)
Female	271	28.1	(20.8 - 35.4)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	393	27.2	(21.9 - 32.4)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	199	26.4	(19.0 - 33.7)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	*	*	*	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	121	24.8	(15.2 - 34.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	121	28.7	(18.8 - 38.6)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	418	10,900	67.2	(61.7 - 72.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	145	4,800	62.2	(53.0 - 71.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	273	6,100	71.8	(65.6 - 77.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	*	*	*	*	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	188	5,200	77.8	(70.5 - 85.1)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	397	10,000	68.8	(63.4 - 74.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	4,400	57.9	(49.5 - 66.3)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	117	3,600	76.7	(67.8 - 85.6)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	121	3,100	70.3	(61.1 - 79.4)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	418	67.2	(61.4 - 73.1)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	145	63.9	(54.8 - 73.0)	9,582	68.5	(64.5 - 72.5)
Female	273	71.4	(65.1 - 77.7)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	397	69.3	(63.6 - 74.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	57.1	(48.1 - 66.0)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	117	77.9	(69.1 - 86.7)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	121	70.3	(60.8 - 79.7)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	418	10,600	65.7	(60.1 - 71.2)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	145	4,700	60.9	(51.7 - 70.1)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	273	5,900	70.0	(63.7 - 76.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	*	*	*	*	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	188	5,000	75.6	(68.1 - 83.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	397	9,800	67.5	(62.0 - 72.9)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	4,400	57.3	(48.9 - 65.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	117	3,600	75.6	(66.6 - 84.7)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	121	3,100	70.3	(61.1 - 79.4)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	418	65.7	(59.8 - 71.6)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	145	62.6	(53.4 - 71.7)	9,521	66.9	(62.9 - 70.9)
Female	273	69.6	(63.2 - 76.1)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	397	67.9	(62.3 - 73.6)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	56.6	(47.6 - 65.5)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	117	76.4	(67.3 - 85.5)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	121	70.3	(60.8 - 79.7)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	412	11,500	72.6	(67.3 - 77.8)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	141	5,100	69.6	(60.7 - 78.4)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	271	6,400	75.2	(69.2 - 81.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	143	3,500	67.4	(58.2 - 76.6)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	188	5,300	79.7	(72.5 - 86.9)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	391	10,600	74.2	(69.0 - 79.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	195	4,700	64.2	(55.9 - 72.6)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	100	3,000	79.9	(71.3 - 88.5)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	116	3,700	79.7	(71.0 - 88.3)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	119	3,600	81.8	(74.1 - 89.4)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	412	72.5	(66.9 - 78.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	141	70.6	(61.8 - 79.4)	9,418	71.5	(67.6 - 75.4)
Female	271	74.8	(68.7 - 81.0)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	391	74.5	(69.2 - 79.9)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	195	63.4	(54.4 - 72.5)	10,872	64.5	(59.8 - 69.3)
Some College	100	81.0	(72.5 - 89.5)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	116	80.2	(71.5 - 88.9)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	119	82.5	(75.0 - 90.1)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 40a. High blood pressure among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	15,600	38.1	(32.2 - 44.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	232	9,200	40.3	(30.4 - 50.1)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	423	6,500	35.5	(29.8 - 41.1)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	152	2,900	38.2	(28.8 - 47.7)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	146	3,100	56.3	(46.6 - 66.0)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	189	4,100	61.8	(53.4 - 70.3)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	614	12,300	37.0	(32.2 - 41.9)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	8,400	42.4	(33.9 - 51.0)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	*	*	*	*	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	*	*	*	*	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	187	4,100	37.4	(27.7 - 47.1)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	*	*	*	*	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 40b. High blood pressure among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	37.3	(31.6 - 42.9)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	232	41.2	(32.0 - 50.4)	14,611	27.7	(24.7 - 30.7)
Female	423	32.3	(26.5 - 38.2)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	614	36.5	(31.7 - 41.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	301	41.4	(33.0 - 49.7)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	*	*	*	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	187	35.5	(25.7 - 45.2)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	289	11,100	71.1	(61.7 - 80.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	176	5,400	83.3	(76.6 - 89.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	51	2,600	88.3	(79.3 - 97.4)	2,315	645,500	74.9	(66.8 - 82.9)
55-64	75	2,700	88.6	(80.9 - 96.3)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	122	3,700	89.3	(83.0 - 95.5)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	268	9,000	72.7	(65.0 - 80.4)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	289	71.5	(62.7 - 80.3)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	176	80.7	(72.7 - 88.8)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	268	72.4	(64.9 - 80.0)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	30,100	75.8	(67.7 - 83.9)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	*	*	*	*	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	412	15,300	87.1	(81.9 - 92.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	151	6,900	91.6	(86.9 - 96.3)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	146	5,100	93.9	(89.6 - 98.2)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	183	6,100	94.6	(89.1 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	600	26,300	81.6	(76.3 - 86.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	13,300	69.1	(59.3 - 78.8)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	167	8,100	93.3	(88.3 - 98.3)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	111	6,900	90.5	(84.3 - 96.8)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 42b. Ever had blood cholesterol checked among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	76.6	(69.1 - 84.2)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	*	*	*	14,389	78.0	(73.9 - 82.1)
Female	412	85.9	(79.9 - 91.9)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	600	82.5	(77.7 - 87.3)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	69.5	(59.8 - 79.3)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	167	93.0	(87.7 - 98.2)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	111	89.8	(83.1 - 96.5)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	28,900	72.9	(64.9 - 80.8)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	*	*	*	*	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	409	14,900	84.9	(79.5 - 90.2)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	151	6,600	87.4	(81.2 - 93.5)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	146	5,000	92.0	(87.2 - 96.7)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	179	5,900	92.0	(86.1 - 98.0)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	596	25,100	77.9	(72.5 - 83.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	288	12,700	66.6	(56.9 - 76.3)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	166	7,900	91.6	(86.2 - 96.9)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	111	6,700	87.7	(80.6 - 94.9)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	73.6	(66.1 - 81.1)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	14,307	74.8	(70.7 - 79.0)
Female	409	83.6	(77.5 - 89.7)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	596	78.8	(73.8 - 83.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	288	66.9	(57.2 - 76.6)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	166	91.0	(85.3 - 96.7)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	111	86.7	(79.0 - 94.3)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 44a. Cardiovascular disease among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,800	9.4	(6.6 - 12.2)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	231	2,300	9.9	(5.5 - 14.3)	14,477	664,600	9.4	(7.5 - 11.4)
Female	420	1,600	8.8	(5.7 - 11.9)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	145	900	17.0	(9.0 - 25.1)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	187	1,400	21.6	(14.9 - 28.2)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	611	3,100	9.4	(6.7 - 12.2)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	299	2,000	10.2	(6.3 - 14.1)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	182	800	6.6	(2.5 - 10.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	169	1,000	11.5	(4.4 - 18.7)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	184	1,600	14.5	(7.3 - 21.7)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	185	1,000	7.7	(3.1 - 12.4)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 44b. Cardiovascular disease among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	9.6	(6.7 - 12.6)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	231	10.9	(6.3 - 15.6)	14,477	9.7	(7.8 - 11.7)
Female	420	8.0	(4.7 - 11.3)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	611	9.7	(6.8 - 12.6)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	299	10.6	(6.5 - 14.8)	15,486	10.5	(8.0 - 13.0)
Some College	182	6.3	(2.3 - 10.3)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	169	11.8	(4.3 - 19.4)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	184	14.3	(6.9 - 21.7)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	185	8.0	(2.9 - 13.0)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 45a. Coronary heart disease among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,200	7.7	(5.2 - 10.3)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	231	2,100	9.3	(5.0 - 13.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	420	1,100	5.8	(3.6 - 8.0)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	145	800	14.4	(6.7 - 22.0)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	187	1,300	19.3	(12.9 - 25.7)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	611	2,500	7.6	(5.2 - 10.0)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	299	1,700	8.8	(5.3 - 12.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	182	500	4.3	(1.0 - 7.6)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	169	900	10.0	(3.0 - 17.0)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	184	1,300	12.2	(5.3 - 19.1)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	185	700	5.3	(1.8 - 8.8)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 45b. Coronary heart disease among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	7.9	(5.3 - 10.6)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	231	10.3	(5.8 - 14.9)	14,479	8.8	(6.9 - 10.8)
Female	420	5.0	(3.0 - 7.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	611	7.8	(5.3 - 10.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	299	8.9	(5.4 - 12.5)	15,485	8.5	(6.2 - 10.7)
Some College	182	4.2	(0.9 - 7.6)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	169	10.6	(3.1 - 18.1)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	184	12.1	(5.0 - 19.2)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	185	5.3	(1.7 - 8.8)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 46a. Ever diagnosed with diabetes among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	4,800	11.7	(8.5 - 14.9)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	232	2,500	10.9	(6.0 - 15.7)	14,626	530,400	7.5	(6.2 - 8.8)
Female	422	2,300	12.7	(9.1 - 16.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	152	1,300	17.4	(9.9 - 24.8)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	146	800	15.3	(7.7 - 22.9)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	188	1,600	23.5	(16.6 - 30.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	613	3,800	11.5	(8.7 - 14.4)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	300	2,200	11.3	(7.4 - 15.3)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	183	1,200	9.8	(4.6 - 15.1)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	170	1,300	14.8	(6.3 - 23.2)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	186	2,000	18.3	(11.4 - 25.2)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	186	900	7.2	(3.6 - 10.8)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	113	600	7.8	(2.6 - 13.0)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 46b. Ever diagnosed with diabetes among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	11.7	(8.6 - 14.8)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	232	11.8	(7.0 - 16.6)	14,626	7.5	(6.1 - 8.9)
Female	422	11.6	(8.0 - 15.1)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	613	11.8	(8.8 - 14.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	300	11.1	(7.1 - 15.1)	15,709	12.6	(10.0 - 15.2)
Some College	183	9.8	(4.6 - 15.0)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	170	15.0	(7.1 - 22.9)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	186	18.0	(10.9 - 25.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	186	7.1	(3.6 - 10.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	113	8.0	(2.6 - 13.5)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	7,400	18.2	(13.7 - 22.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	230	3,000	13.3	(7.1 - 19.5)	14,601	875,800	12.4	(10.1 - 14.7)
Female	422	4,400	24.3	(18.3 - 30.3)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	84	1,100	14.0	(6.3 - 21.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	151	1,300	16.8	(10.0 - 23.6)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	145	1,200	21.4	(11.8 - 31.1)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	189	1,200	18.7	(12.0 - 25.3)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	611	6,300	19.0	(14.6 - 23.5)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	4,400	22.1	(14.6 - 29.6)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	183	1,300	11.1	(5.8 - 16.4)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	167	1,700	19.2	(11.2 - 27.1)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	187	2,400	22.1	(13.6 - 30.7)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	186	2,000	15.8	(7.3 - 24.3)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	111	1,100	15.1	(5.4 - 24.7)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	18.0	(13.6 - 22.5)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	230	12.8	(7.2 - 18.4)	14,601	12.6	(10.3 - 14.9)
Female	422	24.5	(17.9 - 31.0)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	611	18.7	(14.4 - 22.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	301	21.3	(13.9 - 28.8)	15,675	15.1	(12.1 - 18.0)
Some College	183	11.7	(6.1 - 17.3)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	167	19.2	(11.4 - 27.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	187	23.3	(13.9 - 32.7)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	186	14.7	(7.1 - 22.3)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	111	15.2	(5.3 - 25.2)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 48a. Current asthma among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	5,100	12.7	(8.7 - 16.7)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	229	1,900	8.5	(3.4 - 13.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	419	3,200	17.9	(12.1 - 23.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	84	800	10.4	(3.6 - 17.3)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	150	800	10.4	(5.1 - 15.6)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	145	900	17.2	(7.8 - 26.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	187	900	13.4	(7.2 - 19.5)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	607	4,100	12.4	(8.6 - 16.3)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	298	3,100	15.8	(8.9 - 22.6)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	183	1,000	7.9	(3.9 - 11.9)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	166	1,100	12.3	(5.1 - 19.5)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	187	1,900	17.2	(9.1 - 25.2)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	185	1,200	9.7	(3.1 - 16.3)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 48b. Current asthma among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	12.6	(8.6 - 16.5)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	229	8.3	(3.7 - 13.0)	14,546	6.4	(4.9 - 7.9)
Female	419	17.8	(11.5 - 24.2)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	607	12.1	(8.5 - 15.7)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	298	15.6	(8.7 - 22.6)	15,594	10.8	(8.3 - 13.3)
Some College	183	8.2	(4.0 - 12.3)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	166	11.7	(4.9 - 18.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	187	18.2	(9.2 - 27.2)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	185	8.9	(3.2 - 14.7)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	98	12.7	(3.2 - 22.2)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 49a. Chronic joint symptoms among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	20,300	49.6	(43.1 - 56.1)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	*	*	*	*	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	421	9,200	50.8	(44.7 - 56.9)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	152	4,700	61.6	(52.5 - 70.7)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	*	*	*	*	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	187	3,500	52.7	(44.2 - 61.1)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	612	16,700	50.2	(44.9 - 55.5)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	300	10,000	50.4	(41.6 - 59.2)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	169	4,800	53.6	(43.7 - 63.5)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 49b. Chronic joint symptoms among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	49.7	(43.5 - 56.0)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	232	49.7	(39.7 - 59.6)	14,595	42.6	(38.8 - 46.3)
Female	421	49.8	(43.2 - 56.5)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	612	50.1	(44.9 - 55.3)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	300	50.5	(41.7 - 59.2)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	169	52.9	(43.0 - 62.8)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 50a. Arthritis among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	12,700	31.0	(26.1 - 35.9)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	232	5,000	22.1	(15.7 - 28.4)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	423	7,700	42.2	(36.3 - 48.1)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	85	1,800	23.8	(13.8 - 33.7)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	151	2,900	38.6	(29.3 - 47.9)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	*	*	*	*	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	189	3,900	58.9	(50.4 - 67.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	614	11,300	33.9	(29.4 - 38.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	301	5,900	29.9	(23.3 - 36.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	170	3,300	36.4	(27.3 - 45.5)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	187	3,600	32.4	(23.8 - 41.0)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	185	3,100	25.3	(16.0 - 34.5)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	100	1,700	24.6	(15.1 - 34.1)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 50b. Arthritis among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	31.1	(26.2 - 35.9)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	232	24.2	(17.8 - 30.7)	14,555	23.5	(20.9 - 26.1)
Female	423	39.6	(33.3 - 45.9)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	614	33.9	(29.4 - 38.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	301	30.2	(23.3 - 37.1)	15,652	30.4	(26.9 - 33.8)
Some College	183	28.5	(19.0 - 38.1)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	170	36.2	(27.0 - 45.3)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	187	31.4	(22.6 - 40.1)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	185	25.9	(16.7 - 35.1)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	100	26.1	(16.3 - 36.0)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	10,200	24.9	(19.8 - 29.9)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	232	5,200	23.0	(15.2 - 30.7)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	420	4,900	27.3	(21.6 - 33.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	83	1,400	10.2	(2.9 - 17.5)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	151	2,300	31.0	(22.1 - 39.9)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	*	*	*	*	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	187	1,900	28.7	(21.4 - 36.0)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	611	7,900	23.7	(19.6 - 27.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	300	5,400	27.1	(19.2 - 34.9)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	181	2,400	20.2	(12.2 - 28.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	170	2,400	26.4	(17.2 - 35.6)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	185	1,600	13.2	(7.4 - 19.1)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	113	1,600	20.3	(11.0 - 29.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	100	1,300	19.5	(10.5 - 28.5)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	25.4	(20.2 - 30.6)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	232	24.4	(16.5 - 32.3)	14,566	18.6	(15.8 - 21.4)
Female	420	26.5	(20.4 - 32.7)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	611	23.9	(19.8 - 28.1)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	300	27.3	(19.0 - 35.6)	15,626	23.8	(20.1 - 27.4)
Some College	181	20.9	(13.0 - 28.9)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	170	27.0	(17.6 - 36.3)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	185	14.0	(7.9 - 20.1)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	113	19.9	(10.7 - 29.0)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	100	21.0	(11.6 - 30.4)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	2,900	7.0	(5.0 - 9.1)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	232	1,200	5.1	(2.4 - 7.9)	14,617	460,700	6.5	(5.3 - 7.7)
Female	424	1,700	9.4	(6.4 - 12.3)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	152	900	11.5	(5.2 - 17.7)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	147	500	9.3	(3.0 - 15.5)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	189	1,200	18.5	(12.3 - 24.8)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	615	2,400	7.1	(5.1 - 9.0)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	302	1,300	6.5	(3.9 - 9.0)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	183	900	7.4	(3.1 - 11.7)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	170	700	7.8	(3.1 - 12.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	187	1,500	13.4	(7.9 - 18.8)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	186	400	3.1	(0.9 - 5.2)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	6.8	(4.7 - 8.8)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	232	5.7	(2.7 - 8.6)	14,617	6.8	(5.5 - 8.0)
Female	424	8.2	(5.4 - 10.9)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	615	6.8	(4.8 - 8.8)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	302	5.9	(3.4 - 8.4)	15,711	10.3	(8.3 - 12.3)
Some College	183	7.3	(3.1 - 11.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	170	7.9	(2.9 - 12.8)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	187	12.3	(7.0 - 17.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	186	2.6	(0.8 - 4.5)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 53a. Disability among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	10,600	25.9	(20.8 - 31.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	232	5,300	23.4	(15.6 - 31.2)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	421	5,300	29.0	(23.3 - 34.7)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	83	1,400	10.2	(2.9 - 17.5)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	151	2,400	31.6	(22.7 - 40.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	*	*	*	*	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	188	2,200	33.6	(26.0 - 41.3)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	612	8,300	24.9	(20.8 - 29.1)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	301	5,500	27.8	(20.0 - 35.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	181	2,500	21.2	(13.0 - 29.5)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	170	2,500	27.9	(18.7 - 37.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	185	1,800	14.3	(8.2 - 20.4)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	113	1,700	22.1	(12.6 - 31.6)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	100	1,400	20.2	(11.1 - 29.3)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 53b. Disability among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	26.3	(21.0 - 31.5)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	232	25.0	(17.0 - 32.9)	14,568	20.9	(18.0 - 23.8)
Female	421	27.9	(21.8 - 34.0)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	612	25.0	(20.8 - 29.2)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	301	27.9	(19.6 - 36.2)	15,638	26.8	(23.0 - 30.6)
Some College	181	21.8	(13.7 - 29.9)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	170	28.7	(19.3 - 38.1)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	185	14.9	(8.6 - 21.1)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	113	21.5	(12.3 - 30.8)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	100	22.0	(12.4 - 31.5)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 54a. Current smoking among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	12,500	30.7	(23.4 - 38.0)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	*	*	*	*	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	423	4,500	24.5	(18.5 - 30.4)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	152	1,900	24.5	(16.7 - 32.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	147	1,300	23.2	(14.9 - 31.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	188	600	8.9	(3.1 - 14.6)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	613	8,700	26.4	(21.3 - 31.4)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	7,100	35.9	(27.2 - 44.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	169	1,000	10.9	(4.1 - 17.8)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 54b. Current smoking among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	30.7	(23.8 - 37.5)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	*	*	*	14,559	19.2	(16.3 - 22.1)
Female	423	26.5	(19.8 - 33.2)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	613	26.4	(21.6 - 31.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	35.9	(27.3 - 44.5)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	169	11.0	(3.8 - 18.2)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	100	14.5	(4.8 - 24.3)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 55a. Everyday smoking among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	10,300	25.4	(18.0 - 32.8)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	*	*	*	*	14,559	848,400	12.0	(10.0 - 14.1)
Female	423	3,800	20.7	(14.9 - 26.5)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	152	1,500	19.3	(12.2 - 26.4)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	147	1,200	21.8	(13.7 - 30.0)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	188	500	8.1	(2.5 - 13.7)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	613	7,000	21.2	(16.5 - 25.8)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	302	6,100	30.7	(22.2 - 39.2)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	187	3,300	29.9	(20.2 - 39.5)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 55b. Everyday smoking among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	25.4	(18.6 - 32.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	*	*	*	14,559	12.1	(10.1 - 14.1)
Female	423	22.4	(15.8 - 29.1)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	613	21.4	(16.9 - 25.9)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	302	30.8	(22.4 - 39.2)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	100	13.2	(3.7 - 22.7)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	26,700	65.2	(58.0 - 72.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	*	*	*	*	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	423	13,600	74.7	(69.5 - 80.0)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	152	5,500	72.4	(63.1 - 81.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	147	3,400	62.7	(53.1 - 72.4)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	188	5,000	75.1	(67.4 - 82.7)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	614	23,900	71.6	(66.6 - 76.5)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	11,100	55.7	(46.7 - 64.8)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	170	7,700	85.5	(79.2 - 91.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	*	*	*	*	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	65.9	(59.0 - 72.8)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	*	*	*	14,577	79.4	(76.7 - 82.2)
Female	423	74.9	(69.2 - 80.6)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	614	72.0	(67.2 - 76.7)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	301	56.1	(47.1 - 65.0)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	170	86.1	(80.1 - 92.0)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	*	*	*	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 57a. Binge drinking within the past month among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	8,600	21.0	(15.6 - 26.4)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	231	5,800	25.5	(16.7 - 34.4)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	422	2,800	15.4	(10.1 - 20.7)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	150	1,800	24.6	(15.0 - 34.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	147	700	12.9	(6.2 - 19.5)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	612	6,600	19.9	(15.1 - 24.7)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	300	5,800	29.4	(20.4 - 38.4)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	182	1,800	14.6	(7.2 - 22.1)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	170	1,000	11.2	(5.3 - 17.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	186	1,900	15.5	(7.1 - 23.8)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 57b. Binge drinking within the past month among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	21.2	(15.8 - 26.7)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	231	24.8	(16.3 - 33.3)	14,420	24.5	(21.0 - 27.9)
Female	422	16.8	(10.8 - 22.8)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	612	19.4	(14.9 - 23.9)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	300	29.5	(20.3 - 38.6)	15,491	17.5	(13.5 - 21.5)
Some College	182	15.1	(7.9 - 22.4)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	170	11.7	(5.4 - 17.9)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	186	16.1	(7.7 - 24.5)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 58a. Heavy drinking within the past month among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	2,700	6.7	(3.6 - 9.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	227	1,400	6.1	(2.0 - 10.3)	14,330	333,300	4.8	(3.9 - 5.7)
Female	418	1,300	7.3	(2.8 - 11.8)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	144	400	6.7	(2.3 - 11.1)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	604	2,000	6.1	(3.2 - 9.0)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	299	1,900	9.8	(4.0 - 15.5)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	177	500	4.0	(0.9 - 7.1)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	184	1,200	10.7	(3.1 - 18.2)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	186	400	3.1	(0.9 - 5.4)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 58b. Heavy drinking within the past month among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	6.9	(3.7 - 10.2)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	227	6.3	(2.3 - 10.3)	14,330	4.9	(3.9 - 5.9)
Female	418	7.8	(2.6 - 13.0)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	604	6.1	(3.4 - 8.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	299	10.4	(4.3 - 16.4)	15,411	4.3	(3.2 - 5.3)
Some College	177	4.1	(0.9 - 7.3)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	184	12.4	(3.6 - 21.3)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	186	3.2	(0.8 - 5.5)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	26,500	74.0	(69.3 - 78.8)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	211	14,900	79.3	(72.7 - 85.9)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	393	11,600	68.2	(61.9 - 74.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	141	5,200	74.2	(66.2 - 82.2)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	139	4,300	82.5	(75.3 - 89.7)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	174	5,000	80.4	(73.8 - 86.9)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	568	21,900	71.5	(66.6 - 76.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	272	14,300	81.3	(75.0 - 87.7)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	168	5,900	62.7	(52.8 - 72.5)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	163	6,200	71.8	(63.4 - 80.3)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	170	6,900	73.2	(63.3 - 83.1)	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	171	7,600	77.0	(68.3 - 85.6)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	73.0	(68.2 - 77.8)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	211	79.0	(72.8 - 85.3)	13,299	67.9	(64.0 - 71.9)
Female	393	66.3	(59.3 - 73.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	568	70.5	(65.5 - 75.4)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	272	79.7	(72.8 - 86.6)	14,264	59.5	(54.7 - 64.3)
Some College	168	62.7	(53.0 - 72.3)	9,156	59.7	(54.4 - 65.0)
≥ College Degree	163	71.2	(62.4 - 80.0)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	171	76.0	(67.4 - 84.6)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	427	21,200	71.6	(62.1 - 81.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	269	8,100	65.9	(57.9 - 73.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	106	4,500	88.7	(83.0 - 94.5)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	87	2,500	86.7	(77.9 - 95.4)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	98	3,400	95.0	(90.8 - 99.2)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	403	19,000	79.1	(73.7 - 84.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	198	11,700	80.5	(71.0 - 90.0)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	427	71.0	(62.2 - 79.8)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	269	62.5	(53.8 - 71.2)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	403	77.9	(72.6 - 83.3)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	198	79.0	(69.4 - 88.6)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	35,400	89.6	(86.4 - 92.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	220	19,500	88.7	(83.3 - 94.1)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	403	15,900	90.7	(87.8 - 93.6)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	82	12,500	94.1	(87.9 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	83	7,100	93.4	(86.0 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	146	6,800	94.1	(89.2 - 98.9)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	139	4,400	84.4	(76.5 - 92.4)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	173	4,700	74.6	(66.7 - 82.5)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	583	28,500	89.1	(85.7 - 92.5)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	282	16,400	86.2	(80.9 - 91.5)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	173	10,800	92.8	(88.2 - 97.4)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	167	8,300	92.6	(86.2 - 99.1)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	176	8,700	84.0	(76.3 - 91.6)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	179	11,300	92.7	(88.7 - 96.6)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	112	7,000	91.7	(82.7 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	95	6,300	96.3	(91.3 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	89.5	(86.2 - 92.8)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	220	87.8	(82.3 - 93.3)	13,893	89.1	(86.9 - 91.3)
Female	403	91.7	(88.8 - 94.5)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	583	89.3	(86.0 - 92.6)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	282	86.2	(81.0 - 91.5)	14,507	84.6	(81.8 - 87.4)
Some College	173	92.6	(88.1 - 97.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	167	92.3	(85.3 - 99.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	176	83.0	(74.7 - 91.4)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	179	92.0	(87.7 - 96.4)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	112	93.0	(85.5 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	95	96.2	(91.2 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 62a. Overweight among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	13,200	32.9	(27.3 - 38.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	230	7,600	33.6	(24.6 - 42.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	404	5,600	32.0	(26.4 - 37.6)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	148	2,400	32.8	(24.2 - 41.5)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	140	2,100	38.9	(29.2 - 48.6)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	184	2,700	41.5	(33.2 - 49.9)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	594	11,800	36.2	(31.1 - 41.2)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	6,600	33.7	(25.7 - 41.7)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	166	2,900	32.7	(23.7 - 41.7)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	181	3,700	34.3	(24.4 - 44.2)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 62b. Overweight among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	32.5	(27.1 - 37.8)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	230	34.0	(25.6 - 42.4)	14,502	43.9	(40.1 - 47.6)
Female	404	30.6	(24.6 - 36.5)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	594	35.7	(30.7 - 40.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	33.4	(25.5 - 41.3)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	166	31.3	(22.3 - 40.2)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	181	33.4	(23.5 - 43.4)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 63a. Obesity among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	14,300	35.7	(29.6 - 41.8)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	230	8,300	36.8	(27.0 - 46.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	404	6,000	34.3	(28.1 - 40.4)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	148	3,100	41.2	(31.2 - 51.2)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	140	1,800	33.8	(23.9 - 43.8)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	184	1,900	29.9	(22.1 - 37.8)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	594	10,500	32.3	(27.4 - 37.2)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	293	7,900	40.6	(31.6 - 49.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	*	*	*	*	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 63b. Obesity among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	36.5	(30.5 - 42.6)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	230	37.7	(28.3 - 47.1)	14,502	21.5	(19.0 - 24.0)
Female	404	35.1	(28.3 - 41.8)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	594	33.1	(28.3 - 38.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	293	41.4	(32.3 - 50.5)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	*	*	*	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 64a. Overweight or obesity among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	27,500	68.6	(61.4 - 75.7)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	*	*	*	*	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	404	11,600	66.2	(60.4 - 72.1)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	82	5,800	77.0	(67.2 - 86.7)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	148	5,500	74.0	(65.9 - 82.2)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	140	3,900	72.7	(62.9 - 82.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	184	4,600	71.5	(63.9 - 79.1)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	594	22,300	68.5	(63.2 - 73.8)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	14,400	74.3	(66.6 - 82.0)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	166	5,800	65.2	(56.1 - 74.3)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	181	8,700	81.3	(73.8 - 88.9)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 64b. Overweight or obesity among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	69.0	(62.4 - 75.6)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	*	*	*	14,502	65.4	(61.3 - 69.4)
Female	404	65.6	(59.2 - 72.0)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	594	68.8	(63.7 - 73.9)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	74.8	(67.4 - 82.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	166	64.2	(55.0 - 73.5)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	181	82.1	(74.7 - 89.5)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 65a. Received advice about weight by a health professional among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	633	10,100	25.2	(20.3 - 30.0)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	231	4,800	21.1	(14.3 - 27.9)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	402	5,300	30.4	(24.3 - 36.5)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	80	2,200	16.3	(6.8 - 25.9)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	147	2,300	31.3	(22.3 - 40.2)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	*	*	*	*	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	185	1,600	24.9	(17.4 - 32.4)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	593	8,100	25.1	(20.8 - 29.3)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	294	4,400	22.8	(16.3 - 29.3)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	173	3,000	25.6	(15.8 - 35.5)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	*	*	*	*	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	180	3,000	28.6	(19.1 - 38.1)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	177	2,500	20.7	(12.1 - 29.4)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	*	*	*	*	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 65b. Received advice about weight by a health professional among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	633	26.0	(21.0 - 31.0)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	231	22.0	(15.4 - 28.7)	14,499	23.4	(20.5 - 26.3)
Female	402	31.1	(24.4 - 37.9)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	593	25.9	(21.5 - 30.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	294	24.2	(17.2 - 31.1)	15,116	27.3	(23.4 - 31.2)
Some College	173	26.3	(16.7 - 35.9)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	*	*	*	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	177	21.6	(12.9 - 30.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	176	8,700	86.5	(80.1 - 92.9)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	60	4,400	92.0	(85.5 - 98.5)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	163	6,900	84.8	(77.6 - 91.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	60	2,700	87.9	(79.2 - 96.7)	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	176	86.0	(78.9 - 93.0)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	60	91.9	(85.3 - 98.4)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	163	84.6	(76.8 - 92.3)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	60	88.8	(80.2 - 97.5)	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 67a. No leisure-time physical activity among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	9,600	23.5	(18.8 - 28.2)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	232	4,800	21.1	(14.0 - 28.3)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	422	4,800	26.5	(21.2 - 31.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	83	1,600	11.9	(3.6 - 20.2)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	152	2,100	27.8	(19.2 - 36.4)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	147	1,400	25.7	(17.7 - 33.8)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	187	2,500	37.1	(28.9 - 45.4)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	613	7,800	23.5	(19.2 - 27.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	301	6,400	32.2	(24.6 - 39.9)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	182	1,900	15.9	(9.3 - 22.4)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	170	1,300	14.5	(7.2 - 21.9)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	187	4,000	35.9	(26.1 - 45.7)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	113	1,400	17.7	(8.7 - 26.7)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	100	900	12.7	(5.6 - 19.7)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 67b. No leisure-time physical activity among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	23.8	(19.1 - 28.5)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	232	22.6	(15.5 - 29.7)	14,602	20.9	(17.8 - 23.9)
Female	422	25.4	(19.7 - 31.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	613	23.3	(19.0 - 27.5)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	301	32.7	(24.9 - 40.4)	15,683	32.3	(28.3 - 36.4)
Some College	182	16.7	(9.9 - 23.5)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	170	14.4	(6.7 - 22.1)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	186	23.1	(13.2 - 33.0)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	113	18.7	(8.8 - 28.7)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	100	13.3	(6.0 - 20.6)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Franklin County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	8,600	21.0	(16.4 - 25.5)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	231	4,200	18.6	(11.4 - 25.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	424	4,300	23.9	(19.0 - 28.7)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	83	1,700	12.4	(5.0 - 19.9)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	152	1,600	21.2	(13.9 - 28.5)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	147	1,300	23.7	(16.1 - 31.4)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	189	1,800	27.0	(19.8 - 34.2)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	614	7,400	22.2	(18.1 - 26.3)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	301	3,400	17.0	(10.1 - 24.0)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	183	2,700	22.3	(13.2 - 31.4)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	170	2,500	27.8	(20.0 - 35.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	185	1,900	15.2	(8.5 - 21.9)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	113	1,200	16.1	(8.3 - 23.9)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	21.1	(16.4 - 25.8)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	231	19.5	(12.2 - 26.8)	14,634	22.7	(19.6 - 25.9)
Female	424	23.2	(18.0 - 28.4)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	614	22.1	(18.0 - 26.2)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	301	17.1	(9.7 - 24.6)	15,726	23.3	(19.3 - 27.3)
Some College	183	21.9	(13.4 - 30.5)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	170	28.6	(20.4 - 36.7)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	185	15.5	(8.7 - 22.2)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	113	15.8	(8.1 - 23.5)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 69a. Had a fall within the past 3 months among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	484	3,800	19.3	(15.1 - 23.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	166	1,800	19.2	(12.2 - 26.2)	10,966	489,400	14.4	(11.9 - 16.8)
Female	318	2,000	19.4	(14.6 - 24.3)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	150	1,500	19.5	(12.0 - 27.0)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	145	1,200	21.5	(13.4 - 29.7)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	189	1,200	17.3	(11.3 - 23.4)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	457	3,500	20.2	(15.8 - 24.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	228	1,700	18.1	(12.1 - 24.1)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	121	1,100	23.7	(14.7 - 32.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	134	1,000	17.8	(10.2 - 25.4)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	137	1,200	24.5	(16.4 - 32.6)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	135	700	14.4	(8.1 - 20.6)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	79	600	16.2	(7.0 - 25.3)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 69b. Had a fall within the past 3 months among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	484	19.4	(15.0 - 23.8)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	166	19.3	(12.4 - 26.2)	10,966	15.0	(12.1 - 17.8)
Female	318	19.6	(14.6 - 24.6)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	457	20.2	(15.6 - 24.8)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	228	17.2	(11.2 - 23.2)	12,417	17.4	(13.0 - 21.7)
Some College	121	25.4	(15.6 - 35.2)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	134	18.4	(10.1 - 26.7)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	137	22.6	(14.6 - 30.6)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	135	14.7	(8.1 - 21.2)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Franklin County and New York State

	Franklin County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	483	1,100	5.6	(3.3 - 7.8)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	317	600	6.2	(3.4 - 9.1)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	189	500	6.8	(2.8 - 10.9)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	456	1,000	6.0	(3.5 - 8.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	227	300	3.3	(1.2 - 5.4)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	121	300	7.1	(2.3 - 11.9)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	136	400	8.5	(3.5 - 13.6)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Franklin County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Franklin County and New York State - Age-Adjusted²

	Franklin County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	483	5.7	(3.3 - 8.2)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	317	6.2	(3.4 - 9.1)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	456	6.2	(3.5 - 8.9)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	227	3.0	(1.1 - 5.0)	12,404	5.2	(3.5 - 6.8)
Some College	121	7.4	(2.3 - 12.6)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	136	7.8	(3.0 - 12.5)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)