

New York State Expanded Behavioral Risk Factor Surveillance System

Fulton County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Fulton County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Fulton County and New York State	14
Table 2b. Fair or poor general health among adults in Fulton County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Fulton County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Fulton County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Fulton County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Fulton County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Fulton County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Fulton County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Fulton County and New York State	22
Table 6b. Health insurance among adults in Fulton County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Fulton County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Fulton County and New York State - Age-adjusted	25
Table 8a. No health insurance among adults in Fulton County and New York State	26

Contents

Table 8b. No health insurance among adults in Fulton County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Fulton County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Fulton County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Fulton County and New York State	30
Table 10b. Adults with regular health care provider in Fulton County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Fulton County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Fulton County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Fulton County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Fulton County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Fulton County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Fulton County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Fulton County and New York State	38
Table 14b. Dentist visit within the past year among adults in Fulton County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Fulton County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Fulton County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Fulton County and New York State	42

Contents

Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Fulton County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Fulton County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Fulton County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Fulton County and New York State	46
Table 18b. Flu shot within the past 12 months in Fulton County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Fulton County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Fulton County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Fulton County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Fulton County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Fulton County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Fulton County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Fulton County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Fulton County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Fulton County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Fulton County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Fulton County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Fulton County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Fulton County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Fulton County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Fulton County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Fulton County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Fulton County and New York State	64
Table 27b. Ever had a Pap test among women in Fulton County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Fulton County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Fulton County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Fulton County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Fulton County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Fulton County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Fulton County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Fulton County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Fulton County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Fulton County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Fulton County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Fulton County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Fulton County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Fulton County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Fulton County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Fulton County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Fulton County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Fulton County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Fulton County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Fulton County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Fulton County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Fulton County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Fulton County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Fulton County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Fulton County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Fulton County and New York State	90
Table 40b. High blood pressure among adults in Fulton County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Fulton County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Fulton County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Fulton County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Fulton County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Fulton County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Fulton County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Fulton County and New York State	98
Table 44b. Cardiovascular disease among adults in Fulton County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Fulton County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Fulton County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Fulton County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Fulton County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Fulton County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Fulton County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Fulton County and New York State	106
Table 48b. Current asthma among adults in Fulton County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Fulton County and New York State	108
Table 49b. Chronic joint symptoms among adults in Fulton County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Fulton County and New York State	110
Table 50b. Arthritis among adults in Fulton County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Fulton County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Fulton County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Fulton County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Fulton County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Fulton County and New York State	116
Table 53b. Disability among adults in Fulton County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Fulton County and New York State	118
Table 54b. Current smoking among adults in Fulton County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Fulton County and New York State	120
Table 55b. Everyday smoking among adults in Fulton County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Fulton County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Fulton County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Fulton County and New York State	124
Table 57b. Binge drinking within the past month among adults in Fulton County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Fulton County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Fulton County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Fulton County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Fulton County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Fulton County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Fulton County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Fulton County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Fulton County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Fulton County and New York State	134
Table 62b. Overweight among adults in Fulton County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Fulton County and New York State	136
Table 63b. Obesity among adults in Fulton County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Fulton County and New York State	138
Table 64b. Overweight or obesity among adults in Fulton County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Fulton County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Fulton County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Fulton County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Fulton County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Fulton County and New York State	144
Table 67b. No leisure-time physical activity among adults in Fulton County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Fulton County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Fulton County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Fulton County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Fulton County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Fulton County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Fulton County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 1. Fulton County and New York State adult US Census Bureau population estimates,¹ 2007

	Fulton County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	43,195	100	14,884,315	100
Gender				
Male	20,996	48.6	7,103,791	47.7
Female	22,199	51.4	7,780,524	52.3
Age (years)				
18-34	12,004	27.8	4,497,479	30.2
35-44	7,672	17.8	2,844,115	19.1
45-54	8,248	19.1	2,854,316	19.2
55-64	6,733	15.6	2,142,000	14.4
≥ 65	8,538	19.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	41,032	95.0	9,343,884	62.8
Black Non-Hispanic	802	1.9	2,156,941	14.5
Hispanic	837	1.9	2,258,717	15.2
Other Non-Hispanic	524	1.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 2a. Fair or poor general health among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	8,100	18.6	(14.9 - 22.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	263	4,100	19.6	(13.6 - 25.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	405	3,900	17.8	(13.0 - 22.5)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	66	2,200	18.2	(8.6 - 27.7)	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	121	1,200	15.1	(7.7 - 22.5)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	166	1,500	22.6	(15.1 - 30.1)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	231	2,300	27.4	(21.0 - 33.7)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	7,200	17.7	(13.9 - 21.4)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	332	5,000	24.5	(18.7 - 30.4)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	192	2,400	18.1	(10.7 - 25.6)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	144	700	7.0	(2.5 - 11.5)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	226	4,300	30.9	(22.5 - 39.4)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	167	1,600	15.9	(8.8 - 23.0)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	81	600	12.0	(2.2 - 21.7)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 2b. Fair or poor general health among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	17.9	(13.9 - 21.9)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	263	18.9	(12.8 - 25.0)	14,599	15.3	(12.6 - 18.0)
Female	405	17.0	(11.8 - 22.1)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	643	16.9	(12.9 - 20.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	332	23.1	(17.1 - 29.2)	15,682	25.8	(22.1 - 29.5)
Some College	192	18.5	(10.3 - 26.8)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	144	6.6	(2.1 - 11.2)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	226	29.9	(20.9 - 38.9)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	167	15.2	(7.9 - 22.5)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	5,500	12.9	(9.5 - 16.3)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	253	3,000	14.4	(8.4 - 20.4)	14,325	604,200	8.7	(7.0 - 10.5)
Female	400	2,500	11.5	(8.0 - 14.9)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	119	1,100	13.7	(7.1 - 20.4)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	163	1,000	14.6	(8.5 - 20.7)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	222	1,600	19.2	(13.1 - 25.2)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	628	5,200	12.9	(9.4 - 16.4)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	323	3,100	15.9	(10.2 - 21.6)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	189	1,700	12.5	(6.6 - 18.3)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	140	700	7.1	(2.5 - 11.7)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	219	3,100	22.8	(14.5 - 31.2)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	161	1,000	9.9	(3.9 - 16.0)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	12.4	(8.8 - 16.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	253	14.2	(8.0 - 20.5)	14,325	8.7	(6.9 - 10.5)
Female	400	10.7	(7.1 - 14.3)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	628	12.5	(8.9 - 16.2)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	323	15.6	(9.6 - 21.7)	15,178	12.7	(10.2 - 15.1)
Some College	189	11.9	(5.8 - 18.0)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	140	6.8	(2.2 - 11.3)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	219	22.1	(13.3 - 30.9)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	161	10.1	(3.6 - 16.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	6,100	14.2	(10.3 - 18.2)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	259	3,100	14.7	(7.9 - 21.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	398	3,000	13.8	(9.7 - 17.8)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	84	1,200	15.2	(7.2 - 23.3)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	118	1,300	16.4	(8.8 - 23.9)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	166	1,000	15.6	(9.1 - 22.0)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	223	600	7.8	(4.2 - 11.4)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	632	5,100	12.5	(9.1 - 15.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	324	3,200	16.1	(10.6 - 21.6)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	191	2,300	17.3	(8.4 - 26.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	141	600	5.9	(2.3 - 9.4)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	222	2,900	21.3	(12.2 - 30.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	164	1,500	14.7	(7.4 - 22.0)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	14.3	(10.1 - 18.4)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	259	14.7	(7.6 - 21.9)	14,407	7.9	(6.3 - 9.6)
Female	398	13.8	(9.4 - 18.3)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	632	12.4	(8.8 - 15.9)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	324	16.3	(10.5 - 22.2)	15,335	12.3	(10.0 - 14.6)
Some College	191	17.9	(8.4 - 27.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	141	5.2	(1.9 - 8.4)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	222	21.6	(11.9 - 31.2)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	164	15.0	(7.2 - 22.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	9,500	22.3	(17.7 - 26.9)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	254	5,100	25.0	(17.0 - 32.9)	14,231	937,700	13.6	(11.4 - 15.8)
Female	396	4,300	19.8	(15.2 - 24.4)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	84	1,700	22.1	(12.3 - 32.0)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	118	1,900	23.2	(14.9 - 31.5)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	165	1,400	21.3	(14.2 - 28.4)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	217	1,900	23.2	(16.8 - 29.7)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	625	8,400	20.7	(16.5 - 25.0)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	322	5,100	25.7	(18.9 - 32.5)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	188	3,400	25.6	(16.1 - 35.1)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	139	1,000	10.6	(5.3 - 15.9)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	161	1,900	19.0	(11.3 - 26.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	80	900	15.8	(6.7 - 25.0)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	114	1,000	10.6	(3.7 - 17.5)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	22.2	(17.3 - 27.0)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	254	25.2	(16.8 - 33.6)	14,231	13.6	(11.4 - 15.8)
Female	396	19.3	(14.4 - 24.3)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	625	20.5	(15.9 - 25.0)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	322	25.7	(18.5 - 33.0)	15,018	20.1	(17.1 - 23.1)
Some College	*	*	*	9,672	17.6	(14.1 - 21.1)
≥ College Degree	139	9.9	(4.6 - 15.2)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	161	19.2	(10.9 - 27.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	80	16.6	(6.7 - 26.5)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	114	10.0	(3.1 - 16.9)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 6a. Health insurance among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	36,800	85.8	(81.4 - 90.1)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	262	17,100	82.6	(75.7 - 89.4)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	406	19,700	88.8	(83.3 - 94.2)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	84	6,700	86.7	(77.6 - 95.8)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	121	7,200	87.1	(80.3 - 94.0)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	166	6,200	91.6	(87.2 - 96.1)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	232	8,200	96.3	(93.6 - 98.9)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	643	34,800	85.6	(81.1 - 90.1)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	16,200	81.7	(75.2 - 88.3)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	192	11,200	83.2	(74.0 - 92.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	144	9,300	97.7	(95.2 - 100)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	226	11,000	79.5	(70.4 - 88.6)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	167	8,000	77.6	(67.7 - 87.6)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	81	5,300	96.8	(92.4 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	114	9,300	96.5	(89.8 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 6b. Health insurance among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	84.9	(80.1 - 89.7)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	262	82.2	(74.9 - 89.4)	14,597	83.6	(79.7 - 87.5)
Female	406	87.4	(81.1 - 93.8)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	643	84.6	(79.7 - 89.6)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	80.4	(73.2 - 87.6)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	144	97.9	(95.2 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	81	96.2	(91.0 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	114	96.4	(89.5 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 7a. Health insurance among adults aged 18-64¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	431	28,300	83.1	(77.7 - 88.4)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	173	13,800	80.3	(72.2 - 88.3)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	258	14,600	85.9	(78.9 - 92.9)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	84	6,700	86.7	(77.6 - 95.8)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	121	7,200	87.1	(80.3 - 94.0)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	161	6,000	91.4	(86.8 - 95.9)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	412	26,800	82.7	(77.2 - 88.3)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	194	11,300	77.0	(68.5 - 85.5)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	109	8,200	98.2	(95.6 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	63	4,400	96.3	(91.0 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	96	8,500	96.2	(89.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 7b. Health insurance among adults aged 18-64¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	431	82.5	(76.8 - 88.2)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	173	79.7	(71.1 - 88.3)	10,078	80.5	(75.9 - 85.1)
Female	258	85.2	(77.6 - 92.7)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	412	82.2	(76.3 - 88.1)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	194	76.2	(67.2 - 85.2)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	109	98.2	(95.3 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	63	95.6	(89.6 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	96	96.1	(88.7 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 8a. No health insurance among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	6,100	14.2	(9.9 - 18.6)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	262	3,600	17.4	(10.6 - 24.3)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	406	2,500	11.2	(5.8 - 16.7)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	121	1,100	12.9	(6.0 - 19.7)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	166	600	8.4	(3.9 - 12.8)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	643	5,900	14.4	(9.9 - 18.9)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	3,600	18.3	(11.7 - 24.8)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	192	2,300	16.8	(7.5 - 26.0)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	226	2,800	20.5	(11.4 - 29.6)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	167	2,300	22.4	(12.4 - 32.3)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 8b. No health insurance among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	15.1	(10.3 - 19.9)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	262	17.8	(10.6 - 25.1)	14,597	16.4	(12.5 - 20.3)
Female	406	12.6	(6.2 - 18.9)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	643	15.4	(10.4 - 20.3)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	19.6	(12.4 - 26.8)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 9a. No health insurance among adults aged 18-64¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	431	5,800	16.9	(11.6 - 22.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	173	3,400	19.7	(11.7 - 27.8)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	258	2,400	14.1	(7.1 - 21.1)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	121	1,100	12.9	(6.0 - 19.7)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	161	600	8.6	(4.1 - 13.2)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	412	5,600	17.3	(11.7 - 22.8)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	194	3,400	23.0	(14.5 - 31.5)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 9b. No health insurance among adults aged 18-64¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	431	17.5	(11.8 - 23.2)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	173	20.3	(11.7 - 28.9)	10,078	19.5	(14.9 - 24.1)
Female	258	14.8	(7.3 - 22.4)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	412	17.8	(11.9 - 23.7)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	194	23.8	(14.8 - 32.8)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 10a. Adults with regular health care provider¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	36,600	85.4	(81.0 - 89.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	261	15,900	76.9	(69.1 - 84.8)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	406	20,700	93.2	(89.9 - 96.5)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	84	6,500	85.2	(76.2 - 94.3)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	121	6,700	81.2	(73.5 - 88.9)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	166	6,200	92.8	(88.3 - 97.2)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	231	8,200	96.8	(94.2 - 99.5)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	642	34,600	85.0	(80.5 - 89.5)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	16,100	81.2	(74.1 - 88.4)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	191	11,100	83.2	(75.1 - 91.4)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	144	9,300	96.8	(93.8 - 99.8)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	225	10,900	78.5	(69.2 - 87.7)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	167	8,200	79.8	(70.3 - 89.4)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	81	5,200	95.6	(91.3 - 99.9)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	114	8,900	92.1	(84.6 - 99.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 10b. Adults with regular health care provider¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	84.8	(80.1 - 89.4)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	261	76.4	(68.1 - 84.6)	14,593	78.1	(73.9 - 82.3)
Female	406	92.6	(88.8 - 96.4)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	642	84.4	(79.5 - 89.2)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	79.8	(72.1 - 87.6)	15,692	75.8	(71.0 - 80.6)
Some College	191	83.1	(74.4 - 91.7)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	144	96.8	(93.5 - 100)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	81	96.4	(92.7 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	114	91.7	(83.8 - 99.5)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	5,500	12.8	(8.9 - 16.8)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	263	2,600	12.3	(5.9 - 18.7)	14,607	903,300	12.7	(9.5 - 16.0)
Female	405	3,000	13.3	(8.5 - 18.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	84	800	10.8	(4.1 - 17.5)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	120	1,200	14.1	(6.9 - 21.3)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	166	600	9.6	(4.5 - 14.7)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	643	4,900	11.9	(8.3 - 15.4)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	331	2,600	12.7	(7.7 - 17.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	192	2,600	19.6	(10.1 - 29.2)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	225	3,200	23.3	(13.7 - 33.0)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	167	1,700	16.9	(9.1 - 24.7)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	13.5	(9.2 - 17.8)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	263	12.2	(5.6 - 18.9)	14,607	12.5	(9.4 - 15.6)
Female	405	14.7	(9.2 - 20.3)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	643	12.5	(8.7 - 16.4)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	331	13.3	(7.8 - 18.8)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	167	17.6	(9.2 - 26.0)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	33,600	77.8	(73.3 - 82.3)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	263	14,900	70.9	(63.2 - 78.7)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	405	18,700	84.3	(79.9 - 88.7)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	120	5,500	66.9	(57.4 - 76.3)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	166	6,000	89.7	(84.8 - 94.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	232	8,000	94.1	(90.7 - 97.5)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	643	31,600	77.2	(72.5 - 81.8)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	15,600	77.2	(70.9 - 83.6)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	192	10,300	76.6	(67.6 - 85.5)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	144	7,700	81.0	(72.3 - 89.7)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	226	10,800	77.7	(69.3 - 86.0)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	166	7,400	72.5	(63.1 - 82.0)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	76.8	(71.9 - 81.6)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	263	69.8	(61.6 - 78.0)	14,592	67.1	(63.3 - 70.9)
Female	405	83.4	(78.5 - 88.3)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	643	76.1	(71.1 - 81.1)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	76.0	(69.1 - 82.9)	15,640	74.4	(70.4 - 78.4)
Some College	192	76.2	(66.7 - 85.7)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	144	79.4	(70.1 - 88.7)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	226	76.6	(67.6 - 85.6)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	38,400	88.9	(85.6 - 92.2)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	263	17,700	84.5	(78.5 - 90.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	405	20,600	93.1	(90.2 - 96.0)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	66	11,300	93.8	(87.1 - 100)	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	120	6,500	79.1	(70.6 - 87.7)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	166	6,400	95.1	(91.8 - 98.4)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	232	8,300	96.7	(94.1 - 99.3)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	643	36,400	88.7	(85.3 - 92.2)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	17,700	87.8	(82.9 - 92.7)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	192	11,800	88.3	(81.5 - 95.1)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	144	8,800	92.1	(86.8 - 97.3)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	226	12,600	90.9	(86.1 - 95.6)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	166	8,700	84.6	(76.9 - 92.3)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	81	5,000	91.4	(84.2 - 98.5)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	114	8,500	87.6	(78.8 - 96.4)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	88.4	(84.9 - 92.0)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	263	83.8	(77.4 - 90.2)	14,592	81.9	(78.4 - 85.3)
Female	405	92.8	(89.6 - 96.0)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	643	88.2	(84.5 - 91.9)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	87.1	(81.8 - 92.4)	15,640	84.6	(81.1 - 88.1)
Some College	192	87.8	(80.6 - 95.1)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	144	91.9	(86.3 - 97.5)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	226	90.5	(85.3 - 95.8)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	166	84.3	(76.2 - 92.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	81	91.2	(83.4 - 99.0)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	114	86.8	(77.5 - 96.1)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 14a. Dentist visit within the past year among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	27,800	64.5	(59.6 - 69.5)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	262	13,000	62.0	(54.0 - 70.0)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	403	14,800	67.0	(61.2 - 72.8)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	121	5,300	64.2	(54.8 - 73.6)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	166	4,800	71.8	(64.2 - 79.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	228	4,800	56.9	(49.7 - 64.2)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	640	26,200	64.1	(59.1 - 69.1)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	328	10,200	50.6	(43.3 - 57.9)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	192	9,600	71.3	(62.1 - 80.6)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	144	8,000	84.1	(76.9 - 91.4)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	166	6,900	67.1	(58.0 - 76.1)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	114	8,300	86.2	(77.4 - 94.9)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 14b. Dentist visit within the past year among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	64.9	(59.7 - 70.2)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	262	61.6	(53.2 - 70.1)	14,573	68.3	(64.6 - 72.1)
Female	403	68.0	(61.7 - 74.3)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	640	64.5	(59.1 - 69.9)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	328	51.0	(43.1 - 58.8)	15,613	65.3	(60.9 - 69.6)
Some College	192	70.8	(60.9 - 80.8)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	144	84.2	(76.6 - 91.8)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	166	67.0	(57.4 - 76.7)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	114	86.4	(77.3 - 95.4)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	559	26,900	69.5	(64.2 - 74.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	224	12,700	66.9	(58.4 - 75.3)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	335	14,200	72.0	(65.8 - 78.2)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	108	5,100	67.4	(57.7 - 77.2)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	141	4,300	75.5	(67.5 - 83.4)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	164	4,300	71.7	(63.9 - 79.5)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	537	25,200	68.7	(63.3 - 74.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	257	9,600	56.2	(48.1 - 64.4)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	164	9,600	77.7	(68.1 - 87.3)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	137	7,700	83.1	(75.4 - 90.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	144	6,600	70.6	(60.8 - 80.4)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	111	8,200	86.9	(78.3 - 95.4)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 15b. Had teeth cleaned within the past year among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	559	69.4	(63.9 - 75.0)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	224	66.7	(57.9 - 75.6)	13,173	69.2	(65.3 - 73.1)
Female	335	72.0	(65.2 - 78.8)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	537	68.6	(62.9 - 74.4)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	257	56.0	(47.3 - 64.7)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	137	83.2	(75.1 - 91.4)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	111	87.5	(78.8 - 96.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	24,100	56.3	(51.0 - 61.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	260	12,000	57.7	(49.3 - 66.1)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	403	12,100	54.9	(48.4 - 61.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	121	5,400	65.1	(55.5 - 74.7)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	165	4,900	72.9	(65.5 - 80.4)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	228	7,000	83.5	(78.0 - 88.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	638	22,900	56.2	(50.9 - 61.5)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	327	14,100	70.5	(63.5 - 77.5)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	144	2,900	30.4	(21.7 - 39.0)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	166	6,300	61.1	(51.6 - 70.5)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	53.2	(47.6 - 58.9)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	260	56.2	(47.4 - 65.0)	14,457	47.9	(44.1 - 51.7)
Female	403	50.4	(43.3 - 57.5)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	638	53.2	(47.5 - 58.9)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	327	68.3	(60.6 - 76.0)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	144	27.5	(18.8 - 36.2)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	228	2,300	27.3	(20.9 - 33.8)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	87	800	23.2	(13.7 - 32.7)	4,352	167,200	16.4	(11.8 - 20.9)
Female	141	1,500	30.2	(21.6 - 38.7)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	228	2,300	27.3	(20.9 - 33.8)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	223	2,200	26.9	(20.5 - 33.2)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	133	1,700	34.1	(25.1 - 43.1)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	228	26.8	(20.4 - 33.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	87	23.2	(13.7 - 32.7)	4,352	16.5	(11.5 - 21.4)
Female	141	30.2	(21.6 - 38.7)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	223	26.4	(20.0 - 32.8)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	133	33.4	(24.4 - 42.4)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 18a. Flu shot within the past 12 months¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	15,100	35.3	(30.8 - 39.8)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	261	6,600	31.8	(25.0 - 38.7)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	406	8,500	38.5	(32.7 - 44.3)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	213	4,400	18.3	(12.6 - 24.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	222	4,800	46.4	(38.9 - 53.9)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	232	5,900	69.3	(62.8 - 75.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	642	14,300	35.1	(30.5 - 39.6)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	332	6,800	33.6	(27.5 - 39.7)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	191	4,900	36.9	(28.0 - 45.8)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	143	3,500	36.5	(27.0 - 46.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	224	4,400	32.2	(24.1 - 40.2)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	167	4,000	38.6	(29.8 - 47.4)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	114	3,000	31.3	(21.4 - 41.2)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 18b. Flu shot within the past 12 months¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	32.5	(27.9 - 37.1)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	261	30.3	(23.4 - 37.3)	14,579	40.0	(36.2 - 43.8)
Female	406	34.5	(28.4 - 40.6)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	642	32.2	(27.6 - 36.9)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	332	30.1	(24.0 - 36.2)	15,663	43.7	(39.1 - 48.2)
Some College	191	34.5	(25.2 - 43.8)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	143	34.4	(24.7 - 44.2)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	224	29.1	(20.9 - 37.3)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	167	35.7	(26.7 - 44.7)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	114	29.3	(19.3 - 39.2)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	15,200	35.4	(30.9 - 40.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	261	6,600	32.2	(25.3 - 39.0)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	406	8,500	38.5	(32.7 - 44.3)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	213	4,500	18.6	(12.8 - 24.4)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	222	4,800	46.4	(38.9 - 53.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	232	5,900	69.3	(62.8 - 75.9)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	642	14,300	35.2	(30.7 - 39.8)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	332	6,900	33.9	(27.8 - 40.1)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	191	4,900	36.9	(28.0 - 45.8)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	143	3,500	36.5	(27.0 - 46.0)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	224	4,400	32.2	(24.1 - 40.2)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	167	4,000	38.6	(29.8 - 47.4)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	114	3,000	31.3	(21.4 - 41.2)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	32.6	(28.0 - 37.3)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	261	30.6	(23.7 - 37.6)	14,568	40.4	(36.6 - 44.2)
Female	406	34.5	(28.4 - 40.6)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	642	32.4	(27.7 - 37.0)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	332	30.4	(24.3 - 36.5)	15,651	44.1	(39.6 - 48.6)
Some College	191	34.5	(25.2 - 43.8)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	143	34.4	(24.7 - 44.2)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	224	29.1	(20.9 - 37.3)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	167	35.7	(26.7 - 44.7)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	114	29.3	(19.3 - 39.2)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 21a. Flu shot among adults aged 65 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	232	5,900	69.3	(62.8 - 75.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	143	3,400	67.7	(59.2 - 76.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	232	5,900	69.3	(62.8 - 75.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	227	5,700	68.8	(62.2 - 75.5)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	136	3,500	67.8	(59.2 - 76.4)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 21b. Flu shot among adults aged 65 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	232	69.6	(63.0 - 76.3)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	143	67.7	(59.2 - 76.2)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	227	69.1	(62.4 - 75.9)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	136	68.1	(59.3 - 76.8)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	10,700	27.0	(22.9 - 31.1)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	247	5,100	26.3	(19.9 - 32.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	390	5,700	27.6	(22.6 - 32.7)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	195	2,800	12.8	(7.6 - 18.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	216	2,600	26.2	(19.6 - 32.7)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	226	5,400	64.5	(57.7 - 71.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	614	10,100	26.8	(22.7 - 30.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	315	5,800	30.8	(24.8 - 36.9)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	181	3,300	28.2	(20.3 - 36.1)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	140	1,700	17.8	(10.3 - 25.4)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	215	3,900	31.7	(23.6 - 39.8)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	156	3,200	33.9	(25.1 - 42.8)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	109	1,300	13.8	(7.1 - 20.6)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	24.7	(20.6 - 28.8)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	247	25.7	(19.1 - 32.3)	13,052	25.8	(22.3 - 29.4)
Female	390	23.7	(18.7 - 28.8)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	614	24.6	(20.4 - 28.7)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	315	28.0	(22.0 - 34.1)	14,700	29.5	(25.6 - 33.5)
Some College	181	26.0	(17.9 - 34.2)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	140	16.8	(9.1 - 24.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	215	28.9	(20.7 - 37.2)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	156	31.3	(22.2 - 40.3)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	109	12.7	(6.1 - 19.3)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	226	5,400	64.5	(57.7 - 71.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	139	3,100	63.4	(54.5 - 72.3)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	226	5,400	64.5	(57.7 - 71.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	222	5,100	63.8	(56.8 - 70.7)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	134	3,300	65.6	(56.9 - 74.3)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	226	64.8	(57.8 - 71.8)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	139	63.4	(54.5 - 72.3)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	222	64.0	(56.9 - 71.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	134	65.5	(56.5 - 74.4)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	332	13,500	93.8	(90.6 - 97.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	332	13,500	93.8	(90.6 - 97.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	66	4,000	90.4	(82.6 - 98.3)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	125	4,800	97.2	(94.4 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	141	4,700	93.6	(88.5 - 98.6)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	320	12,900	93.8	(90.5 - 97.1)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	178	7,100	93.2	(89.4 - 97.0)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	92	3,600	94.0	(86.4 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	61	2,800	95.2	(88.2 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	126	4,300	90.5	(85.0 - 95.9)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	83	3,700	95.1	(87.8 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	332	93.3	(89.5 - 97.1)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	332	93.3	(89.5 - 97.1)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	320	93.2	(89.3 - 97.2)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	178	92.6	(88.2 - 97.0)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	61	96.2	(90.5 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	126	89.4	(82.9 - 95.8)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	83	94.0	(84.4 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	331	11,600	80.7	(75.9 - 85.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	331	11,600	80.7	(75.9 - 85.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	125	4,100	83.8	(76.3 - 91.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	140	4,000	79.5	(71.9 - 87.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	319	11,000	80.1	(75.1 - 85.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	6,100	80.4	(74.1 - 86.7)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	92	3,100	81.9	(72.1 - 91.6)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	126	3,600	75.9	(67.6 - 84.2)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	331	80.1	(74.7 - 85.6)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	331	80.1	(74.7 - 85.6)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	319	79.5	(73.8 - 85.1)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	80.3	(73.6 - 87.0)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	126	75.2	(66.0 - 84.4)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	265	8,100	81.6	(76.3 - 87.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	265	8,100	81.6	(76.3 - 87.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	125	4,100	83.8	(76.3 - 91.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	140	4,000	79.5	(71.9 - 87.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	257	7,800	81.4	(76.0 - 86.8)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	4,300	79.2	(71.9 - 86.5)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	76	2,400	88.3	(80.5 - 96.2)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	104	2,600	77.2	(68.2 - 86.2)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	265	81.6	(76.1 - 87.1)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	265	81.6	(76.1 - 87.1)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	257	81.4	(75.7 - 87.0)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	78.8	(71.1 - 86.5)	7,026	83.6	(80.1 - 87.0)
Some College	76	88.9	(81.4 - 96.4)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	104	76.4	(66.8 - 85.9)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 27a. Ever had a Pap test among women¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	402	20,700	93.7	(90.1 - 97.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	402	20,700	93.7	(90.1 - 97.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	55	3,800	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	67	4,100	99.3	(97.9 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	100	3,400	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	140	4,600	91.7	(87.0 - 96.5)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	386	19,700	93.4	(89.6 - 97.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	198	9,400	95.0	(91.1 - 98.8)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	116	6,400	91.4	(83.1 - 99.7)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	87	4,900	94.2	(87.0 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	144	6,600	92.6	(86.3 - 98.9)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	99	5,100	98.7	(96.1 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	56	3,800	97.3	(92.0 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 27b. Ever had a Pap test among women¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	402	93.3	(89.2 - 97.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	402	93.3	(89.2 - 97.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	386	93.0	(88.8 - 97.3)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	198	95.2	(91.0 - 99.5)	9,526	87.8	(83.2 - 92.4)
Some College	116	90.5	(81.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	87	93.8	(85.9 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	144	92.3	(84.9 - 99.6)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	99	99.0	(97.1 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	56	96.9	(91.0 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	393	16,800	77.5	(72.5 - 82.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	393	16,800	77.5	(72.5 - 82.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	54	3,200	86.5	(76.5 - 96.4)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	*	*	*	*	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	99	2,800	81.8	(72.4 - 91.1)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	133	2,700	57.8	(48.6 - 67.1)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	377	16,000	77.4	(72.3 - 82.6)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	194	7,400	76.4	(69.7 - 83.1)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	86	4,300	85.0	(75.8 - 94.1)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	142	5,200	73.6	(64.5 - 82.6)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	96	4,000	78.6	(69.6 - 87.7)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	55	3,400	88.0	(78.3 - 97.8)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	393	79.1	(73.7 - 84.4)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	393	79.1	(73.7 - 84.4)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	377	78.9	(73.4 - 84.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	194	78.4	(71.5 - 85.3)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	86	86.3	(77.0 - 95.6)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	142	75.2	(65.3 - 85.0)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	96	80.6	(71.1 - 90.1)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	55	89.3	(79.8 - 98.7)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	222	10,100	77.2	(70.0 - 84.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	222	10,100	77.2	(70.0 - 84.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	66	3,000	88.7	(80.7 - 96.8)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	87	3,300	95.8	(91.4 - 100)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	216	9,800	77.5	(70.2 - 84.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	222	76.1	(68.2 - 83.9)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	222	76.1	(68.2 - 83.9)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	216	76.3	(68.3 - 84.3)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	221	7,100	54.4	(46.5 - 62.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	221	7,100	54.4	(46.5 - 62.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	215	6,900	54.4	(46.4 - 62.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	221	53.9	(45.5 - 62.2)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	221	53.9	(45.5 - 62.2)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	215	53.9	(45.5 - 62.3)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	8,300	64.4	(56.5 - 72.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	220	8,300	64.4	(56.5 - 72.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	88	3,100	89.4	(81.7 - 97.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	214	8,100	64.7	(56.7 - 72.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	62.5	(53.9 - 71.0)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	220	62.5	(53.9 - 71.0)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	214	62.7	(54.0 - 71.5)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	216	7,300	57.3	(49.2 - 65.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	216	7,300	57.3	(49.2 - 65.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	86	2,800	81.4	(72.3 - 90.5)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	210	7,100	57.4	(49.2 - 65.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	216	55.5	(46.9 - 64.0)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	216	55.5	(46.9 - 64.0)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	210	55.6	(46.9 - 64.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 33a. Prostate cancer among men aged 40 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 33b. Prostate cancer among men aged 40 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	449	6,700	35.6	(30.6 - 40.5)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	179	3,000	35.0	(27.1 - 42.9)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	270	3,600	36.0	(29.8 - 42.3)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	220	3,500	33.6	(26.6 - 40.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	229	3,200	37.9	(31.0 - 44.8)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	435	6,600	36.4	(31.4 - 41.5)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	233	3,100	31.9	(25.2 - 38.5)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	130	2,300	42.5	(32.9 - 52.1)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	159	1,900	33.2	(25.1 - 41.2)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	114	1,900	39.5	(30.0 - 49.1)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	449	35.5	(30.4 - 40.5)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	179	35.8	(27.8 - 43.7)	9,571	39.4	(35.3 - 43.5)
Female	270	35.2	(28.9 - 41.5)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	435	36.4	(31.2 - 41.5)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	233	32.3	(25.4 - 39.2)	11,146	35.1	(30.3 - 39.9)
Some College	130	41.6	(31.9 - 51.3)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	159	33.1	(24.9 - 41.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	114	38.8	(29.3 - 48.4)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	446	2,500	13.4	(9.9 - 16.8)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	176	1,300	15.8	(9.9 - 21.8)	9,508	444,400	16.0	(13.2 - 18.9)
Female	270	1,100	11.3	(7.3 - 15.3)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	217	1,200	11.5	(6.9 - 16.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	229	1,300	15.6	(10.3 - 20.8)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	432	2,400	13.5	(9.9 - 17.1)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	1,100	11.8	(7.1 - 16.4)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	129	1,000	19.0	(11.4 - 26.6)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	85	300	9.3	(3.2 - 15.5)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	158	800	14.1	(7.9 - 20.3)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	114	700	14.0	(7.5 - 20.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	446	13.4	(9.9 - 17.0)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	176	16.2	(10.2 - 22.2)	9,508	16.4	(13.2 - 19.6)
Female	270	10.8	(6.9 - 14.7)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	432	13.6	(10.0 - 17.3)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	12.1	(7.2 - 17.0)	11,026	12.7	(9.2 - 16.1)
Some College	129	18.6	(11.1 - 26.0)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	85	9.6	(3.3 - 15.8)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	158	14.1	(7.9 - 20.3)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	114	13.9	(7.5 - 20.4)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	446	3,300	18.0	(14.1 - 21.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	176	1,500	18.3	(12.1 - 24.5)	9,508	593,100	21.4	(18.3 - 24.5)
Female	270	1,800	17.7	(12.8 - 22.6)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	217	1,600	16.0	(10.9 - 21.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	229	1,700	20.3	(14.6 - 26.1)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	432	3,200	18.1	(14.2 - 22.1)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	1,600	16.9	(11.6 - 22.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	129	1,300	24.0	(15.9 - 32.1)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	85	400	12.2	(5.3 - 19.1)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	158	1,000	17.6	(11.0 - 24.3)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	114	1,000	20.5	(13.0 - 28.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Fulton County and New York State - Age-Adjusted²**

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	446	18.0	(14.0 - 21.9)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	176	18.9	(12.6 - 25.1)	9,508	21.7	(18.3 - 25.1)
Female	270	17.1	(12.3 - 21.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	432	18.1	(14.1 - 22.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	17.2	(11.7 - 22.7)	11,026	19.5	(15.4 - 23.7)
Some College	129	23.2	(15.3 - 31.1)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	85	12.4	(5.4 - 19.4)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	158	17.3	(10.7 - 24.0)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	114	20.2	(12.8 - 27.7)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	59	15.8	(6.2 - 25.4)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	446	13,000	69.4	(64.5 - 74.2)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	178	5,700	66.0	(58.1 - 74.0)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	268	7,300	72.2	(66.3 - 78.1)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	164	5,100	76.0	(68.6 - 83.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	227	5,900	70.4	(64.0 - 76.9)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	432	12,400	69.3	(64.4 - 74.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	5,900	61.7	(54.7 - 68.8)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	130	4,300	78.6	(70.9 - 86.3)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	158	3,500	62.2	(53.7 - 70.7)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	114	3,300	67.0	(57.1 - 76.9)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	446	68.9	(63.9 - 73.9)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	178	66.1	(58.2 - 74.1)	9,582	68.5	(64.5 - 72.5)
Female	268	71.7	(65.5 - 77.8)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	432	68.9	(63.9 - 74.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	61.3	(54.0 - 68.5)	11,121	61.3	(56.4 - 66.2)
Some College	130	78.6	(70.7 - 86.6)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	158	60.8	(52.1 - 69.5)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	440	12,200	66.2	(61.1 - 71.2)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	175	5,300	62.6	(54.4 - 70.8)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	265	6,900	69.2	(63.1 - 75.3)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	163	4,900	74.1	(66.6 - 81.6)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	223	5,700	68.3	(61.7 - 75.0)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	426	11,700	65.9	(60.8 - 71.0)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	228	5,700	59.8	(52.6 - 67.0)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	128	3,800	72.6	(63.9 - 81.3)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	156	3,300	59.9	(51.2 - 68.5)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	440	65.6	(60.5 - 70.8)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	175	62.6	(54.4 - 70.8)	9,521	66.9	(62.9 - 70.9)
Female	265	68.5	(62.1 - 74.9)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	426	65.5	(60.2 - 70.7)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	228	59.2	(51.9 - 66.6)	11,017	59.0	(54.1 - 63.9)
Some College	128	72.4	(63.3 - 81.4)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	156	58.2	(49.3 - 67.1)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	12,400	68.2	(63.2 - 73.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	174	5,500	65.5	(57.3 - 73.6)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	261	6,900	70.6	(64.4 - 76.7)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	159	4,900	76.3	(68.8 - 83.7)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	223	5,900	70.7	(64.2 - 77.2)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	422	12,000	68.3	(63.2 - 73.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	227	5,800	61.8	(54.7 - 69.0)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	125	3,800	74.7	(66.1 - 83.4)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	155	3,400	62.3	(53.7 - 70.9)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	67.6	(62.5 - 72.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	174	65.4	(57.3 - 73.5)	9,418	71.5	(67.6 - 75.4)
Female	261	69.8	(63.4 - 76.2)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	422	67.8	(62.6 - 73.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	227	61.2	(53.9 - 68.5)	10,872	64.5	(59.8 - 69.3)
Some College	125	74.2	(65.1 - 83.2)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	155	60.6	(51.7 - 69.5)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 40a. High blood pressure among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	15,300	35.6	(31.0 - 40.3)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	262	8,000	38.3	(30.6 - 45.9)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	406	7,400	33.1	(27.8 - 38.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	121	3,400	41.8	(32.0 - 51.5)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	166	3,400	50.1	(41.6 - 58.6)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	232	5,400	62.9	(56.0 - 69.8)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	643	14,000	34.1	(29.7 - 38.6)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	332	7,900	39.2	(32.7 - 45.7)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	191	4,700	35.8	(26.0 - 45.5)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	144	2,700	27.7	(19.6 - 35.8)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	225	5,800	42.0	(32.4 - 51.7)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	167	3,300	32.4	(24.5 - 40.2)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	*	*	*	*	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 40b. High blood pressure among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	32.8	(28.0 - 37.6)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	262	37.0	(29.0 - 44.9)	14,611	27.7	(24.7 - 30.7)
Female	406	28.9	(23.5 - 34.3)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	643	31.2	(26.7 - 35.7)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	332	36.0	(29.4 - 42.6)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	144	24.6	(16.7 - 32.6)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	167	29.5	(21.7 - 37.4)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	304	12,200	80.3	(72.3 - 88.3)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	180	6,300	87.2	(80.2 - 94.3)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	84	3,000	89.4	(82.0 - 96.9)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	145	5,300	98.7	(96.8 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	291	11,600	84.2	(78.1 - 90.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	169	7,000	89.8	(84.4 - 95.3)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	57	2,500	95.0	(86.8 - 100)	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	304	77.5	(68.5 - 86.6)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	180	85.2	(76.5 - 93.9)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	291	82.0	(74.8 - 89.1)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	169	88.6	(82.5 - 94.7)	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	57	94.5	(85.1 - 100)	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	34,000	80.8	(75.7 - 85.8)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	260	15,700	76.0	(67.7 - 84.3)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	394	18,300	85.4	(79.8 - 90.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	83	6,100	80.8	(71.1 - 90.4)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	119	6,600	81.6	(73.4 - 89.7)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	165	6,400	96.2	(93.0 - 99.4)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	227	8,000	95.8	(92.9 - 98.7)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	629	32,600	81.7	(76.8 - 86.6)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	324	14,800	75.4	(68.2 - 82.7)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	143	9,100	96.0	(92.1 - 99.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	163	8,000	80.3	(70.7 - 90.0)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	113	8,500	88.2	(78.7 - 97.7)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 42b. Ever had blood cholesterol checked among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	79.3	(73.8 - 84.7)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	260	75.1	(66.4 - 83.9)	14,389	78.0	(73.9 - 82.1)
Female	394	83.3	(76.8 - 89.8)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	629	80.2	(74.9 - 85.5)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	324	72.9	(64.9 - 80.8)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	143	95.6	(91.2 - 100)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	32,800	78.5	(73.4 - 83.6)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	258	15,300	74.3	(66.0 - 82.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	392	17,500	82.5	(76.7 - 88.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	119	6,200	76.9	(68.3 - 85.5)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	164	6,300	94.3	(90.5 - 98.1)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	225	7,900	95.3	(92.2 - 98.3)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	625	31,500	79.6	(74.6 - 84.5)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	321	14,400	74.1	(66.8 - 81.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	143	8,900	93.8	(89.4 - 98.3)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	163	7,800	78.7	(68.9 - 88.4)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	113	8,200	85.0	(75.2 - 94.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	76.9	(71.3 - 82.4)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	258	73.5	(64.7 - 82.3)	14,307	74.8	(70.7 - 79.0)
Female	392	80.1	(73.5 - 86.8)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	625	78.0	(72.6 - 83.4)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	321	71.5	(63.5 - 79.5)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	143	93.3	(88.2 - 98.3)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 44a. Cardiovascular disease among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	4,200	9.9	(7.6 - 12.1)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	260	2,100	10.2	(6.8 - 13.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	401	2,100	9.5	(6.6 - 12.5)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	164	900	13.9	(7.9 - 19.8)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	227	2,600	31.2	(24.4 - 38.0)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	637	3,800	9.4	(7.3 - 11.5)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	329	2,500	12.7	(9.0 - 16.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	189	1,100	8.7	(4.7 - 12.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	143	500	5.5	(2.4 - 8.7)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	225	2,000	15.2	(10.2 - 20.3)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	166	1,000	10.0	(5.5 - 14.4)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 44b. Cardiovascular disease among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	8.6	(6.6 - 10.6)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	260	9.6	(6.4 - 12.9)	14,477	9.7	(7.8 - 11.7)
Female	401	7.6	(5.1 - 10.1)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	637	8.1	(6.2 - 10.0)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	329	11.4	(7.9 - 14.9)	15,486	10.5	(8.0 - 13.0)
Some College	189	7.2	(3.9 - 10.6)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	143	4.7	(2.0 - 7.5)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	225	13.3	(8.6 - 18.0)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	166	9.2	(5.0 - 13.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 45a. Coronary heart disease among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	3,500	8.2	(6.1 - 10.2)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	260	1,900	9.1	(5.9 - 12.3)	14,479	598,600	8.5	(6.6 - 10.4)
Female	402	1,600	7.3	(4.7 - 9.9)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	164	800	12.4	(6.6 - 18.2)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	228	2,100	24.7	(18.3 - 31.1)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	638	3,100	7.6	(5.7 - 9.5)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	329	2,000	10.0	(6.7 - 13.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	189	1,000	7.6	(3.8 - 11.3)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	144	500	5.1	(2.0 - 8.1)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	225	1,700	12.8	(8.1 - 17.4)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	167	900	8.4	(4.2 - 12.5)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 45b. Coronary heart disease among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	7.1	(5.3 - 9.0)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	260	8.5	(5.5 - 11.6)	14,479	8.8	(6.9 - 10.8)
Female	402	5.8	(3.6 - 8.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	638	6.6	(4.9 - 8.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	329	9.1	(6.0 - 12.2)	15,485	8.5	(6.2 - 10.7)
Some College	189	6.3	(3.1 - 9.4)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	144	4.3	(1.6 - 7.0)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	225	11.0	(6.7 - 15.2)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	167	7.8	(3.9 - 11.8)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 46a. Ever diagnosed with diabetes among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	4,000	9.2	(7.0 - 11.5)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	263	2,100	10.1	(6.4 - 13.9)	14,626	530,400	7.5	(6.2 - 8.8)
Female	405	1,900	8.4	(5.8 - 11.0)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	121	600	7.1	(2.8 - 11.5)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	166	1,300	19.8	(12.9 - 26.7)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	231	1,800	20.7	(14.8 - 26.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	643	3,700	9.1	(6.9 - 11.4)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	332	2,500	12.4	(8.5 - 16.3)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	191	1,000	7.3	(3.9 - 10.6)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	144	500	5.3	(2.1 - 8.6)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	226	1,600	11.7	(7.6 - 15.8)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	167	1,100	10.8	(5.3 - 16.3)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 46b. Ever diagnosed with diabetes among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	8.0	(5.9 - 10.0)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	263	9.2	(5.7 - 12.8)	14,626	7.5	(6.1 - 8.9)
Female	405	6.8	(4.6 - 9.0)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	643	7.9	(5.8 - 10.0)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	332	11.0	(7.2 - 14.7)	15,709	12.6	(10.0 - 15.2)
Some College	191	6.2	(3.3 - 9.1)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	144	4.6	(1.8 - 7.5)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	226	9.8	(6.2 - 13.3)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	167	9.7	(4.2 - 15.1)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	7,500	17.3	(13.1 - 21.5)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	262	3,300	15.8	(9.4 - 22.2)	14,601	875,800	12.4	(10.1 - 14.7)
Female	405	4,100	18.7	(13.3 - 24.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	84	1,300	17.1	(7.9 - 26.4)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	121	1,000	12.5	(6.1 - 18.9)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	165	700	10.6	(6.0 - 15.2)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	231	900	10.2	(5.3 - 15.0)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	643	7,000	17.1	(12.8 - 21.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	4,300	21.5	(15.0 - 27.9)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	191	1,400	10.5	(4.2 - 16.9)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	144	1,700	18.0	(8.8 - 27.2)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	225	1,800	13.1	(7.2 - 18.9)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	167	2,000	19.0	(9.9 - 28.2)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	18.3	(13.7 - 22.9)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	262	16.5	(9.7 - 23.3)	14,601	12.6	(10.3 - 14.9)
Female	405	20.0	(13.9 - 26.2)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	643	18.2	(13.5 - 22.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	23.0	(15.9 - 30.1)	15,675	15.1	(12.1 - 18.0)
Some College	191	11.2	(4.0 - 18.3)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	144	19.0	(9.1 - 28.9)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	225	13.5	(7.1 - 20.0)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	167	20.2	(10.3 - 30.0)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 48a. Current asthma among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	5,100	11.9	(8.5 - 15.4)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	262	2,100	10.1	(5.1 - 15.2)	14,546	440,700	6.3	(4.8 - 7.7)
Female	403	3,000	13.6	(8.9 - 18.4)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	65	1,700	14.6	(5.1 - 24.2)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	84	1,100	14.4	(5.8 - 23.1)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	121	1,000	11.7	(5.4 - 17.9)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	164	600	8.5	(4.3 - 12.7)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	231	800	8.8	(4.2 - 13.4)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	641	4,700	11.5	(8.0 - 15.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	329	2,900	14.6	(9.2 - 20.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	191	1,200	9.0	(3.0 - 15.0)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	144	1,000	10.5	(3.8 - 17.2)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	224	1,000	7.1	(3.5 - 10.7)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	167	1,400	13.3	(5.2 - 21.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	113	1,400	14.8	(5.9 - 23.7)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 48b. Current asthma among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	12.5	(8.7 - 16.3)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	262	10.5	(5.1 - 16.0)	14,546	6.4	(4.9 - 7.9)
Female	403	14.4	(9.0 - 19.8)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	641	12.1	(8.2 - 16.0)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	329	15.3	(9.4 - 21.2)	15,594	10.8	(8.3 - 13.3)
Some College	191	9.5	(2.7 - 16.3)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	144	11.2	(3.7 - 18.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	224	7.2	(3.3 - 11.1)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	167	14.0	(5.2 - 22.8)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	113	15.3	(5.6 - 25.0)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 49a. Chronic joint symptoms among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	22,900	53.1	(47.9 - 58.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	262	12,100	57.5	(49.5 - 65.5)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	406	10,900	48.9	(42.6 - 55.2)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	121	5,000	61.0	(51.7 - 70.4)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	166	3,900	58.2	(49.8 - 66.5)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	231	4,800	56.7	(49.6 - 63.8)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	643	21,400	52.1	(46.9 - 57.3)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	11,300	56.1	(48.9 - 63.3)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	144	4,000	41.7	(31.8 - 51.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	226	9,200	66.2	(57.0 - 75.4)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	167	4,800	46.7	(37.2 - 56.2)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 49b. Chronic joint symptoms among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	51.7	(46.2 - 57.3)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	262	57.1	(48.6 - 65.5)	14,595	42.6	(38.8 - 46.3)
Female	406	46.7	(39.7 - 53.6)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	643	50.8	(45.2 - 56.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	55.2	(47.4 - 63.0)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 50a. Arthritis among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	17,600	40.9	(36.1 - 45.7)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	262	7,800	37.0	(29.5 - 44.5)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	405	9,900	44.6	(38.4 - 50.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	121	4,000	48.0	(38.1 - 57.9)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	166	4,600	67.8	(59.9 - 75.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	230	5,600	66.4	(59.5 - 73.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	642	16,700	40.8	(35.9 - 45.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	331	8,800	43.6	(36.6 - 50.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	192	5,700	42.6	(33.0 - 52.1)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	143	3,100	32.7	(23.6 - 41.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	226	6,300	45.4	(35.6 - 55.1)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	166	3,900	37.4	(28.8 - 45.9)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 50b. Arthritis among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	37.6	(32.6 - 42.5)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	262	35.0	(27.4 - 42.7)	14,555	23.5	(20.9 - 26.1)
Female	405	39.9	(33.5 - 46.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	642	37.4	(32.4 - 42.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	331	40.1	(32.9 - 47.3)	15,652	30.4	(26.9 - 33.8)
Some College	192	39.6	(29.6 - 49.6)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	143	29.6	(20.5 - 38.6)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	166	33.9	(25.3 - 42.5)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	10,500	24.5	(20.6 - 28.5)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	261	4,600	21.9	(16.0 - 27.8)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	404	6,000	27.0	(21.8 - 32.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	83	1,600	20.5	(11.1 - 29.9)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	121	2,400	29.6	(20.6 - 38.5)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	165	2,300	33.9	(25.8 - 42.1)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	230	2,800	33.1	(26.3 - 39.8)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	640	9,900	24.1	(20.1 - 28.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	329	5,500	27.3	(21.5 - 33.0)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	192	3,000	22.7	(15.2 - 30.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	143	2,000	21.0	(13.1 - 29.0)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	224	4,000	28.9	(21.1 - 36.7)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	166	2,500	24.5	(16.6 - 32.5)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	114	1,300	13.9	(7.1 - 20.6)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹
in Fulton County and New York State - Age-Adjusted²**

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	23.4	(19.3 - 27.5)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	261	21.3	(15.2 - 27.4)	14,566	18.6	(15.8 - 21.4)
Female	404	25.4	(19.9 - 31.0)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	640	23.1	(18.9 - 27.3)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	329	26.0	(20.1 - 31.9)	15,626	23.8	(20.1 - 27.4)
Some College	192	22.2	(14.2 - 30.2)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	143	19.9	(11.8 - 28.1)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	224	27.5	(19.3 - 35.6)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	166	23.9	(15.6 - 32.2)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	114	12.9	(6.3 - 19.4)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	4,200	9.8	(7.2 - 12.4)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	263	2,000	9.5	(5.5 - 13.5)	14,617	460,700	6.5	(5.3 - 7.7)
Female	406	2,200	10.1	(6.8 - 13.4)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	121	800	9.8	(3.9 - 15.8)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	166	500	8.0	(2.8 - 13.3)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	232	1,900	22.1	(16.0 - 28.2)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	644	3,700	9.1	(6.6 - 11.6)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	332	2,200	11.1	(7.6 - 14.6)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	192	1,200	9.3	(4.0 - 14.5)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	144	700	7.5	(2.4 - 12.7)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	226	2,200	15.8	(9.8 - 21.8)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	167	600	5.9	(2.4 - 9.4)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	9.1	(6.5 - 11.8)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	263	9.5	(5.3 - 13.7)	14,617	6.8	(5.5 - 8.0)
Female	406	8.8	(5.6 - 12.0)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	644	8.6	(6.0 - 11.1)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	332	10.3	(6.8 - 13.8)	15,711	10.3	(8.3 - 12.3)
Some College	192	8.8	(3.4 - 14.3)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	144	7.1	(1.8 - 12.4)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	226	15.2	(8.9 - 21.5)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	167	5.0	(1.9 - 8.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 53a. Disability among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	11,400	26.4	(22.4 - 30.5)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	262	5,000	23.7	(17.7 - 29.8)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	404	6,400	29.0	(23.7 - 34.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	83	1,600	21.3	(11.8 - 30.8)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	121	2,500	30.2	(21.1 - 39.2)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	165	2,400	36.2	(27.9 - 44.5)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	231	3,400	39.7	(32.7 - 46.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	641	10,600	25.9	(21.8 - 30.0)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	330	6,000	30.0	(24.0 - 35.9)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	192	3,200	24.0	(16.4 - 31.6)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	143	2,100	22.3	(14.2 - 30.3)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	225	4,500	32.5	(24.3 - 40.7)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	166	2,600	25.7	(17.7 - 33.7)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	114	1,300	13.9	(7.1 - 20.6)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 53b. Disability among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	25.1	(20.9 - 29.3)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	262	23.0	(16.8 - 29.2)	14,568	20.9	(18.0 - 23.8)
Female	404	27.1	(21.5 - 32.8)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	641	24.7	(20.4 - 29.0)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	330	28.3	(22.2 - 34.4)	15,638	26.8	(23.0 - 30.6)
Some College	192	23.5	(15.4 - 31.6)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	143	20.9	(12.7 - 29.2)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	225	30.7	(22.2 - 39.2)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	166	24.9	(16.4 - 33.3)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	114	12.9	(6.3 - 19.4)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 54a. Current smoking among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	10,300	24.0	(19.7 - 28.2)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	262	4,500	21.4	(15.0 - 27.8)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	404	5,800	26.4	(20.7 - 32.1)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	121	2,900	35.5	(26.5 - 44.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	166	1,600	23.7	(16.5 - 31.0)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	230	1,000	11.6	(6.8 - 16.4)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	641	10,100	24.7	(20.2 - 29.1)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	330	6,700	33.5	(26.5 - 40.4)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	192	3,000	22.6	(15.0 - 30.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	144	600	5.9	(1.6 - 10.2)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	225	4,800	35.0	(25.7 - 44.3)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	166	2,500	24.0	(15.6 - 32.5)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	114	1,300	13.1	(6.1 - 20.1)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 54b. Current smoking among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	24.6	(19.9 - 29.2)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	262	20.7	(14.1 - 27.2)	14,559	19.2	(16.3 - 22.1)
Female	404	28.3	(21.8 - 34.7)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	641	25.3	(20.5 - 30.1)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	330	35.2	(27.7 - 42.8)	15,654	22.8	(19.5 - 26.0)
Some College	192	23.1	(14.7 - 31.4)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	144	5.6	(1.1 - 10.0)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	166	25.0	(15.8 - 34.2)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	114	12.9	(5.7 - 20.1)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 55a. Everyday smoking among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	8,000	18.6	(14.6 - 22.5)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	262	3,400	16.1	(10.3 - 22.0)	14,559	848,400	12.0	(10.0 - 14.1)
Female	404	4,600	20.8	(15.6 - 26.1)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	84	1,500	19.6	(10.2 - 29.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	121	2,400	29.5	(20.9 - 38.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	166	1,200	17.4	(11.1 - 23.8)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	230	600	7.1	(3.3 - 10.9)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	641	7,800	19.0	(14.9 - 23.1)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	330	5,700	28.3	(21.7 - 35.0)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	192	2,000	15.2	(8.7 - 21.6)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	225	4,100	29.8	(20.6 - 38.9)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	166	1,800	17.2	(10.3 - 24.2)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	81	900	16.8	(7.8 - 25.8)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	114	800	8.3	(2.9 - 13.7)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 55b. Everyday smoking among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	19.1	(14.8 - 23.3)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	262	15.7	(9.7 - 21.7)	14,559	12.1	(10.1 - 14.1)
Female	404	22.2	(16.3 - 28.2)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	641	19.6	(15.1 - 24.0)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	330	30.1	(22.7 - 37.4)	15,654	16.4	(13.8 - 19.0)
Some College	192	15.4	(8.4 - 22.4)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	166	17.4	(10.0 - 24.9)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	81	16.1	(6.9 - 25.3)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	114	8.4	(2.7 - 14.0)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	30,500	70.9	(66.2 - 75.6)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	263	14,100	67.1	(59.4 - 74.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	403	16,400	74.4	(69.0 - 79.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	84	6,200	80.5	(71.3 - 89.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	120	5,000	61.3	(52.0 - 70.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	166	4,600	69.0	(61.1 - 77.0)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	230	6,100	71.3	(64.9 - 77.8)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	641	29,400	71.9	(67.4 - 76.5)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	12,000	59.6	(52.6 - 66.7)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	190	10,100	75.8	(66.5 - 85.2)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	144	8,400	87.5	(82.0 - 93.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	224	8,200	59.6	(49.8 - 69.4)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	167	6,900	67.0	(57.7 - 76.2)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	80	4,400	81.9	(72.9 - 90.9)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	114	8,200	85.2	(78.2 - 92.3)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	71.4	(66.4 - 76.4)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	263	67.9	(59.8 - 76.0)	14,577	79.4	(76.7 - 82.2)
Female	403	74.7	(68.7 - 80.6)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	641	72.6	(67.8 - 77.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	59.3	(51.7 - 67.0)	15,647	76.9	(73.8 - 80.0)
Some College	190	76.0	(66.1 - 85.8)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	144	88.8	(83.5 - 94.2)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	167	67.6	(57.8 - 77.4)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	80	82.2	(72.8 - 91.6)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	114	86.1	(79.1 - 93.1)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 57a. Binge drinking within the past month among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	7,800	18.4	(13.9 - 22.8)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	255	4,700	23.2	(15.6 - 30.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	403	3,100	13.9	(9.3 - 18.5)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	118	1,600	20.5	(12.7 - 28.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	164	600	8.7	(3.9 - 13.5)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	228	400	4.8	(2.1 - 7.5)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	633	7,000	17.5	(13.3 - 21.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	325	2,800	14.2	(9.1 - 19.3)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	189	3,200	23.9	(14.0 - 33.9)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	143	1,800	19.2	(10.3 - 28.1)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	224	2,500	18.4	(9.3 - 27.5)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	167	1,300	12.8	(6.9 - 18.6)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 57b. Binge drinking within the past month among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	19.7	(14.9 - 24.6)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	255	24.2	(16.1 - 32.3)	14,420	24.5	(21.0 - 27.9)
Female	403	15.6	(10.3 - 21.0)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	633	18.7	(14.2 - 23.3)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	325	15.7	(9.9 - 21.5)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	143	19.6	(10.3 - 28.9)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	224	19.8	(9.9 - 29.7)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	167	13.8	(7.2 - 20.3)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 58a. Heavy drinking within the past month among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	2,300	5.5	(3.5 - 7.6)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	252	1,400	7.0	(3.3 - 10.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	400	900	4.2	(2.2 - 6.2)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	116	700	8.9	(3.5 - 14.2)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	164	400	6.1	(2.1 - 10.1)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	627	2,100	5.3	(3.3 - 7.4)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	322	1,300	6.6	(3.1 - 10.1)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	186	500	4.1	(1.2 - 7.1)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	220	900	6.5	(2.0 - 11.1)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	165	700	6.3	(2.6 - 10.1)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 58b. Heavy drinking within the past month among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	5.6	(3.4 - 7.8)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	252	7.1	(3.2 - 11.0)	14,330	4.9	(3.9 - 5.9)
Female	400	4.2	(2.0 - 6.4)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	627	5.3	(3.2 - 7.5)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	322	7.2	(3.3 - 11.1)	15,411	4.3	(3.2 - 5.3)
Some College	186	4.0	(0.9 - 7.1)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	220	7.0	(1.8 - 12.1)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	165	6.4	(2.4 - 10.5)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	616	25,900	65.6	(60.3 - 70.9)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	242	13,500	72.5	(64.4 - 80.6)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	374	12,400	59.4	(52.7 - 66.2)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	110	5,400	71.2	(62.2 - 80.1)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	156	4,900	76.2	(69.4 - 83.1)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	213	6,000	76.9	(70.1 - 83.8)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	591	25,000	66.8	(61.6 - 72.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	303	12,500	69.4	(62.4 - 76.4)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	*	*	*	*	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	111	6,600	71.9	(62.1 - 81.6)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	616	64.0	(58.3 - 69.7)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	242	71.7	(63.1 - 80.3)	13,299	67.9	(64.0 - 71.9)
Female	374	57.2	(49.7 - 64.6)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	591	65.2	(59.5 - 70.8)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	303	68.5	(60.8 - 76.1)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	*	*	*	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	393	23,700	81.7	(76.5 - 86.9)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	162	12,700	87.7	(81.1 - 94.3)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	231	10,900	75.7	(67.8 - 83.5)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	57	4,400	83.4	(74.2 - 92.7)	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	87	3,200	90.5	(83.7 - 97.3)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	118	4,100	95.3	(91.5 - 99.1)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	378	22,600	82.3	(76.9 - 87.6)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	188	10,900	84.7	(77.1 - 92.2)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	113	7,900	82.6	(72.6 - 92.5)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	109	6,300	82.1	(73.5 - 90.6)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	393	80.7	(75.1 - 86.4)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	162	87.6	(80.7 - 94.4)	9,034	81.1	(77.4 - 84.8)
Female	231	74.1	(65.5 - 82.7)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	378	81.3	(75.5 - 87.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	188	83.6	(75.4 - 91.7)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	109	81.9	(73.0 - 90.9)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	624	35,600	87.3	(83.9 - 90.6)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	243	16,500	83.9	(78.1 - 89.8)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	381	19,100	90.4	(87.0 - 93.7)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	65	10,400	88.9	(80.4 - 97.3)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	83	7,000	91.8	(84.6 - 98.9)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	113	6,900	89.5	(83.7 - 95.3)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	155	5,600	89.1	(83.7 - 94.5)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	208	5,800	76.5	(70.0 - 83.0)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	600	33,800	87.4	(84.0 - 90.8)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	299	15,000	81.0	(75.1 - 86.8)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	184	11,900	91.9	(87.0 - 96.7)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	140	8,800	93.6	(88.9 - 98.2)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	210	11,000	84.6	(78.3 - 90.9)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	157	7,900	81.0	(72.3 - 89.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	79	4,800	90.7	(83.3 - 98.1)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	113	9,200	95.6	(91.6 - 99.6)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	624	87.9	(84.4 - 91.4)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	243	84.0	(77.8 - 90.1)	13,893	89.1	(86.9 - 91.3)
Female	381	91.5	(88.1 - 95.0)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	600	88.2	(84.6 - 91.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	299	81.7	(75.5 - 87.9)	14,507	84.6	(81.8 - 87.4)
Some College	184	92.2	(86.9 - 97.5)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	140	93.7	(89.0 - 98.5)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	210	85.2	(78.4 - 92.0)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	157	81.8	(72.7 - 90.8)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	79	91.1	(83.8 - 98.4)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	113	95.8	(91.8 - 99.9)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 62a. Overweight among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	15,000	36.1	(31.3 - 41.0)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	260	8,300	39.8	(32.0 - 47.6)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	381	6,700	32.5	(26.8 - 38.2)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	155	2,900	45.4	(36.7 - 54.1)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	225	3,600	44.0	(36.8 - 51.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	618	14,500	36.8	(31.9 - 41.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	316	6,800	35.5	(28.7 - 42.3)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	185	4,600	34.9	(25.7 - 44.1)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	*	*	*	*	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	218	4,300	32.6	(23.9 - 41.3)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	162	3,400	33.9	(25.1 - 42.7)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 62b. Overweight among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	35.0	(29.9 - 40.1)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	260	39.2	(31.0 - 47.4)	14,502	43.9	(40.1 - 47.6)
Female	381	30.8	(24.6 - 37.0)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	618	35.6	(30.3 - 40.8)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	316	34.7	(27.5 - 41.9)	15,079	35.2	(31.1 - 39.4)
Some College	185	33.0	(23.3 - 42.6)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	218	31.7	(22.3 - 41.1)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	162	32.4	(23.1 - 41.7)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 63a. Obesity among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	11,200	27.0	(22.4 - 31.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	260	5,200	25.2	(18.7 - 31.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	381	6,000	28.9	(22.3 - 35.4)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	115	2,400	30.9	(21.2 - 40.7)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	155	1,900	30.4	(22.1 - 38.6)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	225	1,800	21.4	(15.2 - 27.6)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	618	10,600	26.8	(22.0 - 31.5)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	316	5,400	28.2	(21.9 - 34.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	185	3,500	26.9	(17.3 - 36.6)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	139	2,300	24.4	(15.6 - 33.1)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	218	3,800	28.4	(19.3 - 37.6)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	162	2,400	24.0	(15.9 - 32.2)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	111	2,600	27.3	(17.4 - 37.2)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 63b. Obesity among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	27.1	(22.1 - 32.1)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	260	24.5	(17.8 - 31.2)	14,502	21.5	(19.0 - 24.0)
Female	381	29.7	(22.3 - 37.0)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	618	26.9	(21.7 - 32.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	316	28.2	(21.4 - 35.0)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	139	23.7	(14.6 - 32.9)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	162	23.7	(15.2 - 32.2)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 64a. Overweight or obesity among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	26,200	63.2	(57.8 - 68.5)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	260	13,500	65.0	(56.3 - 73.6)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	381	12,700	61.3	(55.0 - 67.7)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	115	5,900	75.0	(66.9 - 83.1)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	155	4,900	75.8	(68.3 - 83.4)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	225	5,400	65.4	(58.4 - 72.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	618	25,100	63.6	(58.3 - 68.9)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	316	12,300	63.8	(56.1 - 71.5)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	139	5,900	63.7	(53.9 - 73.6)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	162	5,900	57.9	(48.0 - 67.9)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 64b. Overweight or obesity among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	62.1	(56.4 - 67.8)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	260	63.7	(54.7 - 72.8)	14,502	65.4	(61.3 - 69.4)
Female	381	60.5	(53.4 - 67.5)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	618	62.4	(56.7 - 68.1)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	316	62.9	(54.6 - 71.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 65a. Received advice about weight by a health professional among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	11,200	26.9	(22.4 - 31.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	260	4,200	20.3	(14.8 - 25.9)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	381	6,900	33.4	(27.0 - 39.8)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	83	1,600	20.6	(10.9 - 30.3)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	114	2,400	31.2	(22.1 - 40.4)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	154	2,400	37.1	(28.5 - 45.7)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	227	2,600	31.0	(24.4 - 37.6)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	618	10,600	26.7	(22.3 - 31.2)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	318	5,300	27.2	(21.4 - 32.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	185	3,900	29.9	(20.2 - 39.6)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	137	2,000	22.0	(14.4 - 29.5)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	218	4,200	31.4	(22.1 - 40.7)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	162	2,000	20.2	(13.4 - 27.1)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	111	2,600	27.2	(18.0 - 36.3)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 65b. Received advice about weight by a health professional among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	26.1	(21.4 - 30.8)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	260	19.3	(13.7 - 24.9)	14,499	23.4	(20.5 - 26.3)
Female	381	32.9	(25.8 - 40.0)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	618	26.0	(21.2 - 30.8)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	318	25.9	(19.9 - 31.8)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	137	21.2	(13.5 - 29.0)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	162	20.3	(12.9 - 27.7)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	111	25.8	(16.6 - 35.1)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	199	10,000	89.4	(84.8 - 94.0)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	72	3,900	92.5	(85.8 - 99.3)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	127	6,100	87.5	(81.4 - 93.6)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	57	2,200	93.0	(86.2 - 99.8)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	190	9,400	88.8	(84.0 - 93.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	104	4,800	91.2	(85.5 - 97.0)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	74	3,600	87.0	(79.1 - 94.8)	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	199	89.9	(85.3 - 94.5)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	72	92.3	(85.1 - 99.4)	3,807	88.7	(85.7 - 91.8)
Female	127	88.5	(82.5 - 94.6)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	190	89.3	(84.5 - 94.2)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	104	91.1	(85.0 - 97.1)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	74	88.5	(81.0 - 96.0)	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 67a. No leisure-time physical activity among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	10,900	25.3	(21.0 - 29.7)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	262	5,500	26.5	(19.2 - 33.7)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	406	5,400	24.3	(19.3 - 29.2)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	84	1,500	19.0	(10.0 - 28.0)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	121	2,000	24.1	(15.9 - 32.2)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	166	2,000	29.0	(21.3 - 36.8)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	231	3,200	37.1	(30.1 - 44.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	10,400	25.3	(20.9 - 29.8)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	7,400	36.9	(29.8 - 44.0)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	192	2,500	18.5	(11.9 - 25.0)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	144	1,000	10.5	(4.7 - 16.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	226	5,400	39.3	(29.6 - 48.9)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	166	2,400	23.7	(15.8 - 31.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	81	900	17.0	(7.4 - 26.5)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	114	1,200	12.0	(5.2 - 18.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 67b. No leisure-time physical activity among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	24.3	(19.7 - 28.8)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	262	26.0	(18.5 - 33.6)	14,602	20.9	(17.8 - 23.9)
Female	406	22.6	(17.4 - 27.9)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	643	24.3	(19.6 - 28.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	36.2	(28.6 - 43.8)	15,683	32.3	(28.3 - 36.4)
Some College	192	17.4	(10.5 - 24.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	144	10.1	(4.0 - 16.1)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	166	22.7	(14.5 - 30.9)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	114	11.1	(4.5 - 17.7)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	10,500	24.2	(19.6 - 28.9)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	263	3,700	17.5	(11.0 - 24.0)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	406	6,800	30.6	(24.2 - 36.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	84	1,200	15.8	(7.3 - 24.3)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	121	1,500	18.3	(10.7 - 25.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	166	1,500	22.5	(15.3 - 29.7)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	232	2,500	29.3	(22.8 - 35.7)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	644	9,900	24.1	(19.4 - 28.9)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	332	3,800	18.9	(12.4 - 25.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	192	3,900	28.9	(19.3 - 38.5)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	144	2,800	28.9	(20.5 - 37.4)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	167	1,900	18.4	(12.1 - 24.6)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	114	1,800	18.8	(9.9 - 27.7)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	24.2	(19.1 - 29.2)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	263	17.7	(10.9 - 24.6)	14,634	22.7	(19.6 - 25.9)
Female	406	30.2	(23.1 - 37.3)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	644	24.1	(19.0 - 29.3)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	332	18.5	(11.6 - 25.5)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	144	29.2	(20.1 - 38.2)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	167	17.1	(10.8 - 23.3)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	114	19.3	(9.7 - 28.9)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 69a. Had a fall within the past 3 months among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	509	3,700	15.9	(12.3 - 19.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	207	1,900	17.1	(11.4 - 22.8)	10,966	489,400	14.4	(11.9 - 16.8)
Female	302	1,800	14.8	(10.3 - 19.3)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	119	1,100	13.7	(7.1 - 20.3)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	161	1,200	17.8	(11.3 - 24.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	229	1,400	16.4	(10.9 - 22.0)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	493	3,500	15.7	(12.1 - 19.3)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	268	1,700	14.0	(9.6 - 18.4)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	144	1,200	18.1	(10.7 - 25.5)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	96	800	17.8	(8.5 - 27.0)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	177	1,100	16.4	(10.4 - 22.5)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	125	800	12.7	(6.5 - 19.0)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 69b. Had a fall within the past 3 months among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	509	15.9	(12.2 - 19.6)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	207	17.1	(11.4 - 22.9)	10,966	15.0	(12.1 - 17.8)
Female	302	14.7	(10.0 - 19.4)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	493	15.8	(12.1 - 19.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	268	13.9	(9.5 - 18.3)	12,417	17.4	(13.0 - 21.7)
Some College	144	18.6	(10.8 - 26.3)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	96	17.5	(8.0 - 27.0)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	177	16.2	(10.1 - 22.3)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	125	12.4	(6.1 - 18.7)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Fulton County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Fulton County and New York State

	Fulton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	507	1,000	4.2	(2.3 - 6.2)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	301	500	4.4	(2.0 - 6.9)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	161	400	5.9	(2.4 - 9.4)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	227	500	5.5	(1.7 - 9.3)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	491	900	4.3	(2.3 - 6.3)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	266	400	3.6	(1.4 - 5.8)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	144	500	7.5	(2.2 - 12.8)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Fulton County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Fulton County and New York State - Age-Adjusted²

	Fulton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	507	4.2	(2.2 - 6.2)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	301	4.2	(1.8 - 6.7)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	491	4.2	(2.2 - 6.3)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	266	3.4	(1.3 - 5.5)	12,404	5.2	(3.5 - 6.8)
Some College	144	7.6	(1.9 - 13.4)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)