

New York State Expanded Behavioral Risk Factor Surveillance System

Greene County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Greene County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Greene County and New York State	14
Table 2b. Fair or poor general health among adults in Greene County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Greene County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Greene County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Greene County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Greene County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Greene County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Greene County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Greene County and New York State	22
Table 6b. Health insurance among adults in Greene County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Greene County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Greene County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Greene County and New York State	26
Table 8b. No health insurance among adults in Greene County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Greene County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Greene County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Greene County and New York State	30
Table 10b. Adults with regular health care provider in Greene County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Greene County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Greene County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Greene County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Greene County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Greene County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Greene County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Greene County and New York State	38
Table 14b. Dentist visit within the past year among adults in Greene County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Greene County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Greene County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Greene County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Greene County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Greene County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Greene County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Greene County and New York State	46
Table 18b. Flu shot within the past 12 months in Greene County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Greene County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Greene County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Greene County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Greene County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Greene County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Greene County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Greene County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Greene County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Greene County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Greene County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Greene County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Greene County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Greene County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Greene County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Greene County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Greene County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Greene County and New York State	64
Table 27b. Ever had a Pap test among women in Greene County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Greene County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Greene County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Greene County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Greene County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Greene County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Greene County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Greene County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Greene County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Greene County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Greene County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Greene County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Greene County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Greene County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Greene County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Greene County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Greene County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Greene County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Greene County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Greene County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Greene County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Greene County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Greene County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Greene County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Greene County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Greene County and New York State	90
Table 40b. High blood pressure among adults in Greene County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Greene County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Greene County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Greene County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Greene County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Greene County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Greene County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Greene County and New York State	98
Table 44b. Cardiovascular disease among adults in Greene County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Greene County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Greene County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Greene County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Greene County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Greene County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Greene County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Greene County and New York State	106
Table 48b. Current asthma among adults in Greene County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Greene County and New York State	108
Table 49b. Chronic joint symptoms among adults in Greene County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Greene County and New York State	110
Table 50b. Arthritis among adults in Greene County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Greene County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Greene County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Greene County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Greene County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Greene County and New York State	116
Table 53b. Disability among adults in Greene County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Greene County and New York State	118
Table 54b. Current smoking among adults in Greene County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Greene County and New York State	120
Table 55b. Everyday smoking among adults in Greene County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Greene County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Greene County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Greene County and New York State	124
Table 57b. Binge drinking within the past month among adults in Greene County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Greene County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Greene County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Greene County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Greene County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Greene County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Greene County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Greene County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Greene County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Greene County and New York State	134
Table 62b. Overweight among adults in Greene County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Greene County and New York State	136
Table 63b. Obesity among adults in Greene County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Greene County and New York State	138
Table 64b. Overweight or obesity among adults in Greene County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Greene County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Greene County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Greene County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Greene County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Greene County and New York State	144
Table 67b. No leisure-time physical activity among adults in Greene County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Greene County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Greene County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Greene County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Greene County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Greene County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Greene County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 1. Greene County and New York State adult US Census Bureau population estimates,¹ 2007

	Greene County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	39,199	100	14,884,315	100
Gender				
Male	20,300	51.8	7,103,791	47.7
Female	18,899	48.2	7,780,524	52.3
Age (years)				
18-34	11,924	30.4	4,497,479	30.2
35-44	6,456	16.5	2,844,115	19.1
45-54	7,215	18.4	2,854,316	19.2
55-64	6,105	15.6	2,142,000	14.4
≥ 65	7,499	19.1	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	34,369	87.7	9,343,884	62.8
Black Non-Hispanic	2,474	6.3	2,156,941	14.5
Hispanic	1,942	5.0	2,258,717	15.2
Other Non-Hispanic	414	1.1	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 2a. Fair or poor general health among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	4,900	12.6	(9.0 - 16.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	247	2,700	13.2	(7.4 - 19.1)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	409	2,200	11.9	(8.0 - 15.8)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	157	1,000	13.2	(6.6 - 19.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	147	900	15.4	(8.5 - 22.2)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	231	1,600	21.1	(15.3 - 26.8)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	634	3,900	11.3	(8.4 - 14.3)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	283	3,300	20.3	(13.3 - 27.4)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	183	1,300	9.6	(4.2 - 14.9)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	189	400	3.8	(1.5 - 6.0)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	156	1,200	13.4	(6.9 - 19.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	90	400	6.9	(2.4 - 11.4)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 2b. Fair or poor general health among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	11.6	(8.1 - 15.1)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	247	12.9	(7.3 - 18.5)	14,599	15.3	(12.6 - 18.0)
Female	409	10.2	(6.2 - 14.1)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	634	10.6	(7.6 - 13.6)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	283	18.9	(12.0 - 25.8)	15,682	25.8	(22.1 - 29.5)
Some College	183	9.0	(3.8 - 14.3)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	189	3.1	(1.2 - 5.0)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	156	13.3	(6.6 - 20.0)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	90	5.9	(1.9 - 9.9)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	4,000	10.4	(7.5 - 13.2)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	243	2,300	11.4	(6.6 - 16.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	398	1,700	9.2	(6.1 - 12.3)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	155	1,100	15.7	(8.8 - 22.6)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	144	500	8.4	(3.4 - 13.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	223	1,200	16.4	(10.9 - 21.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	619	3,800	11.3	(8.2 - 14.3)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	270	2,200	14.1	(9.0 - 19.2)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	182	1,200	9.4	(4.1 - 14.7)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	188	500	5.6	(1.9 - 9.2)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	*	*	*	*	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	154	1,200	13.7	(7.1 - 20.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	10.3	(7.3 - 13.4)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	243	11.7	(6.8 - 16.6)	14,325	8.7	(6.9 - 10.5)
Female	398	8.8	(5.5 - 12.2)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	619	11.3	(8.0 - 14.6)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	270	14.2	(8.7 - 19.8)	15,178	12.7	(10.2 - 15.1)
Some College	182	9.3	(4.1 - 14.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	188	5.5	(1.4 - 9.7)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	154	13.5	(6.9 - 20.1)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	3,800	9.9	(6.9 - 12.9)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	240	1,900	9.6	(4.8 - 14.3)	14,407	555,200	7.9	(6.3 - 9.6)
Female	403	1,900	10.2	(6.6 - 13.9)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	154	1,300	18.5	(10.8 - 26.3)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	146	500	8.4	(3.8 - 12.9)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	223	500	6.3	(2.8 - 9.8)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	621	3,500	10.3	(7.2 - 13.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	275	2,100	13.3	(7.9 - 18.6)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	181	1,400	10.7	(5.0 - 16.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	186	300	3.2	(1.2 - 5.3)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	152	1,000	10.6	(4.3 - 17.0)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	164	500	4.6	(1.5 - 7.7)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	10.0	(6.8 - 13.2)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	240	9.7	(4.8 - 14.6)	14,407	7.9	(6.3 - 9.6)
Female	403	10.3	(6.3 - 14.3)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	621	10.4	(7.1 - 13.7)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	275	13.9	(7.9 - 20.0)	15,335	12.3	(10.0 - 14.6)
Some College	181	10.7	(5.0 - 16.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	186	2.7	(1.0 - 4.4)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	152	10.5	(4.2 - 16.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	164	4.3	(1.4 - 7.3)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	633	6,100	15.9	(12.3 - 19.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	237	3,200	16.0	(10.4 - 21.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	396	2,900	15.8	(11.4 - 20.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	68	900	14.7	(5.4 - 24.0)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	152	1,800	25.4	(17.1 - 33.7)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	143	900	15.4	(9.0 - 21.8)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	218	1,400	19.2	(13.4 - 25.1)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	611	5,800	17.1	(13.4 - 20.9)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	267	3,300	21.0	(14.7 - 27.3)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	180	2,100	16.1	(9.4 - 22.7)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	185	700	7.3	(3.4 - 11.3)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	151	1,600	18.4	(10.7 - 26.1)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	89	600	11.5	(4.7 - 18.3)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	163	900	8.8	(4.3 - 13.3)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	633	15.8	(12.1 - 19.6)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	237	16.2	(10.5 - 22.0)	14,231	13.6	(11.4 - 15.8)
Female	396	15.4	(10.6 - 20.1)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	611	17.1	(13.2 - 21.0)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	267	21.4	(14.5 - 28.2)	15,018	20.1	(17.1 - 23.1)
Some College	180	15.8	(9.2 - 22.5)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	185	7.0	(2.6 - 11.4)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	151	17.9	(10.3 - 25.5)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	89	11.8	(4.4 - 19.3)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	163	8.8	(4.0 - 13.7)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 6a. Health insurance among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	35,500	90.6	(86.7 - 94.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	247	18,400	90.5	(84.9 - 96.1)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	409	17,100	90.7	(85.4 - 95.9)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	68	5,700	87.6	(78.1 - 97.1)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	157	6,700	92.7	(88.6 - 96.8)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	147	5,700	92.8	(88.4 - 97.2)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	231	7,400	98.1	(96.5 - 99.8)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	634	31,400	91.4	(87.8 - 94.9)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	14,300	87.9	(81.6 - 94.2)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	183	11,900	89.6	(81.7 - 97.6)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	189	9,300	96.4	(93.8 - 98.9)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	156	8,000	87.5	(79.1 - 96.0)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	90	5,500	97.7	(94.8 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	166	10,000	94.4	(87.2 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 6b. Health insurance among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	90.5	(86.5 - 94.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	247	90.8	(85.4 - 96.1)	14,597	83.6	(79.7 - 87.5)
Female	409	90.2	(84.3 - 96.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	634	91.4	(87.9 - 94.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	87.6	(81.2 - 94.1)	15,673	80.1	(75.4 - 84.7)
Some College	183	89.3	(81.0 - 97.6)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	189	96.8	(94.5 - 99.1)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	156	86.6	(78.0 - 95.2)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	90	98.0	(95.3 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	166	94.1	(86.3 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 7a. Health insurance among adults aged 18-64¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	420	28,000	88.9	(84.1 - 93.6)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	170	15,000	88.8	(82.1 - 95.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	250	13,000	88.9	(82.2 - 95.5)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	68	5,700	87.6	(78.1 - 97.1)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	157	6,700	92.7	(88.6 - 96.8)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	142	5,500	93.3	(89.0 - 97.6)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	403	24,400	89.8	(85.3 - 94.2)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	148	10,100	84.6	(76.1 - 93.0)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	135	10,300	88.2	(79.2 - 97.2)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	136	7,500	96.3	(93.4 - 99.3)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	70	4,700	97.3	(94.0 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	137	8,800	94.1	(86.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 7b. Health insurance among adults aged 18-64¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	420	89.0	(84.2 - 93.7)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	170	89.1	(82.7 - 95.5)	10,078	80.5	(75.9 - 85.1)
Female	250	88.8	(81.7 - 95.8)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	403	90.0	(85.8 - 94.3)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	148	84.7	(76.3 - 93.0)	9,037	75.1	(69.3 - 80.9)
Some College	135	88.1	(78.8 - 97.3)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	136	96.7	(94.1 - 99.3)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	70	97.7	(94.7 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	137	93.9	(85.3 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 8a. No health insurance among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	3,700	9.4	(5.6 - 13.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	247	1,900	9.5	(3.9 - 15.1)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	409	1,800	9.3	(4.1 - 14.6)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	157	500	7.3	(3.2 - 11.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	147	400	7.2	(2.8 - 11.6)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	634	3,000	8.6	(5.1 - 12.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	2,000	12.1	(5.8 - 18.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	183	1,400	10.4	(2.4 - 18.3)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	189	300	3.6	(1.1 - 6.2)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	156	1,100	12.5	(4.0 - 20.9)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 8b. No health insurance among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	9.5	(5.6 - 13.5)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	247	9.2	(3.9 - 14.6)	14,597	16.4	(12.5 - 20.3)
Female	409	9.8	(3.9 - 15.7)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	634	8.6	(5.1 - 12.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	12.4	(5.9 - 18.8)	15,673	19.9	(15.3 - 24.6)
Some College	183	10.7	(2.4 - 19.0)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	189	3.2	(0.9 - 5.5)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	156	13.4	(4.8 - 22.0)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 9a. No health insurance among adults aged 18-64¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	420	3,500	11.1	(6.4 - 15.9)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	170	1,900	11.2	(4.5 - 17.9)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	250	1,600	11.1	(4.5 - 17.8)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	157	500	7.3	(3.2 - 11.4)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	142	400	6.7	(2.4 - 11.0)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	403	2,800	10.2	(5.8 - 14.7)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	148	1,800	15.4	(7.0 - 23.9)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	135	1,400	11.8	(2.8 - 20.8)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 9b. No health insurance among adults aged 18-64¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	420	11.0	(6.3 - 15.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	170	10.9	(4.5 - 17.3)	10,078	19.5	(14.9 - 24.1)
Female	250	11.2	(4.2 - 18.3)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	403	10.0	(5.7 - 14.2)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	148	15.3	(7.0 - 23.7)	9,037	24.9	(19.1 - 30.7)
Some College	135	11.9	(2.7 - 21.2)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 10a. Adults with regular health care provider¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	34,700	88.7	(85.0 - 92.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	245	17,500	86.7	(80.6 - 92.8)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	408	17,200	91.0	(86.7 - 95.2)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	154	6,600	92.2	(87.9 - 96.5)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	147	5,700	92.6	(88.4 - 96.9)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	231	7,100	94.2	(90.8 - 97.7)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	631	30,100	87.9	(83.9 - 91.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	14,100	87.2	(81.1 - 93.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	182	11,700	88.2	(81.0 - 95.3)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	188	8,800	92.1	(86.0 - 98.1)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	156	7,700	84.0	(75.4 - 92.7)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	90	5,100	91.7	(83.7 - 99.8)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	164	9,700	91.8	(86.1 - 97.4)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 10b. Adults with regular health care provider¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	88.2	(84.2 - 92.3)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	245	86.2	(79.9 - 92.6)	14,593	78.1	(73.9 - 82.3)
Female	408	90.3	(85.4 - 95.3)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	631	87.4	(83.1 - 91.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	86.3	(79.4 - 93.2)	15,692	75.8	(71.0 - 80.6)
Some College	182	87.6	(80.2 - 95.1)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	188	92.2	(86.3 - 98.0)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	156	82.7	(73.2 - 92.1)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	164	92.4	(87.1 - 97.7)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	5,500	14.1	(8.7 - 19.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	247	2,000	9.7	(4.0 - 15.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	409	3,600	18.8	(9.9 - 27.8)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	157	1,000	13.7	(6.8 - 20.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	147	700	11.3	(5.3 - 17.3)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	231	300	3.6	(1.2 - 5.9)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	634	3,700	10.7	(7.0 - 14.4)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	283	2,300	13.9	(8.1 - 19.7)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	189	400	4.1	(1.4 - 6.8)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	156	1,700	22.8	(12.9 - 32.8)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	156	1,300	13.9	(4.5 - 23.3)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	14.5	(8.7 - 20.3)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	247	9.4	(3.9 - 14.9)	14,607	12.5	(9.4 - 15.6)
Female	409	20.0	(10.1 - 30.0)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	634	10.8	(7.1 - 14.6)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	283	14.4	(8.1 - 20.6)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	189	4.2	(1.1 - 7.2)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	156	14.3	(5.0 - 23.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	28,400	72.7	(66.7 - 78.6)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	246	14,500	71.5	(63.2 - 79.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	407	13,900	73.9	(65.3 - 82.5)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	157	5,300	73.6	(65.1 - 82.0)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	146	4,800	79.2	(71.6 - 86.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	229	7,000	94.0	(91.1 - 97.0)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	631	25,600	74.7	(69.5 - 79.9)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	12,500	77.1	(69.7 - 84.5)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	189	7,600	79.1	(71.2 - 87.0)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	71.4	(65.1 - 77.7)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	246	70.7	(62.4 - 79.0)	14,592	67.1	(63.3 - 70.9)
Female	407	72.2	(62.6 - 81.8)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	631	73.5	(68.1 - 79.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	75.9	(67.8 - 83.9)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	189	78.2	(70.0 - 86.5)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	34,300	87.6	(83.6 - 91.7)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	246	17,600	87.0	(81.0 - 93.0)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	407	16,700	88.3	(82.9 - 93.8)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	157	6,300	86.7	(79.7 - 93.8)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	146	5,400	89.0	(82.8 - 95.2)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	229	7,200	97.1	(94.9 - 99.3)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	631	30,500	89.1	(85.4 - 92.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	14,300	88.3	(82.9 - 93.8)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	181	11,100	83.7	(74.5 - 93.0)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	189	8,800	91.8	(87.3 - 96.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	154	8,000	87.9	(81.5 - 94.3)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	165	9,100	85.6	(76.5 - 94.7)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	87.1	(82.7 - 91.4)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	246	86.2	(79.9 - 92.4)	14,592	81.9	(78.4 - 85.3)
Female	407	88.1	(82.0 - 94.1)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	631	88.4	(84.5 - 92.3)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	87.7	(81.6 - 93.8)	15,640	84.6	(81.1 - 88.1)
Some College	181	83.4	(73.8 - 93.0)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	189	91.0	(85.7 - 96.3)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	154	86.8	(79.7 - 93.9)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	165	84.2	(74.4 - 94.0)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 14a. Dentist visit within the past year among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	28,000	71.9	(66.2 - 77.6)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	245	15,100	74.9	(67.5 - 82.2)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	408	12,800	68.7	(60.1 - 77.3)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	156	5,500	75.9	(68.2 - 83.6)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	146	4,400	71.8	(62.9 - 80.8)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	231	5,200	68.9	(62.0 - 75.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	632	25,800	75.3	(70.6 - 80.1)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	10,300	64.7	(56.7 - 72.7)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	189	8,600	89.7	(83.4 - 96.0)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	166	9,200	86.5	(78.5 - 94.5)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 14b. Dentist visit within the past year among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	72.4	(66.2 - 78.5)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	245	74.9	(67.4 - 82.4)	14,573	68.3	(64.6 - 72.1)
Female	408	69.6	(60.0 - 79.2)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	632	75.9	(70.9 - 80.8)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	66.2	(57.9 - 74.4)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	189	90.6	(84.7 - 96.5)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	166	86.8	(78.4 - 95.2)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 15a. Had teeth cleaned within the past year among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	597	26,000	70.4	(64.3 - 76.6)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	227	14,000	72.4	(64.4 - 80.4)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	370	12,000	68.3	(59.2 - 77.4)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	153	5,400	77.5	(70.0 - 84.9)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	133	4,000	73.5	(64.5 - 82.5)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	192	4,600	73.3	(65.8 - 80.8)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	576	23,700	73.4	(68.1 - 78.6)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	9,300	65.0	(56.2 - 73.8)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	186	8,400	88.7	(81.7 - 95.7)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	163	8,700	83.7	(75.3 - 92.2)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 15b. Had teeth cleaned within the past year among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	597	70.1	(63.6 - 76.7)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	227	72.0	(63.8 - 80.3)	13,173	69.2	(65.3 - 73.1)
Female	*	*	*	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	576	73.2	(67.7 - 78.7)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	65.8	(56.8 - 74.9)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	186	88.4	(81.0 - 95.9)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	163	83.1	(74.0 - 92.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	18,600	48.1	(42.1 - 54.2)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	244	9,500	47.3	(38.3 - 56.3)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	401	9,100	49.0	(41.0 - 57.0)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	155	3,900	55.0	(46.0 - 64.0)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	145	4,500	75.2	(67.5 - 83.0)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	224	5,800	79.8	(73.7 - 85.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	624	17,100	50.3	(44.4 - 56.1)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	278	9,300	57.8	(48.1 - 67.6)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	186	3,500	36.7	(28.2 - 45.2)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	164	3,900	37.0	(27.6 - 46.3)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	45.6	(39.5 - 51.8)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	244	46.7	(37.8 - 55.5)	14,457	47.9	(44.1 - 51.7)
Female	401	44.5	(36.0 - 52.9)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	624	48.0	(42.0 - 53.9)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	186	33.3	(24.8 - 41.7)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	164	34.8	(25.5 - 44.0)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	224	1,200	16.0	(10.8 - 21.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	74	400	13.2	(5.2 - 21.2)	4,352	167,200	16.4	(11.8 - 20.9)
Female	150	700	18.2	(11.4 - 25.0)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	224	1,200	16.0	(10.8 - 21.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	219	1,200	17.1	(11.6 - 22.5)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	900	22.5	(14.6 - 30.4)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	224	15.8	(10.4 - 21.1)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	74	13.4	(5.3 - 21.5)	4,352	16.5	(11.5 - 21.4)
Female	150	18.3	(11.5 - 25.1)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	219	16.8	(11.2 - 22.4)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	22.2	(14.1 - 30.4)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 18a. Flu shot within the past 12 months¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	13,900	35.6	(30.2 - 41.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	245	6,600	32.9	(24.8 - 41.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	409	7,300	38.5	(31.4 - 45.5)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	200	4,700	21.1	(13.4 - 28.8)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	224	3,900	41.5	(33.9 - 49.0)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	230	5,300	71.4	(64.7 - 78.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	632	12,900	37.7	(32.4 - 43.1)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	6,500	40.3	(31.7 - 49.0)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	182	3,500	26.4	(17.3 - 35.4)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	189	3,800	39.9	(30.8 - 49.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	166	3,500	33.1	(23.5 - 42.6)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 18b. Flu shot within the past 12 months¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	33.4	(28.0 - 38.8)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	245	32.3	(24.3 - 40.2)	14,579	40.0	(36.2 - 43.8)
Female	409	34.6	(27.2 - 42.0)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	632	35.4	(30.0 - 40.8)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	38.3	(29.5 - 47.2)	15,663	43.7	(39.1 - 48.2)
Some College	182	23.8	(15.1 - 32.4)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	189	38.0	(28.6 - 47.4)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	166	29.9	(20.8 - 39.1)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	13,900	35.6	(30.3 - 41.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	245	6,600	32.9	(24.8 - 41.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	409	7,300	38.5	(31.5 - 45.6)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	200	4,700	21.1	(13.4 - 28.8)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	224	3,900	41.5	(33.9 - 49.0)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	230	5,300	71.6	(64.9 - 78.3)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	632	12,900	37.8	(32.4 - 43.2)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	6,500	40.3	(31.7 - 49.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	182	3,500	26.4	(17.3 - 35.4)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	189	3,900	40.1	(31.0 - 49.2)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	166	3,500	33.1	(23.5 - 42.6)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	33.4	(28.0 - 38.9)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	245	32.3	(24.3 - 40.2)	14,568	40.4	(36.6 - 44.2)
Female	409	34.7	(27.3 - 42.1)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	632	35.4	(30.0 - 40.8)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	38.3	(29.5 - 47.2)	15,651	44.1	(39.6 - 48.6)
Some College	182	23.8	(15.1 - 32.4)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	189	38.1	(28.7 - 47.5)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	166	29.9	(20.8 - 39.1)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 21a. Flu shot among adults aged 65 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	230	5,300	71.4	(64.7 - 78.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	155	2,900	70.7	(62.6 - 78.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	230	5,300	71.4	(64.7 - 78.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	225	5,000	72.2	(65.8 - 78.7)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	133	3,100	73.3	(64.7 - 82.0)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 21b. Flu shot among adults aged 65 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	230	71.6	(64.7 - 78.4)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	155	70.9	(63.0 - 78.8)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	225	72.3	(65.6 - 79.0)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	133	73.3	(64.6 - 82.1)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	9,200	25.6	(20.5 - 30.7)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	227	4,800	26.3	(17.7 - 34.9)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	391	4,400	24.9	(19.6 - 30.2)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	181	2,500	12.4	(4.6 - 20.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	211	2,000	22.8	(16.1 - 29.6)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	226	4,800	65.0	(57.8 - 72.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	599	8,300	25.9	(20.9 - 30.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	269	5,100	33.6	(24.7 - 42.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	178	2,500	19.4	(11.4 - 27.4)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	170	1,700	20.6	(14.2 - 27.1)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	83	1,000	21.8	(12.8 - 30.9)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	155	1,600	16.3	(7.9 - 24.7)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	22.7	(17.9 - 27.5)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	227	25.1	(17.1 - 33.1)	13,052	25.8	(22.3 - 29.4)
Female	391	20.2	(15.3 - 25.0)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	599	23.3	(18.5 - 28.1)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	269	29.8	(21.2 - 38.3)	14,700	29.5	(25.6 - 33.5)
Some College	178	17.7	(10.0 - 25.3)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	170	17.9	(11.9 - 23.9)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	83	18.2	(10.1 - 26.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	155	14.6	(6.9 - 22.3)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	226	4,800	65.0	(57.8 - 72.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	153	2,900	70.8	(63.1 - 78.6)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	226	4,800	65.0	(57.8 - 72.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	221	4,300	62.6	(55.3 - 69.9)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	2,800	67.1	(58.2 - 76.0)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	226	63.7	(56.1 - 71.2)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	153	70.7	(63.0 - 78.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	221	61.4	(53.7 - 69.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	66.4	(57.2 - 75.7)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	358	11,600	92.9	(89.7 - 96.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	358	11,600	92.9	(89.7 - 96.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	70	3,100	86.7	(77.5 - 95.8)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	134	4,500	94.3	(90.2 - 98.4)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	154	4,000	96.9	(94.6 - 99.2)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	351	10,900	92.5	(89.1 - 95.9)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	4,600	92.7	(88.2 - 97.2)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	103	3,700	91.6	(84.3 - 99.0)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	103	3,300	94.7	(90.3 - 99.2)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	104	2,600	87.8	(80.3 - 95.4)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	80	2,600	92.7	(86.4 - 99.0)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	79	3,300	92.9	(85.2 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	358	91.4	(87.1 - 95.7)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	358	91.4	(87.1 - 95.7)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	351	91.0	(86.5 - 95.5)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	91.6	(85.7 - 97.4)	8,266	90.2	(86.1 - 94.2)
Some College	103	89.2	(79.4 - 98.9)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	103	93.8	(88.2 - 99.3)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	104	85.2	(75.5 - 94.8)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	80	91.6	(83.6 - 99.5)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	358	10,000	80.1	(74.9 - 85.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	358	10,000	80.1	(74.9 - 85.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	134	3,700	77.6	(68.4 - 86.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	154	3,500	86.3	(80.9 - 91.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	351	9,600	81.0	(76.1 - 85.9)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	3,700	74.2	(65.7 - 82.7)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	103	3,100	87.9	(81.3 - 94.4)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	79	3,100	87.6	(78.9 - 96.3)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in
Greene County and New York State - Age-Adjusted²**

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	358	78.8	(73.0 - 84.6)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	358	78.8	(73.0 - 84.6)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	351	79.3	(73.4 - 85.1)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	74.1	(65.1 - 83.1)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	103	86.6	(79.1 - 94.2)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	288	7,200	81.6	(76.0 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	288	7,200	81.6	(76.0 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	134	3,700	77.6	(68.4 - 86.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	154	3,500	86.3	(80.9 - 91.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	283	7,000	83.5	(78.7 - 88.4)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	135	3,000	73.6	(64.2 - 82.9)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	76	2,100	89.9	(82.9 - 96.9)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	56	1,900	88.2	(79.7 - 96.8)	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	288	81.5	(75.9 - 87.2)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	288	81.5	(75.9 - 87.2)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	283	83.0	(77.8 - 88.3)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	135	73.4	(64.0 - 82.9)	7,026	83.6	(80.1 - 87.0)
Some College	77	87.3	(77.7 - 97.0)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	76	89.1	(81.5 - 96.8)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	56	87.7	(78.5 - 96.8)	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 27a. Ever had a Pap test among women¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	408	18,700	98.8	(97.9 - 99.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	408	18,700	98.8	(97.9 - 99.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	85	3,500	98.2	(95.6 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	96	3,100	99.1	(97.2 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	154	4,000	98.3	(96.7 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	394	15,200	98.5	(97.4 - 99.7)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	172	7,700	98.9	(97.7 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	116	6,100	98.7	(97.3 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	119	4,800	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	115	4,500	98.6	(97.0 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	88	3,500	96.5	(92.3 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	94	5,200	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 27b. Ever had a Pap test among women¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	408	98.8	(97.8 - 99.9)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	408	98.8	(97.8 - 99.9)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	394	98.6	(97.3 - 99.8)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	172	99.0	(97.8 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	116	99.0	(98.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	119	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	115	98.8	(97.3 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	88	96.3	(91.5 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	94	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	15,600	83.0	(78.4 - 87.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	407	15,600	83.0	(78.4 - 87.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	85	3,100	87.1	(78.9 - 95.3)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	153	2,800	69.0	(61.3 - 76.8)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	393	12,500	81.6	(77.6 - 85.6)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	171	5,900	75.3	(66.2 - 84.4)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	116	5,400	88.4	(82.5 - 94.4)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	119	4,300	89.4	(84.1 - 94.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	88	2,800	77.8	(68.3 - 87.3)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	94	4,800	93.7	(89.2 - 98.1)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 28b. Had a Pap test within the past 3 years among women¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	84.8	(80.1 - 89.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	407	84.8	(80.1 - 89.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	393	83.6	(79.5 - 87.6)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	171	78.0	(68.4 - 87.5)	9,384	76.4	(71.3 - 81.5)
Some College	116	90.1	(84.5 - 95.7)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	119	90.1	(84.6 - 95.7)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	94	94.3	(90.0 - 98.7)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	205	8,800	79.2	(72.2 - 86.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	205	8,800	79.2	(72.2 - 86.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	76	3,000	87.9	(79.7 - 96.0)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	199	8,200	80.3	(73.6 - 87.0)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	63	3,000	89.6	(80.1 - 99.0)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	205	78.0	(70.5 - 85.6)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	205	78.0	(70.5 - 85.6)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	199	78.9	(71.5 - 86.4)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	202	7,200	66.2	(58.3 - 74.2)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	202	7,200	66.2	(58.3 - 74.2)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	196	6,900	68.5	(60.8 - 76.1)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	202	65.4	(57.0 - 73.7)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	202	65.4	(57.0 - 73.7)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	196	67.3	(59.1 - 75.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	198	7,400	69.5	(61.7 - 77.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	198	7,400	69.5	(61.7 - 77.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	71	2,800	88.9	(81.0 - 96.8)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	191	6,900	71.0	(63.5 - 78.4)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	198	68.6	(60.4 - 76.8)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	198	68.6	(60.4 - 76.8)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	191	69.9	(61.8 - 78.0)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	198	6,500	61.4	(53.3 - 69.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	198	6,500	61.4	(53.3 - 69.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	191	6,000	62.1	(54.2 - 70.0)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	198	60.5	(52.1 - 68.9)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	198	60.5	(52.1 - 68.9)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	191	61.1	(52.6 - 69.5)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 33a. Prostate cancer among men aged 40 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	500	4.8	(1.6 - 7.9)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	208	500	4.8	(1.6 - 7.9)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 33b. Prostate cancer among men aged 40 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	4.5	(1.5 - 7.5)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	208	4.5	(1.5 - 7.5)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	454	5,200	31.0	(26.0 - 36.0)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	162	2,500	32.1	(23.7 - 40.4)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	292	2,700	30.0	(24.2 - 35.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	224	2,300	23.9	(17.3 - 30.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	230	3,000	39.9	(32.5 - 47.2)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	445	4,800	30.3	(25.5 - 35.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	206	2,400	31.5	(23.8 - 39.3)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	116	1,100	25.1	(16.0 - 34.1)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	132	1,700	35.6	(26.5 - 44.7)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	119	1,200	32.6	(22.8 - 42.3)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	101	1,300	29.4	(19.7 - 39.1)	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	454	30.8	(25.7 - 35.9)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	162	32.5	(24.2 - 40.9)	9,571	39.4	(35.3 - 43.5)
Female	292	28.9	(23.2 - 34.6)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	445	30.1	(25.2 - 35.1)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	206	31.0	(23.2 - 38.8)	11,146	35.1	(30.3 - 39.9)
Some College	116	25.6	(15.9 - 35.2)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	132	35.4	(26.2 - 44.6)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	119	32.8	(22.9 - 42.7)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	101	29.0	(19.3 - 38.7)	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	448	1,800	10.9	(7.7 - 14.0)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	159	1,000	13.5	(8.1 - 18.9)	9,508	444,400	16.0	(13.2 - 18.9)
Female	289	800	8.6	(5.0 - 12.2)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	223	800	8.2	(4.2 - 12.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	225	1,000	14.4	(9.3 - 19.5)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	439	1,700	10.7	(7.6 - 13.9)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	204	700	9.3	(5.0 - 13.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	115	400	9.4	(3.8 - 15.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	129	700	14.8	(7.8 - 21.8)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	119	600	17.3	(8.9 - 25.8)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	104	300	8.5	(3.1 - 13.9)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	99	500	11.6	(5.0 - 18.1)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	448	11.1	(7.8 - 14.3)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	159	13.9	(8.4 - 19.4)	9,508	16.4	(13.2 - 19.6)
Female	289	8.2	(4.8 - 11.6)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	439	11.0	(7.7 - 14.3)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	204	9.2	(4.9 - 13.5)	11,026	12.7	(9.2 - 16.1)
Some College	115	10.1	(4.0 - 16.3)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	129	14.9	(7.9 - 21.9)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	119	17.9	(9.2 - 26.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	104	8.0	(2.8 - 13.2)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	99	12.2	(5.3 - 19.1)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	448	2,200	13.1	(9.7 - 16.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	159	1,200	15.5	(9.9 - 21.2)	9,508	593,100	21.4	(18.3 - 24.5)
Female	289	1,000	11.0	(7.1 - 14.9)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	223	900	9.4	(5.3 - 13.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	225	1,300	18.0	(12.5 - 23.4)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	439	2,000	13.1	(9.7 - 16.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	204	1,000	12.9	(8.2 - 17.7)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	115	400	10.2	(4.4 - 16.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	129	800	16.1	(8.9 - 23.3)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	119	800	22.3	(13.4 - 31.3)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	104	400	9.8	(4.1 - 15.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	99	600	12.5	(5.7 - 19.3)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Greene County and New York State - Age-Adjusted²**

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	448	13.3	(9.8 - 16.7)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	159	16.0	(10.2 - 21.8)	9,508	21.7	(18.3 - 25.1)
Female	289	10.5	(6.8 - 14.2)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	439	13.4	(9.9 - 16.9)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	204	13.0	(8.1 - 17.9)	11,026	19.5	(15.4 - 23.7)
Some College	115	10.8	(4.5 - 17.1)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	129	16.0	(8.8 - 23.2)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	119	23.2	(14.0 - 32.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	104	9.2	(3.7 - 14.6)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	99	13.0	(6.0 - 20.1)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	11,200	66.6	(61.4 - 71.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	162	5,100	64.9	(56.3 - 73.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	290	6,000	68.1	(61.9 - 74.2)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	146	4,300	70.9	(62.5 - 79.4)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	228	5,600	75.9	(69.4 - 82.4)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	444	10,700	67.3	(62.3 - 72.3)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	204	4,500	61.1	(52.7 - 69.5)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	116	3,000	66.5	(56.8 - 76.3)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	132	3,600	74.9	(66.8 - 83.0)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	61	2,000	79.7	(69.9 - 89.6)	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	65.7	(60.3 - 71.0)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	162	64.9	(56.4 - 73.3)	9,582	68.5	(64.5 - 72.5)
Female	290	66.5	(60.1 - 73.0)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	444	66.5	(61.4 - 71.7)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	204	60.3	(51.7 - 68.9)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	132	74.2	(65.8 - 82.6)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	448	10,500	63.1	(57.8 - 68.5)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	160	4,900	62.8	(54.1 - 71.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	288	5,600	63.4	(56.9 - 69.9)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	146	4,100	68.5	(59.6 - 77.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	224	5,000	70.2	(63.3 - 77.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	440	10,100	64.6	(59.5 - 69.6)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	4,000	55.8	(47.3 - 64.4)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	116	2,900	63.6	(53.6 - 73.6)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	132	3,600	73.6	(65.4 - 81.8)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	61	2,000	79.7	(69.9 - 89.6)	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	448	62.4	(57.0 - 67.9)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	160	62.6	(54.0 - 71.2)	9,521	66.9	(62.9 - 70.9)
Female	288	62.2	(55.6 - 68.9)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	440	63.7	(58.5 - 69.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	55.5	(46.9 - 64.2)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	132	72.7	(64.2 - 81.2)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	443	10,700	65.5	(60.1 - 70.8)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	159	5,100	65.8	(57.2 - 74.5)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	284	5,700	65.1	(58.7 - 71.6)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	141	4,100	70.8	(62.0 - 79.6)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	224	5,100	71.8	(65.0 - 78.6)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	435	10,300	66.5	(61.5 - 71.6)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	199	4,100	57.3	(48.8 - 65.9)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	116	3,000	65.4	(55.6 - 75.3)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	128	3,600	78.0	(70.5 - 85.6)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	60	2,000	81.5	(72.0 - 91.1)	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	443	64.8	(59.3 - 70.2)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	159	65.8	(57.3 - 74.3)	9,418	71.5	(67.6 - 75.4)
Female	284	63.7	(57.1 - 70.4)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	435	65.8	(60.6 - 71.1)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	199	57.1	(48.4 - 65.8)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	128	77.0	(69.0 - 85.0)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 40a. High blood pressure among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	12,500	31.8	(26.4 - 37.2)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	247	6,000	29.3	(22.1 - 36.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	409	6,500	34.4	(26.5 - 42.4)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	68	1,100	17.3	(7.4 - 27.1)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	157	2,100	29.7	(21.8 - 37.7)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	147	2,400	38.5	(29.4 - 47.6)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	231	4,800	63.5	(56.2 - 70.8)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	634	10,900	31.8	(27.0 - 36.6)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	6,100	37.5	(29.7 - 45.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	*	*	*	*	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	189	2,300	23.7	(16.1 - 31.2)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	166	2,500	23.7	(16.4 - 31.0)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 40b. High blood pressure among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	30.2	(24.5 - 35.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	247	28.9	(21.8 - 36.0)	14,611	27.7	(24.7 - 30.7)
Female	409	31.5	(22.7 - 40.4)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	634	29.8	(25.0 - 34.6)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	283	35.4	(27.4 - 43.4)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	189	21.1	(13.9 - 28.3)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	166	22.8	(15.4 - 30.1)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	152	4,400	91.5	(86.2 - 96.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	267	7,700	70.5	(61.9 - 79.1)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	267	67.9	(58.9 - 77.0)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	30,700	80.9	(73.9 - 87.8)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	241	15,900	80.2	(70.5 - 89.8)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	*	*	*	*	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	66	5,500	88.6	(79.6 - 97.6)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	154	6,600	93.3	(88.8 - 97.9)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	146	5,800	96.3	(93.7 - 98.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	229	7,300	98.6	(97.2 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	625	28,400	84.2	(78.2 - 90.3)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	276	12,800	81.9	(72.1 - 91.7)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	189	9,200	95.6	(92.2 - 99.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	162	9,400	94.2	(88.7 - 99.7)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 42b. Ever had blood cholesterol checked among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	80.5	(73.3 - 87.6)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	241	81.8	(72.8 - 90.8)	14,389	78.0	(73.9 - 82.1)
Female	*	*	*	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	625	84.7	(78.9 - 90.4)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	189	94.9	(90.8 - 99.0)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	162	94.3	(89.0 - 99.6)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	28,900	76.7	(69.8 - 83.7)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	239	15,000	76.0	(66.3 - 85.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	402	14,000	77.5	(67.6 - 87.4)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	153	6,200	88.2	(82.6 - 93.8)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	146	5,600	92.2	(87.1 - 97.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	228	7,000	96.7	(94.2 - 99.3)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	621	26,800	80.0	(73.8 - 86.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	276	12,200	78.1	(68.4 - 87.9)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	188	8,800	91.8	(87.2 - 96.5)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	160	9,000	91.1	(84.8 - 97.3)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	76.1	(68.9 - 83.2)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	239	77.1	(67.8 - 86.4)	14,307	74.8	(70.7 - 79.0)
Female	*	*	*	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	621	80.0	(74.0 - 86.0)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	188	90.6	(85.0 - 96.3)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	160	90.7	(84.3 - 97.1)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 44a. Cardiovascular disease among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	2,900	7.5	(5.5 - 9.4)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	243	1,600	7.8	(4.8 - 10.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	407	1,300	7.1	(4.7 - 9.4)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	156	600	8.6	(3.5 - 13.6)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	146	600	9.9	(4.8 - 15.0)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	227	1,600	22.1	(16.1 - 28.2)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	628	2,800	8.3	(6.2 - 10.4)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	280	1,700	10.8	(7.2 - 14.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	182	800	5.9	(2.7 - 9.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	187	400	4.0	(1.6 - 6.4)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	156	1,100	14.3	(8.4 - 20.3)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	155	700	7.9	(3.9 - 12.0)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	90	400	7.5	(2.6 - 12.4)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 44b. Cardiovascular disease among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	6.8	(5.0 - 8.6)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	243	7.7	(4.7 - 10.7)	14,477	9.7	(7.8 - 11.7)
Female	407	5.8	(3.7 - 7.8)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	628	7.5	(5.5 - 9.5)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	280	9.6	(6.3 - 12.9)	15,486	10.5	(8.0 - 13.0)
Some College	182	5.8	(2.5 - 9.1)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	187	3.5	(1.3 - 5.6)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	156	13.1	(7.3 - 19.0)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	155	7.7	(3.6 - 11.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	90	6.9	(2.3 - 11.4)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 45a. Coronary heart disease among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	2,300	6.0	(4.3 - 7.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	242	1,400	6.9	(4.1 - 9.7)	14,479	598,600	8.5	(6.6 - 10.4)
Female	405	900	5.0	(3.1 - 7.0)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	156	500	6.8	(2.1 - 11.5)	7,778	108,300	3.8	(2.1 - 5.6)
55-64	145	400	7.3	(3.0 - 11.6)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	225	1,300	18.4	(12.6 - 24.1)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	625	2,300	6.6	(4.8 - 8.5)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	276	1,300	7.9	(4.9 - 11.0)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	182	700	5.4	(2.3 - 8.6)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	188	400	3.7	(1.4 - 5.9)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	153	800	10.2	(5.1 - 15.2)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	156	600	6.8	(3.0 - 10.6)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	90	400	7.5	(2.6 - 12.4)	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 45b. Coronary heart disease among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	5.6	(3.9 - 7.2)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	242	6.9	(4.1 - 9.7)	14,479	8.8	(6.9 - 10.8)
Female	405	4.1	(2.4 - 5.8)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	625	6.1	(4.3 - 8.0)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	276	7.2	(4.3 - 10.1)	15,485	8.5	(6.2 - 10.7)
Some College	182	5.3	(2.2 - 8.5)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	188	3.2	(1.2 - 5.3)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	153	9.6	(4.6 - 14.7)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	156	6.6	(2.8 - 10.3)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	90	6.9	(2.3 - 11.4)	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	3,400	8.6	(6.2 - 11.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	247	1,800	8.9	(5.0 - 12.8)	14,626	530,400	7.5	(6.2 - 8.8)
Female	409	1,600	8.4	(5.5 - 11.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	157	700	9.5	(3.4 - 15.7)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	147	600	10.4	(5.1 - 15.7)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	231	1,200	16.2	(10.8 - 21.6)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	634	3,100	9.1	(6.6 - 11.7)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	283	1,800	10.8	(6.4 - 15.2)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	183	800	6.2	(2.7 - 9.7)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	189	800	8.4	(4.0 - 12.8)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	156	1,000	13.1	(6.2 - 20.0)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	156	800	8.7	(3.3 - 14.0)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	90	600	10.3	(4.2 - 16.4)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	166	600	5.9	(2.0 - 9.8)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 46b. Ever diagnosed with diabetes among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	8.7	(6.0 - 11.4)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	247	9.4	(5.1 - 13.7)	14,626	7.5	(6.1 - 8.9)
Female	409	7.9	(4.8 - 11.0)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	634	9.3	(6.4 - 12.1)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	283	10.4	(5.6 - 15.1)	15,709	12.6	(10.0 - 15.2)
Some College	183	6.5	(2.5 - 10.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	189	8.9	(3.8 - 14.0)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	156	13.3	(5.2 - 21.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	156	8.1	(3.0 - 13.1)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	90	10.1	(3.7 - 16.5)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	166	6.5	(2.0 - 11.0)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	6,000	15.4	(11.2 - 19.5)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	247	3,000	14.9	(8.2 - 21.6)	14,601	875,800	12.4	(10.1 - 14.7)
Female	407	3,000	15.8	(11.1 - 20.6)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	157	1,500	21.0	(12.8 - 29.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	147	1,000	16.5	(9.2 - 23.9)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	229	700	10.1	(6.0 - 14.1)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	632	5,100	14.8	(10.6 - 19.0)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	2,600	15.7	(9.7 - 21.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	181	2,400	18.3	(9.2 - 27.3)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	189	1,000	10.8	(5.7 - 15.8)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	*	*	*	*	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	90	500	9.3	(3.4 - 15.2)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	166	1,100	10.2	(5.1 - 15.3)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	14.9	(10.8 - 19.1)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	247	14.6	(8.1 - 21.1)	14,601	12.6	(10.3 - 14.9)
Female	407	15.3	(10.3 - 20.4)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	632	14.7	(10.4 - 18.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	15.4	(9.1 - 21.6)	15,675	15.1	(12.1 - 18.0)
Some College	181	17.2	(8.6 - 25.9)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	189	11.1	(5.5 - 16.8)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	90	8.9	(2.8 - 15.0)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	166	10.5	(5.0 - 16.0)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 48a. Current asthma among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,900	10.0	(6.7 - 13.3)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	246	1,600	7.7	(2.7 - 12.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	405	2,300	12.5	(8.3 - 16.7)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	157	900	12.9	(5.4 - 20.3)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	147	800	12.9	(6.6 - 19.1)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	228	500	7.2	(3.9 - 10.5)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	629	3,200	9.3	(6.1 - 12.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	282	1,800	11.2	(6.2 - 16.2)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	180	1,400	10.8	(3.8 - 17.7)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	188	700	7.0	(3.0 - 11.0)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	155	1,300	17.4	(7.9 - 27.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	155	1,200	13.7	(4.8 - 22.7)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	166	900	8.4	(3.7 - 13.1)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 48b. Current asthma among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	9.8	(6.4 - 13.1)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	246	7.5	(2.6 - 12.4)	14,546	6.4	(4.9 - 7.9)
Female	405	12.2	(7.6 - 16.7)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	629	9.2	(5.9 - 12.5)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	282	11.5	(6.0 - 17.0)	15,594	10.8	(8.3 - 13.3)
Some College	180	9.8	(3.4 - 16.2)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	188	6.9	(2.5 - 11.4)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	155	13.6	(4.8 - 22.4)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	166	8.5	(3.5 - 13.4)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 49a. Chronic joint symptoms among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	20,100	51.3	(45.2 - 57.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	246	10,700	52.5	(43.4 - 61.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	409	9,400	49.9	(41.9 - 57.9)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	156	4,600	63.7	(55.4 - 72.0)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	147	3,500	57.7	(48.2 - 67.2)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	231	4,200	55.7	(48.1 - 63.3)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	633	17,600	51.2	(45.4 - 57.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	8,700	53.5	(44.4 - 62.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	189	4,600	48.1	(38.4 - 57.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	166	3,800	36.1	(27.3 - 45.0)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 49b. Chronic joint symptoms among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	50.0	(43.6 - 56.3)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	246	52.2	(43.2 - 61.3)	14,595	42.6	(38.8 - 46.3)
Female	409	47.5	(38.6 - 56.5)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	633	49.6	(43.7 - 55.6)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	52.3	(42.7 - 61.9)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	189	45.2	(35.2 - 55.1)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	166	33.5	(24.8 - 42.2)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 50a. Arthritis among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	12,400	31.7	(27.0 - 36.4)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	247	5,200	25.7	(19.5 - 31.9)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	408	7,200	38.2	(31.3 - 45.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	68	1,100	17.3	(7.9 - 26.7)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	157	2,400	32.9	(24.4 - 41.4)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	147	3,200	52.5	(43.0 - 62.1)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	231	5,000	66.9	(59.8 - 73.9)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	633	11,300	32.9	(28.3 - 37.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	282	6,100	37.8	(29.9 - 45.8)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	183	3,400	25.8	(17.9 - 33.7)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	189	2,900	29.8	(22.3 - 37.3)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	166	2,900	27.1	(19.5 - 34.8)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 50b. Arthritis among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	29.3	(24.6 - 34.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	247	25.3	(19.2 - 31.4)	14,555	23.5	(20.9 - 26.1)
Female	408	33.7	(26.5 - 40.8)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	633	30.5	(25.9 - 35.0)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	282	35.7	(27.6 - 43.8)	15,652	30.4	(26.9 - 33.8)
Some College	183	24.0	(16.3 - 31.8)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	189	26.3	(19.2 - 33.5)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	166	24.9	(17.5 - 32.4)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	10,000	25.6	(20.3 - 31.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	245	4,800	23.9	(16.8 - 31.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	408	5,200	27.5	(19.6 - 35.4)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	156	2,000	28.0	(19.9 - 36.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	146	1,500	25.0	(17.2 - 32.8)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	230	2,300	31.2	(24.5 - 37.9)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	631	8,500	24.9	(20.5 - 29.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	283	4,500	27.7	(20.3 - 35.2)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	*	*	*	*	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	187	1,700	17.3	(11.8 - 22.9)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	156	2,200	23.8	(15.6 - 32.1)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	164	1,300	12.6	(7.4 - 17.8)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	26.0	(20.2 - 31.8)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	245	24.5	(17.2 - 31.9)	14,566	18.6	(15.8 - 21.4)
Female	408	27.7	(18.7 - 36.6)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	631	25.4	(20.6 - 30.2)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	283	27.8	(20.0 - 35.5)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	187	16.2	(10.6 - 21.8)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	156	24.3	(15.7 - 33.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	164	12.3	(6.9 - 17.8)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	3,300	8.5	(6.1 - 11.0)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	247	1,800	8.7	(4.6 - 12.8)	14,617	460,700	6.5	(5.3 - 7.7)
Female	409	1,600	8.3	(5.8 - 10.9)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	157	500	7.3	(3.2 - 11.3)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	147	700	11.3	(5.7 - 16.9)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	231	1,400	19.1	(13.7 - 24.5)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	634	3,300	9.7	(7.0 - 12.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	283	2,000	12.3	(8.0 - 16.7)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	183	900	6.7	(2.2 - 11.3)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	189	400	4.6	(1.9 - 7.3)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	156	1,700	22.0	(12.1 - 31.9)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	156	600	6.4	(2.8 - 9.9)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	8.0	(5.5 - 10.5)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	247	9.0	(4.7 - 13.4)	14,617	6.8	(5.5 - 8.0)
Female	409	6.9	(4.6 - 9.2)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	634	9.1	(6.3 - 11.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	283	11.8	(7.0 - 16.6)	15,711	10.3	(8.3 - 12.3)
Some College	183	6.3	(2.1 - 10.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	189	4.0	(1.6 - 6.4)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	*	*	*	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	156	6.0	(2.6 - 9.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 53a. Disability among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	10,600	27.2	(21.8 - 32.6)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	245	5,100	25.3	(18.1 - 32.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	408	5,500	29.3	(21.4 - 37.2)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	156	2,000	28.0	(19.9 - 36.0)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	146	1,600	27.0	(19.0 - 35.0)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	230	2,800	37.9	(30.8 - 45.0)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	631	9,200	26.7	(22.2 - 31.2)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	283	4,900	30.4	(22.8 - 38.1)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	187	1,700	18.3	(12.5 - 24.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	156	2,300	25.0	(16.6 - 33.4)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	164	1,400	13.4	(8.1 - 18.8)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 53b. Disability among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	27.4	(21.6 - 33.2)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	245	25.9	(18.4 - 33.3)	14,568	20.9	(18.0 - 23.8)
Female	408	29.0	(20.1 - 37.9)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	631	27.0	(22.1 - 31.8)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	283	30.2	(22.3 - 38.1)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	187	17.0	(11.3 - 22.8)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	156	25.4	(16.7 - 34.2)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	164	13.1	(7.5 - 18.6)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 54a. Current smoking among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	9,200	23.8	(18.0 - 29.5)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	246	4,300	21.2	(13.4 - 29.0)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	408	4,900	26.6	(18.2 - 34.9)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	157	1,400	19.7	(12.1 - 27.3)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	147	1,000	17.2	(10.6 - 23.8)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	230	700	9.1	(4.6 - 13.6)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	633	7,300	21.3	(16.5 - 26.1)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	4,400	27.3	(19.1 - 35.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	189	1,000	10.5	(5.6 - 15.4)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	90	900	15.8	(6.9 - 24.7)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	166	1,400	13.1	(6.4 - 19.8)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 54b. Current smoking among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	24.3	(18.3 - 30.3)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	246	19.4	(12.2 - 26.6)	14,559	19.2	(16.3 - 22.1)
Female	408	29.6	(20.2 - 39.0)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	633	21.9	(16.9 - 26.9)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	27.9	(19.4 - 36.3)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	189	11.4	(5.6 - 17.2)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	166	13.6	(6.6 - 20.5)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 55a. Everyday smoking among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	7,300	18.9	(13.4 - 24.3)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	246	3,200	15.9	(9.1 - 22.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	408	4,100	22.1	(13.7 - 30.5)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	68	1,300	20.2	(10.4 - 30.0)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	157	1,200	17.2	(9.9 - 24.5)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	147	900	14.7	(8.5 - 21.0)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	230	500	6.3	(2.7 - 10.0)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	633	5,600	16.3	(12.2 - 20.5)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	281	3,800	24.0	(15.9 - 32.0)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	189	700	7.2	(3.3 - 11.1)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	155	1,800	20.5	(11.4 - 29.6)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	90	700	12.4	(4.2 - 20.6)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	166	1,200	10.9	(4.6 - 17.1)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 55b. Everyday smoking among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	19.3	(13.6 - 25.1)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	246	14.6	(8.4 - 20.8)	14,559	12.1	(10.1 - 14.1)
Female	408	24.4	(14.9 - 33.9)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	633	16.9	(12.5 - 21.3)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	281	24.3	(16.1 - 32.6)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	189	7.4	(2.9 - 11.9)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	155	21.2	(11.8 - 30.5)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	90	13.9	(4.2 - 23.7)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	166	10.9	(4.6 - 17.2)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	27,600	70.6	(64.5 - 76.6)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	246	14,800	72.9	(65.1 - 80.8)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	407	12,800	68.0	(58.9 - 77.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	157	5,100	70.5	(62.1 - 78.8)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	146	4,500	74.3	(65.6 - 82.9)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	229	5,400	72.0	(65.3 - 78.6)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	631	25,900	75.7	(71.0 - 80.4)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	10,200	62.9	(53.6 - 72.2)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	189	8,000	83.5	(77.5 - 89.6)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	155	6,400	70.1	(60.6 - 79.6)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	166	8,900	83.5	(75.3 - 91.7)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	70.6	(64.2 - 77.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	246	73.5	(65.9 - 81.2)	14,577	79.4	(76.7 - 82.2)
Female	*	*	*	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	631	76.0	(71.2 - 80.8)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	63.1	(53.3 - 72.9)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	189	83.9	(77.2 - 90.7)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	166	84.1	(75.6 - 92.6)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 57a. Binge drinking within the past month among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	9,400	24.3	(18.1 - 30.6)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	242	6,100	30.9	(21.9 - 39.8)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	403	3,300	17.4	(8.6 - 26.1)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	156	1,200	16.1	(10.0 - 22.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	143	600	10.7	(4.9 - 16.5)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	227	700	9.4	(4.3 - 14.6)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	624	8,000	23.7	(17.9 - 29.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	279	2,900	18.0	(10.9 - 25.1)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	185	1,900	19.8	(11.4 - 28.3)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	162	2,100	20.5	(10.6 - 30.4)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 57b. Binge drinking within the past month among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	25.8	(19.2 - 32.4)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	242	31.3	(22.4 - 40.3)	14,420	24.5	(21.0 - 27.9)
Female	403	19.9	(10.1 - 29.7)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	624	24.8	(19.0 - 30.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	279	19.7	(12.1 - 27.2)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	185	19.7	(11.3 - 28.1)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 58a. Heavy drinking within the past month among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	3,000	7.8	(4.9 - 10.8)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	242	1,800	8.9	(4.0 - 13.8)	14,330	333,300	4.8	(3.9 - 5.7)
Female	402	1,200	6.7	(3.8 - 9.6)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	145	500	7.7	(2.8 - 12.6)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	228	700	9.6	(4.7 - 14.6)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	622	2,900	8.8	(5.5 - 12.0)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	277	700	4.8	(2.0 - 7.6)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	181	1,100	8.7	(2.0 - 15.4)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	185	1,100	11.7	(6.4 - 17.0)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	154	500	6.8	(1.7 - 11.9)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	155	300	3.7	(1.2 - 6.1)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	162	700	6.9	(2.8 - 10.9)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 58b. Heavy drinking within the past month among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	8.5	(5.0 - 11.9)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	242	9.7	(4.0 - 15.5)	14,330	4.9	(3.9 - 5.9)
Female	402	7.1	(3.7 - 10.5)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	622	9.5	(5.7 - 13.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	277	5.6	(2.1 - 9.1)	15,411	4.3	(3.2 - 5.3)
Some College	181	9.6	(1.7 - 17.5)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	185	11.6	(5.9 - 17.3)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	154	8.0	(1.6 - 14.4)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	155	3.7	(1.1 - 6.4)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	162	7.4	(2.8 - 12.0)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	617	26,000	70.6	(64.6 - 76.6)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	231	14,500	75.7	(67.4 - 84.1)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	386	11,600	65.1	(56.7 - 73.4)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	151	4,700	67.4	(59.1 - 75.7)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	137	4,700	80.8	(73.6 - 88.1)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	217	5,700	80.6	(74.8 - 86.4)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	597	23,100	70.9	(65.5 - 76.2)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	261	11,400	75.4	(66.8 - 83.9)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	180	6,400	70.8	(62.0 - 79.6)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	158	6,900	70.4	(60.8 - 79.9)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	617	69.4	(63.1 - 75.8)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	231	76.1	(68.1 - 84.1)	13,299	67.9	(64.0 - 71.9)
Female	386	62.3	(52.8 - 71.7)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	597	69.7	(64.1 - 75.2)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	261	74.4	(65.7 - 83.2)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	180	69.7	(60.2 - 79.2)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	158	69.0	(59.1 - 78.9)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	354	19,600	79.8	(71.6 - 87.9)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	140	11,300	87.9	(79.9 - 96.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	*	*	*	*	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	94	3,700	86.0	(78.9 - 93.0)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	71	2,700	88.8	(81.6 - 96.1)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	100	3,200	92.2	(86.6 - 97.8)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	342	18,100	84.2	(78.6 - 89.7)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	114	5,500	83.6	(74.2 - 92.9)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	102	6,000	87.4	(81.0 - 93.8)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	354	78.8	(70.1 - 87.5)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	140	87.8	(80.0 - 95.6)	9,034	81.1	(77.4 - 84.8)
Female	*	*	*	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	342	83.7	(78.2 - 89.3)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	114	83.0	(73.4 - 92.5)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	102	86.6	(79.5 - 93.7)	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	33,600	89.3	(86.3 - 92.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	234	17,200	87.8	(82.8 - 92.9)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	389	16,500	90.9	(87.7 - 94.0)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	52	11,200	95.8	(90.7 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	65	5,800	94.1	(86.9 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	156	6,400	89.0	(82.4 - 95.6)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	138	5,000	86.1	(78.8 - 93.4)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	212	5,300	77.0	(70.2 - 83.7)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	602	29,700	89.9	(87.0 - 92.8)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	257	12,500	83.4	(78.0 - 88.8)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	182	12,100	91.4	(85.7 - 97.0)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	183	9,000	95.8	(92.4 - 99.1)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	142	5,600	78.5	(68.8 - 88.2)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	151	7,400	87.2	(80.3 - 94.2)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	88	5,100	93.3	(86.0 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	162	9,900	95.2	(91.6 - 98.7)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	90.1	(87.1 - 93.1)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	234	87.8	(82.7 - 92.9)	13,893	89.1	(86.9 - 91.3)
Female	389	92.6	(89.8 - 95.3)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	602	90.5	(87.4 - 93.5)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	257	84.7	(79.4 - 90.0)	14,507	84.6	(81.8 - 87.4)
Some College	182	91.9	(86.2 - 97.6)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	183	96.0	(92.6 - 99.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	142	80.3	(70.9 - 89.8)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	151	88.4	(81.9 - 94.9)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	88	92.4	(83.5 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	162	95.3	(91.4 - 99.2)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 62a. Overweight among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	14,400	38.1	(32.2 - 43.9)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	243	8,800	43.7	(34.7 - 52.7)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	380	5,600	31.6	(24.9 - 38.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	151	2,900	41.3	(32.0 - 50.7)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	137	2,000	34.2	(24.8 - 43.7)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	219	3,100	43.8	(36.1 - 51.5)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	602	12,700	38.2	(32.6 - 43.9)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	269	6,500	42.1	(33.0 - 51.2)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	182	3,600	37.9	(28.3 - 47.5)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	161	3,300	32.0	(23.2 - 40.9)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 62b. Overweight among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	37.7	(31.7 - 43.7)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	243	43.7	(34.8 - 52.6)	14,502	43.9	(40.1 - 47.6)
Female	380	31.0	(23.6 - 38.4)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	602	38.4	(32.5 - 44.2)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	269	41.6	(32.2 - 51.0)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	161	32.9	(23.5 - 42.2)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 63a. Obesity among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	8,500	22.5	(18.2 - 26.8)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	243	4,600	22.8	(16.5 - 29.1)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	380	3,900	22.2	(16.4 - 27.9)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	151	2,200	31.1	(22.4 - 39.8)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	137	1,700	28.9	(20.3 - 37.5)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	219	2,200	30.6	(23.5 - 37.7)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	602	7,900	23.7	(19.4 - 28.0)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	269	4,200	27.0	(19.5 - 34.5)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	171	2,700	21.1	(13.6 - 28.6)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	182	1,600	17.2	(11.2 - 23.2)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	148	1,700	23.4	(14.1 - 32.6)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	152	2,000	21.8	(13.1 - 30.4)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	161	2,200	21.7	(14.6 - 28.8)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 63b. Obesity among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	22.6	(17.9 - 27.2)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	243	23.8	(17.1 - 30.6)	14,502	21.5	(19.0 - 24.0)
Female	380	21.1	(14.9 - 27.3)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	602	23.8	(19.2 - 28.4)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	269	26.9	(18.9 - 34.9)	15,079	29.4	(25.4 - 33.3)
Some College	171	22.1	(13.7 - 30.5)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	182	16.3	(10.2 - 22.4)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	152	21.2	(12.6 - 29.9)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	161	21.1	(13.9 - 28.4)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 64a. Overweight or obesity among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	22,800	60.6	(54.0 - 67.2)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	243	13,300	66.5	(56.9 - 76.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	380	9,500	53.8	(45.2 - 62.4)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	151	5,100	72.4	(64.6 - 80.3)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	137	3,600	63.1	(53.5 - 72.7)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	219	5,400	74.4	(67.8 - 81.0)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	602	20,500	62.0	(55.8 - 68.1)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	269	10,700	69.1	(59.5 - 78.6)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	182	5,200	55.1	(45.1 - 65.0)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	86	4,300	79.5	(69.8 - 89.1)	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 64b. Overweight or obesity among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	60.3	(53.4 - 67.1)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	243	67.5	(58.1 - 76.9)	14,502	65.4	(61.3 - 69.4)
Female	380	52.1	(42.6 - 61.6)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	602	62.1	(55.9 - 68.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	86	79.9	(70.1 - 89.8)	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 65a. Received advice about weight by a health professional among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	8,400	22.4	(18.2 - 26.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	243	4,500	22.4	(16.1 - 28.7)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	380	4,000	22.4	(17.0 - 27.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	151	2,200	31.5	(22.1 - 40.8)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	137	1,500	26.0	(17.2 - 34.9)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	220	2,300	32.2	(25.0 - 39.4)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	602	7,700	23.3	(19.0 - 27.5)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	268	3,500	22.6	(16.0 - 29.1)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	172	3,000	23.4	(15.0 - 31.7)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	182	2,000	21.0	(14.3 - 27.7)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	152	2,200	24.2	(15.5 - 33.0)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	161	2,200	21.4	(14.2 - 28.6)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 65b. Received advice about weight by a health professional among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	22.6	(18.1 - 27.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	243	22.9	(16.3 - 29.4)	14,499	23.4	(20.5 - 26.3)
Female	380	22.2	(16.1 - 28.3)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	602	23.6	(19.0 - 28.2)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	268	22.5	(15.6 - 29.3)	15,116	27.3	(23.4 - 31.2)
Some College	172	24.0	(15.1 - 33.0)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	182	20.9	(13.7 - 28.0)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	152	23.4	(14.8 - 32.0)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	161	21.3	(13.8 - 28.7)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	165	6,900	81.4	(73.5 - 89.2)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	92	3,200	81.9	(72.7 - 91.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	66	1,900	83.4	(73.6 - 93.2)	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	159	6,200	81.1	(73.0 - 89.2)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	70	2,900	83.7	(74.1 - 93.3)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	165	82.5	(74.9 - 90.1)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	92	82.7	(73.1 - 92.2)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	159	82.3	(74.4 - 90.2)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	70	84.5	(75.1 - 94.0)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 67a. No leisure-time physical activity among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	7,400	18.9	(14.8 - 23.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	247	3,100	15.3	(9.3 - 21.4)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	409	4,300	22.6	(17.2 - 28.1)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	157	1,500	20.9	(13.3 - 28.5)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	147	1,100	18.5	(12.1 - 24.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	231	2,200	28.8	(22.6 - 35.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	634	6,300	18.4	(14.7 - 22.1)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	4,400	27.1	(19.6 - 34.6)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	183	2,100	16.2	(9.4 - 23.0)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	189	800	8.8	(4.5 - 13.2)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	156	1,600	17.6	(10.6 - 24.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	90	900	16.9	(8.2 - 25.6)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	166	700	6.9	(2.9 - 10.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 67b. No leisure-time physical activity among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	18.6	(14.3 - 23.0)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	247	15.7	(9.3 - 22.0)	14,602	20.9	(17.8 - 23.9)
Female	409	21.8	(15.7 - 27.8)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	634	18.4	(14.2 - 22.5)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	26.2	(18.5 - 33.9)	15,683	32.3	(28.3 - 36.4)
Some College	183	16.9	(9.0 - 24.8)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	189	8.7	(3.8 - 13.5)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	156	16.5	(9.7 - 23.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	90	17.4	(7.8 - 27.0)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	166	7.0	(2.6 - 11.5)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	9,400	24.1	(19.4 - 28.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	247	3,600	17.7	(10.9 - 24.4)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	409	5,800	30.9	(24.5 - 37.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	68	1,100	16.9	(8.5 - 25.2)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	157	1,900	26.9	(18.9 - 34.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	147	1,400	23.3	(15.7 - 30.9)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	231	2,400	31.6	(24.1 - 39.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	634	8,600	25.0	(20.3 - 29.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	283	3,000	18.4	(11.9 - 25.0)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	183	3,600	27.4	(17.7 - 37.0)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	189	2,700	28.5	(20.8 - 36.2)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	90	1,200	20.7	(11.5 - 29.8)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	166	3,200	29.7	(21.0 - 38.3)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	23.4	(18.7 - 28.1)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	247	16.7	(10.4 - 23.1)	14,634	22.7	(19.6 - 25.9)
Female	409	30.6	(23.5 - 37.7)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	634	24.5	(19.8 - 29.2)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	283	17.9	(11.3 - 24.6)	15,726	23.3	(19.3 - 27.3)
Some College	183	26.2	(16.7 - 35.7)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	189	28.1	(19.9 - 36.3)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	90	20.1	(10.6 - 29.7)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	166	28.7	(19.9 - 37.4)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 69a. Had a fall within the past 3 months among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	526	3,700	18.0	(14.0 - 21.9)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	195	1,800	18.4	(11.6 - 25.2)	10,966	489,400	14.4	(11.9 - 16.8)
Female	331	1,900	17.6	(13.2 - 22.0)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	156	1,700	24.2	(16.3 - 32.2)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	141	500	9.2	(3.3 - 15.0)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	229	1,400	18.9	(12.9 - 24.9)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	513	3,500	18.4	(14.5 - 22.3)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	237	1,700	18.5	(12.2 - 24.8)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	140	1,300	22.2	(13.7 - 30.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	149	700	12.8	(7.6 - 17.9)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	129	1,000	22.8	(14.5 - 31.1)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	128	1,100	21.9	(12.0 - 31.8)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	129	700	10.9	(5.1 - 16.8)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 69b. Had a fall within the past 3 months among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	526	18.8	(14.6 - 23.0)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	195	19.3	(12.5 - 26.1)	10,966	15.0	(12.1 - 17.8)
Female	331	18.3	(13.7 - 23.0)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	513	19.2	(15.1 - 23.4)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	237	19.5	(12.9 - 26.1)	12,417	17.4	(13.0 - 21.7)
Some College	140	23.2	(14.3 - 32.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	149	13.2	(7.8 - 18.7)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	129	24.6	(15.6 - 33.6)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	128	22.1	(12.2 - 32.0)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	129	11.5	(5.2 - 17.7)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Greene County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Greene County and New York State

	Greene County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	525	1,100	5.3	(2.9 - 7.7)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	330	700	6.1	(3.4 - 8.9)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	156	700	9.7	(3.6 - 15.8)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	228	300	4.6	(2.0 - 7.2)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	512	900	4.7	(2.9 - 6.5)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	236	500	5.6	(1.1 - 10.2)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	129	400	9.6	(4.5 - 14.8)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Greene County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Greene County and New York State - Age-Adjusted²

	Greene County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	525	5.5	(3.0 - 8.0)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	330	6.6	(3.7 - 9.6)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	512	4.9	(3.0 - 6.9)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	236	5.8	(1.2 - 10.4)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	129	10.3	(4.6 - 15.9)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)