

New York State Expanded Behavioral Risk Factor Surveillance System

Hamilton County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Hamilton County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Hamilton County and New York State	14
Table 2b. Fair or poor general health among adults in Hamilton County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Hamilton County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Hamilton County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Hamilton County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Hamilton County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Hamilton County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Hamilton County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Hamilton County and New York State	22
Table 6b. Health insurance among adults in Hamilton County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Hamilton County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Hamilton County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Hamilton County and New York State	26
Table 8b. No health insurance among adults in Hamilton County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Hamilton County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Hamilton County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Hamilton County and New York State	30
Table 10b. Adults with regular health care provider in Hamilton County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Hamilton County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Hamilton County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Hamilton County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Hamilton County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Hamilton County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Hamilton County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Hamilton County and New York State	38
Table 14b. Dentist visit within the past year among adults in Hamilton County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Hamilton County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Hamilton County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Hamilton County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Hamilton County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Hamilton County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Hamilton County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Hamilton County and New York State	46
Table 18b. Flu shot within the past 12 months in Hamilton County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Hamilton County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Hamilton County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Hamilton County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Hamilton County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Hamilton County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Hamilton County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Hamilton County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Hamilton County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Hamilton County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Hamilton County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Hamilton County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Hamilton County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Hamilton County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Hamilton County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Hamilton County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Hamilton County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Hamilton County and New York State	64
Table 27b. Ever had a Pap test among women in Hamilton County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Hamilton County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Hamilton County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Hamilton County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Hamilton County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Hamilton County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Hamilton County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Hamilton County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Hamilton County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Hamilton County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Hamilton County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Hamilton County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Hamilton County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Hamilton County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Hamilton County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Hamilton County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Hamilton County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Hamilton County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Hamilton County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Hamilton County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Hamilton County and New York State	90
Table 40b. High blood pressure among adults in Hamilton County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Hamilton County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Hamilton County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Hamilton County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Hamilton County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Hamilton County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Hamilton County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Hamilton County and New York State	98
Table 44b. Cardiovascular disease among adults in Hamilton County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Hamilton County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Hamilton County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Hamilton County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Hamilton County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Hamilton County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Hamilton County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Hamilton County and New York State	106
Table 48b. Current asthma among adults in Hamilton County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Hamilton County and New York State	108
Table 49b. Chronic joint symptoms among adults in Hamilton County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Hamilton County and New York State	110
Table 50b. Arthritis among adults in Hamilton County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Hamilton County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Hamilton County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Hamilton County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Hamilton County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Hamilton County and New York State	116
Table 53b. Disability among adults in Hamilton County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Hamilton County and New York State	118
Table 54b. Current smoking among adults in Hamilton County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Hamilton County and New York State	120
Table 55b. Everyday smoking among adults in Hamilton County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Hamilton County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Hamilton County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Hamilton County and New York State	124
Table 57b. Binge drinking within the past month among adults in Hamilton County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Hamilton County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Hamilton County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Hamilton County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Hamilton County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Hamilton County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Hamilton County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Hamilton County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Hamilton County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Hamilton County and New York State	134
Table 62b. Overweight among adults in Hamilton County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Hamilton County and New York State	136
Table 63b. Obesity among adults in Hamilton County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Hamilton County and New York State	138
Table 64b. Overweight or obesity among adults in Hamilton County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Hamilton County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Hamilton County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Hamilton County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Hamilton County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Hamilton County and New York State	144
Table 67b. No leisure-time physical activity among adults in Hamilton County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Hamilton County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Hamilton County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Hamilton County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Hamilton County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Hamilton County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Hamilton County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 1. Hamilton County and New York State adult US Census Bureau population estimates,¹ 2007

	Hamilton County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	4,227	100	14,884,315	100
Gender				
Male	2,105	49.8	7,103,791	47.7
Female	2,122	50.2	7,780,524	52.3
Age (years)				
18-34	927	21.9	4,497,479	30.2
35-44	588	13.9	2,844,115	19.1
45-54	838	19.8	2,854,316	19.2
55-64	784	18.5	2,142,000	14.4
≥ 65	1,090	25.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	4,130	97.7	9,343,884	62.8
Black Non-Hispanic	30	0.7	2,156,941	14.5
Hispanic	47	1.1	2,258,717	15.2
Other Non-Hispanic	20	0.5	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 2a. Fair or poor general health among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	500	11.9	(8.9 - 14.9)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	281	200	10.8	(6.4 - 15.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	388	300	13.1	(9.0 - 17.1)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	114	100	7.7	(2.6 - 12.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	175	100	15.2	(9.3 - 21.1)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	270	200	17.7	(12.7 - 22.7)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	661	500	12.0	(9.0 - 15.0)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	255	300	17.0	(11.8 - 22.3)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	157	100	13.0	(4.9 - 21.0)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	256	100	6.2	(3.2 - 9.3)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	143	100	17.2	(10.7 - 23.7)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	224	200	13.6	(8.3 - 19.0)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 2b. Fair or poor general health among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	10.7	(7.2 - 14.3)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	281	8.9	(3.9 - 13.9)	14,599	15.3	(12.6 - 18.0)
Female	388	12.5	(7.5 - 17.6)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	661	10.8	(7.2 - 14.4)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	255	15.1	(8.9 - 21.3)	15,682	25.8	(22.1 - 29.5)
Some College	*	*	*	9,904	14.1	(10.7 - 17.6)
≥ College Degree	256	5.3	(2.1 - 8.6)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	143	14.3	(7.5 - 21.1)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	224	12.9	(6.5 - 19.3)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	300	8.3	(6.1 - 10.6)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	277	200	8.1	(4.8 - 11.4)	14,325	604,200	8.7	(7.0 - 10.5)
Female	383	200	8.6	(5.5 - 11.6)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	113	100	7.7	(3.2 - 12.2)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	172	100	12.1	(6.6 - 17.5)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	265	100	13.0	(8.5 - 17.4)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	652	300	8.3	(6.1 - 10.6)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	252	200	12.0	(7.4 - 16.6)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	155	100	6.9	(2.9 - 10.9)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	252	100	5.6	(3.0 - 8.1)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	140	100	18.2	(10.6 - 25.8)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	219	100	6.7	(3.4 - 10.0)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	6.9	(4.5 - 9.3)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	277	6.4	(3.0 - 9.7)	14,325	8.7	(6.9 - 10.5)
Female	383	7.5	(4.1 - 10.9)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	652	6.9	(4.5 - 9.4)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	252	11.1	(5.5 - 16.6)	15,178	12.7	(10.2 - 15.1)
Some College	155	5.3	(2.0 - 8.6)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	252	3.8	(2.0 - 5.6)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	140	17.7	(7.9 - 27.6)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	219	4.7	(2.3 - 7.1)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	300	7.7	(4.9 - 10.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	278	100	4.8	(1.1 - 8.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	384	200	10.6	(6.4 - 14.7)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	114	100	7.8	(2.9 - 12.7)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	172	<100	4.8	(1.8 - 7.7)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	267	<100	4.1	(1.6 - 6.7)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	654	300	7.8	(5.0 - 10.7)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	253	200	10.1	(5.2 - 15.0)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	156	100	7.6	(0.1 - 15.0)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	252	100	5.3	(2.3 - 8.4)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	140	100	13.4	(7.1 - 19.7)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	224	100	8.8	(3.6 - 14.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	8.9	(5.1 - 12.6)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	278	5.2	(0.3 - 10.0)	14,407	7.9	(6.3 - 9.6)
Female	384	12.6	(6.9 - 18.2)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	654	9.0	(5.2 - 12.8)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	253	11.4	(4.9 - 17.8)	15,335	12.3	(10.0 - 14.6)
Some College	156	8.8	(0.0 - 18.6)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	252	6.5	(2.2 - 10.7)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	140	13.2	(5.8 - 20.6)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	224	11.0	(4.0 - 17.9)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	600	14.4	(11.1 - 17.8)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	276	200	11.9	(7.2 - 16.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	381	400	17.0	(12.2 - 21.8)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	114	100	12.9	(6.9 - 19.0)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	171	100	14.1	(8.4 - 19.7)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	263	200	15.5	(10.8 - 20.3)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	649	600	14.5	(11.1 - 18.0)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	252	300	19.0	(12.9 - 25.2)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	155	100	13.8	(5.8 - 21.9)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	249	200	10.2	(6.3 - 14.1)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	140	200	24.7	(15.9 - 33.5)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	219	200	14.6	(8.7 - 20.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	110	100	7.0	(2.3 - 11.7)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	118	100	12.8	(5.4 - 20.2)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	14.5	(10.3 - 18.8)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	276	10.8	(5.1 - 16.5)	14,231	13.6	(11.4 - 15.8)
Female	381	18.3	(12.0 - 24.5)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	649	14.6	(10.3 - 18.9)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	252	19.9	(12.0 - 27.8)	15,018	20.1	(17.1 - 23.1)
Some College	*	*	*	9,672	17.6	(14.1 - 21.1)
≥ College Degree	249	9.8	(5.2 - 14.4)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	219	14.8	(7.6 - 22.0)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	110	6.3	(1.2 - 11.4)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 6a. Health insurance among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	3,700	88.4	(84.7 - 92.1)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	279	1,800	85.7	(79.7 - 91.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	388	1,900	91.1	(86.8 - 95.4)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	54	500	90.2	(82.8 - 97.6)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	114	700	85.3	(78.9 - 91.7)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	174	700	89.4	(83.7 - 95.0)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	270	1,100	98.6	(97.0 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	659	3,700	88.7	(85.0 - 92.4)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	1,400	85.4	(79.7 - 91.1)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	256	1,500	93.6	(89.8 - 97.5)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	142	600	82.3	(74.3 - 90.3)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	223	1,200	84.3	(77.9 - 90.7)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	111	800	94.5	(88.0 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	119	800	99.6	(98.8 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 6b. Health insurance among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	86.7	(81.8 - 91.5)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	279	83.8	(75.9 - 91.6)	14,597	83.6	(79.7 - 87.5)
Female	388	89.5	(83.8 - 95.2)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	659	86.8	(81.9 - 91.6)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	83.6	(76.3 - 90.9)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	256	93.3	(88.8 - 97.9)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	223	83.4	(75.7 - 91.1)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	111	93.3	(85.0 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	119	99.7	(99.2 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 7a. Health insurance among adults aged 18-64¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	394	2,600	84.9	(80.0 - 89.8)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	171	1,300	81.8	(74.0 - 89.6)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	223	1,400	88.0	(82.1 - 93.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	54	500	90.2	(82.8 - 97.6)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	114	700	85.3	(78.9 - 91.7)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	171	700	89.5	(83.8 - 95.2)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	390	2,600	85.2	(80.3 - 90.1)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	900	81.1	(73.4 - 88.8)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	161	1,100	91.5	(86.4 - 96.7)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	133	800	79.8	(71.5 - 88.1)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	75	600	93.2	(85.0 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	80	600	99.5	(98.5 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 7b. Health insurance among adults aged 18-64¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	394	84.2	(78.4 - 90.0)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	171	80.9	(71.5 - 90.2)	10,078	80.5	(75.9 - 85.1)
Female	223	87.4	(80.6 - 94.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	390	84.3	(78.5 - 90.2)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	80.7	(71.8 - 89.7)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	161	92.0	(86.6 - 97.5)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	133	80.8	(71.7 - 89.8)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	75	92.3	(82.9 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	80	99.7	(99.0 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 8a. No health insurance among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	500	11.6	(7.9 - 15.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	279	300	14.3	(8.2 - 20.3)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	388	200	8.9	(4.6 - 13.2)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	114	100	14.7	(8.3 - 21.1)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	174	100	10.6	(5.0 - 16.3)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	659	500	11.3	(7.6 - 15.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	200	14.6	(8.9 - 20.3)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	256	100	6.4	(2.5 - 10.2)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	142	100	17.7	(9.7 - 25.7)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	223	200	15.7	(9.3 - 22.1)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 8b. No health insurance among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	13.3	(8.5 - 18.2)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	279	16.2	(8.4 - 24.1)	14,597	16.4	(12.5 - 20.3)
Female	388	10.5	(4.8 - 16.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	659	13.2	(8.4 - 18.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	16.4	(9.1 - 23.7)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	256	6.7	(2.1 - 11.2)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	223	16.6	(8.9 - 24.3)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 9a. No health insurance among adults aged 18-64¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	394	500	15.1	(10.2 - 20.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	171	300	18.2	(10.4 - 26.0)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	223	200	12.0	(6.2 - 17.9)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	114	100	14.7	(8.3 - 21.1)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	171	100	10.5	(4.8 - 16.2)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	390	500	14.8	(9.9 - 19.7)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	200	18.9	(11.2 - 26.6)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	161	100	8.5	(3.3 - 13.6)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	133	200	20.2	(11.9 - 28.5)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 9b. No health insurance among adults aged 18-64¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	394	15.8	(10.0 - 21.6)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	171	19.1	(9.8 - 28.5)	10,078	19.5	(14.9 - 24.1)
Female	223	12.6	(5.8 - 19.4)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	390	15.7	(9.8 - 21.5)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	19.3	(10.3 - 28.2)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	161	8.0	(2.5 - 13.4)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	133	19.2	(10.2 - 28.3)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 10a. Adults with regular health care provider¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	3,700	87.5	(83.3 - 91.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	281	1,700	82.1	(74.6 - 89.5)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	388	2,000	92.8	(89.4 - 96.3)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	54	500	87.3	(78.6 - 96.1)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	114	800	90.9	(85.8 - 96.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	175	700	92.2	(88.0 - 96.4)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	270	1,100	97.5	(95.8 - 99.1)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	661	3,600	87.3	(83.0 - 91.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	1,300	81.9	(73.7 - 90.1)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	157	900	90.7	(82.4 - 99.0)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	256	1,500	91.1	(86.2 - 96.0)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	224	1,200	87.1	(80.7 - 93.4)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	111	800	93.8	(87.5 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	119	700	93.6	(88.3 - 99.0)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 10b. Adults with regular health care provider¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	84.6	(79.0 - 90.3)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	281	78.5	(68.8 - 88.2)	14,593	78.1	(73.9 - 82.3)
Female	388	90.8	(85.8 - 95.7)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	661	84.4	(78.7 - 90.1)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	256	87.7	(80.7 - 94.6)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	224	84.4	(76.2 - 92.5)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	111	94.0	(86.5 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	119	91.2	(82.9 - 99.5)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	400	10.2	(6.1 - 14.3)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	281	200	10.7	(3.8 - 17.7)	14,607	903,300	12.7	(9.5 - 16.0)
Female	388	200	9.7	(5.4 - 14.0)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	175	100	7.9	(2.8 - 13.1)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	661	400	10.0	(5.9 - 14.1)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	255	200	14.5	(6.8 - 22.2)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	224	200	10.9	(5.3 - 16.5)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	12.8	(7.3 - 18.3)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	281	13.6	(4.3 - 22.9)	14,607	12.5	(9.4 - 15.6)
Female	388	12.0	(6.2 - 17.8)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	661	12.7	(7.2 - 18.2)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	*	*	*	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	224	13.0	(5.9 - 20.0)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	2,900	69.8	(64.7 - 74.8)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	281	1,400	64.9	(57.0 - 72.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	387	1,600	74.6	(68.5 - 80.7)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	114	600	67.9	(58.5 - 77.3)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	175	600	78.6	(72.2 - 84.9)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	269	1,000	87.9	(83.8 - 92.0)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	660	2,900	69.3	(64.2 - 74.4)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	1,100	68.2	(60.2 - 76.3)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	255	1,200	71.7	(64.3 - 79.1)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	224	900	66.6	(58.7 - 74.6)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	119	600	81.1	(72.2 - 90.0)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	65.0	(58.6 - 71.3)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	281	59.9	(50.2 - 69.6)	14,592	67.1	(63.3 - 70.9)
Female	387	70.0	(62.0 - 78.1)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	660	64.5	(58.1 - 70.9)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	255	67.0	(57.7 - 76.3)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	224	63.7	(54.0 - 73.5)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	3,400	80.3	(75.7 - 85.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	281	1,600	75.4	(67.6 - 83.2)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	387	1,800	85.2	(80.6 - 89.9)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	114	700	82.1	(75.1 - 89.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	175	700	87.3	(82.2 - 92.3)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	269	1,000	92.4	(89.0 - 95.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	660	3,300	80.0	(75.3 - 84.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	1,200	75.9	(68.0 - 83.8)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	255	1,300	82.6	(75.9 - 89.3)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	224	1,100	78.8	(71.8 - 85.8)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	111	700	84.4	(76.0 - 92.7)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	119	700	91.1	(85.4 - 96.8)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	76.8	(70.7 - 82.8)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	281	70.4	(60.4 - 80.3)	14,592	81.9	(78.4 - 85.3)
Female	387	83.1	(76.9 - 89.3)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	660	76.4	(70.3 - 82.6)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	255	78.6	(69.8 - 87.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	224	76.7	(68.0 - 85.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	119	89.4	(81.1 - 97.6)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 14a. Dentist visit within the past year among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	2,900	67.9	(63.0 - 72.7)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	279	1,400	65.3	(57.6 - 73.0)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	386	1,500	70.4	(64.6 - 76.2)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	114	600	71.9	(62.6 - 81.2)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	175	600	72.6	(65.6 - 79.5)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	266	800	72.0	(66.2 - 77.7)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	657	2,800	67.8	(62.9 - 72.6)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	900	53.1	(44.9 - 61.2)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	256	1,300	81.1	(74.7 - 87.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	224	900	63.0	(55.0 - 71.1)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	111	700	82.1	(73.5 - 90.7)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	119	600	77.7	(68.0 - 87.3)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 14b. Dentist visit within the past year among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	66.1	(60.0 - 72.2)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	279	63.2	(53.6 - 72.7)	14,573	68.3	(64.6 - 72.1)
Female	386	69.1	(61.6 - 76.5)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	657	65.9	(59.8 - 72.1)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	256	78.9	(70.7 - 87.1)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	224	60.7	(50.8 - 70.5)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	111	82.5	(72.6 - 92.5)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	2,700	67.2	(62.1 - 72.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	258	1,300	63.5	(55.4 - 71.5)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	353	1,400	70.9	(64.7 - 77.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	113	600	67.8	(58.1 - 77.4)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	157	500	74.3	(67.0 - 81.5)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	232	700	76.7	(70.7 - 82.6)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	605	2,600	67.1	(61.9 - 72.2)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	700	51.5	(42.6 - 60.3)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	251	1,300	80.7	(74.2 - 87.2)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	205	800	63.0	(54.5 - 71.4)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	107	700	80.0	(70.5 - 89.5)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	117	600	75.0	(65.1 - 84.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 15b. Had teeth cleaned within the past year among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	64.5	(58.1 - 70.9)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	258	60.5	(50.6 - 70.4)	13,173	69.2	(65.3 - 73.1)
Female	353	68.5	(60.5 - 76.4)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	605	64.3	(57.9 - 70.7)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	251	78.7	(70.5 - 87.0)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	2,300	53.9	(48.9 - 58.9)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	279	1,200	55.4	(47.6 - 63.2)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	385	1,100	52.4	(46.1 - 58.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	173	500	67.2	(59.2 - 75.2)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	267	900	78.9	(73.8 - 84.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	656	2,200	54.2	(49.1 - 59.2)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	1,100	66.3	(58.2 - 74.4)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	254	700	44.9	(37.5 - 52.4)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	222	800	54.7	(46.4 - 63.0)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	46.3	(40.4 - 52.3)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	279	49.1	(39.8 - 58.5)	14,457	47.9	(44.1 - 51.7)
Female	385	43.6	(36.1 - 51.1)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	656	46.6	(40.5 - 52.6)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	254	37.6	(29.1 - 46.0)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	222	47.7	(38.0 - 57.3)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	267	100	12.5	(8.4 - 16.6)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	107	100	9.9	(3.9 - 15.9)	4,352	167,200	16.4	(11.8 - 20.9)
Female	160	100	14.8	(9.2 - 20.4)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	267	100	12.5	(8.4 - 16.6)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	263	100	11.7	(7.7 - 15.7)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	108	100	21.4	(13.1 - 29.6)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	87	<100	14.0	(6.1 - 21.8)	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	267	12.3	(8.2 - 16.5)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	107	9.9	(3.9 - 15.9)	4,352	16.5	(11.5 - 21.4)
Female	160	14.8	(9.2 - 20.4)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	263	11.6	(7.6 - 15.7)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	108	21.5	(13.1 - 29.8)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	87	14.1	(6.1 - 22.1)	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 18a. Flu shot within the past 12 months¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	1,800	41.9	(37.3 - 46.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	281	800	36.9	(30.3 - 43.5)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	387	1,000	46.9	(40.7 - 53.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	155	400	20.2	(13.5 - 27.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	243	600	44.5	(37.4 - 51.6)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	270	800	75.5	(70.0 - 81.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	660	1,700	41.5	(36.9 - 46.1)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	700	42.1	(34.5 - 49.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	157	300	35.9	(26.8 - 45.0)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	255	700	45.3	(38.0 - 52.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	224	500	35.6	(28.4 - 42.8)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 18b. Flu shot within the past 12 months¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	34.8	(29.6 - 40.0)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	281	28.1	(21.6 - 34.7)	14,579	40.0	(36.2 - 43.8)
Female	387	41.4	(33.9 - 48.9)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	660	34.2	(29.1 - 39.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	35.4	(26.6 - 44.2)	15,663	43.7	(39.1 - 48.2)
Some College	157	28.4	(18.7 - 38.1)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	255	38.0	(29.7 - 46.3)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	224	29.3	(21.3 - 37.4)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	1,800	42.6	(37.9 - 47.2)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	280	800	38.3	(31.5 - 45.0)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	387	1,000	46.9	(40.7 - 53.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	155	400	21.5	(14.5 - 28.5)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	243	600	44.8	(37.7 - 51.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	269	800	75.9	(70.5 - 81.4)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	659	1,700	42.2	(37.5 - 46.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	700	42.4	(34.8 - 49.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	157	300	35.9	(26.8 - 45.0)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	254	800	46.9	(39.4 - 54.4)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	224	500	35.6	(28.4 - 42.8)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	35.4	(30.1 - 40.6)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	280	29.4	(22.6 - 36.2)	14,568	40.4	(36.6 - 44.2)
Female	387	41.4	(33.9 - 48.9)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	659	34.9	(29.6 - 40.1)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	35.7	(26.9 - 44.5)	15,651	44.1	(39.6 - 48.6)
Some College	157	28.4	(18.7 - 38.1)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	254	39.4	(30.9 - 47.9)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	224	29.3	(21.3 - 37.4)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 21a. Flu shot among adults aged 65 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	270	800	75.5	(70.0 - 81.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	108	400	77.4	(69.0 - 85.7)	4,417	772,900	74.6	(69.3 - 79.8)
Female	162	400	73.9	(66.6 - 81.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	270	800	75.5	(70.0 - 81.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	266	800	75.5	(70.0 - 81.1)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	110	300	76.8	(68.3 - 85.4)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	94	300	75.8	(66.6 - 85.1)	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 21b. Flu shot among adults aged 65 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	270	75.6	(70.1 - 81.1)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	108	77.4	(69.0 - 85.7)	4,417	74.4	(68.7 - 80.1)
Female	162	73.9	(66.6 - 81.2)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	266	75.6	(70.0 - 81.2)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	110	77.0	(68.4 - 85.5)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	94	75.9	(66.6 - 85.2)	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	620	1,400	37.5	(32.7 - 42.2)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	248	700	39.2	(31.4 - 47.0)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	372	700	36.0	(30.3 - 41.7)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	135	300	20.0	(11.2 - 28.8)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	229	300	26.7	(20.4 - 33.0)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	256	800	76.4	(70.8 - 82.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	613	1,400	37.5	(32.7 - 42.2)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	239	600	40.3	(32.3 - 48.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	237	500	33.8	(26.8 - 40.9)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	205	400	35.9	(28.1 - 43.8)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	113	300	35.2	(25.5 - 44.9)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	620	31.8	(26.1 - 37.4)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	248	35.0	(25.6 - 44.4)	13,052	25.8	(22.3 - 29.4)
Female	372	29.0	(22.4 - 35.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	613	31.7	(26.0 - 37.4)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	*	*	*	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	237	27.6	(19.9 - 35.3)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	205	31.0	(21.7 - 40.2)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	*	*	*	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	256	800	76.4	(70.8 - 82.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	98	300	72.5	(63.1 - 81.9)	4,180	606,400	62.1	(55.5 - 68.7)
Female	158	400	79.7	(73.0 - 86.4)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	256	800	76.4	(70.8 - 82.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	252	800	76.4	(70.7 - 82.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	106	300	81.3	(73.5 - 89.2)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	91	300	72.8	(62.9 - 82.7)	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	68	200	82.8	(73.3 - 92.4)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	256	76.3	(70.5 - 82.0)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	98	72.5	(63.1 - 81.9)	4,180	61.5	(54.3 - 68.6)
Female	158	79.7	(73.0 - 86.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	252	76.3	(70.5 - 82.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	106	81.4	(73.5 - 89.3)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	91	72.7	(62.7 - 82.7)	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	68	83.2	(73.8 - 92.6)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	341	1,500	96.0	(93.8 - 98.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	341	1,500	96.0	(93.8 - 98.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	136	600	97.1	(94.3 - 99.8)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	162	500	94.9	(91.3 - 98.6)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	335	1,500	96.6	(94.6 - 98.7)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	131	600	94.1	(90.3 - 98.0)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	91	400	94.0	(87.8 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	118	500	99.6	(98.8 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	*	*	*	*	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	122	600	97.3	(94.6 - 99.9)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	63	300	100	(100 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	341	96.1	(93.7 - 98.6)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	341	96.1	(93.7 - 98.6)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	335	96.6	(94.2 - 99.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	131	95.4	(92.1 - 98.7)	8,266	90.2	(86.1 - 94.2)
Some College	91	91.8	(83.0 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	118	99.7	(99.1 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	122	96.8	(92.8 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	63	100	(100 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	338	1,300	80.9	(76.0 - 85.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	338	1,300	80.9	(76.0 - 85.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	136	500	82.2	(74.8 - 89.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	159	500	82.4	(76.2 - 88.7)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	332	1,200	81.1	(76.1 - 86.1)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	129	500	78.6	(70.2 - 87.0)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	91	300	80.9	(71.3 - 90.6)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	117	500	83.5	(75.9 - 91.1)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	122	400	75.8	(66.6 - 85.0)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	62	300	89.7	(82.0 - 97.3)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	338	79.8	(73.4 - 86.1)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	338	79.8	(73.4 - 86.1)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	332	79.9	(73.4 - 86.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	62	90.7	(83.2 - 98.1)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	295	1,000	82.3	(77.4 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	295	1,000	82.3	(77.4 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	136	500	82.2	(74.8 - 89.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	159	500	82.4	(76.2 - 88.7)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	289	900	82.6	(77.7 - 87.5)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	111	300	77.0	(68.2 - 85.9)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	83	300	82.8	(73.3 - 92.3)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	100	400	87.4	(80.7 - 94.0)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	100	300	77.7	(68.3 - 87.2)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	51	200	88.5	(79.4 - 97.6)	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	295	81.9	(76.6 - 87.1)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	295	81.9	(76.6 - 87.1)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	289	82.1	(76.7 - 87.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	111	75.8	(66.0 - 85.6)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	100	87.5	(80.7 - 94.3)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	51	88.7	(79.3 - 98.0)	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 27a. Ever had a Pap test among women¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	387	2,000	95.1	(90.7 - 99.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	387	2,000	95.1	(90.7 - 99.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	65	400	99.3	(97.8 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	99	400	98.3	(95.7 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	162	600	98.1	(96.1 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	381	2,000	95.0	(90.5 - 99.5)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	144	800	95.4	(90.3 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	*	*	*	*	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	141	800	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	76	300	98.1	(95.2 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	139	700	93.3	(85.2 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	69	400	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 27b. Ever had a Pap test among women¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	387	93.6	(87.2 - 99.9)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	387	93.6	(87.2 - 99.9)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	381	93.5	(87.1 - 99.9)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	144	95.0	(87.9 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	141	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	76	98.7	(96.7 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	69	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	384	1,700	80.9	(75.7 - 86.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	384	1,700	80.9	(75.7 - 86.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	65	400	89.0	(81.6 - 96.4)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	159	400	68.8	(61.2 - 76.5)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	378	1,700	81.9	(76.7 - 87.0)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	700	81.7	(74.7 - 88.8)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	139	700	85.8	(79.7 - 91.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	76	300	79.9	(70.7 - 89.1)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	138	600	78.0	(68.6 - 87.3)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	68	400	90.5	(84.3 - 96.8)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 28b. Had a Pap test within the past 3 years among women¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	384	84.0	(77.6 - 90.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	384	84.0	(77.6 - 90.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	378	84.7	(78.2 - 91.1)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	85.7	(77.9 - 93.6)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	139	90.9	(86.6 - 95.2)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	76	85.6	(77.9 - 93.4)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	68	93.4	(88.8 - 98.0)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	249	1,200	77.3	(71.2 - 83.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	249	1,200	77.3	(71.2 - 83.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	74	300	87.3	(79.7 - 94.9)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	107	500	92.4	(87.3 - 97.5)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	248	1,200	77.2	(71.0 - 83.4)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	103	500	83.2	(74.4 - 92.1)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	249	71.2	(62.9 - 79.4)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	249	71.2	(62.9 - 79.4)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	248	71.1	(62.8 - 79.3)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	249	900	60.0	(53.0 - 66.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	249	900	60.0	(53.0 - 66.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	107	400	72.9	(64.1 - 81.7)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	248	900	59.8	(52.9 - 66.8)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	249	53.1	(44.8 - 61.5)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	249	53.1	(44.8 - 61.5)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	248	53.0	(44.6 - 61.3)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	243	1,000	65.4	(58.3 - 72.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	243	1,000	65.4	(58.3 - 72.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	105	500	89.9	(84.0 - 95.7)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	242	1,000	65.2	(58.1 - 72.4)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	243	58.1	(49.5 - 66.7)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	243	58.1	(49.5 - 66.7)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	242	57.9	(49.3 - 66.6)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	240	800	56.7	(49.5 - 63.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	240	800	56.7	(49.5 - 63.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	103	400	80.1	(72.1 - 88.0)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	239	800	56.5	(49.3 - 63.8)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	240	49.2	(41.0 - 57.5)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	240	49.2	(41.0 - 57.5)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	239	49.0	(40.7 - 57.3)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	252	100	7.4	(4.2 - 10.6)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	252	100	7.4	(4.2 - 10.6)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	108	100	15.6	(8.3 - 22.8)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	251	100	7.4	(4.2 - 10.6)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 33b. Prostate cancer among men aged 40 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	252	6.0	(3.3 - 8.7)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	252	6.0	(3.3 - 8.7)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	251	6.0	(3.3 - 8.8)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	511	1,000	44.5	(39.6 - 49.3)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	212	500	40.8	(33.5 - 48.0)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	299	600	48.0	(41.8 - 54.3)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	243	500	37.8	(30.9 - 44.7)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	268	600	52.3	(45.9 - 58.7)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	505	1,000	44.2	(39.4 - 49.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	198	400	43.6	(36.0 - 51.1)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	123	200	42.6	(32.6 - 52.5)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	189	400	46.4	(38.4 - 54.3)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	120	200	50.8	(41.0 - 60.6)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	156	300	37.2	(28.6 - 45.7)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	511	42.6	(37.6 - 47.6)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	212	39.0	(31.5 - 46.5)	9,571	39.4	(35.3 - 43.5)
Female	299	46.2	(39.6 - 52.7)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	505	42.3	(37.3 - 47.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	198	41.5	(33.7 - 49.3)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	189	45.1	(36.8 - 53.4)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	156	35.1	(26.5 - 43.6)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	505	400	18.0	(14.2 - 21.8)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	210	200	16.0	(10.4 - 21.7)	9,508	444,400	16.0	(13.2 - 18.9)
Female	295	200	19.9	(14.8 - 25.0)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	240	200	16.7	(11.2 - 22.3)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	265	200	19.5	(14.4 - 24.6)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	499	400	17.6	(13.9 - 21.3)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	196	100	16.6	(10.6 - 22.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	122	100	17.0	(10.1 - 23.9)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	187	200	20.1	(13.3 - 26.8)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	117	100	19.4	(11.0 - 27.9)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	156	100	15.4	(8.3 - 22.5)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	79	100	19.1	(9.6 - 28.7)	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	94	100	18.0	(9.9 - 26.0)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	505	17.4	(13.6 - 21.3)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	210	15.8	(10.0 - 21.7)	9,508	16.4	(13.2 - 19.6)
Female	295	19.1	(14.0 - 24.1)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	499	17.1	(13.3 - 20.9)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	196	16.4	(10.2 - 22.6)	11,026	12.7	(9.2 - 16.1)
Some College	122	15.9	(9.2 - 22.7)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	187	19.5	(12.6 - 26.3)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	117	20.4	(10.9 - 29.8)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	156	14.5	(7.8 - 21.2)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	94	16.0	(8.5 - 23.5)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	505	600	27.3	(22.9 - 31.6)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	210	300	26.1	(19.5 - 32.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	295	300	28.4	(22.7 - 34.1)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	240	300	23.6	(17.4 - 29.8)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	265	300	31.6	(25.5 - 37.6)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	499	600	27.1	(22.8 - 31.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	196	300	28.7	(21.6 - 35.8)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	122	100	26.5	(18.2 - 34.8)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	187	200	26.3	(18.9 - 33.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	117	200	34.2	(24.5 - 43.9)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	156	100	19.7	(12.3 - 27.2)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	94	100	24.1	(14.9 - 33.3)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	505	26.1	(21.7 - 30.5)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	210	25.3	(18.5 - 32.1)	9,508	21.7	(18.3 - 25.1)
Female	295	26.9	(21.3 - 32.6)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	499	25.9	(21.5 - 30.3)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	196	27.6	(20.4 - 34.7)	11,026	19.5	(15.4 - 23.7)
Some College	122	24.4	(16.2 - 32.6)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	187	25.7	(18.2 - 33.2)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	156	18.5	(11.4 - 25.6)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	94	22.1	(13.1 - 31.2)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	510	1,700	71.5	(67.0 - 75.9)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	211	900	73.9	(67.4 - 80.3)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	299	800	69.2	(63.0 - 75.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	175	600	70.8	(63.3 - 78.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	267	900	82.0	(77.2 - 86.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	504	1,700	72.5	(68.1 - 76.9)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	197	500	60.0	(52.4 - 67.5)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	121	400	73.8	(64.4 - 83.1)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	191	700	81.3	(74.8 - 87.8)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	119	300	64.2	(54.7 - 73.7)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	156	400	65.0	(56.1 - 73.9)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	97	500	85.3	(77.2 - 93.4)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	510	69.9	(65.0 - 74.8)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	211	72.6	(65.5 - 79.7)	9,582	68.5	(64.5 - 72.5)
Female	299	67.2	(60.6 - 73.9)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	504	70.8	(65.9 - 75.7)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	197	58.1	(50.0 - 66.1)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	191	80.6	(73.6 - 87.5)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	156	62.3	(52.7 - 71.8)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	97	84.2	(74.9 - 93.6)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	506	1,600	69.4	(64.9 - 74.0)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	210	800	71.7	(65.1 - 78.3)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	296	800	67.3	(61.1 - 73.5)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	175	600	70.5	(63.0 - 78.0)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	263	800	77.9	(72.7 - 83.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	500	1,600	70.5	(66.0 - 74.9)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	196	500	58.2	(50.6 - 65.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	120	400	71.3	(61.8 - 80.9)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	189	700	79.4	(72.7 - 86.0)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	119	300	61.0	(51.3 - 70.7)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	155	400	62.1	(53.2 - 71.0)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	96	500	85.2	(77.0 - 93.4)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	506	68.0	(63.0 - 72.9)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	210	70.5	(63.3 - 77.7)	9,521	66.9	(62.9 - 70.9)
Female	296	65.5	(58.8 - 72.2)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	500	68.9	(63.9 - 73.8)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	196	56.4	(48.4 - 64.5)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	189	78.7	(71.6 - 85.8)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	155	59.5	(50.0 - 69.0)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	96	84.1	(74.7 - 93.5)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	504	1,700	72.8	(68.4 - 77.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	211	800	73.8	(67.4 - 80.2)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	293	800	71.9	(66.0 - 77.8)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	172	600	74.6	(67.8 - 81.5)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	264	900	81.0	(76.1 - 85.8)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	498	1,700	73.2	(68.8 - 77.5)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	195	600	62.3	(54.8 - 69.8)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	120	400	72.3	(62.8 - 81.9)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	188	700	83.5	(77.7 - 89.3)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	118	300	64.0	(54.5 - 73.6)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	154	400	66.6	(58.1 - 75.2)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	96	500	86.4	(78.4 - 94.3)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	504	71.3	(66.5 - 76.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	211	72.7	(65.6 - 79.7)	9,418	71.5	(67.6 - 75.4)
Female	293	70.0	(63.5 - 76.5)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	498	71.6	(66.7 - 76.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	195	60.6	(52.5 - 68.6)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	188	82.8	(76.4 - 89.2)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	118	63.5	(53.5 - 73.4)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	154	63.9	(54.5 - 73.3)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	96	85.2	(76.0 - 94.5)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 40a. High blood pressure among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	1,300	31.3	(27.1 - 35.5)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	280	800	37.2	(30.2 - 44.2)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	388	500	25.5	(20.9 - 30.0)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	114	300	31.2	(21.8 - 40.6)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	174	300	43.9	(35.7 - 52.2)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	270	500	50.3	(43.9 - 56.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	660	1,300	31.2	(27.0 - 35.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	500	32.2	(25.5 - 38.8)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	157	300	31.5	(22.0 - 41.0)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	256	500	30.5	(24.0 - 37.0)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	224	300	24.3	(18.2 - 30.4)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	111	300	30.5	(20.7 - 40.3)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	119	300	36.3	(26.5 - 46.1)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 40b. High blood pressure among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	25.3	(20.7 - 29.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	280	32.4	(24.4 - 40.3)	14,611	27.7	(24.7 - 30.7)
Female	388	18.2	(14.0 - 22.4)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	660	24.9	(20.4 - 29.4)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	254	25.2	(18.4 - 32.0)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	256	24.9	(18.0 - 31.8)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	224	19.4	(13.1 - 25.8)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	257	1,000	78.7	(71.0 - 86.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	138	500	87.3	(80.0 - 94.5)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	74	300	91.2	(84.5 - 97.9)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	136	500	97.5	(94.8 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	254	1,000	79.5	(71.8 - 87.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	3,500	83.5	(78.8 - 88.3)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	278	1,700	81.3	(73.8 - 88.9)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	384	1,800	85.8	(80.2 - 91.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	52	500	90.2	(82.8 - 97.7)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	113	800	90.5	(84.8 - 96.1)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	175	700	95.0	(91.8 - 98.3)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	269	1,100	97.3	(95.4 - 99.3)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	654	3,400	83.7	(78.9 - 88.4)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	1,200	76.8	(68.1 - 85.5)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	255	1,400	89.0	(83.7 - 94.2)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	220	1,100	81.0	(73.3 - 88.7)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	111	700	85.4	(75.6 - 95.1)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	119	700	93.3	(87.5 - 99.1)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 42b. Ever had blood cholesterol checked among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	78.5	(72.3 - 84.8)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	278	76.8	(67.0 - 86.6)	14,389	78.0	(73.9 - 82.1)
Female	384	80.3	(72.5 - 88.1)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	654	78.8	(72.5 - 85.1)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	255	85.5	(78.3 - 92.7)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	220	75.5	(65.7 - 85.3)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	119	90.6	(82.0 - 99.2)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	3,300	79.2	(74.4 - 84.1)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	275	1,600	77.1	(69.3 - 84.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	383	1,700	81.4	(75.6 - 87.2)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	113	700	83.5	(76.3 - 90.6)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	173	700	92.6	(88.8 - 96.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	267	1,000	94.2	(91.3 - 97.0)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	650	3,200	79.3	(74.4 - 84.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	250	1,100	70.6	(61.8 - 79.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	254	1,400	87.1	(81.5 - 92.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	219	1,100	78.0	(70.2 - 85.8)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	119	700	88.0	(79.9 - 96.1)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	73.9	(67.6 - 80.3)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	275	72.2	(62.3 - 82.1)	14,307	74.8	(70.7 - 79.0)
Female	383	75.7	(67.7 - 83.6)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	650	74.1	(67.7 - 80.5)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	254	83.4	(75.9 - 90.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	219	72.9	(63.2 - 82.7)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 44a. Cardiovascular disease among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	300	7.1	(5.3 - 9.0)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	278	200	7.8	(4.9 - 10.7)	14,477	664,600	9.4	(7.5 - 11.4)
Female	383	100	6.5	(4.2 - 8.7)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	173	100	8.9	(4.0 - 13.8)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	266	200	19.3	(14.2 - 24.4)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	653	300	7.3	(5.4 - 9.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	251	200	10.7	(7.0 - 14.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	155	100	5.8	(2.7 - 8.9)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	254	100	4.5	(2.2 - 6.7)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	142	100	16.9	(10.3 - 23.5)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	220	100	5.6	(2.6 - 8.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 44b. Cardiovascular disease among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	5.0	(3.6 - 6.5)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	278	5.7	(3.4 - 7.9)	14,477	9.7	(7.8 - 11.7)
Female	383	4.4	(2.7 - 6.2)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	653	5.1	(3.7 - 6.5)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	251	7.5	(4.5 - 10.4)	15,486	10.5	(8.0 - 13.0)
Some College	155	3.8	(1.6 - 5.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	254	3.4	(1.5 - 5.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	142	13.1	(6.8 - 19.4)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	220	3.5	(1.6 - 5.5)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 45a. Coronary heart disease among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	300	6.0	(4.4 - 7.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	278	100	7.1	(4.3 - 9.9)	14,479	598,600	8.5	(6.6 - 10.4)
Female	383	100	5.0	(3.0 - 7.0)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	173	100	7.8	(3.1 - 12.4)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	266	200	15.9	(11.1 - 20.6)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	653	300	6.1	(4.4 - 7.9)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	251	200	9.6	(6.0 - 13.2)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	155	<100	4.9	(2.0 - 7.7)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	254	100	3.3	(1.3 - 5.2)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	142	100	14.7	(8.5 - 20.9)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	220	100	5.0	(2.2 - 7.9)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 45b. Coronary heart disease among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	4.3	(3.0 - 5.6)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	278	5.2	(3.0 - 7.3)	14,479	8.8	(6.9 - 10.8)
Female	383	3.5	(1.9 - 5.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	653	4.4	(3.0 - 5.7)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	251	6.8	(3.9 - 9.6)	15,485	8.5	(6.2 - 10.7)
Some College	155	3.2	(1.2 - 5.1)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	254	2.6	(0.9 - 4.3)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	142	11.6	(5.7 - 17.4)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	220	3.2	(1.3 - 5.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	400	9.2	(6.7 - 11.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	281	200	10.5	(6.8 - 14.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	388	200	7.8	(4.5 - 11.1)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	175	100	11.4	(6.2 - 16.7)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	270	200	14.3	(9.8 - 18.8)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	661	400	9.0	(6.6 - 11.5)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	255	200	13.1	(8.2 - 18.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	157	100	6.7	(3.0 - 10.4)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	256	100	6.7	(3.3 - 10.2)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	143	100	13.0	(7.0 - 18.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	224	100	7.8	(3.4 - 12.1)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	111	100	9.6	(3.7 - 15.5)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	119	100	10.4	(4.1 - 16.6)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 46b. Ever diagnosed with diabetes among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	8.0	(5.2 - 10.7)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	281	8.3	(4.9 - 11.7)	14,626	7.5	(6.1 - 8.9)
Female	388	7.7	(3.3 - 12.0)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	661	7.9	(5.1 - 10.7)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	255	12.2	(6.3 - 18.1)	15,709	12.6	(10.0 - 15.2)
Some College	157	4.7	(1.8 - 7.6)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	256	5.7	(2.2 - 9.2)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	143	9.6	(4.5 - 14.6)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	224	7.9	(2.3 - 13.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	111	8.6	(2.1 - 15.0)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	119	9.1	(3.1 - 15.1)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	500	12.6	(9.5 - 15.6)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	281	200	9.7	(5.4 - 14.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	387	300	15.4	(11.1 - 19.8)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	114	100	12.4	(6.1 - 18.8)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	175	100	14.0	(8.2 - 19.7)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	270	100	10.1	(6.3 - 14.0)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	660	500	12.8	(9.6 - 15.9)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	200	12.3	(7.2 - 17.4)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	157	100	10.9	(5.5 - 16.2)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	256	200	13.9	(8.6 - 19.2)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	143	100	9.3	(3.4 - 15.1)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	223	200	16.5	(10.2 - 22.7)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	111	100	11.1	(4.7 - 17.4)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	119	100	12.5	(5.0 - 20.0)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	13.0	(9.1 - 16.8)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	281	9.6	(4.5 - 14.7)	14,601	12.6	(10.3 - 14.9)
Female	387	16.4	(10.6 - 22.1)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	660	13.1	(9.2 - 17.1)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	13.2	(6.6 - 19.8)	15,675	15.1	(12.1 - 18.0)
Some College	157	9.7	(4.0 - 15.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	256	14.7	(8.0 - 21.4)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	143	9.9	(2.2 - 17.6)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	223	16.8	(9.3 - 24.3)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	111	10.7	(3.2 - 18.2)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 48a. Current asthma among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	400	8.9	(6.2 - 11.6)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	281	200	7.8	(3.9 - 11.8)	14,546	440,700	6.3	(4.8 - 7.7)
Female	382	200	10.0	(6.3 - 13.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	*	*	*	*	7,787	240,000	8.4	(6.1 - 10.8)
55-64	174	100	11.6	(6.6 - 16.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	268	100	5.1	(2.3 - 7.8)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	655	400	9.0	(6.3 - 11.8)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	252	200	9.8	(5.1 - 14.6)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	157	100	8.0	(3.3 - 12.7)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	253	100	8.5	(4.2 - 12.9)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	142	100	8.2	(2.5 - 14.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	219	200	11.3	(5.7 - 16.9)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 48b. Current asthma among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	9.4	(5.9 - 12.9)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	281	8.2	(3.2 - 13.2)	14,546	6.4	(4.9 - 7.9)
Female	382	10.5	(5.7 - 15.3)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	655	9.5	(6.0 - 13.0)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	252	11.6	(5.1 - 18.1)	15,594	10.8	(8.3 - 13.3)
Some College	157	7.5	(2.3 - 12.7)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	253	8.4	(3.0 - 13.8)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	142	9.1	(1.4 - 16.7)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	219	12.1	(5.2 - 19.0)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 49a. Chronic joint symptoms among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	2,200	51.3	(46.4 - 56.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	280	1,000	48.1	(40.4 - 55.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	388	1,200	54.5	(48.3 - 60.7)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	174	400	57.5	(49.3 - 65.7)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	270	600	55.7	(49.3 - 62.1)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	660	2,100	50.9	(45.9 - 55.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	900	55.7	(47.8 - 63.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	256	700	42.0	(34.7 - 49.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	223	800	56.4	(48.3 - 64.5)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 49b. Chronic joint symptoms among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	49.7	(43.6 - 55.8)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	280	45.9	(36.6 - 55.3)	14,595	42.6	(38.8 - 46.3)
Female	388	53.5	(45.6 - 61.3)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	660	49.3	(43.1 - 55.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	56.6	(46.6 - 66.5)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	256	38.2	(29.7 - 46.7)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	223	55.0	(45.3 - 64.7)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 50a. Arthritis among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	1,600	37.4	(32.9 - 41.9)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	277	700	33.9	(27.0 - 40.8)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	388	900	40.9	(35.0 - 46.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	113	300	32.2	(23.1 - 41.4)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	175	400	51.7	(43.4 - 60.0)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	267	600	58.4	(52.1 - 64.7)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	657	1,500	37.3	(32.8 - 41.9)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	255	700	45.0	(37.0 - 52.9)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	155	300	33.7	(24.9 - 42.5)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	254	500	32.1	(25.8 - 38.5)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	224	500	39.2	(31.6 - 46.7)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	110	300	31.7	(22.1 - 41.2)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	119	300	39.0	(29.3 - 48.8)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 50b. Arthritis among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	31.7	(26.5 - 37.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	277	27.9	(20.1 - 35.7)	14,555	23.5	(20.9 - 26.1)
Female	388	35.5	(28.5 - 42.5)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	657	31.7	(26.4 - 37.0)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	255	42.4	(32.4 - 52.3)	15,652	30.4	(26.9 - 33.8)
Some College	155	26.0	(16.9 - 35.0)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	254	24.5	(18.3 - 30.7)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	224	34.2	(25.5 - 42.9)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	110	25.4	(15.4 - 35.3)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	1,100	25.9	(21.8 - 30.1)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	278	500	22.3	(16.2 - 28.5)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	388	600	29.5	(24.0 - 35.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	114	200	23.1	(14.8 - 31.3)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	174	200	28.1	(20.9 - 35.3)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	269	400	35.0	(28.8 - 41.2)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	658	1,100	26.1	(21.9 - 30.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	254	500	31.0	(24.0 - 37.9)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	156	200	22.9	(14.2 - 31.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	255	400	22.5	(16.1 - 29.0)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	223	300	24.1	(17.6 - 30.7)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	110	100	16.2	(8.7 - 23.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	119	200	21.9	(13.7 - 30.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	24.2	(19.2 - 29.3)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	278	19.4	(12.2 - 26.7)	14,566	18.6	(15.8 - 21.4)
Female	388	29.0	(21.9 - 36.0)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	658	24.4	(19.3 - 29.5)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	254	29.6	(21.1 - 38.2)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	255	21.8	(13.8 - 29.8)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	223	22.2	(14.5 - 29.9)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	110	15.3	(6.3 - 24.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	119	20.7	(11.1 - 30.3)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	300	7.7	(4.8 - 10.5)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	280	200	10.2	(4.8 - 15.5)	14,617	460,700	6.5	(5.3 - 7.7)
Female	388	100	5.2	(3.2 - 7.1)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	175	100	9.2	(3.8 - 14.6)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	269	200	14.0	(9.6 - 18.5)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	660	300	7.8	(4.9 - 10.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	255	200	9.3	(3.0 - 15.7)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	157	100	7.9	(3.5 - 12.2)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	255	100	5.9	(3.0 - 8.7)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	*	*	*	*	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	223	100	6.0	(2.6 - 9.5)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	6.4	(2.9 - 9.9)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	280	9.5	(2.8 - 16.2)	14,617	6.8	(5.5 - 8.0)
Female	388	3.4	(2.0 - 4.7)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	660	6.5	(3.0 - 10.0)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	255	9.1	(0.8 - 17.3)	15,711	10.3	(8.3 - 12.3)
Some College	157	6.2	(1.8 - 10.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	255	3.9	(2.0 - 5.9)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	*	*	*	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	223	4.7	(1.6 - 7.9)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 53a. Disability among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	1,200	29.2	(24.7 - 33.7)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	278	600	28.2	(21.0 - 35.4)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	388	600	30.1	(24.6 - 35.7)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	114	200	23.6	(15.3 - 31.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	174	200	30.4	(22.9 - 37.9)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	269	400	39.0	(32.7 - 45.3)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	658	1,200	29.4	(24.8 - 34.0)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	254	600	35.9	(28.0 - 43.7)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	156	300	26.4	(17.3 - 35.5)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	255	400	24.0	(17.4 - 30.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	223	400	26.0	(19.2 - 32.7)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	110	200	17.6	(9.7 - 25.5)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	119	200	23.3	(14.9 - 31.7)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 53b. Disability among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	27.6	(22.0 - 33.3)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	278	25.9	(17.0 - 34.8)	14,568	20.9	(18.0 - 23.8)
Female	388	29.3	(22.3 - 36.4)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	658	27.8	(22.2 - 33.5)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	*	*	*	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	255	22.8	(14.7 - 30.8)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	223	24.0	(16.0 - 32.0)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	110	16.2	(7.0 - 25.3)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	119	22.0	(12.3 - 31.7)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 54a. Current smoking among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	900	20.5	(16.1 - 24.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	279	400	19.6	(12.8 - 26.4)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	388	500	21.4	(15.8 - 27.0)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	114	200	27.4	(18.5 - 36.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	174	100	13.7	(8.7 - 18.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	269	100	10.1	(6.2 - 14.0)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	659	800	20.1	(15.7 - 24.5)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	500	32.4	(24.2 - 40.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	156	200	20.4	(10.8 - 30.0)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	255	100	8.7	(4.8 - 12.7)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	223	300	23.9	(16.5 - 31.3)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	111	200	18.5	(9.3 - 27.8)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 54b. Current smoking among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	22.9	(17.3 - 28.6)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	279	21.1	(12.4 - 29.7)	14,559	19.2	(16.3 - 22.1)
Female	388	24.8	(17.4 - 32.1)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	659	22.5	(16.8 - 28.2)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	255	9.9	(4.8 - 15.0)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	223	26.4	(17.1 - 35.6)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 55a. Everyday smoking among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	700	15.7	(11.6 - 19.8)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	279	400	17.3	(10.6 - 24.0)	14,559	848,400	12.0	(10.0 - 14.1)
Female	388	300	14.1	(9.4 - 18.7)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	54	100	15.7	(6.2 - 25.3)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	114	200	21.2	(13.2 - 29.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	174	100	11.3	(6.7 - 15.9)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	269	100	8.2	(4.6 - 11.7)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	659	600	15.2	(11.1 - 19.3)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	255	400	25.4	(17.5 - 33.4)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	156	200	16.9	(7.5 - 26.3)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	255	100	5.3	(2.6 - 7.9)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	223	300	18.0	(11.3 - 24.7)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	111	100	15.2	(6.7 - 23.8)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 55b. Everyday smoking among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	17.2	(11.9 - 22.5)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	279	19.2	(10.6 - 27.9)	14,559	12.1	(10.1 - 14.1)
Female	388	15.1	(9.1 - 21.2)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	659	16.7	(11.3 - 22.0)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	*	*	*	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	255	5.3	(2.3 - 8.3)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	223	19.4	(11.2 - 27.7)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	3,200	75.2	(70.6 - 79.8)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	281	1,500	73.5	(66.0 - 81.1)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	387	1,600	76.9	(71.8 - 82.0)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	114	600	69.8	(60.7 - 78.9)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	174	600	75.3	(68.7 - 81.8)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	270	900	80.3	(75.3 - 85.3)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	660	3,100	75.5	(70.9 - 80.2)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	1,100	68.9	(61.2 - 76.5)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	256	1,300	82.5	(76.2 - 88.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	224	1,100	77.1	(70.4 - 83.8)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	111	700	85.0	(77.9 - 92.1)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	119	700	87.8	(80.7 - 94.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	75.1	(69.2 - 80.9)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	281	72.3	(62.7 - 81.9)	14,577	79.4	(76.7 - 82.2)
Female	387	77.8	(71.5 - 84.1)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	660	75.5	(69.6 - 81.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	70.1	(60.5 - 79.7)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	256	81.8	(73.8 - 89.8)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	224	78.4	(70.5 - 86.3)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	111	87.0	(79.5 - 94.6)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	119	87.7	(78.6 - 96.9)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 57a. Binge drinking within the past month among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	900	22.2	(17.5 - 26.9)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	276	600	27.2	(19.7 - 34.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	383	400	17.2	(11.5 - 22.9)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	114	200	18.5	(10.3 - 26.7)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	173	100	10.3	(5.6 - 15.0)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	264	100	7.3	(3.8 - 10.7)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	651	900	22.1	(17.4 - 26.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	254	400	23.4	(15.1 - 31.6)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	153	200	20.0	(10.3 - 29.7)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	251	400	22.3	(15.4 - 29.3)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	220	300	22.7	(15.0 - 30.3)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	118	100	16.5	(7.9 - 25.1)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 57b. Binge drinking within the past month among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	27.4	(21.3 - 33.6)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	276	31.7	(22.3 - 41.1)	14,420	24.5	(21.0 - 27.9)
Female	383	23.2	(15.4 - 31.1)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	651	27.3	(21.1 - 33.5)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	*	*	*	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	251	28.1	(19.2 - 37.0)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	220	27.9	(18.2 - 37.6)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 58a. Heavy drinking within the past month among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	400	9.6	(6.9 - 12.2)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	271	200	8.3	(4.3 - 12.4)	14,330	333,300	4.8	(3.9 - 5.7)
Female	382	200	10.7	(7.3 - 14.2)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	113	100	9.6	(3.8 - 15.5)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	171	100	8.7	(4.4 - 13.1)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	260	100	10.5	(6.5 - 14.4)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	645	400	9.3	(6.7 - 11.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	250	200	10.0	(5.0 - 14.9)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	150	100	7.0	(3.1 - 11.0)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	252	200	10.6	(6.6 - 14.7)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	138	100	7.1	(1.9 - 12.3)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	221	200	11.4	(6.0 - 16.8)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	111	100	9.5	(3.8 - 15.3)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	117	100	10.8	(5.2 - 16.3)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 58b. Heavy drinking within the past month among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	9.4	(6.3 - 12.6)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	271	8.7	(3.7 - 13.7)	14,330	4.9	(3.9 - 5.9)
Female	382	10.1	(6.2 - 14.1)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	645	9.0	(6.0 - 12.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	250	10.2	(4.1 - 16.2)	15,411	4.3	(3.2 - 5.3)
Some College	150	6.1	(2.0 - 10.1)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	252	10.7	(5.7 - 15.7)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	138	7.2	(0.3 - 14.0)	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	221	11.3	(5.0 - 17.5)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	111	9.0	(2.3 - 15.6)	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	117	10.3	(4.4 - 16.3)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	2,900	75.1	(70.7 - 79.5)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	256	1,700	88.0	(83.3 - 92.7)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	362	1,200	62.7	(56.1 - 69.2)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	104	600	74.3	(65.1 - 83.5)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	162	600	85.1	(79.4 - 90.9)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	253	800	82.3	(77.2 - 87.3)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	610	2,800	74.7	(70.2 - 79.2)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	228	1,200	80.9	(74.2 - 87.5)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	145	700	76.2	(66.4 - 86.0)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	244	1,000	69.0	(61.9 - 76.2)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	128	500	82.2	(73.5 - 90.9)	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	210	900	70.1	(62.1 - 78.1)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	111	500	74.8	(65.7 - 84.0)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	71.7	(65.9 - 77.5)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	256	87.9	(82.2 - 93.5)	13,299	67.9	(64.0 - 71.9)
Female	362	56.1	(47.8 - 64.4)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	610	71.3	(65.4 - 77.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	228	78.0	(69.1 - 86.9)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	244	64.3	(55.3 - 73.4)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	210	65.4	(55.4 - 75.3)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	391	2,500	92.5	(88.8 - 96.1)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	169	1,300	96.7	(93.7 - 99.7)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	222	1,200	88.3	(81.8 - 94.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	74	500	95.9	(91.0 - 100)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	94	400	98.9	(96.7 - 100)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	136	500	97.4	(94.3 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	385	2,400	92.3	(88.6 - 96.1)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	1,000	95.0	(90.3 - 99.6)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	93	600	90.2	(80.7 - 99.8)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	145	900	91.2	(85.3 - 97.1)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	82	400	94.2	(87.6 - 100)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	131	800	92.5	(85.3 - 99.7)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	77	600	91.3	(83.8 - 98.8)	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	71	400	91.7	(83.3 - 100)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	391	90.3	(85.4 - 95.3)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	169	96.4	(92.7 - 100)	9,034	81.1	(77.4 - 84.8)
Female	222	84.5	(75.9 - 93.1)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	385	90.2	(85.2 - 95.2)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	93.0	(86.2 - 99.7)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	145	89.1	(81.4 - 96.9)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	131	90.3	(81.1 - 99.6)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	77	90.4	(80.8 - 100)	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	3,600	88.4	(85.1 - 91.7)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	262	1,700	86.2	(80.6 - 91.9)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	374	1,900	90.5	(87.2 - 93.9)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	56	800	91.3	(81.5 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	52	500	88.0	(78.7 - 97.2)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	111	800	91.7	(86.1 - 97.4)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	166	600	87.0	(80.7 - 93.3)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	251	900	84.3	(79.6 - 89.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	628	3,600	89.0	(85.9 - 92.2)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	232	1,300	84.6	(79.0 - 90.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	150	900	94.2	(90.4 - 98.1)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	253	1,400	88.5	(82.7 - 94.4)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	134	600	89.0	(83.5 - 94.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	209	1,200	89.1	(84.4 - 93.8)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	110	800	88.2	(80.1 - 96.3)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	117	700	92.5	(87.0 - 98.0)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	89.1	(85.1 - 93.1)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	262	86.1	(79.1 - 93.1)	13,893	89.1	(86.9 - 91.3)
Female	374	92.1	(88.4 - 95.7)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	628	89.8	(85.9 - 93.6)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	232	86.2	(79.6 - 92.8)	14,507	84.6	(81.8 - 87.4)
Some College	150	94.7	(90.1 - 99.4)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	253	88.6	(81.4 - 95.8)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	134	91.7	(86.8 - 96.5)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	209	91.6	(87.1 - 96.2)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	110	87.0	(77.1 - 96.8)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	117	92.1	(85.2 - 99.0)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 62a. Overweight among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	1,900	44.9	(39.9 - 49.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	280	1,200	55.3	(47.7 - 62.8)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	375	700	34.1	(28.4 - 39.8)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	171	400	47.2	(38.8 - 55.7)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	264	500	44.9	(38.4 - 51.4)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	647	1,800	44.8	(39.8 - 49.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	249	700	42.9	(34.6 - 51.3)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	253	800	47.3	(39.7 - 54.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	219	500	39.1	(31.1 - 47.1)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 62b. Overweight among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	44.3	(38.1 - 50.4)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	280	56.8	(47.6 - 66.0)	14,502	43.9	(40.1 - 47.6)
Female	375	31.3	(24.4 - 38.1)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	647	44.4	(38.2 - 50.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	253	45.2	(36.0 - 54.3)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	219	38.2	(28.7 - 47.7)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 63a. Obesity among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	1,000	23.6	(19.4 - 27.9)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	280	500	24.3	(17.8 - 30.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	375	500	23.0	(17.5 - 28.5)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	112	200	28.3	(19.0 - 37.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	171	200	23.1	(16.4 - 29.9)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	264	200	21.0	(15.7 - 26.2)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	647	1,000	24.0	(19.7 - 28.3)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	249	500	30.0	(22.8 - 37.1)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	152	200	22.1	(12.8 - 31.4)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	253	300	18.2	(11.9 - 24.5)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	139	200	25.1	(16.3 - 34.0)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	219	400	27.2	(19.8 - 34.5)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	110	200	18.6	(10.6 - 26.6)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	119	100	18.1	(9.8 - 26.5)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 63b. Obesity among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	24.1	(18.8 - 29.4)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	280	23.0	(15.4 - 30.7)	14,502	21.5	(19.0 - 24.0)
Female	375	25.2	(17.8 - 32.5)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	647	24.4	(19.0 - 29.8)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	249	30.2	(21.1 - 39.3)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	253	18.8	(11.0 - 26.5)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	219	28.4	(19.3 - 37.5)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	110	17.6	(8.3 - 27.0)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 64a. Overweight or obesity among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	2,800	68.5	(64.0 - 73.0)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	280	1,700	79.5	(73.7 - 85.4)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	375	1,200	57.1	(50.9 - 63.3)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	112	600	73.4	(64.9 - 81.8)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	171	500	70.4	(63.2 - 77.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	264	700	65.9	(59.8 - 71.9)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	647	2,800	68.8	(64.3 - 73.3)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	249	1,200	72.9	(66.5 - 79.4)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	253	1,100	65.5	(58.5 - 72.6)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	139	500	73.9	(64.9 - 82.9)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	219	900	66.3	(58.9 - 73.7)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	119	600	74.0	(65.4 - 82.6)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 64b. Overweight or obesity among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	68.4	(62.8 - 74.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	280	79.8	(72.6 - 87.1)	14,502	65.4	(61.3 - 69.4)
Female	375	56.5	(48.6 - 64.4)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	647	68.8	(63.1 - 74.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	249	74.3	(66.5 - 82.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	253	63.9	(55.2 - 72.6)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	219	66.6	(57.7 - 75.5)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 65a. Received advice about weight by a health professional among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	900	21.5	(17.5 - 25.4)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	278	400	20.0	(14.1 - 25.8)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	375	500	23.0	(17.8 - 28.2)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	111	200	23.4	(14.7 - 32.1)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	171	200	26.9	(19.3 - 34.4)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	264	200	19.8	(14.4 - 25.1)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	645	900	21.7	(17.7 - 25.7)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	250	300	21.5	(15.3 - 27.8)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	151	200	21.1	(11.9 - 30.3)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	252	300	21.6	(15.6 - 27.6)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	137	100	18.7	(10.9 - 26.5)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	219	300	18.5	(12.3 - 24.7)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	110	200	24.7	(15.2 - 34.1)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	119	200	27.3	(18.0 - 36.6)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 65b. Received advice about weight by a health professional among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	21.0	(16.2 - 25.9)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	278	18.5	(11.6 - 25.3)	14,499	23.4	(20.5 - 26.3)
Female	375	23.7	(17.0 - 30.4)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	645	21.2	(16.4 - 26.1)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	250	21.5	(13.7 - 29.4)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	252	20.3	(13.4 - 27.2)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	137	17.1	(8.4 - 25.9)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	219	19.5	(11.6 - 27.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	136	800	85.5	(78.9 - 92.2)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	80	400	87.0	(78.4 - 95.6)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	135	800	85.4	(78.8 - 92.1)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	56	300	87.8	(79.3 - 96.3)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	136	86.0	(78.1 - 94.0)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	80	88.8	(79.5 - 98.1)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	135	86.0	(78.0 - 94.0)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	56	90.6	(83.3 - 97.9)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 67a. No leisure-time physical activity among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	600	15.0	(12.0 - 18.1)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	280	300	13.3	(8.9 - 17.8)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	387	400	16.7	(12.6 - 20.9)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	114	100	15.8	(8.7 - 22.9)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	174	100	16.0	(9.9 - 22.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	269	200	22.6	(17.4 - 27.9)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	659	600	15.3	(12.2 - 18.4)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	400	23.2	(17.1 - 29.4)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	155	100	12.1	(6.7 - 17.4)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	256	100	8.7	(5.0 - 12.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	142	100	20.7	(13.0 - 28.3)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	224	200	16.9	(11.1 - 22.8)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	111	100	11.5	(5.0 - 18.0)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	119	100	10.5	(4.7 - 16.3)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 67b. No leisure-time physical activity among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	13.2	(9.8 - 16.7)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	280	11.5	(6.7 - 16.2)	14,602	20.9	(17.8 - 23.9)
Female	387	15.0	(10.0 - 20.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	659	13.4	(9.9 - 16.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	21.5	(14.1 - 28.9)	15,683	32.3	(28.3 - 36.4)
Some College	155	8.6	(4.3 - 12.8)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	256	7.8	(3.7 - 11.9)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	142	18.7	(9.6 - 27.8)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	224	15.1	(8.4 - 21.9)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	111	9.1	(3.1 - 15.2)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	119	10.2	(3.3 - 17.0)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	1,000	24.4	(20.4 - 28.3)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	281	300	12.3	(8.0 - 16.5)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	388	800	36.3	(30.3 - 42.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	114	100	16.4	(9.8 - 23.1)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	175	200	29.2	(21.6 - 36.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	270	300	27.7	(22.1 - 33.3)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	661	1,000	23.9	(19.9 - 27.8)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	255	300	19.9	(13.8 - 26.1)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	157	200	23.4	(15.3 - 31.6)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	256	500	29.1	(22.6 - 35.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	143	100	16.6	(9.5 - 23.6)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	224	500	33.9	(25.9 - 41.9)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	111	200	17.9	(10.7 - 25.2)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	119	200	28.5	(19.7 - 37.3)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	24.1	(19.1 - 29.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	281	10.7	(6.0 - 15.4)	14,634	22.7	(19.6 - 25.9)
Female	388	37.3	(29.6 - 45.0)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	661	23.8	(18.8 - 28.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	255	22.0	(13.7 - 30.2)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	256	27.0	(19.4 - 34.6)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	143	16.1	(7.2 - 24.9)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	224	36.9	(27.0 - 46.8)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	111	14.4	(7.0 - 21.7)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 69a. Had a fall within the past 3 months among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	555	500	20.4	(16.8 - 24.0)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	231	300	22.9	(17.1 - 28.6)	10,966	489,400	14.4	(11.9 - 16.8)
Female	324	200	18.0	(13.5 - 22.4)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	113	200	19.3	(11.8 - 26.7)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	172	100	19.0	(12.8 - 25.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	270	200	22.2	(16.9 - 27.5)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	548	500	20.8	(17.1 - 24.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	215	200	17.1	(11.6 - 22.6)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	132	100	21.3	(14.1 - 28.5)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	207	200	23.1	(16.8 - 29.5)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	127	100	27.0	(18.6 - 35.5)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	174	100	18.1	(12.1 - 24.2)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	107	100	17.2	(9.5 - 24.8)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Hamilton County

Table 69b. Had a fall within the past 3 months among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	555	20.4	(16.5 - 24.2)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	231	22.9	(16.9 - 29.0)	10,966	15.0	(12.1 - 17.8)
Female	324	17.8	(13.1 - 22.5)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	548	20.7	(16.8 - 24.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	215	17.2	(11.4 - 23.0)	12,417	17.4	(13.0 - 21.7)
Some College	132	20.6	(13.3 - 28.0)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	207	23.4	(16.6 - 30.2)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	127	27.4	(18.5 - 36.2)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	174	17.8	(11.5 - 24.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	107	16.6	(8.6 - 24.6)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Hamilton County and New York State

	Hamilton County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	555	100	4.0	(2.4 - 5.7)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	231	<100	3.7	(1.3 - 6.0)	10,957	120,000	3.5	(2.5 - 4.6)
Female	324	100	4.4	(2.0 - 6.8)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	270	100	5.2	(2.4 - 8.0)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	548	100	4.1	(2.4 - 5.8)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	215	<100	4.5	(1.7 - 7.4)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Hamilton County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Hamilton County and New York State - Age-Adjusted²

	Hamilton County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	555	3.9	(2.2 - 5.6)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	231	3.5	(1.3 - 5.8)	10,957	3.6	(2.4 - 4.7)
Female	324	4.3	(1.7 - 6.8)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	548	4.0	(2.2 - 5.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	215	4.1	(1.5 - 6.7)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)