

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Jefferson County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Jefferson County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Jefferson County and New York State	14
Table 2b. Fair or poor general health among adults in Jefferson County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Jefferson County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Jefferson County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Jefferson County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Jefferson County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Jefferson County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Jefferson County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Jefferson County and New York State	22
Table 6b. Health insurance among adults in Jefferson County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Jefferson County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Jefferson County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Jefferson County and New York State	26
Table 8b. No health insurance among adults in Jefferson County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Jefferson County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Jefferson County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Jefferson County and New York State	30
Table 10b. Adults with regular health care provider in Jefferson County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Jefferson County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Jefferson County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Jefferson County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Jefferson County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Jefferson County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Jefferson County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Jefferson County and New York State	38
Table 14b. Dentist visit within the past year among adults in Jefferson County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Jefferson County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Jefferson County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Jefferson County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Jefferson County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Jefferson County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Jefferson County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Jefferson County and New York State	46
Table 18b. Flu shot within the past 12 months in Jefferson County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Jefferson County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Jefferson County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Jefferson County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Jefferson County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Jefferson County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Jefferson County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Jefferson County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Jefferson County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Jefferson County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Jefferson County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Jefferson County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Jefferson County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Jefferson County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Jefferson County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Jefferson County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Jefferson County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Jefferson County and New York State	64
Table 27b. Ever had a Pap test among women in Jefferson County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Jefferson County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Jefferson County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Jefferson County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Jefferson County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Jefferson County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Jefferson County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Jefferson County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Jefferson County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Jefferson County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Jefferson County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Jefferson County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Jefferson County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Jefferson County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Jefferson County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Jefferson County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Jefferson County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Jefferson County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Jefferson County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Jefferson County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Jefferson County and New York State	90
Table 40b. High blood pressure among adults in Jefferson County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Jefferson County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Jefferson County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Jefferson County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Jefferson County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Jefferson County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Jefferson County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Jefferson County and New York State	98
Table 44b. Cardiovascular disease among adults in Jefferson County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Jefferson County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Jefferson County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Jefferson County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Jefferson County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Jefferson County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Jefferson County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Jefferson County and New York State	106
Table 48b. Current asthma among adults in Jefferson County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Jefferson County and New York State	108
Table 49b. Chronic joint symptoms among adults in Jefferson County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Jefferson County and New York State	110
Table 50b. Arthritis among adults in Jefferson County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Jefferson County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Jefferson County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Jefferson County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Jefferson County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Jefferson County and New York State	116
Table 53b. Disability among adults in Jefferson County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Jefferson County and New York State	118
Table 54b. Current smoking among adults in Jefferson County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Jefferson County and New York State	120
Table 55b. Everyday smoking among adults in Jefferson County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Jefferson County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Jefferson County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Jefferson County and New York State	124
Table 57b. Binge drinking within the past month among adults in Jefferson County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Jefferson County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Jefferson County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Jefferson County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Jefferson County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Jefferson County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Jefferson County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Jefferson County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Jefferson County and New York State - Age-adjusted	133

### Overweight / Obesity

Table 62a. Overweight among adults in Jefferson County and New York State	134
Table 62b. Overweight among adults in Jefferson County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Jefferson County and New York State	136
Table 63b. Obesity among adults in Jefferson County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Jefferson County and New York State	138
Table 64b. Overweight or obesity among adults in Jefferson County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Jefferson County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Jefferson County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Jefferson County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Jefferson County and New York State - Age-adjusted	143

### Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Jefferson County and New York State	144
Table 67b. No leisure-time physical activity among adults in Jefferson County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Jefferson County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Jefferson County and New York State - Age-adjusted 147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Jefferson County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Jefferson County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Jefferson County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Jefferson County and New York State - Age-adjusted 151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 1. Jefferson County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Jefferson County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	88,339	100	14,884,315	100
<b>Gender</b>				
Male	45,018	51.0	7,103,791	47.7
Female	43,321	49.0	7,780,524	52.3
<b>Age (years)</b>				
18-34	35,018	39.6	4,497,479	30.2
35-44	15,205	17.2	2,844,115	19.1
45-54	14,909	16.9	2,854,316	19.2
55-64	9,842	11.1	2,142,000	14.4
≥ 65	13,365	15.1	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	78,762	89.2	9,343,884	62.8
Black Non-Hispanic	4,241	4.8	2,156,941	14.5
Hispanic	3,550	4.0	2,258,717	15.2
Other Non-Hispanic	1,786	2.0	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	11,300	12.8	(9.9 - 15.8)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	236	4,400	9.9	(5.9 - 13.9)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	420	6,900	15.9	(11.6 - 20.2)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	95	2,600	7.5	(2.5 - 12.4)	3,940	535,800	12.0	(7.2 - 16.8)
35-44	104	1,400	9.4	(3.1 - 15.7)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	117	2,300	15.3	(7.8 - 22.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	142	2,000	20.6	(13.1 - 28.0)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	198	3,000	22.4	(16.1 - 28.7)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	10,200	13.0	(9.9 - 16.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	301	6,600	15.7	(10.8 - 20.6)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	177	2,900	11.4	(6.1 - 16.7)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	176	1,700	8.6	(4.2 - 13.0)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	186	4,200	20.2	(12.6 - 27.8)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	171	3,500	13.4	(7.6 - 19.2)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	120	1,100	6.9	(2.5 - 11.3)	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	13.5	(10.5 - 16.4)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	236	10.6	(6.8 - 14.5)	14,599	15.3	(12.6 - 18.0)
Female	420	16.4	(11.9 - 20.9)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	13.5	(10.5 - 16.5)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	301	16.8	(11.9 - 21.6)	15,682	25.8	(22.1 - 29.5)
Some College	177	12.3	(6.6 - 17.9)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	176	8.4	(4.3 - 12.5)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	186	20.8	(13.7 - 27.8)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	171	15.4	(8.9 - 21.9)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	120	7.3	(2.7 - 12.0)	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	8,900	10.2	(7.3 - 13.1)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	230	3,700	8.5	(4.2 - 12.7)	14,325	604,200	8.7	(7.0 - 10.5)
Female	409	5,100	12.0	(8.1 - 15.9)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	94	3,200	9.2	(3.4 - 15.0)	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	115	1,700	11.4	(5.4 - 17.4)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	138	900	9.4	(4.7 - 14.2)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	188	2,100	17.3	(11.4 - 23.2)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	603	8,400	10.9	(7.8 - 14.0)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	291	5,200	12.7	(7.9 - 17.6)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	174	2,300	9.1	(3.8 - 14.3)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	172	1,300	6.4	(2.6 - 10.3)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	176	3,100	15.4	(8.3 - 22.5)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	170	2,800	10.9	(5.5 - 16.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	10.0	(7.4 - 12.7)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	230	8.2	(4.4 - 11.9)	14,325	8.7	(6.9 - 10.5)
Female	409	11.9	(8.2 - 15.6)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	603	10.7	(7.9 - 13.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	291	13.2	(8.6 - 17.9)	15,178	12.7	(10.2 - 15.1)
Some College	174	8.0	(3.7 - 12.3)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	172	6.1	(2.5 - 9.7)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	176	15.6	(9.1 - 22.0)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	170	11.1	(6.0 - 16.1)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	6,800	7.7	(4.5 - 10.9)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	235	3,000	6.8	(2.3 - 11.3)	14,407	555,200	7.9	(6.3 - 9.6)
Female	416	3,700	8.6	(4.2 - 13.1)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	95	4,200	12.1	(4.7 - 19.5)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	117	900	6.3	(1.9 - 10.7)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	141	600	6.4	(1.9 - 10.8)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	5,500	7.1	(4.2 - 10.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	300	3,300	8.0	(3.5 - 12.4)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	174	2,500	9.7	(2.3 - 17.2)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	184	2,700	12.8	(5.0 - 20.6)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	172	2,200	8.4	(1.5 - 15.2)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	7.1	(4.4 - 9.9)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	235	6.3	(2.6 - 10.0)	14,407	7.9	(6.3 - 9.6)
Female	416	8.0	(4.1 - 12.0)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	6.7	(4.2 - 9.3)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	300	8.0	(4.0 - 12.1)	15,335	12.3	(10.0 - 14.6)
Some College	174	8.1	(2.1 - 14.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	184	12.6	(5.4 - 19.7)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	172	7.6	(1.9 - 13.3)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	13,400	15.5	(11.6 - 19.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	229	5,800	13.2	(7.5 - 19.0)	14,231	937,700	13.6	(11.4 - 15.8)
Female	406	7,600	17.9	(12.7 - 23.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	94	6,300	18.2	(9.7 - 26.6)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	103	1,300	8.7	(3.0 - 14.3)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	115	2,100	14.3	(7.8 - 20.9)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	138	1,300	13.2	(7.5 - 18.9)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	185	2,400	19.6	(13.4 - 25.8)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	599	12,100	15.7	(11.9 - 19.6)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	290	7,100	17.4	(11.6 - 23.3)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	172	4,200	16.5	(8.2 - 24.8)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	171	2,000	10.3	(5.1 - 15.6)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	175	5,000	24.9	(15.3 - 34.5)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	170	4,800	18.4	(10.1 - 26.6)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	14.9	(11.4 - 18.3)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	229	12.5	(7.5 - 17.4)	14,231	13.6	(11.4 - 15.8)
Female	406	17.4	(12.6 - 22.1)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	599	15.3	(11.8 - 18.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	290	18.0	(12.5 - 23.4)	15,018	20.1	(17.1 - 23.1)
Some College	172	14.1	(7.3 - 21.0)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	171	9.7	(5.0 - 14.4)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	175	24.6	(15.9 - 33.3)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	170	17.8	(10.5 - 25.0)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 6a. Health insurance among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	79,100	89.6	(85.3 - 93.8)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	237	37,600	83.5	(75.7 - 91.3)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	422	41,500	95.8	(93.8 - 97.9)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	95	29,700	84.7	(74.8 - 94.5)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	104	14,300	93.7	(89.4 - 98.1)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	117	13,100	87.8	(81.2 - 94.4)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	142	8,900	90.5	(85.6 - 95.3)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	201	13,200	98.9	(97.2 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	70,400	89.4	(84.8 - 94.1)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	304	34,800	82.4	(74.4 - 90.4)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	177	25,200	97.4	(94.8 - 100)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	176	19,100	96.6	(93.7 - 99.6)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	188	16,700	79.7	(70.6 - 88.8)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	112	14,900	93.3	(87.7 - 98.9)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	120	15,600	95.0	(88.6 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 6b. Health insurance among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	90.5	(87.1 - 94.0)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	237	85.7	(79.5 - 91.9)	14,597	83.6	(79.7 - 87.5)
Female	422	95.6	(93.5 - 97.7)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	90.5	(86.8 - 94.2)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	304	84.2	(77.8 - 90.7)	15,673	80.1	(75.4 - 84.7)
Some College	177	97.4	(94.9 - 99.9)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	176	96.4	(93.2 - 99.5)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	188	79.6	(71.3 - 87.8)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	172	90.8	(82.4 - 99.2)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	112	93.4	(88.2 - 98.6)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	120	95.8	(91.2 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	455	65,600	87.8	(82.8 - 92.9)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	174	32,100	81.5	(72.7 - 90.3)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	281	33,500	94.9	(92.3 - 97.5)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	95	29,700	84.7	(74.8 - 94.5)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	104	14,300	93.7	(89.4 - 98.1)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	116	12,900	87.7	(81.0 - 94.4)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	140	8,800	90.3	(85.4 - 95.3)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	421	57,300	87.5	(82.0 - 93.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	193	27,300	78.7	(69.2 - 88.3)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	125	21,900	97.0	(94.0 - 100)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	136	16,500	96.7	(93.4 - 99.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	96	13,800	93.4	(87.5 - 99.4)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	104	14,200	94.5	(87.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	455	88.8	(84.8 - 92.9)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	174	83.2	(75.9 - 90.6)	10,078	80.5	(75.9 - 85.1)
Female	281	94.7	(92.1 - 97.3)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	421	88.6	(84.2 - 93.0)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	193	80.3	(72.4 - 88.3)	9,037	75.1	(69.3 - 80.9)
Some College	125	97.0	(94.1 - 99.9)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	136	96.5	(93.1 - 99.9)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	96	93.7	(88.3 - 99.1)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	104	95.4	(90.3 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 8a. No health insurance among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	9,200	10.4	(6.2 - 14.7)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	237	7,400	16.5	(8.7 - 24.3)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	422	1,800	4.2	(2.1 - 6.2)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	95	5,400	15.3	(5.5 - 25.2)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	117	1,800	12.2	(5.6 - 18.8)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	142	900	9.5	(4.7 - 14.4)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	8,300	10.6	(5.9 - 15.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	304	7,400	17.6	(9.6 - 25.6)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	188	4,300	20.3	(11.2 - 29.4)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 8b. No health insurance among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	9.5	(6.0 - 12.9)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	237	14.3	(8.1 - 20.5)	14,597	16.4	(12.5 - 20.3)
Female	422	4.4	(2.3 - 6.5)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	9.5	(5.8 - 13.2)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	304	15.8	(9.3 - 22.2)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	188	20.4	(12.2 - 28.7)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	455	9,100	12.2	(7.1 - 17.2)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	174	7,300	18.5	(9.7 - 27.3)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	281	1,800	5.1	(2.5 - 7.7)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	95	5,400	15.3	(5.5 - 25.2)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	116	1,800	12.3	(5.6 - 19.0)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	140	900	9.7	(4.7 - 14.6)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	421	8,200	12.5	(7.0 - 18.0)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	193	7,400	21.3	(11.7 - 30.8)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	455	11.2	(7.1 - 15.2)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	174	16.8	(9.4 - 24.1)	10,078	19.5	(14.9 - 24.1)
Female	281	5.3	(2.7 - 7.9)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	421	11.4	(7.0 - 15.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	193	19.7	(11.7 - 27.6)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	70,200	79.6	(74.6 - 84.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	236	31,900	71.1	(62.8 - 79.4)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	422	38,200	88.3	(83.8 - 92.7)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	104	12,200	80.5	(71.8 - 89.2)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	116	12,800	86.7	(80.1 - 93.3)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	142	9,000	91.3	(86.3 - 96.4)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	201	12,800	95.8	(92.8 - 98.9)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	62,400	79.4	(74.1 - 84.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	303	32,700	77.9	(69.9 - 86.0)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	177	19,700	76.2	(67.3 - 85.1)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	176	17,200	86.8	(79.9 - 93.7)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	120	14,400	87.9	(79.8 - 96.0)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	81.6	(77.4 - 85.8)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	236	75.0	(68.0 - 81.9)	14,593	78.1	(73.9 - 82.3)
Female	422	88.5	(84.3 - 92.7)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	81.5	(77.1 - 85.9)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	303	80.4	(73.7 - 87.1)	15,692	75.8	(71.0 - 80.6)
Some College	177	77.9	(69.7 - 86.0)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	176	88.1	(82.2 - 94.0)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	188	79.0	(70.1 - 88.0)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	172	81.6	(73.1 - 90.1)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	120	88.9	(82.2 - 95.7)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	9,700	11.0	(7.5 - 14.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	237	4,600	10.2	(5.3 - 15.1)	14,607	903,300	12.7	(9.5 - 16.0)
Female	422	5,100	11.8	(6.8 - 16.8)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	104	1,900	12.6	(5.4 - 19.8)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	117	2,900	19.2	(10.8 - 27.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	142	800	8.1	(3.0 - 13.1)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	7,300	9.3	(6.1 - 12.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	304	5,900	13.9	(8.3 - 19.4)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	177	2,700	10.6	(3.5 - 17.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	172	2,500	9.6	(4.1 - 15.0)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	11.2	(7.9 - 14.6)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	237	10.2	(5.7 - 14.6)	14,607	12.5	(9.4 - 15.6)
Female	422	12.3	(7.4 - 17.2)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	9.4	(6.4 - 12.4)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	304	14.2	(9.1 - 19.4)	15,696	17.8	(13.8 - 21.7)
Some College	177	11.0	(3.9 - 18.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	188	24.9	(15.2 - 34.6)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	172	11.3	(5.0 - 17.6)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	64,100	73.1	(67.9 - 78.2)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	235	29,900	67.2	(58.9 - 75.5)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	419	34,200	79.1	(73.5 - 84.7)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	117	10,300	69.3	(60.0 - 78.6)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	141	7,400	76.5	(68.0 - 85.0)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	198	12,100	91.2	(86.7 - 95.7)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	56,900	72.4	(67.1 - 77.8)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	302	28,700	68.3	(59.9 - 76.6)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	174	19,400	76.4	(67.6 - 85.1)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	176	16,000	80.7	(73.5 - 87.9)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	120	13,300	81.1	(72.3 - 89.8)	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	73.6	(69.0 - 78.2)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	235	68.4	(61.0 - 75.8)	14,592	67.1	(63.3 - 70.9)
Female	419	79.0	(73.7 - 84.2)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	73.1	(68.4 - 77.9)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	302	69.3	(62.1 - 76.6)	15,640	74.4	(70.4 - 78.4)
Some College	174	76.0	(67.3 - 84.7)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	176	80.4	(73.3 - 87.5)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	186	68.8	(58.8 - 78.8)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	171	73.1	(63.4 - 82.7)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	120	81.0	(72.7 - 89.2)	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	71,100	81.1	(76.6 - 85.6)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	235	33,900	76.2	(68.9 - 83.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	419	37,200	86.2	(81.0 - 91.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	94	26,200	75.8	(66.1 - 85.5)	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	117	12,100	81.4	(73.7 - 89.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	141	8,700	88.8	(83.3 - 94.4)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	198	12,500	94.8	(91.1 - 98.4)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	63,700	81.1	(76.4 - 85.8)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	302	32,300	76.8	(69.5 - 84.1)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	174	20,900	82.3	(74.0 - 90.5)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	176	17,900	90.7	(85.4 - 95.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	171	21,300	81.6	(73.7 - 89.6)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	120	14,400	87.7	(79.9 - 95.5)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	81.8	(77.7 - 85.9)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	235	77.4	(70.9 - 84.0)	14,592	81.9	(78.4 - 85.3)
Female	419	86.3	(81.5 - 91.1)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	82.0	(77.8 - 86.2)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	302	77.8	(71.3 - 84.2)	15,640	84.6	(81.1 - 88.1)
Some College	174	82.1	(73.9 - 90.4)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	176	90.6	(85.5 - 95.8)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	186	76.3	(66.5 - 86.1)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	171	80.8	(72.7 - 89.0)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	112	79.0	(69.5 - 88.6)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	120	87.9	(80.9 - 94.9)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	64,000	72.8	(68.2 - 77.4)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	234	32,500	72.7	(65.6 - 79.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	420	31,500	72.9	(67.1 - 78.8)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	95	26,700	76.3	(66.9 - 85.7)	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	103	11,600	76.6	(67.8 - 85.5)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	117	11,000	73.5	(64.9 - 82.1)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	141	6,500	67.1	(58.1 - 76.2)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	198	8,200	62.5	(54.9 - 70.1)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	57,300	73.1	(68.5 - 77.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	299	27,100	64.9	(57.3 - 72.6)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	177	19,400	74.9	(66.6 - 83.2)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	176	17,500	88.6	(83.6 - 93.6)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	172	21,500	81.9	(75.3 - 88.4)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	120	15,200	92.4	(87.5 - 97.3)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	72.2	(67.9 - 76.5)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	234	72.0	(65.5 - 78.4)	14,573	68.3	(64.6 - 72.1)
Female	420	72.4	(66.7 - 78.1)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	72.3	(68.0 - 76.7)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	299	62.8	(55.8 - 69.9)	15,613	65.3	(60.9 - 69.6)
Some College	177	74.7	(66.7 - 82.7)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	176	88.5	(83.7 - 93.4)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	172	79.2	(72.0 - 86.3)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	120	91.7	(86.4 - 97.0)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	587	61,700	75.0	(70.3 - 79.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	210	31,400	75.3	(68.4 - 82.3)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	377	30,300	74.7	(68.5 - 80.9)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	94	26,500	77.1	(68.0 - 86.2)	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	99	10,800	73.3	(63.4 - 83.1)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	110	10,600	75.7	(67.1 - 84.3)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	123	6,100	72.8	(63.7 - 81.9)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	161	7,700	71.5	(63.3 - 79.6)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	556	55,400	74.9	(70.0 - 79.8)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	253	25,200	67.2	(59.2 - 75.2)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	163	18,900	76.1	(67.4 - 84.7)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	170	17,100	88.1	(82.7 - 93.6)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	157	20,200	81.1	(73.9 - 88.3)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	118	14,800	91.4	(85.9 - 96.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	587	74.4	(69.9 - 78.8)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	210	74.5	(68.0 - 81.0)	13,173	69.2	(65.3 - 73.1)
Female	377	74.2	(68.2 - 80.2)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	556	74.5	(70.0 - 79.1)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	253	65.0	(57.4 - 72.5)	12,740	67.7	(63.2 - 72.3)
Some College	163	76.3	(68.0 - 84.6)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	170	88.0	(82.6 - 93.5)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	157	78.4	(70.7 - 86.1)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	118	90.6	(84.7 - 96.5)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	45,000	51.5	(46.0 - 57.0)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	233	23,000	51.7	(43.1 - 60.3)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	415	22,000	51.3	(44.6 - 58.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	114	9,400	64.5	(54.9 - 74.1)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	141	7,100	72.7	(64.4 - 81.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	195	10,700	82.7	(76.4 - 89.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	40,900	52.5	(46.9 - 58.2)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	298	28,400	68.5	(60.0 - 77.0)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	173	8,900	34.8	(26.1 - 43.5)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	175	7,600	38.5	(29.8 - 47.2)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	119	4,800	29.3	(20.4 - 38.1)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	53.6	(48.6 - 58.7)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	233	54.9	(47.2 - 62.6)	14,457	47.9	(44.1 - 51.7)
Female	415	52.3	(45.9 - 58.7)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	54.5	(49.3 - 59.6)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	298	71.1	(63.7 - 78.5)	15,427	61.3	(56.7 - 66.0)
Some College	173	38.9	(29.8 - 47.9)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	175	38.0	(29.6 - 46.4)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	171	61.0	(51.1 - 71.0)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	119	31.3	(22.3 - 40.3)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	195	2,600	19.8	(13.6 - 25.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	134	1,400	18.4	(11.2 - 25.7)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	195	2,600	19.8	(13.6 - 25.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	193	2,500	19.3	(13.2 - 25.4)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	108	1,800	24.6	(15.6 - 33.6)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	195	20.1	(13.5 - 26.7)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	134	18.5	(11.2 - 25.8)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	193	19.7	(13.2 - 26.3)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	108	25.0	(15.3 - 34.7)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	35,500	40.3	(35.2 - 45.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	236	17,500	39.0	(31.0 - 47.0)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	420	18,000	41.7	(35.3 - 48.1)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	249	16,600	29.1	(22.1 - 36.2)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	207	9,500	53.6	(45.6 - 61.5)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	200	9,400	70.5	(63.6 - 77.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	31,900	40.6	(35.3 - 45.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	303	13,800	32.8	(25.5 - 40.1)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	177	10,600	40.9	(30.9 - 50.8)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	174	11,100	56.9	(47.8 - 66.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	41.3	(36.6 - 46.1)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	236	41.5	(34.1 - 48.8)	14,579	40.0	(36.2 - 43.8)
Female	420	41.2	(35.2 - 47.2)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	41.9	(37.0 - 46.8)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	303	34.2	(27.5 - 40.9)	15,663	43.7	(39.1 - 48.2)
Some College	177	39.4	(30.1 - 48.6)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	174	58.8	(50.1 - 67.4)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	172	38.4	(29.1 - 47.7)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	9,200	10.5	(6.7 - 14.2)	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	235	7,800	17.5	(11.0 - 24.1)	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	249	9,000	15.9	(10.2 - 21.6)	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	6,400	8.3	(4.9 - 11.6)	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	303	3,400	8.2	(2.8 - 13.5)	15,679	172,500	3.1	(0.3 - 5.9)
Some College	176	4,800	18.8	(10.5 - 27.2)	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	172	4,500	17.2	(8.2 - 26.2)	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	9.8	(6.3 - 13.3)	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	235	16.5	(10.5 - 22.6)	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	7.5	(4.6 - 10.4)	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	303	7.7	(2.8 - 12.6)	15,679	3.1	(0.4 - 5.8)
Some College	176	18.3	(10.0 - 26.5)	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	172	15.2	(6.9 - 23.5)	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	41,800	47.6	(42.2 - 53.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	236	22,900	51.2	(42.6 - 59.7)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	420	18,900	43.8	(37.3 - 50.4)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	249	23,000	40.3	(32.7 - 48.0)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	207	9,500	53.6	(45.6 - 61.5)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	200	9,400	70.5	(63.6 - 77.5)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	35,700	45.5	(40.1 - 51.0)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	303	16,000	37.9	(30.0 - 45.8)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	177	14,300	55.2	(45.2 - 65.1)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	174	11,600	59.6	(50.6 - 68.6)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	48.2	(43.2 - 53.2)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	236	53.0	(45.4 - 60.7)	14,568	40.4	(36.6 - 44.2)
Female	420	43.2	(37.0 - 49.4)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	46.5	(41.5 - 51.5)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	303	38.9	(31.8 - 46.1)	15,651	44.1	(39.6 - 48.6)
Some College	177	53.7	(44.1 - 63.3)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	174	61.0	(52.4 - 69.5)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	200	9,400	70.5	(63.6 - 77.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	138	5,300	67.0	(58.4 - 75.6)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	200	9,400	70.5	(63.6 - 77.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	197	9,100	69.8	(62.7 - 76.9)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	109	5,200	70.3	(60.6 - 80.1)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	200	71.5	(64.2 - 78.7)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	138	67.0	(58.4 - 75.6)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	197	70.6	(63.2 - 78.1)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	603	22,900	29.9	(25.3 - 34.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	205	11,900	31.3	(23.6 - 39.0)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	398	11,000	28.5	(23.3 - 33.7)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	216	8,700	18.2	(12.1 - 24.3)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	196	4,900	30.1	(22.8 - 37.3)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	191	9,300	73.6	(66.7 - 80.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	573	21,000	30.7	(25.9 - 35.5)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	282	10,400	27.7	(21.0 - 34.5)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	159	6,700	30.9	(22.0 - 39.8)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	160	5,400	31.5	(23.4 - 39.6)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	159	6,500	29.0	(20.4 - 37.7)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	111	3,400	23.7	(15.1 - 32.2)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	603	31.8	(27.3 - 36.3)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	205	35.4	(28.0 - 42.9)	13,052	25.8	(22.3 - 29.4)
Female	398	28.2	(23.1 - 33.2)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	573	32.6	(28.0 - 37.2)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	282	29.8	(23.4 - 36.2)	14,700	29.5	(25.6 - 33.5)
Some College	159	32.8	(23.8 - 41.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	160	33.4	(25.0 - 41.7)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	159	30.3	(21.9 - 38.7)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	111	24.4	(15.7 - 33.1)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	191	9,300	73.6	(66.7 - 80.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	134	5,500	73.2	(65.1 - 81.2)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	191	9,300	73.6	(66.7 - 80.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	188	9,100	73.7	(66.7 - 80.7)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	104	5,100	71.7	(61.8 - 81.6)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	191	73.8	(66.4 - 81.1)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	134	73.2	(65.2 - 81.2)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	188	74.0	(66.5 - 81.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	335	22,200	92.9	(89.4 - 96.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	335	22,200	92.9	(89.4 - 96.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	64	6,200	87.0	(77.6 - 96.5)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	132	8,600	97.2	(94.0 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	139	7,400	93.4	(89.0 - 97.7)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	329	21,400	92.6	(89.1 - 96.2)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	151	9,800	92.6	(87.7 - 97.6)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	97	6,300	91.7	(84.2 - 99.2)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	87	6,100	94.5	(88.9 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	111	5,500	89.0	(81.7 - 96.3)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	81	6,100	93.6	(85.8 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	52	3,800	97.4	(92.3 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	52	4,400	93.3	(85.7 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	335	92.7	(89.0 - 96.3)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	335	92.7	(89.0 - 96.3)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	329	92.4	(88.6 - 96.2)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	151	92.2	(86.7 - 97.6)	8,266	90.2	(86.1 - 94.2)
Some College	97	91.9	(84.3 - 99.5)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	87	94.4	(88.5 - 100)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	111	88.5	(80.3 - 96.6)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	81	93.3	(85.3 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	52	96.9	(90.8 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	52	93.3	(85.6 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	333	19,000	79.5	(74.5 - 84.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	333	19,000	79.5	(74.5 - 84.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	132	7,100	80.2	(72.4 - 87.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	137	6,200	79.1	(71.7 - 86.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	327	18,200	78.8	(73.7 - 83.9)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	149	8,100	77.8	(70.3 - 85.3)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	97	5,300	76.9	(67.0 - 86.9)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	87	5,500	85.1	(76.6 - 93.5)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	110	4,300	70.2	(60.2 - 80.1)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	81	5,400	83.2	(73.5 - 92.9)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	333	79.7	(74.6 - 84.8)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	333	79.7	(74.6 - 84.8)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	327	78.8	(73.6 - 84.0)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	149	78.0	(70.3 - 85.7)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	87	85.4	(76.9 - 93.9)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	81	83.4	(73.6 - 93.3)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	269	13,300	79.7	(74.3 - 85.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	269	13,300	79.7	(74.3 - 85.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	132	7,100	80.2	(72.4 - 87.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	137	6,200	79.1	(71.7 - 86.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	266	13,000	79.3	(73.9 - 84.8)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	124	5,800	75.3	(66.8 - 83.9)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	77	3,600	78.8	(69.0 - 88.7)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	68	3,900	88.0	(79.4 - 96.5)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	64	3,500	86.1	(77.3 - 94.9)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	269	79.7	(74.3 - 85.1)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	269	79.7	(74.3 - 85.1)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	266	79.4	(73.9 - 84.9)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	124	75.2	(66.6 - 83.9)	7,026	83.6	(80.1 - 87.0)
Some College	77	78.9	(68.9 - 88.8)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	68	88.2	(79.6 - 96.7)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	64	86.0	(77.2 - 94.8)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	41,000	97.0	(94.2 - 99.8)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	416	41,000	97.0	(94.2 - 99.8)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	52	14,700	96.3	(89.1 - 100)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	65	7,100	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	68	7,300	98.7	(96.2 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	95	4,800	98.9	(96.8 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	136	7,200	93.0	(88.2 - 97.9)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	399	37,300	96.7	(93.7 - 99.8)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	180	17,900	97.3	(95.2 - 99.5)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	122	12,500	94.8	(86.6 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	114	10,600	99.3	(98.0 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	132	11,200	98.2	(96.3 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	101	11,600	100	(100 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	67	7,100	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	97.3	(95.0 - 99.7)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	416	97.3	(95.0 - 99.7)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	399	97.1	(94.5 - 99.7)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	180	97.4	(95.3 - 99.5)	9,526	87.8	(83.2 - 92.4)
Some College	122	95.4	(88.4 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	114	99.4	(98.2 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	132	98.2	(96.1 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	101	100	(100 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	67	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	35,500	84.4	(80.3 - 88.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	411	35,500	84.4	(80.3 - 88.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	52	14,700	96.3	(89.1 - 100)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	65	6,600	92.5	(84.9 - 100)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	68	6,100	83.4	(73.6 - 93.3)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	95	3,800	79.8	(71.3 - 88.3)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	131	4,200	56.6	(47.3 - 65.8)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	394	31,700	82.9	(78.4 - 87.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	178	15,000	82.0	(76.1 - 87.9)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	120	10,600	81.2	(71.6 - 90.8)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	113	9,800	92.5	(88.0 - 97.0)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	129	9,000	79.9	(72.7 - 87.1)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	101	10,100	87.2	(80.7 - 93.7)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	67	6,700	94.2	(88.8 - 99.6)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	84.5	(80.6 - 88.5)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	411	84.5	(80.6 - 88.5)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	394	83.0	(78.8 - 87.3)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	178	81.6	(75.6 - 87.7)	9,384	76.4	(71.3 - 81.5)
Some College	120	81.6	(72.7 - 90.6)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	113	92.6	(88.0 - 97.1)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	129	79.7	(72.5 - 86.9)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	101	87.0	(80.4 - 93.7)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	67	94.6	(89.5 - 99.6)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	172	16,300	75.3	(67.7 - 82.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	172	16,300	75.3	(67.7 - 82.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	61	4,900	89.8	(81.8 - 97.7)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	161	14,500	73.7	(65.7 - 81.7)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	172	75.9	(68.4 - 83.3)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	172	75.9	(68.4 - 83.3)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	161	74.3	(66.4 - 82.1)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	171	11,600	54.4	(45.7 - 63.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	171	11,600	54.4	(45.7 - 63.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	160	10,700	55.5	(46.8 - 64.2)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	171	55.0	(46.4 - 63.6)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	171	55.0	(46.4 - 63.6)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	160	56.3	(47.7 - 64.9)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	166	14,200	68.2	(59.6 - 76.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	166	14,200	68.2	(59.6 - 76.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	61	4,800	90.2	(82.7 - 97.7)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	156	13,100	69.2	(60.4 - 78.0)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	166	69.1	(60.7 - 77.6)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	166	69.1	(60.7 - 77.6)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	156	70.2	(61.6 - 78.8)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	165	11,300	54.3	(45.4 - 63.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	165	11,300	54.3	(45.4 - 63.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	60	4,400	83.8	(74.4 - 93.3)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	155	11,000	58.2	(49.2 - 67.2)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	165	55.4	(46.5 - 64.3)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	165	55.4	(46.5 - 64.3)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	155	59.6	(50.8 - 68.5)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	174	700	3.3	(1.2 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	174	700	3.3	(1.2 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	61	700	13.5	(5.1 - 21.8)	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	163	700	3.7	(1.3 - 6.1)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	174	3.9	(1.4 - 6.5)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	174	3.9	(1.4 - 6.5)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	163	4.3	(1.5 - 7.2)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	13,700	44.5	(38.9 - 50.1)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	133	6,600	47.1	(37.7 - 56.4)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	271	7,100	42.3	(35.8 - 48.9)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	206	6,700	37.6	(29.9 - 45.2)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	198	7,100	53.8	(46.1 - 61.5)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	395	13,300	44.3	(38.7 - 50.0)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	198	7,000	46.7	(38.9 - 54.6)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	134	3,600	45.4	(35.7 - 55.1)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	44.7	(39.0 - 50.4)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	133	47.7	(38.4 - 56.9)	9,571	39.4	(35.3 - 43.5)
Female	271	41.7	(35.1 - 48.3)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	395	44.7	(38.9 - 50.5)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	198	47.2	(39.1 - 55.3)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	134	45.3	(35.3 - 55.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	403	4,900	16.0	(12.0 - 20.1)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	132	2,600	18.8	(11.7 - 26.0)	9,508	444,400	16.0	(13.2 - 18.9)
Female	271	2,300	13.7	(9.2 - 18.2)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	206	2,400	13.5	(8.0 - 19.0)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	197	2,500	19.5	(13.5 - 25.5)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	394	4,700	15.6	(11.6 - 19.7)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	197	2,400	16.2	(10.5 - 21.9)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	96	1,100	15.8	(7.6 - 24.0)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	109	1,400	16.0	(7.8 - 24.3)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	134	1,500	19.2	(11.2 - 27.1)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	104	1,000	11.9	(5.8 - 18.0)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	403	16.3	(12.1 - 20.6)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	132	19.1	(12.0 - 26.3)	9,508	16.4	(13.2 - 19.6)
Female	271	13.5	(9.0 - 18.0)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	394	15.9	(11.7 - 20.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	197	16.6	(10.6 - 22.6)	11,026	12.7	(9.2 - 16.1)
Some College	96	16.0	(7.6 - 24.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	109	16.2	(7.8 - 24.6)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	134	19.4	(11.1 - 27.8)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	104	11.6	(5.5 - 17.8)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	403	7,800	25.3	(20.4 - 30.2)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	132	4,500	31.9	(23.2 - 40.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	271	3,300	19.8	(14.7 - 24.9)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	206	3,800	21.6	(14.9 - 28.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	197	4,000	30.4	(23.2 - 37.6)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	394	7,500	25.2	(20.2 - 30.1)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	197	3,900	26.2	(19.1 - 33.3)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	109	2,000	22.1	(13.1 - 31.1)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	134	1,900	24.6	(16.2 - 33.0)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	104	1,900	22.9	(14.2 - 31.6)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	403	26.0	(20.8 - 31.1)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	132	32.5	(23.7 - 41.2)	9,508	21.7	(18.3 - 25.1)
Female	271	19.5	(14.4 - 24.5)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	394	25.9	(20.7 - 31.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	197	27.2	(19.7 - 34.8)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	109	22.2	(13.1 - 31.3)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	134	24.6	(15.9 - 33.3)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	104	23.7	(14.6 - 32.8)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	18,900	61.0	(55.5 - 66.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	133	9,400	66.2	(57.4 - 75.1)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	271	9,500	56.6	(49.8 - 63.4)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	140	5,900	61.6	(52.5 - 70.7)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	199	9,800	73.6	(67.1 - 80.0)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	395	18,100	60.2	(54.5 - 65.8)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	197	8,600	57.7	(49.9 - 65.4)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	134	4,200	53.2	(43.4 - 63.0)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	62.0	(56.4 - 67.5)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	133	67.8	(59.3 - 76.3)	9,582	68.5	(64.5 - 72.5)
Female	271	56.0	(49.1 - 62.9)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	395	61.0	(55.4 - 66.7)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	197	59.2	(51.3 - 67.1)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	18,600	60.3	(54.8 - 65.9)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	132	9,300	66.0	(57.1 - 74.9)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	270	9,300	55.6	(48.8 - 62.4)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	140	5,900	61.6	(52.5 - 70.7)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	197	9,500	72.1	(65.6 - 78.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	393	17,800	59.5	(53.8 - 65.1)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	196	8,500	57.4	(49.6 - 65.2)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	134	4,200	52.7	(42.9 - 62.6)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	61.3	(55.7 - 67.0)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	132	67.5	(58.9 - 76.1)	9,521	66.9	(62.9 - 70.9)
Female	270	55.1	(48.2 - 62.0)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	393	60.4	(54.7 - 66.1)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	196	58.8	(50.9 - 66.8)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	399	20,300	66.5	(61.1 - 71.9)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	132	10,100	72.5	(64.0 - 81.1)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	267	10,200	61.5	(54.7 - 68.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	138	6,700	70.2	(61.7 - 78.8)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	197	10,300	78.0	(71.9 - 84.0)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	390	19,500	65.6	(60.0 - 71.1)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	196	9,600	64.3	(56.7 - 71.9)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	134	4,700	59.4	(49.7 - 69.1)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	399	67.6	(62.2 - 73.0)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	132	74.1	(66.0 - 82.3)	9,418	71.5	(67.6 - 75.4)
Female	267	61.0	(54.1 - 67.9)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	390	66.6	(61.0 - 72.1)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	196	65.7	(58.0 - 73.3)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	134	59.7	(49.7 - 69.7)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	27,500	31.4	(26.8 - 35.9)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	236	15,900	35.7	(28.3 - 43.1)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	422	11,700	26.9	(21.6 - 32.2)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	94	6,300	18.3	(10.4 - 26.3)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	104	3,700	24.5	(14.7 - 34.4)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	117	4,500	30.3	(21.0 - 39.5)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	142	5,100	51.4	(41.9 - 60.9)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	201	7,900	59.1	(51.6 - 66.6)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	25,600	32.7	(27.9 - 37.5)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	303	14,500	34.9	(27.8 - 42.1)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	177	8,300	32.0	(23.2 - 40.7)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	176	4,700	23.8	(16.2 - 31.4)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	187	6,000	29.3	(21.0 - 37.6)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	172	9,800	37.5	(27.6 - 47.3)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	120	4,200	25.4	(16.4 - 34.5)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	32.8	(28.4 - 37.2)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	236	38.6	(31.6 - 45.7)	14,611	27.7	(24.7 - 30.7)
Female	422	26.8	(21.7 - 31.9)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	34.0	(29.5 - 38.6)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	303	37.3	(30.5 - 44.1)	15,688	32.1	(28.4 - 35.8)
Some College	177	33.1	(24.5 - 41.8)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	176	24.5	(17.1 - 31.8)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	187	32.1	(23.9 - 40.3)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	172	38.3	(29.1 - 47.6)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	120	25.5	(16.8 - 34.2)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	265	20,000	72.8	(64.9 - 80.6)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	69	4,500	89.6	(81.1 - 98.1)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	118	7,100	89.7	(83.4 - 96.0)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	255	19,000	74.2	(66.4 - 82.1)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	144	11,800	81.2	(72.2 - 90.2)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	265	75.6	(68.7 - 82.6)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	111	73.1	(63.3 - 82.8)	6,080	73.3	(67.9 - 78.7)
Female	154	79.5	(70.0 - 88.9)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	255	76.7	(69.6 - 83.8)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	144	81.8	(73.3 - 90.4)	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	65,100	76.3	(71.0 - 81.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	234	31,900	71.4	(62.9 - 79.9)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	409	33,200	81.7	(75.8 - 87.7)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	99	12,200	84.3	(75.6 - 93.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	114	12,800	87.8	(81.4 - 94.2)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	142	9,300	94.1	(90.0 - 98.2)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	198	12,600	95.7	(92.8 - 98.7)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	57,600	76.1	(70.4 - 81.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	292	28,700	71.4	(62.6 - 80.2)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	174	17,900	71.9	(62.3 - 81.4)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	175	18,400	93.7	(89.5 - 98.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	119	15,100	92.4	(85.3 - 99.5)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	79.5	(74.9 - 84.0)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	234	75.9	(68.8 - 83.0)	14,389	78.0	(73.9 - 82.1)
Female	409	83.3	(78.1 - 88.6)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	79.4	(74.7 - 84.2)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	292	75.2	(67.8 - 82.7)	15,342	70.2	(65.2 - 75.1)
Some College	174	75.1	(66.4 - 83.7)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	175	93.7	(89.6 - 97.8)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	171	78.1	(69.2 - 87.0)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	110	84.1	(75.2 - 93.0)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	119	92.9	(87.0 - 98.9)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	61,900	72.9	(67.5 - 78.3)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	233	30,400	68.2	(59.6 - 76.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	404	31,600	78.2	(72.1 - 84.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	99	11,000	75.5	(65.5 - 85.5)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	114	12,200	83.6	(76.5 - 90.7)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	142	9,100	92.0	(87.5 - 96.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	192	11,800	92.4	(88.5 - 96.4)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	600	54,500	72.3	(66.6 - 78.0)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	288	26,800	67.1	(58.3 - 76.0)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	173	17,100	68.9	(59.3 - 78.6)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	174	18,000	91.5	(86.3 - 96.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	119	14,700	90.2	(82.7 - 97.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	75.7	(71.0 - 80.3)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	233	72.1	(64.8 - 79.4)	14,307	74.8	(70.7 - 79.0)
Female	404	79.6	(74.1 - 85.2)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	600	75.2	(70.2 - 80.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	288	70.3	(62.7 - 77.9)	15,215	67.8	(62.9 - 72.8)
Some College	173	71.5	(62.6 - 80.4)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	174	91.6	(86.7 - 96.6)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	170	74.4	(65.2 - 83.5)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	110	78.8	(69.0 - 88.7)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	119	90.6	(84.0 - 97.2)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	5,200	6.0	(4.2 - 7.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	234	3,500	7.9	(4.8 - 11.0)	14,477	664,600	9.4	(7.5 - 11.4)
Female	421	1,700	4.0	(2.3 - 5.7)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	141	1,100	11.5	(5.0 - 18.0)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	201	3,000	22.8	(16.1 - 29.4)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	4,800	6.2	(4.3 - 8.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	301	3,200	7.6	(4.8 - 10.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	176	1,000	3.7	(0.9 - 6.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	176	1,000	5.3	(1.9 - 8.8)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	185	1,600	7.8	(4.5 - 11.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	172	1,200	4.6	(1.8 - 7.4)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	7.0	(5.0 - 9.1)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	234	10.0	(6.3 - 13.7)	14,477	9.7	(7.8 - 11.7)
Female	421	4.0	(2.2 - 5.8)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	7.2	(5.1 - 9.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	301	9.2	(5.8 - 12.6)	15,486	10.5	(8.0 - 13.0)
Some College	176	4.5	(1.2 - 7.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	176	5.7	(2.1 - 9.3)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	185	9.5	(5.5 - 13.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	172	5.8	(2.3 - 9.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	4,600	5.3	(3.6 - 7.0)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	235	3,200	7.1	(4.2 - 10.1)	14,479	598,600	8.5	(6.6 - 10.4)
Female	421	1,500	3.4	(1.7 - 5.1)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	141	1,100	11.5	(5.0 - 18.0)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	201	2,500	18.5	(12.1 - 24.8)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	4,400	5.6	(3.8 - 7.4)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	301	2,800	6.6	(4.0 - 9.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	177	900	3.6	(0.8 - 6.4)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	176	900	4.6	(1.3 - 8.0)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	185	1,300	6.6	(3.6 - 9.5)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	172	1,100	4.3	(1.5 - 7.0)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	656	6.2	(4.3 - 8.2)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	235	8.9	(5.4 - 12.4)	14,479	8.8	(6.9 - 10.8)
Female	421	3.5	(1.7 - 5.2)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	6.6	(4.5 - 8.7)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	301	8.0	(4.8 - 11.2)	15,485	8.5	(6.2 - 10.7)
Some College	177	4.4	(1.0 - 7.7)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	176	4.9	(1.4 - 8.3)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	185	8.1	(4.4 - 11.8)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	172	5.4	(2.0 - 8.8)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	8,600	9.7	(7.0 - 12.4)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	237	5,200	11.7	(7.0 - 16.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	422	3,300	7.7	(5.1 - 10.2)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	117	1,300	8.7	(3.2 - 14.3)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	142	2,000	19.9	(12.1 - 27.6)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	201	3,000	22.1	(15.6 - 28.6)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	7,000	8.9	(6.6 - 11.2)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	304	5,000	11.8	(7.1 - 16.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	177	2,100	8.0	(4.2 - 11.8)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	176	1,500	7.8	(3.4 - 12.2)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	188	3,300	15.6	(8.0 - 23.2)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	172	2,200	8.3	(4.5 - 12.1)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	10.7	(7.9 - 13.5)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	237	13.5	(8.7 - 18.3)	14,626	7.5	(6.1 - 8.9)
Female	422	7.7	(5.2 - 10.3)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	10.1	(7.5 - 12.7)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	304	12.8	(8.2 - 17.3)	15,709	12.6	(10.0 - 15.2)
Some College	177	9.3	(4.8 - 13.8)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	176	8.5	(3.7 - 13.3)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	188	16.1	(9.2 - 23.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	172	9.9	(5.3 - 14.4)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	13,000	14.8	(11.2 - 18.4)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	236	5,300	11.9	(6.9 - 16.9)	14,601	875,800	12.4	(10.1 - 14.7)
Female	418	7,700	17.8	(12.6 - 23.0)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	95	6,100	17.5	(9.8 - 25.3)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	102	2,100	13.7	(6.9 - 20.5)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	117	1,800	11.8	(5.5 - 18.0)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	142	1,300	12.8	(6.6 - 19.0)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	198	1,800	13.7	(7.6 - 19.7)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	11,600	14.8	(11.0 - 18.6)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	299	6,400	15.4	(10.0 - 20.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	177	3,700	14.4	(7.5 - 21.2)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	176	2,900	14.5	(7.6 - 21.5)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	187	4,100	19.7	(10.9 - 28.5)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	171	2,800	10.9	(5.1 - 16.6)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	112	2,700	16.7	(7.9 - 25.4)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	119	2,500	15.7	(7.7 - 23.7)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	14.7	(11.4 - 18.1)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	236	11.7	(7.2 - 16.3)	14,601	12.6	(10.3 - 14.9)
Female	418	17.9	(13.0 - 22.8)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	14.5	(11.0 - 18.0)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	299	16.2	(11.0 - 21.4)	15,675	15.1	(12.1 - 18.0)
Some College	177	13.8	(7.5 - 20.1)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	176	13.3	(7.3 - 19.3)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	187	19.7	(11.6 - 27.9)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	171	11.3	(5.7 - 16.9)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	112	15.5	(7.9 - 23.2)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	119	14.8	(7.7 - 21.8)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 48a. Current asthma among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	8,900	10.3	(7.3 - 13.2)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	234	2,600	5.9	(2.8 - 9.0)	14,546	440,700	6.3	(4.8 - 7.7)
Female	418	6,300	14.7	(9.9 - 19.6)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	94	3,300	9.7	(3.8 - 15.5)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	102	1,300	8.8	(3.2 - 14.3)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	117	1,700	11.5	(5.3 - 17.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	142	1,000	10.5	(4.6 - 16.3)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	197	1,600	11.9	(6.1 - 17.8)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	7,600	9.8	(6.8 - 12.8)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	297	4,500	11.0	(6.5 - 15.4)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	177	2,900	11.3	(5.3 - 17.3)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	176	1,500	7.6	(3.0 - 12.2)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	186	3,400	16.7	(8.7 - 24.7)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	170	2,300	8.7	(3.4 - 13.9)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	112	1,300	8.1	(2.4 - 13.7)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	119	1,500	9.2	(3.8 - 14.7)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 48b. Current asthma among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	10.6	(7.7 - 13.5)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	234	6.8	(3.4 - 10.2)	14,546	6.4	(4.9 - 7.9)
Female	418	14.6	(10.0 - 19.1)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	10.0	(7.1 - 12.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	297	11.9	(7.4 - 16.5)	15,594	10.8	(8.3 - 13.3)
Some College	177	11.3	(5.5 - 17.0)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	176	7.6	(3.2 - 12.0)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	186	17.0	(9.3 - 24.6)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	170	8.8	(3.7 - 13.9)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	112	8.3	(2.7 - 13.9)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	119	9.4	(4.1 - 14.6)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	42,500	48.3	(42.9 - 53.7)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	236	21,600	48.1	(39.6 - 56.5)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	419	20,900	48.5	(41.8 - 55.1)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	139	5,800	60.2	(50.7 - 69.7)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	200	8,300	62.5	(55.1 - 69.9)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	38,300	48.8	(43.2 - 54.3)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	301	21,100	50.4	(41.9 - 58.9)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	175	7,800	39.8	(31.2 - 48.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	49.5	(44.5 - 54.4)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	236	50.1	(42.5 - 57.8)	14,595	42.6	(38.8 - 46.3)
Female	419	48.8	(42.4 - 55.1)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	49.8	(44.7 - 54.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	301	52.8	(45.2 - 60.4)	15,676	43.1	(38.8 - 47.5)
Some College	177	52.2	(42.6 - 61.9)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	175	40.4	(31.9 - 48.8)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	119	34.6	(24.6 - 44.5)	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 50a. Arthritis among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	28,700	32.7	(28.1 - 37.3)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	235	13,700	30.6	(23.6 - 37.6)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	418	15,000	34.9	(29.1 - 40.8)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	95	5,300	15.0	(7.8 - 22.3)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	102	4,400	29.3	(19.4 - 39.1)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	142	5,100	52.3	(42.8 - 61.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	199	7,800	59.1	(51.5 - 66.7)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	26,400	33.8	(29.0 - 38.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	302	15,200	36.3	(29.0 - 43.7)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	174	7,800	30.3	(22.0 - 38.6)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	175	5,600	28.8	(20.9 - 36.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	170	8,200	31.4	(22.5 - 40.2)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	119	3,800	23.7	(15.6 - 31.9)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 50b. Arthritis among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	34.6	(30.2 - 39.1)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	235	34.2	(27.3 - 41.0)	14,555	23.5	(20.9 - 26.1)
Female	418	35.1	(29.5 - 40.6)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	35.7	(31.1 - 40.3)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	302	39.8	(32.7 - 46.8)	15,652	30.4	(26.9 - 33.8)
Some College	174	31.9	(23.7 - 40.1)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	175	28.1	(20.6 - 35.6)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	185	40.7	(31.2 - 50.3)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	170	33.4	(24.9 - 42.0)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	119	24.4	(16.2 - 32.7)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	19,700	22.4	(18.3 - 26.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	234	11,100	24.8	(18.2 - 31.5)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	420	8,600	20.0	(15.2 - 24.7)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	94	4,700	13.5	(6.0 - 21.0)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	104	3,000	20.0	(11.0 - 28.9)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	117	3,700	25.0	(16.0 - 34.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	140	3,200	33.0	(23.9 - 42.0)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	199	5,000	38.0	(30.6 - 45.5)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	18,600	23.7	(19.3 - 28.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	301	9,700	23.2	(16.9 - 29.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	175	6,900	27.1	(18.7 - 35.6)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	176	3,000	15.1	(9.6 - 20.7)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	186	5,900	28.3	(19.7 - 36.8)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	172	6,400	24.4	(16.4 - 32.4)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	112	3,400	21.1	(11.2 - 31.0)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	119	1,700	10.2	(4.9 - 15.5)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	23.4	(19.4 - 27.3)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	234	26.5	(20.2 - 32.8)	14,566	18.6	(15.8 - 21.4)
Female	420	20.1	(15.5 - 24.8)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	24.6	(20.5 - 28.8)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	301	24.9	(18.8 - 31.1)	15,626	23.8	(20.1 - 27.4)
Some College	175	27.2	(19.2 - 35.2)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	176	16.0	(10.2 - 21.7)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	186	30.5	(22.2 - 38.7)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	172	26.2	(18.2 - 34.1)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	112	21.9	(12.4 - 31.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	119	11.0	(5.3 - 16.8)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	5,700	6.5	(4.5 - 8.5)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	237	3,100	6.9	(3.6 - 10.2)	14,617	460,700	6.5	(5.3 - 7.7)
Female	420	2,600	6.1	(4.0 - 8.1)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	142	900	9.0	(3.8 - 14.3)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	199	2,300	17.5	(11.6 - 23.5)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	5,400	6.9	(4.8 - 9.0)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	304	2,900	6.9	(4.0 - 9.8)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	176	2,200	8.6	(4.2 - 13.0)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	*	*	*	*	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	186	2,100	10.0	(5.9 - 14.1)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	172	1,300	4.8	(1.7 - 7.9)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	6.8	(4.8 - 8.9)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	237	7.7	(4.2 - 11.2)	14,617	6.8	(5.5 - 8.0)
Female	420	5.9	(3.9 - 7.8)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	7.2	(5.0 - 9.5)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	304	7.7	(4.4 - 11.1)	15,711	10.3	(8.3 - 12.3)
Some College	176	8.4	(4.4 - 12.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	*	*	*	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	186	10.8	(6.5 - 15.0)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	172	5.1	(2.0 - 8.1)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 53a. Disability among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	20,400	23.2	(19.0 - 27.3)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	234	11,500	25.7	(19.0 - 32.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	420	8,900	20.6	(15.8 - 25.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	94	4,700	13.5	(6.0 - 21.0)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	104	3,000	20.0	(11.0 - 28.9)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	117	3,800	25.5	(16.5 - 34.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	141	3,400	34.7	(25.5 - 43.8)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	198	5,500	41.2	(33.6 - 48.9)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	19,300	24.5	(20.1 - 28.9)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	301	10,200	24.2	(17.7 - 30.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	175	7,100	28.0	(19.5 - 36.5)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	176	3,000	15.3	(9.8 - 20.8)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	185	6,000	28.7	(20.0 - 37.3)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	172	6,600	25.3	(17.2 - 33.5)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	112	3,400	21.2	(11.4 - 31.1)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	120	1,700	10.5	(5.1 - 15.8)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 53b. Disability among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	24.2	(20.2 - 28.2)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	234	27.6	(21.2 - 34.0)	14,568	20.9	(18.0 - 23.8)
Female	420	20.7	(16.1 - 25.3)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	25.6	(21.4 - 29.8)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	301	26.2	(19.9 - 32.4)	15,638	26.8	(23.0 - 30.6)
Some College	175	28.1	(20.0 - 36.2)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	176	16.1	(10.3 - 21.9)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	185	30.9	(22.6 - 39.1)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	172	27.2	(19.1 - 35.2)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	112	22.1	(12.5 - 31.6)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	120	11.3	(5.6 - 17.1)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 54a. Current smoking among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	22,100	25.0	(20.2 - 29.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	237	11,800	26.1	(18.6 - 33.6)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	420	10,300	23.9	(17.8 - 29.9)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	104	3,000	19.5	(11.6 - 27.3)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	117	4,800	32.5	(23.0 - 42.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	142	1,200	12.4	(6.3 - 18.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	199	1,000	7.9	(3.6 - 12.2)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	19,600	24.9	(20.0 - 29.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	304	13,300	31.6	(23.8 - 39.3)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	175	6,900	26.9	(17.4 - 36.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	176	1,400	6.9	(3.2 - 10.7)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	171	6,900	26.4	(16.6 - 36.1)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	120	1,100	6.5	(2.2 - 10.9)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 54b. Current smoking among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	23.7	(19.4 - 28.0)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	237	23.7	(17.3 - 30.2)	14,559	19.2	(16.3 - 22.1)
Female	420	23.6	(18.0 - 29.3)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	23.6	(19.2 - 27.9)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	304	30.9	(24.0 - 37.9)	15,654	22.8	(19.5 - 26.0)
Some College	175	25.0	(16.4 - 33.5)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	176	6.7	(3.1 - 10.3)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	171	25.2	(16.5 - 34.0)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	112	23.1	(14.1 - 32.2)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	120	6.7	(2.3 - 11.1)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	14,900	16.9	(12.6 - 21.2)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	237	7,400	16.5	(10.0 - 23.1)	14,559	848,400	12.0	(10.0 - 14.1)
Female	420	7,500	17.3	(11.8 - 22.8)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	95	7,900	22.5	(13.1 - 32.0)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	104	1,700	11.4	(5.7 - 17.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	117	3,800	25.8	(16.8 - 34.8)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	142	1,000	10.3	(4.5 - 16.1)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	*	*	*	*	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	13,700	17.4	(13.1 - 21.8)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	304	9,900	23.5	(16.4 - 30.6)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	175	4,300	16.7	(8.3 - 25.2)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	171	4,900	18.9	(10.2 - 27.5)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	112	2,300	14.2	(6.3 - 22.0)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	16.0	(12.3 - 19.8)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	237	14.7	(9.3 - 20.2)	14,559	12.1	(10.1 - 14.1)
Female	420	17.4	(12.2 - 22.6)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	16.8	(12.9 - 20.7)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	304	23.1	(16.7 - 29.4)	15,654	16.4	(13.8 - 19.0)
Some College	175	15.3	(7.9 - 22.6)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	187	29.2	(19.4 - 39.1)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	171	18.5	(10.7 - 26.3)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	112	13.7	(6.6 - 20.8)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	64,700	73.7	(68.6 - 78.7)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	235	31,100	69.7	(61.6 - 77.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	420	33,600	77.8	(72.0 - 83.6)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	104	12,400	81.6	(73.8 - 89.5)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	115	9,800	67.4	(57.7 - 77.1)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	142	7,700	78.0	(70.3 - 85.6)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	199	10,200	76.9	(70.6 - 83.2)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	56,800	72.6	(67.2 - 77.9)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	302	27,400	65.5	(57.2 - 73.8)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	175	19,400	75.5	(66.6 - 84.4)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	176	17,900	90.3	(86.1 - 94.5)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	120	14,800	90.2	(82.2 - 98.1)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	74.6	(70.1 - 79.0)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	235	71.5	(64.5 - 78.4)	14,577	79.4	(76.7 - 82.2)
Female	420	77.8	(72.4 - 83.2)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	73.6	(68.9 - 78.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	302	66.9	(59.7 - 74.1)	15,647	76.9	(73.8 - 80.0)
Some College	175	75.3	(66.8 - 83.7)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	176	89.9	(85.4 - 94.3)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	171	73.5	(64.4 - 82.6)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	112	76.1	(66.3 - 85.8)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	120	90.8	(84.1 - 97.5)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	17,700	20.2	(15.3 - 25.1)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	234	11,800	26.4	(18.5 - 34.4)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	417	5,900	13.7	(8.4 - 18.9)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	104	2,300	15.4	(7.9 - 22.8)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	116	3,100	21.3	(13.0 - 29.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	140	1,700	17.6	(9.6 - 25.5)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	197	800	5.9	(2.6 - 9.2)	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	15,300	19.6	(14.7 - 24.5)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	299	8,400	20.0	(12.2 - 27.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	176	5,500	21.3	(12.4 - 30.2)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	174	3,800	19.5	(11.9 - 27.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	185	2,700	12.9	(5.2 - 20.7)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	112	3,000	18.6	(9.9 - 27.3)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	18.9	(14.7 - 23.1)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	234	24.2	(17.4 - 30.9)	14,420	24.5	(21.0 - 27.9)
Female	417	13.5	(8.6 - 18.4)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	18.5	(14.2 - 22.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	299	18.9	(12.2 - 25.7)	15,491	17.5	(13.5 - 21.5)
Some College	176	19.7	(11.8 - 27.5)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	174	18.4	(11.4 - 25.4)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	185	13.1	(6.0 - 20.3)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	170	24.8	(15.0 - 34.7)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	112	18.9	(10.5 - 27.3)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	119	24.6	(15.5 - 33.8)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	5,900	6.9	(4.2 - 9.6)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	231	3,700	8.4	(4.6 - 12.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	414	2,200	5.3	(1.5 - 9.2)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	140	1,000	10.6	(4.0 - 17.2)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	196	700	5.5	(2.1 - 8.9)	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	611	5,700	7.4	(4.4 - 10.3)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	298	3,600	8.8	(3.9 - 13.7)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	174	1,600	8.0	(3.3 - 12.7)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	169	2,000	7.8	(2.6 - 13.1)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	118	1,300	7.8	(2.6 - 13.1)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	7.0	(4.4 - 9.5)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	231	8.9	(5.1 - 12.7)	14,330	4.9	(3.9 - 5.9)
Female	414	5.0	(1.6 - 8.3)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	611	7.4	(4.7 - 10.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	298	8.7	(4.2 - 13.2)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	174	8.2	(3.5 - 12.8)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	169	7.7	(3.0 - 12.4)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	118	8.2	(2.8 - 13.7)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	605	52,300	66.4	(60.9 - 71.9)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	213	29,000	74.2	(65.9 - 82.4)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	392	23,300	58.7	(51.7 - 65.8)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	*	*	*	*	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	130	7,100	79.7	(72.5 - 87.0)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	185	10,400	84.7	(78.8 - 90.6)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	571	47,300	67.5	(61.9 - 73.1)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	271	24,600	71.0	(62.4 - 79.5)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	164	13,500	71.9	(63.2 - 80.7)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	605	67.6	(62.6 - 72.6)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	213	76.2	(68.9 - 83.4)	13,299	67.9	(64.0 - 71.9)
Female	392	59.2	(52.5 - 65.8)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	571	68.9	(63.9 - 73.9)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	271	72.2	(64.7 - 79.6)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	164	72.8	(64.5 - 81.1)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	114	72.2	(62.4 - 81.9)	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	40,800	70.4	(64.0 - 76.8)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	154	23,200	76.7	(67.8 - 85.6)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	257	17,600	63.5	(54.8 - 72.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	79	8,200	83.6	(74.1 - 93.0)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	90	5,800	90.3	(83.9 - 96.6)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	97	5,700	93.1	(87.5 - 98.8)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	387	38,100	73.5	(67.2 - 79.8)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	175	20,200	79.1	(69.8 - 88.4)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	83	9,600	84.0	(74.7 - 93.3)	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	72.2	(66.5 - 78.0)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	154	78.6	(70.8 - 86.4)	9,034	81.1	(77.4 - 84.8)
Female	257	65.5	(57.4 - 73.6)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	387	74.8	(69.1 - 80.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	175	81.4	(73.3 - 89.5)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	115	73.6	(63.7 - 83.4)	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	83	84.5	(76.1 - 92.9)	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	628	74,900	89.7	(86.2 - 93.2)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	227	36,300	85.7	(79.3 - 92.2)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	401	38,600	93.8	(91.8 - 95.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	90	28,900	89.3	(81.4 - 97.3)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	103	14,700	97.4	(94.9 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	113	13,000	91.2	(85.6 - 96.8)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	139	8,600	90.0	(83.5 - 96.5)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	183	9,700	79.3	(72.7 - 85.9)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	65,700	89.0	(85.1 - 92.8)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	284	32,500	83.3	(76.6 - 90.1)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	171	23,700	95.5	(92.1 - 98.8)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	171	18,200	95.3	(92.0 - 98.6)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	162	20,800	87.9	(81.9 - 93.8)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	108	14,200	95.8	(92.5 - 99.1)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	119	15,500	95.0	(90.7 - 99.3)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	628	90.3	(87.4 - 93.3)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	227	86.9	(81.5 - 92.3)	13,893	89.1	(86.9 - 91.3)
Female	401	93.8	(91.8 - 95.9)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	89.7	(86.5 - 92.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	284	84.4	(78.7 - 90.0)	14,507	84.6	(81.8 - 87.4)
Some College	171	95.7	(92.8 - 98.6)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	171	95.2	(91.9 - 98.6)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	178	84.9	(76.1 - 93.7)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	162	88.1	(82.7 - 93.5)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	108	95.4	(91.8 - 99.1)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	119	95.1	(90.8 - 99.3)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 62a. Overweight among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	31,400	37.7	(32.5 - 42.9)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	232	18,000	41.8	(33.8 - 49.8)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	394	13,300	33.3	(26.8 - 39.7)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	112	5,500	38.0	(28.2 - 47.9)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	129	3,100	34.0	(24.1 - 43.9)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	197	5,300	40.5	(32.9 - 48.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	27,000	36.3	(31.1 - 41.5)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	286	13,900	35.2	(27.5 - 43.0)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	170	7,000	36.6	(27.8 - 45.4)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	116	5,500	34.2	(24.4 - 44.0)	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 62b. Overweight among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	38.2	(33.3 - 43.0)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	232	43.4	(36.0 - 50.8)	14,502	43.9	(40.1 - 47.6)
Female	394	32.5	(26.4 - 38.6)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	36.9	(32.0 - 41.7)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	286	36.1	(28.9 - 43.3)	15,079	35.2	(31.1 - 39.4)
Some College	169	42.4	(32.8 - 52.1)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	170	37.0	(28.5 - 45.5)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	178	37.4	(27.6 - 47.3)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	116	35.9	(26.2 - 45.6)	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 63a. Obesity among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	26,300	31.6	(26.5 - 36.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	232	14,600	33.8	(25.9 - 41.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	394	11,700	29.3	(23.0 - 35.5)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	112	4,600	31.7	(21.8 - 41.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	129	3,500	38.4	(28.9 - 47.9)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	197	3,800	28.9	(21.8 - 36.0)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	22,600	30.4	(25.4 - 35.5)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	286	13,500	34.3	(26.5 - 42.0)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	169	7,800	31.9	(21.9 - 41.9)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	170	4,900	25.8	(17.7 - 33.8)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	163	7,700	31.8	(22.1 - 41.4)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	116	4,200	26.0	(16.6 - 35.4)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 63b. Obesity among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	31.9	(27.1 - 36.6)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	232	33.6	(26.5 - 40.8)	14,502	21.5	(19.0 - 24.0)
Female	394	29.9	(23.9 - 36.0)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	30.6	(25.9 - 35.2)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	286	35.1	(28.0 - 42.2)	15,079	29.4	(25.4 - 33.3)
Some College	169	32.0	(22.4 - 41.5)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	170	25.7	(17.9 - 33.4)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	178	30.9	(21.0 - 40.9)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	163	33.6	(24.3 - 42.9)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	116	26.2	(17.2 - 35.3)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	57,700	69.3	(64.2 - 74.5)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	232	32,600	75.6	(67.7 - 83.5)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	394	25,000	62.5	(56.0 - 69.1)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	98	10,500	72.5	(63.0 - 82.0)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	112	10,000	69.7	(60.0 - 79.4)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	129	6,600	72.4	(63.7 - 81.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	197	9,100	69.4	(62.5 - 76.4)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	49,600	66.7	(61.3 - 72.2)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	286	27,500	69.5	(61.1 - 77.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	169	18,200	74.3	(66.0 - 82.6)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	170	11,900	62.4	(53.5 - 71.3)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	163	18,700	76.9	(67.3 - 86.6)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	110	11,700	73.5	(63.8 - 83.3)	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	70.0	(65.4 - 74.7)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	232	77.0	(70.3 - 83.7)	14,502	65.4	(61.3 - 69.4)
Female	394	62.4	(56.2 - 68.7)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	67.4	(62.5 - 72.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	286	71.2	(63.9 - 78.4)	15,079	64.6	(59.9 - 69.3)
Some College	169	74.4	(66.6 - 82.2)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	170	62.6	(54.0 - 71.3)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	178	68.4	(58.7 - 78.0)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	163	78.0	(69.6 - 86.3)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	110	72.8	(63.4 - 82.2)	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	20,900	24.9	(20.1 - 29.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	233	10,200	23.4	(16.3 - 30.4)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	394	10,700	26.5	(20.3 - 32.6)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	92	7,900	24.1	(14.1 - 34.0)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	112	3,600	24.8	(16.0 - 33.6)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	128	2,900	31.8	(22.6 - 41.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	197	2,500	19.1	(13.5 - 24.7)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	17,800	24.0	(19.4 - 28.6)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	285	10,400	26.5	(19.2 - 33.7)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	170	6,200	24.9	(15.4 - 34.3)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	170	4,200	22.0	(14.5 - 29.4)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	163	6,200	25.4	(16.0 - 34.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	116	3,400	21.2	(12.8 - 29.6)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	25.1	(20.7 - 29.5)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	233	23.3	(16.9 - 29.6)	14,499	23.4	(20.5 - 26.3)
Female	394	27.1	(21.1 - 33.0)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	24.4	(20.0 - 28.7)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	285	26.5	(19.9 - 33.1)	15,116	27.3	(23.4 - 31.2)
Some College	170	25.3	(16.2 - 34.3)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	170	22.4	(15.1 - 29.7)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	179	25.8	(16.3 - 35.3)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	163	26.4	(17.6 - 35.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	116	21.7	(13.4 - 30.0)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	166	16,700	80.1	(70.9 - 89.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	111	8,700	82.0	(72.9 - 91.0)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	157	14,700	82.5	(74.5 - 90.5)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	166	80.4	(72.1 - 88.8)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	111	81.8	(72.7 - 90.9)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	157	81.9	(74.1 - 89.7)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	22,200	25.1	(20.5 - 29.7)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	237	11,400	25.3	(17.9 - 32.8)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	422	10,800	24.9	(19.7 - 30.2)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	95	6,400	18.3	(8.9 - 27.8)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	104	3,000	19.8	(11.0 - 28.5)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	117	4,500	30.2	(20.9 - 39.5)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	142	2,900	29.8	(21.2 - 38.5)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	201	5,300	40.0	(32.4 - 47.5)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	20,900	26.6	(21.7 - 31.5)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	304	13,700	32.6	(24.8 - 40.3)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	177	4,900	19.0	(12.0 - 26.0)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	176	3,000	15.3	(9.3 - 21.3)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	172	6,700	25.4	(15.5 - 35.3)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	112	3,500	21.7	(12.1 - 31.2)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	120	1,700	10.4	(4.9 - 16.0)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	25.5	(21.3 - 29.8)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	237	25.6	(19.0 - 32.2)	14,602	20.9	(17.8 - 23.9)
Female	422	25.5	(20.2 - 30.7)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	26.9	(22.5 - 31.3)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	304	32.9	(26.0 - 39.8)	15,683	32.3	(28.3 - 36.4)
Some College	177	20.1	(12.8 - 27.3)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	176	16.1	(9.9 - 22.4)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	188	37.6	(28.2 - 47.0)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	172	26.6	(17.6 - 35.5)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	112	21.6	(12.6 - 30.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	120	10.8	(5.0 - 16.6)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	22,200	25.2	(20.6 - 29.8)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	237	8,800	19.6	(12.9 - 26.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	422	13,400	31.0	(24.8 - 37.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	95	9,700	27.7	(17.7 - 37.6)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	104	2,700	17.9	(10.8 - 25.1)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	117	3,600	23.9	(15.2 - 32.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	142	2,100	21.0	(13.4 - 28.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	201	4,200	31.3	(24.2 - 38.4)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	19,800	25.1	(20.3 - 29.9)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	304	8,200	19.5	(12.7 - 26.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	177	7,000	27.1	(18.3 - 36.0)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	176	7,000	35.3	(26.8 - 43.7)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	188	5,100	24.2	(14.4 - 33.9)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	172	5,700	21.6	(13.3 - 29.9)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	112	3,600	22.4	(13.4 - 31.4)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	120	4,500	27.3	(17.5 - 37.0)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	24.8	(20.6 - 28.9)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	237	19.4	(13.5 - 25.3)	14,634	22.7	(19.6 - 25.9)
Female	422	30.3	(24.6 - 36.1)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	24.9	(20.5 - 29.2)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	304	18.7	(12.8 - 24.6)	15,726	23.3	(19.3 - 27.3)
Some College	177	26.5	(18.2 - 34.7)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	176	35.0	(26.8 - 43.1)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	188	23.9	(15.3 - 32.6)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	172	20.3	(13.0 - 27.6)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	112	23.1	(14.4 - 31.8)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	120	27.7	(18.5 - 36.9)	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	454	6,700	17.9	(13.7 - 22.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	155	3,800	21.2	(14.0 - 28.4)	10,966	489,400	14.4	(11.9 - 16.8)
Female	299	3,000	14.9	(10.4 - 19.5)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	114	2,000	13.7	(6.4 - 21.0)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	140	2,100	22.1	(14.2 - 30.0)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	200	2,600	19.4	(13.1 - 25.8)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	443	6,400	17.7	(13.5 - 22.0)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	223	4,100	21.9	(15.4 - 28.5)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	106	1,100	13.7	(6.8 - 20.5)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	124	1,500	13.7	(6.6 - 20.8)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	145	1,700	18.5	(11.4 - 25.5)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	120	1,900	18.2	(10.2 - 26.2)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	66	900	14.3	(4.9 - 23.8)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	454	17.9	(13.6 - 22.2)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	155	21.0	(13.9 - 28.0)	10,966	15.0	(12.1 - 17.8)
Female	299	14.7	(10.2 - 19.2)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	443	17.7	(13.4 - 22.0)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	223	21.6	(14.9 - 28.3)	12,417	17.4	(13.0 - 21.7)
Some College	106	14.3	(7.1 - 21.6)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	124	13.5	(6.5 - 20.6)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	145	18.2	(11.1 - 25.3)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	120	18.3	(10.3 - 26.4)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	66	13.6	(4.4 - 22.8)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Jefferson County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Jefferson County and New York State**

	Jefferson County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	1,500	4.1	(2.0 - 6.2)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	299	800	3.9	(1.1 - 6.6)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	140	600	6.5	(2.0 - 11.0)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	442	1,500	4.3	(2.1 - 6.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	223	900	4.9	(1.9 - 8.0)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Jefferson County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Jefferson County and New York State - Age-Adjusted<sup>2</sup>**

	Jefferson County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	4.0	(2.0 - 6.1)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	299	3.9	(1.1 - 6.7)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	442	4.2	(2.0 - 6.3)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	223	4.8	(1.8 - 7.7)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)