

New York State Expanded Behavioral Risk Factor Surveillance System

Lewis County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Lewis County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Lewis County and New York State	14
Table 2b. Fair or poor general health among adults in Lewis County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Lewis County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Lewis County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Lewis County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Lewis County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Lewis County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Lewis County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Lewis County and New York State	22
Table 6b. Health insurance among adults in Lewis County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Lewis County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Lewis County and New York State - Age-adjusted	25
Table 8a. No health insurance among adults in Lewis County and New York State	26

Contents

Table 8b. No health insurance among adults in Lewis County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Lewis County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Lewis County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Lewis County and New York State	30
Table 10b. Adults with regular health care provider in Lewis County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Lewis County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Lewis County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Lewis County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Lewis County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Lewis County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Lewis County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Lewis County and New York State	38
Table 14b. Dentist visit within the past year among adults in Lewis County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Lewis County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Lewis County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Lewis County and New York State	42

Contents

Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Lewis County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Lewis County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Lewis County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Lewis County and New York State	46
Table 18b. Flu shot within the past 12 months in Lewis County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Lewis County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Lewis County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Lewis County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Lewis County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Lewis County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Lewis County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Lewis County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Lewis County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Lewis County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Lewis County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Lewis County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Lewis County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Lewis County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Lewis County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Lewis County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Lewis County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Lewis County and New York State	64
Table 27b. Ever had a Pap test among women in Lewis County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Lewis County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Lewis County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Lewis County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Lewis County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Lewis County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Lewis County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Lewis County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Lewis County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Lewis County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Lewis County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Lewis County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Lewis County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Lewis County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Lewis County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Lewis County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Lewis County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Lewis County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Lewis County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Lewis County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Lewis County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Lewis County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Lewis County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Lewis County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Lewis County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Lewis County and New York State	90
Table 40b. High blood pressure among adults in Lewis County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Lewis County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Lewis County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Lewis County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Lewis County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Lewis County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Lewis County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Lewis County and New York State	98
Table 44b. Cardiovascular disease among adults in Lewis County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Lewis County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Lewis County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Lewis County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Lewis County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Lewis County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Lewis County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Lewis County and New York State	106
Table 48b. Current asthma among adults in Lewis County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Lewis County and New York State	108
Table 49b. Chronic joint symptoms among adults in Lewis County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Lewis County and New York State	110
Table 50b. Arthritis among adults in Lewis County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Lewis County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Lewis County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Lewis County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Lewis County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Lewis County and New York State	116
Table 53b. Disability among adults in Lewis County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Lewis County and New York State	118
Table 54b. Current smoking among adults in Lewis County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Lewis County and New York State	120
Table 55b. Everyday smoking among adults in Lewis County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Lewis County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Lewis County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Lewis County and New York State	124
Table 57b. Binge drinking within the past month among adults in Lewis County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Lewis County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Lewis County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Lewis County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Lewis County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Lewis County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Lewis County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Lewis County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Lewis County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Lewis County and New York State	134
Table 62b. Overweight among adults in Lewis County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Lewis County and New York State	136
Table 63b. Obesity among adults in Lewis County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Lewis County and New York State	138
Table 64b. Overweight or obesity among adults in Lewis County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Lewis County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Lewis County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Lewis County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Lewis County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Lewis County and New York State	144
Table 67b. No leisure-time physical activity among adults in Lewis County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Lewis County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Lewis County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Lewis County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Lewis County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Lewis County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Lewis County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 1. Lewis County and New York State adult US Census Bureau population estimates,¹ 2007

	Lewis County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	20,379	100	14,884,315	100
Gender				
Male	10,122	49.7	7,103,791	47.7
Female	10,257	50.3	7,780,524	52.3
Age (years)				
18-34	5,982	29.4	4,497,479	30.2
35-44	3,395	16.7	2,844,115	19.1
45-54	4,230	20.8	2,854,316	19.2
55-64	2,939	14.4	2,142,000	14.4
≥ 65	3,833	18.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	19,886	97.6	9,343,884	62.8
Black Non-Hispanic	160	0.8	2,156,941	14.5
Hispanic	180	0.9	2,258,717	15.2
Other Non-Hispanic	153	0.8	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 2a. Fair or poor general health among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	3,300	16.3	(12.3 - 20.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	258	1,900	18.5	(11.4 - 25.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	404	1,500	14.2	(10.5 - 17.9)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	147	800	18.6	(12.0 - 25.2)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	137	600	20.3	(12.9 - 27.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	205	1,200	30.5	(23.4 - 37.6)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	648	2,800	14.6	(11.8 - 17.5)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	343	2,400	22.1	(15.4 - 28.7)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	181	600	13.0	(8.1 - 17.9)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	136	200	5.8	(1.0 - 10.6)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	213	1,000	14.8	(10.0 - 19.6)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 2b. Fair or poor general health among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	15.2	(11.1 - 19.3)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	258	17.2	(10.0 - 24.5)	14,599	15.3	(12.6 - 18.0)
Female	404	13.3	(9.6 - 17.0)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	648	13.6	(10.7 - 16.4)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	343	20.5	(13.7 - 27.3)	15,682	25.8	(22.1 - 29.5)
Some College	181	12.0	(7.3 - 16.7)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	136	6.3	(0.7 - 11.9)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	213	13.6	(9.0 - 18.1)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	2,200	11.2	(8.6 - 13.7)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	254	1,200	12.3	(8.1 - 16.5)	14,325	604,200	8.7	(7.0 - 10.5)
Female	395	1,000	10.1	(7.1 - 13.0)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	147	700	15.9	(9.7 - 22.1)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	137	500	16.8	(10.1 - 23.6)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	194	700	19.0	(12.7 - 25.3)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	635	2,100	11.2	(8.6 - 13.7)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	339	1,500	14.4	(10.4 - 18.4)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	174	400	8.9	(4.8 - 13.1)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	*	*	*	*	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	178	1,000	20.8	(13.5 - 28.1)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	210	600	9.6	(5.7 - 13.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	10.4	(7.9 - 12.9)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	254	11.6	(7.4 - 15.8)	14,325	8.7	(6.9 - 10.5)
Female	395	9.2	(6.5 - 12.0)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	635	10.5	(7.9 - 13.0)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	339	13.3	(9.5 - 17.1)	15,178	12.7	(10.2 - 15.1)
Some College	174	8.3	(4.3 - 12.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	*	*	*	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	178	19.5	(12.3 - 26.7)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	210	9.1	(5.2 - 13.0)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	1,800	8.9	(6.4 - 11.4)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	257	1,000	9.8	(5.8 - 13.8)	14,407	555,200	7.9	(6.3 - 9.6)
Female	396	800	8.0	(5.1 - 10.9)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	85	400	12.3	(5.4 - 19.2)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	144	600	14.6	(8.3 - 21.0)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	136	300	10.7	(5.1 - 16.2)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	639	1,700	9.2	(6.6 - 11.7)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	334	1,000	9.3	(5.8 - 12.8)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	179	500	10.4	(5.3 - 15.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	180	600	13.4	(7.6 - 19.2)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	209	400	6.7	(3.0 - 10.3)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	8.9	(6.4 - 11.5)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	257	9.4	(5.4 - 13.3)	14,407	7.9	(6.3 - 9.6)
Female	396	8.5	(5.3 - 11.7)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	639	9.2	(6.6 - 11.9)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	334	9.4	(5.7 - 13.1)	15,335	12.3	(10.0 - 14.6)
Some College	179	10.2	(5.0 - 15.3)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	180	12.8	(7.1 - 18.6)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	209	6.7	(2.9 - 10.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	3,100	15.8	(12.7 - 18.9)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	252	1,700	17.2	(12.0 - 22.3)	14,231	937,700	13.6	(11.4 - 15.8)
Female	390	1,500	14.5	(10.8 - 18.2)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	84	500	16.5	(8.1 - 24.9)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	145	900	21.6	(14.4 - 28.9)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	137	600	20.0	(12.9 - 27.1)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	192	800	21.6	(14.9 - 28.2)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	628	3,000	16.0	(12.8 - 19.2)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	332	1,900	18.3	(13.6 - 22.9)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	174	700	15.1	(9.4 - 20.8)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	134	400	10.2	(4.1 - 16.2)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	176	1,200	24.4	(16.4 - 32.4)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	208	900	12.8	(8.1 - 17.4)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	95	300	9.7	(4.2 - 15.3)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	15.3	(12.1 - 18.5)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	252	16.4	(11.2 - 21.6)	14,231	13.6	(11.4 - 15.8)
Female	390	14.2	(10.4 - 18.0)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	628	15.6	(12.3 - 18.8)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	332	17.5	(12.8 - 22.2)	15,018	20.1	(17.1 - 23.1)
Some College	174	14.5	(8.7 - 20.3)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	134	10.5	(3.9 - 17.1)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	176	22.8	(14.9 - 30.7)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	208	12.3	(7.6 - 16.9)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	95	9.4	(3.9 - 14.9)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 6a. Health insurance among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	17,000	83.7	(78.7 - 88.6)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	259	7,800	77.9	(69.1 - 86.6)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	404	9,200	89.4	(85.4 - 93.3)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	86	3,100	91.5	(84.9 - 98.2)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	147	3,500	82.7	(75.7 - 89.7)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	137	2,700	91.3	(86.3 - 96.2)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	207	3,800	98.9	(97.3 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	649	16,300	85.0	(80.8 - 89.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	8,400	77.6	(69.6 - 85.6)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	180	4,600	92.0	(87.2 - 96.8)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	137	3,900	89.3	(81.3 - 97.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	212	5,400	80.6	(71.5 - 89.7)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	108	3,200	93.4	(87.1 - 99.6)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	95	3,400	95.9	(91.1 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 6b. Health insurance among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	83.4	(78.3 - 88.6)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	259	77.7	(68.6 - 86.8)	14,597	83.6	(79.7 - 87.5)
Female	404	89.0	(84.8 - 93.2)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	649	84.8	(80.3 - 89.2)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	77.2	(68.8 - 85.5)	15,673	80.1	(75.4 - 84.7)
Some College	180	92.4	(87.9 - 97.0)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	137	88.2	(79.5 - 96.9)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	212	79.9	(70.4 - 89.5)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	108	93.2	(86.7 - 99.7)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	95	95.6	(90.4 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 7a. Health insurance among adults aged 18-64¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	13,100	80.1	(74.2 - 86.1)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	266	7,000	86.6	(81.7 - 91.5)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	86	3,100	91.5	(84.9 - 98.2)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	147	3,500	82.7	(75.7 - 89.7)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	133	2,600	91.5	(86.5 - 96.5)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	442	12,600	81.7	(76.6 - 86.9)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	6,300	72.4	(62.8 - 82.0)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	115	3,300	89.4	(83.1 - 95.7)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	119	3,500	88.3	(79.7 - 96.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	91	2,800	92.5	(85.5 - 99.5)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	89	3,300	95.7	(90.8 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 7b. Health insurance among adults aged 18-64¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	80.3	(74.2 - 86.3)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	*	*	*	10,078	80.5	(75.9 - 85.1)
Female	266	86.7	(81.7 - 91.8)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	442	81.8	(76.5 - 87.1)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	72.5	(62.6 - 82.4)	9,037	75.1	(69.3 - 80.9)
Some College	115	90.3	(84.5 - 96.1)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	119	87.2	(77.9 - 96.6)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	91	92.4	(85.2 - 99.7)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	89	95.5	(90.1 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 8a. No health insurance among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	3,300	16.3	(11.4 - 21.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	259	2,200	22.1	(13.4 - 30.9)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	404	1,100	10.6	(6.7 - 14.6)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	147	700	17.3	(10.3 - 24.3)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	137	300	8.7	(3.8 - 13.7)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	649	2,900	15.0	(10.8 - 19.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	2,400	22.4	(14.4 - 30.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	180	400	8.0	(3.2 - 12.8)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	212	1,300	19.4	(10.3 - 28.5)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 8b. No health insurance among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	16.6	(11.4 - 21.7)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	259	22.3	(13.2 - 31.4)	14,597	16.4	(12.5 - 20.3)
Female	404	11.0	(6.8 - 15.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	649	15.2	(10.8 - 19.7)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	22.8	(14.5 - 31.2)	15,673	19.9	(15.3 - 24.6)
Some College	180	7.6	(3.0 - 12.1)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	212	20.1	(10.5 - 29.6)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 9a. No health insurance among adults aged 18-64¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	3,200	19.9	(13.9 - 25.8)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	266	1,100	13.4	(8.5 - 18.3)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	147	700	17.3	(10.3 - 24.3)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	133	200	8.5	(3.5 - 13.5)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	442	2,800	18.3	(13.1 - 23.4)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	2,400	27.6	(18.0 - 37.2)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	115	400	10.6	(4.3 - 16.9)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 9b. No health insurance among adults aged 18-64¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	19.7	(13.7 - 25.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	*	*	*	10,078	19.5	(14.9 - 24.1)
Female	266	13.3	(8.2 - 18.3)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	442	18.2	(12.9 - 23.5)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	27.5	(17.6 - 37.4)	9,037	24.9	(19.1 - 30.7)
Some College	115	9.7	(3.9 - 15.5)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 10a. Adults with regular health care provider¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	17,000	84.0	(78.9 - 89.2)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	260	7,800	77.5	(68.7 - 86.3)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	402	9,200	90.5	(85.6 - 95.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	86	2,900	85.9	(76.0 - 95.8)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	147	3,900	92.2	(87.4 - 97.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	138	2,800	96.8	(93.5 - 100)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	206	3,700	96.5	(93.8 - 99.2)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	648	16,600	86.6	(82.4 - 90.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	8,500	78.3	(69.8 - 86.7)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	179	4,500	91.2	(85.4 - 97.0)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	137	3,900	90.1	(83.4 - 96.9)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	212	5,500	81.4	(72.4 - 90.3)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	109	3,000	87.8	(79.5 - 96.1)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	95	3,300	93.9	(88.0 - 99.9)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 10b. Adults with regular health care provider¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	83.1	(77.6 - 88.6)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	260	76.2	(66.9 - 85.4)	14,593	78.1	(73.9 - 82.3)
Female	402	89.9	(84.7 - 95.2)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	648	85.8	(81.2 - 90.3)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	76.6	(67.7 - 85.6)	15,692	75.8	(71.0 - 80.6)
Some College	179	91.3	(85.2 - 97.4)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	137	89.4	(82.0 - 96.8)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	212	80.3	(70.8 - 89.7)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	109	87.3	(78.5 - 96.0)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	95	93.2	(86.4 - 100)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	2,300	11.5	(8.1 - 14.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	261	1,100	11.3	(5.8 - 16.9)	14,607	903,300	12.7	(9.5 - 16.0)
Female	402	1,200	11.7	(7.8 - 15.6)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	87	900	15.6	(7.1 - 24.0)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	147	600	13.9	(7.6 - 20.3)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	138	200	7.8	(3.4 - 12.3)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	649	2,300	12.1	(8.5 - 15.6)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	342	1,600	14.3	(9.1 - 19.5)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	181	300	5.7	(2.3 - 9.2)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	183	1,100	22.8	(13.7 - 32.0)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	213	600	9.3	(3.9 - 14.7)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	12.0	(8.3 - 15.7)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	261	12.0	(5.7 - 18.2)	14,607	12.5	(9.4 - 15.6)
Female	402	11.9	(7.9 - 16.0)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	649	12.5	(8.7 - 16.4)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	342	15.0	(9.2 - 20.7)	15,696	17.8	(13.8 - 21.7)
Some College	181	5.5	(2.1 - 8.8)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	213	9.6	(4.0 - 15.2)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	14,100	70.0	(64.9 - 75.2)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	259	6,100	61.2	(52.7 - 69.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	403	8,000	78.5	(73.7 - 83.4)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	146	3,000	71.8	(64.1 - 79.6)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	137	2,400	82.1	(75.3 - 88.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	207	3,400	88.3	(83.6 - 93.1)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	648	13,500	70.3	(65.6 - 75.1)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	7,600	70.2	(62.3 - 78.1)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	181	3,700	73.3	(65.5 - 81.1)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	*	*	*	*	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	212	4,500	66.2	(57.5 - 74.8)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	109	2,600	75.1	(65.7 - 84.4)	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	68.6	(63.2 - 74.1)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	259	59.3	(50.3 - 68.3)	14,592	67.1	(63.3 - 70.9)
Female	403	77.7	(72.5 - 82.8)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	648	68.9	(63.8 - 74.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	68.8	(60.4 - 77.2)	15,640	74.4	(70.4 - 78.4)
Some College	181	71.9	(63.3 - 80.4)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	*	*	*	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	212	64.6	(55.5 - 73.7)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	15,900	78.8	(73.8 - 83.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	259	7,000	70.4	(61.8 - 79.1)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	403	8,900	87.0	(83.0 - 90.9)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	146	3,400	82.3	(75.9 - 88.6)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	137	2,500	86.8	(80.6 - 93.0)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	207	3,500	91.8	(87.9 - 95.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	648	15,300	79.6	(75.2 - 84.0)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	8,400	76.8	(68.9 - 84.7)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	181	4,200	84.0	(77.6 - 90.3)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	135	3,300	78.2	(69.1 - 87.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	212	5,100	76.3	(67.7 - 84.8)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	109	2,900	83.6	(75.4 - 91.9)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	94	3,000	86.3	(78.3 - 94.2)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	77.8	(72.5 - 83.2)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	259	68.9	(59.6 - 78.1)	14,592	81.9	(78.4 - 85.3)
Female	403	86.5	(82.3 - 90.7)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	648	78.6	(73.8 - 83.4)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	75.8	(67.4 - 84.3)	15,640	84.6	(81.1 - 88.1)
Some College	181	83.7	(76.8 - 90.6)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	135	76.2	(66.2 - 86.2)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	212	75.8	(66.8 - 84.8)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	109	81.8	(72.4 - 91.3)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	94	85.9	(77.4 - 94.4)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 14a. Dentist visit within the past year among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	13,700	67.4	(62.7 - 72.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	260	6,400	63.7	(56.0 - 71.4)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	403	7,300	71.0	(65.8 - 76.2)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	147	2,900	69.0	(60.9 - 77.2)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	138	2,000	69.4	(61.0 - 77.8)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	205	2,200	58.9	(51.3 - 66.6)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	649	12,900	67.0	(62.4 - 71.7)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	6,600	60.1	(52.9 - 67.2)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	180	3,600	72.6	(65.0 - 80.3)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	137	3,500	79.7	(71.3 - 88.2)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	212	3,800	56.4	(47.8 - 65.0)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	109	2,900	85.2	(77.4 - 92.9)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	95	3,300	92.3	(86.7 - 97.8)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 14b. Dentist visit within the past year among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	67.8	(62.9 - 72.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	260	64.1	(56.0 - 72.2)	14,573	68.3	(64.6 - 72.1)
Female	403	71.5	(66.0 - 76.9)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	649	67.2	(62.3 - 72.1)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	343	61.1	(53.5 - 68.6)	15,613	65.3	(60.9 - 69.6)
Some College	180	72.4	(64.4 - 80.4)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	137	78.8	(69.7 - 87.9)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	212	56.4	(47.4 - 65.4)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	109	84.9	(76.5 - 93.4)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	95	91.8	(85.6 - 97.9)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	590	13,000	68.4	(63.5 - 73.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	229	6,100	64.6	(56.4 - 72.7)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	361	6,900	72.1	(66.6 - 77.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	133	2,600	67.6	(58.7 - 76.5)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	124	1,900	70.4	(61.6 - 79.2)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	161	1,900	62.4	(53.6 - 71.1)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	578	12,100	67.6	(62.7 - 72.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	289	6,300	63.4	(55.7 - 71.0)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	168	3,300	69.4	(61.0 - 77.7)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	131	3,300	79.4	(70.5 - 88.4)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	191	3,700	59.2	(50.1 - 68.4)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	109	2,700	79.1	(70.1 - 88.1)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	93	3,100	88.3	(81.0 - 95.6)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 15b. Had teeth cleaned within the past year among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	590	68.7	(63.5 - 73.8)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	229	64.6	(56.1 - 73.2)	13,173	69.2	(65.3 - 73.1)
Female	361	72.6	(66.8 - 78.3)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	578	67.7	(62.5 - 72.9)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	289	64.1	(56.1 - 72.1)	12,740	67.7	(63.2 - 72.3)
Some College	168	69.4	(60.6 - 78.2)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	131	78.4	(68.9 - 88.0)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	191	59.4	(49.9 - 68.9)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	109	79.1	(69.6 - 88.7)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	93	88.1	(80.4 - 95.8)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 16a. Permanent teeth extracted due to decay or gum disease¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	10,900	54.3	(49.1 - 59.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	258	5,200	51.9	(43.6 - 60.2)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	398	5,700	56.6	(50.6 - 62.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	144	2,500	60.2	(51.2 - 69.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	137	2,300	80.6	(73.6 - 87.6)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	202	3,100	82.7	(76.7 - 88.6)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	643	10,400	54.0	(49.1 - 59.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	340	6,600	61.0	(53.1 - 69.0)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	177	2,800	56.1	(47.1 - 65.1)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	136	1,500	34.4	(25.3 - 43.5)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	210	3,700	55.3	(46.6 - 64.1)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	51.6	(46.2 - 57.0)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	258	49.3	(40.7 - 57.9)	14,457	47.9	(44.1 - 51.7)
Female	398	53.9	(47.6 - 60.3)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	643	51.3	(46.1 - 56.5)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	340	58.9	(50.6 - 67.3)	15,427	61.3	(56.7 - 66.0)
Some College	177	52.5	(43.0 - 61.9)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	136	32.2	(23.0 - 41.3)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	210	52.3	(43.2 - 61.3)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	202	700	19.8	(13.8 - 25.7)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	70	300	19.3	(9.5 - 29.1)	4,352	167,200	16.4	(11.8 - 20.9)
Female	132	400	20.2	(12.9 - 27.4)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	202	700	19.8	(13.8 - 25.7)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	199	700	20.0	(13.9 - 26.1)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	119	500	23.8	(15.5 - 32.1)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	202	19.7	(13.6 - 25.8)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	70	19.3	(9.5 - 29.1)	4,352	16.5	(11.5 - 21.4)
Female	132	20.2	(12.9 - 27.4)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	199	20.0	(13.7 - 26.2)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	119	23.6	(15.2 - 32.0)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 18a. Flu shot within the past 12 months¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	7,800	38.4	(33.8 - 43.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	261	3,400	33.8	(26.8 - 40.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	404	4,400	42.8	(37.1 - 48.6)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	240	3,000	26.3	(19.9 - 32.8)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	218	1,900	37.9	(30.9 - 44.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	207	2,900	75.0	(68.2 - 81.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	651	7,700	39.9	(35.3 - 44.5)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	344	3,600	33.1	(26.8 - 39.3)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	181	2,500	49.5	(40.8 - 58.2)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	137	1,700	38.3	(28.9 - 47.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	213	2,300	34.7	(27.0 - 42.3)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	109	1,200	35.8	(25.8 - 45.8)	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 18b. Flu shot within the past 12 months¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	37.2	(32.4 - 42.0)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	261	33.2	(25.8 - 40.6)	14,579	40.0	(36.2 - 43.8)
Female	404	41.1	(35.1 - 47.1)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	651	38.7	(33.9 - 43.5)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	344	31.7	(25.1 - 38.3)	15,663	43.7	(39.1 - 48.2)
Some College	181	48.8	(39.6 - 58.0)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	137	36.7	(27.1 - 46.4)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	213	34.8	(26.8 - 42.8)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	109	32.9	(23.0 - 42.8)	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	7,900	38.9	(34.3 - 43.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	260	3,500	34.6	(27.5 - 41.7)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	404	4,400	43.1	(37.3 - 48.9)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	239	3,100	27.2	(20.7 - 33.7)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	218	1,900	37.9	(30.9 - 44.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	207	2,900	75.0	(68.2 - 81.8)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	650	7,800	40.5	(35.9 - 45.0)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	344	3,700	33.5	(27.2 - 39.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	181	2,500	49.5	(40.8 - 58.2)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	136	1,700	39.7	(30.1 - 49.2)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	213	2,400	35.4	(27.7 - 43.1)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	109	1,200	35.8	(25.8 - 45.8)	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	37.8	(33.0 - 42.7)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	260	34.2	(26.6 - 41.7)	14,568	40.4	(36.6 - 44.2)
Female	404	41.5	(35.5 - 47.5)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	650	39.4	(34.6 - 44.3)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	344	32.3	(25.7 - 39.0)	15,651	44.1	(39.6 - 48.6)
Some College	181	48.8	(39.6 - 58.0)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	136	38.2	(28.4 - 48.0)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	213	35.8	(27.7 - 43.9)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	109	32.9	(23.0 - 42.8)	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 21a. Flu shot among adults aged 65 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	207	2,900	75.0	(68.2 - 81.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	71	1,400	79.7	(69.9 - 89.4)	4,417	772,900	74.6	(69.3 - 79.8)
Female	136	1,500	71.0	(61.8 - 80.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	207	2,900	75.0	(68.2 - 81.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	203	2,800	75.8	(69.4 - 82.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	122	1,600	73.5	(64.8 - 82.1)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	89	1,100	74.8	(64.8 - 84.7)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 21b. Flu shot among adults aged 65 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	207	75.3	(68.5 - 82.1)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	71	79.7	(69.9 - 89.4)	4,417	74.4	(68.7 - 80.1)
Female	136	71.0	(61.8 - 80.2)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	203	76.1	(69.6 - 82.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	122	73.7	(65.0 - 82.4)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	621	4,700	25.5	(21.5 - 29.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	233	2,400	27.3	(20.5 - 34.2)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	388	2,300	23.8	(19.3 - 28.3)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	217	1,100	11.1	(6.1 - 16.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	204	1,000	21.4	(15.3 - 27.5)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	200	2,600	69.7	(62.5 - 77.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	609	4,600	26.1	(22.1 - 30.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	322	2,400	23.6	(18.4 - 28.8)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	173	1,600	34.0	(25.4 - 42.6)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	123	700	18.4	(10.9 - 25.9)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	172	1,400	31.5	(22.4 - 40.6)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	203	1,500	23.7	(17.5 - 30.0)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	86	500	17.0	(8.2 - 25.8)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	621	24.0	(20.0 - 28.1)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	233	27.1	(19.9 - 34.2)	13,052	25.8	(22.3 - 29.4)
Female	388	21.3	(17.0 - 25.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	609	24.7	(20.6 - 28.8)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	322	22.0	(16.8 - 27.2)	14,700	29.5	(25.6 - 33.5)
Some College	173	32.5	(23.5 - 41.5)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	123	17.5	(9.9 - 25.1)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	172	28.6	(19.7 - 37.4)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	203	22.9	(16.6 - 29.2)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	86	16.9	(7.5 - 26.3)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	200	2,600	69.7	(62.5 - 77.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	133	1,300	65.1	(55.4 - 74.7)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	200	2,600	69.7	(62.5 - 77.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	196	2,500	70.4	(63.4 - 77.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	118	1,400	67.1	(57.7 - 76.6)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	200	70.1	(62.9 - 77.4)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	133	65.1	(55.4 - 74.7)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	196	70.8	(63.7 - 77.8)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	118	67.0	(57.4 - 76.6)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	313	5,800	92.3	(88.7 - 96.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	313	5,800	92.3	(88.7 - 96.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	60	1,600	88.1	(78.6 - 97.5)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	117	2,200	91.3	(85.4 - 97.1)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	136	2,000	97.3	(94.8 - 99.8)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	306	5,600	92.9	(89.5 - 96.4)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	159	2,800	92.3	(87.3 - 97.3)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	99	1,900	94.7	(90.2 - 99.3)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	*	*	*	*	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	102	1,400	88.6	(80.8 - 96.4)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	87	1,900	98.4	(96.2 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	313	91.3	(86.8 - 95.8)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	313	91.3	(86.8 - 95.8)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	306	92.1	(88.0 - 96.3)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	159	91.6	(85.7 - 97.6)	8,266	90.2	(86.1 - 94.2)
Some College	99	94.1	(89.1 - 99.2)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	*	*	*	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	102	86.6	(76.6 - 96.5)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	87	98.5	(96.3 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	312	4,900	78.5	(73.3 - 83.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	312	4,900	78.5	(73.3 - 83.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	117	1,900	81.9	(74.3 - 89.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	135	1,500	74.5	(66.2 - 82.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	305	4,800	80.1	(75.1 - 85.0)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	158	2,300	74.7	(66.9 - 82.5)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	99	1,700	84.6	(77.8 - 91.4)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	87	1,500	79.5	(70.3 - 88.7)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	312	77.7	(72.0 - 83.4)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	312	77.7	(72.0 - 83.4)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	305	79.4	(74.0 - 84.9)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	74.9	(66.8 - 83.1)	8,204	80.1	(75.6 - 84.7)
Some College	99	84.8	(77.9 - 91.7)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	87	80.1	(71.1 - 89.2)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	252	3,500	78.4	(72.8 - 84.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	252	3,500	78.4	(72.8 - 84.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	117	1,900	81.9	(74.3 - 89.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	135	1,500	74.5	(66.2 - 82.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	247	3,400	79.9	(74.4 - 85.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	131	1,600	71.6	(62.8 - 80.5)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	79	1,200	81.6	(73.0 - 90.1)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	252	78.5	(72.9 - 84.1)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	252	78.5	(72.9 - 84.1)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	247	79.9	(74.5 - 85.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	131	71.8	(63.0 - 80.6)	7,026	83.6	(80.1 - 87.0)
Some College	79	81.4	(72.6 - 90.1)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 27a. Ever had a Pap test among women¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	402	9,500	93.7	(90.1 - 97.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	402	9,500	93.7	(90.1 - 97.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	56	1,700	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	76	2,000	99.4	(98.3 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	78	1,400	98.7	(96.9 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	136	2,000	94.3	(90.7 - 97.9)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	393	9,000	93.4	(89.6 - 97.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	194	4,500	93.5	(88.6 - 98.4)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	123	2,800	91.4	(83.0 - 99.8)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	84	2,300	97.0	(93.1 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	120	2,400	91.0	(82.7 - 99.3)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	117	3,000	94.0	(87.2 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	67	1,800	99.5	(98.5 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	51	1,500	94.9	(85.2 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 27b. Ever had a Pap test among women¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	402	93.6	(89.8 - 97.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	402	93.6	(89.8 - 97.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	393	93.2	(89.2 - 97.2)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	194	93.4	(88.1 - 98.7)	9,526	87.8	(83.2 - 92.4)
Some College	123	91.0	(82.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	84	97.0	(93.0 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	120	90.8	(81.8 - 99.8)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	117	93.6	(86.2 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	67	99.6	(98.8 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	51	94.9	(85.4 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	396	7,800	77.6	(72.8 - 82.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	396	7,800	77.6	(72.8 - 82.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	55	1,500	89.1	(80.2 - 98.0)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	76	1,700	87.4	(79.7 - 95.1)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	77	1,100	77.7	(67.8 - 87.6)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	132	1,100	54.7	(45.1 - 64.3)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	387	7,400	77.4	(72.4 - 82.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	3,500	74.0	(66.6 - 81.4)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	121	2,300	76.0	(66.5 - 85.5)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	83	2,000	87.1	(79.1 - 95.0)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	116	2,500	80.5	(72.1 - 88.9)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	67	1,600	88.1	(79.7 - 96.5)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 28b. Had a Pap test within the past 3 years among women¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	396	78.9	(73.9 - 83.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	396	78.9	(73.9 - 83.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	387	78.5	(73.4 - 83.6)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	191	75.8	(68.3 - 83.2)	9,384	76.4	(71.3 - 81.5)
Some College	121	77.3	(67.6 - 87.1)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	83	86.6	(77.8 - 95.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	116	82.0	(73.6 - 90.5)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	67	88.7	(80.1 - 97.3)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	213	4,000	62.6	(54.6 - 70.7)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	213	4,000	62.6	(54.6 - 70.7)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	69	1,400	81.0	(71.8 - 90.2)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	209	3,900	63.2	(55.0 - 71.3)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	213	60.9	(52.0 - 69.9)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	213	60.9	(52.0 - 69.9)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	209	61.4	(52.3 - 70.4)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	2,800	44.9	(37.2 - 52.7)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	208	2,800	44.9	(37.2 - 52.7)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	204	2,700	45.1	(37.2 - 52.9)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	116	1,200	35.8	(26.1 - 45.5)	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	43.1	(34.9 - 51.4)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	208	43.1	(34.9 - 51.4)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	204	43.3	(34.9 - 51.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	116	33.6	(23.6 - 43.6)	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	207	3,300	53.9	(45.9 - 62.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	207	3,300	53.9	(45.9 - 62.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	66	1,400	81.9	(72.7 - 91.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	203	3,300	54.3	(46.1 - 62.5)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	207	50.9	(42.2 - 59.6)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	207	50.9	(42.2 - 59.6)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	203	51.2	(42.4 - 60.0)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	204	2,900	48.2	(40.3 - 56.1)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	204	2,900	48.2	(40.3 - 56.1)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	200	2,900	48.5	(40.4 - 56.5)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	204	45.7	(37.4 - 54.1)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	204	45.7	(37.4 - 54.1)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	45.9	(37.4 - 54.4)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 33b. Prostate cancer among men aged 40 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	419	4,200	47.1	(41.7 - 52.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	165	1,900	42.7	(34.5 - 50.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	254	2,300	51.4	(44.5 - 58.3)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	214	1,900	38.3	(31.2 - 45.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	205	2,200	58.7	(51.0 - 66.3)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	410	4,000	47.2	(41.8 - 52.6)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	2,100	44.0	(36.8 - 51.2)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	120	1,300	49.3	(39.3 - 59.2)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	129	1,100	52.5	(42.8 - 62.2)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	137	1,500	47.4	(38.1 - 56.6)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	419	47.2	(41.8 - 52.6)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	165	43.6	(35.4 - 51.8)	9,571	39.4	(35.3 - 43.5)
Female	254	50.9	(43.9 - 57.8)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	410	47.3	(41.9 - 52.8)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	43.7	(36.5 - 50.9)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	129	52.1	(42.3 - 61.9)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	137	47.7	(38.4 - 57.0)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	1,400	16.1	(12.3 - 19.8)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	164	700	15.3	(9.7 - 21.0)	9,508	444,400	16.0	(13.2 - 18.9)
Female	251	700	16.8	(11.8 - 21.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	214	800	15.9	(10.7 - 21.0)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	201	600	16.3	(10.9 - 21.7)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	406	1,400	16.3	(12.4 - 20.1)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	700	15.7	(10.6 - 20.8)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	118	400	17.1	(10.0 - 24.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	70	200	16.2	(7.0 - 25.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	129	400	19.7	(12.4 - 27.0)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	136	600	18.7	(11.7 - 25.7)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	15.9	(12.2 - 19.7)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	164	15.4	(9.7 - 21.1)	9,508	16.4	(13.2 - 19.6)
Female	251	16.5	(11.6 - 21.3)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	406	16.1	(12.3 - 20.0)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	15.5	(10.4 - 20.6)	11,026	12.7	(9.2 - 16.1)
Some College	118	17.0	(9.9 - 24.1)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	70	16.4	(7.1 - 25.6)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	129	19.2	(12.0 - 26.4)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	136	18.5	(11.6 - 25.5)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	2,300	26.0	(21.4 - 30.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	164	1,100	25.8	(18.6 - 32.9)	9,508	593,100	21.4	(18.3 - 24.5)
Female	251	1,200	26.3	(20.3 - 32.3)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	214	1,100	22.0	(16.1 - 27.9)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	201	1,200	31.4	(24.1 - 38.7)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	406	2,200	26.6	(21.9 - 31.3)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	1,100	24.5	(18.5 - 30.6)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	118	600	25.8	(17.2 - 34.4)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	*	*	*	*	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	129	700	32.0	(23.0 - 41.0)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	136	800	24.7	(17.0 - 32.4)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	26.2	(21.5 - 30.9)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	164	26.4	(19.0 - 33.7)	9,508	21.7	(18.3 - 25.1)
Female	251	26.0	(20.0 - 31.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	406	26.7	(21.9 - 31.5)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	24.6	(18.4 - 30.7)	11,026	19.5	(15.4 - 23.7)
Some College	118	26.0	(17.3 - 34.8)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	*	*	*	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	129	32.2	(23.1 - 41.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	136	24.4	(16.7 - 32.0)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	420	4,400	50.1	(44.7 - 55.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	166	2,100	48.7	(40.5 - 57.0)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	254	2,300	51.4	(44.5 - 58.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	136	1,500	51.3	(42.2 - 60.4)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	205	2,200	58.3	(50.8 - 65.9)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	411	4,200	49.3	(43.9 - 54.7)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	2,100	45.4	(38.2 - 52.6)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	120	1,300	52.4	(42.5 - 62.3)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	130	1,000	46.1	(36.5 - 55.7)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	136	1,600	51.6	(42.3 - 60.9)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	420	50.1	(44.7 - 55.5)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	166	49.0	(40.7 - 57.2)	9,582	68.5	(64.5 - 72.5)
Female	254	51.2	(44.3 - 58.2)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	411	49.3	(43.9 - 54.8)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	44.9	(37.7 - 52.2)	11,121	61.3	(56.4 - 66.2)
Some College	120	52.9	(43.0 - 62.9)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	130	45.8	(36.0 - 55.5)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	136	51.9	(42.5 - 61.2)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	417	4,000	45.9	(40.5 - 51.2)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	165	2,000	45.4	(37.2 - 53.7)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	252	2,000	46.3	(39.4 - 53.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	136	1,500	51.3	(42.2 - 60.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	202	1,900	51.2	(43.4 - 59.0)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	408	3,900	45.8	(40.4 - 51.2)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	2,000	42.0	(34.9 - 49.2)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	119	1,200	46.1	(36.1 - 56.1)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	130	900	40.1	(30.7 - 49.6)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	135	1,400	46.5	(37.2 - 55.9)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	417	45.8	(40.4 - 51.2)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	165	45.6	(37.3 - 53.8)	9,521	66.9	(62.9 - 70.9)
Female	252	46.1	(39.1 - 53.0)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	408	45.7	(40.3 - 51.2)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	41.5	(34.4 - 48.7)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	130	40.0	(30.4 - 49.5)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	135	46.6	(37.2 - 56.0)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	411	4,800	56.0	(50.6 - 61.4)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	163	2,300	54.5	(46.2 - 62.8)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	248	2,500	57.5	(50.6 - 64.5)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	132	1,800	65.5	(56.8 - 74.2)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	200	2,300	61.8	(54.2 - 69.3)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	402	4,700	56.3	(50.8 - 61.7)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	2,300	50.6	(43.2 - 58.0)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	117	1,500	58.7	(48.7 - 68.6)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	130	1,100	51.0	(41.4 - 60.7)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	134	1,800	58.1	(48.8 - 67.5)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	411	55.9	(50.5 - 61.4)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	163	54.8	(46.5 - 63.1)	9,418	71.5	(67.6 - 75.4)
Female	248	57.1	(50.1 - 64.1)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	402	56.2	(50.7 - 61.7)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	50.2	(42.7 - 57.6)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	130	50.6	(40.8 - 60.3)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	134	58.3	(49.0 - 67.7)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 40a. High blood pressure among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	6,100	30.1	(25.8 - 34.3)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	259	3,200	31.6	(24.5 - 38.7)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	404	2,900	28.6	(23.9 - 33.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	87	800	13.3	(4.2 - 22.3)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	86	400	12.6	(4.7 - 20.6)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	147	1,300	31.6	(23.4 - 39.7)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	138	1,300	44.3	(35.3 - 53.3)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	205	2,300	59.5	(51.8 - 67.3)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	649	6,000	31.2	(26.9 - 35.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	343	3,500	32.0	(25.6 - 38.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	181	1,700	33.5	(25.8 - 41.1)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	137	900	21.6	(14.1 - 29.2)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	213	2,000	30.1	(22.3 - 37.8)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	95	600	17.7	(9.9 - 25.4)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 40b. High blood pressure among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	27.9	(23.6 - 32.2)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	259	30.4	(23.1 - 37.7)	14,611	27.7	(24.7 - 30.7)
Female	404	25.4	(20.9 - 30.0)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	649	29.0	(24.6 - 33.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	343	29.8	(23.3 - 36.4)	15,688	32.1	(28.4 - 35.8)
Some College	181	30.9	(23.2 - 38.6)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	137	20.1	(12.6 - 27.6)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	213	28.1	(20.2 - 36.1)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	95	15.9	(8.5 - 23.3)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	259	4,900	80.5	(72.3 - 88.7)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	163	2,600	87.4	(81.0 - 93.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	61	1,200	91.1	(84.2 - 98.0)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	125	2,100	93.7	(88.6 - 98.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	256	4,800	80.2	(71.8 - 88.5)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	97	1,600	87.4	(79.0 - 95.7)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	259	78.7	(69.5 - 87.8)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	163	85.9	(78.4 - 93.4)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	256	78.3	(69.1 - 87.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	97	86.9	(77.6 - 96.1)	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	14,800	74.5	(69.2 - 79.9)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	258	7,300	72.2	(63.4 - 80.9)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	394	7,600	76.9	(70.9 - 82.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	145	3,600	87.0	(81.1 - 92.9)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	137	2,700	91.0	(85.5 - 96.6)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	204	3,700	96.9	(94.4 - 99.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	638	14,400	76.3	(71.5 - 81.0)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	336	7,700	71.7	(63.5 - 79.8)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	180	3,800	77.1	(68.3 - 85.9)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	133	3,200	78.4	(68.9 - 87.8)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	210	5,000	75.9	(67.7 - 84.0)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 42b. Ever had blood cholesterol checked among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	73.1	(67.5 - 78.7)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	258	70.9	(61.8 - 80.1)	14,389	78.0	(73.9 - 82.1)
Female	394	75.3	(68.9 - 81.7)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	638	75.0	(69.9 - 80.0)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	336	70.1	(61.5 - 78.7)	15,342	70.2	(65.2 - 75.1)
Some College	180	75.9	(66.7 - 85.2)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	*	*	*	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	210	74.4	(65.8 - 83.1)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	14,100	71.4	(66.0 - 76.7)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	255	6,800	67.6	(58.8 - 76.3)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	391	7,400	75.2	(69.2 - 81.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	145	3,500	84.4	(78.1 - 90.8)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	135	2,500	86.2	(79.7 - 92.7)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	200	3,600	96.6	(93.9 - 99.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	632	13,700	73.0	(68.1 - 77.8)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	7,200	67.8	(59.7 - 76.0)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	179	3,700	76.0	(67.2 - 84.7)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	133	3,100	74.4	(64.7 - 84.1)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	209	4,700	71.7	(63.3 - 80.2)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	69.9	(64.3 - 75.6)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	255	66.4	(57.3 - 75.5)	14,307	74.8	(70.7 - 79.0)
Female	391	73.5	(67.1 - 79.9)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	632	71.6	(66.5 - 76.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	66.3	(57.7 - 74.9)	15,215	67.8	(62.9 - 72.8)
Some College	179	75.0	(65.7 - 84.3)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	*	*	*	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	209	70.2	(61.3 - 79.1)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 44a. Cardiovascular disease among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	2,000	9.8	(7.5 - 12.1)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	261	1,200	11.8	(7.9 - 15.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	397	800	7.8	(5.2 - 10.4)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	144	400	9.7	(4.5 - 15.0)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	137	400	15.0	(8.2 - 21.7)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	205	1,000	27.1	(20.1 - 34.2)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	644	1,900	9.8	(7.5 - 12.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	339	1,300	12.1	(8.6 - 15.7)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	179	400	9.0	(4.7 - 13.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	*	*	*	*	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	183	800	17.2	(10.9 - 23.5)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	211	700	10.4	(6.3 - 14.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 44b. Cardiovascular disease among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	8.8	(6.6 - 10.9)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	261	10.7	(7.1 - 14.3)	14,477	9.7	(7.8 - 11.7)
Female	397	6.8	(4.4 - 9.1)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	644	8.8	(6.6 - 11.0)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	339	10.9	(7.6 - 14.1)	15,486	10.5	(8.0 - 13.0)
Some College	179	8.0	(4.1 - 11.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	*	*	*	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	183	15.5	(9.6 - 21.5)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	211	9.4	(5.6 - 13.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 45a. Coronary heart disease among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	1,500	7.6	(5.6 - 9.6)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	261	900	9.3	(6.0 - 12.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	397	600	5.8	(3.5 - 8.1)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	137	300	11.2	(5.2 - 17.1)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	205	900	23.0	(16.2 - 29.8)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	644	1,400	7.5	(5.4 - 9.5)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	339	1,100	10.1	(6.8 - 13.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	179	300	6.6	(2.9 - 10.2)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	*	*	*	*	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	183	600	13.0	(7.6 - 18.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	211	600	8.4	(4.6 - 12.2)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 45b. Coronary heart disease among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	6.8	(4.9 - 8.6)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	261	8.4	(5.4 - 11.5)	14,479	8.8	(6.9 - 10.8)
Female	397	5.1	(3.0 - 7.1)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	644	6.7	(4.9 - 8.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	339	9.0	(6.0 - 12.0)	15,485	8.5	(6.2 - 10.7)
Some College	179	6.0	(2.5 - 9.4)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	*	*	*	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	183	11.8	(6.8 - 16.9)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	211	7.6	(4.1 - 11.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	2,200	11.0	(8.5 - 13.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	261	900	8.9	(5.5 - 12.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	404	1,300	13.1	(9.3 - 16.9)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	147	500	11.3	(5.6 - 17.0)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	138	500	16.3	(9.8 - 22.8)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	207	800	19.7	(13.7 - 25.8)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	651	2,100	11.0	(8.4 - 13.6)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	344	1,200	10.9	(7.4 - 14.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	181	900	17.3	(10.9 - 23.6)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	137	200	4.4	(1.4 - 7.5)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	184	900	18.8	(11.7 - 25.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	213	800	12.1	(7.2 - 16.9)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 46b. Ever diagnosed with diabetes among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	10.4	(7.8 - 12.9)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	261	8.1	(4.9 - 11.3)	14,626	7.5	(6.1 - 8.9)
Female	404	12.6	(8.7 - 16.5)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	651	10.3	(7.7 - 12.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	344	10.4	(6.8 - 13.9)	15,709	12.6	(10.0 - 15.2)
Some College	181	16.3	(9.9 - 22.6)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	137	3.9	(1.1 - 6.7)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	184	17.7	(10.5 - 24.9)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	213	11.8	(6.9 - 16.8)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	2,400	11.8	(8.4 - 15.1)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	259	1,000	9.7	(5.0 - 14.5)	14,601	875,800	12.4	(10.1 - 14.7)
Female	404	1,400	13.8	(9.2 - 18.4)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	87	1,100	17.9	(8.4 - 27.3)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	86	300	9.7	(3.1 - 16.2)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	146	400	10.6	(5.7 - 15.6)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	138	300	11.7	(6.2 - 17.2)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	206	200	5.5	(2.2 - 8.9)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	649	2,200	11.5	(8.4 - 14.6)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	342	1,100	10.4	(5.5 - 15.2)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	181	600	12.1	(6.7 - 17.5)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	137	700	15.2	(7.7 - 22.7)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	184	600	13.1	(5.5 - 20.7)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	212	800	11.6	(5.7 - 17.4)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	108	300	10.2	(3.1 - 17.2)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	95	400	10.2	(3.8 - 16.6)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	12.0	(8.4 - 15.5)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	259	9.9	(4.8 - 15.0)	14,601	12.6	(10.3 - 14.9)
Female	404	14.0	(9.1 - 18.9)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	649	11.7	(8.4 - 15.0)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	342	10.5	(5.4 - 15.6)	15,675	15.1	(12.1 - 18.0)
Some College	181	12.0	(6.4 - 17.7)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	137	15.6	(7.7 - 23.6)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	184	12.7	(4.7 - 20.6)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	212	12.2	(6.0 - 18.4)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	108	10.4	(3.0 - 17.7)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	95	10.3	(3.2 - 17.3)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 48a. Current asthma among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	1,800	8.8	(5.9 - 11.7)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	259	600	6.4	(2.7 - 10.0)	14,546	440,700	6.3	(4.8 - 7.7)
Female	404	1,200	11.2	(6.8 - 15.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	87	800	12.7	(4.5 - 20.8)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	146	300	7.6	(3.3 - 11.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	138	300	9.3	(4.3 - 14.4)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	206	200	5.5	(2.2 - 8.9)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	649	1,600	8.4	(5.8 - 11.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	342	800	7.7	(3.6 - 11.7)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	181	400	8.8	(4.0 - 13.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	137	500	11.9	(4.9 - 19.0)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	184	600	12.4	(4.9 - 20.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	212	600	8.2	(3.7 - 12.7)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 48b. Current asthma among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	8.9	(5.8 - 12.0)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	259	6.5	(2.5 - 10.4)	14,546	6.4	(4.9 - 7.9)
Female	404	11.3	(6.7 - 15.9)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	649	8.4	(5.7 - 11.1)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	342	7.7	(3.5 - 12.0)	15,594	10.8	(8.3 - 13.3)
Some College	181	8.4	(3.6 - 13.2)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	137	12.4	(4.8 - 19.9)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	184	12.1	(4.2 - 20.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	212	8.8	(3.9 - 13.7)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 49a. Chronic joint symptoms among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	9,800	48.1	(43.0 - 53.1)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	260	5,400	53.1	(45.0 - 61.2)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	402	4,400	43.1	(37.4 - 48.9)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	147	2,500	59.4	(50.4 - 68.3)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	138	1,600	55.2	(46.1 - 64.3)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	204	2,300	62.1	(54.7 - 69.5)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	648	9,100	47.3	(42.5 - 52.1)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	342	5,000	45.3	(37.8 - 52.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	180	3,000	60.0	(51.5 - 68.5)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	137	1,800	40.7	(31.0 - 50.5)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	213	3,200	47.6	(39.2 - 56.0)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 49b. Chronic joint symptoms among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	46.7	(41.4 - 52.1)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	260	52.7	(44.1 - 61.3)	14,595	42.6	(38.8 - 46.3)
Female	402	40.9	(34.9 - 46.8)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	648	46.1	(41.0 - 51.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	342	43.7	(35.8 - 51.6)	15,676	43.1	(38.8 - 47.5)
Some College	180	59.2	(50.2 - 68.2)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	213	45.8	(37.2 - 54.4)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 50a. Arthritis among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	7,200	35.3	(30.9 - 39.6)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	260	3,300	32.7	(26.0 - 39.4)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	402	3,900	37.8	(32.3 - 43.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	86	800	23.5	(13.8 - 33.1)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	147	1,900	45.9	(36.9 - 54.9)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	137	1,500	50.3	(41.2 - 59.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	206	2,500	65.8	(58.4 - 73.2)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	648	7,000	36.2	(31.9 - 40.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	342	3,700	34.2	(28.0 - 40.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	181	2,100	42.4	(34.1 - 50.8)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	136	1,200	28.6	(20.1 - 37.0)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	182	1,700	35.2	(25.9 - 44.6)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	213	2,500	37.6	(30.0 - 45.2)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	95	1,000	28.7	(19.1 - 38.2)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 50b. Arthritis among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	32.9	(28.5 - 37.2)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	260	30.6	(23.9 - 37.4)	14,555	23.5	(20.9 - 26.1)
Female	402	35.0	(29.6 - 40.5)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	648	33.8	(29.4 - 38.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	342	31.4	(25.2 - 37.5)	15,652	30.4	(26.9 - 33.8)
Some College	181	40.2	(31.6 - 48.9)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	136	27.1	(18.6 - 35.6)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	182	32.3	(23.0 - 41.6)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	213	34.9	(27.3 - 42.4)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	95	28.0	(18.1 - 37.9)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	4,200	20.7	(17.2 - 24.2)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	260	2,000	19.5	(14.3 - 24.7)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	399	2,200	22.0	(17.3 - 26.6)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	86	500	15.1	(7.3 - 22.9)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	145	1,000	24.8	(17.2 - 32.4)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	138	800	28.7	(20.7 - 36.7)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	203	1,300	34.8	(27.3 - 42.4)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	645	4,000	20.6	(17.2 - 24.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	339	2,500	22.7	(17.4 - 27.9)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	180	1,200	23.2	(16.5 - 30.0)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	137	600	13.3	(7.4 - 19.3)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	181	1,500	30.2	(21.1 - 39.3)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	213	1,400	20.7	(14.9 - 26.5)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	108	500	15.2	(7.9 - 22.6)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	95	500	12.8	(6.2 - 19.4)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	19.7	(16.1 - 23.2)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	260	17.9	(12.9 - 23.0)	14,566	18.6	(15.8 - 21.4)
Female	399	21.4	(16.5 - 26.2)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	645	19.5	(16.0 - 22.9)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	339	21.5	(16.2 - 26.8)	15,626	23.8	(20.1 - 27.4)
Some College	180	22.4	(15.3 - 29.4)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	137	12.5	(6.6 - 18.3)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	181	28.9	(19.5 - 38.2)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	213	19.5	(13.7 - 25.3)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	108	14.9	(7.4 - 22.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	95	11.9	(5.2 - 18.6)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	1,700	8.3	(6.1 - 10.6)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	261	900	9.3	(5.4 - 13.1)	14,617	460,700	6.5	(5.3 - 7.7)
Female	404	800	7.4	(5.0 - 9.8)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	147	400	10.1	(4.3 - 16.0)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	138	200	7.9	(3.1 - 12.7)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	207	800	20.7	(14.5 - 26.9)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	651	1,600	8.4	(6.1 - 10.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	344	1,200	10.6	(7.0 - 14.3)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	181	300	7.0	(3.1 - 10.8)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	137	200	4.2	(1.2 - 7.1)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	184	800	15.3	(9.5 - 21.1)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	213	600	8.9	(4.3 - 13.5)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	7.7	(5.5 - 9.8)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	261	8.7	(4.9 - 12.4)	14,617	6.8	(5.5 - 8.0)
Female	404	6.6	(4.4 - 8.9)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	651	7.8	(5.5 - 10.0)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	344	9.9	(6.4 - 13.5)	15,711	10.3	(8.3 - 12.3)
Some College	181	6.3	(2.7 - 9.8)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	137	3.7	(1.0 - 6.5)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	184	14.0	(8.4 - 19.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	213	8.3	(3.8 - 12.8)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 53a. Disability among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	4,700	23.2	(19.5 - 26.9)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	260	2,300	22.6	(16.9 - 28.3)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	400	2,400	23.8	(19.1 - 28.6)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	87	600	9.8	(3.1 - 16.6)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	86	600	16.7	(8.4 - 24.9)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	145	1,100	26.4	(18.5 - 34.3)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	138	800	28.7	(20.7 - 36.7)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	204	1,600	42.4	(34.7 - 50.1)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	646	4,500	23.2	(19.6 - 26.9)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	340	2,800	26.0	(20.4 - 31.7)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	180	1,200	25.1	(18.2 - 32.0)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	137	600	14.3	(8.2 - 20.5)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	182	1,600	32.2	(22.9 - 41.5)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	213	1,600	23.9	(17.5 - 30.4)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	108	600	17.7	(9.7 - 25.8)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	95	500	14.3	(7.2 - 21.4)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 53b. Disability among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	22.0	(18.3 - 25.8)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	260	21.1	(15.5 - 26.8)	14,568	20.9	(18.0 - 23.8)
Female	400	22.9	(18.0 - 27.9)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	646	22.0	(18.3 - 25.7)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	340	24.8	(19.1 - 30.6)	15,638	26.8	(23.0 - 30.6)
Some College	180	24.0	(16.9 - 31.2)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	137	13.4	(7.3 - 19.5)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	182	30.6	(21.0 - 40.1)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	213	22.8	(16.3 - 29.3)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	108	17.0	(8.9 - 25.0)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	95	13.7	(6.3 - 21.1)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 54a. Current smoking among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	3,900	18.9	(14.3 - 23.6)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	260	2,200	22.1	(14.2 - 30.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	403	1,600	15.8	(11.1 - 20.4)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	86	500	15.1	(6.7 - 23.6)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	146	800	19.4	(12.2 - 26.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	138	400	13.8	(7.2 - 20.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	206	300	6.5	(2.9 - 10.2)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	649	3,400	17.8	(13.9 - 21.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	344	2,500	22.4	(15.1 - 29.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	181	1,000	20.5	(13.4 - 27.7)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	135	400	8.4	(2.4 - 14.4)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	213	1,300	18.8	(12.1 - 25.5)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	109	700	20.3	(10.7 - 29.8)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	94	400	10.5	(3.5 - 17.6)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 54b. Current smoking among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	19.3	(14.5 - 24.1)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	260	22.1	(13.9 - 30.3)	14,559	19.2	(16.3 - 22.1)
Female	403	16.5	(11.5 - 21.5)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	649	18.1	(14.1 - 22.2)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	344	23.2	(15.5 - 31.0)	15,654	22.8	(19.5 - 26.0)
Some College	181	21.1	(13.4 - 28.8)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	135	7.8	(1.9 - 13.8)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	213	19.3	(12.2 - 26.3)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	94	11.2	(3.2 - 19.1)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 55a. Everyday smoking among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	2,400	11.7	(8.5 - 15.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	260	1,300	13.1	(8.0 - 18.1)	14,559	848,400	12.0	(10.0 - 14.1)
Female	403	1,100	10.4	(6.5 - 14.4)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	87	1,000	17.1	(8.6 - 25.5)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	146	600	14.9	(8.2 - 21.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	*	*	*	*	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	206	200	6.0	(2.5 - 9.5)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	649	2,300	12.1	(8.8 - 15.4)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	344	1,400	12.7	(8.0 - 17.4)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	181	800	16.1	(9.5 - 22.6)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	184	700	13.6	(6.9 - 20.3)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	213	800	12.1	(6.3 - 18.0)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	109	400	12.8	(5.3 - 20.2)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 55b. Everyday smoking among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	11.9	(8.5 - 15.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	260	13.1	(7.8 - 18.4)	14,559	12.1	(10.1 - 14.1)
Female	403	10.7	(6.5 - 14.9)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	649	12.3	(8.8 - 15.7)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	344	13.0	(8.0 - 18.0)	15,654	16.4	(13.8 - 19.0)
Some College	181	16.4	(9.4 - 23.4)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	184	13.4	(6.5 - 20.4)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	213	12.3	(6.3 - 18.4)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	109	12.9	(5.0 - 20.8)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	15,300	75.3	(71.0 - 79.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	260	7,500	73.8	(67.2 - 80.5)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	401	7,800	76.7	(71.3 - 82.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	146	3,100	74.1	(66.6 - 81.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	137	2,200	74.6	(66.3 - 83.0)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	205	2,800	73.0	(65.9 - 80.0)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	647	14,600	75.9	(71.8 - 80.0)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	340	7,900	72.2	(65.6 - 78.7)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	181	3,800	76.4	(69.4 - 83.3)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	137	3,500	81.5	(73.5 - 89.4)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	213	5,200	77.4	(70.7 - 84.1)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	109	2,700	78.5	(69.7 - 87.2)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	95	3,000	84.4	(76.8 - 92.1)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	75.6	(71.1 - 80.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	260	74.5	(67.5 - 81.5)	14,577	79.4	(76.7 - 82.2)
Female	401	76.6	(71.0 - 82.3)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	647	76.2	(71.8 - 80.5)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	340	72.1	(65.1 - 79.1)	15,647	76.9	(73.8 - 80.0)
Some College	181	76.2	(68.8 - 83.6)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	137	83.0	(75.1 - 90.9)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	213	77.9	(71.1 - 84.7)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	109	79.2	(70.3 - 88.1)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	95	85.1	(77.2 - 93.1)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 57a. Binge drinking within the past month among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	4,300	21.4	(16.8 - 25.9)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	255	2,800	28.8	(21.0 - 36.5)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	401	1,400	14.2	(9.6 - 18.9)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	146	800	18.3	(11.3 - 25.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	137	400	13.9	(7.0 - 20.7)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	642	4,200	21.9	(17.3 - 26.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	338	2,400	22.2	(15.5 - 28.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	179	1,000	21.2	(13.1 - 29.3)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	136	900	19.9	(10.7 - 29.1)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	183	700	14.6	(6.2 - 22.9)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	211	1,300	19.3	(12.0 - 26.7)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 57b. Binge drinking within the past month among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	22.7	(17.7 - 27.6)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	255	30.5	(22.0 - 38.9)	14,420	24.5	(21.0 - 27.9)
Female	401	15.2	(10.2 - 20.2)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	642	23.3	(18.2 - 28.3)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	338	24.3	(16.9 - 31.7)	15,491	17.5	(13.5 - 21.5)
Some College	179	22.0	(13.3 - 30.7)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	136	19.9	(10.3 - 29.5)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	183	15.8	(6.0 - 25.5)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	211	20.0	(12.3 - 27.8)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 58a. Heavy drinking within the past month among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	1,100	5.5	(3.4 - 7.6)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	258	600	6.2	(2.6 - 9.8)	14,330	333,300	4.8	(3.9 - 5.7)
Female	402	500	4.8	(2.6 - 7.1)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	146	400	8.6	(3.8 - 13.3)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	646	1,000	5.4	(3.2 - 7.5)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	339	600	5.2	(2.0 - 8.4)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	181	400	7.5	(3.3 - 11.7)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	212	400	5.7	(1.8 - 9.7)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 58b. Heavy drinking within the past month among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	5.3	(3.2 - 7.5)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	258	5.8	(2.2 - 9.3)	14,330	4.9	(3.9 - 5.9)
Female	402	4.9	(2.5 - 7.4)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	646	5.1	(3.0 - 7.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	339	5.1	(1.8 - 8.4)	15,411	4.3	(3.2 - 5.3)
Some College	181	7.6	(3.2 - 11.9)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	212	5.7	(1.7 - 9.8)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	13,000	73.4	(68.9 - 77.9)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	227	6,600	82.7	(76.8 - 88.6)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	377	6,400	65.7	(59.4 - 71.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	134	2,900	75.8	(68.1 - 83.4)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	123	2,200	85.0	(78.1 - 91.9)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	194	3,300	90.6	(86.6 - 94.6)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	592	12,700	74.5	(70.2 - 78.8)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	6,600	72.5	(65.7 - 79.3)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	167	3,700	80.1	(72.8 - 87.5)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	128	2,700	68.1	(58.6 - 77.5)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	194	4,500	77.6	(70.1 - 85.1)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	103	2,400	72.7	(63.2 - 82.3)	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	72.1	(67.2 - 76.9)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	227	82.5	(76.2 - 88.8)	13,299	67.9	(64.0 - 71.9)
Female	377	63.5	(56.9 - 70.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	592	73.3	(68.7 - 77.9)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	71.1	(63.9 - 78.4)	14,264	59.5	(54.7 - 64.3)
Some College	167	78.9	(70.8 - 87.0)	9,156	59.7	(54.4 - 65.0)
≥ College Degree	128	66.8	(56.9 - 76.7)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	194	77.1	(69.2 - 85.0)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	445	12,900	88.4	(84.8 - 92.0)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	178	6,600	92.5	(87.9 - 97.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	267	6,300	84.4	(79.0 - 89.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	76	4,300	83.9	(75.7 - 92.1)	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	62	2,100	85.1	(75.9 - 94.4)	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	108	2,800	89.3	(83.3 - 95.4)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	93	1,800	92.4	(86.1 - 98.7)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	106	1,900	98.8	(97.1 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	438	12,500	88.4	(84.7 - 92.0)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	229	7,000	89.5	(84.6 - 94.4)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	116	3,100	90.2	(83.8 - 96.6)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	99	2,800	83.8	(75.2 - 92.4)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	103	2,400	83.7	(74.2 - 93.1)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	158	4,700	91.3	(85.9 - 96.6)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	76	2,400	91.6	(85.7 - 97.5)	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	75	2,400	87.1	(78.5 - 95.7)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	445	87.8	(83.9 - 91.7)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	178	92.5	(87.8 - 97.2)	9,034	81.1	(77.4 - 84.8)
Female	267	83.4	(77.5 - 89.2)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	438	87.9	(84.0 - 91.8)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	88.8	(83.5 - 94.1)	8,879	81.6	(77.4 - 85.7)
Some College	116	89.2	(81.9 - 96.5)	5,953	76.8	(72.0 - 81.6)
≥ College Degree	99	84.1	(75.5 - 92.7)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	158	91.0	(85.4 - 96.6)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	76	91.2	(84.8 - 97.5)	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	75	86.8	(77.8 - 95.9)	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	628	16,200	83.6	(79.6 - 87.5)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	247	7,800	81.6	(75.3 - 88.0)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	381	8,400	85.5	(80.8 - 90.1)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	84	5,300	91.3	(81.8 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	85	2,800	86.4	(77.3 - 95.4)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	142	3,500	85.9	(79.3 - 92.4)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	129	2,300	83.6	(76.4 - 90.9)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	188	2,300	65.3	(57.5 - 73.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	615	15,500	84.4	(80.7 - 88.0)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	314	8,000	78.7	(72.3 - 85.1)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	175	4,200	85.3	(79.0 - 91.6)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	136	4,000	93.8	(88.8 - 98.8)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	170	3,600	77.6	(68.6 - 86.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	207	5,400	80.7	(72.9 - 88.5)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	108	3,000	87.9	(80.4 - 95.4)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	93	3,300	95.2	(89.6 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	628	84.2	(80.1 - 88.2)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	247	81.4	(74.6 - 88.1)	13,893	89.1	(86.9 - 91.3)
Female	381	86.9	(82.3 - 91.4)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	615	84.9	(81.1 - 88.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	314	79.6	(73.0 - 86.2)	14,507	84.6	(81.8 - 87.4)
Some College	175	85.4	(78.7 - 92.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	136	93.7	(88.2 - 99.1)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	170	79.1	(70.0 - 88.2)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	207	80.9	(72.7 - 89.0)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	108	87.3	(78.8 - 95.7)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	93	95.1	(89.1 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 62a. Overweight among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	7,500	38.4	(33.6 - 43.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	255	4,100	42.5	(34.7 - 50.3)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	386	3,400	34.5	(28.8 - 40.2)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	142	1,500	36.3	(27.2 - 45.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	132	1,200	43.0	(33.9 - 52.2)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	203	1,400	37.8	(30.3 - 45.3)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	628	7,200	38.7	(33.8 - 43.6)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	329	4,400	43.2	(36.0 - 50.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	176	1,500	29.9	(22.1 - 37.7)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	133	1,500	36.2	(26.4 - 46.1)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	206	2,400	36.7	(28.2 - 45.3)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 62b. Overweight among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	38.7	(33.5 - 43.9)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	255	43.4	(35.1 - 51.7)	14,502	43.9	(40.1 - 47.6)
Female	386	34.1	(28.1 - 40.0)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	628	38.9	(33.6 - 44.1)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	329	43.6	(35.9 - 51.3)	15,079	35.2	(31.1 - 39.4)
Some College	176	31.1	(22.6 - 39.6)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	206	37.0	(28.0 - 46.0)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 63a. Obesity among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	5,600	28.8	(24.4 - 33.2)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	255	2,700	28.4	(21.9 - 35.0)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	386	2,900	29.1	(23.3 - 35.0)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	81	500	16.7	(7.7 - 25.7)	4,785	662,200	23.6	(19.4 - 27.9)
45-54	142	1,400	33.2	(24.5 - 41.8)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	132	900	33.4	(24.6 - 42.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	203	1,200	32.1	(24.7 - 39.5)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	628	5,100	27.4	(23.2 - 31.7)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	329	2,900	27.9	(21.6 - 34.3)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	176	1,600	32.9	(24.8 - 41.0)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	133	1,100	25.9	(16.8 - 35.1)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	177	1,500	34.0	(24.2 - 43.9)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	206	1,900	28.9	(21.3 - 36.5)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	109	900	25.5	(16.1 - 34.8)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	92	800	23.4	(13.7 - 33.1)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 63b. Obesity among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	27.8	(23.3 - 32.4)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	255	27.9	(21.0 - 34.7)	14,502	21.5	(19.0 - 24.0)
Female	386	27.8	(21.8 - 33.8)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	628	26.5	(22.1 - 30.8)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	329	27.4	(20.8 - 34.0)	15,079	29.4	(25.4 - 33.3)
Some College	176	30.5	(22.3 - 38.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	133	25.6	(16.1 - 35.1)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	206	28.0	(20.2 - 35.8)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	109	25.1	(15.2 - 35.0)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	92	22.9	(12.9 - 32.9)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 64a. Overweight or obesity among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	13,000	67.2	(62.7 - 71.8)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	255	6,800	70.9	(63.9 - 77.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	386	6,300	63.6	(57.8 - 69.5)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	142	2,800	69.4	(61.3 - 77.6)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	132	2,200	76.4	(68.7 - 84.1)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	203	2,600	69.9	(62.9 - 76.9)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	628	12,400	66.1	(61.5 - 70.8)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	329	7,300	71.2	(64.9 - 77.4)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	176	3,100	62.8	(53.9 - 71.8)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	133	2,600	62.2	(52.5 - 71.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	177	3,100	70.3	(61.9 - 78.7)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	206	4,300	65.6	(57.5 - 73.8)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 64b. Overweight or obesity among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	66.5	(61.7 - 71.3)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	255	71.3	(64.0 - 78.6)	14,502	65.4	(61.3 - 69.4)
Female	386	61.9	(55.6 - 68.1)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	628	65.4	(60.4 - 70.3)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	329	71.0	(64.3 - 77.6)	15,079	64.6	(59.9 - 69.3)
Some College	176	61.6	(52.1 - 71.0)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	177	70.4	(61.6 - 79.3)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	206	65.0	(56.4 - 73.6)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 65a. Received advice about weight by a health professional among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	3,800	19.6	(15.9 - 23.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	256	1,600	16.5	(11.0 - 21.9)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	387	2,200	22.6	(17.6 - 27.7)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	83	700	12.9	(4.7 - 21.0)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	81	600	17.9	(8.4 - 27.4)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	142	1,000	24.3	(16.5 - 32.2)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	133	600	20.7	(13.1 - 28.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	204	900	24.7	(17.8 - 31.6)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	630	3,700	19.5	(15.7 - 23.2)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	331	1,800	17.8	(12.5 - 23.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	176	1,200	24.2	(17.0 - 31.4)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	133	800	18.4	(10.9 - 26.0)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	177	900	21.3	(13.7 - 29.0)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	206	1,100	17.3	(11.6 - 23.1)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	109	700	21.0	(11.8 - 30.1)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	*	*	*	*	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 65b. Received advice about weight by a health professional among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	19.2	(15.4 - 23.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	256	16.3	(10.6 - 22.1)	14,499	23.4	(20.5 - 26.3)
Female	387	22.1	(16.9 - 27.3)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	630	19.1	(15.2 - 23.1)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	331	17.8	(12.3 - 23.4)	15,116	27.3	(23.4 - 31.2)
Some College	176	22.6	(15.3 - 29.9)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	133	18.4	(10.4 - 26.5)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	177	21.5	(13.2 - 29.7)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	206	16.6	(10.9 - 22.2)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	109	19.8	(10.6 - 29.1)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	132	3,000	78.8	(69.9 - 87.7)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	83	1,800	80.2	(71.3 - 89.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	128	2,900	78.9	(69.8 - 88.0)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	132	78.5	(69.1 - 87.9)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	83	79.4	(69.8 - 89.1)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	128	78.9	(69.3 - 88.5)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 67a. No leisure-time physical activity among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	5,200	25.4	(20.8 - 30.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	259	2,800	27.4	(19.6 - 35.2)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	404	2,400	23.4	(18.7 - 28.2)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	86	500	15.1	(6.9 - 23.2)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	147	1,300	30.4	(21.6 - 39.3)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	138	1,000	34.9	(26.1 - 43.7)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	205	1,400	36.9	(29.5 - 44.3)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	649	4,700	24.5	(20.6 - 28.4)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	344	3,500	31.9	(24.7 - 39.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	180	1,000	20.8	(14.2 - 27.4)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	137	600	14.5	(7.7 - 21.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	213	1,900	28.3	(20.9 - 35.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	108	700	20.9	(11.9 - 29.9)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	95	300	9.4	(2.2 - 16.6)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 67b. No leisure-time physical activity among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	24.1	(19.4 - 28.7)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	259	26.1	(18.1 - 34.1)	14,602	20.9	(17.8 - 23.9)
Female	404	22.1	(17.3 - 26.9)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	649	23.1	(19.2 - 27.1)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	344	30.0	(22.6 - 37.4)	15,683	32.3	(28.3 - 36.4)
Some College	180	20.8	(13.6 - 28.0)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	137	13.6	(6.8 - 20.5)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	213	27.7	(20.1 - 35.2)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	108	20.0	(10.8 - 29.3)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	95	8.2	(1.9 - 14.5)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	4,200	20.5	(16.6 - 24.4)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	261	1,500	15.1	(9.8 - 20.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	404	2,700	25.9	(20.4 - 31.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	87	1,200	20.6	(10.7 - 30.6)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	86	600	16.7	(8.5 - 24.9)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	147	700	16.9	(10.4 - 23.5)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	138	800	27.8	(19.8 - 35.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	207	800	22.1	(16.1 - 28.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	651	3,900	20.3	(16.6 - 24.0)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	344	1,900	16.9	(11.7 - 22.1)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	181	1,200	24.6	(16.7 - 32.5)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	137	1,100	25.4	(17.2 - 33.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	184	1,100	21.5	(12.4 - 30.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	213	1,100	15.7	(10.1 - 21.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	95	900	26.5	(17.3 - 35.8)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	20.2	(16.2 - 24.3)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	261	14.5	(9.1 - 19.9)	14,634	22.7	(19.6 - 25.9)
Female	404	25.9	(20.2 - 31.6)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	651	19.9	(16.0 - 23.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	344	16.7	(11.2 - 22.1)	15,726	23.3	(19.3 - 27.3)
Some College	181	24.1	(15.9 - 32.3)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	137	24.9	(16.4 - 33.4)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	184	21.8	(12.1 - 31.5)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	213	15.5	(9.7 - 21.4)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	95	25.8	(16.3 - 35.3)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 69a. Had a fall within the past 3 months among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	484	2,100	19.0	(14.9 - 23.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	195	1,000	19.2	(12.6 - 25.7)	10,966	489,400	14.4	(11.9 - 16.8)
Female	289	1,000	18.8	(13.8 - 23.8)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	145	900	21.9	(13.7 - 30.0)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	133	500	16.5	(9.9 - 23.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	206	700	17.6	(12.1 - 23.2)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	476	2,000	19.2	(15.0 - 23.4)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	261	1,100	18.4	(12.6 - 24.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	135	600	21.3	(13.6 - 29.0)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	85	300	17.7	(8.8 - 26.6)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	148	800	30.2	(21.6 - 38.7)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	158	500	13.6	(8.1 - 19.0)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 69b. Had a fall within the past 3 months among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	484	19.1	(15.0 - 23.2)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	195	19.4	(12.8 - 25.9)	10,966	15.0	(12.1 - 17.8)
Female	289	18.9	(13.8 - 24.0)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	476	19.3	(15.1 - 23.5)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	261	18.7	(12.9 - 24.6)	12,417	17.4	(13.0 - 21.7)
Some College	135	21.2	(13.5 - 28.9)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	85	17.8	(8.8 - 26.8)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	148	30.3	(21.6 - 38.9)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	158	13.6	(8.1 - 19.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Lewis County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Lewis County and New York State

	Lewis County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	483	600	6.0	(3.7 - 8.2)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	195	300	5.1	(2.0 - 8.3)	10,957	120,000	3.5	(2.5 - 4.6)
Female	288	400	6.8	(3.6 - 10.0)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	144	300	7.1	(2.7 - 11.5)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	206	200	5.8	(2.7 - 8.9)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	475	600	5.9	(3.6 - 8.1)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	261	300	5.6	(2.8 - 8.4)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	134	200	7.5	(2.7 - 12.2)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	148	200	9.3	(3.7 - 14.9)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	158	300	7.0	(3.4 - 10.6)	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Lewis County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Lewis County and New York State - Age-Adjusted²

	Lewis County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	483	6.0	(3.7 - 8.3)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	195	5.1	(2.0 - 8.2)	10,957	3.6	(2.4 - 4.7)
Female	288	6.9	(3.6 - 10.1)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	475	5.9	(3.6 - 8.2)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	261	5.7	(2.8 - 8.5)	12,404	5.2	(3.5 - 6.8)
Some College	134	7.3	(2.6 - 11.9)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	148	9.3	(3.7 - 14.8)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	158	7.0	(3.4 - 10.7)	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)