

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Oneida County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Oneida County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Oneida County and New York State	14
Table 2b. Fair or poor general health among adults in Oneida County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Oneida County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Oneida County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Oneida County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Oneida County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Oneida County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Oneida County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Oneida County and New York State	22
Table 6b. Health insurance among adults in Oneida County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Oneida County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Oneida County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Oneida County and New York State	26
Table 8b. No health insurance among adults in Oneida County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Oneida County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Oneida County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Oneida County and New York State	30
Table 10b. Adults with regular health care provider in Oneida County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Oneida County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Oneida County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Oneida County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Oneida County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Oneida County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Oneida County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Oneida County and New York State	38
Table 14b. Dentist visit within the past year among adults in Oneida County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Oneida County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Oneida County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Oneida County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Oneida County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Oneida County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Oneida County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Oneida County and New York State	46
Table 18b. Flu shot within the past 12 months in Oneida County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Oneida County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Oneida County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Oneida County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Oneida County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Oneida County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Oneida County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Oneida County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Oneida County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Oneida County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Oneida County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Oneida County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Oneida County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Oneida County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Oneida County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Oneida County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Oneida County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Oneida County and New York State	64
Table 27b. Ever had a Pap test among women in Oneida County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Oneida County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Oneida County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Oneida County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Oneida County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Oneida County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Oneida County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Oneida County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Oneida County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Oneida County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Oneida County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Oneida County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Oneida County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Oneida County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Oneida County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Oneida County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Oneida County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Oneida County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Oneida County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Oneida County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Oneida County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Oneida County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Oneida County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Oneida County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Oneida County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Oneida County and New York State	90
Table 40b. High blood pressure among adults in Oneida County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Oneida County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Oneida County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Oneida County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Oneida County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Oneida County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Oneida County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Oneida County and New York State	98
Table 44b. Cardiovascular disease among adults in Oneida County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Oneida County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Oneida County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Oneida County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Oneida County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Oneida County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Oneida County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Oneida County and New York State	106
Table 48b. Current asthma among adults in Oneida County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Oneida County and New York State	108
Table 49b. Chronic joint symptoms among adults in Oneida County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Oneida County and New York State	110
Table 50b. Arthritis among adults in Oneida County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Oneida County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Oneida County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Oneida County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Oneida County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Oneida County and New York State	116
Table 53b. Disability among adults in Oneida County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Oneida County and New York State	118
Table 54b. Current smoking among adults in Oneida County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Oneida County and New York State	120
Table 55b. Everyday smoking among adults in Oneida County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Oneida County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Oneida County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Oneida County and New York State	124
Table 57b. Binge drinking within the past month among adults in Oneida County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Oneida County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Oneida County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Oneida County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Oneida County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Oneida County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Oneida County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Oneida County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Oneida County and New York State - Age-adjusted	133

### Overweight / Obesity

Table 62a. Overweight among adults in Oneida County and New York State	134
Table 62b. Overweight among adults in Oneida County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Oneida County and New York State	136
Table 63b. Obesity among adults in Oneida County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Oneida County and New York State	138
Table 64b. Overweight or obesity among adults in Oneida County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Oneida County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Oneida County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Oneida County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Oneida County and New York State - Age-adjusted	143

### Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Oneida County and New York State	144
Table 67b. No leisure-time physical activity among adults in Oneida County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Oneida County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Oneida County and New York State - Age-adjusted	147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Oneida County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Oneida County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Oneida County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Oneida County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 1. Oneida County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Oneida County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	182,359	100	14,884,315	100
<b>Gender</b>				
Male	90,265	49.5	7,103,791	47.7
Female	92,094	50.5	7,780,524	52.3
<b>Age (years)</b>				
18-34	52,621	28.9	4,497,479	30.2
35-44	31,803	17.4	2,844,115	19.1
45-54	34,174	18.7	2,854,316	19.2
55-64	26,772	14.7	2,142,000	14.4
≥ 65	36,989	20.3	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	162,803	89.3	9,343,884	62.8
Black Non-Hispanic	10,156	5.6	2,156,941	14.5
Hispanic	6,312	3.5	2,258,717	15.2
Other Non-Hispanic	3,088	1.7	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	25,200	13.9	(10.5 - 17.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	251	8,700	9.6	(5.8 - 13.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	402	16,600	18.0	(12.7 - 23.2)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	142	4,500	13.1	(6.7 - 19.5)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	164	6,200	23.1	(14.1 - 32.1)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	198	8,000	21.6	(15.2 - 28.0)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	20,500	12.6	(9.6 - 15.7)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	270	16,600	22.5	(15.9 - 29.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	202	7,700	12.6	(7.4 - 17.8)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	*	*	*	*	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	161	4,400	10.6	(5.6 - 15.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	13.0	(9.5 - 16.4)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	251	9.2	(5.4 - 13.0)	14,599	15.3	(12.6 - 18.0)
Female	402	16.7	(11.1 - 22.2)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	11.7	(8.7 - 14.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	270	21.6	(14.7 - 28.5)	15,682	25.8	(22.1 - 29.5)
Some College	202	11.5	(6.3 - 16.6)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	*	*	*	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	161	9.6	(4.7 - 14.6)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	19,100	10.7	(7.9 - 13.6)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	245	5,400	6.2	(3.3 - 9.0)	14,325	604,200	8.7	(7.0 - 10.5)
Female	395	13,800	15.1	(10.4 - 19.7)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	140	3,700	10.9	(4.9 - 16.8)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	160	3,800	14.3	(6.2 - 22.5)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	192	6,200	17.5	(11.7 - 23.3)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	604	15,900	9.9	(7.3 - 12.6)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	262	8,800	12.4	(7.9 - 17.0)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	198	8,600	14.2	(8.4 - 20.0)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	*	*	*	*	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	164	9,300	24.3	(15.4 - 33.2)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	158	3,400	8.2	(3.9 - 12.5)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	10.3	(7.4 - 13.2)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	245	6.0	(3.2 - 8.8)	14,325	8.7	(6.9 - 10.5)
Female	395	14.4	(9.5 - 19.3)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	604	9.7	(6.8 - 12.6)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	262	11.5	(7.1 - 16.0)	15,178	12.7	(10.2 - 15.1)
Some College	198	13.9	(7.9 - 20.0)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	*	*	*	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	164	24.1	(14.7 - 33.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	158	7.8	(3.4 - 12.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	22,500	12.4	(8.9 - 16.0)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	250	10,600	11.8	(6.2 - 17.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	396	11,900	13.0	(8.6 - 17.4)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	85	5,400	17.1	(8.8 - 25.4)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	142	3,100	9.1	(4.1 - 14.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	159	3,000	11.5	(5.5 - 17.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	610	19,500	12.0	(8.3 - 15.7)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	267	10,800	14.8	(9.1 - 20.5)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	200	9,300	15.3	(7.9 - 22.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	167	5,500	14.0	(7.1 - 21.0)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	158	9,500	23.0	(13.8 - 32.3)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	13.0	(9.2 - 16.8)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	250	12.2	(6.4 - 18.0)	14,407	7.9	(6.3 - 9.6)
Female	396	13.7	(8.8 - 18.7)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	610	12.8	(8.8 - 16.8)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	267	15.3	(9.3 - 21.4)	15,335	12.3	(10.0 - 14.6)
Some College	200	15.8	(8.1 - 23.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	167	15.4	(7.3 - 23.5)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	158	23.6	(14.0 - 33.2)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	34,500	19.4	(15.4 - 23.5)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	244	15,000	17.4	(11.2 - 23.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	394	19,500	21.3	(16.0 - 26.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	85	6,500	20.6	(11.5 - 29.6)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	141	6,000	17.7	(10.6 - 24.9)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	158	5,400	20.8	(11.8 - 29.7)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	192	7,000	19.6	(13.6 - 25.6)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	29,600	18.5	(14.4 - 22.6)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	261	17,000	24.1	(17.4 - 30.9)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	198	14,100	23.4	(15.2 - 31.5)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	176	3,300	7.0	(2.4 - 11.5)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	165	11,100	29.0	(19.8 - 38.3)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	156	11,500	28.2	(18.7 - 37.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	19.3	(15.0 - 23.5)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	244	17.5	(11.2 - 23.8)	14,231	13.6	(11.4 - 15.8)
Female	394	21.0	(15.2 - 26.7)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	18.7	(14.4 - 23.0)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	261	23.9	(16.9 - 30.8)	15,018	20.1	(17.1 - 23.1)
Some College	198	23.1	(14.7 - 31.5)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	176	7.1	(2.0 - 12.2)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	165	29.3	(19.4 - 39.1)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	156	27.9	(18.1 - 37.8)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 6a. Health insurance among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	164,100	90.7	(87.2 - 94.2)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	251	80,100	89.6	(84.0 - 95.3)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	399	84,100	91.7	(87.5 - 95.9)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	62	45,100	87.3	(79.0 - 95.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	141	31,300	92.1	(86.3 - 97.8)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	163	24,200	90.7	(82.9 - 98.5)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	198	36,600	99.2	(98.2 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	149,800	92.8	(89.8 - 95.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	62,900	86.5	(79.8 - 93.2)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	201	57,000	93.6	(89.0 - 98.3)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	178	44,000	93.2	(87.5 - 98.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	168	32,700	83.4	(74.7 - 92.1)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	99	29,100	97.2	(93.6 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	134	44,400	98.5	(96.2 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 6b. Health insurance among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	90.1	(86.3 - 93.9)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	251	89.3	(83.3 - 95.4)	14,597	83.6	(79.7 - 87.5)
Female	399	90.9	(86.3 - 95.5)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	92.3	(89.0 - 95.5)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	85.9	(78.6 - 93.1)	15,673	80.1	(75.4 - 84.7)
Some College	201	93.0	(87.8 - 98.2)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	178	92.7	(86.6 - 98.8)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	168	82.5	(73.2 - 91.7)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	99	97.0	(92.9 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	134	98.2	(95.3 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	126,500	88.4	(84.0 - 92.8)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	185	64,500	87.6	(80.9 - 94.3)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	260	62,000	89.3	(83.8 - 94.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	62	45,100	87.3	(79.0 - 95.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	141	31,300	92.1	(86.3 - 97.8)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	156	23,200	90.3	(82.3 - 98.4)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	113,800	90.9	(87.1 - 94.8)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	155	42,000	81.4	(72.3 - 90.6)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	150	47,900	92.7	(87.2 - 98.1)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	139	36,500	91.9	(85.2 - 98.6)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	86	26,600	96.9	(93.0 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	121	41,000	98.4	(95.9 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	88.2	(83.6 - 92.7)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	185	87.2	(80.0 - 94.4)	10,078	80.5	(75.9 - 85.1)
Female	260	89.2	(83.6 - 94.7)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	90.6	(86.6 - 94.7)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	155	81.4	(72.0 - 90.9)	9,037	75.1	(69.3 - 80.9)
Some College	150	92.2	(86.3 - 98.1)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	139	91.6	(84.6 - 98.6)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	86	96.7	(92.4 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	121	98.1	(95.0 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 8a. No health insurance among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	16,900	9.3	(5.8 - 12.8)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	251	9,200	10.4	(4.7 - 16.0)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	399	7,600	8.3	(4.1 - 12.5)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	163	2,500	9.3	(1.5 - 17.1)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	11,600	7.2	(4.2 - 10.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	9,800	13.5	(6.8 - 20.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	201	3,900	6.4	(1.7 - 11.0)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	168	6,500	16.6	(7.9 - 25.3)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 8b. No health insurance among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	9.9	(6.1 - 13.7)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	251	10.7	(4.6 - 16.7)	14,597	16.4	(12.5 - 20.3)
Female	399	9.1	(4.5 - 13.7)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	7.7	(4.5 - 11.0)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	14.1	(6.9 - 21.4)	15,673	19.9	(15.3 - 24.6)
Some College	201	7.0	(1.8 - 12.2)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	168	17.5	(8.3 - 26.8)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	16,600	11.6	(7.2 - 16.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	185	9,100	12.4	(5.7 - 19.1)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	260	7,400	10.7	(5.2 - 16.2)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	156	2,500	9.7	(1.6 - 17.7)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	11,300	9.1	(5.2 - 12.9)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	155	9,600	18.6	(9.4 - 27.7)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	11.8	(7.3 - 16.4)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	185	12.8	(5.6 - 20.0)	10,078	19.5	(14.9 - 24.1)
Female	260	10.8	(5.3 - 16.4)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	9.4	(5.3 - 13.4)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	155	18.6	(9.1 - 28.0)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	158,700	87.1	(82.7 - 91.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	252	72,200	80.0	(72.5 - 87.4)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	401	86,600	94.1	(89.7 - 98.5)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	141	31,300	91.8	(87.2 - 96.4)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	164	26,500	99.1	(98.0 - 100)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	199	35,800	96.8	(94.0 - 99.6)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	145,100	89.2	(85.4 - 92.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	61,800	84.1	(76.4 - 91.8)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	203	53,500	87.4	(79.6 - 95.2)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	178	43,100	91.2	(85.1 - 97.4)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	168	34,600	88.2	(80.8 - 95.5)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	161	35,900	85.4	(75.6 - 95.2)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	*	*	*	*	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	86.1	(81.4 - 90.9)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	252	79.0	(71.2 - 86.8)	14,593	78.1	(73.9 - 82.3)
Female	401	93.1	(87.9 - 98.3)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	88.5	(84.5 - 92.4)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	82.5	(74.0 - 90.9)	15,692	75.8	(71.0 - 80.6)
Some College	203	86.8	(78.5 - 95.2)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	178	90.7	(84.2 - 97.2)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	168	87.0	(78.9 - 95.1)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	*	*	*	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	23,200	12.7	(9.0 - 16.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	252	10,600	11.8	(6.1 - 17.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	401	12,600	13.7	(8.8 - 18.6)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	86	5,200	16.3	(7.9 - 24.8)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	142	4,100	12.1	(5.5 - 18.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	164	3,600	13.3	(4.9 - 21.6)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	16,600	10.2	(6.9 - 13.4)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	270	10,600	14.4	(7.8 - 21.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	202	9,000	14.8	(8.1 - 21.5)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	178	3,600	7.6	(2.6 - 12.7)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	168	9,100	23.2	(13.6 - 32.8)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	161	8,400	19.9	(11.5 - 28.3)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	13.4	(9.4 - 17.3)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	252	12.0	(6.3 - 17.7)	14,607	12.5	(9.4 - 15.6)
Female	401	14.7	(9.3 - 20.2)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	11.1	(7.5 - 14.6)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	270	15.0	(8.2 - 21.8)	15,696	17.8	(13.8 - 21.7)
Some College	202	15.5	(8.3 - 22.7)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	178	8.1	(2.6 - 13.7)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	161	21.1	(12.0 - 30.2)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	133,000	73.1	(68.1 - 78.1)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	252	62,300	69.0	(61.2 - 76.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	399	70,800	77.1	(71.0 - 83.2)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	85	24,100	75.9	(66.1 - 85.8)	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	142	24,500	71.6	(63.2 - 80.1)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	163	20,500	77.0	(68.3 - 85.6)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	198	32,300	87.5	(81.9 - 93.1)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	120,900	74.4	(69.6 - 79.2)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	270	53,000	72.0	(64.1 - 79.9)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	203	44,500	72.8	(63.2 - 82.3)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	177	35,400	75.1	(67.2 - 83.1)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	72.5	(67.3 - 77.8)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	252	69.3	(61.4 - 77.1)	14,592	67.1	(63.3 - 70.9)
Female	399	75.8	(68.9 - 82.6)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	73.8	(68.7 - 78.9)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	270	71.6	(63.3 - 79.8)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	177	74.8	(66.4 - 83.1)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	151,700	83.3	(79.1 - 87.5)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	252	72,900	80.7	(73.9 - 87.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	399	78,800	85.8	(81.2 - 90.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	85	26,500	83.6	(75.0 - 92.2)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	142	28,400	83.1	(76.1 - 90.1)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	163	22,800	85.5	(77.5 - 93.5)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	198	34,100	92.5	(88.2 - 96.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	136,100	83.8	(79.7 - 87.8)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	270	59,000	80.1	(72.8 - 87.4)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	203	52,100	85.2	(78.1 - 92.2)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	177	40,500	85.9	(79.4 - 92.5)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	168	29,600	75.6	(65.6 - 85.6)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	161	35,300	83.9	(76.0 - 91.9)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	134	38,600	85.7	(78.2 - 93.1)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	82.9	(78.5 - 87.3)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	252	80.9	(74.0 - 87.8)	14,592	81.9	(78.4 - 85.3)
Female	399	84.9	(79.6 - 90.1)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	83.1	(78.8 - 87.5)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	270	79.6	(72.1 - 87.2)	15,640	84.6	(81.1 - 88.1)
Some College	203	84.7	(77.3 - 92.2)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	177	85.4	(78.4 - 92.4)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	161	83.0	(74.4 - 91.6)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	134	85.7	(78.2 - 93.2)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	129,500	71.2	(66.5 - 76.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	251	62,300	69.3	(61.8 - 76.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	400	67,200	73.1	(67.4 - 78.8)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	141	23,300	69.1	(60.4 - 77.7)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	163	18,100	67.8	(58.4 - 77.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	198	25,000	67.7	(60.4 - 75.0)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	119,000	73.4	(68.9 - 77.9)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	270	42,900	58.3	(50.3 - 66.3)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	202	46,000	75.3	(67.2 - 83.4)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	177	40,600	86.7	(80.4 - 92.9)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	134	41,300	91.6	(86.5 - 96.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	71.9	(66.9 - 76.8)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	251	69.3	(61.5 - 77.1)	14,573	68.3	(64.6 - 72.1)
Female	400	74.4	(68.3 - 80.4)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	73.9	(69.2 - 78.6)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	270	58.8	(50.2 - 67.3)	15,613	65.3	(60.9 - 69.6)
Some College	202	75.8	(67.3 - 84.2)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	177	87.0	(80.7 - 93.3)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	134	91.5	(86.4 - 96.7)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	566	119,800	74.5	(69.6 - 79.4)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	220	56,300	69.6	(61.7 - 77.6)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	346	63,600	79.3	(74.0 - 84.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	128	22,100	71.4	(62.5 - 80.3)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	142	17,600	77.9	(70.3 - 85.6)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	151	20,800	76.4	(68.9 - 83.8)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	537	109,100	74.8	(69.9 - 79.7)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	210	38,300	64.4	(55.7 - 73.1)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	183	43,100	77.8	(69.5 - 86.1)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	172	38,400	83.7	(76.5 - 90.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	94	21,400	80.2	(70.4 - 90.1)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	133	40,000	89.4	(83.0 - 95.7)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	566	74.4	(69.2 - 79.6)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	220	69.3	(61.1 - 77.6)	13,173	69.2	(65.3 - 73.1)
Female	346	79.4	(73.5 - 85.3)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	537	74.8	(69.6 - 79.9)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	210	63.2	(53.8 - 72.6)	12,740	67.7	(63.2 - 72.3)
Some College	183	78.4	(69.8 - 86.9)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	172	84.1	(76.7 - 91.4)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	133	89.5	(83.2 - 95.9)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	96,500	53.6	(48.1 - 59.1)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	249	46,600	52.0	(43.9 - 60.1)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	392	49,900	55.2	(47.8 - 62.6)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	141	21,000	62.5	(53.7 - 71.3)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	161	19,900	75.2	(67.6 - 82.8)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	190	30,000	84.5	(78.9 - 90.1)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	86,700	53.8	(48.2 - 59.3)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	264	46,100	63.2	(54.5 - 71.9)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	175	19,000	41.1	(32.1 - 50.0)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	50.7	(44.9 - 56.5)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	249	51.1	(42.9 - 59.4)	14,457	47.9	(44.1 - 51.7)
Female	392	50.3	(42.3 - 58.3)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	50.9	(45.1 - 56.7)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	264	59.7	(50.5 - 68.9)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	175	38.5	(29.4 - 47.6)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	190	9,000	25.4	(18.2 - 32.7)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	128	5,000	24.1	(15.3 - 32.9)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	190	9,000	25.4	(18.2 - 32.7)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	185	8,200	24.1	(17.0 - 31.2)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	190	25.7	(18.1 - 33.3)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	128	24.1	(15.3 - 32.9)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	185	24.2	(16.8 - 31.6)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	78,800	43.3	(38.0 - 48.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	252	33,100	36.7	(29.2 - 44.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	400	45,700	49.8	(42.7 - 56.9)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	206	29,300	29.8	(21.4 - 38.2)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	249	23,700	50.5	(43.0 - 58.1)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	197	25,800	70.3	(63.0 - 77.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	72,300	44.5	(39.2 - 49.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	270	30,600	41.5	(34.0 - 49.1)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	178	23,500	49.8	(40.6 - 59.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	161	15,700	37.5	(28.4 - 46.5)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	41.4	(35.8 - 47.0)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	252	35.6	(28.1 - 43.1)	14,579	40.0	(36.2 - 43.8)
Female	400	47.1	(39.2 - 55.1)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	42.7	(37.0 - 48.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	270	39.9	(31.9 - 47.9)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	178	47.3	(37.8 - 56.9)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	161	35.4	(26.0 - 44.8)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	78,800	43.3	(38.0 - 48.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	252	33,100	36.7	(29.2 - 44.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	400	45,700	49.8	(42.7 - 56.9)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	206	29,300	29.8	(21.4 - 38.2)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	249	23,700	50.5	(43.0 - 58.1)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	197	25,800	70.3	(63.0 - 77.7)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	72,300	44.5	(39.2 - 49.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	270	30,600	41.5	(34.0 - 49.1)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	178	23,500	49.8	(40.6 - 59.0)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	161	15,700	37.5	(28.4 - 46.5)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	41.4	(35.8 - 47.0)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	252	35.6	(28.1 - 43.1)	14,568	40.4	(36.6 - 44.2)
Female	400	47.1	(39.2 - 55.1)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	42.7	(37.0 - 48.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	270	39.9	(31.9 - 47.9)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	178	47.3	(37.8 - 56.9)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	161	35.4	(26.0 - 44.8)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	197	25,800	70.3	(63.0 - 77.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	133	16,200	75.2	(67.1 - 83.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	197	25,800	70.3	(63.0 - 77.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	191	24,800	70.7	(63.4 - 78.0)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	197	69.3	(61.5 - 77.2)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	133	75.2	(67.1 - 83.2)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	191	69.9	(62.1 - 77.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	603	46,800	30.1	(25.7 - 34.4)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	225	21,400	27.7	(21.0 - 34.4)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	378	25,400	32.4	(26.9 - 37.9)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	177	10,900	14.1	(8.2 - 20.0)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	238	13,100	29.6	(22.7 - 36.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	188	22,800	66.2	(58.5 - 74.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	572	44,600	31.7	(27.1 - 36.2)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	256	22,200	32.2	(25.3 - 39.1)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	181	12,000	25.7	(18.4 - 33.1)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	163	12,400	31.2	(22.7 - 39.6)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	156	14,400	40.8	(30.9 - 50.8)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	155	12,900	33.0	(24.1 - 41.8)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	93	4,700	16.8	(8.9 - 24.7)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	121	8,400	22.6	(14.0 - 31.3)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	603	27.4	(23.1 - 31.8)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	225	27.2	(20.4 - 34.1)	13,052	25.8	(22.3 - 29.4)
Female	378	27.6	(22.1 - 33.1)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	572	29.0	(24.4 - 33.6)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	256	29.4	(22.4 - 36.3)	14,700	29.5	(25.6 - 33.5)
Some College	181	23.7	(16.2 - 31.1)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	163	28.4	(19.9 - 36.9)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	155	30.2	(21.1 - 39.2)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	93	14.8	(7.3 - 22.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	121	21.4	(12.8 - 30.0)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	22,800	66.2	(58.5 - 74.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	128	14,500	70.8	(61.9 - 79.7)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	188	22,800	66.2	(58.5 - 74.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	183	22,200	66.8	(59.0 - 74.6)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	65.3	(57.0 - 73.5)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	128	70.8	(61.9 - 79.7)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	183	66.1	(57.9 - 74.2)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	334	58,300	97.7	(95.6 - 99.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	334	58,300	97.7	(95.6 - 99.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	59	14,900	96.6	(90.1 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	142	22,500	99.0	(97.7 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	133	21,000	97.1	(93.9 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	316	52,700	97.5	(95.1 - 99.8)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	130	22,000	96.7	(93.5 - 100)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	112	20,100	99.5	(98.5 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	91	16,200	96.9	(90.9 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	106	17,100	95.9	(91.8 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	77	12,900	100	(100 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	59	12,700	96.1	(88.5 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	334	97.5	(94.8 - 100)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	334	97.5	(94.8 - 100)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	316	97.3	(94.3 - 100)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	130	97.0	(94.1 - 99.9)	8,266	90.2	(86.1 - 94.2)
Some College	112	99.6	(98.8 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	91	95.5	(86.9 - 100)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	106	96.2	(92.5 - 99.9)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	77	100	(100 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	59	94.9	(85.2 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	331	48,100	81.2	(75.8 - 86.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	331	48,100	81.2	(75.8 - 86.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	141	18,600	82.4	(73.1 - 91.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	132	17,500	81.6	(74.3 - 88.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	313	44,500	83.2	(78.2 - 88.1)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	110	16,900	84.9	(76.3 - 93.5)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	91	14,500	86.8	(78.3 - 95.3)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	77	11,700	90.3	(83.3 - 97.3)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	331	80.7	(74.6 - 86.8)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	331	80.7	(74.6 - 86.8)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	313	82.6	(76.7 - 88.4)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	77	90.2	(82.9 - 97.5)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	273	36,100	82.0	(76.1 - 87.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	273	36,100	82.0	(76.1 - 87.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	141	18,600	82.4	(73.1 - 91.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	132	17,500	81.6	(74.3 - 88.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	257	32,800	84.1	(79.3 - 88.9)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	86	12,200	89.1	(82.4 - 95.9)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	73	10,300	87.9	(79.7 - 96.1)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	69	9,600	88.4	(80.2 - 96.6)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	273	82.5	(76.6 - 88.4)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	273	82.5	(76.6 - 88.4)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	257	84.5	(79.7 - 89.3)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	86	89.3	(82.3 - 96.2)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	73	88.5	(80.6 - 96.4)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	69	87.6	(78.6 - 96.7)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	396	84,900	93.5	(88.9 - 98.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	396	84,900	93.5	(88.9 - 98.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	51	14,800	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	82	16,200	98.2	(95.6 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	99	13,300	97.1	(92.3 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	132	20,300	96.0	(92.9 - 99.1)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	374	76,700	95.2	(91.1 - 99.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	135	35,400	98.2	(96.0 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	105	21,500	95.6	(87.2 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	94	19,300	95.1	(85.8 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	51	10,700	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	74	20,100	94.4	(85.4 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	396	93.1	(87.8 - 98.4)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	396	93.1	(87.8 - 98.4)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	374	94.9	(90.1 - 99.6)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	135	98.7	(97.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	105	94.8	(85.1 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	51	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	74	94.2	(84.7 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	391	68,600	76.3	(70.4 - 82.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	391	68,600	76.3	(70.4 - 82.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	81	14,300	87.6	(79.7 - 95.6)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	97	10,400	77.6	(67.7 - 87.5)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	131	13,200	62.4	(53.3 - 71.6)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	369	61,100	76.7	(70.7 - 82.6)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	132	30,100	84.8	(77.2 - 92.4)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	105	18,700	83.2	(73.6 - 92.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	50	9,700	92.1	(84.4 - 99.8)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	74	19,200	90.3	(80.3 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	391	77.4	(70.9 - 84.0)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	391	77.4	(70.9 - 84.0)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	369	77.9	(71.3 - 84.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	132	86.7	(78.9 - 94.4)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	*	*	*	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	50	94.0	(88.0 - 100)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	200	41,300	78.4	(71.6 - 85.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	200	41,300	78.4	(71.6 - 85.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	189	36,900	79.2	(72.4 - 85.9)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	200	78.0	(70.9 - 85.2)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	200	78.0	(70.9 - 85.2)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	189	79.0	(72.0 - 86.0)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	32,200	61.7	(53.7 - 69.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	198	32,200	61.7	(53.7 - 69.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	187	28,000	60.6	(52.7 - 68.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	60.6	(52.2 - 69.0)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	198	60.6	(52.2 - 69.0)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	187	59.4	(51.2 - 67.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	190	33,900	67.8	(59.3 - 76.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	190	33,900	67.8	(59.3 - 76.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	62	12,700	87.2	(79.1 - 95.2)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	179	30,800	70.2	(62.6 - 77.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	190	65.8	(56.5 - 75.0)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	190	65.8	(56.5 - 75.0)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	179	68.7	(60.7 - 76.8)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	187	28,400	57.7	(49.1 - 66.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	187	28,400	57.7	(49.1 - 66.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	176	25,300	58.7	(50.6 - 66.8)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	187	55.8	(46.6 - 64.9)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	187	55.8	(46.6 - 64.9)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	176	57.4	(48.9 - 65.8)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	34,100	41.1	(35.7 - 46.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	162	14,900	38.9	(30.6 - 47.1)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	280	19,300	43.0	(36.1 - 49.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	245	16,100	34.7	(27.4 - 41.9)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	197	18,000	49.2	(41.4 - 57.0)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	418	30,800	41.2	(35.9 - 46.5)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	192	16,800	45.7	(37.5 - 54.0)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	131	8,800	37.2	(27.9 - 46.5)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	40.6	(35.1 - 46.0)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	162	39.6	(31.3 - 48.0)	9,571	39.4	(35.3 - 43.5)
Female	280	41.5	(34.6 - 48.5)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	418	40.8	(35.4 - 46.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	192	45.1	(36.7 - 53.5)	11,146	35.1	(30.3 - 39.9)
Some College	131	36.0	(26.6 - 45.5)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	10,300	12.5	(9.1 - 15.9)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	161	5,700	14.9	(9.0 - 20.8)	9,508	444,400	16.0	(13.2 - 18.9)
Female	277	4,600	10.4	(6.7 - 14.2)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	244	4,600	9.9	(5.7 - 14.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	194	5,700	15.8	(10.3 - 21.3)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	9,800	13.2	(9.6 - 16.7)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	190	4,700	12.9	(7.9 - 17.8)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	129	3,200	13.6	(6.8 - 20.4)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	116	2,400	10.9	(4.7 - 17.2)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	131	3,100	13.5	(7.2 - 19.8)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	112	3,000	14.6	(7.7 - 21.5)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	12.7	(9.2 - 16.3)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	161	15.4	(9.4 - 21.5)	9,508	16.4	(13.2 - 19.6)
Female	277	10.0	(6.4 - 13.6)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	13.3	(9.6 - 17.1)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	190	13.1	(7.9 - 18.4)	11,026	12.7	(9.2 - 16.1)
Some College	129	13.7	(6.6 - 20.8)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	116	11.2	(4.7 - 17.7)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	131	14.3	(7.4 - 21.2)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	112	14.0	(7.2 - 20.8)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	16,100	19.5	(15.5 - 23.6)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	161	7,300	19.1	(12.8 - 25.5)	9,508	593,100	21.4	(18.3 - 24.5)
Female	277	8,900	19.9	(14.7 - 25.1)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	244	6,900	14.9	(10.0 - 19.9)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	194	9,200	25.4	(18.8 - 32.1)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	14,900	20.0	(15.8 - 24.2)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	190	8,100	22.1	(15.8 - 28.4)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	129	4,400	18.9	(11.1 - 26.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	116	3,600	16.3	(8.9 - 23.7)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	131	4,600	19.9	(12.4 - 27.3)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	112	4,700	23.1	(14.6 - 31.6)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup>  
in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	19.3	(15.2 - 23.5)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	161	19.6	(13.1 - 26.1)	9,508	21.7	(18.3 - 25.1)
Female	277	19.1	(14.0 - 24.2)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	19.8	(15.5 - 24.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	190	21.9	(15.5 - 28.3)	11,026	19.5	(15.4 - 23.7)
Some College	129	18.5	(10.6 - 26.4)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	116	16.3	(8.8 - 23.7)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	131	20.5	(12.6 - 28.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	112	21.6	(13.4 - 29.8)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	441	57,000	69.2	(64.2 - 74.3)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	160	25,200	66.9	(58.6 - 75.2)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	281	31,800	71.2	(65.0 - 77.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	164	19,400	72.6	(64.8 - 80.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	194	26,900	75.5	(68.5 - 82.6)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	418	51,800	69.5	(64.5 - 74.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	191	23,400	64.2	(56.3 - 72.1)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	130	17,200	73.8	(64.8 - 82.8)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	117	16,200	72.7	(63.1 - 82.3)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	132	14,000	60.8	(50.8 - 70.7)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	441	68.2	(62.9 - 73.6)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	160	66.7	(58.3 - 75.1)	9,582	68.5	(64.5 - 72.5)
Female	281	69.8	(63.2 - 76.3)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	418	68.9	(63.6 - 74.2)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	191	63.4	(55.2 - 71.6)	11,121	61.3	(56.4 - 66.2)
Some College	130	71.7	(62.0 - 81.4)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	55,000	67.1	(61.9 - 72.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	159	24,800	66.1	(57.7 - 74.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	279	30,200	67.9	(61.5 - 74.4)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	163	19,100	71.5	(63.6 - 79.4)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	192	25,500	72.0	(64.6 - 79.4)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	415	49,800	67.2	(62.0 - 72.4)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	190	22,100	60.8	(52.7 - 68.9)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	130	17,000	72.9	(63.8 - 81.9)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	117	16,000	71.5	(61.8 - 81.3)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	438	66.2	(60.8 - 71.6)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	159	65.8	(57.3 - 74.2)	9,521	66.9	(62.9 - 70.9)
Female	279	66.7	(59.9 - 73.4)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	415	66.6	(61.2 - 72.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	190	60.2	(51.8 - 68.6)	11,017	59.0	(54.1 - 63.9)
Some College	130	71.0	(61.2 - 80.7)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	57,700	71.3	(66.2 - 76.4)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	157	26,400	71.0	(62.9 - 79.1)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	272	31,200	71.5	(65.1 - 77.8)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	154	18,500	72.8	(64.8 - 80.9)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	192	27,400	77.1	(70.0 - 84.2)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	406	52,100	71.3	(66.2 - 76.4)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	184	23,300	65.3	(57.2 - 73.3)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	127	17,500	76.9	(68.2 - 85.7)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	117	16,800	75.4	(66.0 - 84.7)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	130	14,800	64.1	(54.3 - 74.0)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	429	70.6	(65.3 - 75.9)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	157	71.0	(62.8 - 79.3)	9,418	71.5	(67.6 - 75.4)
Female	272	70.2	(63.5 - 77.0)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	406	71.0	(65.7 - 76.3)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	184	64.9	(56.6 - 73.2)	10,872	64.5	(59.8 - 69.3)
Some College	127	75.3	(65.8 - 84.8)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	117	75.3	(65.5 - 85.0)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	55,000	30.2	(25.7 - 34.7)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	252	27,000	29.9	(22.9 - 37.0)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	400	28,000	30.5	(24.9 - 36.0)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	86	6,900	21.6	(11.8 - 31.4)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	142	9,400	27.6	(19.4 - 35.8)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	164	10,800	40.2	(31.0 - 49.4)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	197	21,700	59.0	(51.3 - 66.8)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	52,100	32.0	(27.3 - 36.7)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	26,100	35.4	(28.5 - 42.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	203	17,600	28.7	(20.0 - 37.5)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	178	11,200	23.6	(16.3 - 31.0)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	167	17,800	45.5	(35.6 - 55.5)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	161	12,800	30.4	(22.3 - 38.5)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	100	6,000	20.0	(11.2 - 28.7)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	*	*	*	*	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	27.6	(23.1 - 32.1)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	252	29.6	(22.4 - 36.7)	14,611	27.7	(24.7 - 30.7)
Female	400	25.7	(20.3 - 31.1)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	29.5	(24.7 - 34.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	269	32.5	(25.4 - 39.5)	15,688	32.1	(28.4 - 35.8)
Some College	203	25.9	(17.2 - 34.6)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	178	22.2	(14.7 - 29.7)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	161	27.3	(19.2 - 35.3)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	100	19.3	(10.1 - 28.5)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	250	41,500	75.7	(66.7 - 84.7)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	160	24,200	87.0	(80.1 - 93.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	67	9,800	90.7	(83.6 - 97.8)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	120	20,800	96.7	(93.3 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	240	38,800	74.7	(65.3 - 84.1)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	124	20,900	80.8	(71.4 - 90.2)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	91	15,100	84.9	(75.2 - 94.7)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	250	73.0	(63.1 - 82.8)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	160	83.9	(75.1 - 92.7)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	141,700	80.4	(74.9 - 85.8)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	250	73,400	82.8	(75.5 - 90.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	392	68,400	78.0	(70.0 - 85.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	85	28,300	89.4	(82.5 - 96.3)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	141	31,000	91.5	(85.7 - 97.3)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	163	25,100	94.1	(90.7 - 97.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	195	35,500	97.8	(95.8 - 99.9)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	128,900	82.0	(76.6 - 87.5)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	265	55,100	76.1	(67.5 - 84.6)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	176	41,800	90.7	(84.6 - 96.8)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	132	38,800	90.6	(83.8 - 97.3)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	78.7	(72.9 - 84.6)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	250	82.8	(75.4 - 90.1)	14,389	78.0	(73.9 - 82.1)
Female	392	74.7	(65.7 - 83.7)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	80.5	(74.5 - 86.5)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	265	73.8	(64.6 - 83.0)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	176	90.5	(84.2 - 96.8)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	132	90.3	(83.3 - 97.2)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	135,800	77.4	(71.9 - 82.9)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	248	71,000	80.7	(73.3 - 88.1)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	390	64,800	74.1	(66.1 - 82.0)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	85	27,400	86.5	(78.6 - 94.4)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	140	29,300	86.9	(80.2 - 93.7)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	162	24,200	90.8	(86.4 - 95.3)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	193	34,500	96.9	(94.5 - 99.4)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	122,900	78.7	(73.1 - 84.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	264	52,700	73.0	(64.5 - 81.6)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	176	40,300	87.4	(80.6 - 94.3)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	132	37,800	88.3	(81.1 - 95.4)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	75.7	(69.8 - 81.7)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	248	80.8	(73.3 - 88.2)	14,307	74.8	(70.7 - 79.0)
Female	390	70.6	(61.6 - 79.6)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	77.1	(71.0 - 83.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	264	70.9	(61.8 - 80.1)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	176	87.2	(80.0 - 94.4)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	132	88.3	(81.0 - 95.5)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	11,700	6.5	(4.6 - 8.4)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	252	7,100	7.9	(4.7 - 11.1)	14,477	664,600	9.4	(7.5 - 11.4)
Female	393	4,600	5.1	(3.0 - 7.1)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	163	2,500	9.2	(3.7 - 14.6)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	192	6,400	17.8	(12.1 - 23.5)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	608	10,200	6.3	(4.4 - 8.2)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	264	7,600	10.5	(6.7 - 14.2)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	201	3,300	5.4	(2.3 - 8.4)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	*	*	*	*	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	164	5,500	14.2	(8.2 - 20.2)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	160	2,200	5.2	(2.2 - 8.2)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	5.7	(4.0 - 7.4)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	252	7.5	(4.5 - 10.5)	14,477	9.7	(7.8 - 11.7)
Female	393	3.9	(2.2 - 5.6)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	608	5.6	(3.9 - 7.3)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	264	9.4	(5.9 - 13.0)	15,486	10.5	(8.0 - 13.0)
Some College	201	4.7	(1.9 - 7.4)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	*	*	*	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	164	13.3	(7.4 - 19.1)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	160	4.7	(1.8 - 7.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	8,900	4.9	(3.2 - 6.5)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	252	5,400	6.0	(3.1 - 8.8)	14,479	598,600	8.5	(6.6 - 10.4)
Female	395	3,500	3.8	(2.0 - 5.6)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	*	*	*	*	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	195	4,600	12.6	(7.8 - 17.4)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	610	7,300	4.5	(2.9 - 6.1)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	263	5,500	7.5	(4.3 - 10.7)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	203	2,500	4.1	(1.3 - 7.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	*	*	*	*	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	165	4,700	12.2	(6.5 - 17.9)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	160	1,700	3.9	(1.5 - 6.4)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	4.2	(2.7 - 5.7)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	252	5.6	(2.9 - 8.2)	14,479	8.8	(6.9 - 10.8)
Female	395	2.8	(1.4 - 4.2)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	610	3.9	(2.5 - 5.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	263	6.4	(3.6 - 9.3)	15,485	8.5	(6.2 - 10.7)
Some College	203	3.7	(1.1 - 6.3)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	*	*	*	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	165	11.4	(5.9 - 16.9)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	160	3.3	(1.2 - 5.4)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	17,400	9.5	(7.0 - 12.0)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	252	7,300	8.1	(4.8 - 11.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	401	10,100	10.9	(7.2 - 14.7)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	142	3,400	9.8	(4.3 - 15.4)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	163	3,800	14.3	(8.4 - 20.2)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	199	7,100	19.1	(12.7 - 25.4)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	15,700	9.6	(7.0 - 12.2)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	269	7,900	10.7	(7.0 - 14.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	203	5,700	9.3	(5.0 - 13.6)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	178	3,800	8.0	(2.6 - 13.4)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	169	4,500	11.3	(6.3 - 16.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	160	7,000	16.6	(10.3 - 22.9)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	8.8	(6.3 - 11.3)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	252	7.9	(4.6 - 11.2)	14,626	7.5	(6.1 - 8.9)
Female	401	9.7	(6.0 - 13.5)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	9.0	(6.3 - 11.7)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	269	9.6	(6.1 - 13.1)	15,709	12.6	(10.0 - 15.2)
Some College	203	8.9	(4.5 - 13.2)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	178	7.7	(1.9 - 13.4)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	169	10.4	(5.7 - 15.2)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	160	15.0	(8.9 - 21.1)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	33,200	18.3	(13.8 - 22.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	249	16,200	18.1	(11.0 - 25.2)	14,601	875,800	12.4	(10.1 - 14.7)
Female	400	17,000	18.5	(13.1 - 23.8)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	142	5,000	14.6	(8.0 - 21.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	163	4,900	18.5	(9.9 - 27.0)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	196	4,500	12.3	(7.4 - 17.2)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	24,500	15.2	(11.3 - 19.0)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	266	16,000	22.0	(14.0 - 29.9)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	203	11,200	18.3	(10.5 - 26.0)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	177	5,900	12.6	(7.0 - 18.2)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	168	8,300	21.1	(11.2 - 31.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	160	9,000	21.4	(11.8 - 31.0)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	134	6,700	14.8	(7.2 - 22.4)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	18.6	(13.9 - 23.4)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	249	18.8	(11.3 - 26.2)	14,601	12.6	(10.3 - 14.9)
Female	400	18.5	(12.7 - 24.3)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	15.3	(11.3 - 19.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	266	22.9	(14.2 - 31.5)	15,675	15.1	(12.1 - 18.0)
Some College	203	18.3	(10.3 - 26.3)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	177	12.6	(6.7 - 18.4)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	134	14.9	(7.2 - 22.6)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 48a. Current asthma among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	20,200	11.2	(7.9 - 14.5)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	248	9,300	10.4	(5.2 - 15.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	397	10,900	12.0	(7.9 - 16.0)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	85	3,900	12.5	(5.0 - 20.0)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	141	4,400	13.0	(6.5 - 19.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	163	4,300	16.0	(7.6 - 24.4)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	195	3,400	9.5	(5.1 - 13.8)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	609	15,000	9.3	(6.7 - 12.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	263	9,200	12.8	(6.6 - 18.9)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	202	6,100	10.1	(5.1 - 15.2)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	177	4,800	10.1	(4.9 - 15.3)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	166	5,500	14.2	(6.3 - 22.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	159	3,700	8.9	(3.7 - 14.2)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	134	4,400	9.8	(4.4 - 15.1)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 48b. Current asthma among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	11.0	(7.6 - 14.3)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	248	10.4	(5.1 - 15.7)	14,546	6.4	(4.9 - 7.9)
Female	397	11.5	(7.4 - 15.7)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	609	9.2	(6.4 - 12.0)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	263	12.1	(6.0 - 18.2)	15,594	10.8	(8.3 - 13.3)
Some College	202	10.2	(4.9 - 15.5)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	177	10.2	(4.6 - 15.7)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	166	13.7	(6.0 - 21.5)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	159	9.3	(3.3 - 15.4)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	134	10.1	(4.4 - 15.7)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	89,600	49.3	(44.0 - 54.6)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	251	43,300	48.2	(40.2 - 56.1)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	401	46,300	50.4	(43.2 - 57.5)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	142	19,500	56.9	(47.8 - 66.0)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	164	14,700	55.0	(45.1 - 64.9)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	199	22,800	61.7	(54.2 - 69.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	80,700	49.7	(44.3 - 55.1)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	268	37,900	51.9	(43.9 - 60.0)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	178	20,700	43.7	(34.7 - 52.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	48.3	(42.6 - 53.9)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	251	48.0	(39.9 - 56.2)	14,595	42.6	(38.8 - 46.3)
Female	401	48.5	(40.7 - 56.4)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	48.5	(42.8 - 54.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	268	51.5	(42.9 - 60.2)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	178	42.2	(32.9 - 51.6)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 50a. Arthritis among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	65,200	35.8	(31.2 - 40.4)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	251	27,000	29.9	(23.6 - 36.3)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	401	38,200	41.6	(35.0 - 48.1)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	63	7,000	13.2	(5.3 - 21.2)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	86	6,300	19.7	(10.7 - 28.8)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	142	14,600	42.7	(33.6 - 51.8)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	164	11,700	43.7	(34.4 - 53.1)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	197	25,700	69.8	(62.8 - 76.8)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	61,300	37.7	(32.9 - 42.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	269	31,300	42.5	(35.0 - 50.1)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	203	22,000	35.9	(27.1 - 44.6)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	177	11,900	25.2	(18.0 - 32.4)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	160	16,400	39.1	(29.8 - 48.5)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	134	10,600	23.5	(15.8 - 31.3)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 50b. Arthritis among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	33.3	(28.6 - 38.0)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	251	29.1	(22.8 - 35.5)	14,555	23.5	(20.9 - 26.1)
Female	401	37.3	(30.4 - 44.2)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	35.3	(30.3 - 40.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	269	39.7	(32.0 - 47.4)	15,652	30.4	(26.9 - 33.8)
Some College	203	32.9	(24.1 - 41.8)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	177	23.8	(16.4 - 31.3)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	160	36.0	(26.5 - 45.6)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	134	22.6	(14.7 - 30.5)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	36,300	20.2	(16.3 - 24.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	250	17,300	19.3	(13.3 - 25.4)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	397	19,000	21.0	(16.0 - 25.9)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	63	8,100	15.4	(5.8 - 25.0)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	85	3,700	11.9	(4.7 - 19.0)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	141	7,900	23.3	(15.8 - 30.8)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	163	5,700	21.6	(14.3 - 28.8)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	195	11,000	30.3	(23.2 - 37.5)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	611	33,700	21.0	(16.8 - 25.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	268	16,700	22.9	(16.9 - 28.8)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	199	14,500	24.3	(16.0 - 32.6)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	177	5,000	10.6	(5.6 - 15.6)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	165	14,600	38.0	(28.3 - 47.6)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	158	7,000	17.0	(11.0 - 23.1)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	100	3,700	12.2	(3.8 - 20.6)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	134	5,100	11.2	(4.1 - 18.4)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	19.3	(15.3 - 23.2)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	250	19.0	(13.0 - 25.1)	14,566	18.6	(15.8 - 21.4)
Female	397	19.5	(14.3 - 24.6)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	611	20.1	(15.9 - 24.3)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	268	21.8	(15.8 - 27.8)	15,626	23.8	(20.1 - 27.4)
Some College	199	23.1	(14.6 - 31.5)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	177	10.2	(4.8 - 15.6)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	158	16.0	(9.9 - 22.1)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	100	11.9	(3.2 - 20.6)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	134	11.1	(4.0 - 18.2)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	15,100	8.3	(5.9 - 10.7)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	252	7,700	8.5	(4.4 - 12.7)	14,617	460,700	6.5	(5.3 - 7.7)
Female	402	7,400	8.1	(5.5 - 10.6)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	142	2,200	6.5	(1.8 - 11.2)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	164	3,000	11.3	(6.0 - 16.6)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	199	8,200	22.1	(15.7 - 28.4)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	13,300	8.2	(5.7 - 10.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	270	7,500	10.3	(6.7 - 13.8)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	203	6,100	9.9	(4.4 - 15.5)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	*	*	*	*	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	169	6,800	17.2	(10.9 - 23.5)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	161	3,600	8.4	(4.5 - 12.4)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	7.2	(4.9 - 9.5)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	252	8.3	(4.2 - 12.4)	14,617	6.8	(5.5 - 8.0)
Female	402	6.1	(4.1 - 8.1)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	7.2	(4.8 - 9.6)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	270	9.1	(5.8 - 12.4)	15,711	10.3	(8.3 - 12.3)
Some College	203	8.5	(3.2 - 13.7)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	*	*	*	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	169	15.6	(9.5 - 21.7)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	161	7.3	(3.7 - 10.8)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 53a. Disability among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	40,200	22.3	(18.3 - 26.2)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	250	18,400	20.5	(14.4 - 26.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	399	21,800	23.9	(18.8 - 29.1)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	63	8,100	15.4	(5.8 - 25.0)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	85	3,700	11.9	(4.7 - 19.0)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	141	7,900	23.3	(15.8 - 30.8)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	164	7,000	26.0	(18.2 - 33.8)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	196	13,600	37.5	(30.0 - 45.0)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	36,900	22.9	(18.7 - 27.1)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	269	19,100	26.0	(19.9 - 32.2)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	200	15,600	26.0	(17.6 - 34.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	177	5,400	11.5	(6.3 - 16.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	167	15,800	40.9	(31.1 - 50.7)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	158	8,000	19.7	(13.3 - 26.2)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	100	3,900	12.9	(4.4 - 21.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	134	5,100	11.2	(4.1 - 18.4)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 53b. Disability among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	20.9	(16.8 - 24.9)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	250	20.1	(14.0 - 26.3)	14,568	20.9	(18.0 - 23.8)
Female	399	21.6	(16.3 - 27.0)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	21.6	(17.3 - 25.9)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	269	24.3	(18.1 - 30.4)	15,638	26.8	(23.0 - 30.6)
Some College	200	24.5	(16.0 - 33.1)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	177	10.9	(5.4 - 16.4)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	158	18.2	(11.7 - 24.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	100	12.5	(3.7 - 21.2)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	134	11.1	(4.0 - 18.2)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 54a. Current smoking among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	43,400	24.0	(19.5 - 28.4)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	250	18,900	21.1	(15.0 - 27.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	398	24,500	26.8	(20.5 - 33.2)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	141	8,400	24.8	(17.2 - 32.3)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	162	6,600	24.7	(15.6 - 33.9)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	196	4,000	11.1	(5.8 - 16.4)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	39,200	24.3	(19.7 - 28.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	268	23,600	32.3	(24.8 - 39.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	201	15,200	25.0	(16.7 - 33.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	177	4,500	9.5	(4.2 - 14.8)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	167	14,500	37.2	(27.3 - 47.1)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	161	12,600	30.0	(20.2 - 39.7)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	132	3,600	8.1	(3.0 - 13.2)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 54b. Current smoking among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	25.1	(20.3 - 29.9)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	250	21.4	(15.1 - 27.7)	14,559	19.2	(16.3 - 22.1)
Female	398	28.7	(21.6 - 35.8)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	25.9	(20.8 - 30.9)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	268	34.0	(25.9 - 42.1)	15,654	22.8	(19.5 - 26.0)
Some College	201	26.3	(17.2 - 35.4)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	177	9.7	(4.1 - 15.2)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	132	8.6	(3.0 - 14.1)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	30,900	17.1	(13.2 - 20.9)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	250	13,700	15.3	(10.0 - 20.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	398	17,200	18.8	(13.3 - 24.3)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	63	9,800	18.7	(8.8 - 28.6)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	86	6,700	21.1	(11.5 - 30.8)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	141	7,300	21.6	(14.3 - 28.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	162	3,800	14.5	(8.4 - 20.5)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	196	3,200	8.8	(4.0 - 13.7)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	30,000	18.5	(14.4 - 22.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	268	18,700	25.6	(18.6 - 32.5)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	201	9,600	15.9	(9.0 - 22.7)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	167	10,800	27.7	(18.8 - 36.7)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	161	7,700	18.3	(10.2 - 26.4)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	99	4,900	16.3	(6.9 - 25.7)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	132	3,100	6.9	(2.0 - 11.7)	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	17.8	(13.6 - 22.0)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	250	15.4	(10.0 - 20.9)	14,559	12.1	(10.1 - 14.1)
Female	398	20.2	(13.9 - 26.4)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	19.5	(15.0 - 24.1)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	268	27.2	(19.7 - 34.8)	15,654	16.4	(13.8 - 19.0)
Some College	201	16.4	(8.9 - 23.8)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	167	29.2	(19.3 - 39.1)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	161	19.4	(10.6 - 28.1)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	132	7.2	(2.0 - 12.5)	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	137,900	75.7	(71.3 - 80.1)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	252	68,400	75.8	(69.1 - 82.5)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	400	69,500	75.7	(70.0 - 81.4)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	63	46,000	87.4	(78.3 - 96.5)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	142	24,100	70.6	(62.4 - 78.8)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	164	18,400	68.6	(59.3 - 78.0)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	197	26,700	72.8	(65.8 - 79.7)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	123,800	76.1	(71.7 - 80.4)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	51,500	70.1	(62.8 - 77.4)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	203	45,700	74.7	(66.6 - 82.8)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	178	40,700	86.1	(79.4 - 92.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	167	23,800	61.1	(51.1 - 71.0)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	161	31,500	74.9	(65.2 - 84.6)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	100	25,000	83.0	(74.3 - 91.6)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	134	39,200	87.0	(80.5 - 93.5)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	76.2	(71.5 - 80.9)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	252	75.3	(68.2 - 82.3)	14,577	79.4	(76.7 - 82.2)
Female	400	77.1	(71.0 - 83.2)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	76.4	(71.8 - 81.0)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	70.0	(62.1 - 77.9)	15,647	76.9	(73.8 - 80.0)
Some College	203	75.5	(67.0 - 83.9)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	178	86.9	(80.2 - 93.6)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	100	82.7	(73.3 - 92.1)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	134	87.9	(81.7 - 94.2)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	36,100	20.0	(14.9 - 25.0)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	248	23,900	26.8	(19.3 - 34.2)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	397	12,200	13.4	(6.5 - 20.2)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	137	7,500	22.7	(14.7 - 30.7)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	161	1,800	6.8	(2.7 - 10.8)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	198	1,800	5.0	(1.8 - 8.2)	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	609	31,800	19.7	(14.5 - 24.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	265	13,000	17.9	(10.8 - 25.0)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	177	7,400	15.8	(8.8 - 22.7)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	165	4,600	11.9	(4.2 - 19.7)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	133	10,800	24.1	(14.6 - 33.7)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	21.3	(15.8 - 26.8)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	248	27.6	(19.8 - 35.4)	14,420	24.5	(21.0 - 27.9)
Female	397	15.2	(7.3 - 23.0)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	609	21.0	(15.3 - 26.6)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	265	19.1	(11.3 - 26.9)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	177	17.1	(9.5 - 24.6)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	165	12.3	(4.2 - 20.4)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	133	23.9	(14.4 - 33.5)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	18,700	10.5	(6.1 - 14.9)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	250	8,800	9.8	(4.3 - 15.3)	14,330	333,300	4.8	(3.9 - 5.7)
Female	392	10,000	11.2	(4.3 - 18.0)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	139	3,000	8.9	(3.6 - 14.3)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	15,600	9.8	(5.4 - 14.2)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	265	7,200	9.9	(4.0 - 15.8)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	176	3,500	7.6	(2.8 - 12.3)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	159	5,800	14.0	(4.4 - 23.6)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	132	3,800	8.4	(3.7 - 13.2)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	11.3	(6.4 - 16.3)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	250	10.1	(4.2 - 15.9)	14,330	4.9	(3.9 - 5.9)
Female	392	12.6	(4.7 - 20.5)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	10.6	(5.6 - 15.6)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	265	10.7	(4.1 - 17.4)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	176	8.6	(2.9 - 14.2)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	132	8.9	(3.7 - 14.1)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	595	108,600	65.7	(60.0 - 71.3)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	232	58,100	70.7	(62.6 - 78.7)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	363	50,500	60.7	(53.0 - 68.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	127	21,300	70.2	(61.3 - 79.1)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	152	18,500	72.8	(63.4 - 82.3)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	183	27,700	80.5	(74.3 - 86.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	562	94,900	64.6	(58.7 - 70.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	246	42,900	65.0	(56.8 - 73.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	167	31,800	72.0	(63.4 - 80.6)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	126	31,400	73.1	(63.8 - 82.3)	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	595	64.3	(58.2 - 70.3)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	232	70.3	(62.2 - 78.5)	13,299	67.9	(64.0 - 71.9)
Female	363	58.2	(49.6 - 66.8)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	562	62.8	(56.5 - 69.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	246	63.1	(54.3 - 71.9)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	167	72.2	(63.3 - 81.1)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	126	73.4	(63.9 - 82.9)	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	393	97,800	79.9	(74.4 - 85.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	157	52,400	86.1	(79.1 - 93.1)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	236	45,400	73.7	(65.4 - 82.0)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	85	16,600	83.8	(75.8 - 91.8)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	11,600	85.3	(75.7 - 94.8)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	100	16,700	92.8	(87.2 - 98.4)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	372	88,600	81.0	(75.8 - 86.3)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	158	45,400	91.0	(85.9 - 96.1)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	110	23,700	77.6	(68.6 - 86.5)	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	94	20,700	87.8	(79.5 - 96.2)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	393	78.5	(72.5 - 84.4)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	157	85.7	(78.5 - 92.9)	9,034	81.1	(77.4 - 84.8)
Female	236	71.4	(62.2 - 80.7)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	372	79.6	(73.9 - 85.2)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	158	90.1	(84.4 - 95.8)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	110	76.8	(67.3 - 86.3)	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	94	87.0	(77.7 - 96.3)	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	615	151,600	88.6	(85.3 - 92.0)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	237	77,000	90.4	(85.2 - 95.5)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	378	74,600	86.9	(82.7 - 91.2)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	61	45,000	90.3	(81.5 - 99.1)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	81	28,000	93.8	(88.4 - 99.3)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	137	29,700	91.0	(85.7 - 96.4)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	158	23,700	92.9	(88.2 - 97.6)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	178	25,300	75.9	(68.9 - 82.9)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	584	137,900	89.3	(86.3 - 92.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	246	54,500	81.2	(74.3 - 88.0)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	196	54,600	93.8	(90.6 - 97.1)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	172	42,400	93.0	(87.8 - 98.1)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	153	28,100	80.7	(73.4 - 88.0)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	157	37,500	92.5	(88.3 - 96.8)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	*	*	*	*	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	132	41,900	94.1	(89.4 - 98.9)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	615	89.5	(86.2 - 92.9)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	237	90.4	(85.2 - 95.6)	13,893	89.1	(86.9 - 91.3)
Female	378	88.6	(84.3 - 92.9)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	584	90.1	(87.1 - 93.2)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	246	82.4	(75.3 - 89.5)	14,507	84.6	(81.8 - 87.4)
Some College	196	94.7	(91.7 - 97.6)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	172	93.0	(87.5 - 98.5)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	153	82.7	(75.5 - 89.8)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	157	92.5	(88.0 - 97.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	*	*	*	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	132	94.5	(90.0 - 99.0)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 62a. Overweight among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	54,300	31.0	(26.2 - 35.7)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	251	33,000	36.6	(29.2 - 44.1)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	373	21,300	24.9	(19.3 - 30.6)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	133	12,700	39.2	(29.9 - 48.5)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	191	11,400	32.4	(25.2 - 39.7)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	51,900	33.1	(28.1 - 38.2)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	19,800	28.5	(21.5 - 35.6)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	196	19,700	33.1	(23.8 - 42.5)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	173	14,700	31.8	(23.2 - 40.3)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	158	8,900	24.6	(16.1 - 33.0)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	157	14,600	35.5	(25.9 - 45.0)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 62b. Overweight among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	30.7	(25.7 - 35.7)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	251	36.3	(28.7 - 43.9)	14,502	43.9	(40.1 - 47.6)
Female	373	24.8	(18.6 - 31.1)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	33.2	(27.9 - 38.5)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	28.6	(21.1 - 36.0)	15,079	35.2	(31.1 - 39.4)
Some College	196	32.5	(22.8 - 42.2)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	173	31.5	(22.7 - 40.4)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	158	24.4	(15.2 - 33.5)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 63a. Obesity among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	45,700	26.0	(21.5 - 30.5)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	251	22,900	25.4	(18.6 - 32.2)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	373	22,800	26.7	(20.9 - 32.5)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	62	7,800	15.0	(5.7 - 24.3)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	133	10,500	32.4	(23.4 - 41.4)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	157	7,200	27.9	(19.9 - 36.0)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	191	9,200	26.2	(19.2 - 33.2)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	40,100	25.6	(21.1 - 30.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	252	16,600	23.9	(17.1 - 30.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	196	16,100	27.0	(18.5 - 35.4)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	173	12,800	27.8	(19.4 - 36.1)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	158	11,900	32.9	(23.1 - 42.7)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	157	11,800	28.7	(19.2 - 38.2)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	98	6,100	20.8	(11.5 - 30.1)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	127	10,100	23.3	(14.3 - 32.2)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 63b. Obesity among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	25.7	(21.0 - 30.5)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	251	25.6	(18.4 - 32.7)	14,502	21.5	(19.0 - 24.0)
Female	373	25.9	(19.6 - 32.2)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	25.3	(20.6 - 30.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	252	23.7	(16.3 - 31.0)	15,079	29.4	(25.4 - 33.3)
Some College	196	26.4	(17.6 - 35.2)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	173	27.7	(19.0 - 36.5)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	98	20.4	(10.7 - 30.2)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	127	23.4	(14.2 - 32.7)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	100,000	57.0	(51.4 - 62.6)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	251	55,900	62.0	(54.0 - 70.0)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	373	44,100	51.6	(44.1 - 59.2)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	133	23,200	71.6	(63.1 - 80.1)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	157	17,200	67.0	(57.5 - 76.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	191	20,700	58.6	(50.8 - 66.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	92,000	58.7	(53.1 - 64.4)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	36,400	52.4	(44.0 - 60.8)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	173	27,500	59.5	(50.3 - 68.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	56.5	(50.5 - 62.4)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	251	61.8	(53.7 - 70.0)	14,502	65.4	(61.3 - 69.4)
Female	373	50.8	(42.4 - 59.2)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	58.5	(52.4 - 64.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	52.2	(43.3 - 61.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	173	59.3	(49.6 - 68.9)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	42,000	23.9	(19.5 - 28.2)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	251	23,800	26.4	(19.6 - 33.2)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	376	18,200	21.2	(15.9 - 26.5)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	134	8,200	25.0	(16.9 - 33.2)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	*	*	*	*	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	193	8,100	22.8	(16.0 - 29.6)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	36,400	23.2	(19.0 - 27.4)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	255	16,900	24.2	(17.0 - 31.5)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	196	10,800	18.1	(12.0 - 24.3)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	173	14,000	30.4	(21.5 - 39.2)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	159	8,500	23.4	(14.8 - 32.0)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	157	11,300	27.3	(17.5 - 37.1)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	128	9,300	21.1	(13.3 - 29.0)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	23.3	(18.7 - 27.8)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	251	25.9	(18.9 - 32.9)	14,499	23.4	(20.5 - 26.3)
Female	376	20.5	(14.8 - 26.1)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	22.8	(18.4 - 27.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	255	23.9	(16.2 - 31.5)	15,116	27.3	(23.4 - 31.2)
Some College	196	17.8	(11.3 - 24.3)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	173	29.5	(20.4 - 38.6)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	159	22.6	(13.9 - 31.3)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	128	21.0	(12.7 - 29.2)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	157	34,100	81.2	(72.9 - 89.6)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	148	30,100	82.8	(74.8 - 90.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	157	82.6	(74.5 - 90.7)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	148	83.6	(75.5 - 91.8)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	45,800	25.2	(20.6 - 29.8)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	251	18,000	20.0	(13.5 - 26.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	400	27,700	30.2	(23.8 - 36.6)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	141	7,500	21.9	(14.3 - 29.6)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	164	6,300	23.5	(14.8 - 32.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	197	14,600	39.8	(32.2 - 47.5)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	36,400	22.4	(18.4 - 26.5)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	28,200	38.4	(30.3 - 46.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	202	12,700	20.9	(13.5 - 28.2)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	178	4,800	10.1	(5.3 - 14.9)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	161	11,900	28.3	(18.6 - 38.0)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	134	3,100	7.0	(2.7 - 11.2)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	24.6	(19.7 - 29.5)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	251	20.3	(13.5 - 27.2)	14,602	20.9	(17.8 - 23.9)
Female	400	28.8	(21.8 - 35.8)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	21.7	(17.4 - 26.0)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	38.3	(29.6 - 46.9)	15,683	32.3	(28.3 - 36.4)
Some College	202	20.0	(12.2 - 27.7)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	178	9.9	(4.9 - 15.0)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	134	7.3	(2.7 - 11.9)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	47,200	25.9	(21.1 - 30.6)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	252	19,200	21.3	(14.8 - 27.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	402	27,900	30.3	(23.5 - 37.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	86	6,700	21.2	(11.3 - 31.1)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	142	8,400	24.5	(16.8 - 32.2)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	164	7,100	26.3	(17.1 - 35.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	199	7,700	20.8	(14.5 - 27.1)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	38,800	23.8	(19.3 - 28.4)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	270	19,200	26.1	(18.4 - 33.9)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	203	14,000	22.9	(14.5 - 31.2)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	178	13,900	29.5	(21.1 - 37.9)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	161	11,000	26.1	(16.9 - 35.4)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	100	5,100	16.8	(8.3 - 25.3)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	134	11,100	24.5	(14.8 - 34.2)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	26.0	(21.0 - 31.1)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	252	21.2	(14.6 - 27.8)	14,634	22.7	(19.6 - 25.9)
Female	402	30.8	(23.2 - 38.4)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	23.8	(18.9 - 28.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	270	26.6	(18.3 - 34.9)	15,726	23.3	(19.3 - 27.3)
Some College	203	23.3	(14.2 - 32.4)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	178	29.0	(20.3 - 37.7)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	100	15.9	(7.2 - 24.6)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	15,800	16.5	(12.4 - 20.6)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	185	7,700	17.0	(11.1 - 23.0)	10,966	489,400	14.4	(11.9 - 16.8)
Female	306	8,200	16.0	(10.5 - 21.5)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	139	6,100	18.2	(10.6 - 25.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	155	3,500	13.5	(5.3 - 21.6)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	197	6,300	17.0	(11.4 - 22.6)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	466	13,900	16.0	(12.2 - 19.8)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	208	6,400	15.4	(9.0 - 21.8)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	147	5,800	21.1	(13.0 - 29.1)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	134	3,600	13.6	(7.1 - 20.0)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	143	6,500	25.2	(15.6 - 34.9)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	122	3,700	16.4	(8.4 - 24.4)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	88	3,300	15.5	(7.1 - 23.9)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	16.7	(12.6 - 20.9)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	185	17.3	(11.2 - 23.4)	10,966	15.0	(12.1 - 17.8)
Female	306	16.1	(10.4 - 21.8)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	466	16.2	(12.2 - 20.2)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	208	15.7	(9.3 - 22.1)	12,417	17.4	(13.0 - 21.7)
Some College	147	21.4	(13.0 - 29.9)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	134	13.4	(6.8 - 20.1)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	143	26.4	(16.5 - 36.2)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	122	16.7	(8.3 - 25.2)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	88	15.8	(7.1 - 24.5)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Oneida County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Oneida County and New York State**

	Oneida County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	490	5,200	5.4	(3.0 - 7.8)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	306	2,900	5.7	(2.7 - 8.7)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	139	3,300	10.0	(3.9 - 16.1)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	196	1,400	3.8	(1.4 - 6.3)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	465	4,300	4.9	(2.7 - 7.2)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	207	1,600	3.8	(1.3 - 6.3)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	147	3,000	10.8	(4.0 - 17.7)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	142	2,700	10.4	(4.1 - 16.7)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Oneida County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Oneida County and New York State - Age-Adjusted<sup>2</sup>**

	Oneida County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	490	5.6	(3.0 - 8.2)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	306	6.0	(2.7 - 9.3)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	465	5.1	(2.7 - 7.5)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	207	4.0	(1.3 - 6.8)	12,404	5.2	(3.5 - 6.8)
Some College	147	11.5	(4.2 - 18.8)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	142	11.2	(4.3 - 18.0)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)