

New York State Expanded Behavioral Risk Factor Surveillance System

Orange County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Orange County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Orange County and New York State	14
Table 2b. Fair or poor general health among adults in Orange County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Orange County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Orange County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Orange County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Orange County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Orange County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Orange County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Orange County and New York State	22
Table 6b. Health insurance among adults in Orange County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Orange County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Orange County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Orange County and New York State	26
Table 8b. No health insurance among adults in Orange County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Orange County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Orange County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Orange County and New York State	30
Table 10b. Adults with regular health care provider in Orange County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Orange County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Orange County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Orange County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Orange County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Orange County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Orange County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Orange County and New York State	38
Table 14b. Dentist visit within the past year among adults in Orange County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Orange County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Orange County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Orange County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Orange County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Orange County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Orange County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Orange County and New York State	46
Table 18b. Flu shot within the past 12 months in Orange County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Orange County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Orange County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Orange County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Orange County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Orange County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Orange County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Orange County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Orange County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Orange County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Orange County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Orange County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Orange County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Orange County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Orange County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Orange County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Orange County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Orange County and New York State	64
Table 27b. Ever had a Pap test among women in Orange County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Orange County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Orange County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Orange County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Orange County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Orange County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Orange County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Orange County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Orange County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Orange County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Orange County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Orange County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Orange County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Orange County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Orange County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Orange County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Orange County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Orange County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Orange County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Orange County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Orange County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Orange County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Orange County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Orange County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Orange County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Orange County and New York State	90
Table 40b. High blood pressure among adults in Orange County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Orange County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Orange County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Orange County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Orange County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Orange County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Orange County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Orange County and New York State	98
Table 44b. Cardiovascular disease among adults in Orange County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Orange County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Orange County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Orange County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Orange County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Orange County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Orange County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Orange County and New York State	106
Table 48b. Current asthma among adults in Orange County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Orange County and New York State	108
Table 49b. Chronic joint symptoms among adults in Orange County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Orange County and New York State	110
Table 50b. Arthritis among adults in Orange County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Orange County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Orange County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Orange County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Orange County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Orange County and New York State	116
Table 53b. Disability among adults in Orange County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Orange County and New York State	118
Table 54b. Current smoking among adults in Orange County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Orange County and New York State	120
Table 55b. Everyday smoking among adults in Orange County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Orange County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Orange County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Orange County and New York State	124
Table 57b. Binge drinking within the past month among adults in Orange County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Orange County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Orange County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Orange County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Orange County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Orange County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Orange County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Orange County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Orange County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Orange County and New York State	134
Table 62b. Overweight among adults in Orange County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Orange County and New York State	136
Table 63b. Obesity among adults in Orange County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Orange County and New York State	138
Table 64b. Overweight or obesity among adults in Orange County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Orange County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Orange County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Orange County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Orange County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Orange County and New York State	144
Table 67b. No leisure-time physical activity among adults in Orange County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Orange County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Orange County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Orange County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Orange County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Orange County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Orange County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 1. Orange County and New York State adult US Census Bureau population estimates,¹ 2007

	Orange County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	276,007	100	14,884,315	100
Gender				
Male	137,245	49.7	7,103,791	47.7
Female	138,762	50.3	7,780,524	52.3
Age (years)				
18-34	89,388	32.4	4,497,479	30.2
35-44	54,057	19.6	2,844,115	19.1
45-54	56,586	20.5	2,854,316	19.2
55-64	38,515	14.0	2,142,000	14.4
≥ 65	37,461	13.6	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	202,745	73.5	9,343,884	62.8
Black Non-Hispanic	25,281	9.2	2,156,941	14.5
Hispanic	40,004	14.5	2,258,717	15.2
Other Non-Hispanic	7,977	2.9	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 2a. Fair or poor general health among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	36,200	13.1	(9.9 - 16.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	242	12,600	9.2	(5.1 - 13.3)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	415	23,500	17.0	(12.1 - 21.8)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	132	6,600	11.7	(5.5 - 17.9)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	132	8,300	21.7	(13.5 - 29.9)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	196	11,500	30.8	(22.1 - 39.6)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	566	24,500	12.1	(9.0 - 15.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	257	19,600	19.2	(13.1 - 25.2)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	168	11,400	14.6	(7.2 - 22.0)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	229	4,900	5.2	(1.8 - 8.5)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	*	*	*	*	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	240	5,600	4.7	(1.9 - 7.6)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 2b. Fair or poor general health among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	13.4	(10.1 - 16.7)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	242	9.9	(5.8 - 14.0)	14,599	15.3	(12.6 - 18.0)
Female	415	16.8	(11.9 - 21.7)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	566	12.5	(9.4 - 15.6)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	257	19.3	(13.4 - 25.2)	15,682	25.8	(22.1 - 29.5)
Some College	168	14.8	(7.5 - 22.1)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	229	5.6	(2.0 - 9.3)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	137	19.0	(9.1 - 29.0)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	240	4.9	(1.9 - 7.9)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	28,600	10.6	(7.4 - 13.7)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	235	14,500	10.7	(5.3 - 16.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	402	14,100	10.4	(7.2 - 13.6)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	131	6,200	11.1	(5.2 - 16.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	130	5,800	15.6	(8.1 - 23.0)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	181	6,300	18.4	(12.3 - 24.6)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	551	21,600	10.8	(7.5 - 14.2)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	245	13,600	13.6	(7.8 - 19.5)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	164	9,900	12.7	(5.6 - 19.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	226	4,800	5.2	(2.4 - 8.0)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	*	*	*	*	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	136	5,000	9.7	(3.9 - 15.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	236	10,500	9.0	(3.7 - 14.3)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	10.3	(7.4 - 13.3)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	235	10.5	(5.4 - 15.5)	14,325	8.7	(6.9 - 10.5)
Female	402	10.2	(7.1 - 13.3)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	551	10.8	(7.6 - 14.0)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	245	13.3	(7.8 - 18.8)	15,178	12.7	(10.2 - 15.1)
Some College	164	12.5	(5.8 - 19.3)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	226	5.0	(2.4 - 7.7)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	120	20.0	(10.4 - 29.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	136	9.7	(4.2 - 15.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	236	8.6	(3.6 - 13.7)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	21,700	8.0	(5.4 - 10.6)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	237	5,300	3.9	(0.9 - 6.9)	14,407	555,200	7.9	(6.3 - 9.6)
Female	407	16,500	12.1	(8.0 - 16.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	89	8,000	9.0	(2.8 - 15.2)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	105	4,600	8.7	(3.1 - 14.3)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	131	4,500	8.1	(3.8 - 12.4)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	130	2,900	7.7	(3.1 - 12.2)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	189	1,700	4.8	(1.7 - 7.8)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	555	16,400	8.2	(5.4 - 11.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	251	15,100	14.9	(9.0 - 20.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	163	2,800	3.6	(0.8 - 6.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	228	3,900	4.1	(1.5 - 6.8)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	136	4,900	9.7	(3.5 - 15.9)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	238	3,800	3.3	(1.1 - 5.4)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	7.9	(5.4 - 10.5)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	237	3.8	(1.0 - 6.7)	14,407	7.9	(6.3 - 9.6)
Female	407	12.0	(7.9 - 16.1)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	555	8.2	(5.3 - 11.0)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	251	14.6	(8.8 - 20.4)	15,335	12.3	(10.0 - 14.6)
Some College	163	3.6	(0.8 - 6.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	228	4.2	(1.5 - 7.0)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	136	9.9	(3.5 - 16.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	238	3.4	(1.1 - 5.8)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	633	41,800	15.5	(11.9 - 19.2)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	234	15,800	11.7	(6.2 - 17.2)	14,231	937,700	13.6	(11.4 - 15.8)
Female	399	26,000	19.4	(14.6 - 24.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	89	14,200	15.9	(7.2 - 24.7)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	105	5,400	10.2	(4.2 - 16.1)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	130	8,200	14.9	(8.3 - 21.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	129	7,300	19.5	(11.6 - 27.5)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	180	6,700	19.6	(13.4 - 25.9)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	547	30,300	15.3	(11.5 - 19.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	244	22,300	22.3	(15.2 - 29.5)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	162	11,700	15.2	(7.7 - 22.7)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	225	7,600	8.3	(4.6 - 12.0)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	136	8,700	17.0	(9.0 - 25.1)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	236	13,700	11.7	(6.1 - 17.3)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	633	15.3	(11.8 - 18.9)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	234	11.5	(6.4 - 16.7)	14,231	13.6	(11.4 - 15.8)
Female	399	19.2	(14.4 - 23.9)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	547	15.3	(11.6 - 19.0)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	244	21.8	(14.9 - 28.7)	15,018	20.1	(17.1 - 23.1)
Some College	162	15.1	(8.0 - 22.3)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	225	8.2	(4.5 - 11.9)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	136	17.2	(9.3 - 25.2)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	236	11.4	(6.1 - 16.8)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 6a. Health insurance among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	245,200	88.9	(84.4 - 93.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	241	119,100	86.9	(78.8 - 94.9)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	415	126,100	90.9	(87.1 - 94.7)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	107	47,600	88.0	(81.1 - 95.0)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	132	53,500	94.6	(89.8 - 99.4)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	133	36,000	93.4	(88.5 - 98.3)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	194	35,700	96.0	(90.5 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	565	188,900	93.3	(89.9 - 96.7)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	256	81,900	80.1	(70.5 - 89.7)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	167	74,000	94.8	(90.6 - 99.1)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	230	88,500	93.5	(87.8 - 99.1)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	138	45,200	87.9	(79.7 - 96.1)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	74	29,900	94.5	(87.7 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	240	114,100	96.8	(92.5 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 6b. Health insurance among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	89.2	(85.0 - 93.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	241	87.5	(80.0 - 94.9)	14,597	83.6	(79.7 - 87.5)
Female	415	90.9	(87.0 - 94.7)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	565	93.5	(90.3 - 96.7)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	256	80.7	(71.7 - 89.7)	15,673	80.1	(75.4 - 84.7)
Some College	167	95.0	(91.0 - 99.1)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	230	93.5	(88.2 - 98.9)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	138	88.6	(80.9 - 96.3)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	74	94.1	(87.1 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	240	96.9	(92.9 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 7a. Health insurance among adults aged 18-64¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	454	206,500	87.7	(82.5 - 92.8)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	168	103,400	85.4	(76.4 - 94.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	286	103,100	90.0	(85.7 - 94.3)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	107	47,600	88.0	(81.1 - 95.0)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	128	51,600	94.4	(89.4 - 99.4)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	129	34,900	93.2	(88.2 - 98.2)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	374	155,300	92.2	(88.2 - 96.3)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	114	64,100	94.1	(89.2 - 99.0)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	184	77,800	93.0	(86.7 - 99.4)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	57	24,800	94.2	(86.4 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	207	106,600	96.6	(92.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 7b. Health insurance among adults aged 18-64¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	454	87.6	(82.6 - 92.6)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	168	85.3	(76.5 - 94.2)	10,078	80.5	(75.9 - 85.1)
Female	286	89.9	(85.5 - 94.3)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	374	92.2	(88.2 - 96.2)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	114	94.1	(89.2 - 99.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	184	93.1	(87.0 - 99.3)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	57	93.7	(85.3 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	207	96.6	(92.3 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 8a. No health insurance among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	30,600	11.1	(6.6 - 15.6)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	241	18,000	13.1	(5.1 - 21.2)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	415	12,600	9.1	(5.3 - 12.9)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	107	6,500	12.0	(5.0 - 18.9)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	565	13,600	6.7	(3.3 - 10.1)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	256	20,400	19.9	(10.3 - 29.5)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	230	6,200	6.5	(0.9 - 12.2)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	138	6,200	12.1	(3.9 - 20.3)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 8b. No health insurance among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	10.8	(6.6 - 15.0)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	241	12.5	(5.1 - 20.0)	14,597	16.4	(12.5 - 20.3)
Female	415	9.1	(5.3 - 13.0)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	565	6.5	(3.3 - 9.7)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	256	19.3	(10.3 - 28.3)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	230	6.5	(1.1 - 11.8)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	138	11.4	(3.7 - 19.1)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 9a. No health insurance among adults aged 18-64¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	454	29,100	12.3	(7.2 - 17.5)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	168	17,600	14.6	(5.5 - 23.6)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	286	11,400	10.0	(5.7 - 14.3)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	107	6,500	12.0	(5.0 - 18.9)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	374	13,100	7.8	(3.7 - 11.8)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 9b. No health insurance among adults aged 18-64¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	454	12.4	(7.4 - 17.4)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	168	14.7	(5.8 - 23.5)	10,078	19.5	(14.9 - 24.1)
Female	286	10.1	(5.7 - 14.5)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	374	7.8	(3.8 - 11.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 10a. Adults with regular health care provider¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	226,700	82.4	(76.8 - 87.9)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	240	105,100	77.0	(67.0 - 86.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	416	121,600	87.6	(83.4 - 91.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	107	48,100	88.9	(82.1 - 95.7)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	132	50,600	89.4	(82.4 - 96.3)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	132	34,600	91.4	(86.3 - 96.5)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	195	35,400	94.8	(89.3 - 100)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	565	172,700	85.5	(80.6 - 90.3)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	229	83,800	89.1	(82.3 - 95.9)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	74	28,300	89.4	(80.6 - 98.2)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	239	103,000	87.9	(81.3 - 94.4)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 10b. Adults with regular health care provider¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	83.1	(77.8 - 88.3)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	240	78.3	(68.9 - 87.6)	14,593	78.1	(73.9 - 82.3)
Female	416	87.8	(83.5 - 92.0)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	565	86.1	(81.5 - 90.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	256	75.4	(65.9 - 84.8)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	229	89.6	(83.2 - 96.0)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	74	90.8	(82.8 - 98.7)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	239	88.2	(81.9 - 94.4)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	36,000	13.1	(9.6 - 16.6)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	241	11,300	8.3	(3.8 - 12.8)	14,607	903,300	12.7	(9.5 - 16.0)
Female	416	24,700	17.8	(12.6 - 22.9)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	90	16,400	18.3	(10.1 - 26.6)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	107	9,900	18.3	(9.3 - 27.2)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	131	4,700	8.4	(2.5 - 14.2)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	133	3,600	9.5	(3.5 - 15.4)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	566	20,700	10.3	(6.9 - 13.6)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	257	17,700	17.3	(10.7 - 23.9)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	167	7,900	10.2	(3.6 - 16.8)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	230	10,100	10.7	(6.1 - 15.3)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	138	8,900	17.3	(8.1 - 26.5)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	240	5,000	4.2	(1.7 - 6.8)	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	13.2	(9.7 - 16.7)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	241	8.5	(4.0 - 13.1)	14,607	12.5	(9.4 - 15.6)
Female	416	17.8	(12.6 - 22.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	566	10.2	(6.9 - 13.5)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	257	17.3	(10.8 - 23.8)	15,696	17.8	(13.8 - 21.7)
Some College	167	10.6	(3.6 - 17.6)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	230	10.6	(5.9 - 15.2)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	138	16.5	(7.7 - 25.3)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	240	4.2	(1.6 - 6.9)	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	184,700	67.9	(62.4 - 73.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	241	88,800	65.6	(56.1 - 75.0)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	410	95,900	70.2	(64.5 - 75.9)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	131	42,400	75.0	(65.6 - 84.4)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	132	29,500	77.3	(68.7 - 85.9)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	196	33,200	88.6	(82.3 - 94.8)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	561	134,200	67.4	(61.6 - 73.1)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	66,700	66.0	(56.3 - 75.6)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	229	65,700	69.8	(61.9 - 77.6)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	237	82,000	71.1	(63.6 - 78.6)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	68.2	(62.9 - 73.6)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	241	66.5	(57.6 - 75.4)	14,592	67.1	(63.3 - 70.9)
Female	410	69.9	(64.1 - 75.8)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	561	67.8	(62.3 - 73.4)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	66.1	(56.9 - 75.3)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	229	70.1	(62.4 - 77.8)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	138	75.3	(65.3 - 85.3)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	237	71.0	(63.6 - 78.3)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	235,000	86.4	(81.8 - 91.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	241	114,700	84.7	(76.5 - 92.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	410	120,300	88.1	(83.9 - 92.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	104	44,400	84.0	(76.1 - 91.9)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	131	49,100	87.0	(78.7 - 95.3)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	132	34,200	89.7	(83.9 - 95.4)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	196	35,100	93.6	(88.0 - 99.3)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	561	174,300	87.5	(83.3 - 91.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	85,100	84.1	(74.7 - 93.5)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	165	65,800	86.8	(79.4 - 94.1)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	229	83,300	88.5	(82.3 - 94.6)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	138	46,000	89.4	(82.3 - 96.5)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	74	27,000	85.2	(76.1 - 94.4)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	237	102,700	89.1	(83.1 - 95.0)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	86.7	(82.4 - 91.1)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	241	85.4	(77.8 - 93.0)	14,592	81.9	(78.4 - 85.3)
Female	410	88.1	(83.9 - 92.4)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	561	87.9	(84.0 - 91.9)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	84.4	(75.6 - 93.2)	15,640	84.6	(81.1 - 88.1)
Some College	165	87.3	(80.4 - 94.2)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	229	88.8	(82.8 - 94.7)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	138	89.6	(82.7 - 96.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	74	87.0	(78.6 - 95.4)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	237	89.2	(83.5 - 94.9)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 14a. Dentist visit within the past year among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	196,700	71.7	(66.6 - 76.9)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	239	94,300	69.2	(60.4 - 78.0)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	412	102,400	74.2	(69.0 - 79.5)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	105	39,500	74.4	(65.0 - 83.8)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	132	40,500	71.7	(62.2 - 81.1)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	131	28,700	75.6	(66.9 - 84.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	193	24,600	66.5	(58.3 - 74.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	561	147,200	73.1	(68.0 - 78.2)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	62,100	61.1	(51.7 - 70.5)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	165	61,600	79.3	(71.2 - 87.5)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	229	72,600	77.2	(69.4 - 85.0)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	72	25,600	82.6	(72.8 - 92.4)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	238	89,400	76.3	(69.0 - 83.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 14b. Dentist visit within the past year among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	71.6	(66.6 - 76.6)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	239	68.9	(60.5 - 77.3)	14,573	68.3	(64.6 - 72.1)
Female	412	74.3	(69.0 - 79.6)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	561	72.6	(67.6 - 77.5)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	60.5	(51.6 - 69.4)	15,613	65.3	(60.9 - 69.6)
Some College	165	79.7	(71.8 - 87.6)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	229	77.5	(69.9 - 85.0)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	238	76.8	(69.7 - 83.8)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	610	188,200	71.1	(65.7 - 76.5)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	222	89,400	68.1	(58.7 - 77.4)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	388	98,800	74.0	(68.6 - 79.5)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	106	38,000	70.9	(61.2 - 80.5)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	126	40,600	74.1	(64.7 - 83.4)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	123	27,800	78.0	(69.1 - 86.9)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	165	23,400	74.5	(66.9 - 82.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	523	137,100	70.8	(65.2 - 76.4)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	162	64,200	83.2	(75.8 - 90.6)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	224	70,900	76.4	(68.4 - 84.4)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	237	90,000	77.2	(69.9 - 84.4)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 15b. Had teeth cleaned within the past year among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	610	71.2	(66.0 - 76.4)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	222	68.4	(59.5 - 77.3)	13,173	69.2	(65.3 - 73.1)
Female	388	73.9	(68.4 - 79.4)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	523	70.6	(65.2 - 76.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	55.9	(46.3 - 65.5)	12,740	67.7	(63.2 - 72.3)
Some College	162	83.7	(76.6 - 90.8)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	224	76.7	(69.0 - 84.4)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	237	77.3	(70.3 - 84.4)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	122,600	44.7	(39.2 - 50.1)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	240	60,800	44.4	(35.4 - 53.5)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	409	61,800	44.9	(38.8 - 51.0)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	107	19,900	36.9	(27.0 - 46.8)	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	*	*	*	*	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	190	31,400	86.2	(80.1 - 92.3)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	559	93,500	46.4	(40.8 - 52.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	61,500	60.5	(51.3 - 69.6)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	166	26,900	34.6	(24.6 - 44.5)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	229	33,700	35.7	(28.3 - 43.0)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	240	41,400	35.2	(28.1 - 42.2)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	45.6	(40.2 - 50.9)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	240	46.9	(38.1 - 55.6)	14,457	47.9	(44.1 - 51.7)
Female	409	44.3	(38.1 - 50.4)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	559	47.9	(42.4 - 53.4)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	252	61.2	(52.5 - 70.0)	15,427	61.3	(56.7 - 66.0)
Some College	166	35.4	(25.5 - 45.2)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	229	36.5	(29.1 - 43.8)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	240	36.0	(29.0 - 43.1)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	190	4,000	11.1	(6.5 - 15.7)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	71	2,500	16.2	(7.1 - 25.4)	4,352	167,200	16.4	(11.8 - 20.9)
Female	119	1,600	7.4	(3.2 - 11.6)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	190	4,000	11.1	(6.5 - 15.7)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	183	3,700	11.5	(6.6 - 16.4)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	96	3,200	18.1	(9.7 - 26.5)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	190	11.8	(6.7 - 16.9)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	71	16.2	(7.0 - 25.4)	4,352	16.5	(11.5 - 21.4)
Female	119	7.4	(3.2 - 11.6)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	183	12.1	(6.7 - 17.5)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	96	19.3	(10.1 - 28.5)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 18a. Flu shot within the past 12 months¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	111,800	40.6	(35.2 - 46.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	241	56,100	41.0	(31.9 - 50.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	414	55,600	40.2	(34.3 - 46.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	269	52,000	29.8	(22.2 - 37.3)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	192	32,400	50.9	(42.2 - 59.6)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	194	27,400	73.6	(65.9 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	564	87,300	43.2	(37.5 - 48.8)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	39,700	39.0	(30.4 - 47.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	230	38,200	40.3	(32.5 - 48.2)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	240	47,300	40.1	(32.3 - 48.0)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 18b. Flu shot within the past 12 months¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	41.2	(35.9 - 46.4)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	241	42.4	(33.7 - 51.1)	14,579	40.0	(36.2 - 43.8)
Female	414	39.9	(34.1 - 45.8)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	564	43.9	(38.5 - 49.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	40.2	(31.9 - 48.6)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	230	40.7	(32.9 - 48.5)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	240	39.6	(31.9 - 47.3)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	114,700	41.6	(36.2 - 47.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	241	57,700	42.1	(33.0 - 51.3)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	414	57,000	41.1	(35.2 - 47.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	269	54,500	31.2	(23.6 - 38.8)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	192	32,400	50.9	(42.2 - 59.6)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	194	27,800	74.5	(66.9 - 82.2)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	564	88,300	43.7	(38.0 - 49.3)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	41,000	40.3	(31.5 - 49.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	230	38,800	41.0	(33.1 - 48.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	240	48,300	41.0	(33.1 - 48.9)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	42.3	(37.1 - 47.6)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	241	43.8	(35.1 - 52.5)	14,568	40.4	(36.6 - 44.2)
Female	414	40.9	(34.9 - 46.9)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	564	44.6	(39.1 - 50.0)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	254	41.5	(33.1 - 49.9)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	230	41.5	(33.6 - 49.3)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	240	40.7	(33.0 - 48.4)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 21a. Flu shot among adults aged 65 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	27,400	73.6	(65.9 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	73	12,800	81.1	(71.2 - 91.1)	4,417	772,900	74.6	(69.3 - 79.8)
Female	*	*	*	*	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	194	27,400	73.6	(65.9 - 81.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	186	24,300	74.5	(67.5 - 81.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 21b. Flu shot among adults aged 65 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	74.6	(67.1 - 82.2)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	73	81.1	(71.2 - 91.1)	4,417	74.4	(68.7 - 80.1)
Female	*	*	*	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	186	75.2	(68.2 - 82.2)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	601	54,900	23.3	(18.2 - 28.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	210	27,100	24.8	(15.2 - 34.4)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	391	27,800	22.1	(17.4 - 26.8)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	230	20,100	14.4	(6.5 - 22.4)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	183	12,600	21.0	(14.2 - 27.8)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	188	22,200	61.8	(53.1 - 70.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	517	41,800	24.9	(20.2 - 29.6)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	*	*	*	*	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	152	15,400	24.7	(15.6 - 33.7)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	206	12,300	15.4	(9.9 - 21.0)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	212	16,700	17.3	(10.7 - 23.9)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	601	24.4	(19.5 - 29.3)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	210	27.0	(18.0 - 35.9)	13,052	25.8	(22.3 - 29.4)
Female	391	22.2	(17.5 - 26.8)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	517	26.8	(22.0 - 31.5)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	240	30.3	(20.9 - 39.7)	14,700	29.5	(25.6 - 33.5)
Some College	152	25.5	(16.6 - 34.4)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	206	16.6	(10.7 - 22.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	212	17.7	(11.2 - 24.1)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	188	22,200	61.8	(53.1 - 70.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	*	*	*	*	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	188	22,200	61.8	(53.1 - 70.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	180	20,600	65.7	(58.0 - 73.3)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	188	61.4	(52.4 - 70.4)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	*	*	*	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	180	65.6	(57.8 - 73.5)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	319	74,700	90.0	(85.2 - 94.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	319	74,700	90.0	(85.2 - 94.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	114	26,700	91.5	(85.8 - 97.2)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	122	20,900	96.9	(94.1 - 99.8)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	288	59,800	91.5	(87.4 - 95.6)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	25,000	85.0	(76.9 - 93.1)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	86	19,200	92.0	(82.8 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	106	30,200	93.2	(85.2 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	77	13,100	90.5	(82.6 - 98.3)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	*	*	*	*	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	96	29,800	97.8	(94.8 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	319	89.8	(84.6 - 94.9)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	319	89.8	(84.6 - 94.9)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	288	91.4	(87.1 - 95.7)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	126	85.0	(76.7 - 93.4)	8,266	90.2	(86.1 - 94.2)
Some College	86	92.4	(83.6 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	106	92.4	(83.2 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	77	90.5	(82.7 - 98.4)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	96	97.7	(94.5 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	315	62,300	75.4	(69.2 - 81.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	315	62,300	75.4	(69.2 - 81.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	113	23,500	80.8	(72.0 - 89.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	284	49,500	76.3	(70.3 - 82.3)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	106	27,400	84.7	(74.9 - 94.5)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	96	26,700	87.8	(80.7 - 95.0)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	315	75.1	(68.6 - 81.5)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	315	75.1	(68.6 - 81.5)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	284	75.9	(69.9 - 82.0)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	96	87.6	(80.3 - 95.0)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	232	39,200	77.8	(70.9 - 84.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	232	39,200	77.8	(70.9 - 84.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	113	23,500	80.8	(72.0 - 89.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	218	33,300	78.1	(71.4 - 84.7)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	68	12,700	85.4	(76.3 - 94.5)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	53	12,300	91.3	(84.5 - 98.1)	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	232	77.5	(70.6 - 84.4)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	232	77.5	(70.6 - 84.4)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	218	77.9	(71.4 - 84.3)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	68	84.7	(75.2 - 94.3)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	53	91.2	(84.4 - 98.0)	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 27a. Ever had a Pap test among women¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	410	130,000	95.4	(92.5 - 98.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	410	130,000	95.4	(92.5 - 98.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	62	36,800	90.4	(81.9 - 98.9)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	59	27,000	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	86	27,800	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	81	18,000	93.9	(84.8 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	122	20,400	94.6	(91.2 - 98.0)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	351	92,000	94.4	(90.6 - 98.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	166	49,800	91.9	(85.7 - 98.2)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	104	31,200	99.3	(98.3 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	138	48,400	96.7	(92.6 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	96	24,600	92.3	(82.9 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	89	27,200	97.2	(92.6 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	128	47,900	98.1	(95.5 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 27b. Ever had a Pap test among women¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	410	95.4	(92.5 - 98.3)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	410	95.4	(92.5 - 98.3)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	351	94.4	(90.6 - 98.3)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	166	91.9	(85.6 - 98.1)	9,526	87.8	(83.2 - 92.4)
Some College	104	99.2	(98.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	138	96.9	(93.3 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	96	92.1	(82.7 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	89	97.1	(92.4 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	128	98.1	(95.6 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	403	112,000	83.0	(78.4 - 87.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	403	112,000	83.0	(78.4 - 87.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	62	36,300	89.3	(80.5 - 98.0)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	58	24,000	90.3	(81.4 - 99.1)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	86	24,400	87.7	(78.5 - 96.8)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	*	*	*	*	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	344	78,700	81.8	(76.8 - 86.9)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	40,300	76.1	(67.9 - 84.3)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	103	27,000	86.4	(78.8 - 94.1)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	138	44,000	87.9	(80.6 - 95.3)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	128	44,600	91.4	(85.8 - 97.0)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 28b. Had a Pap test within the past 3 years among women¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	403	83.0	(78.3 - 87.6)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	403	83.0	(78.3 - 87.6)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	344	81.7	(76.7 - 86.8)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	160	76.2	(67.9 - 84.4)	9,384	76.4	(71.3 - 81.5)
Some College	103	86.3	(78.7 - 93.8)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	138	87.9	(80.5 - 95.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	128	91.4	(85.8 - 97.0)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	192	57,000	72.3	(64.2 - 80.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	192	57,000	72.3	(64.2 - 80.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	69	13,200	86.4	(78.6 - 94.2)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	174	49,100	74.1	(65.8 - 82.5)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	192	72.8	(64.9 - 80.7)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	192	72.8	(64.9 - 80.7)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	174	75.0	(67.2 - 82.8)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	190	42,700	54.4	(45.4 - 63.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	190	42,700	54.4	(45.4 - 63.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	172	36,200	54.9	(45.5 - 64.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	190	55.4	(46.7 - 64.1)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	190	55.4	(46.7 - 64.1)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	172	56.7	(47.8 - 65.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	189	48,000	62.9	(53.7 - 72.1)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	189	48,000	62.9	(53.7 - 72.1)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	70	14,000	91.0	(82.4 - 99.6)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	171	40,500	63.6	(54.0 - 73.3)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	189	64.1	(55.2 - 72.9)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	189	64.1	(55.2 - 72.9)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	171	65.7	(56.6 - 74.8)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	188	43,500	57.2	(48.1 - 66.3)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	188	43,500	57.2	(48.1 - 66.3)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	170	36,000	56.8	(47.2 - 66.4)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	188	57.9	(49.1 - 66.7)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	188	57.9	(49.1 - 66.7)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	170	58.3	(49.3 - 67.4)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 33a. Prostate cancer among men aged 40 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	3,900	4.9	(2.1 - 7.8)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	194	3,900	4.9	(2.1 - 7.8)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	176	3,500	5.3	(2.1 - 8.6)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 33b. Prostate cancer among men aged 40 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	5.8	(2.6 - 9.0)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	194	5.8	(2.6 - 9.0)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	176	6.4	(2.7 - 10.1)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	386	34,200	33.5	(27.6 - 39.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	146	18,200	36.9	(27.3 - 46.6)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	240	16,000	30.3	(23.4 - 37.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	191	18,900	29.7	(21.8 - 37.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	192	15,000	40.7	(32.2 - 49.2)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	359	30,400	35.3	(29.2 - 41.4)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	11,146	823,500	34.9	(30.5 - 39.2)
Some College	102	7,500	28.5	(18.9 - 38.1)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	123	12,600	33.2	(23.3 - 43.0)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	386	34.4	(28.6 - 40.2)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	146	37.7	(28.5 - 46.8)	9,571	39.4	(35.3 - 43.5)
Female	240	31.1	(24.1 - 38.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	359	36.4	(30.4 - 42.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	38.1	(28.3 - 48.0)	11,146	35.1	(30.3 - 39.9)
Some College	102	29.7	(19.7 - 39.6)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	123	34.1	(24.4 - 43.8)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	385	7,800	7.6	(4.8 - 10.4)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	146	4,500	9.2	(4.3 - 14.2)	9,508	444,400	16.0	(13.2 - 18.9)
Female	239	3,200	6.1	(3.2 - 9.1)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	191	3,300	5.2	(2.0 - 8.4)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	191	4,200	11.3	(6.2 - 16.5)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	358	7,000	8.1	(4.9 - 11.2)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	3,400	9.3	(4.3 - 14.3)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	123	2,700	7.0	(2.1 - 11.9)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	*	*	*	*	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	112	2,900	7.6	(2.6 - 12.6)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	385	8.4	(5.3 - 11.6)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	146	10.6	(5.1 - 16.0)	9,508	16.4	(13.2 - 19.6)
Female	239	6.3	(3.2 - 9.3)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	358	9.0	(5.5 - 12.5)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	11.1	(4.9 - 17.2)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	123	6.8	(2.1 - 11.5)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	*	*	*	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	112	8.1	(2.9 - 13.2)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	385	13,400	13.1	(9.1 - 17.2)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	146	7,100	14.4	(8.1 - 20.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	239	6,300	11.9	(6.7 - 17.1)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	191	6,400	10.0	(5.3 - 14.7)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	191	6,700	18.1	(10.8 - 25.4)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	358	11,100	12.9	(8.9 - 16.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	6,900	18.7	(10.3 - 27.1)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	102	2,200	8.2	(3.3 - 13.2)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	123	4,100	10.9	(5.1 - 16.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	93	2,500	11.9	(5.0 - 18.7)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	112	4,300	11.1	(5.3 - 16.9)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	385	14.0	(9.8 - 18.2)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	146	15.8	(9.3 - 22.3)	9,508	21.7	(18.3 - 25.1)
Female	239	12.1	(6.7 - 17.6)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	358	13.9	(9.6 - 18.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	19.9	(11.3 - 28.5)	11,026	19.5	(15.4 - 23.7)
Some College	102	8.6	(3.4 - 13.8)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	123	11.4	(5.5 - 17.3)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	93	13.6	(6.0 - 21.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	112	11.4	(5.6 - 17.2)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	384	73,500	72.2	(66.4 - 77.9)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	144	37,200	76.2	(67.6 - 84.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	240	36,300	68.5	(60.9 - 76.0)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	131	30,100	78.7	(71.2 - 86.1)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	190	28,000	76.5	(68.7 - 84.4)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	358	63,300	73.4	(67.7 - 79.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	25,000	67.4	(58.2 - 76.6)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	122	29,700	78.7	(70.0 - 87.4)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	112	31,200	80.2	(71.5 - 88.9)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	384	72.5	(66.9 - 78.1)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	144	75.7	(67.4 - 83.9)	9,582	68.5	(64.5 - 72.5)
Female	240	69.2	(61.8 - 76.7)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	358	74.0	(68.6 - 79.4)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	67.8	(58.9 - 76.7)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	122	78.1	(69.2 - 87.1)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	112	80.9	(72.5 - 89.3)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	382	71,500	70.5	(64.6 - 76.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	144	36,800	75.2	(66.6 - 83.9)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	238	34,700	66.0	(58.3 - 73.7)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	131	29,500	77.0	(69.2 - 84.8)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	188	27,000	74.4	(66.4 - 82.4)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	356	62,100	72.3	(66.5 - 78.0)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	156	23,800	64.4	(55.0 - 73.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	122	29,600	78.5	(69.7 - 87.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	112	31,200	80.2	(71.5 - 88.9)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	382	70.6	(64.9 - 76.3)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	144	74.3	(66.0 - 82.7)	9,521	66.9	(62.9 - 70.9)
Female	238	66.9	(59.3 - 74.5)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	356	72.6	(67.1 - 78.1)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	156	64.5	(55.3 - 73.6)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	122	77.8	(68.8 - 86.8)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	112	80.9	(72.5 - 89.3)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	374	71,600	72.7	(67.0 - 78.5)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	144	37,000	76.3	(67.7 - 84.9)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	230	34,600	69.3	(61.7 - 76.9)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	127	29,100	78.6	(70.9 - 86.4)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	188	27,700	76.3	(68.5 - 84.2)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	350	62,300	74.0	(68.3 - 79.7)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	24,400	67.2	(57.8 - 76.5)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	118	28,900	81.1	(73.0 - 89.2)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	110	30,500	80.1	(71.2 - 89.0)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	374	73.1	(67.5 - 78.7)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	144	75.9	(67.7 - 84.1)	9,418	71.5	(67.6 - 75.4)
Female	230	70.0	(62.5 - 77.5)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	350	74.6	(69.1 - 80.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	67.8	(58.8 - 76.8)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	118	80.2	(71.7 - 88.7)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	110	80.9	(72.3 - 89.4)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 40a. High blood pressure among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	68,700	25.0	(20.9 - 29.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	241	35,400	25.9	(19.2 - 32.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	413	33,300	24.1	(19.4 - 28.8)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	107	7,400	13.6	(6.5 - 20.7)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	132	16,300	28.8	(19.6 - 38.0)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	*	*	*	*	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	194	23,000	62.0	(54.0 - 70.1)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	563	56,500	28.0	(23.4 - 32.6)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	254	26,900	26.4	(19.7 - 33.0)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	167	19,700	25.4	(17.0 - 33.7)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	230	21,700	22.9	(16.4 - 29.5)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	127	12,100	26.0	(16.1 - 35.9)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	239	22,900	19.5	(13.7 - 25.3)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 40b. High blood pressure among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	25.6	(21.6 - 29.7)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	241	27.3	(20.7 - 34.0)	14,611	27.7	(24.7 - 30.7)
Female	413	23.9	(19.1 - 28.7)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	563	28.8	(24.2 - 33.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	254	28.0	(21.3 - 34.7)	15,688	32.1	(28.4 - 35.8)
Some College	167	25.6	(17.3 - 33.9)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	230	22.7	(16.3 - 29.1)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	127	26.8	(16.9 - 36.7)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	239	19.3	(13.6 - 25.0)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	236	54,600	79.5	(71.3 - 87.8)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	141	28,600	85.8	(78.3 - 93.4)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	62	14,900	90.8	(82.8 - 98.8)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	116	21,700	94.3	(90.0 - 98.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	213	43,400	76.7	(67.3 - 86.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	104	24,100	89.7	(80.5 - 98.9)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	55	11,000	90.9	(83.6 - 98.3)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	62	13,800	90.4	(81.6 - 99.2)	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	236	80.5	(72.7 - 88.3)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	141	86.1	(78.5 - 93.7)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	213	78.0	(69.2 - 86.9)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	104	90.0	(81.5 - 98.4)	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	55	91.6	(84.7 - 98.5)	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	62	90.9	(82.9 - 98.9)	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	228,400	84.3	(79.2 - 89.4)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	240	113,700	84.0	(75.1 - 92.9)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	408	114,700	84.6	(79.8 - 89.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	106	46,300	86.5	(79.9 - 93.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	132	54,400	96.1	(91.8 - 100)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	133	37,600	97.7	(95.3 - 100)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	193	35,200	95.2	(89.6 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	558	172,100	86.8	(82.1 - 91.6)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	166	68,600	89.1	(80.9 - 97.3)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	230	86,100	91.0	(85.0 - 96.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	136	43,200	86.9	(77.0 - 96.9)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	74	30,300	95.9	(91.8 - 100)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	238	105,000	90.1	(83.9 - 96.2)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 42b. Ever had blood cholesterol checked among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	84.5	(79.7 - 89.3)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	240	85.0	(76.7 - 93.2)	14,389	78.0	(73.9 - 82.1)
Female	408	84.1	(79.2 - 89.0)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	558	87.0	(82.4 - 91.5)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	249	74.8	(65.3 - 84.3)	15,342	70.2	(65.2 - 75.1)
Some College	166	89.6	(81.9 - 97.3)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	230	90.5	(84.7 - 96.4)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	136	87.5	(78.3 - 96.7)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	74	96.0	(92.0 - 100)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	238	90.1	(84.2 - 96.0)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	218,800	81.3	(76.0 - 86.7)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	238	107,300	79.5	(70.3 - 88.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	404	111,500	83.1	(78.1 - 88.1)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	104	43,900	82.9	(75.4 - 90.3)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	131	50,800	90.3	(82.3 - 98.3)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	133	37,600	97.7	(95.3 - 100)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	191	34,800	94.8	(89.2 - 100)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	552	164,900	84.1	(78.9 - 89.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	165	65,300	85.2	(75.7 - 94.8)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	229	83,300	88.6	(82.4 - 94.9)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	136	42,900	86.4	(76.4 - 96.3)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	72	28,100	92.0	(84.8 - 99.1)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	238	101,300	86.9	(80.0 - 93.8)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	81.7	(76.6 - 86.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	238	80.7	(72.1 - 89.3)	14,307	74.8	(70.7 - 79.0)
Female	404	82.6	(77.5 - 87.7)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	552	84.2	(79.4 - 89.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	245	71.9	(62.3 - 81.6)	15,215	67.8	(62.9 - 72.8)
Some College	165	86.1	(77.2 - 95.0)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	229	88.2	(82.0 - 94.3)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	136	87.0	(77.8 - 96.2)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	72	92.3	(85.4 - 99.3)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	238	87.0	(80.4 - 93.6)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 44a. Cardiovascular disease among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	16,300	5.9	(4.0 - 7.9)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	241	9,500	6.9	(3.5 - 10.4)	14,477	664,600	9.4	(7.5 - 11.4)
Female	413	6,800	4.9	(3.2 - 6.7)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	133	3,900	10.2	(4.1 - 16.3)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	192	7,100	19.4	(13.1 - 25.6)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	563	13,500	6.7	(4.5 - 8.9)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	253	6,800	6.7	(4.0 - 9.4)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	168	5,600	7.1	(2.6 - 11.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	230	4,000	4.2	(1.1 - 7.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	126	5,000	10.7	(5.3 - 16.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	136	2,400	4.7	(2.1 - 7.3)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 44b. Cardiovascular disease among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	6.3	(4.3 - 8.3)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	241	7.6	(4.0 - 11.2)	14,477	9.7	(7.8 - 11.7)
Female	413	5.0	(3.2 - 6.8)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	563	7.2	(5.0 - 9.5)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	253	7.5	(4.4 - 10.6)	15,486	10.5	(8.0 - 13.0)
Some College	168	7.2	(2.7 - 11.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	230	4.3	(1.3 - 7.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	126	12.3	(6.2 - 18.3)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	136	4.9	(2.1 - 7.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 45a. Coronary heart disease among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	14,500	5.3	(3.4 - 7.1)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	241	8,400	6.1	(2.8 - 9.5)	14,479	598,600	8.5	(6.6 - 10.4)
Female	413	6,100	4.4	(2.8 - 6.1)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	133	3,200	8.3	(2.7 - 13.8)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	192	6,400	17.4	(11.4 - 23.4)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	563	12,000	5.9	(3.9 - 8.0)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	253	5,900	5.8	(3.3 - 8.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	168	5,100	6.6	(2.1 - 11.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	230	3,500	3.7	(0.7 - 6.7)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	126	4,200	9.1	(4.2 - 14.1)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	136	2,400	4.7	(2.1 - 7.3)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 45b. Coronary heart disease among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	5.6	(3.7 - 7.6)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	241	6.8	(3.3 - 10.2)	14,479	8.8	(6.9 - 10.8)
Female	413	4.5	(2.8 - 6.2)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	563	6.5	(4.3 - 8.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	253	6.5	(3.6 - 9.4)	15,485	8.5	(6.2 - 10.7)
Some College	168	6.7	(2.2 - 11.2)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	230	3.9	(1.0 - 6.8)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	126	10.3	(4.8 - 15.8)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	136	4.9	(2.1 - 7.7)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 46a. Ever diagnosed with diabetes among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	18,700	6.8	(4.9 - 8.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	242	8,300	6.1	(3.4 - 8.7)	14,626	530,400	7.5	(6.2 - 8.8)
Female	416	10,400	7.5	(4.9 - 10.1)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	132	4,100	7.3	(2.0 - 12.6)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	133	7,100	18.3	(11.3 - 25.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	196	6,900	18.4	(12.4 - 24.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	567	16,000	7.9	(5.7 - 10.0)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	257	8,300	8.1	(5.2 - 11.1)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	168	5,000	6.4	(2.3 - 10.6)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	230	4,900	5.2	(2.5 - 7.8)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	128	4,900	10.4	(5.3 - 15.6)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	138	4,500	8.7	(3.4 - 14.0)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	240	5,800	4.9	(2.3 - 7.6)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 46b. Ever diagnosed with diabetes among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	6.9	(5.0 - 8.7)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	242	6.6	(3.9 - 9.3)	14,626	7.5	(6.1 - 8.9)
Female	416	7.1	(4.7 - 9.5)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	567	8.0	(5.8 - 10.1)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	257	8.5	(5.5 - 11.6)	15,709	12.6	(10.0 - 15.2)
Some College	168	6.1	(2.3 - 10.0)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	230	5.1	(2.5 - 7.7)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	128	10.5	(5.4 - 15.7)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	138	8.8	(3.8 - 13.9)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	240	4.5	(2.1 - 7.0)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	41,800	15.2	(10.7 - 19.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	240	16,900	12.3	(4.9 - 19.8)	14,601	875,800	12.4	(10.1 - 14.7)
Female	414	24,900	17.9	(12.8 - 23.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	107	6,100	11.2	(4.9 - 17.6)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	130	7,600	13.6	(6.8 - 20.5)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	133	3,700	9.6	(4.5 - 14.8)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	194	3,300	8.7	(4.6 - 12.8)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	563	32,200	15.9	(10.6 - 21.3)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	17,200	16.8	(9.7 - 23.9)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	*	*	*	*	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	229	11,200	11.8	(6.2 - 17.4)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	128	6,000	12.9	(5.3 - 20.6)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	*	*	*	*	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	73	2,600	8.2	(2.7 - 13.8)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	240	15,800	13.4	(6.9 - 19.9)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	14.8	(10.5 - 19.1)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	240	11.9	(5.0 - 18.9)	14,601	12.6	(10.3 - 14.9)
Female	414	17.7	(12.6 - 22.8)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	563	15.5	(10.5 - 20.5)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	16.5	(9.8 - 23.3)	15,675	15.1	(12.1 - 18.0)
Some College	*	*	*	9,893	16.9	(13.4 - 20.4)
≥ College Degree	229	11.7	(6.3 - 17.1)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	128	12.7	(5.3 - 20.1)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	137	15.4	(5.5 - 25.3)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	73	8.7	(2.7 - 14.6)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	240	13.2	(7.0 - 19.5)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 48a. Current asthma among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	28,700	10.5	(6.8 - 14.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	237	10,100	7.4	(1.9 - 12.8)	14,546	440,700	6.3	(4.8 - 7.7)
Female	414	18,700	13.5	(8.8 - 18.2)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	90	12,800	14.3	(4.9 - 23.7)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	130	6,000	10.8	(4.3 - 17.2)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	133	2,600	6.7	(2.4 - 10.9)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	192	2,800	7.6	(3.7 - 11.5)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	560	20,700	10.3	(6.3 - 14.3)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	253	13,900	13.7	(6.8 - 20.6)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	167	7,800	10.0	(2.5 - 17.6)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	228	7,100	7.5	(3.6 - 11.4)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	128	5,500	11.8	(4.4 - 19.2)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	136	6,900	13.5	(3.7 - 23.3)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	239	10,800	9.2	(3.5 - 14.9)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 48b. Current asthma among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	10.3	(6.8 - 13.8)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	237	7.2	(2.1 - 12.3)	14,546	6.4	(4.9 - 7.9)
Female	414	13.3	(8.6 - 18.0)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	560	10.1	(6.3 - 13.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	253	13.4	(6.9 - 20.0)	15,594	10.8	(8.3 - 13.3)
Some College	167	9.7	(2.3 - 17.0)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	228	7.4	(3.6 - 11.2)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	128	11.7	(4.5 - 19.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	136	13.3	(3.7 - 22.9)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	239	9.0	(3.6 - 14.5)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 49a. Chronic joint symptoms among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	121,300	44.1	(38.6 - 49.5)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	241	64,100	46.8	(37.6 - 56.0)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	414	57,200	41.4	(35.4 - 47.5)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	*	*	*	*	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	194	22,000	59.3	(50.8 - 67.7)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	565	97,200	48.0	(42.3 - 53.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	257	49,400	48.3	(39.1 - 57.5)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	229	40,500	42.9	(34.8 - 51.0)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	238	51,300	43.8	(35.7 - 51.9)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 49b. Chronic joint symptoms among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	43.8	(38.5 - 49.1)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	241	47.0	(38.2 - 55.7)	14,595	42.6	(38.8 - 46.3)
Female	414	40.7	(34.6 - 46.7)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	565	47.7	(42.1 - 53.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	257	48.9	(40.1 - 57.7)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	229	41.9	(33.9 - 49.9)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	238	42.7	(34.8 - 50.6)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 50a. Arthritis among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	72,500	26.4	(22.1 - 30.6)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	241	31,700	23.3	(16.9 - 29.6)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	414	40,800	29.5	(24.1 - 34.9)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	107	5,800	10.7	(4.8 - 16.5)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	*	*	*	*	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	195	24,900	66.9	(59.4 - 74.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	565	57,900	28.7	(24.2 - 33.3)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	255	29,500	29.1	(22.1 - 36.2)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	168	21,400	27.4	(18.3 - 36.4)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	229	21,300	22.5	(16.1 - 29.0)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	239	24,800	21.1	(15.3 - 26.9)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 50b. Arthritis among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	26.9	(22.7 - 31.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	241	24.6	(18.3 - 31.0)	14,555	23.5	(20.9 - 26.1)
Female	414	29.0	(23.6 - 34.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	565	29.2	(24.7 - 33.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	255	30.7	(23.6 - 37.7)	15,652	30.4	(26.9 - 33.8)
Some College	168	27.8	(18.8 - 36.8)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	229	21.9	(15.6 - 28.1)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	239	20.6	(15.0 - 26.1)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	50,200	18.2	(14.5 - 22.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	241	22,200	16.2	(10.2 - 22.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	413	28,000	20.3	(15.8 - 24.7)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	90	8,900	10.0	(2.7 - 17.3)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	107	7,500	13.9	(6.3 - 21.5)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	132	10,800	19.1	(11.4 - 26.7)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	132	10,200	26.7	(18.1 - 35.4)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	193	12,700	34.4	(26.0 - 42.8)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	563	41,300	20.5	(16.1 - 24.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	253	23,600	23.2	(15.9 - 30.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	168	13,300	17.0	(10.2 - 23.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	230	13,100	13.8	(9.0 - 18.7)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	136	9,500	18.7	(10.5 - 26.9)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	240	18,300	15.5	(9.7 - 21.3)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	18.4	(14.7 - 22.1)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	241	16.7	(10.9 - 22.5)	14,566	18.6	(15.8 - 21.4)
Female	413	20.0	(15.5 - 24.5)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	563	20.8	(16.5 - 25.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	253	23.2	(16.2 - 30.2)	15,626	23.8	(20.1 - 27.4)
Some College	168	17.2	(10.5 - 23.9)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	230	14.0	(9.0 - 18.9)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	136	19.1	(11.0 - 27.1)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	240	15.4	(9.7 - 21.0)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	17,200	6.2	(4.3 - 8.2)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	242	7,700	5.6	(2.7 - 8.5)	14,617	460,700	6.5	(5.3 - 7.7)
Female	415	9,500	6.9	(4.3 - 9.5)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	132	3,500	6.1	(1.7 - 10.5)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	133	3,900	10.0	(4.0 - 16.1)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	195	8,000	21.3	(13.6 - 29.1)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	566	12,800	6.3	(4.4 - 8.3)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	257	7,100	6.9	(4.2 - 9.7)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	167	6,500	8.3	(3.3 - 13.2)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	230	3,400	3.6	(0.8 - 6.3)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	128	3,700	7.9	(3.5 - 12.2)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	138	3,700	7.3	(2.9 - 11.7)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	6.6	(4.6 - 8.7)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	242	6.4	(3.2 - 9.5)	14,617	6.8	(5.5 - 8.0)
Female	415	6.9	(4.2 - 9.6)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	566	6.8	(4.8 - 8.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	257	7.5	(4.6 - 10.5)	15,711	10.3	(8.3 - 12.3)
Some College	167	8.5	(3.5 - 13.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	230	3.8	(0.8 - 6.9)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	128	8.3	(3.7 - 12.9)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	138	7.8	(3.3 - 12.2)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 53a. Disability among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	52,800	19.2	(15.4 - 23.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	242	23,300	17.0	(11.0 - 23.0)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	413	29,600	21.4	(16.8 - 25.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	90	8,900	10.0	(2.7 - 17.3)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	107	7,500	13.9	(6.3 - 21.5)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	132	11,000	19.4	(11.7 - 27.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	132	10,900	28.5	(19.6 - 37.3)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	194	14,500	39.0	(30.6 - 47.5)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	564	44,000	21.8	(17.3 - 26.2)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	255	25,400	24.8	(17.5 - 32.2)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	167	13,700	17.6	(10.8 - 24.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	230	13,500	14.3	(9.4 - 19.2)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	137	10,100	19.7	(11.4 - 28.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	240	18,900	16.1	(10.3 - 21.9)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 53b. Disability among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	19.5	(15.7 - 23.2)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	242	17.8	(11.9 - 23.6)	14,568	20.9	(18.0 - 23.8)
Female	413	21.2	(16.6 - 25.7)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	564	22.2	(17.9 - 26.5)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	255	25.1	(18.0 - 32.2)	15,638	26.8	(23.0 - 30.6)
Some College	167	18.0	(11.2 - 24.7)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	230	14.4	(9.4 - 19.4)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	137	20.3	(12.1 - 28.5)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	240	16.0	(10.3 - 21.7)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 54a. Current smoking among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	55,900	20.3	(14.8 - 25.8)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	242	35,800	26.1	(16.3 - 35.9)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	415	20,100	14.5	(10.4 - 18.6)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	107	6,500	12.0	(5.6 - 18.5)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	132	10,800	19.2	(11.6 - 26.7)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	132	4,400	11.5	(5.5 - 17.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	196	4,000	10.7	(5.2 - 16.3)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	566	36,000	17.8	(13.0 - 22.5)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	230	10,700	11.3	(6.0 - 16.6)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	240	17,200	14.6	(8.3 - 20.9)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 54b. Current smoking among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	19.6	(14.4 - 24.8)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	242	25.3	(16.0 - 34.5)	14,559	19.2	(16.3 - 22.1)
Female	415	14.0	(10.0 - 18.1)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	566	17.3	(12.8 - 21.8)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	256	27.7	(18.2 - 37.2)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	230	10.8	(5.8 - 15.9)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	240	14.4	(8.2 - 20.5)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 55a. Everyday smoking among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	35,800	13.0	(8.6 - 17.4)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	242	20,200	14.7	(6.8 - 22.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	415	15,500	11.2	(7.5 - 15.0)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	107	4,800	8.8	(3.3 - 14.4)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	132	9,000	15.9	(8.8 - 23.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	132	2,700	6.9	(2.6 - 11.3)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	196	3,000	8.1	(2.8 - 13.4)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	566	25,100	12.4	(8.3 - 16.5)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	256	21,100	20.6	(12.9 - 28.4)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	230	4,000	4.2	(1.8 - 6.5)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	240	9,500	8.1	(3.2 - 12.9)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 55b. Everyday smoking among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	12.7	(8.4 - 16.9)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	242	14.5	(6.9 - 22.0)	14,559	12.1	(10.1 - 14.1)
Female	415	10.9	(7.2 - 14.5)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	566	12.0	(8.1 - 15.9)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	256	19.9	(12.6 - 27.2)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	230	3.9	(1.7 - 6.1)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	128	15.4	(5.7 - 25.1)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	240	8.0	(3.3 - 12.7)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	224,500	81.4	(76.6 - 86.2)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	242	107,300	78.2	(69.7 - 86.7)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	415	117,200	84.5	(80.2 - 88.9)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	107	50,900	94.2	(89.7 - 98.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	132	44,600	78.7	(69.3 - 88.2)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	133	29,800	77.5	(69.0 - 85.9)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	195	29,300	78.6	(71.2 - 85.9)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	566	167,000	82.4	(77.9 - 87.0)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	256	73,000	71.4	(63.1 - 79.8)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	230	85,400	90.2	(85.9 - 94.5)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	240	101,800	86.4	(79.9 - 92.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	81.9	(77.3 - 86.4)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	242	79.0	(71.0 - 86.9)	14,577	79.4	(76.7 - 82.2)
Female	415	84.8	(80.4 - 89.2)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	566	82.7	(78.5 - 87.0)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	50	88.8	(79.0 - 98.6)	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	256	72.0	(64.0 - 79.9)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	230	90.4	(86.1 - 94.7)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	240	87.1	(81.0 - 93.1)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 57a. Binge drinking within the past month among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	54,100	20.0	(14.6 - 25.4)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	239	40,900	30.4	(21.0 - 39.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	410	13,200	9.7	(6.0 - 13.4)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	105	8,200	15.3	(8.0 - 22.7)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	*	*	*	*	7,738	467,600	16.6	(13.3 - 19.9)
55-64	132	3,500	9.1	(3.3 - 14.8)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	560	45,000	22.7	(16.8 - 28.7)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	253	14,900	15.2	(8.2 - 22.2)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	228	16,000	17.1	(10.1 - 24.1)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	239	29,900	25.9	(18.2 - 33.6)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 57b. Binge drinking within the past month among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	19.1	(14.0 - 24.2)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	239	28.6	(19.7 - 37.5)	14,420	24.5	(21.0 - 27.9)
Female	410	9.7	(6.0 - 13.4)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	560	21.7	(16.1 - 27.4)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	253	14.6	(8.0 - 21.1)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	228	16.7	(9.9 - 23.4)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	239	25.2	(17.8 - 32.6)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 58a. Heavy drinking within the past month among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	9,400	3.5	(1.3 - 5.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	238	5,300	4.0	(0.1 - 7.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	410	4,200	3.1	(1.1 - 5.0)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	559	9,400	4.8	(1.9 - 7.7)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	*	*	*	*	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	238	5,400	4.7	(0.3 - 9.2)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 58b. Heavy drinking within the past month among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	3.4	(1.4 - 5.5)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	238	3.9	(0.3 - 7.6)	14,330	4.9	(3.9 - 5.9)
Female	410	3.0	(1.0 - 4.9)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	559	4.7	(1.9 - 7.5)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	*	*	*	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	238	4.5	(0.3 - 8.7)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	607	171,200	68.6	(63.0 - 74.2)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	221	90,200	74.1	(64.9 - 83.2)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	386	81,100	63.4	(56.9 - 69.8)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	120	36,500	73.1	(63.2 - 82.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	127	30,900	82.7	(75.6 - 89.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	183	29,000	82.4	(74.2 - 90.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	523	131,100	72.4	(66.3 - 78.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	59,200	65.1	(55.7 - 74.5)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	221	67,400	76.5	(69.2 - 83.8)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	227	77,200	73.8	(66.2 - 81.5)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	607	68.6	(63.1 - 74.0)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	221	74.1	(65.4 - 82.9)	13,299	67.9	(64.0 - 71.9)
Female	386	63.2	(56.7 - 69.8)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	523	72.9	(67.1 - 78.7)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	65.3	(56.4 - 74.3)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	221	76.3	(69.0 - 83.7)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	227	73.9	(66.4 - 81.5)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	381	133,200	73.9	(67.1 - 80.7)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	232	59,200	69.0	(61.2 - 76.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	74	27,200	76.9	(67.2 - 86.6)	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	*	*	*	*	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	91	17,300	95.4	(91.4 - 99.3)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	336	102,600	73.7	(67.2 - 80.1)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	134	53,800	82.9	(74.9 - 90.9)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	149	47,100	71.8	(61.9 - 81.7)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	154	57,700	72.3	(63.5 - 81.2)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	381	74.4	(67.9 - 81.0)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	232	69.3	(61.5 - 77.1)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	336	74.3	(68.0 - 80.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	134	83.2	(75.5 - 91.0)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	149	72.6	(63.0 - 82.1)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	77	86.0	(76.0 - 95.9)	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	154	72.6	(63.9 - 81.3)	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	619	235,500	89.1	(85.2 - 93.1)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	226	118,300	90.1	(83.2 - 97.1)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	393	117,200	88.1	(84.3 - 92.0)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	85	77,600	90.6	(80.8 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	106	45,900	86.1	(77.4 - 94.8)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	129	51,200	92.9	(88.1 - 97.8)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	130	34,500	91.9	(87.3 - 96.6)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	169	26,300	80.5	(72.6 - 88.3)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	533	178,800	92.1	(89.7 - 94.4)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	235	81,600	83.9	(78.6 - 89.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	*	*	*	*	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	226	88,900	95.5	(92.2 - 98.9)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	*	*	*	*	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	74	28,800	91.1	(82.4 - 99.9)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	235	109,400	95.4	(92.7 - 98.2)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	619	88.6	(84.6 - 92.5)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	226	89.4	(82.5 - 96.2)	13,893	89.1	(86.9 - 91.3)
Female	393	87.8	(83.7 - 91.9)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	533	91.4	(89.0 - 93.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	235	83.1	(77.6 - 88.6)	14,507	84.6	(81.8 - 87.4)
Some College	*	*	*	9,571	90.2	(86.9 - 93.5)
≥ College Degree	226	95.0	(91.2 - 98.8)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	*	*	*	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	74	90.6	(81.0 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	235	95.1	(92.1 - 98.0)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 62a. Overweight among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	102,800	38.6	(32.9 - 44.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	239	62,600	45.8	(36.5 - 55.2)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	390	40,200	31.0	(25.1 - 36.9)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	188	15,700	44.5	(36.0 - 53.0)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	547	73,100	36.8	(31.2 - 42.4)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	247	40,700	41.5	(31.8 - 51.2)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	225	37,800	40.5	(32.2 - 48.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	234	44,500	38.3	(30.2 - 46.3)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 62b. Overweight among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	38.6	(33.1 - 44.1)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	239	45.9	(37.0 - 54.8)	14,502	43.9	(40.1 - 47.6)
Female	390	30.9	(25.0 - 36.9)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	547	36.9	(31.5 - 42.3)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	247	41.2	(32.0 - 50.4)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	225	39.9	(31.7 - 48.2)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	234	37.2	(29.4 - 45.1)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 63a. Obesity among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	69,100	25.9	(20.9 - 30.9)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	239	38,100	27.9	(19.7 - 36.1)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	390	31,000	23.9	(18.3 - 29.4)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	103	13,500	26.0	(16.5 - 35.6)	4,785	662,200	23.6	(19.4 - 27.9)
45-54	*	*	*	*	7,495	816,800	30.1	(25.3 - 34.8)
55-64	124	9,600	26.1	(17.7 - 34.4)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	188	8,700	24.7	(16.6 - 32.7)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	547	49,400	24.9	(20.2 - 29.6)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	247	26,300	26.9	(19.1 - 34.7)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	225	18,100	19.5	(13.5 - 25.4)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	234	30,600	26.3	(19.5 - 33.1)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 63b. Obesity among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	25.8	(20.9 - 30.7)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	239	27.9	(20.0 - 35.8)	14,502	21.5	(19.0 - 24.0)
Female	390	23.6	(18.0 - 29.2)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	547	24.7	(20.2 - 29.2)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	247	27.0	(19.4 - 34.6)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	225	19.8	(13.7 - 25.9)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	234	26.2	(19.5 - 32.8)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 64a. Overweight or obesity among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	171,800	64.5	(59.2 - 69.9)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	239	100,600	73.7	(65.3 - 82.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	390	71,200	54.9	(48.6 - 61.2)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	125	36,800	68.9	(59.7 - 78.2)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	124	28,600	78.0	(69.4 - 86.7)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	188	24,500	69.2	(62.0 - 76.4)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	547	122,500	61.7	(55.8 - 67.5)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	247	67,000	68.4	(59.9 - 76.8)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	225	55,900	60.0	(52.0 - 68.0)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	234	75,200	64.6	(56.8 - 72.3)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 64b. Overweight or obesity among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	64.4	(59.2 - 69.6)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	239	73.8	(65.8 - 81.8)	14,502	65.4	(61.3 - 69.4)
Female	390	54.5	(48.1 - 60.9)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	547	61.6	(55.9 - 67.2)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	247	68.2	(60.1 - 76.3)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	225	59.8	(51.8 - 67.7)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	234	63.4	(55.8 - 71.1)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 65a. Received advice about weight by a health professional among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	631	78,200	29.3	(24.4 - 34.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	240	43,700	32.0	(23.8 - 40.2)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	391	34,500	26.5	(20.9 - 32.1)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	90	17,200	19.2	(9.6 - 28.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	*	*	*	*	7,490	910,900	33.5	(29.0 - 38.1)
55-64	124	12,700	34.6	(25.1 - 44.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	190	10,300	28.9	(21.0 - 36.9)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	547	64,600	32.6	(27.1 - 38.1)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	248	35,600	36.1	(27.1 - 45.1)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	157	19,100	25.5	(16.2 - 34.8)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	224	23,500	25.3	(18.3 - 32.4)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	131	12,200	25.2	(15.3 - 35.0)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	72	5,200	16.6	(7.8 - 25.5)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	233	36,400	31.4	(23.6 - 39.2)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 65b. Received advice about weight by a health professional among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	631	29.3	(24.5 - 34.2)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	240	32.4	(24.5 - 40.3)	14,499	23.4	(20.5 - 26.3)
Female	391	26.1	(20.4 - 31.7)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	547	31.9	(26.7 - 37.2)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	248	35.7	(27.1 - 44.4)	15,116	27.3	(23.4 - 31.2)
Some College	157	25.7	(16.4 - 35.0)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	224	25.4	(18.5 - 32.4)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	131	25.4	(15.6 - 35.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	72	18.6	(8.6 - 28.6)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	233	30.8	(23.2 - 38.3)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	191	65,900	84.2	(76.0 - 92.5)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	109	30,000	87.1	(77.6 - 96.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	51	9,200	89.0	(80.9 - 97.1)	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	172	55,300	85.7	(77.1 - 94.3)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	61	22,600	96.1	(91.2 - 100)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	191	84.1	(75.9 - 92.3)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	109	87.0	(77.5 - 96.6)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	172	85.7	(77.4 - 94.0)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	61	96.4	(92.1 - 100)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 67a. No leisure-time physical activity among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	63,600	23.0	(18.4 - 27.7)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	241	22,600	16.5	(9.4 - 23.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	415	41,000	29.5	(23.7 - 35.4)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	107	12,700	23.4	(14.5 - 32.4)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	132	9,400	16.7	(9.5 - 23.8)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	132	9,000	23.5	(14.9 - 32.1)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	195	12,500	33.6	(25.5 - 41.7)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	565	38,900	19.2	(15.5 - 22.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	255	30,700	30.0	(22.6 - 37.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	*	*	*	*	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	230	11,400	12.0	(7.0 - 17.0)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	240	14,400	12.2	(7.6 - 16.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 67b. No leisure-time physical activity among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	23.7	(19.1 - 28.3)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	241	17.8	(10.9 - 24.7)	14,602	20.9	(17.8 - 23.9)
Female	415	29.6	(23.6 - 35.5)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	565	20.1	(16.4 - 23.8)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	255	31.5	(24.1 - 39.0)	15,683	32.3	(28.3 - 36.4)
Some College	*	*	*	9,906	22.8	(18.5 - 27.2)
≥ College Degree	230	12.5	(7.3 - 17.7)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	240	12.7	(7.9 - 17.6)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	83,000	30.1	(24.9 - 35.3)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	242	33,200	24.2	(15.7 - 32.7)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	416	49,800	35.9	(29.9 - 41.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	107	13,800	25.6	(16.2 - 35.0)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	132	16,900	29.9	(20.6 - 39.3)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	133	7,800	20.3	(12.2 - 28.4)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	196	12,100	32.4	(24.2 - 40.5)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	567	56,200	27.7	(22.7 - 32.8)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	257	30,300	29.6	(21.3 - 37.9)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	230	30,100	31.8	(24.5 - 39.1)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	240	32,400	27.5	(20.2 - 34.8)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	30.2	(25.1 - 35.3)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	242	24.2	(16.1 - 32.3)	14,634	22.7	(19.6 - 25.9)
Female	416	36.1	(30.0 - 42.2)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	567	27.8	(22.9 - 32.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	257	29.7	(21.7 - 37.7)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	230	31.8	(24.4 - 39.1)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	240	27.8	(20.7 - 35.0)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 69a. Had a fall within the past 3 months among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	450	19,000	14.7	(10.8 - 18.6)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	166	7,800	12.4	(6.7 - 18.0)	10,966	489,400	14.4	(11.9 - 16.8)
Female	284	11,200	16.9	(11.5 - 22.3)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	128	10,000	18.4	(10.6 - 26.1)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	129	4,900	13.0	(6.9 - 19.1)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	193	4,100	11.0	(6.6 - 15.4)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	415	17,700	16.2	(11.8 - 20.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	176	7,400	16.9	(9.8 - 23.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	122	5,000	13.8	(7.0 - 20.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	150	6,500	13.5	(7.0 - 20.0)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	92	3,400	18.8	(9.1 - 28.5)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	104	4,500	17.8	(7.9 - 27.7)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	146	7,400	13.1	(7.1 - 19.1)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 69b. Had a fall within the past 3 months among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	450	14.2	(10.5 - 18.0)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	166	11.9	(6.7 - 17.0)	10,966	15.0	(12.1 - 17.8)
Female	284	16.6	(11.4 - 21.9)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	415	15.7	(11.6 - 19.9)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	176	16.2	(9.6 - 22.7)	12,417	17.4	(13.0 - 21.7)
Some College	122	13.2	(6.7 - 19.6)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	150	13.3	(7.1 - 19.6)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	92	18.1	(8.9 - 27.3)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	104	16.8	(7.7 - 26.0)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	146	13.0	(7.2 - 18.9)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Orange County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Orange County and New York State

	Orange County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	450	4,900	3.8	(1.9 - 5.7)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	284	3,800	5.8	(2.5 - 9.0)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	415	4,500	4.1	(2.0 - 6.1)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Orange County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Orange County and New York State - Age-Adjusted²

	Orange County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	450	3.8	(1.9 - 5.6)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	284	5.7	(2.5 - 8.8)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	415	4.0	(2.0 - 6.1)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)