

New York State Expanded Behavioral Risk Factor Surveillance System

Otsego County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Otsego County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Otsego County and New York State	14
Table 2b. Fair or poor general health among adults in Otsego County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Otsego County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Otsego County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Otsego County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Otsego County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Otsego County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Otsego County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Otsego County and New York State	22
Table 6b. Health insurance among adults in Otsego County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Otsego County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Otsego County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Otsego County and New York State	26
Table 8b. No health insurance among adults in Otsego County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Otsego County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Otsego County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Otsego County and New York State	30
Table 10b. Adults with regular health care provider in Otsego County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Otsego County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Otsego County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Otsego County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Otsego County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Otsego County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Otsego County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Otsego County and New York State	38
Table 14b. Dentist visit within the past year among adults in Otsego County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Otsego County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Otsego County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Otsego County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Otsego County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Otsego County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Otsego County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Otsego County and New York State	46
Table 18b. Flu shot within the past 12 months in Otsego County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Otsego County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Otsego County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Otsego County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Otsego County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Otsego County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Otsego County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Otsego County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Otsego County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Otsego County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Otsego County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Otsego County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Otsego County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Otsego County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Otsego County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Otsego County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Otsego County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Otsego County and New York State	64
Table 27b. Ever had a Pap test among women in Otsego County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Otsego County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Otsego County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Otsego County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Otsego County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Otsego County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Otsego County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Otsego County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Otsego County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Otsego County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Otsego County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Otsego County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Otsego County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Otsego County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Otsego County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Otsego County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Otsego County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Otsego County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Otsego County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Otsego County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Otsego County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Otsego County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Otsego County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Otsego County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Otsego County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Otsego County and New York State	90
Table 40b. High blood pressure among adults in Otsego County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Otsego County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Otsego County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Otsego County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Otsego County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Otsego County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Otsego County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Otsego County and New York State	98
Table 44b. Cardiovascular disease among adults in Otsego County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Otsego County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Otsego County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Otsego County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Otsego County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Otsego County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Otsego County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Otsego County and New York State	106
Table 48b. Current asthma among adults in Otsego County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Otsego County and New York State	108
Table 49b. Chronic joint symptoms among adults in Otsego County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Otsego County and New York State	110
Table 50b. Arthritis among adults in Otsego County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Otsego County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Otsego County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Otsego County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Otsego County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Otsego County and New York State	116
Table 53b. Disability among adults in Otsego County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Otsego County and New York State	118
Table 54b. Current smoking among adults in Otsego County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Otsego County and New York State	120
Table 55b. Everyday smoking among adults in Otsego County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Otsego County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Otsego County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Otsego County and New York State	124
Table 57b. Binge drinking within the past month among adults in Otsego County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Otsego County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Otsego County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Otsego County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Otsego County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Otsego County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Otsego County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Otsego County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Otsego County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Otsego County and New York State	134
Table 62b. Overweight among adults in Otsego County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Otsego County and New York State	136
Table 63b. Obesity among adults in Otsego County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Otsego County and New York State	138
Table 64b. Overweight or obesity among adults in Otsego County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Otsego County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Otsego County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Otsego County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Otsego County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Otsego County and New York State	144
Table 67b. No leisure-time physical activity among adults in Otsego County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Otsego County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Otsego County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Otsego County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Otsego County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Otsego County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Otsego County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 1. Otsego County and New York State adult US Census Bureau population estimates,¹ 2007

	Otsego County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	50,989	100	14,884,315	100
Gender				
Male	24,138	47.3	7,103,791	47.7
Female	26,851	52.7	7,780,524	52.3
Age (years)				
18-34	18,227	35.7	4,497,479	30.2
35-44	6,829	13.4	2,844,115	19.1
45-54	8,844	17.3	2,854,316	19.2
55-64	7,496	14.7	2,142,000	14.4
≥ 65	9,593	18.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	48,297	94.7	9,343,884	62.8
Black Non-Hispanic	958	1.9	2,156,941	14.5
Hispanic	1,065	2.1	2,258,717	15.2
Other Non-Hispanic	669	1.3	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 2a. Fair or poor general health among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	8,500	16.8	(12.4 - 21.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	274	3,500	14.5	(9.2 - 19.8)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	382	5,100	18.9	(12.1 - 25.7)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	128	1,600	18.1	(10.5 - 25.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	162	1,300	17.7	(11.5 - 23.9)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	230	2,100	22.0	(16.2 - 27.8)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	638	7,000	14.8	(11.2 - 18.4)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	260	5,100	24.9	(16.9 - 33.0)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	145	1,900	16.4	(8.9 - 23.8)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	250	1,400	7.6	(1.1 - 14.1)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	175	3,300	27.5	(17.7 - 37.2)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	196	2,500	16.0	(9.5 - 22.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	117	600	6.7	(2.4 - 10.9)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 2b. Fair or poor general health among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	16.8	(12.5 - 21.2)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	274	15.0	(9.5 - 20.5)	14,599	15.3	(12.6 - 18.0)
Female	382	18.5	(11.9 - 25.0)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	638	15.2	(11.4 - 19.0)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	260	25.4	(17.3 - 33.5)	15,682	25.8	(22.1 - 29.5)
Some College	145	17.1	(9.1 - 25.0)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	250	7.1	(1.3 - 12.8)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	196	17.8	(10.3 - 25.4)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	117	6.1	(2.2 - 10.0)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	6,100	12.4	(8.7 - 16.0)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	269	2,400	10.1	(5.7 - 14.4)	14,325	604,200	8.7	(7.0 - 10.5)
Female	371	3,700	14.5	(8.8 - 20.2)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	125	1,500	17.3	(9.7 - 24.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	161	1,100	14.4	(8.8 - 19.9)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	219	1,300	14.1	(9.3 - 18.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	623	5,300	11.4	(8.3 - 14.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	254	3,700	18.5	(12.4 - 24.5)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	138	1,200	10.8	(4.1 - 17.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	247	1,200	6.8	(0.3 - 13.3)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	167	2,400	21.1	(13.3 - 28.8)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	193	1,600	10.5	(4.5 - 16.4)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	12.3	(8.7 - 16.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	269	10.5	(5.7 - 15.2)	14,325	8.7	(6.9 - 10.5)
Female	371	14.1	(8.5 - 19.6)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	623	11.6	(8.2 - 14.9)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	254	19.1	(12.6 - 25.7)	15,178	12.7	(10.2 - 15.1)
Some College	138	10.9	(4.0 - 17.9)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	247	6.1	(0.4 - 11.7)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	167	22.5	(13.6 - 31.4)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	193	11.1	(4.8 - 17.4)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	4,800	9.4	(6.0 - 12.9)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	272	1,500	6.1	(3.4 - 8.9)	14,407	555,200	7.9	(6.3 - 9.6)
Female	378	3,300	12.4	(6.5 - 18.3)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	126	1,200	13.7	(7.0 - 20.4)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	162	800	11.0	(5.9 - 16.1)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	226	500	5.1	(2.1 - 8.0)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	632	3,900	8.2	(5.4 - 11.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	258	2,900	14.0	(8.3 - 19.6)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	144	500	3.9	(1.2 - 6.6)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	247	1,500	8.0	(0.9 - 15.0)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	174	2,300	19.5	(10.8 - 28.1)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	195	1,000	6.2	(1.8 - 10.6)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	9.6	(6.1 - 13.1)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	272	6.4	(3.1 - 9.7)	14,407	7.9	(6.3 - 9.6)
Female	378	12.5	(6.7 - 18.3)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	632	8.5	(5.5 - 11.6)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	258	15.2	(8.9 - 21.6)	15,335	12.3	(10.0 - 14.6)
Some College	144	3.9	(1.1 - 6.7)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	247	7.0	(0.9 - 13.1)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	174	21.1	(11.7 - 30.5)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	195	7.4	(1.8 - 12.9)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	8,900	17.8	(13.6 - 22.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	269	3,400	14.2	(9.2 - 19.2)	14,231	937,700	13.6	(11.4 - 15.8)
Female	370	5,500	21.2	(14.6 - 27.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	126	2,000	23.2	(14.9 - 31.6)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	161	1,500	20.5	(13.9 - 27.1)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	217	1,500	16.4	(11.3 - 21.5)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	622	8,000	17.0	(13.1 - 20.9)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	253	5,300	27.0	(19.6 - 34.5)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	140	1,600	13.6	(6.5 - 20.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	245	1,900	10.6	(3.5 - 17.7)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	192	2,300	14.4	(7.5 - 21.4)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	116	900	9.0	(3.6 - 14.3)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	18.1	(13.7 - 22.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	269	15.0	(9.4 - 20.5)	14,231	13.6	(11.4 - 15.8)
Female	370	20.9	(14.5 - 27.4)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	622	17.4	(13.2 - 21.5)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	253	28.8	(20.8 - 36.8)	15,018	20.1	(17.1 - 23.1)
Some College	140	13.8	(6.5 - 21.1)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	245	9.5	(3.2 - 15.7)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	192	15.8	(8.2 - 23.3)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	116	8.0	(3.2 - 12.9)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 6a. Health insurance among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	43,200	84.8	(79.6 - 90.0)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	275	20,900	86.5	(79.4 - 93.5)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	383	22,400	83.3	(75.8 - 90.7)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	70	6,200	90.5	(84.2 - 96.8)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	128	7,700	87.0	(80.5 - 93.4)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	163	6,700	89.3	(84.1 - 94.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	231	9,600	99.7	(99.1 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	640	41,300	86.9	(82.4 - 91.5)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	262	16,800	81.0	(72.2 - 89.9)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	250	17,000	92.3	(85.4 - 99.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	196	13,900	88.0	(81.1 - 94.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	117	8,900	92.6	(83.2 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	117	8,500	93.9	(85.7 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 6b. Health insurance among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	85.5	(80.8 - 90.2)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	275	87.1	(80.8 - 93.5)	14,597	83.6	(79.7 - 87.5)
Female	383	84.0	(77.1 - 90.9)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	640	87.3	(83.1 - 91.5)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	262	81.9	(73.8 - 90.0)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	250	92.7	(86.5 - 98.8)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	196	87.8	(81.2 - 94.5)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	117	92.3	(83.7 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	117	95.1	(88.6 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 7a. Health insurance among adults aged 18-64¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	427	33,700	81.3	(75.1 - 87.6)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	195	16,800	83.8	(75.4 - 92.3)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	232	16,900	79.0	(70.0 - 88.1)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	70	6,200	90.5	(84.2 - 96.8)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	128	7,700	87.0	(80.5 - 93.4)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	163	6,700	89.3	(84.1 - 94.6)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	410	31,900	83.7	(78.1 - 89.3)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	171	13,700	90.6	(82.3 - 98.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	126	11,000	85.3	(76.8 - 93.7)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	94	7,300	93.0	(83.7 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 7b. Health insurance among adults aged 18-64¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	427	82.6	(77.0 - 88.2)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	195	84.6	(77.0 - 92.2)	10,078	80.5	(75.9 - 85.1)
Female	232	80.7	(72.6 - 88.8)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	410	84.6	(79.5 - 89.6)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	77.8	(68.1 - 87.6)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	171	91.3	(84.0 - 98.5)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	126	85.3	(77.3 - 93.4)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	94	94.6	(87.3 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 8a. No health insurance among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	7,700	15.2	(10.0 - 20.4)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	275	3,300	13.5	(6.5 - 20.6)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	383	4,500	16.7	(9.3 - 24.2)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	128	1,200	13.0	(6.6 - 19.5)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	163	800	10.7	(5.4 - 15.9)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	640	6,200	13.1	(8.5 - 17.6)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	262	3,900	19.0	(10.1 - 27.8)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	250	1,400	7.7	(0.8 - 14.6)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	196	1,900	12.0	(5.1 - 18.9)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 8b. No health insurance among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	14.5	(9.8 - 19.2)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	275	12.9	(6.5 - 19.2)	14,597	16.4	(12.5 - 20.3)
Female	383	16.0	(9.1 - 22.9)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	640	12.7	(8.5 - 16.9)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	262	18.1	(10.0 - 26.2)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	250	7.3	(1.2 - 13.5)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	196	12.2	(5.5 - 18.8)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 9a. No health insurance among adults aged 18-64¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	427	7,700	18.7	(12.4 - 24.9)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	195	3,200	16.2	(7.7 - 24.6)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	232	4,500	21.0	(11.9 - 30.0)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	128	1,200	13.0	(6.6 - 19.5)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	163	800	10.7	(5.4 - 15.9)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	410	6,200	16.3	(10.7 - 21.9)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	171	1,400	9.4	(1.1 - 17.7)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	126	1,900	14.7	(6.3 - 23.2)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 9b. No health insurance among adults aged 18-64¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	427	17.4	(11.8 - 23.0)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	195	15.4	(7.8 - 23.0)	10,078	19.5	(14.9 - 24.1)
Female	232	19.3	(11.2 - 27.4)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	410	15.4	(10.4 - 20.5)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	22.2	(12.4 - 31.9)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	171	8.7	(1.5 - 16.0)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	126	14.7	(6.6 - 22.7)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 10a. Adults with regular health care provider¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	42,000	82.4	(76.9 - 87.9)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	275	19,400	80.2	(71.6 - 88.7)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	382	22,600	84.4	(77.2 - 91.6)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	70	5,800	84.4	(76.1 - 92.6)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	127	7,600	86.2	(79.5 - 92.9)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	163	7,100	94.6	(91.0 - 98.1)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	231	8,900	92.9	(89.2 - 96.6)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	639	40,700	85.7	(81.2 - 90.3)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	262	16,800	81.0	(72.0 - 90.0)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	144	10,500	89.2	(80.4 - 98.0)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	250	14,700	80.0	(70.1 - 89.8)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	196	13,800	87.2	(79.7 - 94.7)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	117	7,700	85.4	(75.7 - 95.1)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 10b. Adults with regular health care provider¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	82.7	(77.6 - 87.8)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	275	80.6	(72.8 - 88.4)	14,593	78.1	(73.9 - 82.3)
Female	382	84.6	(77.9 - 91.3)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	639	85.5	(81.2 - 89.8)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	262	81.4	(73.1 - 89.7)	15,692	75.8	(71.0 - 80.6)
Some College	144	89.5	(81.3 - 97.7)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	250	80.5	(71.6 - 89.3)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	196	87.4	(80.4 - 94.5)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	117	86.0	(77.3 - 94.8)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	6,100	11.9	(7.6 - 16.3)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	274	1,500	6.2	(2.0 - 10.3)	14,607	903,300	12.7	(9.5 - 16.0)
Female	383	4,600	17.1	(10.1 - 24.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	127	1,500	16.8	(9.4 - 24.3)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	163	500	6.7	(2.5 - 10.8)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	639	4,300	9.1	(6.0 - 12.3)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	262	3,000	14.5	(7.0 - 22.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	145	1,600	13.3	(5.7 - 20.9)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	249	1,500	8.2	(1.2 - 15.3)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	175	2,100	17.5	(9.1 - 25.9)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	196	1,600	10.3	(4.5 - 16.2)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	11.6	(7.6 - 15.7)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	274	5.8	(2.0 - 9.6)	14,607	12.5	(9.4 - 15.6)
Female	383	16.9	(10.3 - 23.4)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	639	9.2	(6.1 - 12.3)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	262	13.5	(6.7 - 20.4)	15,696	17.8	(13.8 - 21.7)
Some College	145	15.1	(6.9 - 23.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	249	7.5	(1.3 - 13.8)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	175	17.1	(9.0 - 25.2)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	196	10.6	(4.6 - 16.6)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	33,700	66.3	(60.4 - 72.2)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	275	14,700	61.0	(51.9 - 70.1)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	381	18,900	71.1	(63.5 - 78.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	128	6,300	70.9	(61.9 - 79.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	163	5,900	78.8	(71.8 - 85.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	230	7,900	82.8	(77.3 - 88.3)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	638	33,000	69.6	(64.2 - 75.1)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	260	14,000	68.5	(59.3 - 77.6)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	250	12,300	66.6	(56.9 - 76.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	196	10,700	67.3	(57.8 - 76.9)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	65.7	(60.0 - 71.3)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	275	59.8	(51.1 - 68.6)	14,592	67.1	(63.3 - 70.9)
Female	381	71.0	(63.7 - 78.2)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	638	68.8	(63.6 - 74.1)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	68.2	(59.5 - 76.9)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	250	65.4	(56.0 - 74.8)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	196	66.5	(57.0 - 75.9)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	41,400	81.5	(76.4 - 86.7)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	275	18,900	78.4	(70.5 - 86.3)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	381	22,500	84.3	(77.5 - 91.2)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	70	5,700	83.4	(74.7 - 92.1)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	128	7,500	85.3	(78.5 - 92.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	163	6,400	85.6	(79.6 - 91.5)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	230	8,800	92.2	(88.4 - 96.0)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	638	39,900	84.3	(80.2 - 88.4)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	260	16,900	82.5	(75.1 - 89.9)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	145	9,800	83.3	(73.6 - 92.9)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	250	14,600	79.2	(69.5 - 88.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	174	9,800	83.7	(76.0 - 91.5)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	196	13,400	84.4	(77.0 - 91.8)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	81.9	(77.1 - 86.7)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	275	79.1	(71.9 - 86.3)	14,592	81.9	(78.4 - 85.3)
Female	381	84.5	(78.1 - 90.9)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	638	84.2	(80.2 - 88.2)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	82.6	(75.6 - 89.6)	15,640	84.6	(81.1 - 88.1)
Some College	145	83.9	(74.6 - 93.1)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	250	80.0	(71.2 - 88.7)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	174	83.5	(75.9 - 91.1)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	196	84.0	(76.7 - 91.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	117	82.2	(72.5 - 91.8)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 14a. Dentist visit within the past year among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	33,500	65.9	(60.3 - 71.4)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	275	16,400	67.8	(59.4 - 76.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	382	17,100	64.1	(56.7 - 71.5)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	127	5,600	64.5	(55.2 - 73.9)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	163	5,100	68.5	(60.5 - 76.5)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	231	6,700	70.3	(64.0 - 76.7)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	639	32,000	67.5	(62.2 - 72.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	261	11,500	55.9	(46.7 - 65.1)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	250	13,500	73.4	(64.4 - 82.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	117	7,300	80.5	(71.1 - 90.0)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 14b. Dentist visit within the past year among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	66.4	(61.0 - 71.9)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	275	66.7	(58.4 - 75.1)	14,573	68.3	(64.6 - 72.1)
Female	382	66.2	(59.1 - 73.3)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	639	68.3	(63.1 - 73.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	261	56.0	(47.0 - 65.0)	15,613	65.3	(60.9 - 69.6)
Some College	145	73.2	(63.4 - 83.0)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	250	74.0	(65.1 - 82.9)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	196	64.5	(54.9 - 74.1)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	117	80.8	(71.6 - 90.1)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 15a. Had teeth cleaned within the past year among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	584	31,900	68.0	(62.1 - 73.9)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	249	15,200	68.0	(59.2 - 76.9)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	335	16,700	68.0	(60.1 - 76.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	122	5,200	63.1	(53.5 - 72.6)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	148	5,100	74.8	(67.0 - 82.6)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	180	6,200	82.1	(76.2 - 88.0)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	566	30,400	69.9	(64.3 - 75.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	242	13,200	73.0	(63.8 - 82.3)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	114	7,400	83.3	(74.0 - 92.7)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 15b. Had teeth cleaned within the past year among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	584	68.1	(62.3 - 73.8)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	249	66.3	(57.5 - 75.2)	13,173	69.2	(65.3 - 73.1)
Female	335	69.6	(62.1 - 77.1)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	566	70.0	(64.6 - 75.5)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	209	58.3	(48.3 - 68.2)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	242	73.4	(64.3 - 82.4)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	175	67.8	(58.0 - 77.5)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	114	83.1	(73.9 - 92.3)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	24,700	48.7	(43.0 - 54.4)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	273	12,500	52.1	(43.0 - 61.3)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	374	12,100	45.6	(38.5 - 52.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	127	5,100	58.2	(48.9 - 67.4)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	162	5,400	72.7	(65.3 - 80.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	222	7,600	81.5	(76.1 - 86.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	629	23,000	48.7	(43.2 - 54.3)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	258	13,400	65.1	(55.4 - 74.8)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	248	6,400	34.8	(27.0 - 42.6)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	48.2	(42.6 - 53.7)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	273	53.0	(44.2 - 61.8)	14,457	47.9	(44.1 - 51.7)
Female	374	43.8	(36.8 - 50.8)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	629	47.9	(42.5 - 53.4)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	258	64.9	(55.6 - 74.1)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	248	35.0	(26.9 - 43.1)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	222	2,000	21.3	(15.5 - 27.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	79	700	17.7	(9.0 - 26.4)	4,352	167,200	16.4	(11.8 - 20.9)
Female	143	1,300	24.1	(16.3 - 31.9)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	222	2,000	21.3	(15.5 - 27.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	221	2,000	21.5	(15.6 - 27.3)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	100	1,300	31.7	(22.0 - 41.4)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	222	21.0	(15.2 - 26.9)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	79	17.7	(9.0 - 26.4)	4,352	16.5	(11.5 - 21.4)
Female	143	24.1	(16.3 - 31.9)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	221	21.2	(15.3 - 27.1)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	100	31.2	(21.4 - 40.9)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 18a. Flu shot within the past 12 months¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	22,800	44.9	(39.2 - 50.6)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	272	9,600	40.1	(31.2 - 48.9)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	382	13,200	49.2	(42.0 - 56.4)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	206	11,000	36.6	(27.7 - 45.4)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	220	5,200	46.8	(39.4 - 54.2)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	228	6,500	69.2	(62.5 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	636	20,800	44.0	(38.5 - 49.5)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	260	9,200	44.8	(35.8 - 53.8)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	248	8,800	47.8	(38.4 - 57.3)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 18b. Flu shot within the past 12 months¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	42.8	(37.3 - 48.3)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	272	38.8	(30.3 - 47.2)	14,579	40.0	(36.2 - 43.8)
Female	382	46.5	(39.3 - 53.6)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	636	42.1	(36.8 - 47.5)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	43.7	(34.9 - 52.5)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	248	44.1	(35.0 - 53.3)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	195	44.5	(34.7 - 54.3)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	23,000	45.3	(39.6 - 51.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	271	9,800	40.9	(32.0 - 49.9)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	382	13,200	49.2	(42.0 - 56.4)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	206	11,300	37.3	(28.4 - 46.1)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	219	5,200	46.9	(39.5 - 54.3)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	228	6,500	69.2	(62.5 - 75.8)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	635	21,000	44.4	(38.9 - 49.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	260	9,200	44.8	(35.8 - 53.8)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	247	8,800	47.9	(38.5 - 57.3)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	43.3	(37.8 - 48.7)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	271	39.7	(31.2 - 48.2)	14,568	40.4	(36.6 - 44.2)
Female	382	46.5	(39.3 - 53.6)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	635	42.6	(37.2 - 48.0)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	43.7	(34.9 - 52.5)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	247	44.2	(35.1 - 53.3)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	194	45.9	(36.0 - 55.8)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 21a. Flu shot among adults aged 65 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	228	6,500	69.2	(62.5 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	150	3,900	71.6	(63.6 - 79.7)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	228	6,500	69.2	(62.5 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	227	6,500	69.0	(62.3 - 75.6)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	102	2,900	68.1	(58.2 - 77.9)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 21b. Flu shot among adults aged 65 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	228	68.9	(62.2 - 75.7)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	150	71.6	(63.6 - 79.7)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	227	68.7	(61.9 - 75.5)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	12,400	27.4	(22.3 - 32.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	253	5,800	26.7	(18.2 - 35.3)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	358	6,600	28.0	(22.1 - 33.8)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	181	4,100	16.1	(8.0 - 24.2)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	209	2,100	20.0	(14.2 - 25.8)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	221	6,100	67.4	(60.6 - 74.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	597	11,900	27.9	(22.8 - 33.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	241	6,100	33.2	(24.0 - 42.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	134	2,500	25.7	(16.5 - 34.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	235	3,700	21.7	(14.6 - 28.8)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	178	4,000	29.2	(19.9 - 38.6)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	110	1,600	18.7	(11.0 - 26.3)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	111	1,200	14.4	(8.3 - 20.6)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	25.2	(20.4 - 30.0)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	253	25.9	(17.9 - 34.0)	13,052	25.8	(22.3 - 29.4)
Female	358	24.5	(19.1 - 29.9)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	597	25.7	(20.9 - 30.6)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	241	30.9	(22.0 - 39.7)	14,700	29.5	(25.6 - 33.5)
Some College	134	23.9	(15.1 - 32.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	235	19.6	(13.2 - 26.1)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	178	27.1	(18.2 - 35.9)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	110	18.1	(10.3 - 25.9)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	111	12.4	(6.7 - 18.1)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	221	6,100	67.4	(60.6 - 74.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	147	3,900	72.4	(64.4 - 80.4)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	221	6,100	67.4	(60.6 - 74.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	220	6,100	67.2	(60.3 - 74.0)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	221	66.9	(59.9 - 73.9)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	147	72.4	(64.4 - 80.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	220	66.7	(59.6 - 73.7)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	323	14,800	93.7	(90.8 - 96.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	323	14,800	93.7	(90.8 - 96.7)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	59	4,500	95.2	(89.7 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	113	5,100	91.7	(86.0 - 97.3)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	151	5,200	94.6	(90.7 - 98.4)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	316	14,300	93.5	(90.5 - 96.5)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	128	5,900	90.3	(84.9 - 95.7)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	82	3,800	95.3	(90.1 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	113	5,100	96.8	(92.9 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	110	4,100	91.8	(85.8 - 97.8)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	90	4,300	95.1	(90.8 - 99.5)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	323	93.5	(90.1 - 96.9)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	323	93.5	(90.1 - 96.9)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	316	93.3	(89.7 - 96.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	128	91.2	(86.0 - 96.3)	8,266	90.2	(86.1 - 94.2)
Some College	82	94.3	(86.9 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	113	95.9	(89.9 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	110	92.4	(86.8 - 98.0)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	90	95.0	(90.3 - 99.8)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	321	13,200	84.1	(79.7 - 88.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	321	13,200	84.1	(79.7 - 88.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	59	4,200	87.4	(78.3 - 96.6)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	112	4,600	83.1	(75.9 - 90.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	150	4,500	82.2	(75.5 - 88.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	314	12,700	83.9	(79.4 - 88.4)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	127	5,200	80.4	(72.9 - 87.9)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	82	3,400	83.5	(74.2 - 92.7)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	112	4,600	89.1	(83.0 - 95.3)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	109	3,300	73.1	(63.9 - 82.3)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	89	3,800	85.3	(76.7 - 93.9)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	321	84.0	(78.9 - 89.2)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	321	84.0	(78.9 - 89.2)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	314	83.9	(78.6 - 89.1)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	127	81.5	(73.6 - 89.4)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	112	89.2	(82.1 - 96.3)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	109	74.9	(65.8 - 84.0)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	262	9,100	82.6	(77.7 - 87.5)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	262	9,100	82.6	(77.7 - 87.5)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	112	4,600	83.1	(75.9 - 90.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	150	4,500	82.2	(75.5 - 88.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	259	8,900	82.3	(77.3 - 87.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	106	3,600	77.3	(68.5 - 86.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	65	2,300	85.7	(77.5 - 93.9)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	91	3,200	87.1	(79.9 - 94.3)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	71	2,500	86.7	(78.5 - 94.9)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	262	82.9	(78.1 - 87.8)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	262	82.9	(78.1 - 87.8)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	259	82.6	(77.7 - 87.6)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	106	77.6	(68.6 - 86.5)	7,026	83.6	(80.1 - 87.0)
Some College	65	86.4	(78.5 - 94.3)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	91	87.3	(80.1 - 94.5)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	71	86.6	(78.2 - 95.0)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 27a. Ever had a Pap test among women¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	380	25,100	94.3	(90.1 - 98.6)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	380	25,100	94.3	(90.1 - 98.6)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	70	4,500	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	80	3,500	95.9	(90.3 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	151	5,300	96.2	(93.3 - 99.2)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	370	23,000	93.8	(89.3 - 98.4)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	9,000	91.7	(83.6 - 99.8)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	97	6,800	94.8	(86.1 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	140	9,300	96.6	(91.5 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	121	6,600	93.5	(86.4 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	110	7,500	95.0	(87.1 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	55	4,200	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 27b. Ever had a Pap test among women¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	380	95.0	(91.3 - 98.8)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	380	95.0	(91.3 - 98.8)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	370	94.7	(90.6 - 98.7)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	92.7	(85.5 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	97	95.4	(87.6 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	140	97.1	(92.6 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	121	93.9	(87.1 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	110	95.7	(88.7 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	59	93.5	(83.6 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	55	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	376	22,200	83.8	(78.8 - 88.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	376	22,200	83.8	(78.8 - 88.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	70	4,000	88.5	(79.9 - 97.1)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	147	3,900	73.6	(65.8 - 81.3)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	366	20,200	82.7	(77.4 - 87.9)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	140	7,500	77.3	(67.8 - 86.9)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	140	8,800	90.7	(84.8 - 96.7)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	119	5,500	78.3	(68.8 - 87.8)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	109	6,600	83.8	(74.6 - 93.1)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	55	3,900	94.5	(88.7 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 28b. Had a Pap test within the past 3 years among women¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	376	85.3	(80.6 - 90.0)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	376	85.3	(80.6 - 90.0)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	366	84.4	(79.5 - 89.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	140	79.8	(71.0 - 88.7)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	140	92.0	(86.8 - 97.3)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	119	79.9	(70.8 - 88.9)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	109	84.1	(74.7 - 93.4)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	55	95.5	(90.6 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	232	10,900	81.9	(76.3 - 87.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	232	10,900	81.9	(76.3 - 87.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	80	2,900	80.1	(70.3 - 89.9)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	80	3,900	93.3	(88.3 - 98.3)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	226	10,500	81.8	(76.1 - 87.6)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	99	4,200	73.7	(63.9 - 83.5)	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	91	4,400	88.9	(81.6 - 96.2)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	67	3,300	87.1	(77.3 - 96.8)	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	54	3,100	89.8	(81.0 - 98.6)	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	232	81.6	(75.6 - 87.6)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	232	81.6	(75.6 - 87.6)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	226	81.4	(75.3 - 87.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	91	88.0	(79.4 - 96.6)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	67	87.9	(78.3 - 97.6)	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	229	8,300	63.8	(56.8 - 70.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	229	8,300	63.8	(56.8 - 70.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	79	3,200	79.6	(70.6 - 88.5)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	223	8,000	63.1	(56.0 - 70.2)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	229	62.8	(55.3 - 70.2)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	229	62.8	(55.3 - 70.2)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	223	62.1	(54.5 - 69.7)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	7,600	60.9	(53.6 - 68.2)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	220	7,600	60.9	(53.6 - 68.2)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	76	3,400	86.6	(78.7 - 94.4)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	215	7,400	60.4	(52.9 - 67.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	58.5	(50.7 - 66.3)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	220	58.5	(50.7 - 66.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	215	58.3	(50.4 - 66.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	6,900	54.7	(47.3 - 62.1)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	220	6,900	54.7	(47.3 - 62.1)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	76	3,300	82.2	(73.4 - 91.0)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	215	6,600	54.0	(46.5 - 61.5)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	52.1	(44.4 - 59.9)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	220	52.1	(44.4 - 59.9)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	215	51.8	(43.9 - 59.6)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	231	600	4.5	(1.9 - 7.2)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	231	600	4.5	(1.9 - 7.2)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	225	600	4.7	(1.9 - 7.4)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 33b. Prostate cancer among men aged 40 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	231	4.3	(1.7 - 6.9)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	231	4.3	(1.7 - 6.9)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	225	4.4	(1.8 - 7.1)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	442	10,100	50.1	(44.9 - 55.2)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	183	4,500	47.7	(39.9 - 55.6)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	259	5,600	52.1	(45.2 - 58.9)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	216	4,400	40.0	(32.9 - 47.2)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	226	5,800	61.7	(54.8 - 68.6)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	434	10,100	51.0	(45.8 - 56.2)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	185	4,100	45.9	(37.9 - 54.0)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	159	3,800	53.6	(45.1 - 62.1)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	129	2,300	44.5	(34.7 - 54.2)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	126	3,200	58.8	(49.4 - 68.1)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	442	50.2	(44.9 - 55.5)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	183	48.4	(40.4 - 56.4)	9,571	39.4	(35.3 - 43.5)
Female	259	51.8	(44.8 - 58.8)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	434	51.0	(45.7 - 56.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	185	46.2	(37.9 - 54.5)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	159	53.2	(44.5 - 61.9)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	126	58.8	(49.4 - 68.2)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	3,800	19.1	(14.9 - 23.2)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	182	1,600	16.8	(11.0 - 22.6)	9,508	444,400	16.0	(13.2 - 18.9)
Female	256	2,300	21.0	(15.2 - 26.8)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	214	1,700	16.0	(10.5 - 21.6)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	224	2,100	22.6	(16.5 - 28.7)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	430	3,800	19.6	(15.3 - 23.8)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	183	1,700	19.0	(12.6 - 25.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	97	1,000	22.8	(13.8 - 31.9)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	157	1,100	15.8	(9.4 - 22.2)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	128	1,000	20.5	(12.1 - 28.8)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	125	1,500	26.9	(18.2 - 35.5)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	78	700	16.1	(6.8 - 25.4)	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	19.2	(14.9 - 23.4)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	182	16.9	(10.9 - 22.9)	9,508	16.4	(13.2 - 19.6)
Female	256	21.3	(15.3 - 27.3)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	430	19.6	(15.3 - 24.0)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	183	19.0	(12.3 - 25.7)	11,026	12.7	(9.2 - 16.1)
Some College	97	23.1	(13.7 - 32.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	157	16.0	(9.5 - 22.5)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	128	20.9	(12.2 - 29.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	125	26.7	(18.0 - 35.3)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	5,200	25.9	(21.4 - 30.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	182	2,300	24.5	(17.8 - 31.2)	9,508	593,100	21.4	(18.3 - 24.5)
Female	256	2,900	27.1	(21.0 - 33.3)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	214	2,300	21.0	(14.9 - 27.0)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	224	2,900	31.7	(24.9 - 38.4)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	430	5,200	26.6	(22.0 - 31.2)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	183	2,300	26.7	(19.6 - 33.8)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	97	1,200	27.1	(17.4 - 36.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	157	1,600	23.4	(16.0 - 30.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	128	1,400	27.6	(18.6 - 36.5)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	125	1,800	32.9	(23.8 - 42.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	70	700	19.2	(9.9 - 28.5)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Otsego County and New York State - Age-Adjusted²**

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	26.1	(21.5 - 30.8)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	182	24.7	(17.8 - 31.5)	9,508	21.7	(18.3 - 25.1)
Female	256	27.5	(21.1 - 33.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	430	26.8	(22.0 - 31.5)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	183	27.1	(19.7 - 34.5)	11,026	19.5	(15.4 - 23.7)
Some College	97	27.0	(17.2 - 36.8)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	157	23.3	(15.9 - 30.8)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	128	28.4	(19.0 - 37.8)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	125	32.7	(23.6 - 41.8)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	70	18.5	(9.3 - 27.7)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	446	14,100	68.9	(64.0 - 73.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	183	6,400	68.0	(60.6 - 75.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	263	7,700	69.7	(63.2 - 76.2)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	160	4,800	66.2	(58.1 - 74.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	229	7,600	79.6	(74.0 - 85.1)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	438	13,700	69.0	(64.1 - 74.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	186	5,600	63.0	(55.0 - 71.0)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	161	5,400	76.2	(69.0 - 83.5)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	133	3,300	62.4	(52.6 - 72.1)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	127	3,900	69.8	(61.0 - 78.7)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	446	68.5	(63.4 - 73.5)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	183	68.4	(60.9 - 75.9)	9,582	68.5	(64.5 - 72.5)
Female	263	68.5	(61.7 - 75.4)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	438	68.5	(63.4 - 73.6)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	186	62.3	(53.9 - 70.7)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	161	75.7	(68.2 - 83.2)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	127	69.5	(60.6 - 78.5)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	444	13,400	65.9	(61.0 - 70.9)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	182	6,100	65.0	(57.5 - 72.6)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	262	7,300	66.7	(60.1 - 73.3)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	160	4,600	63.7	(55.5 - 71.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	227	7,100	75.7	(69.7 - 81.6)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	436	13,100	66.0	(60.9 - 71.0)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	185	5,300	59.5	(51.4 - 67.6)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	161	5,200	72.9	(65.4 - 80.4)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	132	3,200	61.2	(51.4 - 71.0)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	127	3,700	66.2	(57.0 - 75.3)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	444	65.5	(60.4 - 70.7)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	182	65.5	(57.8 - 73.2)	9,521	66.9	(62.9 - 70.9)
Female	262	65.6	(58.6 - 72.5)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	436	65.5	(60.3 - 70.7)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	185	58.9	(50.4 - 67.3)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	161	72.5	(64.8 - 80.2)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	127	65.5	(56.2 - 74.8)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	442	14,700	72.5	(67.7 - 77.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	182	6,600	70.0	(62.6 - 77.4)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	260	8,100	74.6	(68.5 - 80.7)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	159	5,100	70.3	(62.5 - 78.2)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	226	7,500	80.3	(74.8 - 85.8)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	434	14,300	72.7	(67.9 - 77.5)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	5,700	64.8	(56.8 - 72.8)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	97	3,100	72.0	(62.2 - 81.9)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	160	5,800	82.0	(75.7 - 88.2)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	131	3,500	66.1	(56.3 - 75.8)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	126	4,100	75.0	(66.8 - 83.3)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	79	3,300	79.7	(70.4 - 89.0)	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	442	72.2	(67.3 - 77.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	182	70.3	(62.8 - 77.8)	9,418	71.5	(67.6 - 75.4)
Female	260	73.9	(67.5 - 80.3)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	434	72.3	(67.4 - 77.3)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	64.3	(56.0 - 72.6)	10,872	64.5	(59.8 - 69.3)
Some College	97	72.6	(62.8 - 82.4)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	160	81.5	(75.0 - 88.0)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	126	74.4	(65.9 - 82.9)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	79	80.2	(70.9 - 89.5)	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 40a. High blood pressure among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	13,500	26.5	(22.2 - 30.9)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	275	6,800	28.0	(20.9 - 35.1)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	383	6,800	25.2	(20.0 - 30.4)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	128	2,100	23.6	(14.9 - 32.3)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	163	2,800	37.5	(29.3 - 45.7)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	231	5,700	59.6	(52.6 - 66.5)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	640	13,200	27.8	(23.3 - 32.2)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	262	5,600	26.8	(20.2 - 33.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	145	2,600	22.3	(14.7 - 29.8)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	250	5,400	29.1	(21.2 - 37.0)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	176	3,300	27.7	(19.4 - 36.1)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	196	5,500	34.7	(25.3 - 44.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	117	2,100	21.4	(13.4 - 29.5)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	117	1,700	19.1	(11.9 - 26.4)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 40b. High blood pressure among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	25.7	(21.4 - 30.0)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	275	28.0	(21.1 - 35.0)	14,611	27.7	(24.7 - 30.7)
Female	383	23.7	(18.5 - 28.8)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	640	26.9	(22.5 - 31.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	262	26.0	(19.3 - 32.7)	15,688	32.1	(28.4 - 35.8)
Some College	145	23.1	(14.8 - 31.4)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	250	27.1	(19.8 - 34.5)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	176	27.9	(19.0 - 36.9)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	196	33.8	(24.6 - 42.9)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	117	21.1	(13.0 - 29.2)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	117	17.7	(10.6 - 24.8)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	245	10,100	74.4	(66.5 - 82.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	105	5,500	80.8	(70.9 - 90.8)	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	137	5,300	92.8	(88.1 - 97.5)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	240	9,800	73.8	(65.8 - 81.9)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	245	70.1	(61.0 - 79.2)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	240	69.4	(60.2 - 78.7)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	40,600	80.3	(74.7 - 86.0)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	275	19,000	78.7	(69.7 - 87.8)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	377	21,600	81.8	(74.8 - 88.8)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	70	5,800	85.5	(75.7 - 95.2)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	128	7,900	89.0	(82.7 - 95.3)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	163	7,300	97.3	(94.6 - 99.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	227	9,100	96.2	(93.6 - 98.9)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	634	38,200	80.9	(75.3 - 86.6)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	248	16,700	91.4	(84.4 - 98.5)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	192	12,800	82.9	(73.4 - 92.5)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	117	8,100	90.4	(81.1 - 99.7)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 42b. Ever had blood cholesterol checked among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	81.1	(75.8 - 86.4)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	275	79.3	(70.9 - 87.8)	14,389	78.0	(73.9 - 82.1)
Female	377	82.8	(76.2 - 89.3)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	634	81.6	(76.3 - 86.9)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	71.7	(62.2 - 81.3)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	248	92.5	(86.4 - 98.5)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	192	83.2	(74.3 - 92.1)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	117	89.3	(80.1 - 98.4)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	117	91.7	(84.0 - 99.4)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	37,500	75.6	(69.8 - 81.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	273	17,400	72.5	(63.4 - 81.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	371	20,100	78.5	(71.3 - 85.8)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	126	7,000	81.2	(73.5 - 88.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	163	6,900	92.2	(87.7 - 96.8)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	224	8,700	93.1	(89.4 - 96.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	626	35,000	75.9	(70.1 - 81.6)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	257	13,500	66.8	(56.8 - 76.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	245	15,400	85.5	(77.6 - 93.4)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	188	11,500	77.3	(67.3 - 87.3)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	76.2	(70.7 - 81.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	273	73.1	(64.5 - 81.7)	14,307	74.8	(70.7 - 79.0)
Female	371	79.0	(72.2 - 85.9)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	626	76.3	(70.8 - 81.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	257	66.5	(56.9 - 76.0)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	245	86.5	(79.5 - 93.6)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	188	76.5	(66.8 - 86.2)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	116	87.6	(78.2 - 97.0)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	117	85.2	(75.9 - 94.5)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 44a. Cardiovascular disease among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	3,300	6.6	(4.8 - 8.4)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	270	1,500	6.4	(3.9 - 9.0)	14,477	664,600	9.4	(7.5 - 11.4)
Female	379	1,800	6.7	(4.2 - 9.2)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	162	600	8.0	(3.5 - 12.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	227	2,200	23.4	(17.3 - 29.4)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	631	3,200	6.8	(4.9 - 8.7)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	256	1,800	9.0	(5.5 - 12.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	144	700	5.9	(2.6 - 9.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	248	800	4.4	(2.2 - 6.6)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	172	1,500	13.1	(7.5 - 18.7)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	195	800	5.3	(2.6 - 8.1)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 44b. Cardiovascular disease among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	6.1	(4.4 - 7.9)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	270	6.4	(3.8 - 9.0)	14,477	9.7	(7.8 - 11.7)
Female	379	5.9	(3.6 - 8.3)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	631	6.3	(4.5 - 8.1)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	256	8.5	(5.0 - 12.0)	15,486	10.5	(8.0 - 13.0)
Some College	144	5.6	(2.4 - 8.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	248	4.0	(2.0 - 6.1)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	172	12.7	(7.1 - 18.3)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	195	5.4	(2.4 - 8.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 45a. Coronary heart disease among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	2,600	5.2	(3.8 - 6.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	270	1,300	5.5	(3.2 - 7.8)	14,479	598,600	8.5	(6.6 - 10.4)
Female	379	1,300	5.0	(3.2 - 6.9)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	162	400	5.1	(1.9 - 8.4)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	227	1,900	20.3	(14.7 - 25.9)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	631	2,500	5.3	(3.8 - 6.9)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	256	1,300	6.5	(3.9 - 9.2)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	144	600	5.0	(2.0 - 8.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	248	700	4.0	(1.9 - 6.0)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	172	1,100	9.2	(5.2 - 13.2)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	195	800	5.3	(2.6 - 8.1)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 45b. Coronary heart disease among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	4.9	(3.5 - 6.3)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	270	5.5	(3.1 - 7.9)	14,479	8.8	(6.9 - 10.8)
Female	379	4.4	(2.7 - 6.1)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	631	4.9	(3.5 - 6.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	256	6.3	(3.6 - 8.9)	15,485	8.5	(6.2 - 10.7)
Some College	144	4.8	(1.9 - 7.6)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	248	3.6	(1.7 - 5.5)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	172	8.8	(4.9 - 12.7)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	195	5.4	(2.4 - 8.3)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 46a. Ever diagnosed with diabetes among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	3,500	6.8	(4.8 - 8.9)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	275	1,400	6.0	(3.7 - 8.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	382	2,000	7.6	(4.4 - 10.9)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	127	500	5.8	(2.0 - 9.5)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	163	1,100	14.5	(8.5 - 20.6)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	231	1,200	12.6	(8.0 - 17.2)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	640	3,500	7.3	(5.2 - 9.5)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	261	2,000	9.5	(5.8 - 13.2)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	145	800	6.5	(1.7 - 11.3)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	250	800	4.2	(1.8 - 6.5)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	175	800	6.9	(3.5 - 10.3)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	196	1,400	9.0	(4.1 - 13.9)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	117	800	7.9	(3.2 - 12.5)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 46b. Ever diagnosed with diabetes among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	6.6	(4.5 - 8.7)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	275	5.5	(3.4 - 7.6)	14,626	7.5	(6.1 - 8.9)
Female	382	7.6	(4.0 - 11.1)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	640	7.0	(4.8 - 9.3)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	261	9.4	(5.3 - 13.5)	15,709	12.6	(10.0 - 15.2)
Some College	145	6.6	(1.7 - 11.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	250	3.6	(1.6 - 5.6)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	175	6.7	(3.3 - 10.1)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	196	9.0	(3.6 - 14.4)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	117	7.7	(2.9 - 12.5)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	8,100	15.9	(11.3 - 20.6)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	275	3,400	14.2	(7.5 - 20.8)	14,601	875,800	12.4	(10.1 - 14.7)
Female	381	4,700	17.5	(11.0 - 24.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	128	700	8.4	(3.6 - 13.1)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	161	1,100	15.4	(9.6 - 21.2)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	231	1,100	11.1	(6.6 - 15.6)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	638	7,000	14.7	(10.4 - 19.1)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	260	3,500	16.9	(9.1 - 24.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	145	2,100	18.0	(8.4 - 27.6)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	250	2,500	13.6	(6.4 - 20.9)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	195	2,000	12.8	(6.6 - 18.9)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	117	800	8.8	(3.8 - 13.7)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	15.6	(11.1 - 20.1)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	275	14.2	(7.6 - 20.7)	14,601	12.6	(10.3 - 14.9)
Female	381	16.9	(10.7 - 23.0)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	638	14.5	(10.3 - 18.8)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	260	16.9	(9.2 - 24.6)	15,675	15.1	(12.1 - 18.0)
Some College	145	17.2	(7.9 - 26.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	250	13.3	(6.6 - 20.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	195	12.3	(6.3 - 18.3)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	117	8.3	(3.0 - 13.7)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 48a. Current asthma among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	4,200	8.3	(4.7 - 12.0)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	274	1,500	6.2	(1.6 - 10.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	380	2,700	10.3	(4.7 - 15.8)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	*	*	*	*	7,787	240,000	8.4	(6.1 - 10.8)
55-64	159	700	9.7	(4.9 - 14.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	231	600	6.1	(2.9 - 9.3)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	636	3,200	6.7	(3.8 - 9.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	259	2,100	10.0	(4.0 - 16.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	145	900	7.2	(1.4 - 13.1)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	249	1,300	7.2	(0.7 - 13.7)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	175	1,900	15.8	(6.1 - 25.5)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	193	900	5.9	(1.4 - 10.5)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 48b. Current asthma among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	8.2	(4.7 - 11.8)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	274	6.9	(1.9 - 12.0)	14,546	6.4	(4.9 - 7.9)
Female	380	9.4	(4.3 - 14.4)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	636	6.7	(3.8 - 9.7)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	259	10.9	(4.5 - 17.3)	15,594	10.8	(8.3 - 13.3)
Some College	145	6.4	(1.0 - 11.8)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	249	6.5	(0.7 - 12.2)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	193	5.4	(1.3 - 9.5)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 49a. Chronic joint symptoms among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	24,300	47.7	(42.0 - 53.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	275	11,300	47.0	(38.0 - 56.0)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	382	13,000	48.3	(41.1 - 55.5)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	127	5,000	56.5	(46.9 - 66.1)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	163	4,100	54.1	(45.7 - 62.5)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	231	6,200	64.4	(57.7 - 71.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	639	21,600	45.4	(39.9 - 50.9)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	262	11,100	53.6	(44.6 - 62.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	249	8,400	46.0	(36.7 - 55.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	195	5,900	37.1	(28.0 - 46.1)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	117	3,000	33.4	(24.1 - 42.7)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 49b. Chronic joint symptoms among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	46.5	(40.9 - 52.0)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	275	46.6	(37.9 - 55.2)	14,595	42.6	(38.8 - 46.3)
Female	382	46.4	(39.2 - 53.5)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	639	44.2	(38.8 - 49.5)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	262	52.5	(43.6 - 61.4)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	249	44.2	(35.2 - 53.3)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	195	36.1	(27.2 - 45.1)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	117	32.2	(22.7 - 41.7)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 50a. Arthritis among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	14,600	28.7	(24.2 - 33.2)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	274	5,900	24.4	(18.2 - 30.7)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	381	8,700	32.6	(26.3 - 38.8)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	128	3,300	36.8	(27.6 - 46.0)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	162	3,200	43.2	(34.8 - 51.5)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	229	5,400	56.2	(49.1 - 63.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	637	13,300	28.0	(23.8 - 32.1)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	260	6,400	31.0	(24.0 - 37.9)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	145	3,100	26.0	(17.5 - 34.6)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	249	5,100	27.6	(19.6 - 35.5)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	174	4,100	34.4	(24.8 - 43.9)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	196	4,100	26.0	(19.2 - 32.8)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	116	2,100	23.0	(15.0 - 31.1)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 50b. Arthritis among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	28.4	(23.9 - 33.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	274	25.3	(18.6 - 32.1)	14,555	23.5	(20.9 - 26.1)
Female	381	31.2	(25.0 - 37.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	637	27.4	(23.2 - 31.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	260	31.4	(24.1 - 38.6)	15,652	30.4	(26.9 - 33.8)
Some College	145	25.5	(17.0 - 34.0)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	249	26.6	(18.6 - 34.6)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	196	26.2	(19.0 - 33.4)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	116	22.0	(13.7 - 30.3)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	10,700	21.1	(16.7 - 25.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	274	4,400	18.4	(12.8 - 24.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	379	6,300	23.6	(16.9 - 30.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	128	2,200	25.2	(17.3 - 33.2)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	161	2,000	26.6	(19.2 - 34.0)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	228	3,200	33.6	(27.0 - 40.3)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	635	9,100	19.1	(15.4 - 22.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	259	5,300	25.7	(18.1 - 33.4)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	144	2,600	22.5	(13.7 - 31.3)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	249	2,700	14.7	(7.9 - 21.5)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	172	3,800	32.5	(22.8 - 42.3)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	196	2,800	17.6	(11.4 - 23.9)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	117	1,500	16.0	(7.7 - 24.3)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	116	700	7.5	(3.1 - 11.8)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	20.6	(16.2 - 24.9)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	274	18.5	(12.6 - 24.3)	14,566	18.6	(15.8 - 21.4)
Female	379	22.4	(16.1 - 28.8)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	635	18.9	(15.0 - 22.7)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	259	26.5	(18.7 - 34.3)	15,626	23.8	(20.1 - 27.4)
Some College	144	21.0	(12.7 - 29.2)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	249	13.5	(7.3 - 19.7)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	196	17.6	(11.1 - 24.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	117	15.1	(7.4 - 22.8)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	116	6.9	(2.5 - 11.3)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	3,400	6.6	(4.9 - 8.4)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	275	1,300	5.5	(3.2 - 7.7)	14,617	460,700	6.5	(5.3 - 7.7)
Female	383	2,100	7.7	(5.0 - 10.3)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	128	800	9.3	(3.5 - 15.0)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	163	700	9.9	(4.8 - 15.1)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	231	1,700	18.0	(12.9 - 23.1)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	640	3,100	6.5	(4.7 - 8.3)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	262	2,000	9.7	(6.1 - 13.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	145	600	4.8	(2.1 - 7.5)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	250	800	4.5	(2.2 - 6.7)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	176	1,800	15.2	(9.3 - 21.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	196	800	5.0	(2.2 - 7.7)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	6.2	(4.5 - 8.0)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	275	5.2	(3.0 - 7.3)	14,617	6.8	(5.5 - 8.0)
Female	383	7.2	(4.5 - 9.8)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	640	6.0	(4.3 - 7.8)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	262	9.4	(5.8 - 13.0)	15,711	10.3	(8.3 - 12.3)
Some College	145	4.4	(1.9 - 6.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	250	3.9	(1.9 - 5.8)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	176	15.6	(9.3 - 21.9)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	196	4.3	(1.9 - 6.7)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 53a. Disability among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	11,700	23.1	(18.6 - 27.7)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	274	4,800	20.1	(14.3 - 25.9)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	379	6,900	25.9	(19.1 - 32.6)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	128	2,500	27.8	(19.3 - 36.2)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	161	2,200	30.2	(22.4 - 38.0)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	228	3,700	39.1	(32.2 - 46.0)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	635	10,100	21.2	(17.4 - 25.1)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	259	5,900	28.8	(20.9 - 36.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	144	2,800	23.7	(14.8 - 32.7)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	249	2,900	16.0	(9.1 - 22.9)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	196	3,100	19.3	(12.8 - 25.8)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	117	1,600	17.0	(8.6 - 25.5)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	116	700	7.5	(3.1 - 11.8)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 53b. Disability among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	22.4	(17.9 - 26.8)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	274	20.0	(14.1 - 26.0)	14,568	20.9	(18.0 - 23.8)
Female	379	24.5	(18.1 - 31.0)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	635	20.8	(16.9 - 24.8)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	259	29.4	(21.4 - 37.4)	15,638	26.8	(23.0 - 30.6)
Some College	144	22.1	(13.7 - 30.4)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	249	14.6	(8.4 - 20.9)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	196	19.0	(12.4 - 25.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	117	16.0	(8.2 - 23.9)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	116	6.9	(2.5 - 11.3)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 54a. Current smoking among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	11,100	21.8	(16.7 - 27.0)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	272	5,000	20.7	(13.3 - 28.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	380	6,100	22.9	(15.8 - 29.9)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	126	2,200	25.1	(16.6 - 33.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	162	1,400	18.8	(12.3 - 25.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	228	600	6.5	(3.0 - 10.0)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	634	9,200	19.5	(14.9 - 24.0)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	258	6,600	32.1	(23.0 - 41.2)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	145	1,900	16.3	(8.2 - 24.5)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	248	2,600	14.0	(6.1 - 21.8)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	176	2,400	19.8	(12.1 - 27.4)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	193	3,900	24.7	(16.2 - 33.1)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 54b. Current smoking among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	22.4	(17.3 - 27.5)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	272	22.5	(14.7 - 30.4)	14,559	19.2	(16.3 - 22.1)
Female	380	22.2	(15.5 - 28.9)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	634	20.0	(15.4 - 24.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	258	34.2	(25.2 - 43.1)	15,654	22.8	(19.5 - 26.0)
Some College	145	16.0	(8.0 - 24.0)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	248	13.5	(5.6 - 21.4)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	176	22.6	(13.3 - 32.0)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	193	25.5	(17.0 - 34.0)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 55a. Everyday smoking among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	8,100	16.0	(11.3 - 20.7)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	272	3,400	14.1	(8.0 - 20.2)	14,559	848,400	12.0	(10.0 - 14.1)
Female	380	4,700	17.6	(10.7 - 24.6)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	70	900	13.5	(4.9 - 22.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	126	1,700	19.6	(11.9 - 27.4)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	162	1,000	13.7	(8.1 - 19.4)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	*	*	*	*	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	634	6,800	14.3	(10.3 - 18.3)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	258	5,000	24.3	(15.8 - 32.7)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	145	1,400	12.3	(4.7 - 19.8)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	248	1,700	9.1	(2.0 - 16.2)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	176	1,600	13.4	(7.2 - 19.5)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	193	3,000	19.0	(11.1 - 26.9)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	117	1,000	10.4	(3.0 - 17.8)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 55b. Everyday smoking among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	15.7	(11.3 - 20.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	272	14.7	(8.6 - 20.8)	14,559	12.1	(10.1 - 14.1)
Female	380	16.7	(10.3 - 23.0)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	634	14.3	(10.4 - 18.2)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	258	25.2	(17.0 - 33.5)	15,654	16.4	(13.8 - 19.0)
Some College	145	11.2	(4.3 - 18.2)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	248	8.3	(2.0 - 14.5)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	176	14.7	(7.3 - 22.1)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	193	18.6	(11.1 - 26.1)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	117	10.6	(3.4 - 17.7)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	39,300	77.0	(72.0 - 82.1)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	274	18,400	76.4	(68.6 - 84.2)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	383	20,800	77.6	(71.2 - 84.0)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	127	6,600	74.6	(66.2 - 82.9)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	163	5,500	73.6	(66.0 - 81.3)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	231	7,500	78.7	(73.1 - 84.3)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	639	36,800	77.4	(72.6 - 82.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	261	13,600	65.9	(56.6 - 75.2)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	145	9,100	77.4	(67.7 - 87.0)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	250	16,400	89.3	(84.7 - 93.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	195	12,000	75.7	(67.6 - 83.9)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	117	8,800	91.4	(86.5 - 96.3)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	117	8,000	89.0	(82.8 - 95.3)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	77.6	(72.8 - 82.5)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	274	76.5	(69.0 - 84.1)	14,577	79.4	(76.7 - 82.2)
Female	383	78.6	(72.4 - 84.8)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	639	77.9	(73.1 - 82.7)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	261	64.7	(55.5 - 73.8)	15,647	76.9	(73.8 - 80.0)
Some College	145	79.2	(70.2 - 88.3)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	250	90.7	(86.7 - 94.6)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	195	75.6	(67.3 - 84.0)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	117	91.8	(87.1 - 96.5)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	117	89.9	(83.7 - 96.0)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 57a. Binge drinking within the past month among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	9,400	18.4	(13.3 - 23.5)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	274	5,900	24.6	(16.4 - 32.8)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	380	3,400	12.8	(6.7 - 19.0)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	128	1,200	14.0	(8.0 - 20.0)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	161	500	6.8	(2.7 - 10.9)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	636	8,700	18.4	(13.4 - 23.3)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	258	3,600	17.8	(9.3 - 26.2)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	250	3,100	16.9	(9.1 - 24.8)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	193	1,900	12.4	(5.8 - 19.0)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 57b. Binge drinking within the past month among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	19.0	(14.1 - 23.9)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	274	26.0	(18.0 - 34.1)	14,420	24.5	(21.0 - 27.9)
Female	380	12.7	(6.9 - 18.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	636	19.1	(14.2 - 24.0)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	258	19.4	(11.0 - 27.8)	15,491	17.5	(13.5 - 21.5)
Some College	145	20.4	(10.5 - 30.3)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	250	17.8	(10.3 - 25.4)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	193	12.7	(6.2 - 19.3)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	117	13.9	(4.2 - 23.7)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 58a. Heavy drinking within the past month among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	3,700	7.4	(3.8 - 11.1)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	273	1,800	7.6	(2.6 - 12.7)	14,330	333,300	4.8	(3.9 - 5.7)
Female	377	1,900	7.3	(2.1 - 12.4)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	128	700	8.4	(3.8 - 13.0)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	160	300	4.8	(1.7 - 7.9)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	632	3,100	6.7	(3.6 - 9.8)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	256	1,800	9.0	(2.6 - 15.4)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	249	1,600	8.5	(1.9 - 15.1)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	116	1,000	10.3	(0.6 - 20.0)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	116	700	8.3	(3.2 - 13.4)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 58b. Heavy drinking within the past month among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	7.7	(4.2 - 11.2)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	273	8.2	(3.1 - 13.3)	14,330	4.9	(3.9 - 5.9)
Female	377	7.2	(2.4 - 12.1)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	632	7.1	(3.9 - 10.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	256	9.3	(3.0 - 15.6)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	249	8.4	(2.2 - 14.5)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	116	9.9	(1.2 - 18.6)	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	116	8.7	(2.7 - 14.7)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	605	29,300	62.8	(56.8 - 68.8)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	254	16,700	74.5	(65.7 - 83.3)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	351	12,600	51.9	(44.3 - 59.6)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	119	5,200	63.1	(53.7 - 72.5)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	149	4,800	70.7	(62.6 - 78.7)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	218	7,300	80.1	(74.1 - 86.1)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	588	26,900	62.1	(56.2 - 68.1)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	234	11,700	69.5	(60.8 - 78.1)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	112	6,000	70.7	(61.3 - 80.2)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	605	62.7	(56.9 - 68.4)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	254	75.1	(66.9 - 83.2)	13,299	67.9	(64.0 - 71.9)
Female	351	51.1	(43.5 - 58.8)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	588	61.9	(56.1 - 67.7)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	62.7	(53.0 - 72.5)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	234	68.9	(60.4 - 77.3)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	403	27,700	79.1	(72.8 - 85.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	173	14,400	86.8	(78.9 - 94.7)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	230	13,300	72.2	(63.1 - 81.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	79	4,300	81.3	(72.2 - 90.4)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	98	3,800	87.7	(81.0 - 94.4)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	121	4,800	93.2	(88.0 - 98.5)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	393	26,500	81.0	(75.2 - 86.8)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	10,800	83.3	(74.4 - 92.1)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	403	79.4	(73.5 - 85.4)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	173	86.7	(79.0 - 94.3)	9,034	81.1	(77.4 - 84.8)
Female	230	73.0	(64.3 - 81.6)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	393	80.9	(75.3 - 86.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	82.2	(73.1 - 91.3)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	44,400	89.9	(86.5 - 93.4)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	262	21,000	89.4	(85.0 - 93.8)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	365	23,300	90.4	(85.2 - 95.6)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	65	16,900	93.5	(85.9 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	68	6,100	91.0	(84.3 - 97.7)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	123	7,700	90.4	(83.8 - 97.0)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	156	6,500	91.3	(86.0 - 96.7)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	215	7,200	80.3	(74.2 - 86.4)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	609	41,700	90.9	(88.1 - 93.7)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	243	16,000	81.3	(73.9 - 88.6)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	141	10,700	92.3	(86.6 - 98.1)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	243	17,600	97.8	(95.9 - 99.8)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	164	10,300	90.8	(86.3 - 95.4)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	189	13,800	89.4	(83.9 - 94.9)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	115	8,900	93.9	(89.5 - 98.4)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	114	8,200	93.6	(87.2 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	90.1	(86.8 - 93.3)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	262	88.9	(84.3 - 93.4)	13,893	89.1	(86.9 - 91.3)
Female	365	91.1	(86.4 - 95.9)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	609	90.9	(88.1 - 93.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	243	81.5	(74.5 - 88.5)	14,507	84.6	(81.8 - 87.4)
Some College	141	92.7	(87.0 - 98.3)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	243	97.5	(95.0 - 99.9)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	164	90.2	(85.1 - 95.3)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	189	89.7	(84.4 - 95.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	115	93.0	(87.7 - 98.4)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	114	93.8	(87.6 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 62a. Overweight among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	19,100	38.2	(32.5 - 43.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	273	9,900	41.1	(32.2 - 50.0)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	366	9,200	35.4	(28.3 - 42.5)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	123	3,700	43.6	(33.9 - 53.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	158	2,700	37.5	(29.2 - 45.7)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	224	3,000	32.1	(25.4 - 38.7)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	622	17,600	37.7	(32.2 - 43.2)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	249	7,800	38.7	(29.5 - 48.0)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	145	3,800	32.6	(22.6 - 42.6)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	244	7,500	41.3	(31.8 - 50.8)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 62b. Overweight among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	38.8	(33.2 - 44.3)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	273	41.9	(33.2 - 50.5)	14,502	43.9	(40.1 - 47.6)
Female	366	35.9	(28.8 - 43.0)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	622	38.0	(32.6 - 43.4)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	249	37.6	(28.6 - 46.6)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	244	43.6	(34.3 - 52.9)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	195	39.5	(29.7 - 49.3)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 63a. Obesity among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	11,600	23.1	(18.6 - 27.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	273	5,600	23.2	(16.0 - 30.4)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	366	6,000	23.0	(17.4 - 28.7)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	66	2,900	16.1	(6.3 - 26.0)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	123	2,000	23.6	(15.2 - 32.1)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	158	2,600	35.5	(27.2 - 43.9)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	224	2,600	27.5	(21.0 - 34.0)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	622	11,400	24.4	(19.6 - 29.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	249	6,000	29.8	(21.4 - 38.2)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	244	2,000	11.3	(7.4 - 15.3)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	195	5,000	32.0	(22.8 - 41.2)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	114	1,300	14.4	(7.8 - 20.9)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	114	1,600	17.9	(9.2 - 26.6)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 63b. Obesity among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	23.1	(18.6 - 27.6)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	273	22.7	(15.9 - 29.5)	14,502	21.5	(19.0 - 24.0)
Female	366	23.4	(17.5 - 29.4)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	622	24.3	(19.6 - 29.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	249	30.0	(21.8 - 38.3)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	244	10.6	(6.8 - 14.4)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	195	33.2	(23.8 - 42.6)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	114	13.9	(7.4 - 20.3)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	114	17.3	(8.8 - 25.8)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 64a. Overweight or obesity among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	30,600	61.3	(55.5 - 67.0)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	273	15,500	64.3	(55.5 - 73.1)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	366	15,200	58.5	(51.0 - 65.9)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	123	5,800	67.3	(58.3 - 76.2)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	158	5,300	73.0	(65.7 - 80.4)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	224	5,600	59.6	(52.5 - 66.6)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	622	29,000	62.0	(56.5 - 67.6)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	249	13,800	68.5	(59.8 - 77.3)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	244	9,500	52.7	(43.2 - 62.1)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	195	11,500	72.6	(64.1 - 81.1)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 64b. Overweight or obesity among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	61.8	(56.3 - 67.4)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	273	64.5	(56.2 - 72.9)	14,502	65.4	(61.3 - 69.4)
Female	366	59.3	(52.0 - 66.6)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	622	62.3	(56.9 - 67.7)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	249	67.7	(59.1 - 76.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	244	54.2	(45.0 - 63.3)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	195	72.7	(64.4 - 81.1)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 65a. Received advice about weight by a health professional among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	10,700	21.4	(17.0 - 25.9)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	274	4,500	18.5	(11.7 - 25.3)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	369	6,300	24.1	(18.3 - 29.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	123	2,200	25.1	(16.7 - 33.5)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	158	2,400	33.8	(25.6 - 42.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	228	2,000	21.1	(15.3 - 26.9)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	626	10,400	22.3	(17.7 - 27.0)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	4,400	21.6	(13.6 - 29.6)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	145	3,000	25.1	(15.8 - 34.5)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	244	3,400	18.9	(13.0 - 24.7)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	195	3,900	24.6	(16.6 - 32.6)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	114	1,700	17.6	(9.5 - 25.8)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	114	1,600	18.4	(11.1 - 25.6)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 65b. Received advice about weight by a health professional among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	21.6	(17.1 - 26.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	274	18.7	(12.1 - 25.3)	14,499	23.4	(20.5 - 26.3)
Female	369	24.3	(18.3 - 30.3)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	626	22.4	(17.8 - 27.0)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	21.6	(13.7 - 29.5)	15,116	27.3	(23.4 - 31.2)
Some College	145	25.6	(16.1 - 35.1)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	244	19.3	(13.3 - 25.3)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	195	25.0	(16.8 - 33.2)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	114	17.7	(9.4 - 26.1)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	114	19.0	(11.1 - 26.9)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	154	8,900	82.9	(73.0 - 92.7)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	92	5,600	89.0	(80.1 - 97.9)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	52	2,300	94.9	(89.1 - 100)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	52	3,800	98.5	(95.6 - 100)	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	92	88.5	(79.4 - 97.5)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	52	98.5	(95.6 - 100)	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 67a. No leisure-time physical activity among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	9,700	19.0	(15.0 - 23.1)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	273	5,200	21.7	(14.7 - 28.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	382	4,500	16.7	(12.2 - 21.1)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	127	1,900	21.4	(13.4 - 29.4)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	162	2,100	28.5	(21.0 - 36.1)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	230	2,300	24.0	(17.9 - 30.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	637	9,500	20.0	(15.8 - 24.3)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	259	6,200	30.1	(22.2 - 38.0)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	145	2,000	16.9	(9.3 - 24.6)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	250	1,400	7.6	(3.7 - 11.5)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	196	3,000	19.1	(12.1 - 26.1)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	117	1,500	16.1	(8.1 - 24.1)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	116	800	8.8	(3.6 - 14.0)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 67b. No leisure-time physical activity among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	18.8	(14.8 - 22.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	273	22.3	(15.3 - 29.3)	14,602	20.9	(17.8 - 23.9)
Female	382	15.7	(11.4 - 20.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	637	19.7	(15.5 - 24.0)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	259	31.3	(23.2 - 39.4)	15,683	32.3	(28.3 - 36.4)
Some College	145	15.5	(8.4 - 22.6)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	250	7.0	(3.4 - 10.6)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	196	18.9	(12.0 - 25.7)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	117	15.8	(8.0 - 23.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	116	7.9	(2.6 - 13.2)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	14,500	28.5	(23.2 - 33.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	275	5,600	23.0	(14.8 - 31.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	383	9,000	33.3	(26.5 - 40.2)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	128	2,600	29.9	(21.0 - 38.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	163	2,000	26.5	(18.9 - 34.0)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	231	2,800	29.6	(23.2 - 36.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	640	12,900	27.1	(22.2 - 32.0)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	262	4,700	22.5	(14.6 - 30.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	145	2,700	23.3	(14.3 - 32.4)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	250	7,100	38.5	(29.1 - 48.0)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	176	2,600	22.2	(13.6 - 30.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	196	4,500	28.4	(18.5 - 38.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	117	2,500	27.3	(18.1 - 36.6)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	28.1	(23.0 - 33.2)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	275	22.8	(15.2 - 30.4)	14,634	22.7	(19.6 - 25.9)
Female	383	32.8	(26.1 - 39.6)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	640	27.0	(22.2 - 31.8)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	262	22.0	(14.4 - 29.5)	15,726	23.3	(19.3 - 27.3)
Some College	145	23.6	(14.4 - 32.7)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	250	37.6	(28.7 - 46.6)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	176	22.6	(13.9 - 31.2)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	196	27.6	(18.2 - 37.0)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	117	27.7	(18.1 - 37.4)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 69a. Had a fall within the past 3 months among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	519	5,000	19.6	(15.6 - 23.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	218	2,500	20.4	(14.1 - 26.7)	10,966	489,400	14.4	(11.9 - 16.8)
Female	301	2,600	18.8	(13.8 - 23.8)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	127	1,900	21.8	(13.9 - 29.8)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	162	1,600	21.8	(14.6 - 28.9)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	230	1,500	15.8	(10.4 - 21.2)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	507	4,800	19.3	(15.3 - 23.3)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	212	2,200	20.7	(14.1 - 27.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	116	1,200	21.1	(12.9 - 29.3)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	190	1,600	17.4	(11.4 - 23.4)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	152	1,600	25.2	(17.4 - 33.1)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	147	1,300	18.5	(10.5 - 26.4)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	92	1,000	20.4	(11.4 - 29.4)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	84	800	15.6	(6.7 - 24.5)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 69b. Had a fall within the past 3 months among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	519	19.6	(15.5 - 23.7)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	218	20.7	(14.1 - 27.2)	10,966	15.0	(12.1 - 17.8)
Female	301	18.6	(13.6 - 23.6)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	507	19.4	(15.2 - 23.5)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	212	21.1	(14.2 - 28.0)	12,417	17.4	(13.0 - 21.7)
Some College	116	21.1	(12.7 - 29.5)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	190	17.0	(10.9 - 23.0)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	152	25.0	(17.1 - 33.0)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	147	18.8	(10.4 - 27.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	92	20.2	(11.1 - 29.3)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	84	15.6	(6.4 - 24.8)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Otsego County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Otsego County and New York State

	Otsego County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	519	1,500	5.9	(3.5 - 8.3)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	301	900	6.8	(3.5 - 10.0)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	230	400	4.7	(1.6 - 7.8)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	507	1,400	5.8	(3.3 - 8.3)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	212	700	6.5	(2.3 - 10.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	152	700	11.4	(5.3 - 17.4)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Otsego County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Otsego County and New York State - Age-Adjusted²

	Otsego County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	519	6.0	(3.4 - 8.5)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	301	6.8	(3.5 - 10.1)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	507	5.9	(3.3 - 8.5)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	212	6.8	(2.3 - 11.2)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	152	11.7	(5.4 - 18.0)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)