

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Putnam County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Putnam County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Putnam County and New York State	14
Table 2b. Fair or poor general health among adults in Putnam County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Putnam County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Putnam County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Putnam County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Putnam County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Putnam County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Putnam County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Putnam County and New York State	22
Table 6b. Health insurance among adults in Putnam County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Putnam County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Putnam County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Putnam County and New York State	26
Table 8b. No health insurance among adults in Putnam County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Putnam County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Putnam County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Putnam County and New York State	30
Table 10b. Adults with regular health care provider in Putnam County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Putnam County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Putnam County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Putnam County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Putnam County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Putnam County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Putnam County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Putnam County and New York State	38
Table 14b. Dentist visit within the past year among adults in Putnam County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Putnam County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Putnam County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Putnam County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Putnam County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Putnam County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Putnam County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Putnam County and New York State	46
Table 18b. Flu shot within the past 12 months in Putnam County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Putnam County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Putnam County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Putnam County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Putnam County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Putnam County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Putnam County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Putnam County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Putnam County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Putnam County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Putnam County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Putnam County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Putnam County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Putnam County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Putnam County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Putnam County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Putnam County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Putnam County and New York State	64
Table 27b. Ever had a Pap test among women in Putnam County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Putnam County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Putnam County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Putnam County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Putnam County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Putnam County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Putnam County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Putnam County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Putnam County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Putnam County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Putnam County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Putnam County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Putnam County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Putnam County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Putnam County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Putnam County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Putnam County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Putnam County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Putnam County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Putnam County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Putnam County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Putnam County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Putnam County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Putnam County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Putnam County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Putnam County and New York State	90
Table 40b. High blood pressure among adults in Putnam County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Putnam County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Putnam County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Putnam County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Putnam County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Putnam County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Putnam County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Putnam County and New York State	98
Table 44b. Cardiovascular disease among adults in Putnam County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Putnam County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Putnam County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Putnam County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Putnam County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Putnam County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Putnam County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Putnam County and New York State	106
Table 48b. Current asthma among adults in Putnam County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Putnam County and New York State	108
Table 49b. Chronic joint symptoms among adults in Putnam County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Putnam County and New York State	110
Table 50b. Arthritis among adults in Putnam County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Putnam County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Putnam County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Putnam County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Putnam County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Putnam County and New York State	116
Table 53b. Disability among adults in Putnam County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Putnam County and New York State	118
Table 54b. Current smoking among adults in Putnam County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Putnam County and New York State	120
Table 55b. Everyday smoking among adults in Putnam County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Putnam County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Putnam County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Putnam County and New York State	124
Table 57b. Binge drinking within the past month among adults in Putnam County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Putnam County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Putnam County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Putnam County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Putnam County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Putnam County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Putnam County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Putnam County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Putnam County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Putnam County and New York State	134
Table 62b. Overweight among adults in Putnam County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Putnam County and New York State	136
Table 63b. Obesity among adults in Putnam County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Putnam County and New York State	138
Table 64b. Overweight or obesity among adults in Putnam County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Putnam County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Putnam County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Putnam County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Putnam County and New York State - Age-adjusted	143

### **Physical Activity / Nutrition**

Table 67a. No leisure-time physical activity among adults in Putnam County and New York State	144
Table 67b. No leisure-time physical activity among adults in Putnam County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Putnam County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Putnam County and New York State - Age-adjusted 147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Putnam County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Putnam County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Putnam County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Putnam County and New York State - Age-adjusted 151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 1. Putnam County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Putnam County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	75,918	100	14,884,315	100
<b>Gender</b>				
Male	38,026	50.1	7,103,791	47.7
Female	37,892	49.9	7,780,524	52.3
<b>Age (years)</b>				
18-34	19,116	25.2	4,497,479	30.2
35-44	14,951	19.7	2,844,115	19.1
45-54	18,019	23.7	2,854,316	19.2
55-64	12,764	16.8	2,142,000	14.4
≥ 65	11,068	14.6	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	64,897	85.5	9,343,884	62.8
Black Non-Hispanic	1,886	2.5	2,156,941	14.5
Hispanic	7,432	9.8	2,258,717	15.2
Other Non-Hispanic	1,703	2.2	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	7,600	10.0	(7.4 - 12.6)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	285	3,400	9.0	(5.2 - 12.8)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	381	4,200	11.0	(7.5 - 14.6)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	170	1,500	8.4	(4.0 - 12.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	170	1,900	15.1	(9.0 - 21.3)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	156	1,900	17.5	(11.2 - 23.8)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	6,900	10.8	(7.9 - 13.7)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	181	4,000	20.1	(12.9 - 27.3)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	168	1,600	7.6	(3.9 - 11.4)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	316	2,000	5.8	(2.7 - 8.9)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	101	1,600	14.7	(7.3 - 22.1)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	96	600	6.6	(2.4 - 10.9)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	318	1,900	4.7	(2.1 - 7.2)	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	9.8	(7.0 - 12.6)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	285	9.2	(5.1 - 13.3)	14,599	15.3	(12.6 - 18.0)
Female	381	10.3	(6.5 - 14.2)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	10.7	(7.5 - 13.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	181	20.9	(12.8 - 29.1)	15,682	25.8	(22.1 - 29.5)
Some College	168	6.4	(3.2 - 9.7)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	316	5.4	(2.2 - 8.6)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	101	14.0	(6.6 - 21.4)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	96	6.5	(2.0 - 10.9)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	318	4.3	(1.7 - 7.0)	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	5,500	7.3	(5.1 - 9.5)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	284	3,500	9.3	(5.5 - 13.2)	14,325	604,200	8.7	(7.0 - 10.5)
Female	375	2,000	5.3	(3.3 - 7.3)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	169	900	4.8	(1.4 - 8.1)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	169	1,800	13.9	(8.0 - 19.9)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	153	1,200	11.5	(6.1 - 16.8)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	5,300	8.2	(5.7 - 10.8)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	176	2,300	12.2	(6.6 - 17.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	166	1,300	6.0	(2.6 - 9.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	316	1,900	5.5	(2.5 - 8.4)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	59	600	10.6	(1.9 - 19.2)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	98	1,200	11.2	(3.8 - 18.5)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	96	600	7.2	(2.4 - 11.9)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	317	1,700	4.3	(1.8 - 6.8)	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	7.0	(4.7 - 9.2)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	284	9.2	(5.1 - 13.3)	14,325	8.7	(6.9 - 10.5)
Female	375	4.7	(2.8 - 6.5)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	7.9	(5.3 - 10.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	176	12.1	(6.1 - 18.1)	15,178	12.7	(10.2 - 15.1)
Some College	166	5.3	(2.1 - 8.5)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	316	5.2	(2.1 - 8.3)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	59	7.8	(1.2 - 14.4)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	98	11.0	(3.4 - 18.6)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	96	7.4	(2.1 - 12.7)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	317	4.2	(1.5 - 7.0)	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	7,400	9.8	(7.1 - 12.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	279	3,000	8.0	(4.4 - 11.6)	14,407	555,200	7.9	(6.3 - 9.6)
Female	379	4,400	11.6	(7.6 - 15.6)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	126	2,100	10.9	(4.7 - 17.1)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	167	1,700	9.9	(5.2 - 14.6)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	167	1,800	14.4	(7.8 - 21.0)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	609	6,700	10.4	(7.4 - 13.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	176	1,700	8.9	(4.0 - 13.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	165	2,800	13.2	(7.1 - 19.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	316	2,800	8.3	(4.6 - 12.0)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	99	1,300	12.0	(4.5 - 19.5)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	96	1,200	13.6	(4.5 - 22.8)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	316	3,100	7.8	(4.3 - 11.2)	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	9.5	(6.6 - 12.5)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	279	7.8	(4.0 - 11.6)	14,407	7.9	(6.3 - 9.6)
Female	379	11.2	(6.8 - 15.7)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	609	10.2	(7.0 - 13.4)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	176	8.7	(3.4 - 14.0)	15,335	12.3	(10.0 - 14.6)
Some College	165	12.8	(6.4 - 19.1)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	316	8.0	(3.9 - 12.1)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	99	11.9	(3.9 - 19.9)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	96	13.5	(3.9 - 23.2)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	316	7.7	(3.9 - 11.6)	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	11,200	15.1	(11.9 - 18.3)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	279	5,100	13.8	(9.1 - 18.4)	14,231	937,700	13.6	(11.4 - 15.8)
Female	374	6,100	16.4	(11.9 - 20.9)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	123	2,900	15.7	(8.4 - 23.0)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	168	2,400	13.3	(7.9 - 18.7)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	166	2,800	22.2	(14.7 - 29.8)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	151	1,800	17.2	(10.7 - 23.6)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	10,300	16.3	(12.8 - 19.8)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	173	3,200	17.3	(10.7 - 23.9)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	165	3,900	18.4	(11.6 - 25.2)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	314	4,000	11.9	(7.6 - 16.2)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	*	*	*	*	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	96	1,700	20.4	(10.5 - 30.3)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	315	4,200	10.7	(6.7 - 14.7)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	14.7	(11.3 - 18.2)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	279	13.9	(9.0 - 18.8)	14,231	13.6	(11.4 - 15.8)
Female	374	15.5	(10.7 - 20.4)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	16.0	(12.2 - 19.8)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	173	17.5	(10.3 - 24.7)	15,018	20.1	(17.1 - 23.1)
Some College	165	17.5	(10.4 - 24.5)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	314	11.4	(6.7 - 16.2)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	*	*	*	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	315	10.7	(6.3 - 15.1)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 6a. Health insurance among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	70,900	93.8	(91.0 - 96.6)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	286	35,100	93.1	(89.3 - 96.9)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	383	35,800	94.5	(90.3 - 98.7)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	126	17,600	91.5	(85.4 - 97.6)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	170	16,500	91.5	(86.5 - 96.5)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	171	12,400	97.0	(94.4 - 99.5)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	158	11,000	99.6	(98.7 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	61,200	94.7	(92.4 - 97.1)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	17,700	89.2	(82.6 - 95.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	168	19,000	89.9	(82.4 - 97.3)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	318	34,000	98.8	(97.8 - 99.9)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	96	8,100	95.2	(88.8 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	318	39,600	99.1	(98.1 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 6b. Health insurance among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	93.7	(90.5 - 96.9)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	286	93.3	(89.4 - 97.2)	14,597	83.6	(79.7 - 87.5)
Female	383	94.1	(89.0 - 99.2)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	94.8	(92.4 - 97.3)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	89.2	(82.2 - 96.1)	15,673	80.1	(75.4 - 84.7)
Some College	168	89.5	(80.8 - 98.1)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	318	99.1	(98.3 - 99.9)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	96	96.0	(90.8 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	318	99.3	(98.5 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	508	59,600	92.8	(89.5 - 96.0)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	224	30,100	92.1	(87.8 - 96.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	284	29,500	93.4	(88.4 - 98.4)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	126	17,600	91.5	(85.4 - 97.6)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	168	16,200	91.4	(86.3 - 96.5)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	170	12,300	96.9	(94.4 - 99.5)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	466	50,600	93.8	(91.0 - 96.6)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	108	12,500	85.3	(76.4 - 94.2)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	133	16,600	88.7	(80.4 - 97.1)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	266	30,300	98.7	(97.5 - 99.9)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	67	6,000	93.6	(85.3 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	291	37,500	99.1	(98.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	508	92.5	(88.6 - 96.3)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	224	92.1	(87.4 - 96.8)	10,078	80.5	(75.9 - 85.1)
Female	284	92.9	(86.7 - 99.0)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	466	93.7	(90.7 - 96.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	108	84.4	(74.5 - 94.4)	9,037	75.1	(69.3 - 80.9)
Some College	133	88.2	(78.3 - 98.1)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	266	99.0	(98.0 - 99.9)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	67	94.3	(86.7 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	291	99.3	(98.4 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 8a. No health insurance among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	4,700	6.2	(3.4 - 9.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	286	2,600	6.9	(3.1 - 10.7)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	383	2,100	5.5	(1.3 - 9.7)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	126	1,600	8.5	(2.4 - 14.6)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	170	1,500	8.5	(3.5 - 13.5)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	3,400	5.3	(2.9 - 7.6)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	2,100	10.8	(4.2 - 17.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	168	2,100	10.1	(2.7 - 17.6)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 8b. No health insurance among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	6.3	(3.1 - 9.5)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	286	6.7	(2.8 - 10.6)	14,597	16.4	(12.5 - 20.3)
Female	383	5.9	(0.8 - 11.0)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	5.2	(2.7 - 7.6)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	10.8	(3.9 - 17.8)	15,673	19.9	(15.3 - 24.6)
Some College	168	10.5	(1.9 - 19.2)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	508	4,700	7.2	(4.0 - 10.5)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	224	2,600	7.9	(3.5 - 12.2)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	284	2,100	6.6	(1.6 - 11.6)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	126	1,600	8.5	(2.4 - 14.6)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	168	1,500	8.6	(3.5 - 13.7)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	466	3,400	6.2	(3.4 - 9.0)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	108	2,100	14.7	(5.8 - 23.6)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	133	2,100	11.3	(2.9 - 19.6)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	508	7.5	(3.7 - 11.4)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	224	7.9	(3.2 - 12.6)	10,078	19.5	(14.9 - 24.1)
Female	284	7.1	(1.0 - 13.3)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	466	6.3	(3.2 - 9.3)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	108	15.6	(5.6 - 25.5)	9,037	24.9	(19.1 - 30.7)
Some College	133	11.8	(1.9 - 21.7)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	69,300	91.5	(87.8 - 95.2)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	286	34,200	90.1	(84.1 - 96.0)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	382	35,100	92.8	(88.5 - 97.2)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	126	18,400	95.3	(92.0 - 98.6)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	169	17,000	94.7	(91.3 - 98.1)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	171	11,700	91.5	(85.8 - 97.3)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	157	10,700	96.9	(93.8 - 100)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	59,400	91.8	(88.0 - 95.5)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	18,400	92.6	(87.7 - 97.5)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	316	31,800	92.9	(88.8 - 96.9)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	96	7,700	90.4	(82.2 - 98.6)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	317	37,900	95.1	(92.6 - 97.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	91.1	(86.8 - 95.3)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	286	89.7	(83.1 - 96.3)	14,593	78.1	(73.9 - 82.3)
Female	382	92.4	(87.1 - 97.7)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	91.6	(87.4 - 95.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	93.1	(88.4 - 97.9)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	316	92.4	(87.7 - 97.1)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	96	90.8	(83.1 - 98.5)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	317	94.9	(92.0 - 97.8)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	7,200	9.5	(6.3 - 12.8)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	287	3,100	8.2	(3.9 - 12.6)	14,607	903,300	12.7	(9.5 - 16.0)
Female	383	4,100	10.9	(6.0 - 15.7)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	126	1,800	9.2	(3.2 - 15.1)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	170	1,500	8.4	(4.0 - 12.9)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	171	900	7.4	(3.3 - 11.5)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	5,100	7.9	(5.0 - 10.8)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	182	2,200	11.0	(5.0 - 17.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	169	3,200	14.8	(6.9 - 22.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	318	1,900	5.5	(1.7 - 9.3)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	*	*	*	*	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	318	1,300	3.2	(1.0 - 5.3)	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	9.8	(6.1 - 13.5)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	287	8.6	(3.8 - 13.4)	14,607	12.5	(9.4 - 15.6)
Female	383	11.0	(5.3 - 16.6)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	8.0	(4.8 - 11.2)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	182	11.5	(4.9 - 18.0)	15,696	17.8	(13.8 - 21.7)
Some College	169	15.1	(6.0 - 24.3)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	318	5.4	(1.2 - 9.6)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	*	*	*	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	318	3.1	(0.7 - 5.5)	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	54,400	71.9	(67.1 - 76.7)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	285	26,200	69.2	(61.8 - 76.5)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	381	28,200	74.6	(68.7 - 80.5)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	126	13,500	70.3	(61.4 - 79.2)	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	170	12,500	69.6	(61.1 - 78.2)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	168	10,000	79.2	(72.3 - 86.1)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	157	9,300	84.0	(77.4 - 90.5)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	46,400	71.7	(66.8 - 76.5)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	15,000	75.8	(67.7 - 83.9)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	316	24,400	71.1	(64.5 - 77.6)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	318	29,600	74.0	(68.1 - 80.0)	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	71.6	(66.3 - 76.8)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	285	69.0	(61.1 - 76.8)	14,592	67.1	(63.3 - 70.9)
Female	381	74.2	(67.3 - 81.0)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	71.5	(66.2 - 76.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	76.1	(67.5 - 84.7)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	316	70.4	(63.4 - 77.4)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	318	74.1	(67.8 - 80.4)	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	63,800	84.2	(80.4 - 88.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	285	31,800	83.9	(78.4 - 89.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	381	31,900	84.5	(79.3 - 89.7)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	126	16,500	85.4	(78.5 - 92.3)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	170	15,000	83.3	(77.0 - 89.5)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	168	11,300	89.6	(84.4 - 94.7)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	157	10,000	90.4	(85.2 - 95.7)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	54,700	84.5	(80.8 - 88.2)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	16,800	84.9	(78.3 - 91.5)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	167	18,000	84.1	(75.7 - 92.4)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	316	29,000	84.6	(79.3 - 89.8)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	318	35,300	88.3	(84.0 - 92.5)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	83.9	(79.6 - 88.1)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	285	83.6	(77.7 - 89.6)	14,592	81.9	(78.4 - 85.3)
Female	381	84.1	(78.0 - 90.2)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	84.5	(80.4 - 88.5)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	85.1	(78.1 - 92.1)	15,640	84.6	(81.1 - 88.1)
Some College	167	84.1	(74.6 - 93.5)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	316	83.7	(77.9 - 89.6)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	318	88.2	(83.6 - 92.8)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	56,800	74.9	(70.2 - 79.6)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	286	27,900	73.5	(66.3 - 80.7)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	383	28,900	76.3	(70.3 - 82.2)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	126	13,100	68.1	(58.5 - 77.6)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	170	15,500	85.9	(79.2 - 92.7)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	170	9,800	77.2	(69.0 - 85.4)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	158	8,100	73.0	(64.8 - 81.3)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	47,700	73.5	(68.6 - 78.5)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	14,400	72.7	(64.5 - 80.9)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	317	27,200	79.2	(72.8 - 85.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	318	31,900	79.7	(73.9 - 85.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	73.6	(68.4 - 78.8)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	286	72.2	(64.5 - 79.9)	14,573	68.3	(64.6 - 72.1)
Female	383	75.0	(68.1 - 81.9)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	71.8	(66.2 - 77.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	73.0	(64.3 - 81.6)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	317	77.2	(70.0 - 84.4)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	318	78.6	(72.1 - 85.1)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	54,500	74.1	(69.4 - 78.9)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	273	26,300	71.6	(64.2 - 79.1)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	371	28,200	76.6	(70.8 - 82.4)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	126	13,200	68.4	(58.9 - 77.9)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	166	14,800	84.9	(77.8 - 91.9)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	166	9,000	72.3	(63.7 - 80.9)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	141	7,300	77.1	(69.9 - 84.4)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	597	46,100	73.6	(68.5 - 78.6)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	170	14,300	75.2	(67.0 - 83.4)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	311	26,600	78.8	(72.6 - 85.0)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	315	31,500	79.2	(73.4 - 85.0)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	73.3	(68.1 - 78.6)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	273	70.9	(62.9 - 78.9)	13,173	69.2	(65.3 - 73.1)
Female	371	75.8	(69.1 - 82.4)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	597	72.4	(66.8 - 78.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	170	76.4	(67.9 - 84.9)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	311	77.9	(71.2 - 84.7)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	315	78.3	(71.9 - 84.6)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	32,900	43.7	(38.8 - 48.6)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	281	16,800	44.6	(37.5 - 51.8)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	378	16,100	42.8	(36.0 - 49.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	124	6,200	32.7	(22.8 - 42.6)	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	170	7,900	44.0	(35.1 - 52.9)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	169	8,500	67.1	(59.2 - 75.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	151	8,300	77.1	(69.8 - 84.4)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	611	28,800	44.9	(39.9 - 49.9)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	313	12,500	36.6	(30.0 - 43.2)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	316	14,800	37.3	(30.9 - 43.8)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	41.4	(36.2 - 46.7)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	281	43.9	(36.4 - 51.5)	14,457	47.9	(44.1 - 51.7)
Female	378	38.9	(31.7 - 46.1)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	611	43.0	(37.6 - 48.3)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	313	34.6	(27.7 - 41.5)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	316	34.4	(27.6 - 41.2)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	1,300	12.2	(4.9 - 19.5)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	*	*	*	*	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	151	1,300	12.2	(4.9 - 19.5)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	146	1,300	12.8	(5.1 - 20.4)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	12.5	(5.2 - 19.7)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	*	*	*	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	146	13.0	(5.5 - 20.6)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	28,200	37.5	(32.9 - 42.2)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	285	14,200	37.8	(30.9 - 44.6)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	382	14,000	37.3	(30.9 - 43.7)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	246	9,700	23.6	(17.3 - 29.9)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	263	10,000	43.5	(36.2 - 50.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	158	8,500	77.0	(69.0 - 85.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	25,100	39.2	(34.4 - 44.0)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	180	8,100	42.2	(32.7 - 51.7)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	169	6,500	30.4	(21.9 - 38.9)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	317	13,600	39.7	(33.0 - 46.5)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	318	14,900	37.3	(30.8 - 43.8)	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	37.2	(32.1 - 42.3)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	285	38.5	(31.3 - 45.7)	14,579	40.0	(36.2 - 43.8)
Female	382	35.9	(28.8 - 42.9)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	39.2	(34.0 - 44.5)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	169	30.4	(21.2 - 39.6)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	317	38.5	(31.3 - 45.8)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	318	36.5	(29.4 - 43.6)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	28,400	37.8	(33.2 - 42.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	285	14,200	37.8	(30.9 - 44.6)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	382	14,200	37.9	(31.5 - 44.4)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	246	10,000	24.2	(17.8 - 30.5)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	263	10,000	43.5	(36.2 - 50.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	158	8,500	77.0	(69.0 - 85.0)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	25,400	39.5	(34.7 - 44.3)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	180	8,100	42.2	(32.7 - 51.7)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	169	6,500	30.4	(21.9 - 38.9)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	317	13,800	40.4	(33.6 - 47.2)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	318	15,200	37.9	(31.3 - 44.5)	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	37.6	(32.5 - 42.7)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	285	38.5	(31.3 - 45.7)	14,568	40.4	(36.6 - 44.2)
Female	382	36.7	(29.5 - 43.9)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	39.7	(34.4 - 45.0)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,651	44.1	(39.6 - 48.6)
Some College	169	30.4	(21.2 - 39.6)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	317	39.5	(32.2 - 46.8)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	318	37.3	(30.2 - 44.4)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	158	8,500	77.0	(69.0 - 85.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	62	4,400	88.0	(79.6 - 96.4)	4,417	772,900	74.6	(69.3 - 79.8)
Female	*	*	*	*	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	158	8,500	77.0	(69.0 - 85.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	153	8,200	77.3	(69.3 - 85.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	158	77.9	(70.2 - 85.7)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	62	88.0	(79.5 - 96.4)	4,417	74.4	(68.7 - 80.1)
Female	*	*	*	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	153	78.2	(70.4 - 86.0)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	611	14,200	21.5	(17.8 - 25.3)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	258	7,600	22.8	(17.0 - 28.6)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	353	6,700	20.2	(15.6 - 24.9)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	214	2,200	6.5	(2.4 - 10.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	246	4,200	19.5	(13.7 - 25.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	151	7,800	73.2	(65.4 - 81.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	565	12,700	22.5	(18.7 - 26.3)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	169	5,800	34.2	(25.8 - 42.6)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	153	3,800	20.1	(12.4 - 27.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	288	4,600	15.5	(11.2 - 19.8)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	94	2,500	24.6	(15.0 - 34.3)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	284	4,400	12.6	(8.7 - 16.5)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	611	22.5	(18.5 - 26.6)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	258	25.0	(18.7 - 31.3)	13,052	25.8	(22.3 - 29.4)
Female	353	20.0	(15.1 - 24.9)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	565	23.5	(19.4 - 27.6)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	169	36.6	(27.7 - 45.5)	14,700	29.5	(25.6 - 33.5)
Some College	153	20.2	(12.0 - 28.4)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	288	16.3	(11.5 - 21.0)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	284	13.0	(8.7 - 17.3)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	7,800	73.2	(65.4 - 81.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	*	*	*	*	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	151	7,800	73.2	(65.4 - 81.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	146	7,600	74.4	(66.7 - 82.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	151	73.6	(65.8 - 81.4)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	*	*	*	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	146	74.6	(66.8 - 82.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	324	23,200	92.2	(87.9 - 96.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	324	23,200	92.2	(87.9 - 96.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	140	10,100	96.6	(92.2 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	96	5,600	93.5	(87.6 - 99.4)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	301	20,100	93.9	(90.7 - 97.1)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	95	6,500	93.9	(89.5 - 98.3)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	*	*	*	*	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	150	10,800	94.6	(90.4 - 98.9)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	50	3,400	94.4	(88.6 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	135	11,300	94.3	(87.3 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	324	91.2	(86.3 - 96.1)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	324	91.2	(86.3 - 96.1)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	301	93.4	(90.2 - 96.7)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	95	93.4	(88.7 - 98.1)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	150	93.3	(88.1 - 98.5)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	50	94.0	(87.6 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	135	92.9	(83.9 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	324	19,600	77.7	(72.1 - 83.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	324	19,600	77.7	(72.1 - 83.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	140	8,200	78.0	(69.8 - 86.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	96	5,000	83.4	(75.5 - 91.3)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	301	16,700	78.1	(72.8 - 83.4)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	95	5,200	74.5	(64.6 - 84.3)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	150	9,600	84.5	(78.2 - 90.9)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	135	9,700	81.1	(72.6 - 89.6)	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	324	77.2	(71.4 - 83.1)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	324	77.2	(71.4 - 83.1)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	301	78.1	(72.8 - 83.4)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	95	74.8	(65.3 - 84.3)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	150	83.3	(76.3 - 90.3)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	135	79.4	(69.6 - 89.2)	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	236	13,200	80.0	(74.0 - 86.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	236	13,200	80.0	(74.0 - 86.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	140	8,200	78.0	(69.8 - 86.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	96	5,000	83.4	(75.5 - 91.3)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	223	11,800	79.9	(73.7 - 86.0)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	99	5,700	87.3	(79.9 - 94.6)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	86	5,700	83.9	(75.6 - 92.1)	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	236	80.5	(74.7 - 86.2)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	236	80.5	(74.7 - 86.2)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	223	80.6	(74.7 - 86.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	99	87.4	(79.8 - 95.0)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	86	83.5	(75.2 - 91.8)	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	381	34,900	92.5	(86.4 - 98.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	381	34,900	92.5	(86.4 - 98.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	69	7,400	99.0	(96.9 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	100	8,800	97.8	(95.3 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	90	6,000	94.6	(88.6 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	96	5,900	97.2	(94.4 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	348	28,300	94.6	(89.7 - 99.5)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	98	10,500	93.7	(83.7 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	181	16,800	98.6	(96.8 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	59	5,800	99.3	(98.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	57	4,200	98.2	(94.6 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	170	18,000	93.6	(86.2 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	381	91.2	(83.5 - 99.0)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	381	91.2	(83.5 - 99.0)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	348	93.5	(87.1 - 99.9)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	181	98.7	(97.1 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	59	99.5	(98.6 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	57	98.5	(95.5 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	170	91.8	(82.0 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	374	30,900	83.6	(77.0 - 90.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	374	30,900	83.6	(77.0 - 90.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	68	6,900	92.4	(85.9 - 98.9)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	100	8,200	91.2	(83.6 - 98.9)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	91	4,200	77.4	(69.1 - 85.6)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	343	25,000	85.0	(79.3 - 90.7)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	180	16,000	95.2	(92.3 - 98.0)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	57	5,200	90.6	(83.0 - 98.3)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	170	17,500	90.8	(83.2 - 98.4)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	374	82.8	(74.9 - 90.7)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	374	82.8	(74.9 - 90.7)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	343	84.2	(77.3 - 91.1)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	180	95.5	(92.9 - 98.2)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	57	91.5	(84.0 - 99.0)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	170	89.5	(79.7 - 99.3)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	243	21,900	79.5	(73.0 - 86.1)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	243	21,900	79.5	(73.0 - 86.1)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	67	7,200	82.4	(72.9 - 91.9)	3,098	922,800	66.8	(59.9 - 73.8)
55-64	79	5,700	89.3	(79.8 - 98.8)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	61	4,700	94.7	(89.4 - 100)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	233	20,600	80.3	(73.8 - 86.7)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	120	11,700	84.8	(76.4 - 93.3)	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	126	13,600	83.7	(75.8 - 91.6)	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	243	78.5	(71.4 - 85.6)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	243	78.5	(71.4 - 85.6)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	233	79.5	(72.6 - 86.5)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	120	82.6	(72.8 - 92.4)	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	126	81.9	(72.9 - 91.0)	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	242	17,900	65.1	(57.8 - 72.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	242	17,900	65.1	(57.8 - 72.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	232	16,600	64.9	(57.5 - 72.2)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	120	9,700	70.5	(60.6 - 80.4)	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	126	11,500	71.1	(61.7 - 80.5)	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	242	64.7	(56.9 - 72.4)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	242	64.7	(56.9 - 72.4)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	232	64.8	(57.0 - 72.5)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	236	18,100	68.3	(60.8 - 75.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	236	18,100	68.3	(60.8 - 75.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	58	4,500	93.9	(88.4 - 99.5)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	226	17,000	68.8	(61.2 - 76.5)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	236	67.2	(59.3 - 75.2)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	236	67.2	(59.3 - 75.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	226	68.1	(60.1 - 76.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	234	16,200	61.8	(54.1 - 69.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	234	16,200	61.8	(54.1 - 69.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	58	4,200	88.0	(79.4 - 96.6)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	224	15,100	61.8	(54.0 - 69.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	234	61.1	(53.0 - 69.1)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	234	61.1	(53.0 - 69.1)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	224	61.6	(53.4 - 69.7)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	244	800	3.1	(1.2 - 5.0)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	244	800	3.1	(1.2 - 5.0)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	234	800	3.3	(1.3 - 5.3)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	244	3.4	(1.3 - 5.6)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	244	3.4	(1.3 - 5.6)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	234	3.7	(1.4 - 5.9)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	415	12,800	38.1	(32.6 - 43.7)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	178	7,100	42.1	(33.6 - 50.6)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	237	5,700	34.0	(26.9 - 41.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	259	7,300	32.4	(25.5 - 39.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	154	5,500	51.0	(42.1 - 59.9)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	394	12,100	39.4	(33.8 - 44.9)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	139	4,200	35.9	(26.5 - 45.3)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	186	5,900	40.4	(31.8 - 49.1)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	163	6,100	41.2	(32.2 - 50.2)	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	415	40.4	(34.8 - 46.1)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	178	45.3	(36.8 - 53.9)	9,571	39.4	(35.3 - 43.5)
Female	237	35.2	(28.1 - 42.3)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	394	41.7	(36.0 - 47.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	139	39.6	(30.1 - 49.2)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	186	42.0	(33.4 - 50.6)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	163	43.5	(34.3 - 52.6)	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	4,400	13.2	(8.9 - 17.5)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	177	2,800	16.7	(10.1 - 23.3)	9,508	444,400	16.0	(13.2 - 18.9)
Female	235	1,600	9.6	(4.0 - 15.2)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	258	2,700	11.9	(6.3 - 17.6)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	152	1,700	16.2	(9.8 - 22.7)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	391	3,800	12.4	(8.4 - 16.4)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	137	1,700	14.3	(6.9 - 21.6)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	185	2,100	14.6	(7.3 - 21.9)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	*	*	*	*	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	162	2,200	15.1	(7.5 - 22.8)	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	14.0	(9.7 - 18.3)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	177	18.1	(11.3 - 24.9)	9,508	16.4	(13.2 - 19.6)
Female	235	9.6	(4.4 - 14.7)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	391	13.6	(9.3 - 17.8)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	137	16.0	(8.3 - 23.6)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	185	14.3	(7.4 - 21.2)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	*	*	*	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	162	15.0	(7.6 - 22.4)	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	6,600	19.9	(15.1 - 24.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	177	4,100	24.4	(17.0 - 31.8)	9,508	593,100	21.4	(18.3 - 24.5)
Female	235	2,500	15.2	(9.1 - 21.3)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	258	4,000	17.7	(11.5 - 23.8)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	152	2,700	25.1	(17.3 - 32.8)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	391	6,000	19.8	(15.1 - 24.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	137	2,500	21.0	(12.8 - 29.2)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	90	1,200	16.1	(7.9 - 24.2)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	185	3,000	20.8	(13.0 - 28.7)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	*	*	*	*	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	162	3,200	21.9	(13.7 - 30.1)	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	21.0	(16.1 - 25.9)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	177	26.1	(18.5 - 33.7)	9,508	21.7	(18.3 - 25.1)
Female	235	15.5	(9.6 - 21.4)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	391	21.2	(16.3 - 26.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	137	23.4	(14.8 - 32.0)	11,026	19.5	(15.4 - 23.7)
Some College	90	16.8	(8.3 - 25.3)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	185	21.1	(13.5 - 28.7)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	*	*	*	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	162	22.6	(14.4 - 30.8)	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	421	24,300	71.2	(65.9 - 76.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	182	12,800	74.0	(66.1 - 81.9)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	239	11,500	68.3	(61.3 - 75.4)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	170	9,900	77.9	(70.4 - 85.4)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	157	7,900	71.8	(63.5 - 80.1)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	400	22,200	71.6	(66.3 - 77.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	139	7,500	63.5	(53.7 - 73.3)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	189	11,300	76.0	(68.7 - 83.2)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	166	11,500	76.2	(68.3 - 84.0)	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	421	71.4	(66.2 - 76.6)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	182	74.7	(67.3 - 82.2)	9,582	68.5	(64.5 - 72.5)
Female	239	67.8	(60.6 - 75.0)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	400	71.9	(66.6 - 77.2)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	139	64.7	(55.3 - 74.0)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	189	76.6	(69.6 - 83.6)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	166	77.2	(69.5 - 84.8)	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	418	23,300	69.0	(63.6 - 74.4)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	181	12,200	71.1	(63.1 - 79.1)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	237	11,100	66.8	(59.6 - 73.9)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	168	9,400	75.4	(67.6 - 83.2)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	157	7,700	69.8	(61.4 - 78.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	397	21,300	69.3	(63.9 - 74.8)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	138	7,400	62.6	(52.8 - 72.5)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	187	10,700	73.1	(65.6 - 80.7)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	166	11,200	74.4	(66.4 - 82.3)	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	418	69.2	(63.9 - 74.5)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	181	72.1	(64.4 - 79.7)	9,521	66.9	(62.9 - 70.9)
Female	237	66.1	(58.8 - 73.4)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	397	69.7	(64.3 - 75.1)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	138	63.9	(54.5 - 73.2)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	187	74.1	(66.8 - 81.3)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	166	75.3	(67.5 - 83.0)	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	24,000	71.5	(66.3 - 76.8)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	181	12,800	74.8	(67.1 - 82.5)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	235	11,200	68.1	(61.1 - 75.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	167	9,500	75.9	(68.2 - 83.7)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	157	7,800	71.4	(63.1 - 79.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	397	21,800	70.7	(65.3 - 76.1)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	137	7,600	64.7	(54.9 - 74.5)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	187	11,100	76.4	(69.5 - 83.2)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	166	11,600	76.9	(69.4 - 84.4)	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	71.7	(66.5 - 76.9)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	181	75.6	(68.4 - 82.9)	9,418	71.5	(67.6 - 75.4)
Female	235	67.4	(60.1 - 74.7)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	397	71.2	(65.8 - 76.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	137	66.2	(56.9 - 75.5)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	187	76.9	(70.2 - 83.6)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	166	77.6	(70.3 - 85.0)	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	21,200	28.0	(23.9 - 32.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	287	12,400	32.6	(26.3 - 38.9)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	383	8,800	23.4	(18.2 - 28.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	126	3,900	20.3	(12.1 - 28.6)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	170	3,500	19.6	(12.7 - 26.6)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	171	6,000	46.7	(37.9 - 55.4)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	158	6,800	61.7	(53.3 - 70.1)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	19,500	30.0	(25.7 - 34.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	8,000	40.4	(31.1 - 49.7)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	169	5,700	26.3	(18.5 - 34.2)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	318	7,600	22.1	(16.8 - 27.3)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	318	9,700	24.2	(18.7 - 29.6)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	27.2	(22.9 - 31.6)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	287	32.9	(26.2 - 39.5)	14,611	27.7	(24.7 - 30.7)
Female	383	21.5	(16.1 - 27.0)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	29.5	(24.8 - 34.2)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	*	*	*	15,688	32.1	(28.4 - 35.8)
Some College	169	24.4	(16.4 - 32.4)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	318	20.9	(15.5 - 26.2)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	318	23.0	(17.1 - 28.8)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	228	17,300	81.4	(75.0 - 87.8)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	116	9,600	77.7	(68.1 - 87.3)	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	112	7,700	86.6	(79.9 - 93.3)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	74	4,900	82.3	(72.7 - 91.9)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	97	6,600	97.1	(94.1 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	212	16,300	83.5	(77.2 - 89.8)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	228	81.9	(75.2 - 88.6)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	112	88.6	(82.6 - 94.6)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	212	84.1	(77.5 - 90.7)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	66,100	91.3	(88.3 - 94.3)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	285	33,300	89.9	(85.1 - 94.7)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	374	32,800	92.8	(89.3 - 96.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	124	17,200	90.0	(84.9 - 95.2)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	166	17,100	96.8	(94.1 - 99.6)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	171	12,100	95.2	(90.2 - 100)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	158	10,800	97.9	(95.7 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	611	57,400	92.2	(89.2 - 95.1)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	178	16,400	90.7	(84.5 - 96.8)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	167	17,000	85.3	(77.5 - 93.1)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	313	32,300	95.1	(92.4 - 97.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	99	9,600	92.3	(84.9 - 99.7)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	95	7,100	85.1	(75.9 - 94.3)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	314	37,400	95.5	(92.7 - 98.4)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	90.6	(87.2 - 94.0)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	285	89.2	(84.0 - 94.5)	14,389	78.0	(73.9 - 82.1)
Female	374	92.0	(87.9 - 96.1)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	611	91.4	(88.1 - 94.8)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	178	90.0	(83.3 - 96.8)	15,342	70.2	(65.2 - 75.1)
Some College	167	84.0	(75.3 - 92.8)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	313	94.8	(91.8 - 97.8)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	99	91.6	(83.4 - 99.7)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	95	86.0	(77.5 - 94.5)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	314	95.1	(91.9 - 98.4)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	63,500	88.6	(85.3 - 91.9)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	282	31,600	86.5	(81.2 - 91.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	371	31,800	90.8	(86.9 - 94.6)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	124	16,500	86.5	(80.2 - 92.8)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	165	16,200	91.8	(87.2 - 96.4)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	170	11,900	93.8	(88.7 - 98.9)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	155	10,500	97.4	(95.0 - 99.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	55,000	89.0	(85.7 - 92.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	175	15,700	87.5	(80.6 - 94.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	167	16,300	81.7	(73.4 - 89.9)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	310	31,200	93.2	(90.0 - 96.4)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	98	9,200	88.7	(80.1 - 97.2)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	313	36,500	93.9	(90.7 - 97.1)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	88.0	(84.3 - 91.6)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	282	86.1	(80.5 - 91.8)	14,307	74.8	(70.7 - 79.0)
Female	371	89.9	(85.4 - 94.4)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	88.4	(84.7 - 92.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	175	87.0	(79.7 - 94.4)	15,215	67.8	(62.9 - 72.8)
Some College	167	80.6	(71.5 - 89.7)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	310	92.9	(89.5 - 96.3)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	98	88.2	(78.9 - 97.4)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	313	93.5	(90.0 - 97.0)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	4,800	6.4	(4.5 - 8.2)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	287	3,200	8.3	(5.3 - 11.4)	14,477	664,600	9.4	(7.5 - 11.4)
Female	378	1,600	4.4	(2.4 - 6.3)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	171	1,000	8.1	(3.6 - 12.6)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	155	2,600	23.9	(16.5 - 31.3)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	4,600	7.0	(5.0 - 9.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	179	1,600	8.2	(4.0 - 12.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	169	1,500	7.1	(3.7 - 10.5)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	316	1,700	4.9	(2.5 - 7.3)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	101	1,200	11.6	(5.0 - 18.2)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	317	1,500	3.7	(1.9 - 5.6)	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	6.3	(4.5 - 8.2)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	287	8.6	(5.5 - 11.8)	14,477	9.7	(7.8 - 11.7)
Female	378	4.0	(2.2 - 5.8)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	7.1	(5.0 - 9.2)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	179	8.4	(4.1 - 12.6)	15,486	10.5	(8.0 - 13.0)
Some College	169	6.5	(3.3 - 9.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	316	5.0	(2.5 - 7.6)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	101	11.6	(5.0 - 18.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	317	3.4	(1.7 - 5.2)	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	3,800	5.0	(3.3 - 6.6)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	286	2,700	7.1	(4.2 - 10.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	380	1,100	2.8	(1.3 - 4.4)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	170	1,000	7.5	(3.1 - 12.0)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	156	1,900	17.4	(10.8 - 24.0)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	617	3,600	5.5	(3.7 - 7.4)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	179	1,100	5.5	(1.8 - 9.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	168	1,400	6.3	(3.2 - 9.5)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	318	1,300	3.9	(1.7 - 6.1)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	102	1,000	9.0	(3.2 - 14.9)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	317	1,300	3.2	(1.5 - 4.9)	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	4.9	(3.3 - 6.5)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	286	7.3	(4.3 - 10.2)	14,479	8.8	(6.9 - 10.8)
Female	380	2.5	(1.2 - 3.9)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	617	5.5	(3.7 - 7.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	179	5.4	(1.9 - 8.9)	15,485	8.5	(6.2 - 10.7)
Some College	168	6.0	(2.9 - 9.1)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	318	3.9	(1.7 - 6.2)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	102	8.8	(3.1 - 14.5)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	317	2.9	(1.3 - 4.4)	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	5,200	6.8	(4.5 - 9.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	287	2,900	7.6	(3.8 - 11.4)	14,626	530,400	7.5	(6.2 - 8.8)
Female	383	2,300	6.0	(3.4 - 8.6)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	170	1,200	6.6	(2.5 - 10.8)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	171	1,400	10.8	(5.3 - 16.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	158	1,300	11.9	(6.5 - 17.3)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	4,500	6.9	(4.6 - 9.1)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	182	1,600	8.1	(3.8 - 12.3)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	169	1,900	8.9	(3.1 - 14.6)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	318	1,700	4.8	(2.1 - 7.5)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	*	*	*	*	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	318	1,900	4.7	(2.1 - 7.3)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	6.4	(4.1 - 8.8)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	287	7.5	(3.5 - 11.5)	14,626	7.5	(6.1 - 8.9)
Female	383	5.4	(2.8 - 8.0)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	6.5	(4.2 - 8.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	182	7.7	(3.4 - 12.1)	15,709	12.6	(10.0 - 15.2)
Some College	169	8.3	(2.5 - 14.2)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	318	4.5	(1.8 - 7.2)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	*	*	*	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	318	4.3	(1.7 - 7.0)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	11,200	14.8	(11.2 - 18.5)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	287	4,300	11.4	(6.7 - 16.1)	14,601	875,800	12.4	(10.1 - 14.7)
Female	381	6,900	18.2	(12.6 - 23.7)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	126	2,400	12.3	(5.3 - 19.3)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	170	2,400	13.5	(7.5 - 19.4)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	171	2,200	17.3	(9.6 - 25.0)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	156	1,200	11.1	(5.2 - 17.0)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	9,100	14.1	(10.5 - 17.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	2,100	10.6	(5.5 - 15.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	169	3,800	17.8	(9.2 - 26.3)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	317	5,300	15.5	(10.3 - 20.6)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	*	*	*	*	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	96	800	9.7	(3.4 - 15.9)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	318	5,800	14.4	(9.5 - 19.4)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	14.9	(10.9 - 18.9)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	287	11.5	(6.6 - 16.5)	14,601	12.6	(10.3 - 14.9)
Female	381	18.3	(12.1 - 24.6)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	14.5	(10.3 - 18.6)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	181	10.0	(4.8 - 15.1)	15,675	15.1	(12.1 - 18.0)
Some College	169	18.6	(9.0 - 28.2)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	317	15.5	(9.9 - 21.2)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	96	9.2	(3.1 - 15.3)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	318	14.8	(9.3 - 20.2)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 48a. Current asthma among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	6,700	9.0	(6.0 - 11.9)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	285	2,500	6.6	(3.1 - 10.1)	14,546	440,700	6.3	(4.8 - 7.7)
Female	377	4,200	11.3	(6.6 - 16.0)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	126	1,800	9.2	(2.9 - 15.5)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	169	1,500	8.3	(3.6 - 12.9)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	171	1,300	10.1	(3.3 - 16.9)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	*	*	*	*	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	5,400	8.5	(5.6 - 11.4)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	180	1,700	8.6	(3.8 - 13.4)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	*	*	*	*	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	315	3,500	10.2	(5.8 - 14.6)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	*	*	*	*	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	317	3,600	8.9	(4.8 - 13.1)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 48b. Current asthma among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	9.0	(5.8 - 12.1)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	285	6.9	(3.1 - 10.6)	14,546	6.4	(4.9 - 7.9)
Female	377	11.0	(5.9 - 16.1)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	8.7	(5.4 - 12.1)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	180	8.0	(3.2 - 12.8)	15,594	10.8	(8.3 - 13.3)
Some College	*	*	*	9,861	9.4	(7.2 - 11.6)
≥ College Degree	315	10.3	(5.6 - 14.9)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	*	*	*	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	317	9.2	(4.7 - 13.7)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	34,900	46.1	(41.0 - 51.1)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	287	17,000	44.8	(37.6 - 52.0)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	381	17,900	47.4	(40.3 - 54.4)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	169	9,300	51.8	(42.7 - 60.9)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	171	7,300	57.2	(48.4 - 66.1)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	157	6,300	57.7	(48.9 - 66.4)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	30,600	47.3	(42.2 - 52.4)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	9,000	45.6	(35.9 - 55.4)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	317	15,400	44.9	(37.8 - 52.0)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	317	17,100	42.9	(36.1 - 49.7)	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	44.7	(39.2 - 50.2)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	287	43.9	(36.3 - 51.4)	14,595	42.6	(38.8 - 46.3)
Female	381	45.6	(37.6 - 53.6)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	45.8	(40.3 - 51.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	317	44.0	(36.3 - 51.7)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	317	41.4	(34.0 - 48.8)	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 50a. Arthritis among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	25,400	33.8	(29.0 - 38.5)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	285	12,400	32.8	(25.9 - 39.8)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	379	13,000	34.7	(28.3 - 41.1)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	123	3,100	16.2	(8.1 - 24.3)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	168	6,800	38.2	(29.1 - 47.2)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	170	6,200	48.7	(39.9 - 57.5)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	158	6,800	61.2	(52.9 - 69.5)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	22,600	35.2	(30.3 - 40.1)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	181	7,300	36.9	(28.2 - 45.7)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	314	10,100	29.7	(23.3 - 36.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	315	11,300	28.5	(22.4 - 34.6)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 50b. Arthritis among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	32.1	(27.1 - 37.2)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	285	32.0	(24.7 - 39.3)	14,555	23.5	(20.9 - 26.1)
Female	379	32.2	(25.2 - 39.2)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	33.8	(28.5 - 39.0)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	181	36.0	(26.7 - 45.2)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	314	28.2	(21.4 - 34.9)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	315	26.6	(20.2 - 33.0)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	17,000	22.5	(18.2 - 26.8)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	285	8,500	22.6	(16.8 - 28.4)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	380	8,500	22.4	(16.1 - 28.8)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	125	3,200	17.0	(8.9 - 25.0)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	169	4,400	24.7	(16.7 - 32.7)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	169	3,100	24.2	(17.1 - 31.3)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	157	3,900	35.4	(26.6 - 44.1)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	14,800	23.0	(18.8 - 27.2)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	*	*	*	*	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	168	4,500	20.8	(13.9 - 27.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	315	5,600	16.3	(11.4 - 21.2)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	101	2,200	20.7	(12.0 - 29.3)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	315	6,600	16.8	(12.0 - 21.5)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	665	22.4	(17.6 - 27.2)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	285	22.1	(16.2 - 28.1)	14,566	18.6	(15.8 - 21.4)
Female	380	22.7	(15.3 - 30.1)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	22.7	(18.2 - 27.2)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	*	*	*	15,626	23.8	(20.1 - 27.4)
Some College	168	18.2	(11.5 - 24.9)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	315	17.0	(11.4 - 22.6)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	101	19.5	(10.9 - 28.2)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	315	16.5	(11.3 - 21.7)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	5,000	6.6	(4.4 - 8.7)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	287	2,700	7.2	(3.8 - 10.6)	14,617	460,700	6.5	(5.3 - 7.7)
Female	383	2,200	5.9	(3.3 - 8.5)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	170	1,100	6.0	(1.6 - 10.3)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	171	1,200	9.3	(4.1 - 14.6)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	158	2,000	18.3	(10.5 - 26.1)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	4,400	6.8	(4.4 - 9.2)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	182	2,500	12.5	(6.5 - 18.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	169	1,600	7.4	(3.2 - 11.6)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	318	900	2.7	(0.8 - 4.6)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	63	800	11.4	(2.8 - 19.9)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	102	900	8.4	(3.0 - 13.8)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	96	800	10.0	(2.3 - 17.8)	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	6.3	(4.2 - 8.5)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	287	7.4	(3.9 - 10.9)	14,617	6.8	(5.5 - 8.0)
Female	383	5.3	(2.7 - 7.8)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	6.7	(4.3 - 9.2)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	182	12.2	(6.1 - 18.3)	15,711	10.3	(8.3 - 12.3)
Some College	169	6.8	(2.6 - 10.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	318	2.6	(0.8 - 4.5)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	63	9.5	(2.5 - 16.5)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	102	9.1	(3.1 - 15.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	96	8.9	(1.7 - 16.1)	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 53a. Disability among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	18,100	24.0	(19.7 - 28.3)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	286	9,100	24.0	(18.1 - 29.8)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	381	9,100	24.0	(17.7 - 30.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	125	3,200	17.0	(8.9 - 25.0)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	169	4,600	25.8	(17.7 - 33.8)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	170	3,100	24.7	(17.6 - 31.9)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	158	4,800	43.0	(34.1 - 51.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	15,900	24.7	(20.4 - 28.9)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	*	*	*	*	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	168	4,800	22.4	(15.3 - 29.5)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	316	5,800	17.1	(12.2 - 22.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	101	2,600	24.4	(15.0 - 33.8)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	316	6,900	17.3	(12.5 - 22.2)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 53b. Disability among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	667	24.0	(19.2 - 28.8)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	286	23.8	(17.8 - 29.9)	14,568	20.9	(18.0 - 23.8)
Female	381	24.2	(16.8 - 31.6)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	24.6	(20.0 - 29.1)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	*	*	*	15,638	26.8	(23.0 - 30.6)
Some College	168	19.8	(12.8 - 26.7)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	316	17.9	(12.2 - 23.5)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	101	23.8	(14.1 - 33.6)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	316	17.1	(11.8 - 22.3)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 54a. Current smoking among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	9,900	13.0	(9.9 - 16.1)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	287	5,400	14.2	(9.3 - 19.0)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	382	4,500	11.9	(8.0 - 15.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	126	3,000	15.6	(8.8 - 22.4)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	170	2,700	14.8	(8.9 - 20.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	170	1,000	8.2	(4.3 - 12.1)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	158	900	8.4	(4.1 - 12.6)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	9,000	13.9	(10.5 - 17.3)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	3,200	16.1	(9.0 - 23.1)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	169	4,100	19.0	(11.8 - 26.2)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	317	2,600	7.6	(4.4 - 10.8)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	102	1,700	15.9	(6.8 - 25.0)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	96	1,600	19.2	(9.3 - 29.1)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	317	3,000	7.4	(4.2 - 10.7)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 54b. Current smoking among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	13.1	(9.7 - 16.5)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	287	14.1	(8.9 - 19.3)	14,559	19.2	(16.3 - 22.1)
Female	382	12.1	(7.7 - 16.5)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	14.1	(10.4 - 17.9)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	16.9	(8.9 - 24.8)	15,654	22.8	(19.5 - 26.0)
Some College	169	19.4	(11.5 - 27.3)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	317	6.9	(3.8 - 9.9)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	102	14.8	(5.5 - 24.1)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	317	7.0	(3.7 - 10.4)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	6,700	8.8	(6.2 - 11.4)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	287	3,400	8.8	(4.9 - 12.8)	14,559	848,400	12.0	(10.0 - 14.1)
Female	382	3,300	8.7	(5.2 - 12.2)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	170	1,900	10.6	(5.6 - 15.7)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	170	900	7.0	(3.3 - 10.6)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	158	800	7.7	(3.5 - 11.8)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	6,200	9.6	(6.6 - 12.5)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	182	2,500	12.4	(6.3 - 18.6)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	169	2,800	12.8	(6.6 - 19.1)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	317	1,400	4.2	(1.9 - 6.4)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	96	1,300	14.9	(5.5 - 24.3)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	317	2,000	5.1	(2.3 - 7.9)	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	669	8.8	(5.9 - 11.7)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	287	8.6	(4.5 - 12.8)	14,559	12.1	(10.1 - 14.1)
Female	382	8.9	(4.9 - 12.9)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	9.8	(6.5 - 13.1)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	182	13.0	(5.9 - 20.1)	15,654	16.4	(13.8 - 19.0)
Some College	169	13.0	(6.2 - 19.8)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	317	3.6	(1.6 - 5.5)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	317	4.7	(1.9 - 7.5)	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	64,300	84.8	(81.6 - 88.0)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	286	31,900	83.9	(79.1 - 88.7)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	382	32,400	85.7	(81.5 - 89.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	126	17,700	91.6	(86.7 - 96.6)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	170	15,000	83.3	(77.0 - 89.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	171	9,900	77.7	(70.9 - 84.6)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	156	8,200	74.9	(66.7 - 83.0)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	619	54,400	84.0	(80.7 - 87.2)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	15,900	80.5	(73.7 - 87.3)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	169	17,600	82.1	(74.7 - 89.4)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	317	30,500	88.8	(85.4 - 92.3)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	96	6,600	78.2	(69.1 - 87.2)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	318	36,300	90.9	(87.8 - 94.0)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	85.7	(82.5 - 89.0)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	286	84.9	(80.1 - 89.8)	14,577	79.4	(76.7 - 82.2)
Female	382	86.6	(82.2 - 90.9)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	619	84.9	(81.5 - 88.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	181	80.8	(73.4 - 88.2)	15,647	76.9	(73.8 - 80.0)
Some College	169	82.9	(75.3 - 90.4)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	317	90.4	(87.4 - 93.5)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	96	76.7	(66.8 - 86.6)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	318	92.2	(89.3 - 95.0)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	14,200	18.8	(14.3 - 23.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	282	8,800	23.3	(16.0 - 30.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	382	5,400	14.2	(9.2 - 19.3)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	125	4,400	23.0	(14.1 - 31.9)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	169	2,300	12.8	(6.4 - 19.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	170	1,800	14.1	(8.2 - 20.0)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	155	900	8.6	(3.5 - 13.7)	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	12,500	19.4	(14.5 - 24.2)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	182	2,600	13.3	(6.6 - 19.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	315	7,100	20.7	(14.3 - 27.0)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	96	1,300	15.1	(6.2 - 24.0)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	316	8,900	22.3	(16.1 - 28.5)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	664	19.8	(14.7 - 24.8)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	282	24.7	(16.7 - 32.7)	14,420	24.5	(21.0 - 27.9)
Female	382	14.9	(9.0 - 20.7)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	20.7	(15.2 - 26.2)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	182	13.9	(6.4 - 21.5)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	315	21.1	(14.2 - 28.1)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	316	23.4	(16.5 - 30.4)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	5,900	7.9	(4.3 - 11.4)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	282	3,100	8.3	(2.5 - 14.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	381	2,800	7.4	(3.3 - 11.4)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	126	2,100	10.6	(3.1 - 18.2)	4,924	137,200	4.8	(3.0 - 6.7)
45-54	168	800	4.4	(1.3 - 7.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	169	1,100	8.7	(3.8 - 13.6)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	5,400	8.5	(4.5 - 12.4)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	*	*	*	*	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	315	2,600	7.6	(3.7 - 11.5)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	316	3,400	8.5	(3.7 - 13.3)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	8.1	(4.0 - 12.1)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	282	8.5	(1.9 - 15.0)	14,330	4.9	(3.9 - 5.9)
Female	381	7.7	(2.8 - 12.5)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	8.7	(4.1 - 13.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	*	*	*	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	315	7.5	(3.2 - 11.7)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	316	9.2	(3.5 - 14.8)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	46,200	65.4	(59.8 - 71.0)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	261	25,000	71.3	(63.4 - 79.1)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	360	21,200	59.6	(51.8 - 67.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	120	12,700	69.5	(59.7 - 79.2)	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	156	11,000	66.1	(56.7 - 75.6)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	158	9,700	82.2	(75.5 - 88.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	148	8,700	83.5	(76.8 - 90.2)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	575	41,900	69.8	(64.5 - 75.2)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	301	23,100	71.1	(63.8 - 78.4)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	304	26,900	70.4	(63.4 - 77.4)	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	63.6	(57.3 - 69.8)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	261	70.7	(62.3 - 79.1)	13,299	67.9	(64.0 - 71.9)
Female	360	56.6	(47.7 - 65.4)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	575	68.4	(62.4 - 74.4)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	301	69.5	(61.4 - 77.6)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	304	68.8	(61.0 - 76.6)	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	370	39,600	82.8	(77.8 - 87.8)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	163	20,800	85.0	(78.1 - 91.8)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	207	18,800	80.6	(73.2 - 87.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	88	6,400	91.5	(85.7 - 97.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	61	4,300	96.3	(91.2 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	344	34,000	83.9	(79.1 - 88.7)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	84	9,800	94.2	(88.6 - 99.7)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	93	12,400	89.1	(82.4 - 95.8)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	193	17,400	74.1	(65.7 - 82.5)	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	51	4,500	92.6	(86.6 - 98.5)	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	205	21,900	78.0	(70.6 - 85.4)	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	370	82.4	(76.9 - 87.9)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	163	85.5	(78.8 - 92.3)	9,034	81.1	(77.4 - 84.8)
Female	207	79.2	(70.7 - 87.8)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	344	82.9	(77.3 - 88.6)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	84	93.5	(86.8 - 100)	8,879	81.6	(77.4 - 85.7)
Some College	93	89.3	(81.8 - 96.8)	5,953	76.8	(72.0 - 81.6)
≥ College Degree	193	72.7	(63.5 - 81.9)	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	51	93.2	(87.6 - 98.9)	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	205	77.3	(69.3 - 85.3)	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	69,800	93.9	(91.8 - 95.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	273	34,400	93.2	(89.8 - 96.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	376	35,400	94.5	(92.1 - 96.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	124	17,600	93.3	(87.6 - 99.0)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	167	16,700	93.7	(89.9 - 97.6)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	168	11,800	93.6	(89.4 - 97.7)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	145	9,000	87.8	(82.4 - 93.3)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	601	58,900	93.0	(90.6 - 95.4)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	174	17,400	89.9	(85.3 - 94.6)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	160	19,200	93.4	(89.1 - 97.6)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	314	32,900	96.3	(93.7 - 99.0)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	57	5,700	90.0	(81.6 - 98.4)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	98	9,900	94.5	(88.8 - 100)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	93	7,600	91.5	(85.7 - 97.3)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	314	37,800	95.9	(93.5 - 98.4)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	94.0	(91.9 - 96.2)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	273	93.2	(89.5 - 96.9)	13,893	89.1	(86.9 - 91.3)
Female	376	94.9	(92.7 - 97.1)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	601	93.1	(90.6 - 95.6)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	174	89.9	(85.0 - 94.9)	14,507	84.6	(81.8 - 87.4)
Some College	160	94.3	(90.3 - 98.3)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	314	96.2	(93.2 - 99.1)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	57	90.1	(81.7 - 98.6)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	98	94.6	(88.5 - 100)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	93	91.6	(85.9 - 97.2)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	314	96.3	(93.7 - 98.8)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 62a. Overweight among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	25,300	34.2	(29.4 - 39.0)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	285	14,800	39.2	(32.3 - 46.1)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	361	10,500	29.0	(22.3 - 35.8)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	122	5,900	31.0	(21.6 - 40.4)	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	159	7,300	42.9	(33.4 - 52.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	163	4,700	38.9	(30.0 - 47.8)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	157	4,300	39.4	(31.0 - 47.9)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	598	21,500	34.1	(29.4 - 38.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	176	5,300	27.3	(18.9 - 35.7)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	160	7,600	36.8	(26.8 - 46.8)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	309	12,400	36.9	(29.9 - 43.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	313	15,600	39.4	(32.6 - 46.2)	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 62b. Overweight among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	33.2	(28.0 - 38.4)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	285	37.0	(30.0 - 44.0)	14,502	43.9	(40.1 - 47.6)
Female	361	29.3	(21.6 - 37.0)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	598	33.2	(28.1 - 38.4)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	176	26.8	(17.8 - 35.9)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	309	35.5	(28.1 - 42.9)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	313	38.0	(30.7 - 45.3)	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 63a. Obesity among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	19,100	25.8	(21.3 - 30.3)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	285	12,300	32.6	(25.6 - 39.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	361	6,800	18.8	(13.4 - 24.1)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	159	4,600	27.1	(18.5 - 35.8)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	163	3,500	28.7	(20.1 - 37.3)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	157	2,400	21.9	(14.9 - 28.9)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	598	17,300	27.4	(22.6 - 32.2)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	176	6,200	32.0	(22.8 - 41.1)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	160	4,800	23.4	(14.8 - 32.0)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	309	8,000	23.9	(17.3 - 30.5)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	313	9,300	23.7	(17.6 - 29.7)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 63b. Obesity among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	25.2	(20.3 - 30.0)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	285	32.3	(25.0 - 39.7)	14,502	21.5	(19.0 - 24.0)
Female	361	17.7	(12.0 - 23.4)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	598	26.9	(21.7 - 32.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	176	30.2	(20.8 - 39.5)	15,079	29.4	(25.4 - 33.3)
Some College	160	22.6	(13.3 - 31.8)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	309	24.1	(16.9 - 31.2)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	313	23.6	(17.1 - 30.1)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	44,300	60.0	(54.8 - 65.2)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	285	27,000	71.7	(64.5 - 78.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	361	17,300	47.8	(40.4 - 55.1)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	122	12,100	64.0	(54.3 - 73.8)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	159	11,900	70.0	(62.3 - 77.7)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	163	8,200	67.6	(59.8 - 75.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	157	6,700	61.3	(52.6 - 70.1)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	598	38,700	61.5	(56.4 - 66.7)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	309	20,400	60.8	(54.0 - 67.6)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	93	5,900	72.8	(62.9 - 82.6)	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	313	24,900	63.0	(56.3 - 69.7)	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	58.3	(52.6 - 64.1)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	285	69.3	(61.5 - 77.2)	14,502	65.4	(61.3 - 69.4)
Female	361	47.0	(38.6 - 55.3)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	598	60.1	(54.4 - 65.9)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	309	59.6	(52.0 - 67.1)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	313	61.6	(54.1 - 69.1)	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	20,500	27.7	(23.3 - 32.2)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	285	11,200	29.8	(23.4 - 36.2)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	360	9,200	25.6	(19.3 - 31.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	122	6,300	33.1	(23.1 - 43.1)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	159	5,400	31.4	(22.4 - 40.5)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	162	4,200	35.3	(26.6 - 44.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	157	2,900	26.1	(18.7 - 33.5)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	597	17,200	27.4	(22.9 - 31.9)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	176	4,700	24.2	(16.1 - 32.3)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	160	6,200	30.4	(21.1 - 39.7)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	308	9,200	27.6	(21.2 - 34.0)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	312	11,600	29.4	(23.2 - 35.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	26.6	(21.9 - 31.3)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	285	29.2	(22.5 - 35.8)	14,499	23.4	(20.5 - 26.3)
Female	360	23.9	(17.2 - 30.6)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	597	26.4	(21.6 - 31.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	176	22.9	(14.8 - 31.1)	15,116	27.3	(23.4 - 31.2)
Some College	160	28.9	(19.0 - 38.7)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	308	26.6	(19.8 - 33.5)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	312	28.3	(21.6 - 35.0)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	179	19,300	94.4	(91.5 - 97.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	88	10,600	94.4	(90.3 - 98.4)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	91	8,700	94.4	(90.4 - 98.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	54	3,900	92.3	(85.4 - 99.2)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	163	16,200	94.0	(90.8 - 97.2)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	50	6,000	95.4	(90.4 - 100)	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	84	8,700	93.9	(89.6 - 98.3)	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	93	11,200	96.3	(93.2 - 99.4)	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	179	94.2	(91.1 - 97.4)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	88	93.8	(89.1 - 98.5)	3,807	88.7	(85.7 - 91.8)
Female	91	94.8	(90.8 - 98.7)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	163	93.9	(90.4 - 97.3)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	50	94.8	(89.0 - 100)	2,633	85.6	(79.5 - 91.7)
≥ College Degree	84	94.7	(90.7 - 98.7)	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	93	96.9	(94.1 - 99.7)	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	14,500	19.0	(15.2 - 22.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	287	6,600	17.4	(12.2 - 22.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	383	7,900	20.7	(15.1 - 26.4)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	126	2,900	15.0	(7.7 - 22.4)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	170	3,100	17.1	(10.7 - 23.6)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	171	2,300	17.8	(11.4 - 24.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	158	3,100	27.9	(20.3 - 35.4)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	11,800	18.2	(14.4 - 21.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	5,700	28.7	(20.1 - 37.2)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	169	4,200	19.4	(11.2 - 27.6)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	318	4,600	13.4	(8.9 - 17.9)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	318	3,800	9.5	(5.8 - 13.3)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	19.5	(15.2 - 23.8)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	287	17.8	(12.3 - 23.3)	14,602	20.9	(17.8 - 23.9)
Female	383	21.2	(14.6 - 27.9)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	18.6	(14.5 - 22.8)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	29.8	(20.3 - 39.3)	15,683	32.3	(28.3 - 36.4)
Some College	169	19.7	(10.3 - 29.1)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	318	13.5	(8.5 - 18.4)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	318	9.5	(5.4 - 13.7)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	22,700	29.8	(25.1 - 34.6)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	287	9,600	25.1	(18.2 - 32.1)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	383	13,100	34.6	(28.0 - 41.2)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	126	5,500	28.6	(19.3 - 37.9)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	170	5,000	27.5	(19.2 - 35.7)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	171	3,500	27.4	(19.9 - 34.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	158	3,100	27.7	(20.1 - 35.3)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	19,900	30.7	(25.8 - 35.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	182	5,100	25.7	(17.5 - 34.0)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	318	10,500	30.4	(23.8 - 37.0)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	318	11,300	28.3	(22.0 - 34.6)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	30.6	(25.2 - 35.9)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	287	25.7	(18.2 - 33.1)	14,634	22.7	(19.6 - 25.9)
Female	383	35.5	(27.8 - 43.2)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	31.9	(26.3 - 37.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	182	26.9	(17.8 - 35.9)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	318	30.9	(23.6 - 38.1)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	318	29.4	(22.3 - 36.6)	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	6,900	16.8	(12.7 - 20.8)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	208	3,800	18.8	(12.3 - 25.4)	10,966	489,400	14.4	(11.9 - 16.8)
Female	283	3,100	14.8	(10.1 - 19.4)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	167	3,200	18.3	(11.5 - 25.1)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	167	2,000	15.8	(8.5 - 23.1)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	157	1,700	15.3	(9.1 - 21.5)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	467	6,100	16.5	(12.4 - 20.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	154	2,700	20.6	(12.6 - 28.6)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	110	1,300	13.6	(6.8 - 20.3)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	227	2,900	15.6	(9.8 - 21.5)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	*	*	*	*	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	211	3,000	15.1	(9.5 - 20.7)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	16.6	(12.7 - 20.5)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	208	18.4	(12.2 - 24.7)	10,966	15.0	(12.1 - 17.8)
Female	283	14.8	(10.1 - 19.4)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	467	16.5	(12.5 - 20.5)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	154	20.1	(12.5 - 27.7)	12,417	17.4	(13.0 - 21.7)
Some College	110	14.0	(7.0 - 21.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	227	15.2	(9.6 - 20.8)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	*	*	*	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	211	15.6	(9.9 - 21.3)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Putnam County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Putnam County and New York State**

	Putnam County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	2,000	4.8	(2.6 - 7.0)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	283	1,000	4.9	(1.9 - 7.8)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	467	1,600	4.4	(2.2 - 6.6)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Putnam County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Putnam County and New York State - Age-Adjusted<sup>2</sup>**

	Putnam County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	491	4.9	(2.6 - 7.2)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	283	4.5	(1.8 - 7.3)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	467	4.6	(2.3 - 7.0)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)