

New York State Expanded Behavioral Risk Factor Surveillance System

Rensselaer County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Rensselaer County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Rensselaer County and New York State	14
Table 2b. Fair or poor general health among adults in Rensselaer County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Rensselaer County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Rensselaer County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Rensselaer County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Rensselaer County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Rensselaer County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Rensselaer County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Rensselaer County and New York State	22
Table 6b. Health insurance among adults in Rensselaer County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Rensselaer County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Rensselaer County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Rensselaer County and New York State	26
Table 8b. No health insurance among adults in Rensselaer County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Rensselaer County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Rensselaer County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Rensselaer County and New York State	30
Table 10b. Adults with regular health care provider in Rensselaer County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Rensselaer County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Rensselaer County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Rensselaer County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Rensselaer County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Rensselaer County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Rensselaer County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Rensselaer County and New York State	38
Table 14b. Dentist visit within the past year among adults in Rensselaer County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Rensselaer County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Rensselaer County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Rensselaer County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Rensselaer County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Rensselaer County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Rensselaer County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Rensselaer County and New York State	46
Table 18b. Flu shot within the past 12 months in Rensselaer County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Rensselaer County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Rensselaer County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Rensselaer County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Rensselaer County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Rensselaer County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Rensselaer County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Rensselaer County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Rensselaer County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Rensselaer County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Rensselaer County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Rensselaer County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Rensselaer County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Rensselaer County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Rensselaer County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Rensselaer County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Rensselaer County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Rensselaer County and New York State	64
Table 27b. Ever had a Pap test among women in Rensselaer County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Rensselaer County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Rensselaer County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Rensselaer County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Rensselaer County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Rensselaer County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Rensselaer County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Rensselaer County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Rensselaer County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Rensselaer County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Rensselaer County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Rensselaer County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Rensselaer County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Rensselaer County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Rensselaer County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Rensselaer County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Rensselaer County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Rensselaer County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Rensselaer County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Rensselaer County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Rensselaer County and New York State	90
Table 40b. High blood pressure among adults in Rensselaer County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Rensselaer County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Rensselaer County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Rensselaer County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Rensselaer County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Rensselaer County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Rensselaer County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Rensselaer County and New York State	98
Table 44b. Cardiovascular disease among adults in Rensselaer County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Rensselaer County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Rensselaer County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Rensselaer County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Rensselaer County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Rensselaer County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Rensselaer County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Rensselaer County and New York State	106
Table 48b. Current asthma among adults in Rensselaer County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Rensselaer County and New York State	108
Table 49b. Chronic joint symptoms among adults in Rensselaer County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Rensselaer County and New York State	110
Table 50b. Arthritis among adults in Rensselaer County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Rensselaer County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Rensselaer County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Rensselaer County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Rensselaer County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Rensselaer County and New York State	116
Table 53b. Disability among adults in Rensselaer County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Rensselaer County and New York State	118
Table 54b. Current smoking among adults in Rensselaer County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Rensselaer County and New York State	120
Table 55b. Everyday smoking among adults in Rensselaer County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Rensselaer County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Rensselaer County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Rensselaer County and New York State	124
Table 57b. Binge drinking within the past month among adults in Rensselaer County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Rensselaer County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Rensselaer County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Rensselaer County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Rensselaer County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Rensselaer County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Rensselaer County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Rensselaer County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Rensselaer County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Rensselaer County and New York State	134
Table 62b. Overweight among adults in Rensselaer County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Rensselaer County and New York State	136
Table 63b. Obesity among adults in Rensselaer County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Rensselaer County and New York State	138
Table 64b. Overweight or obesity among adults in Rensselaer County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Rensselaer County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Rensselaer County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Rensselaer County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Rensselaer County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Rensselaer County and New York State	144
Table 67b. No leisure-time physical activity among adults in Rensselaer County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Rensselaer County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Rensselaer County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Rensselaer County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Rensselaer County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Rensselaer County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Rensselaer County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 1. Rensselaer County and New York State adult US Census Bureau population estimates,¹ 2007

	Rensselaer County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	121,499	100	14,884,315	100
Gender				
Male	59,527	49.0	7,103,791	47.7
Female	61,972	51.0	7,780,524	52.3
Age (years)				
18-34	38,179	31.4	4,497,479	30.2
35-44	21,342	17.6	2,844,115	19.1
45-54	23,867	19.6	2,854,316	19.2
55-64	17,974	14.8	2,142,000	14.4
≥ 65	20,137	16.6	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	109,159	89.8	9,343,884	62.8
Black Non-Hispanic	6,072	5.0	2,156,941	14.5
Hispanic	2,812	2.3	2,258,717	15.2
Other Non-Hispanic	3,456	2.8	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 2a. Fair or poor general health among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	14,400	11.8	(9.0 - 14.6)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	248	6,500	11.0	(6.8 - 15.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	419	7,800	12.6	(8.9 - 16.3)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	146	3,400	14.3	(6.7 - 21.9)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	160	2,500	13.9	(8.1 - 19.8)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	185	5,700	28.3	(20.7 - 35.9)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	628	12,200	11.2	(8.4 - 14.0)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	242	8,300	18.2	(12.3 - 24.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	193	3,900	12.0	(7.2 - 16.8)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	231	2,200	5.0	(1.9 - 8.2)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	175	4,800	16.3	(9.8 - 22.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	201	1,900	4.3	(1.6 - 7.0)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 2b. Fair or poor general health among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	11.4	(8.7 - 14.2)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	248	11.2	(7.0 - 15.3)	14,599	15.3	(12.6 - 18.0)
Female	419	11.7	(8.1 - 15.3)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	628	10.9	(8.1 - 13.7)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	242	17.7	(11.9 - 23.5)	15,682	25.8	(22.1 - 29.5)
Some College	193	11.2	(6.5 - 15.8)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	231	5.2	(1.8 - 8.5)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	175	15.8	(9.4 - 22.2)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	201	4.3	(1.5 - 7.1)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	10,500	8.8	(6.6 - 11.0)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	248	3,800	6.3	(3.4 - 9.2)	14,325	604,200	8.7	(7.0 - 10.5)
Female	409	6,700	11.1	(7.9 - 14.4)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	144	3,000	12.7	(6.3 - 19.2)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	160	2,000	11.3	(6.0 - 16.5)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	179	4,200	21.8	(14.8 - 28.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	619	8,700	8.1	(6.0 - 10.1)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	235	5,600	12.6	(8.1 - 17.1)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	191	3,200	10.1	(5.6 - 14.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	230	1,700	3.9	(1.5 - 6.3)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	120	3,100	17.9	(10.1 - 25.7)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	172	4,100	14.2	(8.1 - 20.4)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	201	1,700	3.8	(1.5 - 6.0)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	8.3	(6.2 - 10.5)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	248	6.3	(3.4 - 9.1)	14,325	8.7	(6.9 - 10.5)
Female	409	10.3	(7.2 - 13.5)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	619	7.7	(5.7 - 9.8)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	235	12.3	(7.8 - 16.7)	15,178	12.7	(10.2 - 15.1)
Some College	191	9.2	(5.0 - 13.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	230	3.8	(1.4 - 6.2)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	120	17.4	(9.6 - 25.2)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	172	13.7	(7.7 - 19.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	201	3.5	(1.4 - 5.7)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	11,400	9.5	(6.4 - 12.6)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	245	5,900	10.0	(4.6 - 15.4)	14,407	555,200	7.9	(6.3 - 9.6)
Female	419	5,600	9.0	(5.9 - 12.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	145	3,300	14.2	(7.2 - 21.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	158	1,400	7.8	(3.5 - 12.1)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	185	2,000	9.8	(4.5 - 15.2)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	625	9,300	8.6	(5.5 - 11.8)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	240	5,500	12.2	(6.6 - 17.7)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	192	2,800	8.6	(4.1 - 13.2)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	231	3,200	7.4	(2.0 - 12.8)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	176	3,800	13.0	(6.7 - 19.2)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	100	1,300	7.3	(2.5 - 12.1)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	9.2	(6.2 - 12.2)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	245	9.9	(4.7 - 15.1)	14,407	7.9	(6.3 - 9.6)
Female	419	8.6	(5.5 - 11.6)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	625	8.4	(5.4 - 11.5)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	240	11.8	(6.5 - 17.1)	15,335	12.3	(10.0 - 14.6)
Some College	192	8.7	(3.8 - 13.6)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	231	7.0	(2.0 - 12.1)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	176	13.1	(6.7 - 19.5)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	100	7.0	(2.3 - 11.7)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	18,700	15.7	(12.2 - 19.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	246	7,900	13.5	(7.8 - 19.2)	14,231	937,700	13.6	(11.4 - 15.8)
Female	410	10,800	17.7	(13.6 - 21.9)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	102	2,100	10.1	(4.0 - 16.1)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	143	5,100	22.3	(14.3 - 30.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	159	2,900	16.2	(10.0 - 22.4)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	179	4,800	25.0	(17.6 - 32.4)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	618	15,900	14.8	(11.3 - 18.4)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	235	8,700	19.8	(13.4 - 26.2)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	190	5,500	17.2	(11.2 - 23.3)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	230	4,500	10.3	(4.6 - 16.0)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	172	6,100	21.2	(13.7 - 28.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	100	1,800	10.1	(4.4 - 15.7)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	201	4,100	9.2	(3.6 - 14.7)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	15.0	(11.6 - 18.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	246	13.2	(7.7 - 18.6)	14,231	13.6	(11.4 - 15.8)
Female	410	16.8	(12.7 - 20.9)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	618	14.3	(10.8 - 17.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	235	19.1	(12.9 - 25.3)	15,018	20.1	(17.1 - 23.1)
Some College	190	16.6	(10.4 - 22.8)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	230	9.9	(4.5 - 15.2)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	172	20.9	(13.4 - 28.5)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	100	9.7	(4.1 - 15.4)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	201	8.6	(3.5 - 13.8)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 6a. Health insurance among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	112,600	92.7	(89.5 - 95.9)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	249	55,100	92.6	(87.2 - 97.9)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	419	57,500	92.9	(89.2 - 96.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	74	33,000	86.3	(77.3 - 95.3)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	102	20,700	97.0	(93.4 - 100)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	146	22,200	93.0	(87.1 - 98.9)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	160	17,100	94.9	(91.1 - 98.7)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	186	19,700	98.0	(96.1 - 99.9)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	629	100,600	92.1	(88.6 - 95.7)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	242	39,800	87.1	(79.8 - 94.4)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	194	30,100	93.0	(87.7 - 98.3)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	231	42,600	98.4	(96.6 - 100)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	176	26,700	90.7	(84.7 - 96.8)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	100	18,100	99.2	(97.5 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	201	42,300	95.7	(90.3 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 6b. Health insurance among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	92.9	(89.7 - 96.0)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	249	93.0	(87.9 - 98.0)	14,597	83.6	(79.7 - 87.5)
Female	419	92.8	(88.9 - 96.7)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	629	92.3	(88.8 - 95.8)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	242	87.6	(80.6 - 94.6)	15,673	80.1	(75.4 - 84.7)
Some College	194	92.7	(86.9 - 98.4)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	231	98.5	(96.6 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	176	90.5	(84.0 - 96.9)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	100	99.3	(98.0 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	201	96.1	(91.0 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 7a. Health insurance among adults aged 18-64¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	478	92,700	91.9	(88.0 - 95.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	193	46,600	91.3	(85.1 - 97.6)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	285	46,100	92.4	(88.0 - 96.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	74	33,000	86.3	(77.3 - 95.3)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	102	20,700	97.0	(93.4 - 100)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	144	22,000	93.0	(87.0 - 98.9)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	158	17,000	96.1	(93.2 - 99.1)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	449	82,500	91.2	(87.0 - 95.4)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	145	29,500	84.3	(75.0 - 93.6)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	143	25,700	92.7	(86.6 - 98.7)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	189	37,400	98.2	(96.1 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	106	19,300	88.1	(80.0 - 96.2)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	89	16,500	99.1	(97.2 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	189	40,700	95.6	(89.9 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 7b. Health insurance among adults aged 18-64¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	478	91.9	(88.2 - 95.7)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	193	91.5	(85.4 - 97.5)	10,078	80.5	(75.9 - 85.1)
Female	285	92.4	(87.8 - 96.9)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	449	91.3	(87.1 - 95.4)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	145	84.6	(75.5 - 93.6)	9,037	75.1	(69.3 - 80.9)
Some College	143	92.2	(85.6 - 98.8)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	189	98.2	(96.1 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	106	87.5	(78.9 - 96.2)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	89	99.2	(97.8 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	189	95.9	(90.6 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 8a. No health insurance among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	8,900	7.3	(4.1 - 10.5)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	249	4,400	7.4	(2.1 - 12.8)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	419	4,400	7.1	(3.5 - 10.8)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	74	5,200	13.7	(4.7 - 22.7)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	629	8,600	7.9	(4.3 - 11.4)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	242	5,900	12.9	(5.6 - 20.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	194	2,300	7.0	(1.7 - 12.3)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	176	2,700	9.3	(3.2 - 15.3)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 8b. No health insurance among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	7.1	(4.0 - 10.3)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	249	7.0	(2.0 - 12.1)	14,597	16.4	(12.5 - 20.3)
Female	419	7.2	(3.3 - 11.1)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	629	7.7	(4.2 - 11.2)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	242	12.4	(5.4 - 19.4)	15,673	19.9	(15.3 - 24.6)
Some College	194	7.3	(1.6 - 13.1)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	176	9.5	(3.1 - 16.0)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 9a. No health insurance among adults aged 18-64¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	478	8,200	8.1	(4.3 - 12.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	193	4,400	8.7	(2.4 - 14.9)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	285	3,800	7.6	(3.2 - 12.0)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	74	5,200	13.7	(4.7 - 22.7)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	449	8,000	8.8	(4.6 - 13.0)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	145	5,500	15.7	(6.4 - 25.0)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	106	2,600	11.9	(3.8 - 20.0)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 9b. No health insurance among adults aged 18-64¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	478	8.1	(4.3 - 11.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	193	8.5	(2.5 - 14.6)	10,078	19.5	(14.9 - 24.1)
Female	285	7.6	(3.1 - 12.2)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	449	8.7	(4.6 - 12.9)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	145	15.4	(6.4 - 24.5)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	106	12.5	(3.8 - 21.1)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 10a. Adults with regular health care provider¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	114,300	94.1	(91.7 - 96.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	249	55,600	93.3	(89.4 - 97.3)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	418	58,800	94.9	(92.0 - 97.8)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	74	35,900	94.0	(88.5 - 99.5)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	102	19,500	91.6	(85.8 - 97.4)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	146	22,500	94.2	(88.6 - 99.9)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	160	16,600	92.6	(88.1 - 97.2)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	185	19,800	98.4	(96.8 - 100)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	628	103,200	94.6	(92.3 - 96.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	242	42,400	92.7	(88.2 - 97.2)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	194	30,900	95.5	(92.4 - 98.7)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	230	40,900	94.6	(90.3 - 98.8)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	176	27,800	94.7	(90.4 - 98.9)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	100	17,600	96.5	(92.9 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	201	42,400	95.9	(93.2 - 98.5)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 10b. Adults with regular health care provider¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	94.0	(91.6 - 96.5)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	249	93.2	(89.3 - 97.1)	14,593	78.1	(73.9 - 82.3)
Female	418	94.8	(91.8 - 97.8)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	628	94.4	(92.1 - 96.8)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	242	92.4	(87.8 - 97.0)	15,692	75.8	(71.0 - 80.6)
Some College	194	95.3	(91.7 - 98.9)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	230	94.7	(90.6 - 98.9)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	176	94.2	(89.5 - 98.9)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	100	96.1	(91.9 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	201	95.9	(93.1 - 98.7)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	10,400	8.5	(5.6 - 11.4)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	249	3,800	6.3	(2.2 - 10.5)	14,607	903,300	12.7	(9.5 - 16.0)
Female	419	6,600	10.6	(6.6 - 14.7)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	146	2,300	9.4	(3.1 - 15.8)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	160	1,600	8.9	(4.1 - 13.7)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	629	9,700	8.9	(5.8 - 12.0)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	242	6,600	14.5	(8.2 - 20.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	194	2,500	7.7	(2.4 - 12.9)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	176	3,900	13.2	(6.1 - 20.3)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	8.5	(5.6 - 11.5)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	249	6.1	(2.1 - 10.0)	14,607	12.5	(9.4 - 15.6)
Female	419	10.9	(6.5 - 15.2)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	629	8.9	(5.7 - 12.1)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	242	14.5	(8.2 - 20.9)	15,696	17.8	(13.8 - 21.7)
Some College	194	7.7	(2.0 - 13.3)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	176	14.3	(6.5 - 22.1)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	92,000	75.9	(71.0 - 80.8)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	249	41,500	69.8	(61.6 - 78.0)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	417	50,500	81.8	(76.7 - 86.9)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	102	15,700	73.6	(64.4 - 82.7)	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	145	18,900	79.6	(71.7 - 87.4)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	159	13,500	76.0	(67.7 - 84.2)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	186	18,600	92.3	(87.6 - 97.0)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	627	82,000	75.3	(70.2 - 80.4)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	241	31,900	70.2	(60.6 - 79.7)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	194	25,900	80.2	(72.5 - 87.8)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	230	34,000	78.7	(72.0 - 85.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	201	33,300	75.3	(67.6 - 83.0)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	75.8	(71.0 - 80.6)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	249	70.3	(62.4 - 78.2)	14,592	67.1	(63.3 - 70.9)
Female	417	81.2	(75.7 - 86.6)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	627	75.1	(70.0 - 80.2)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	241	70.1	(60.7 - 79.4)	15,640	74.4	(70.4 - 78.4)
Some College	194	79.9	(71.9 - 87.8)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	230	78.7	(72.0 - 85.3)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	201	75.2	(67.6 - 82.8)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	106,900	88.2	(84.7 - 91.7)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	249	50,200	84.4	(78.3 - 90.4)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	417	56,700	91.9	(88.2 - 95.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	74	31,300	81.9	(72.6 - 91.2)	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	102	18,100	84.7	(77.4 - 91.9)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	145	22,100	93.0	(87.5 - 98.5)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	159	16,000	90.1	(84.6 - 95.7)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	186	19,400	96.6	(93.5 - 99.6)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	627	95,700	87.9	(84.2 - 91.5)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	241	38,500	84.8	(78.0 - 91.5)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	194	29,700	91.9	(86.3 - 97.4)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	230	38,500	89.0	(83.6 - 94.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	176	26,100	88.8	(82.4 - 95.1)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	100	16,600	90.7	(81.9 - 99.5)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	201	40,000	90.5	(85.9 - 95.1)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	87.9	(84.4 - 91.5)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	249	84.2	(78.3 - 90.1)	14,592	81.9	(78.4 - 85.3)
Female	417	91.5	(87.6 - 95.5)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	627	87.5	(83.8 - 91.2)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	241	84.5	(77.8 - 91.2)	15,640	84.6	(81.1 - 88.1)
Some College	194	91.3	(85.2 - 97.4)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	230	89.0	(83.7 - 94.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	176	87.7	(80.8 - 94.7)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	100	90.9	(82.6 - 99.3)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	201	90.1	(85.3 - 94.8)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 14a. Dentist visit within the past year among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	87,900	72.5	(67.7 - 77.3)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	249	42,000	70.5	(62.8 - 78.3)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	417	45,900	74.4	(68.7 - 80.2)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	102	16,300	76.4	(67.1 - 85.8)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	145	19,500	81.8	(73.6 - 89.9)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	159	13,300	74.8	(66.7 - 82.8)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	186	12,700	63.2	(54.6 - 71.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	627	80,700	74.1	(69.4 - 78.9)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	241	28,700	63.1	(54.1 - 72.1)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	194	24,600	76.0	(67.8 - 84.1)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	230	34,500	79.7	(72.7 - 86.7)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	201	37,800	85.5	(78.7 - 92.2)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 14b. Dentist visit within the past year among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	72.3	(67.4 - 77.1)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	249	70.1	(62.5 - 77.7)	14,573	68.3	(64.6 - 72.1)
Female	417	74.3	(68.3 - 80.4)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	627	73.8	(69.0 - 78.6)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	241	62.4	(53.3 - 71.5)	15,613	65.3	(60.9 - 69.6)
Some College	194	76.1	(67.7 - 84.5)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	230	79.4	(72.4 - 86.4)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	201	85.4	(78.8 - 92.0)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	610	84,600	74.0	(69.1 - 78.8)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	231	40,100	71.5	(63.8 - 79.2)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	379	44,600	76.3	(70.3 - 82.3)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	102	16,600	77.6	(68.4 - 86.8)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	144	18,500	78.5	(70.1 - 86.9)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	142	11,900	75.1	(66.4 - 83.9)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	149	12,000	72.1	(62.6 - 81.6)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	577	76,800	74.6	(69.8 - 79.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	26,600	66.5	(57.1 - 75.8)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	179	23,300	74.6	(66.0 - 83.1)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	227	34,500	80.4	(73.4 - 87.4)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	196	38,000	89.4	(84.6 - 94.3)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 15b. Had teeth cleaned within the past year among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	610	73.8	(68.9 - 78.7)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	231	71.4	(63.8 - 79.0)	13,173	69.2	(65.3 - 73.1)
Female	379	76.1	(69.8 - 82.3)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	577	74.4	(69.6 - 79.3)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	65.9	(56.4 - 75.4)	12,740	67.7	(63.2 - 72.3)
Some College	179	74.8	(66.1 - 83.5)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	227	80.1	(73.2 - 87.1)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	196	88.9	(83.7 - 94.0)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	52,900	43.9	(38.8 - 48.9)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	246	25,600	43.4	(35.2 - 51.6)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	414	27,300	44.3	(38.4 - 50.3)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	102	6,000	27.9	(18.5 - 37.3)	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	143	10,700	45.2	(35.7 - 54.8)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	158	12,500	70.7	(63.0 - 78.4)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	183	15,800	79.2	(71.0 - 87.4)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	621	48,000	44.3	(39.1 - 49.5)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	238	24,100	53.2	(43.7 - 62.6)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	192	15,300	47.6	(38.6 - 56.7)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	229	13,500	31.4	(24.2 - 38.7)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	200	13,700	31.0	(23.7 - 38.4)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	42.5	(37.5 - 47.5)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	246	43.6	(35.6 - 51.6)	14,457	47.9	(44.1 - 51.7)
Female	414	41.5	(35.4 - 47.5)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	621	43.0	(37.9 - 48.2)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	238	52.5	(43.1 - 61.9)	15,427	61.3	(56.7 - 66.0)
Some College	192	45.7	(36.5 - 54.9)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	229	30.1	(23.0 - 37.2)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	200	30.2	(22.9 - 37.5)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	3,300	16.8	(10.9 - 22.7)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	129	2,000	17.7	(10.7 - 24.7)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	183	3,300	16.8	(10.9 - 22.7)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	173	3,000	16.7	(10.5 - 22.9)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	16.6	(10.4 - 22.8)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	129	17.6	(10.7 - 24.6)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	173	16.3	(9.8 - 22.8)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 18a. Flu shot within the past 12 months¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	53,900	45.5	(40.5 - 50.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	248	24,400	41.9	(33.9 - 49.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	415	29,500	49.0	(43.0 - 55.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	248	23,500	33.6	(26.5 - 40.6)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	230	15,000	52.5	(44.9 - 60.1)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	185	15,400	76.8	(68.8 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	625	48,000	44.8	(39.6 - 49.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	19,900	46.0	(37.1 - 54.9)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	193	13,500	42.5	(33.6 - 51.3)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	230	20,500	47.4	(39.1 - 55.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	199	19,700	45.3	(36.8 - 53.9)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 18b. Flu shot within the past 12 months¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	45.5	(40.4 - 50.5)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	248	43.1	(35.3 - 51.0)	14,579	40.0	(36.2 - 43.8)
Female	415	47.7	(41.4 - 54.0)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	625	44.7	(39.5 - 49.9)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	46.8	(37.9 - 55.7)	15,663	43.7	(39.1 - 48.2)
Some College	193	41.1	(32.0 - 50.1)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	230	47.5	(39.2 - 55.7)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	199	45.4	(36.9 - 53.8)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	53,900	45.5	(40.5 - 50.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	248	24,400	41.9	(33.9 - 49.8)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	415	29,500	49.0	(43.0 - 55.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	248	23,500	33.6	(26.5 - 40.6)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	230	15,000	52.5	(44.9 - 60.1)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	185	15,400	76.8	(68.8 - 84.9)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	625	48,000	44.8	(39.6 - 49.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	19,900	46.0	(37.1 - 54.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	193	13,500	42.5	(33.6 - 51.3)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	230	20,500	47.4	(39.1 - 55.7)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	199	19,700	45.3	(36.8 - 53.9)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	45.5	(40.4 - 50.5)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	248	43.1	(35.3 - 51.0)	14,568	40.4	(36.6 - 44.2)
Female	415	47.7	(41.4 - 54.0)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	625	44.7	(39.5 - 49.9)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	46.8	(37.9 - 55.7)	15,651	44.1	(39.6 - 48.6)
Some College	193	41.1	(32.0 - 50.1)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	230	47.5	(39.2 - 55.7)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	199	45.4	(36.9 - 53.8)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 21a. Flu shot among adults aged 65 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	185	15,400	76.8	(68.8 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	*	*	*	*	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	185	15,400	76.8	(68.8 - 84.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	175	14,700	80.8	(73.6 - 88.0)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 21b. Flu shot among adults aged 65 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	185	77.9	(69.6 - 86.1)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	*	*	*	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	175	81.5	(73.7 - 89.2)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	51	83.8	(73.8 - 93.8)	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	615	27,900	27.3	(23.1 - 31.4)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	221	11,900	25.6	(18.8 - 32.3)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	394	16,000	28.7	(23.6 - 33.8)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	212	6,800	12.2	(7.3 - 17.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	221	6,900	25.3	(18.3 - 32.3)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	182	14,200	73.4	(64.9 - 81.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	579	25,200	27.6	(23.4 - 31.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	225	12,700	35.0	(27.1 - 42.9)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	179	8,100	28.9	(20.9 - 36.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	210	7,100	18.8	(13.2 - 24.4)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	92	2,500	16.8	(8.9 - 24.8)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	179	5,400	14.6	(8.8 - 20.5)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	615	27.1	(22.9 - 31.3)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	221	27.2	(20.3 - 34.1)	13,052	25.8	(22.3 - 29.4)
Female	394	27.0	(21.8 - 32.2)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	579	27.4	(23.1 - 31.8)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	225	34.7	(26.6 - 42.7)	14,700	29.5	(25.6 - 33.5)
Some College	179	27.9	(19.8 - 36.0)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	210	19.5	(13.6 - 25.4)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	92	17.0	(8.7 - 25.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	179	14.8	(9.0 - 20.6)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	182	14,200	73.4	(64.9 - 81.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	131	8,900	76.0	(66.6 - 85.3)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	182	14,200	73.4	(64.9 - 81.9)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	172	13,100	75.2	(66.9 - 83.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	182	72.9	(63.9 - 81.9)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	131	76.0	(66.6 - 85.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	172	74.3	(65.2 - 83.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	348	37,800	95.8	(93.7 - 97.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	348	37,800	95.8	(93.7 - 97.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	83	12,900	94.4	(89.8 - 99.1)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	134	13,700	97.4	(94.8 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	131	11,200	95.6	(92.2 - 99.0)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	334	34,900	96.1	(94.0 - 98.2)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	13,700	94.9	(91.0 - 98.7)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	115	11,900	97.3	(94.4 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	102	12,000	95.4	(91.4 - 99.4)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	83	7,000	94.6	(90.1 - 99.1)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	97	10,000	94.7	(89.9 - 99.5)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	51	5,700	98.0	(94.2 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	77	11,000	96.4	(92.2 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	348	95.7	(93.4 - 98.0)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	348	95.7	(93.4 - 98.0)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	334	96.0	(93.7 - 98.3)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	94.5	(90.0 - 98.9)	8,266	90.2	(86.1 - 94.2)
Some College	115	97.6	(94.8 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	102	95.2	(90.9 - 99.6)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	83	94.7	(90.1 - 99.2)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	97	94.5	(89.2 - 99.9)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	51	98.1	(94.4 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	77	95.8	(91.0 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	347	31,500	80.0	(74.9 - 85.0)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	347	31,500	80.0	(74.9 - 85.0)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	83	11,100	81.1	(72.4 - 89.8)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	134	11,900	84.4	(77.3 - 91.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	333	30,000	82.7	(78.2 - 87.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	11,500	79.6	(71.6 - 87.7)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	114	10,100	82.7	(75.3 - 90.2)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	77	9,700	85.2	(76.1 - 94.4)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	347	80.2	(75.0 - 85.4)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	347	80.2	(75.0 - 85.4)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	333	82.8	(78.1 - 87.6)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	79.8	(71.6 - 88.0)	8,204	80.1	(75.6 - 84.7)
Some College	114	83.2	(75.7 - 90.8)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	51	84.8	(75.3 - 94.2)	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	77	84.5	(74.8 - 94.3)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	264	20,400	79.4	(73.2 - 85.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	264	20,400	79.4	(73.2 - 85.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	134	11,900	84.4	(77.3 - 91.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	255	19,700	82.9	(77.7 - 88.1)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	108	7,900	76.9	(67.7 - 86.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	89	7,100	85.9	(78.2 - 93.6)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	264	79.3	(73.0 - 85.6)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	264	79.3	(73.0 - 85.6)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	255	82.8	(77.5 - 88.1)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	108	76.5	(67.1 - 85.9)	7,026	83.6	(80.1 - 87.0)
Some College	89	86.6	(79.3 - 93.9)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 27a. Ever had a Pap test among women¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	416	58,700	95.6	(92.0 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	416	58,700	95.6	(92.0 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	58	11,000	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	90	11,700	99.5	(98.6 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	92	8,900	97.5	(94.7 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	130	11,300	96.6	(93.4 - 99.7)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	392	52,000	96.9	(94.4 - 99.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	151	20,100	92.8	(84.2 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	131	17,100	94.2	(88.3 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	133	21,400	99.4	(98.7 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	93	11,000	98.5	(96.7 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	111	14,400	99.1	(97.6 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	63	9,500	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	102	18,400	95.5	(90.0 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 27b. Ever had a Pap test among women¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	416	95.4	(91.6 - 99.3)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	416	95.4	(91.6 - 99.3)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	392	96.9	(94.3 - 99.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	151	92.4	(82.9 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	131	94.0	(87.6 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	133	99.5	(98.9 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	93	98.6	(97.0 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	111	99.2	(97.9 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	63	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	102	95.5	(89.9 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	49,200	81.6	(76.5 - 86.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	407	49,200	81.6	(76.5 - 86.6)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	89	10,600	91.4	(85.0 - 97.8)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	90	7,000	80.3	(71.4 - 89.2)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	*	*	*	*	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	384	44,000	83.3	(78.8 - 87.7)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	130	14,900	82.2	(74.5 - 90.0)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	130	19,500	92.0	(86.2 - 97.8)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	109	11,500	81.1	(71.8 - 90.4)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	63	8,600	90.3	(83.3 - 97.3)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	101	17,300	90.8	(83.8 - 97.7)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	82.3	(77.0 - 87.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	407	82.3	(77.0 - 87.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	384	83.9	(79.3 - 88.6)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	130	83.2	(75.3 - 91.2)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	130	92.6	(87.1 - 98.1)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	63	91.2	(84.4 - 97.9)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	101	90.6	(83.5 - 97.7)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	196	27,900	84.3	(78.3 - 90.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	196	27,900	84.3	(78.3 - 90.4)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	66	7,900	92.3	(85.8 - 98.7)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	185	25,200	83.4	(77.0 - 89.9)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	77	11,500	91.2	(84.6 - 97.9)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	71	11,300	87.7	(79.5 - 95.9)	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	196	83.8	(77.5 - 90.0)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	196	83.8	(77.5 - 90.0)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	82.9	(76.3 - 89.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	77	90.4	(82.9 - 98.0)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	71	86.5	(77.4 - 95.6)	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	23,200	70.6	(63.2 - 77.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	194	23,200	70.6	(63.2 - 77.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	183	20,600	68.4	(60.7 - 76.1)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	69.5	(61.9 - 77.0)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	194	69.5	(61.9 - 77.0)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	183	67.5	(59.6 - 75.4)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	20,900	67.7	(59.6 - 75.8)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	183	20,900	67.7	(59.6 - 75.8)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	52	7,100	88.2	(78.4 - 98.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	173	18,700	66.6	(58.3 - 74.9)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	67.0	(58.8 - 75.2)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	183	67.0	(58.8 - 75.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	173	65.9	(57.4 - 74.3)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	181	18,600	60.6	(52.2 - 69.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	181	18,600	60.6	(52.2 - 69.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	171	16,400	58.8	(50.3 - 67.3)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	181	60.2	(51.7 - 68.6)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	181	60.2	(51.7 - 68.6)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	171	58.4	(49.7 - 67.1)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 33b. Prostate cancer among men aged 40 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	411	19,300	40.0	(34.5 - 45.6)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	145	9,600	43.1	(33.7 - 52.4)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	266	9,700	37.5	(31.0 - 43.9)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	228	9,800	34.4	(27.4 - 41.4)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	183	9,500	48.2	(39.5 - 56.9)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	394	18,400	41.4	(35.8 - 47.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	164	8,300	41.2	(32.2 - 50.3)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	126	6,300	41.0	(31.3 - 50.7)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	122	5,500	41.1	(31.2 - 51.1)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	411	40.9	(35.1 - 46.8)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	145	44.3	(34.7 - 54.0)	9,571	39.4	(35.3 - 43.5)
Female	266	37.7	(31.1 - 44.2)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	394	42.5	(36.5 - 48.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	164	41.9	(32.4 - 51.4)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	408	8,100	16.9	(12.4 - 21.4)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	144	4,700	21.0	(12.9 - 29.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	264	3,400	13.4	(8.9 - 17.9)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	227	4,100	14.7	(9.3 - 20.0)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	181	4,000	20.1	(12.3 - 27.9)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	391	7,300	16.7	(12.1 - 21.2)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	164	4,500	22.4	(14.3 - 30.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	119	1,500	11.6	(4.7 - 18.4)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	125	2,100	14.0	(6.9 - 21.1)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	121	2,800	21.2	(12.6 - 29.7)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	83	2,000	17.0	(8.4 - 25.6)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	408	17.3	(12.4 - 22.2)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	144	21.2	(12.7 - 29.8)	9,508	16.4	(13.2 - 19.6)
Female	264	13.5	(8.9 - 18.0)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	391	17.2	(12.1 - 22.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	164	22.8	(14.1 - 31.5)	11,026	12.7	(9.2 - 16.1)
Some College	119	12.1	(4.5 - 19.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	125	14.0	(6.5 - 21.4)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	121	21.2	(12.4 - 30.1)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	83	16.6	(7.9 - 25.2)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	408	10,500	21.9	(17.1 - 26.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	144	6,100	27.7	(19.1 - 36.2)	9,508	593,100	21.4	(18.3 - 24.5)
Female	264	4,400	16.9	(12.0 - 21.8)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	227	5,400	19.2	(13.4 - 25.1)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	181	5,100	25.7	(17.6 - 33.8)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	391	9,700	22.1	(17.1 - 27.0)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	164	5,900	29.3	(20.7 - 37.8)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	119	1,900	14.9	(7.2 - 22.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	125	2,700	17.9	(10.3 - 25.6)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	121	3,600	26.9	(17.8 - 36.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	83	2,500	21.4	(12.0 - 30.7)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	408	22.3	(17.1 - 27.5)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	144	27.9	(18.9 - 36.9)	9,508	21.7	(18.3 - 25.1)
Female	264	16.9	(12.0 - 21.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	391	22.6	(17.2 - 28.0)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	164	30.2	(21.1 - 39.4)	11,026	19.5	(15.4 - 23.7)
Some College	119	15.1	(6.9 - 23.3)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	125	17.3	(9.5 - 25.2)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	121	27.1	(17.6 - 36.6)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	83	20.5	(11.2 - 29.7)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	412	32,600	67.4	(61.9 - 72.9)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	146	14,100	63.0	(53.6 - 72.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	266	18,500	71.2	(65.0 - 77.4)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	158	11,800	66.4	(57.9 - 74.9)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	184	14,400	72.4	(64.9 - 79.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	395	30,400	68.3	(62.8 - 73.8)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	165	11,600	57.5	(48.1 - 66.9)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	121	9,400	73.0	(63.0 - 82.9)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	126	11,600	75.8	(67.5 - 84.1)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	122	8,300	62.0	(52.0 - 71.9)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	412	67.6	(62.0 - 73.3)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	146	63.9	(54.5 - 73.3)	9,582	68.5	(64.5 - 72.5)
Female	266	71.3	(65.0 - 77.5)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	395	68.4	(62.7 - 74.1)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	165	57.3	(47.7 - 66.9)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	126	76.8	(68.6 - 84.9)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	409	30,600	63.6	(57.9 - 69.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	145	13,700	61.5	(52.1 - 71.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	264	16,900	65.4	(58.7 - 72.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	157	11,200	63.3	(54.6 - 71.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	182	13,400	67.6	(59.4 - 75.8)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	392	28,900	65.2	(59.6 - 70.8)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	164	11,200	55.6	(46.2 - 65.0)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	125	10,700	70.1	(60.6 - 79.6)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	409	64.0	(58.2 - 69.7)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	145	62.3	(52.9 - 71.8)	9,521	66.9	(62.9 - 70.9)
Female	264	65.5	(58.7 - 72.3)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	392	65.5	(59.7 - 71.3)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	164	55.5	(45.8 - 65.1)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	125	71.0	(61.6 - 80.5)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	404	32,100	67.5	(61.9 - 73.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	142	14,600	66.3	(56.9 - 75.7)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	262	17,500	68.6	(62.0 - 75.3)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	155	12,000	68.9	(60.5 - 77.2)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	181	13,800	70.2	(62.1 - 78.2)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	387	30,100	68.7	(63.2 - 74.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	12,300	62.7	(53.3 - 72.1)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	123	11,000	73.1	(63.7 - 82.4)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	121	8,700	65.5	(55.8 - 75.3)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	404	67.7	(62.0 - 73.5)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	142	66.8	(57.4 - 76.2)	9,418	71.5	(67.6 - 75.4)
Female	262	68.6	(61.9 - 75.3)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	387	68.9	(63.2 - 74.6)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	62.1	(52.5 - 71.8)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	123	73.8	(64.6 - 83.1)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 40a. High blood pressure among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	34,800	28.6	(24.5 - 32.8)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	249	17,600	29.5	(22.7 - 36.4)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	419	17,200	27.8	(23.0 - 32.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	102	2,900	13.7	(7.1 - 20.4)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	146	7,400	31.2	(21.7 - 40.7)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	160	8,200	45.7	(37.0 - 54.3)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	186	13,800	68.4	(60.6 - 76.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	629	29,700	27.2	(23.1 - 31.3)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	242	14,600	32.0	(24.6 - 39.4)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	194	10,700	33.2	(25.1 - 41.4)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	231	9,200	21.3	(15.3 - 27.4)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	176	11,000	37.4	(27.5 - 47.3)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	100	4,100	22.6	(13.4 - 31.8)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	201	7,600	17.3	(12.1 - 22.4)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 40b. High blood pressure among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	27.4	(23.4 - 31.5)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	249	30.0	(23.2 - 36.8)	14,611	27.7	(24.7 - 30.7)
Female	419	25.0	(20.4 - 29.6)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	629	26.2	(22.2 - 30.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	242	31.2	(23.9 - 38.5)	15,688	32.1	(28.4 - 35.8)
Some College	194	31.1	(23.0 - 39.2)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	231	20.6	(14.7 - 26.6)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	176	35.5	(25.9 - 45.2)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	100	22.3	(13.1 - 31.5)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	201	16.7	(11.5 - 21.9)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	257	27,700	79.5	(72.0 - 87.0)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	160	14,500	84.3	(76.1 - 92.5)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	74	7,300	88.7	(80.2 - 97.2)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	124	12,900	93.4	(86.4 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	238	23,600	79.7	(71.8 - 87.6)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	110	12,200	83.2	(73.2 - 93.2)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	257	79.1	(71.6 - 86.7)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	160	82.5	(73.5 - 91.5)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	238	79.4	(71.5 - 87.4)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	102,000	87.1	(82.8 - 91.4)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	242	49,300	87.2	(80.4 - 94.1)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	412	52,700	87.1	(81.8 - 92.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	100	17,800	85.8	(77.7 - 94.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	144	23,200	97.9	(95.2 - 100)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	159	17,400	97.1	(94.6 - 99.7)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	183	19,400	97.1	(94.1 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	616	93,800	89.5	(85.4 - 93.6)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	236	34,400	79.6	(70.5 - 88.7)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	189	28,200	90.7	(84.7 - 96.6)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	228	39,300	92.1	(87.0 - 97.2)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	99	16,900	94.4	(89.4 - 99.5)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	197	39,600	92.3	(87.6 - 97.0)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 42b. Ever had blood cholesterol checked among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	86.4	(82.0 - 90.7)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	242	86.9	(80.2 - 93.6)	14,389	78.0	(73.9 - 82.1)
Female	412	85.8	(80.1 - 91.6)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	616	89.0	(84.9 - 93.0)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	236	78.1	(68.8 - 87.4)	15,342	70.2	(65.2 - 75.1)
Some College	189	90.1	(83.8 - 96.4)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	228	91.8	(86.6 - 96.9)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	99	93.8	(88.2 - 99.5)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	197	91.8	(86.9 - 96.7)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	98,900	84.9	(80.4 - 89.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	242	47,500	84.1	(76.8 - 91.3)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	408	51,400	85.6	(80.2 - 91.0)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	100	16,900	81.6	(72.8 - 90.4)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	143	22,600	95.8	(92.5 - 99.0)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	157	16,700	94.8	(91.3 - 98.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	182	19,300	97.1	(94.1 - 100)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	612	90,700	87.0	(82.6 - 91.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	34,000	79.3	(70.1 - 88.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	187	26,800	87.1	(79.6 - 94.6)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	227	37,900	88.9	(83.4 - 94.4)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	99	16,900	93.9	(88.8 - 99.1)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	196	38,100	89.2	(84.1 - 94.4)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	84.1	(79.5 - 88.6)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	242	83.8	(76.7 - 90.9)	14,307	74.8	(70.7 - 79.0)
Female	408	84.4	(78.5 - 90.2)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	612	86.4	(82.1 - 90.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	77.8	(68.5 - 87.1)	15,215	67.8	(62.9 - 72.8)
Some College	187	86.8	(79.2 - 94.3)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	227	88.2	(82.6 - 93.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	99	93.4	(87.6 - 99.1)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	196	88.4	(82.9 - 93.9)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 44a. Cardiovascular disease among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	10,800	8.9	(6.7 - 11.2)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	248	6,000	10.1	(6.4 - 13.7)	14,477	664,600	9.4	(7.5 - 11.4)
Female	415	4,800	7.8	(5.1 - 10.6)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	146	2,000	8.4	(2.6 - 14.3)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	158	1,400	8.0	(3.4 - 12.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	183	7,200	36.6	(28.0 - 45.1)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	625	9,100	8.4	(6.2 - 10.6)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	239	5,900	13.0	(8.4 - 17.7)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	193	3,200	10.0	(5.4 - 14.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	230	1,700	3.9	(1.6 - 6.2)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	124	3,400	18.5	(10.6 - 26.3)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	175	4,200	14.3	(8.1 - 20.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 44b. Cardiovascular disease among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	9.0	(6.6 - 11.3)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	248	10.9	(7.0 - 14.8)	14,477	9.7	(7.8 - 11.7)
Female	415	7.1	(4.5 - 9.7)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	625	8.5	(6.3 - 10.8)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	239	13.4	(8.6 - 18.3)	15,486	10.5	(8.0 - 13.0)
Some College	193	9.5	(5.0 - 13.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	230	4.1	(1.6 - 6.5)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	124	18.8	(10.7 - 27.0)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	175	14.4	(8.2 - 20.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 45a. Coronary heart disease among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	9,200	7.6	(5.5 - 9.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	249	5,100	8.6	(5.2 - 12.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	415	4,100	6.6	(4.0 - 9.2)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	158	1,400	8.0	(3.4 - 12.5)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	184	5,800	29.0	(20.8 - 37.2)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	626	7,600	7.0	(5.0 - 9.0)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	239	5,100	11.2	(6.8 - 15.6)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	193	2,700	8.3	(4.1 - 12.6)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	231	1,400	3.3	(1.2 - 5.5)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	124	3,100	17.0	(9.4 - 24.7)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	175	3,400	11.5	(5.8 - 17.2)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 45b. Coronary heart disease among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	7.5	(5.4 - 9.7)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	249	9.1	(5.5 - 12.7)	14,479	8.8	(6.9 - 10.8)
Female	415	6.0	(3.6 - 8.4)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	626	7.0	(5.0 - 9.1)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	239	11.3	(6.8 - 15.8)	15,485	8.5	(6.2 - 10.7)
Some College	193	7.8	(3.7 - 12.0)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	231	3.4	(1.2 - 5.7)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	124	17.3	(9.4 - 25.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	175	11.4	(5.7 - 17.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	11,600	9.5	(7.1 - 12.0)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	249	4,700	7.9	(4.6 - 11.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	419	6,900	11.1	(7.6 - 14.6)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	146	2,400	10.0	(4.1 - 15.8)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	160	2,000	11.2	(5.3 - 17.1)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	186	5,700	28.1	(19.9 - 36.2)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	629	9,400	8.6	(6.3 - 10.8)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	242	5,600	12.2	(7.7 - 16.8)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	194	2,800	8.6	(4.9 - 12.2)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	231	3,200	7.4	(3.2 - 11.6)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	125	2,700	14.6	(7.3 - 21.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	176	4,100	13.9	(8.0 - 19.8)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 46b. Ever diagnosed with diabetes among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	9.3	(6.9 - 11.8)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	249	8.1	(4.8 - 11.5)	14,626	7.5	(6.1 - 8.9)
Female	419	10.5	(7.0 - 14.0)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	629	8.6	(6.3 - 10.9)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	242	11.7	(7.4 - 16.1)	15,709	12.6	(10.0 - 15.2)
Some College	194	8.4	(4.7 - 12.1)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	231	7.6	(3.3 - 11.9)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	125	13.9	(6.8 - 20.9)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	176	13.7	(7.8 - 19.5)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	23,600	19.4	(15.2 - 23.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	249	10,700	18.0	(10.9 - 25.1)	14,601	875,800	12.4	(10.1 - 14.7)
Female	416	12,800	20.8	(15.9 - 25.7)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	102	3,300	15.7	(8.4 - 23.0)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	146	4,700	19.7	(12.3 - 27.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	157	3,200	17.9	(11.6 - 24.1)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	186	2,800	13.8	(7.9 - 19.7)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	626	20,900	19.2	(14.7 - 23.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	240	10,000	21.9	(14.4 - 29.5)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	193	5,200	16.2	(9.9 - 22.6)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	231	8,400	19.3	(11.8 - 26.8)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	176	6,100	20.7	(12.6 - 28.9)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	201	7,700	17.4	(10.3 - 24.5)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	19.0	(14.9 - 23.2)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	249	17.4	(10.7 - 24.2)	14,601	12.6	(10.3 - 14.9)
Female	416	20.6	(15.5 - 25.7)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	626	18.7	(14.4 - 23.1)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	240	21.6	(14.1 - 29.0)	15,675	15.1	(12.1 - 18.0)
Some College	193	15.3	(9.1 - 21.6)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	231	19.2	(11.9 - 26.6)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	176	19.2	(11.5 - 26.9)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	201	17.9	(10.9 - 25.0)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 48a. Current asthma among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	15,900	13.3	(9.8 - 16.8)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	248	6,100	10.4	(5.0 - 15.8)	14,546	440,700	6.3	(4.8 - 7.7)
Female	411	9,800	16.1	(11.6 - 20.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	73	5,300	14.3	(5.4 - 23.1)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	102	2,300	10.6	(4.5 - 16.6)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	144	3,900	16.5	(9.3 - 23.7)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	156	2,100	12.0	(6.7 - 17.4)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	184	2,300	11.8	(6.1 - 17.5)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	620	13,800	12.8	(9.2 - 16.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	236	6,400	14.3	(8.4 - 20.3)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	192	4,500	14.0	(7.9 - 20.2)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	230	5,100	11.8	(5.7 - 17.8)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	122	2,200	12.4	(5.6 - 19.3)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	173	4,000	13.6	(7.4 - 19.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	201	5,100	11.5	(5.4 - 17.7)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 48b. Current asthma among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	13.1	(9.6 - 16.5)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	248	10.0	(4.8 - 15.2)	14,546	6.4	(4.9 - 7.9)
Female	411	16.0	(11.3 - 20.6)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	620	12.6	(9.0 - 16.2)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	236	14.0	(8.1 - 20.0)	15,594	10.8	(8.3 - 13.3)
Some College	192	13.4	(7.3 - 19.5)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	230	11.9	(5.9 - 17.8)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	122	12.2	(5.4 - 19.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	173	12.5	(6.6 - 18.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	201	11.9	(5.8 - 18.0)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 49a. Chronic joint symptoms among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	55,400	46.2	(41.1 - 51.3)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	247	28,100	48.3	(39.9 - 56.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	418	27,400	44.2	(38.3 - 50.1)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	146	12,200	51.1	(41.5 - 60.7)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	160	10,600	59.1	(50.4 - 67.9)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	185	11,900	59.5	(51.0 - 68.0)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	626	50,900	47.3	(42.0 - 52.6)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	20,100	45.5	(36.5 - 54.4)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	194	17,300	53.4	(44.3 - 62.5)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	231	17,900	41.4	(33.4 - 49.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	201	18,200	41.1	(32.9 - 49.4)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 49b. Chronic joint symptoms among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	45.1	(40.0 - 50.1)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	247	48.4	(40.2 - 56.6)	14,595	42.6	(38.8 - 46.3)
Female	418	41.9	(35.8 - 48.0)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	626	46.0	(40.7 - 51.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	44.6	(35.7 - 53.5)	15,676	43.1	(38.8 - 47.5)
Some College	194	51.8	(42.4 - 61.2)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	231	40.4	(32.5 - 48.3)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	201	40.6	(32.4 - 48.7)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 50a. Arthritis among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	37,600	31.0	(26.8 - 35.3)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	249	13,500	22.7	(16.7 - 28.7)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	418	24,100	39.1	(33.5 - 44.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	102	5,000	23.6	(14.1 - 33.1)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	146	8,600	36.1	(27.1 - 45.1)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	160	8,600	47.9	(39.2 - 56.6)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	186	13,100	65.1	(57.1 - 73.1)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	628	34,700	31.8	(27.4 - 36.2)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	242	16,300	35.8	(27.8 - 43.7)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	194	11,300	34.9	(26.9 - 42.9)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	230	10,000	23.2	(17.3 - 29.2)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	100	4,100	22.3	(13.9 - 30.7)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	201	9,800	22.2	(16.0 - 28.3)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 50b. Arthritis among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	30.1	(25.9 - 34.4)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	249	23.7	(17.4 - 29.9)	14,555	23.5	(20.9 - 26.1)
Female	418	36.4	(30.7 - 42.1)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	628	30.8	(26.4 - 35.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	242	35.6	(27.6 - 43.7)	15,652	30.4	(26.9 - 33.8)
Some College	194	33.2	(25.1 - 41.3)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	230	22.3	(16.4 - 28.1)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	100	21.0	(12.8 - 29.2)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	201	21.3	(15.2 - 27.3)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	24,200	20.1	(16.5 - 23.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	247	11,300	19.1	(13.5 - 24.7)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	416	12,900	21.0	(16.6 - 25.4)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	101	3,000	14.3	(6.3 - 22.3)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	145	6,400	26.8	(18.2 - 35.4)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	160	4,800	26.5	(19.1 - 33.8)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	183	6,900	35.3	(27.4 - 43.1)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	624	20,900	19.3	(15.8 - 22.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	238	10,400	23.3	(16.8 - 29.7)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	193	7,900	24.6	(17.1 - 32.0)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	231	5,800	13.5	(8.8 - 18.2)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	176	7,200	24.5	(16.4 - 32.6)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	99	3,600	20.1	(10.2 - 30.1)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	201	5,500	12.5	(7.7 - 17.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	19.6	(16.0 - 23.2)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	247	19.6	(13.9 - 25.3)	14,566	18.6	(15.8 - 21.4)
Female	416	19.5	(15.2 - 23.9)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	624	18.7	(15.2 - 22.2)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	238	23.1	(16.6 - 29.7)	15,626	23.8	(20.1 - 27.4)
Some College	193	23.6	(16.1 - 31.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	231	13.1	(8.4 - 17.8)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	176	24.7	(16.3 - 33.2)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	99	19.5	(9.5 - 29.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	201	12.1	(7.4 - 16.9)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	10,100	8.4	(6.2 - 10.6)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	248	3,700	6.2	(3.3 - 9.1)	14,617	460,700	6.5	(5.3 - 7.7)
Female	418	6,500	10.4	(7.3 - 13.6)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	146	1,900	8.0	(2.5 - 13.4)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	160	2,000	11.4	(6.1 - 16.6)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	184	5,000	25.5	(18.3 - 32.7)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	627	8,500	7.8	(5.7 - 9.9)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	240	5,500	12.2	(7.8 - 16.6)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	194	2,600	7.9	(4.2 - 11.6)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	231	2,100	4.7	(1.7 - 7.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	124	3,100	17.6	(10.3 - 24.9)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	176	3,700	12.5	(6.8 - 18.2)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	7.9	(5.8 - 10.0)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	248	6.4	(3.5 - 9.3)	14,617	6.8	(5.5 - 8.0)
Female	418	9.3	(6.3 - 12.3)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	627	7.3	(5.3 - 9.4)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	240	11.7	(7.4 - 16.0)	15,711	10.3	(8.3 - 12.3)
Some College	194	7.3	(3.8 - 10.7)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	231	4.6	(1.5 - 7.6)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	124	17.4	(10.1 - 24.8)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	176	11.7	(6.3 - 17.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 53a. Disability among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	26,100	21.7	(18.0 - 25.3)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	247	11,600	19.6	(14.0 - 25.3)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	417	14,600	23.6	(19.0 - 28.2)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	101	3,000	14.3	(6.3 - 22.3)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	145	6,600	27.7	(19.1 - 36.4)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	160	5,100	28.6	(21.1 - 36.1)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	184	8,200	41.8	(33.6 - 50.0)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	625	22,700	21.0	(17.3 - 24.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	238	11,500	25.6	(18.9 - 32.2)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	194	8,400	25.9	(18.4 - 33.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	231	6,300	14.5	(9.7 - 19.3)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	176	8,000	27.1	(18.7 - 35.5)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	99	3,600	20.1	(10.2 - 30.1)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	201	5,700	12.9	(8.1 - 17.7)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 53b. Disability among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	21.0	(17.4 - 24.6)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	247	20.1	(14.4 - 25.9)	14,568	20.9	(18.0 - 23.8)
Female	417	21.9	(17.3 - 26.4)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	625	20.2	(16.6 - 23.8)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	238	25.2	(18.5 - 32.0)	15,638	26.8	(23.0 - 30.6)
Some College	194	24.8	(17.3 - 32.3)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	231	14.0	(9.3 - 18.8)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	176	27.2	(18.5 - 35.8)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	99	19.5	(9.5 - 29.4)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	201	12.4	(7.7 - 17.2)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 54a. Current smoking among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	22,500	18.7	(14.6 - 22.7)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	245	8,700	14.8	(8.9 - 20.8)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	417	13,800	22.3	(16.9 - 27.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	102	3,200	14.8	(8.0 - 21.6)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	146	5,200	21.7	(13.8 - 29.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	156	2,500	14.6	(8.8 - 20.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	184	2,000	10.0	(4.1 - 16.0)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	624	19,900	18.3	(14.1 - 22.5)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	237	12,600	28.0	(20.2 - 35.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	194	5,500	17.1	(9.9 - 24.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	230	4,200	9.8	(4.1 - 15.4)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	175	6,200	21.0	(12.9 - 29.2)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	200	3,100	7.1	(3.2 - 10.9)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 54b. Current smoking among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	18.6	(14.6 - 22.7)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	245	14.6	(8.9 - 20.3)	14,559	19.2	(16.3 - 22.1)
Female	417	22.4	(16.8 - 28.1)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	624	18.3	(14.1 - 22.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	237	28.5	(20.6 - 36.4)	15,654	22.8	(19.5 - 26.0)
Some College	194	16.8	(9.3 - 24.2)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	230	9.6	(4.1 - 15.2)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	175	22.4	(13.9 - 31.0)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	200	6.8	(2.9 - 10.7)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 55a. Everyday smoking among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	17,300	14.3	(10.6 - 18.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	245	6,600	11.2	(5.7 - 16.8)	14,559	848,400	12.0	(10.0 - 14.1)
Female	417	10,700	17.3	(12.4 - 22.2)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	74	7,600	19.9	(10.3 - 29.5)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	102	2,500	11.7	(5.7 - 17.8)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	146	4,000	16.8	(9.7 - 24.0)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	156	1,700	9.7	(5.0 - 14.3)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	184	1,500	7.4	(2.1 - 12.8)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	624	15,800	14.5	(10.6 - 18.4)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	237	10,000	22.2	(14.9 - 29.6)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	194	3,800	11.7	(5.8 - 17.6)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	230	3,500	8.1	(2.8 - 13.4)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	175	4,400	15.0	(7.7 - 22.3)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	200	2,200	5.0	(2.0 - 8.1)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 55b. Everyday smoking among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	14.3	(10.7 - 18.0)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	245	11.2	(5.9 - 16.4)	14,559	12.1	(10.1 - 14.1)
Female	417	17.4	(12.3 - 22.5)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	624	14.6	(10.7 - 18.5)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	237	22.5	(15.2 - 29.9)	15,654	16.4	(13.8 - 19.0)
Some College	194	11.7	(5.5 - 17.9)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	230	8.0	(2.9 - 13.1)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	175	16.0	(8.4 - 23.7)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	200	4.9	(1.9 - 8.0)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	95,900	79.0	(75.2 - 82.9)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	248	47,400	79.7	(73.6 - 85.8)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	419	48,600	78.4	(73.6 - 83.2)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	74	33,300	87.2	(79.5 - 94.9)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	102	17,800	83.2	(74.5 - 91.9)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	146	17,800	74.7	(66.4 - 83.1)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	159	13,500	75.9	(68.4 - 83.3)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	186	13,500	67.2	(59.0 - 75.3)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	628	87,800	80.5	(76.7 - 84.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	242	33,200	72.7	(65.4 - 79.9)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	193	25,200	78.3	(71.2 - 85.3)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	231	37,500	86.6	(81.0 - 92.2)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	176	20,800	70.5	(61.3 - 79.8)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	200	40,000	90.8	(86.9 - 94.7)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	79.2	(75.2 - 83.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	248	79.1	(73.0 - 85.3)	14,577	79.4	(76.7 - 82.2)
Female	419	79.2	(74.3 - 84.0)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	628	80.5	(76.6 - 84.4)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	242	72.1	(64.6 - 79.5)	15,647	76.9	(73.8 - 80.0)
Some College	193	78.8	(71.5 - 86.2)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	231	87.0	(81.5 - 92.4)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	176	69.8	(60.3 - 79.3)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	200	91.3	(87.5 - 95.1)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 57a. Binge drinking within the past month among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	22,000	18.4	(14.1 - 22.8)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	243	14,200	24.4	(16.9 - 31.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	415	7,800	12.8	(8.5 - 17.1)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	102	5,200	24.3	(15.2 - 33.4)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	141	2,500	10.8	(5.1 - 16.6)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	157	2,300	13.0	(7.2 - 18.7)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	620	19,500	18.2	(13.8 - 22.7)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	237	6,700	15.3	(9.0 - 21.6)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	192	6,500	20.2	(11.7 - 28.7)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	228	8,700	20.4	(12.8 - 28.1)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	171	4,600	16.4	(8.3 - 24.5)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	199	8,800	20.1	(13.0 - 27.2)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 57b. Binge drinking within the past month among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	18.7	(14.4 - 23.0)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	243	24.0	(16.7 - 31.2)	14,420	24.5	(21.0 - 27.9)
Female	415	13.8	(9.1 - 18.4)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	620	18.4	(14.0 - 22.8)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	237	15.9	(9.4 - 22.4)	15,491	17.5	(13.5 - 21.5)
Some College	192	20.2	(11.7 - 28.6)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	228	20.6	(13.1 - 28.1)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	171	17.1	(8.7 - 25.5)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	199	20.4	(13.3 - 27.5)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 58a. Heavy drinking within the past month among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	7,700	6.5	(3.8 - 9.1)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	242	4,200	7.1	(2.6 - 11.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	414	3,600	5.8	(2.9 - 8.8)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	156	1,100	6.4	(2.4 - 10.5)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	620	7,100	6.5	(3.7 - 9.4)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	237	1,900	4.2	(1.1 - 7.3)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	190	2,300	7.3	(1.7 - 12.8)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	228	3,600	8.3	(3.1 - 13.5)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	199	2,900	6.6	(2.7 - 10.5)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 58b. Heavy drinking within the past month among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	6.4	(3.8 - 9.0)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	242	6.9	(2.6 - 11.1)	14,330	4.9	(3.9 - 5.9)
Female	414	6.0	(2.8 - 9.1)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	620	6.4	(3.7 - 9.2)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	237	4.0	(1.0 - 7.0)	15,411	4.3	(3.2 - 5.3)
Some College	190	7.2	(1.8 - 12.6)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	228	8.3	(3.1 - 13.5)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	199	6.8	(2.6 - 10.9)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	620	71,700	63.5	(58.3 - 68.6)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	230	38,900	71.0	(62.8 - 79.1)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	390	32,800	56.4	(50.1 - 62.8)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	93	13,200	67.2	(57.3 - 77.1)	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	134	12,300	54.8	(44.8 - 64.8)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	147	12,100	72.9	(65.1 - 80.7)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	176	15,200	79.2	(71.2 - 87.2)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	583	65,500	64.7	(59.4 - 70.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	26,100	64.1	(54.9 - 73.3)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	180	18,200	60.3	(51.1 - 69.4)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	216	27,200	65.0	(56.6 - 73.5)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	161	17,000	67.3	(57.3 - 77.2)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	192	25,400	59.1	(50.1 - 68.1)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	620	63.4	(58.2 - 68.6)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	230	71.8	(63.9 - 79.6)	13,299	67.9	(64.0 - 71.9)
Female	390	55.5	(48.9 - 62.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	583	64.8	(59.5 - 70.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	63.9	(54.7 - 73.2)	14,264	59.5	(54.7 - 64.3)
Some College	180	60.1	(50.7 - 69.5)	9,156	59.7	(54.4 - 65.0)
≥ College Degree	216	65.1	(56.8 - 73.5)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	161	68.3	(58.5 - 78.2)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	192	59.5	(50.7 - 68.3)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	432	62,600	74.2	(68.0 - 80.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	169	35,300	82.5	(73.6 - 91.4)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	263	27,300	65.6	(57.4 - 73.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	80	12,400	77.0	(67.4 - 86.5)	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	98	11,600	73.6	(63.6 - 83.6)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	9,300	94.2	(90.1 - 98.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	103	10,700	98.7	(97.1 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	409	58,700	76.8	(70.6 - 82.9)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	117	18,000	83.3	(74.5 - 92.0)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	162	20,900	64.1	(54.1 - 74.1)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	109	16,800	88.1	(79.1 - 97.1)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	432	73.6	(67.5 - 79.8)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	169	82.9	(74.5 - 91.4)	9,034	81.1	(77.4 - 84.8)
Female	263	64.2	(55.7 - 72.7)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	409	76.4	(70.3 - 82.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	117	83.4	(74.5 - 92.4)	5,953	76.8	(72.0 - 81.6)
≥ College Degree	162	62.8	(52.9 - 72.8)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	109	88.1	(78.9 - 97.2)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	108,800	92.6	(90.2 - 95.0)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	240	53,900	94.8	(91.8 - 97.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	407	54,900	90.6	(86.9 - 94.2)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	72	36,100	97.2	(93.2 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	102	19,600	91.6	(83.9 - 99.3)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	143	21,300	93.3	(89.2 - 97.4)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	155	15,300	89.5	(84.2 - 94.8)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	175	16,500	86.8	(81.6 - 91.9)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	611	99,200	93.7	(91.7 - 95.7)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	233	38,200	87.3	(81.7 - 92.9)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	189	29,600	92.8	(89.1 - 96.5)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	224	40,900	98.0	(96.5 - 99.4)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	120	14,300	83.0	(73.7 - 92.3)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	168	24,700	87.1	(80.4 - 93.8)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	100	17,500	95.7	(91.7 - 99.8)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	197	42,400	98.5	(97.1 - 99.9)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	92.5	(89.9 - 95.2)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	240	94.2	(90.7 - 97.7)	13,893	89.1	(86.9 - 91.3)
Female	407	91.0	(87.1 - 94.8)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	611	93.8	(91.7 - 95.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	233	86.9	(80.7 - 93.0)	14,507	84.6	(81.8 - 87.4)
Some College	189	92.9	(88.9 - 96.8)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	224	98.1	(96.7 - 99.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	168	85.9	(78.3 - 93.6)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	100	95.8	(91.4 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	197	98.7	(97.5 - 99.9)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 62a. Overweight among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	40,500	35.4	(30.3 - 40.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	247	24,700	42.2	(33.8 - 50.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	391	15,800	28.2	(22.8 - 33.6)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	98	6,100	29.6	(19.8 - 39.4)	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	138	8,200	35.9	(26.0 - 45.8)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	154	7,700	45.1	(36.1 - 54.1)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	180	6,700	34.3	(26.3 - 42.3)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	603	36,400	34.7	(29.5 - 39.9)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	12,900	30.4	(22.1 - 38.8)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	188	12,500	39.5	(30.5 - 48.6)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	220	15,200	37.3	(28.6 - 45.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	172	8,800	30.7	(21.2 - 40.2)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	197	17,400	39.9	(31.2 - 48.7)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 62b. Overweight among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	34.4	(29.4 - 39.4)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	247	41.0	(32.9 - 49.0)	14,502	43.9	(40.1 - 47.6)
Female	391	27.5	(21.9 - 33.2)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	603	34.0	(28.8 - 39.1)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	29.3	(21.1 - 37.5)	15,079	35.2	(31.1 - 39.4)
Some College	188	38.2	(29.0 - 47.4)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	220	36.6	(28.2 - 45.0)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	172	29.9	(20.4 - 39.4)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	197	38.9	(30.3 - 47.4)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 63a. Obesity among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	29,600	25.8	(21.5 - 30.2)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	247	16,300	27.8	(20.9 - 34.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	391	13,300	23.7	(18.5 - 29.0)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	68	5,100	14.8	(5.9 - 23.7)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	138	7,100	31.2	(21.9 - 40.4)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	154	5,400	31.9	(23.8 - 40.0)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	180	5,600	28.8	(20.4 - 37.2)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	603	26,200	25.0	(20.6 - 29.4)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	230	11,400	26.9	(19.6 - 34.3)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	188	9,800	31.0	(22.3 - 39.6)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	220	8,400	20.7	(14.1 - 27.3)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	172	8,400	29.4	(20.1 - 38.7)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	197	9,300	21.4	(14.8 - 27.9)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 63b. Obesity among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	26.1	(21.6 - 30.5)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	247	29.0	(22.0 - 36.1)	14,502	21.5	(19.0 - 24.0)
Female	391	23.0	(17.6 - 28.4)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	603	25.0	(20.6 - 29.5)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	230	27.4	(19.7 - 35.0)	15,079	29.4	(25.4 - 33.3)
Some College	188	31.1	(22.2 - 40.0)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	220	20.9	(14.2 - 27.7)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	172	29.2	(19.8 - 38.6)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	197	21.9	(15.2 - 28.6)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 64a. Overweight or obesity among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	70,200	61.2	(55.9 - 66.5)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	247	41,100	70.0	(61.5 - 78.5)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	391	29,100	51.9	(45.7 - 58.2)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	138	15,300	67.1	(58.4 - 75.8)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	154	13,100	77.0	(70.0 - 84.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	180	12,300	63.1	(54.6 - 71.5)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	603	62,600	59.7	(54.1 - 65.2)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	24,300	57.4	(47.6 - 67.2)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	188	22,300	70.5	(62.1 - 78.9)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	220	23,600	57.9	(49.6 - 66.2)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	197	26,600	61.3	(52.9 - 69.8)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 64b. Overweight or obesity among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	60.5	(55.2 - 65.7)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	247	70.0	(61.8 - 78.1)	14,502	65.4	(61.3 - 69.4)
Female	391	50.5	(44.0 - 57.0)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	603	59.0	(53.5 - 64.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	56.7	(47.1 - 66.3)	15,079	64.6	(59.9 - 69.3)
Some College	188	69.3	(60.4 - 78.1)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	220	57.6	(49.3 - 65.9)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	197	60.8	(52.4 - 69.2)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 65a. Received advice about weight by a health professional among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	30,400	26.2	(21.7 - 30.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	248	14,500	24.4	(17.6 - 31.1)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	390	15,900	28.2	(22.4 - 34.0)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	97	5,700	27.9	(18.4 - 37.3)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	138	6,700	29.2	(19.9 - 38.5)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	154	4,800	28.3	(20.2 - 36.3)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	179	5,000	25.8	(17.5 - 34.1)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	602	25,200	24.0	(19.6 - 28.5)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	11,600	27.0	(19.4 - 34.7)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	187	7,500	23.8	(16.4 - 31.2)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	221	11,300	27.2	(19.2 - 35.3)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	171	6,700	23.4	(15.5 - 31.3)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	197	11,400	26.1	(18.5 - 33.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 65b. Received advice about weight by a health professional among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	26.5	(21.9 - 31.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	248	24.8	(18.0 - 31.5)	14,499	23.4	(20.5 - 26.3)
Female	390	28.4	(22.3 - 34.5)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	602	24.3	(19.7 - 28.8)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	27.1	(19.3 - 34.8)	15,116	27.3	(23.4 - 31.2)
Some College	187	24.8	(16.9 - 32.7)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	221	27.3	(19.4 - 35.2)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	171	22.7	(14.9 - 30.6)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	197	26.9	(19.3 - 34.6)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	165	24,900	82.0	(74.3 - 89.7)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	98	13,000	81.9	(73.3 - 90.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	150	20,800	82.6	(74.5 - 90.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	50	9,900	86.9	(77.5 - 96.3)	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	165	82.4	(75.0 - 89.9)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	98	81.6	(72.5 - 90.7)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	150	82.7	(74.7 - 90.7)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	50	86.8	(77.2 - 96.4)	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 67a. No leisure-time physical activity among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	28,200	23.5	(19.2 - 27.7)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	247	10,200	17.4	(11.7 - 23.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	417	18,000	29.2	(23.3 - 35.1)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	102	3,500	16.6	(9.2 - 24.0)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	146	4,200	17.8	(9.9 - 25.7)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	160	4,300	24.2	(16.8 - 31.6)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	184	7,600	37.8	(29.5 - 46.2)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	625	22,400	20.8	(16.8 - 24.8)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	239	15,000	33.7	(25.2 - 42.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	194	8,100	24.9	(17.3 - 32.5)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	230	5,100	11.9	(6.8 - 17.1)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	175	7,500	26.1	(17.6 - 34.5)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	201	3,800	8.7	(4.8 - 12.6)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 67b. No leisure-time physical activity among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	23.6	(19.2 - 27.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	247	17.6	(11.9 - 23.3)	14,602	20.9	(17.8 - 23.9)
Female	417	29.2	(23.0 - 35.4)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	625	20.6	(16.6 - 24.7)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	239	34.2	(25.6 - 42.8)	15,683	32.3	(28.3 - 36.4)
Some College	194	24.3	(16.5 - 32.1)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	230	12.4	(7.0 - 17.9)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	175	26.1	(17.5 - 34.7)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	201	8.9	(4.8 - 12.9)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	32,800	27.0	(22.3 - 31.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	249	12,900	21.7	(14.6 - 28.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	419	19,900	32.1	(26.2 - 38.0)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	102	5,700	26.7	(17.5 - 35.9)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	146	6,300	26.2	(18.4 - 34.1)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	160	3,600	19.9	(13.1 - 26.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	186	5,200	25.9	(18.4 - 33.5)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	629	28,800	26.4	(21.6 - 31.1)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	242	11,400	25.0	(17.1 - 32.9)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	194	8,500	26.3	(17.5 - 35.1)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	231	12,900	29.8	(22.1 - 37.4)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	176	7,100	24.1	(15.0 - 33.2)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	100	2,200	12.1	(5.6 - 18.6)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	201	14,300	32.3	(24.0 - 40.6)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	27.2	(22.5 - 32.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	249	21.5	(14.6 - 28.4)	14,634	22.7	(19.6 - 25.9)
Female	419	32.8	(26.5 - 39.1)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	629	26.4	(21.7 - 31.1)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	242	25.9	(17.7 - 34.2)	15,726	23.3	(19.3 - 27.3)
Some College	194	26.4	(17.5 - 35.2)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	231	29.3	(21.8 - 36.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	176	24.4	(15.2 - 33.5)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	100	11.6	(5.1 - 18.1)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	201	32.2	(24.1 - 40.3)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 69a. Had a fall within the past 3 months among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	486	9,700	15.9	(12.3 - 19.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	174	3,400	11.8	(6.9 - 16.7)	10,966	489,400	14.4	(11.9 - 16.8)
Female	312	6,300	19.5	(14.4 - 24.5)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	143	3,300	14.1	(8.1 - 20.1)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	157	2,900	16.7	(10.4 - 23.0)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	186	3,500	17.2	(10.9 - 23.5)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	463	9,100	16.3	(12.6 - 20.0)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	188	3,700	15.3	(9.8 - 20.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	146	3,500	20.6	(13.3 - 27.9)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	151	2,500	12.6	(6.6 - 18.7)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	106	2,000	17.7	(9.8 - 25.6)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	138	2,700	16.4	(9.3 - 23.5)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	117	2,600	14.8	(7.8 - 21.8)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 69b. Had a fall within the past 3 months among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	486	15.6	(12.0 - 19.1)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	174	11.7	(6.8 - 16.5)	10,966	15.0	(12.1 - 17.8)
Female	312	19.3	(14.3 - 24.4)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	463	16.0	(12.3 - 19.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	188	15.2	(9.6 - 20.8)	12,417	17.4	(13.0 - 21.7)
Some College	146	20.2	(12.9 - 27.5)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	151	12.3	(6.3 - 18.3)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	106	16.8	(9.0 - 24.5)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	138	16.0	(9.0 - 23.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	117	14.2	(7.4 - 21.0)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Rensselaer County and New York State

	Rensselaer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	486	3,500	5.7	(3.5 - 7.8)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	312	2,700	8.3	(4.8 - 11.9)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	186	1,500	7.6	(3.2 - 12.0)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	463	3,100	5.7	(3.5 - 7.9)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	188	1,600	6.6	(2.9 - 10.2)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	146	1,200	7.1	(2.6 - 11.6)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	106	1,100	9.3	(3.8 - 14.8)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Rensselaer County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Rensselaer County and New York State - Age-Adjusted²

	Rensselaer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	486	5.5	(3.4 - 7.7)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	312	8.3	(4.7 - 11.9)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	463	5.5	(3.3 - 7.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	188	6.3	(2.8 - 9.9)	12,404	5.2	(3.5 - 6.8)
Some College	146	6.9	(2.5 - 11.3)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	106	8.6	(3.4 - 13.8)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)