

New York State Expanded Behavioral Risk Factor Surveillance System

Seneca County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Seneca County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Seneca County and New York State	14
Table 2b. Fair or poor general health among adults in Seneca County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Seneca County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Seneca County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Seneca County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Seneca County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Seneca County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Seneca County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Seneca County and New York State	22
Table 6b. Health insurance among adults in Seneca County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Seneca County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Seneca County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Seneca County and New York State	26
Table 8b. No health insurance among adults in Seneca County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Seneca County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Seneca County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Seneca County and New York State	30
Table 10b. Adults with regular health care provider in Seneca County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Seneca County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Seneca County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Seneca County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Seneca County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Seneca County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Seneca County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Seneca County and New York State	38
Table 14b. Dentist visit within the past year among adults in Seneca County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Seneca County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Seneca County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Seneca County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Seneca County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Seneca County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Seneca County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Seneca County and New York State	46
Table 18b. Flu shot within the past 12 months in Seneca County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Seneca County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Seneca County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Seneca County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Seneca County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Seneca County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Seneca County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Seneca County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Seneca County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Seneca County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Seneca County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Seneca County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Seneca County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Seneca County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Seneca County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Seneca County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Seneca County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Seneca County and New York State	64
Table 27b. Ever had a Pap test among women in Seneca County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Seneca County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Seneca County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Seneca County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Seneca County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Seneca County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Seneca County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Seneca County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Seneca County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Seneca County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Seneca County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Seneca County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Seneca County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Seneca County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Seneca County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Seneca County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Seneca County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Seneca County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Seneca County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Seneca County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Seneca County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Seneca County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Seneca County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Seneca County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Seneca County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Seneca County and New York State	90
Table 40b. High blood pressure among adults in Seneca County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Seneca County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Seneca County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Seneca County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Seneca County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Seneca County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Seneca County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Seneca County and New York State	98
Table 44b. Cardiovascular disease among adults in Seneca County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Seneca County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Seneca County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Seneca County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Seneca County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Seneca County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Seneca County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Seneca County and New York State	106
Table 48b. Current asthma among adults in Seneca County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Seneca County and New York State	108
Table 49b. Chronic joint symptoms among adults in Seneca County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Seneca County and New York State	110
Table 50b. Arthritis among adults in Seneca County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Seneca County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Seneca County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Seneca County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Seneca County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Seneca County and New York State	116
Table 53b. Disability among adults in Seneca County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Seneca County and New York State	118
Table 54b. Current smoking among adults in Seneca County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Seneca County and New York State	120
Table 55b. Everyday smoking among adults in Seneca County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Seneca County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Seneca County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Seneca County and New York State	124
Table 57b. Binge drinking within the past month among adults in Seneca County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Seneca County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Seneca County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Seneca County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Seneca County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Seneca County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Seneca County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Seneca County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Seneca County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Seneca County and New York State	134
Table 62b. Overweight among adults in Seneca County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Seneca County and New York State	136
Table 63b. Obesity among adults in Seneca County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Seneca County and New York State	138
Table 64b. Overweight or obesity among adults in Seneca County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Seneca County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Seneca County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Seneca County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Seneca County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Seneca County and New York State	144
Table 67b. No leisure-time physical activity among adults in Seneca County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Seneca County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Seneca County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Seneca County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Seneca County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Seneca County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Seneca County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 1. Seneca County and New York State adult US Census Bureau population estimates,¹ 2007

	Seneca County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	27,168	100	14,884,315	100
Gender				
Male	14,167	52.1	7,103,791	47.7
Female	13,001	47.9	7,780,524	52.3
Age (years)				
18-34	8,399	30.9	4,497,479	30.2
35-44	4,740	17.4	2,844,115	19.1
45-54	5,094	18.8	2,854,316	19.2
55-64	3,971	14.6	2,142,000	14.4
≥ 65	4,964	18.3	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	24,485	90.1	9,343,884	62.8
Black Non-Hispanic	1,495	5.5	2,156,941	14.5
Hispanic	816	3.0	2,258,717	15.2
Other Non-Hispanic	372	1.4	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 2a. Fair or poor general health among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	3,800	14.1	(10.8 - 17.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	242	1,900	13.5	(8.3 - 18.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	418	1,900	14.8	(10.9 - 18.7)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	127	800	16.0	(8.8 - 23.3)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	172	700	18.2	(11.9 - 24.4)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	231	1,400	27.5	(21.2 - 33.8)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	3,500	13.8	(10.5 - 17.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	293	2,500	19.1	(13.1 - 25.0)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	170	700	11.0	(5.8 - 16.2)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	196	600	8.3	(4.0 - 12.7)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	169	1,600	28.3	(18.8 - 37.9)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	187	1,500	19.2	(10.6 - 27.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	109	300	5.5	(1.9 - 9.1)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 2b. Fair or poor general health among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	13.8	(10.4 - 17.1)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	242	13.8	(8.7 - 18.9)	14,599	15.3	(12.6 - 18.0)
Female	418	13.8	(9.6 - 17.9)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	643	13.4	(10.1 - 16.7)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	293	18.8	(12.8 - 24.7)	15,682	25.8	(22.1 - 29.5)
Some College	170	10.6	(5.1 - 16.1)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	196	8.4	(3.8 - 13.0)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	169	27.1	(17.8 - 36.3)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	187	19.6	(10.8 - 28.4)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	109	5.0	(1.7 - 8.3)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	3,200	12.1	(9.1 - 15.1)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	235	1,400	10.1	(6.1 - 14.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	406	1,800	14.3	(10.0 - 18.6)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	75	700	15.5	(6.3 - 24.8)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	124	800	15.6	(8.2 - 22.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	166	500	14.0	(8.3 - 19.7)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	224	900	18.8	(13.3 - 24.4)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	625	2,900	11.5	(8.6 - 14.4)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	283	1,700	13.1	(8.5 - 17.7)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	164	1,000	15.2	(8.3 - 22.2)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	193	500	7.7	(4.0 - 11.4)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	161	1,000	19.4	(11.5 - 27.3)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	184	1,100	14.8	(7.9 - 21.8)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	107	500	10.3	(3.9 - 16.7)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	12.3	(9.1 - 15.5)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	235	10.7	(6.4 - 14.9)	14,325	8.7	(6.9 - 10.5)
Female	406	14.1	(9.3 - 18.9)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	625	11.6	(8.5 - 14.6)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	283	13.3	(8.4 - 18.3)	15,178	12.7	(10.2 - 15.1)
Some College	164	15.6	(8.0 - 23.2)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	193	7.8	(3.8 - 11.7)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	161	18.7	(10.8 - 26.6)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	184	15.9	(8.1 - 23.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	107	10.5	(3.6 - 17.5)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	2,500	9.4	(6.7 - 12.1)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	239	600	4.4	(1.7 - 7.1)	14,407	555,200	7.9	(6.3 - 9.6)
Female	409	1,900	14.9	(10.3 - 19.5)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	76	700	15.3	(6.5 - 24.0)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	126	600	12.8	(6.4 - 19.1)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	167	300	8.3	(4.0 - 12.6)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	226	300	7.0	(3.6 - 10.4)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	631	2,300	9.3	(6.6 - 12.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	286	1,200	9.2	(5.0 - 13.3)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	168	900	13.0	(6.8 - 19.2)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	193	500	6.7	(3.2 - 10.2)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	164	800	13.9	(7.1 - 20.6)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	186	800	10.2	(4.4 - 16.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	108	500	9.2	(4.0 - 14.5)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	9.9	(6.9 - 12.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	239	4.6	(1.7 - 7.5)	14,407	7.9	(6.3 - 9.6)
Female	409	15.7	(10.6 - 20.9)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	631	9.7	(6.8 - 12.6)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	286	10.0	(5.3 - 14.7)	15,335	12.3	(10.0 - 14.6)
Some College	168	13.9	(7.0 - 20.7)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	193	6.2	(2.8 - 9.5)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	164	14.3	(7.1 - 21.5)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	186	11.2	(4.6 - 17.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	108	9.1	(3.6 - 14.7)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	4,500	17.1	(13.5 - 20.7)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	234	1,600	11.9	(7.5 - 16.3)	14,231	937,700	13.6	(11.4 - 15.8)
Female	404	2,900	22.7	(17.3 - 28.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	75	1,000	20.6	(10.7 - 30.5)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	124	1,100	23.0	(14.4 - 31.6)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	165	700	17.8	(11.7 - 24.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	221	1,000	21.5	(15.7 - 27.4)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	622	4,200	16.8	(13.2 - 20.4)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	281	2,300	18.0	(12.3 - 23.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	165	1,400	21.9	(14.0 - 29.8)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	191	800	11.2	(6.7 - 15.7)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	160	1,400	26.5	(16.7 - 36.3)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	184	1,300	17.6	(10.2 - 25.0)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	107	900	17.4	(9.5 - 25.3)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	111	400	8.7	(3.4 - 14.0)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	17.5	(13.6 - 21.3)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	234	12.4	(7.8 - 16.9)	14,231	13.6	(11.4 - 15.8)
Female	404	23.1	(17.1 - 29.1)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	622	17.1	(13.3 - 20.9)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	281	18.7	(12.6 - 24.7)	15,018	20.1	(17.1 - 23.1)
Some College	165	22.8	(14.2 - 31.5)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	191	10.8	(6.3 - 15.4)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	160	26.8	(16.8 - 36.8)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	184	18.5	(10.4 - 26.7)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	107	17.6	(9.2 - 26.1)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	111	9.0	(3.4 - 14.6)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 6a. Health insurance among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	22,000	81.3	(75.6 - 86.9)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	242	10,900	77.3	(67.8 - 86.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	417	11,100	85.6	(80.2 - 91.0)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	76	3,900	84.1	(74.9 - 93.3)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	127	4,500	88.5	(82.1 - 95.0)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	172	3,600	90.4	(85.2 - 95.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	231	4,900	97.8	(95.4 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	642	20,500	80.9	(75.0 - 86.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	9,100	69.6	(59.7 - 79.5)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	170	6,100	89.2	(81.9 - 96.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	195	6,700	94.9	(90.9 - 98.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	187	6,400	81.9	(72.9 - 90.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	109	4,500	86.5	(76.5 - 96.5)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	115	4,500	93.0	(85.1 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 6b. Health insurance among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	81.0	(75.5 - 86.6)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	242	78.4	(69.4 - 87.3)	14,597	83.6	(79.7 - 87.5)
Female	417	83.9	(77.8 - 90.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	642	80.7	(74.9 - 86.5)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	69.2	(59.4 - 78.9)	15,673	80.1	(75.4 - 84.7)
Some College	170	88.4	(80.4 - 96.4)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	195	94.5	(90.2 - 98.8)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	187	81.2	(71.9 - 90.5)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	*	*	*	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	115	93.2	(85.7 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 7a. Health insurance among adults aged 18-64¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	423	17,000	77.4	(70.6 - 84.2)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	258	8,200	81.8	(75.0 - 88.7)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	76	3,900	84.1	(74.9 - 93.3)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	127	4,500	88.5	(82.1 - 95.0)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	167	3,500	90.1	(84.7 - 95.5)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	413	15,800	76.9	(69.8 - 84.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	126	5,200	88.0	(79.7 - 96.3)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	126	5,000	93.3	(88.1 - 98.4)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	98	4,100	92.2	(83.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 7b. Health insurance among adults aged 18-64¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	423	77.5	(70.9 - 84.1)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	*	*	*	10,078	80.5	(75.9 - 85.1)
Female	258	80.7	(73.3 - 88.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	413	77.0	(70.2 - 83.9)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	126	87.2	(78.2 - 96.2)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	126	92.9	(87.3 - 98.4)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	98	92.5	(84.3 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 8a. No health insurance among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	5,100	18.7	(13.1 - 24.4)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	242	3,200	22.7	(13.2 - 32.2)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	417	1,900	14.4	(9.0 - 19.8)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	76	700	15.9	(6.7 - 25.1)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	127	600	11.5	(5.0 - 17.9)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	172	400	9.6	(4.4 - 14.8)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	642	4,800	19.1	(13.2 - 25.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	4,000	30.4	(20.5 - 40.3)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	170	700	10.8	(3.5 - 18.1)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	187	1,400	18.1	(9.1 - 27.1)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 8b. No health insurance among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	19.0	(13.4 - 24.5)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	242	21.6	(12.7 - 30.6)	14,597	16.4	(12.5 - 20.3)
Female	417	16.1	(9.9 - 22.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	642	19.3	(13.5 - 25.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	30.8	(21.1 - 40.6)	15,673	19.9	(15.3 - 24.6)
Some College	170	11.6	(3.6 - 19.6)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	187	18.8	(9.5 - 28.1)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 9a. No health insurance among adults aged 18-64¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	423	5,000	22.6	(15.8 - 29.4)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	258	1,800	18.2	(11.3 - 25.0)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	76	700	15.9	(6.7 - 25.1)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	127	600	11.5	(5.0 - 17.9)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	167	400	9.9	(4.5 - 15.3)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	413	4,700	23.1	(16.0 - 30.2)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	126	700	12.0	(3.7 - 20.3)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 9b. No health insurance among adults aged 18-64¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	423	22.5	(15.9 - 29.1)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	*	*	*	10,078	19.5	(14.9 - 24.1)
Female	258	19.3	(11.8 - 26.7)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	413	23.0	(16.1 - 29.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	126	12.8	(3.8 - 21.8)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 10a. Adults with regular health care provider¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	23,500	86.7	(81.2 - 92.2)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	241	11,300	80.1	(70.8 - 89.4)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	418	12,200	93.9	(89.7 - 98.1)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	77	4,400	93.2	(86.5 - 99.8)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	127	4,600	90.8	(84.6 - 97.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	171	3,900	97.8	(95.5 - 100)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	231	4,800	96.7	(94.2 - 99.3)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	642	21,800	85.8	(80.0 - 91.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	10,700	81.4	(71.8 - 90.9)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	170	6,100	90.3	(81.2 - 99.4)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	195	6,600	92.9	(87.5 - 98.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	187	6,900	89.0	(79.5 - 98.4)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	109	4,700	91.3	(81.3 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	*	*	*	*	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 10b. Adults with regular health care provider¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	86.8	(81.6 - 92.1)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	241	80.9	(72.2 - 89.7)	14,593	78.1	(73.9 - 82.3)
Female	418	93.2	(88.4 - 98.1)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	642	85.9	(80.3 - 91.4)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	81.3	(72.1 - 90.5)	15,692	75.8	(71.0 - 80.6)
Some College	170	90.6	(81.8 - 99.5)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	195	92.5	(86.7 - 98.4)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	187	89.4	(80.4 - 98.3)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	109	91.9	(82.9 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	*	*	*	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	1,800	6.6	(3.9 - 9.3)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	240	1,000	6.7	(2.2 - 11.3)	14,607	903,300	12.7	(9.5 - 16.0)
Female	418	800	6.4	(3.7 - 9.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	77	500	10.9	(3.9 - 18.0)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	171	300	7.1	(3.0 - 11.3)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	641	1,700	6.6	(3.8 - 9.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	292	1,100	8.3	(3.4 - 13.1)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	170	400	6.4	(2.0 - 10.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	195	300	3.8	(0.8 - 6.7)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	169	600	10.3	(4.7 - 16.0)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	186	600	7.9	(0.9 - 14.9)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	6.8	(4.1 - 9.6)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	240	6.8	(2.4 - 11.3)	14,607	12.5	(9.4 - 15.6)
Female	418	6.8	(3.7 - 9.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	641	7.0	(4.1 - 9.9)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	292	8.7	(3.7 - 13.7)	15,696	17.8	(13.8 - 21.7)
Some College	170	6.6	(2.0 - 11.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	195	3.9	(0.7 - 7.0)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	169	10.6	(4.8 - 16.4)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	186	7.8	(1.1 - 14.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	18,300	67.3	(61.3 - 73.3)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	241	8,800	62.0	(52.3 - 71.7)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	417	9,500	73.0	(66.5 - 79.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	127	3,500	68.4	(58.9 - 77.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	171	3,200	81.2	(74.6 - 87.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	230	4,200	84.6	(78.3 - 91.0)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	641	17,100	67.1	(60.9 - 73.3)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	8,200	62.7	(52.8 - 72.5)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	196	5,000	70.4	(61.2 - 79.5)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	66.3	(60.2 - 72.4)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	241	61.2	(51.9 - 70.6)	14,592	67.1	(63.3 - 70.9)
Female	417	71.8	(64.5 - 79.1)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	641	66.1	(59.8 - 72.3)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	61.2	(51.4 - 71.0)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	196	69.1	(59.3 - 79.0)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	22,100	81.5	(76.5 - 86.5)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	241	11,200	78.8	(70.8 - 86.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	417	11,000	84.5	(78.7 - 90.2)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	127	4,500	87.7	(81.5 - 94.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	171	3,700	93.6	(89.3 - 98.0)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	230	4,600	93.6	(88.6 - 98.6)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	641	20,800	81.8	(76.7 - 87.0)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	10,500	80.1	(72.0 - 88.2)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	170	5,600	82.8	(73.7 - 91.9)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	196	5,900	82.6	(74.5 - 90.6)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	187	6,400	82.9	(73.7 - 92.1)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	80.1	(74.9 - 85.4)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	241	77.4	(69.3 - 85.5)	14,592	81.9	(78.4 - 85.3)
Female	417	83.0	(76.5 - 89.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	641	80.4	(75.1 - 85.8)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	78.3	(69.9 - 86.7)	15,640	84.6	(81.1 - 88.1)
Some College	170	82.1	(72.4 - 91.7)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	196	80.9	(71.9 - 89.8)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	187	81.5	(71.8 - 91.3)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 14a. Dentist visit within the past year among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	19,600	72.1	(67.0 - 77.2)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	240	9,600	68.3	(60.0 - 76.7)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	417	9,900	76.3	(70.7 - 81.8)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	126	3,600	72.0	(62.8 - 81.1)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	172	2,900	72.1	(64.5 - 79.7)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	229	3,200	65.5	(58.6 - 72.4)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	640	18,100	71.1	(65.9 - 76.4)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	8,500	65.3	(56.8 - 73.7)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	169	5,100	74.8	(66.0 - 83.6)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	196	5,900	83.7	(75.4 - 92.0)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	115	4,200	86.4	(77.8 - 95.1)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 14b. Dentist visit within the past year among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	72.3	(67.1 - 77.5)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	240	68.1	(59.9 - 76.3)	14,573	68.3	(64.6 - 72.1)
Female	417	76.9	(70.8 - 83.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	640	71.2	(65.9 - 76.6)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	65.6	(57.1 - 74.1)	15,613	65.3	(60.9 - 69.6)
Some College	169	74.1	(64.7 - 83.5)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	196	84.1	(75.9 - 92.2)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	115	87.1	(78.7 - 95.4)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	579	17,800	71.3	(65.6 - 77.1)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	213	8,900	68.3	(59.0 - 77.6)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	366	9,000	74.5	(68.1 - 81.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	121	3,500	72.5	(63.2 - 81.8)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	151	2,600	74.2	(66.2 - 82.2)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	180	2,800	75.0	(68.1 - 81.9)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	565	16,700	71.3	(65.6 - 77.0)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	157	4,900	74.2	(65.1 - 83.4)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	191	5,800	83.7	(75.2 - 92.2)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	114	4,100	85.7	(77.0 - 94.5)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 15b. Had teeth cleaned within the past year among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	579	71.1	(65.3 - 76.9)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	213	68.3	(59.3 - 77.4)	13,173	69.2	(65.3 - 73.1)
Female	366	74.0	(66.9 - 81.1)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	565	70.9	(65.1 - 76.7)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	157	73.4	(63.8 - 83.1)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	191	83.5	(75.1 - 92.0)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	114	86.4	(77.9 - 94.9)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	14,700	55.5	(49.4 - 61.6)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	237	7,900	56.8	(47.0 - 66.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	409	6,800	54.0	(47.3 - 60.7)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	167	2,800	71.0	(63.4 - 78.6)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	226	4,200	86.3	(81.7 - 90.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	630	13,900	55.5	(49.3 - 61.6)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	195	3,200	47.2	(38.1 - 56.3)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	54.1	(48.0 - 60.2)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	237	57.5	(47.9 - 67.0)	14,457	47.9	(44.1 - 51.7)
Female	409	50.4	(43.1 - 57.6)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	630	54.2	(48.1 - 60.3)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	195	46.0	(36.5 - 55.4)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	226	1,100	22.6	(15.9 - 29.3)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	152	600	21.0	(14.0 - 27.9)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	226	1,100	22.6	(15.9 - 29.3)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	219	1,000	20.6	(14.6 - 26.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	117	800	35.4	(25.6 - 45.3)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	226	22.9	(15.6 - 30.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	152	21.0	(14.0 - 27.9)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	219	20.6	(14.3 - 26.9)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 18a. Flu shot within the past 12 months¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	11,600	42.8	(37.2 - 48.3)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	242	5,200	36.9	(28.7 - 45.0)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	416	6,400	49.2	(42.4 - 56.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	179	4,300	28.5	(20.6 - 36.4)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	249	3,600	51.1	(43.9 - 58.3)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	230	3,700	74.8	(68.1 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	641	11,200	44.0	(38.4 - 49.6)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	5,200	39.6	(31.1 - 48.2)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	195	3,500	49.2	(39.3 - 59.1)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 18b. Flu shot within the past 12 months¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	41.8	(36.2 - 47.4)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	242	37.6	(29.6 - 45.6)	14,579	40.0	(36.2 - 43.8)
Female	416	46.4	(39.0 - 53.9)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	641	43.0	(37.4 - 48.6)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	38.1	(29.6 - 46.6)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	*	*	*	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	11,700	43.0	(37.4 - 48.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	242	5,300	37.2	(29.0 - 45.3)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	416	6,400	49.3	(42.5 - 56.1)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	179	4,300	28.5	(20.6 - 36.4)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	249	3,600	51.3	(44.1 - 58.5)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	230	3,700	75.7	(69.1 - 82.4)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	641	11,200	44.2	(38.6 - 49.8)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	5,200	40.1	(31.5 - 48.7)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	195	3,500	49.2	(39.3 - 59.1)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	42.0	(36.4 - 47.6)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	242	37.9	(29.9 - 46.0)	14,568	40.4	(36.6 - 44.2)
Female	416	46.5	(39.1 - 54.0)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	641	43.2	(37.6 - 48.9)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	38.6	(30.1 - 47.1)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	*	*	*	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 21a. Flu shot among adults aged 65 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	230	3,700	74.8	(68.1 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	155	2,100	75.8	(68.2 - 83.4)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	230	3,700	74.8	(68.1 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	223	3,600	77.4	(71.4 - 83.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	121	1,900	76.0	(67.7 - 84.3)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 21b. Flu shot among adults aged 65 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	230	74.7	(67.5 - 81.9)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	155	75.9	(68.3 - 83.5)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	223	77.4	(71.2 - 83.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	121	75.5	(66.6 - 84.4)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	603	6,900	30.8	(26.0 - 35.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	217	3,300	28.7	(21.4 - 35.9)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	386	3,600	32.9	(27.1 - 38.7)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	150	1,700	14.8	(8.2 - 21.4)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	232	1,800	28.4	(22.1 - 34.7)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	221	3,400	72.0	(64.9 - 79.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	588	6,400	30.3	(25.7 - 34.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	271	3,200	29.3	(22.3 - 36.3)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	178	1,800	31.1	(23.3 - 38.8)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	175	2,100	31.1	(22.1 - 40.2)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	101	1,100	22.9	(13.6 - 32.2)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	102	900	22.5	(13.5 - 31.5)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	603	29.7	(24.9 - 34.5)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	217	29.4	(22.1 - 36.7)	13,052	25.8	(22.3 - 29.4)
Female	386	30.0	(23.8 - 36.2)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	588	28.9	(24.3 - 33.5)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	271	27.6	(20.8 - 34.4)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	178	30.0	(22.1 - 38.0)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	175	30.6	(21.2 - 40.1)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	101	22.7	(13.0 - 32.4)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	102	22.3	(12.8 - 31.9)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	221	3,400	72.0	(64.9 - 79.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	149	1,900	71.0	(62.6 - 79.4)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	221	3,400	72.0	(64.9 - 79.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	214	3,300	73.7	(67.1 - 80.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	119	1,900	76.2	(67.6 - 84.7)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	221	72.2	(64.7 - 79.6)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	149	71.0	(62.6 - 79.4)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	214	74.2	(67.6 - 80.8)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	119	76.0	(67.1 - 85.0)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	358	8,000	95.7	(93.3 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	358	8,000	95.7	(93.3 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	57	2,000	95.0	(89.3 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	145	3,300	96.7	(94.0 - 99.3)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	156	2,700	95.1	(90.4 - 99.7)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	349	7,600	95.5	(93.0 - 98.0)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	163	3,300	97.0	(94.5 - 99.6)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	94	2,400	96.9	(93.1 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	101	2,200	92.6	(86.2 - 98.9)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	108	2,000	96.3	(92.8 - 99.8)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	103	2,200	90.9	(84.2 - 97.6)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	57	1,700	97.6	(92.9 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	358	95.5	(92.8 - 98.2)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	358	95.5	(92.8 - 98.2)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	349	95.3	(92.5 - 98.1)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	163	97.1	(94.6 - 99.6)	8,266	90.2	(86.1 - 94.2)
Some College	94	96.4	(91.7 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	101	92.4	(85.7 - 99.1)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	108	96.4	(93.0 - 99.8)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	103	90.6	(83.3 - 97.8)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	57	96.8	(90.8 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	358	7,000	83.8	(79.5 - 88.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	358	7,000	83.8	(79.5 - 88.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	57	1,800	85.8	(76.7 - 94.9)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	145	2,800	82.3	(75.3 - 89.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	156	2,300	84.0	(77.4 - 90.5)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	349	6,700	83.8	(79.4 - 88.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	163	2,800	81.2	(74.4 - 88.0)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	94	2,200	88.9	(81.9 - 95.8)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	101	2,000	82.0	(73.5 - 90.6)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	108	1,600	79.3	(71.0 - 87.5)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	103	2,000	81.2	(72.2 - 90.2)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	358	83.4	(78.8 - 88.1)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	358	83.4	(78.8 - 88.1)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	349	83.3	(78.6 - 88.1)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	163	80.2	(72.6 - 87.7)	8,204	80.1	(75.6 - 84.7)
Some College	94	88.7	(81.4 - 96.1)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	101	81.8	(72.7 - 90.9)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	108	79.9	(71.5 - 88.2)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	103	80.6	(70.8 - 90.4)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	301	5,100	83.1	(78.2 - 87.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	301	5,100	83.1	(78.2 - 87.9)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	145	2,800	82.3	(75.3 - 89.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	156	2,300	84.0	(77.4 - 90.5)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	293	5,000	83.4	(78.6 - 88.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	149	2,300	81.2	(74.2 - 88.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	74	1,400	87.8	(79.0 - 96.5)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	78	1,300	81.6	(71.6 - 91.6)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	93	1,200	76.9	(67.5 - 86.3)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	89	1,500	82.0	(72.4 - 91.7)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	301	82.6	(77.6 - 87.6)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	301	82.6	(77.6 - 87.6)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	293	83.0	(77.9 - 88.1)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	149	80.6	(73.3 - 87.9)	7,026	83.6	(80.1 - 87.0)
Some College	74	86.8	(77.3 - 96.4)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	93	76.2	(66.4 - 85.9)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	89	81.5	(71.6 - 91.5)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 27a. Ever had a Pap test among women¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	11,900	91.6	(86.7 - 96.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	415	11,900	91.6	(86.7 - 96.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	50	2,200	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	82	2,400	98.3	(95.9 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	98	2,000	99.0	(97.1 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	154	2,500	91.1	(86.3 - 95.8)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	402	10,900	92.4	(87.7 - 97.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	183	4,400	84.3	(74.3 - 94.3)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	113	3,700	93.7	(86.0 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	119	3,800	99.4	(98.1 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	125	2,900	94.1	(90.3 - 98.0)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	*	*	*	*	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	66	2,300	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 27b. Ever had a Pap test among women¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	91.1	(85.6 - 96.7)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	415	91.1	(85.6 - 96.7)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	402	92.0	(86.7 - 97.3)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	113	93.1	(84.5 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	119	99.5	(98.5 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	125	95.1	(91.8 - 98.4)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	66	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	411	10,000	77.5	(71.7 - 83.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	411	10,000	77.5	(71.7 - 83.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	50	2,200	98.1	(94.4 - 100)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	81	2,000	84.2	(76.0 - 92.4)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	97	1,600	81.9	(73.8 - 90.0)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	152	1,600	59.0	(50.6 - 67.5)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	398	9,100	77.5	(71.8 - 83.1)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	112	3,300	85.0	(76.3 - 93.6)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	118	3,400	88.6	(83.1 - 94.1)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	123	2,300	77.5	(69.9 - 85.0)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	65	2,000	89.7	(80.4 - 98.9)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	411	78.8	(72.5 - 85.1)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	411	78.8	(72.5 - 85.1)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	398	78.8	(72.6 - 85.0)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	112	85.9	(76.7 - 95.1)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	118	90.9	(86.2 - 95.6)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	123	81.3	(74.5 - 88.2)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	65	89.8	(80.1 - 99.6)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	206	5,700	68.6	(60.1 - 77.1)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	206	5,700	68.6	(60.1 - 77.1)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	72	1,700	91.2	(83.4 - 99.1)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	72	1,900	91.5	(84.9 - 98.1)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	203	5,600	69.7	(61.1 - 78.2)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	206	66.5	(57.4 - 75.5)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	206	66.5	(57.4 - 75.5)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	203	67.5	(58.4 - 76.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	203	4,700	57.2	(48.7 - 65.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	203	4,700	57.2	(48.7 - 65.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	200	4,700	59.3	(50.7 - 67.9)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	203	54.9	(46.0 - 63.9)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	203	54.9	(46.0 - 63.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	57.0	(48.0 - 66.1)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	200	4,700	59.1	(50.4 - 67.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	200	4,700	59.1	(50.4 - 67.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	71	1,600	85.0	(76.6 - 93.5)	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	*	*	*	*	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	197	4,700	61.3	(52.5 - 70.1)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	200	57.0	(47.9 - 66.1)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	200	57.0	(47.9 - 66.1)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	197	59.2	(50.0 - 68.4)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	197	4,200	53.5	(44.9 - 62.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	197	4,200	53.5	(44.9 - 62.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	70	1,500	79.9	(70.1 - 89.6)	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	194	4,200	55.5	(46.8 - 64.2)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	197	51.5	(42.6 - 60.5)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	197	51.5	(42.6 - 60.5)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	194	53.6	(44.5 - 62.7)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	210	500	6.3	(3.3 - 9.2)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	210	500	6.3	(3.3 - 9.2)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	74	400	19.9	(10.2 - 29.5)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	207	500	6.5	(3.4 - 9.6)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 33b. Prostate cancer among men aged 40 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	210	6.4	(3.3 - 9.5)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	210	6.4	(3.3 - 9.5)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	207	6.7	(3.5 - 9.9)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	471	5,600	47.6	(42.4 - 52.8)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	172	2,400	44.0	(35.7 - 52.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	299	3,100	50.8	(44.5 - 57.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	247	3,100	44.2	(37.1 - 51.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	224	2,500	52.5	(45.1 - 59.9)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	462	5,500	48.6	(43.4 - 53.8)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	2,300	45.2	(37.5 - 52.8)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	141	1,800	48.1	(38.4 - 57.8)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	144	2,000	53.3	(43.8 - 62.9)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	471	47.1	(41.7 - 52.5)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	172	43.8	(35.4 - 52.1)	9,571	39.4	(35.3 - 43.5)
Female	299	50.6	(44.1 - 57.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	462	48.1	(42.7 - 53.5)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	215	44.8	(36.9 - 52.7)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	144	52.4	(42.4 - 62.3)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	466	2,800	24.2	(19.8 - 28.6)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	170	1,300	23.1	(16.1 - 30.0)	9,508	444,400	16.0	(13.2 - 18.9)
Female	296	1,500	25.2	(19.6 - 30.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	244	1,600	23.3	(17.3 - 29.4)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	222	1,200	25.4	(19.1 - 31.6)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	457	2,800	24.5	(20.0 - 29.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	1,400	26.9	(19.8 - 33.9)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	113	700	23.5	(14.9 - 32.2)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	140	800	20.9	(13.7 - 28.1)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	125	700	26.5	(17.0 - 35.9)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	142	1,000	27.4	(19.2 - 35.6)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	73	400	15.3	(6.7 - 23.9)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	466	24.0	(19.4 - 28.5)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	170	22.9	(16.0 - 29.8)	9,508	16.4	(13.2 - 19.6)
Female	296	25.1	(19.4 - 30.8)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	457	24.3	(19.7 - 28.9)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	26.5	(19.2 - 33.7)	11,026	12.7	(9.2 - 16.1)
Some College	113	23.8	(14.9 - 32.8)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	140	20.7	(13.3 - 28.0)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	125	27.1	(17.1 - 37.1)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	142	26.4	(18.2 - 34.6)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	73	15.3	(6.5 - 24.1)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	466	3,600	30.5	(25.8 - 35.2)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	170	1,500	27.4	(20.1 - 34.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	296	2,000	33.3	(27.3 - 39.3)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	244	1,900	27.9	(21.5 - 34.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	222	1,600	34.3	(27.4 - 41.2)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	457	3,500	31.0	(26.2 - 35.8)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	1,600	31.9	(24.6 - 39.1)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	113	1,000	34.0	(24.4 - 43.6)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	140	900	25.9	(18.1 - 33.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	125	800	31.5	(21.8 - 41.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	142	1,300	34.3	(25.6 - 43.0)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	73	500	23.1	(13.2 - 33.1)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	466	30.1	(25.3 - 35.0)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	170	27.3	(20.0 - 34.6)	9,508	21.7	(18.3 - 25.1)
Female	296	33.2	(27.1 - 39.4)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	457	30.7	(25.8 - 35.6)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	31.4	(23.9 - 38.9)	11,026	19.5	(15.4 - 23.7)
Some College	113	33.8	(24.0 - 43.7)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	140	25.6	(17.6 - 33.6)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	142	33.1	(24.3 - 41.9)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	475	8,000	67.3	(62.2 - 72.4)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	173	3,600	64.8	(56.3 - 73.2)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	302	4,300	69.6	(63.6 - 75.5)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	171	3,100	78.7	(71.8 - 85.6)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	227	3,300	67.0	(59.8 - 74.2)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	466	7,800	68.2	(63.2 - 73.3)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	216	3,200	62.6	(55.0 - 70.1)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	118	2,300	75.9	(67.3 - 84.6)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	*	*	*	*	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	144	2,600	71.9	(63.0 - 80.8)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	475	66.2	(60.9 - 71.6)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	173	63.8	(55.2 - 72.4)	9,582	68.5	(64.5 - 72.5)
Female	302	68.9	(62.7 - 75.0)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	466	67.2	(62.0 - 72.5)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	216	61.2	(53.3 - 69.1)	11,121	61.3	(56.4 - 66.2)
Some College	118	75.0	(65.9 - 84.1)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	*	*	*	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	144	71.8	(62.4 - 81.2)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	470	7,600	64.5	(59.3 - 69.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	172	3,500	62.7	(54.1 - 71.2)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	298	4,100	66.1	(59.9 - 72.3)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	171	3,000	75.7	(68.4 - 82.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	222	3,100	64.7	(57.3 - 72.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	461	7,400	65.3	(60.2 - 70.5)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	212	2,900	58.0	(50.3 - 65.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	117	2,200	73.9	(65.0 - 82.8)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	*	*	*	*	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	142	2,500	68.3	(59.1 - 77.5)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	470	63.5	(58.0 - 68.9)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	172	61.9	(53.2 - 70.5)	9,521	66.9	(62.9 - 70.9)
Female	298	65.2	(58.8 - 71.6)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	461	64.4	(59.0 - 69.8)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	212	56.7	(48.6 - 64.8)	11,017	59.0	(54.1 - 63.9)
Some College	117	73.0	(63.7 - 82.3)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	*	*	*	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	142	68.3	(58.7 - 78.0)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	466	8,200	70.5	(65.5 - 75.6)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	170	3,800	69.3	(61.0 - 77.7)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	296	4,400	71.6	(65.6 - 77.5)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	166	3,100	80.2	(73.5 - 87.0)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	223	3,500	72.3	(65.2 - 79.4)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	457	8,100	71.6	(66.6 - 76.5)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	211	3,400	67.9	(60.6 - 75.2)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	115	2,300	77.0	(68.3 - 85.6)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	*	*	*	*	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	126	1,600	64.3	(54.6 - 74.0)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	144	2,700	73.8	(65.0 - 82.6)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	466	69.7	(64.4 - 75.0)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	170	68.8	(60.4 - 77.3)	9,418	71.5	(67.6 - 75.4)
Female	296	70.7	(64.5 - 76.9)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	457	70.9	(65.7 - 76.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	211	67.0	(59.3 - 74.7)	10,872	64.5	(59.8 - 69.3)
Some College	115	76.1	(67.1 - 85.2)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	*	*	*	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	144	73.6	(64.3 - 82.9)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 40a. High blood pressure among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	8,800	32.6	(27.2 - 38.0)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	242	5,200	36.6	(27.5 - 45.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	417	3,700	28.2	(23.1 - 33.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	77	900	18.2	(8.5 - 27.8)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	127	1,600	32.1	(22.6 - 41.5)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	171	1,800	45.7	(37.4 - 53.9)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	231	2,800	56.7	(49.5 - 64.0)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	642	8,300	32.8	(27.4 - 38.1)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	5,000	38.2	(29.1 - 47.3)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	170	2,200	32.4	(22.7 - 42.1)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	196	1,600	23.0	(16.7 - 29.4)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	109	1,000	20.2	(12.3 - 28.2)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	115	1,000	21.0	(13.3 - 28.7)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 40b. High blood pressure among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	30.5	(25.3 - 35.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	242	35.8	(27.1 - 44.4)	14,611	27.7	(24.7 - 30.7)
Female	417	24.8	(19.7 - 30.0)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	642	30.8	(25.6 - 36.0)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	292	36.3	(27.4 - 45.2)	15,688	32.1	(28.4 - 35.8)
Some College	170	30.9	(21.1 - 40.6)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	196	20.8	(14.7 - 26.9)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	109	18.1	(10.6 - 25.5)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	115	19.0	(11.7 - 26.3)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	163	3,100	85.7	(77.8 - 93.6)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	76	1,700	93.9	(89.1 - 98.7)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	132	2,600	94.0	(89.8 - 98.3)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	66	1,500	88.8	(79.5 - 98.1)	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 42a. Ever had blood cholesterol checked among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	20,200	76.3	(69.9 - 82.8)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	*	*	*	*	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	411	10,200	79.7	(72.3 - 87.2)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	75	3,900	86.3	(76.4 - 96.1)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	127	4,400	87.3	(79.4 - 95.3)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	170	3,800	97.8	(95.7 - 99.8)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	225	4,600	94.6	(89.6 - 99.5)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	631	19,100	77.4	(70.9 - 83.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	167	5,700	85.8	(76.1 - 95.5)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	*	*	*	*	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	114	4,400	90.4	(81.8 - 99.0)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 42b. Ever had blood cholesterol checked among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	75.5	(69.1 - 82.0)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	237	74.1	(64.3 - 83.8)	14,389	78.0	(73.9 - 82.1)
Female	411	77.1	(68.8 - 85.5)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	631	76.9	(70.5 - 83.3)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	167	85.5	(75.8 - 95.2)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	*	*	*	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	114	90.3	(81.7 - 98.8)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	19,400	73.8	(67.3 - 80.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	*	*	*	*	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	408	9,600	76.1	(68.4 - 83.8)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	127	4,300	84.6	(76.1 - 93.0)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	168	3,800	97.0	(94.7 - 99.2)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	224	4,600	94.3	(89.3 - 99.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	627	18,400	74.8	(68.2 - 81.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	165	5,500	84.2	(74.2 - 94.1)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	*	*	*	*	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	114	4,300	88.5	(79.4 - 97.6)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	72.8	(66.2 - 79.3)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	236	72.6	(62.8 - 82.4)	14,307	74.8	(70.7 - 79.0)
Female	408	73.0	(64.4 - 81.6)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	627	73.9	(67.4 - 80.4)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	165	84.0	(74.1 - 93.9)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	*	*	*	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	114	87.9	(78.5 - 97.3)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 44a. Cardiovascular disease among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	2,600	9.8	(7.5 - 12.1)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	240	1,700	11.9	(8.1 - 15.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	412	1,000	7.5	(5.1 - 9.8)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	126	400	8.5	(3.1 - 13.8)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	169	600	15.5	(9.3 - 21.6)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	227	1,500	31.3	(24.5 - 38.0)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	636	2,600	10.2	(7.9 - 12.6)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	288	1,700	13.3	(9.2 - 17.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	169	400	5.3	(2.5 - 8.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	194	500	7.8	(4.2 - 11.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	164	900	15.7	(9.4 - 22.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	185	700	9.5	(5.1 - 13.8)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	109	300	5.8	(1.9 - 9.6)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	115	400	7.6	(2.4 - 12.8)	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 44b. Cardiovascular disease among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	9.1	(7.0 - 11.3)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	240	12.0	(8.2 - 15.8)	14,477	9.7	(7.8 - 11.7)
Female	412	6.1	(4.1 - 8.1)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	636	9.6	(7.3 - 11.9)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	288	12.7	(8.7 - 16.8)	15,486	10.5	(8.0 - 13.0)
Some College	169	4.8	(2.2 - 7.4)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	194	7.3	(3.9 - 10.8)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	164	14.5	(8.5 - 20.5)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	185	9.2	(4.9 - 13.5)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	109	5.3	(1.6 - 8.9)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	115	7.1	(2.2 - 12.0)	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 45a. Coronary heart disease among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	2,100	8.0	(5.9 - 10.0)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	240	1,600	11.5	(7.7 - 15.2)	14,479	598,600	8.5	(6.6 - 10.4)
Female	411	500	4.2	(2.5 - 5.9)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	127	400	7.9	(2.6 - 13.1)	7,778	108,300	3.8	(2.1 - 5.6)
55-64	169	500	12.4	(6.7 - 18.1)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	225	1,200	24.3	(18.0 - 30.7)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	636	2,100	8.3	(6.2 - 10.5)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	286	1,300	9.9	(6.3 - 13.5)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	170	300	5.0	(2.3 - 7.8)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	194	500	7.4	(4.0 - 10.9)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	163	700	12.4	(6.9 - 17.9)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	185	600	7.5	(3.6 - 11.4)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	115	400	7.6	(2.4 - 12.8)	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 45b. Coronary heart disease among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	7.7	(5.7 - 9.7)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	240	11.5	(7.8 - 15.3)	14,479	8.8	(6.9 - 10.8)
Female	411	3.5	(2.0 - 5.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	636	8.1	(6.0 - 10.2)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	286	9.9	(6.3 - 13.5)	15,485	8.5	(6.2 - 10.7)
Some College	170	4.5	(2.0 - 7.1)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	194	7.0	(3.6 - 10.4)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	163	11.8	(6.4 - 17.2)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	185	7.6	(3.6 - 11.6)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	115	7.1	(2.2 - 12.0)	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	3,000	11.0	(8.0 - 14.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	242	1,600	11.6	(6.9 - 16.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	418	1,400	10.4	(6.6 - 14.3)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	127	500	10.3	(4.0 - 16.7)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	172	700	18.6	(12.2 - 25.0)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	231	700	15.1	(10.2 - 19.9)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	643	2,800	11.2	(8.0 - 14.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	293	1,800	13.7	(8.4 - 19.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	170	800	11.1	(5.3 - 16.8)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	196	400	6.3	(3.2 - 9.4)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	169	800	14.5	(7.7 - 21.3)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	187	1,100	14.0	(7.2 - 20.8)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	115	300	5.8	(2.1 - 9.5)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 46b. Ever diagnosed with diabetes among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	10.7	(7.6 - 13.9)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	242	11.4	(6.8 - 15.9)	14,626	7.5	(6.1 - 8.9)
Female	418	10.1	(5.8 - 14.3)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	643	10.8	(7.7 - 13.9)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	293	13.5	(8.1 - 18.9)	15,709	12.6	(10.0 - 15.2)
Some College	170	11.0	(4.7 - 17.2)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	196	5.9	(2.8 - 9.0)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	169	14.1	(7.2 - 20.9)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	187	13.7	(6.7 - 20.7)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	115	5.4	(1.8 - 9.1)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	3,400	12.5	(8.7 - 16.3)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	242	1,300	8.8	(3.4 - 14.2)	14,601	875,800	12.4	(10.1 - 14.7)
Female	418	2,200	16.5	(11.3 - 21.7)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	77	700	15.0	(6.3 - 23.8)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	127	800	15.0	(8.0 - 21.9)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	172	500	11.6	(6.4 - 16.7)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	231	600	12.1	(6.5 - 17.8)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	643	2,800	11.1	(8.0 - 14.2)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	1,500	11.5	(5.3 - 17.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	170	900	13.7	(7.2 - 20.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	196	1,000	13.6	(7.1 - 20.0)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	187	800	9.7	(4.3 - 15.1)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	109	600	10.9	(3.4 - 18.4)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	115	500	10.3	(4.4 - 16.2)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	12.9	(8.9 - 16.8)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	242	8.9	(3.7 - 14.1)	14,601	12.6	(10.3 - 14.9)
Female	418	17.2	(11.3 - 23.0)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	643	11.5	(8.1 - 14.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	11.5	(5.3 - 17.8)	15,675	15.1	(12.1 - 18.0)
Some College	170	14.3	(7.1 - 21.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	196	14.1	(7.1 - 21.2)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	187	10.1	(4.2 - 16.1)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	109	11.6	(3.2 - 20.0)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	115	10.1	(4.2 - 16.1)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 48a. Current asthma among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	2,400	8.9	(5.4 - 12.4)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	241	900	6.6	(1.6 - 11.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	414	1,500	11.4	(6.7 - 16.1)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	127	500	9.1	(3.7 - 14.6)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	171	300	7.7	(3.3 - 12.2)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	229	400	8.7	(4.8 - 12.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	638	2,100	8.1	(5.3 - 11.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	290	1,300	9.9	(3.9 - 16.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	170	700	9.6	(4.3 - 14.8)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	194	500	6.6	(1.7 - 11.5)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	*	*	*	*	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	186	400	4.9	(1.6 - 8.1)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 48b. Current asthma among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	9.0	(5.5 - 12.6)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	241	6.7	(1.9 - 11.5)	14,546	6.4	(4.9 - 7.9)
Female	414	11.6	(6.4 - 16.9)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	638	8.5	(5.3 - 11.6)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	290	9.9	(3.8 - 16.0)	15,594	10.8	(8.3 - 13.3)
Some College	170	10.0	(4.2 - 15.8)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	194	6.8	(1.3 - 12.3)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	186	5.0	(1.5 - 8.5)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 49a. Chronic joint symptoms among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	12,500	46.0	(40.2 - 51.8)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	241	6,000	42.4	(33.4 - 51.5)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	417	6,500	49.9	(43.1 - 56.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	171	2,100	53.8	(45.6 - 62.0)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	230	2,900	57.9	(50.8 - 65.1)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	641	11,700	45.9	(40.1 - 51.7)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	6,000	45.9	(36.6 - 55.2)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	196	3,500	49.9	(40.0 - 59.8)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 49b. Chronic joint symptoms among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	45.7	(39.8 - 51.6)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	241	43.2	(34.3 - 52.0)	14,595	42.6	(38.8 - 46.3)
Female	417	48.4	(40.9 - 56.0)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	641	45.4	(39.5 - 51.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	46.5	(37.1 - 55.9)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	*	*	*	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 50a. Arthritis among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	9,500	35.0	(30.0 - 39.9)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	240	3,700	26.3	(19.6 - 33.0)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	417	5,800	44.4	(37.8 - 51.0)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	127	2,000	39.1	(29.2 - 49.0)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	170	2,100	52.7	(44.4 - 60.9)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	230	2,900	58.0	(50.7 - 65.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	640	8,700	34.2	(29.4 - 39.1)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	292	4,400	33.3	(25.7 - 40.9)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	196	2,200	30.3	(22.6 - 38.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	113	1,500	31.1	(21.5 - 40.6)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 50b. Arthritis among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	34.0	(28.9 - 39.1)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	240	26.9	(20.2 - 33.7)	14,555	23.5	(20.9 - 26.1)
Female	417	41.7	(34.6 - 48.8)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	640	33.1	(28.2 - 38.0)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	292	32.6	(24.9 - 40.3)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	196	28.7	(20.8 - 36.6)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	113	29.5	(20.0 - 39.1)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	6,200	23.0	(18.4 - 27.5)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	242	2,600	18.5	(11.9 - 25.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	414	3,600	27.9	(22.0 - 33.9)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	126	1,200	24.3	(15.8 - 32.7)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	170	1,100	27.3	(20.0 - 34.6)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	231	1,600	32.7	(26.0 - 39.4)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	639	5,500	21.6	(17.3 - 26.0)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	292	2,800	21.0	(14.4 - 27.6)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	169	1,800	27.3	(17.3 - 37.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	194	1,600	22.9	(15.5 - 30.3)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	169	1,500	26.2	(17.2 - 35.2)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	*	*	*	*	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	106	1,100	22.1	(12.1 - 32.1)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	115	500	9.9	(4.9 - 15.0)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	22.7	(18.0 - 27.4)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	242	19.0	(12.4 - 25.5)	14,566	18.6	(15.8 - 21.4)
Female	414	26.8	(20.4 - 33.3)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	639	21.1	(16.7 - 25.5)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	292	21.1	(14.3 - 27.9)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	194	22.1	(14.4 - 29.9)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	169	25.6	(16.7 - 34.5)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	*	*	*	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	115	9.2	(4.3 - 14.0)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	1,900	7.1	(5.0 - 9.2)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	242	800	5.6	(2.6 - 8.5)	14,617	460,700	6.5	(5.3 - 7.7)
Female	418	1,100	8.7	(5.8 - 11.7)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	172	300	6.4	(2.8 - 10.0)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	231	900	18.6	(13.3 - 24.0)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	643	1,800	7.0	(4.9 - 9.0)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	293	1,000	7.3	(4.4 - 10.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	170	500	7.7	(2.7 - 12.7)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	196	400	6.2	(2.6 - 9.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	169	900	17.0	(9.7 - 24.3)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	187	500	7.0	(2.4 - 11.6)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	6.9	(4.7 - 9.2)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	242	6.0	(2.7 - 9.2)	14,617	6.8	(5.5 - 8.0)
Female	418	8.0	(4.8 - 11.2)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	643	6.8	(4.6 - 8.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	293	7.0	(4.1 - 10.0)	15,711	10.3	(8.3 - 12.3)
Some College	170	8.2	(2.5 - 13.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	196	5.8	(1.9 - 9.7)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	169	16.9	(9.3 - 24.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	187	7.4	(2.1 - 12.6)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 53a. Disability among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	6,700	24.7	(20.1 - 29.4)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	242	2,900	20.4	(13.7 - 27.2)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	414	3,800	29.5	(23.5 - 35.5)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	126	1,300	25.4	(16.8 - 33.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	170	1,100	28.3	(21.0 - 35.6)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	231	1,900	38.5	(31.6 - 45.5)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	639	5,900	23.5	(19.0 - 28.0)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	292	3,000	22.9	(16.1 - 29.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	194	1,600	23.5	(16.1 - 30.9)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	*	*	*	*	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	115	500	9.9	(4.9 - 15.0)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 53b. Disability among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	24.5	(19.7 - 29.2)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	242	21.2	(14.4 - 28.0)	14,568	20.9	(18.0 - 23.8)
Female	414	28.1	(21.6 - 34.6)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	639	23.0	(18.5 - 27.5)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	292	22.9	(16.0 - 29.9)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	194	22.6	(14.8 - 30.4)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	*	*	*	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	115	9.2	(4.3 - 14.0)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 54a. Current smoking among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	6,400	23.7	(18.7 - 28.7)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	239	3,400	24.0	(16.3 - 31.8)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	414	3,000	23.4	(17.3 - 29.5)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	127	1,500	29.5	(19.7 - 39.3)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	171	700	17.9	(11.7 - 24.1)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	227	700	14.4	(9.2 - 19.6)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	637	6,000	23.6	(18.6 - 28.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	4,000	30.8	(22.3 - 39.3)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	166	1,500	22.6	(13.6 - 31.5)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	195	900	12.2	(6.4 - 18.1)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	114	700	14.3	(5.2 - 23.4)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 54b. Current smoking among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	24.3	(19.2 - 29.5)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	239	24.0	(16.4 - 31.7)	14,559	19.2	(16.3 - 22.1)
Female	414	24.7	(17.8 - 31.5)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	637	24.1	(19.0 - 29.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	32.0	(23.2 - 40.8)	15,654	22.8	(19.5 - 26.0)
Some College	166	22.9	(13.6 - 32.1)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	195	12.8	(6.6 - 19.0)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	114	13.9	(5.2 - 22.5)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 55a. Everyday smoking among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	5,500	20.4	(15.5 - 25.2)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	239	2,900	20.9	(13.5 - 28.3)	14,559	848,400	12.0	(10.0 - 14.1)
Female	414	2,500	19.8	(13.8 - 25.8)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	75	900	20.1	(10.1 - 30.0)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	127	1,300	25.8	(16.3 - 35.3)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	171	600	15.1	(9.3 - 20.9)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	227	500	10.2	(5.6 - 14.8)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	637	5,100	20.0	(15.2 - 24.9)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	291	3,500	26.6	(18.3 - 34.8)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	166	1,300	19.7	(11.0 - 28.4)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	195	700	9.9	(4.3 - 15.4)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	165	1,300	23.9	(14.0 - 33.8)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	109	900	16.7	(7.6 - 25.8)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	114	600	12.1	(3.2 - 20.9)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 55b. Everyday smoking among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	20.9	(15.9 - 25.9)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	239	20.7	(13.5 - 28.0)	14,559	12.1	(10.1 - 14.1)
Female	414	21.1	(14.4 - 27.9)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	637	20.5	(15.6 - 25.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	291	27.7	(19.2 - 36.2)	15,654	16.4	(13.8 - 19.0)
Some College	166	20.1	(11.1 - 29.1)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	195	10.2	(4.4 - 16.1)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	109	16.2	(7.2 - 25.3)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	114	11.3	(3.0 - 19.6)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	20,100	74.5	(69.4 - 79.6)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	240	10,800	76.8	(68.8 - 84.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	416	9,300	71.9	(66.0 - 77.9)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	125	3,700	73.2	(63.7 - 82.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	172	3,000	75.9	(69.1 - 82.7)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	229	3,500	72.2	(65.4 - 79.0)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	640	18,900	74.6	(69.6 - 79.5)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	9,100	69.6	(60.9 - 78.2)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	169	5,000	73.5	(64.7 - 82.4)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	195	5,900	84.1	(77.8 - 90.4)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	186	5,700	73.8	(64.3 - 83.3)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	109	4,300	82.5	(73.7 - 91.2)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	115	4,300	87.3	(80.6 - 94.0)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	74.2	(69.1 - 79.4)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	240	76.9	(69.1 - 84.6)	14,577	79.4	(76.7 - 82.2)
Female	416	71.4	(64.8 - 78.0)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	640	74.1	(69.0 - 79.2)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	69.9	(61.3 - 78.5)	15,647	76.9	(73.8 - 80.0)
Some College	169	72.1	(62.5 - 81.7)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	195	83.4	(76.5 - 90.3)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	186	72.8	(62.8 - 82.7)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	109	82.9	(74.1 - 91.7)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	115	87.7	(80.8 - 94.7)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 57a. Binge drinking within the past month among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	3,700	13.9	(9.8 - 18.0)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	240	2,500	17.7	(10.7 - 24.7)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	411	1,200	9.7	(5.8 - 13.6)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	124	1,000	20.1	(11.8 - 28.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	169	400	9.7	(4.8 - 14.6)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	229	300	5.4	(1.9 - 8.9)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	634	3,700	14.6	(10.2 - 19.0)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	289	1,500	11.7	(6.5 - 16.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	195	1,100	14.9	(7.6 - 22.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	185	1,200	15.4	(6.7 - 24.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	109	800	15.3	(6.2 - 24.4)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	114	1,200	23.8	(13.9 - 33.8)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 57b. Binge drinking within the past month among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	14.4	(10.1 - 18.7)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	240	18.3	(11.2 - 25.4)	14,420	24.5	(21.0 - 27.9)
Female	411	10.1	(5.8 - 14.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	634	15.2	(10.7 - 19.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	289	12.7	(6.9 - 18.5)	15,491	17.5	(13.5 - 21.5)
Some College	166	16.7	(7.1 - 26.4)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	195	15.6	(7.7 - 23.5)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	185	15.4	(6.8 - 24.0)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 58a. Heavy drinking within the past month among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	2,000	7.3	(4.1 - 10.6)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	239	1,000	7.4	(2.2 - 12.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	414	900	7.2	(3.5 - 11.0)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	171	200	5.5	(2.0 - 9.1)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	229	300	5.9	(2.7 - 9.1)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	636	1,700	6.9	(3.7 - 10.1)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	290	1,100	8.1	(3.2 - 12.9)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	193	500	6.9	(2.2 - 11.6)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	186	1,000	13.2	(4.1 - 22.4)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 58b. Heavy drinking within the past month among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	7.5	(4.1 - 10.9)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	239	7.9	(2.6 - 13.1)	14,330	4.9	(3.9 - 5.9)
Female	414	7.1	(3.0 - 11.2)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	636	7.0	(3.7 - 10.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	290	8.8	(3.4 - 14.2)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	193	7.2	(1.9 - 12.4)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	186	13.4	(4.2 - 22.6)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	15,800	64.4	(58.3 - 70.4)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	224	8,400	67.4	(57.6 - 77.1)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	389	7,400	61.3	(54.1 - 68.4)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	118	3,200	67.5	(58.1 - 76.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	164	2,800	73.5	(66.3 - 80.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	213	3,800	82.0	(76.3 - 87.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	600	15,100	65.4	(59.4 - 71.3)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	273	7,900	66.7	(57.0 - 76.4)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	182	4,600	71.0	(62.4 - 79.7)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	63.6	(57.5 - 69.7)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	224	68.3	(59.0 - 77.6)	13,299	67.9	(64.0 - 71.9)
Female	389	58.7	(50.8 - 66.7)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	600	64.5	(58.4 - 70.5)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	273	66.5	(56.8 - 76.2)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	182	70.1	(60.8 - 79.5)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	398	14,700	81.7	(75.6 - 87.8)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	145	8,600	91.2	(83.9 - 98.6)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	253	6,100	71.3	(62.2 - 80.3)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	76	2,200	77.2	(67.3 - 87.2)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	107	2,200	90.7	(84.3 - 97.0)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	116	2,500	98.6	(96.6 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	391	14,400	85.5	(81.1 - 89.9)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	168	7,500	86.2	(77.6 - 94.8)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	72	2,500	82.7	(72.8 - 92.7)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	398	80.2	(73.8 - 86.7)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	145	91.1	(84.2 - 98.1)	9,034	81.1	(77.4 - 84.8)
Female	253	68.7	(58.8 - 78.6)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	391	84.1	(79.2 - 88.9)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	168	85.8	(77.2 - 94.3)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	22,800	86.4	(82.2 - 90.6)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	233	11,700	84.3	(77.2 - 91.5)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	394	11,000	88.7	(84.8 - 92.6)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	*	*	*	*	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	76	4,200	89.6	(81.6 - 97.7)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	123	4,500	90.6	(84.5 - 96.6)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	165	3,200	83.2	(76.5 - 90.0)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	212	3,600	78.0	(71.7 - 84.3)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	611	21,200	86.1	(81.7 - 90.5)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	271	9,800	78.0	(69.9 - 86.0)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	163	6,100	91.5	(86.4 - 96.6)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	192	6,800	96.4	(94.0 - 98.7)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	183	6,500	85.6	(79.5 - 91.6)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	106	4,400	86.7	(77.2 - 96.3)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	113	4,600	96.2	(91.6 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	86.7	(82.5 - 90.9)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	233	84.1	(77.2 - 91.0)	13,893	89.1	(86.9 - 91.3)
Female	394	89.6	(85.5 - 93.8)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	611	86.4	(82.1 - 90.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	271	77.8	(69.7 - 85.9)	14,507	84.6	(81.8 - 87.4)
Some College	163	91.9	(86.7 - 97.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	192	96.6	(94.2 - 98.9)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	183	85.9	(79.5 - 92.2)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	106	86.7	(76.8 - 96.5)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	113	95.8	(90.5 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 62a. Overweight among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	8,700	33.3	(27.7 - 38.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	241	5,200	37.4	(28.4 - 46.4)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	400	3,500	28.5	(22.6 - 34.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	123	1,600	32.6	(23.0 - 42.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	166	1,400	37.3	(29.1 - 45.6)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	227	1,800	36.0	(28.8 - 43.2)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	625	8,500	34.2	(28.5 - 39.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	4,200	33.4	(24.5 - 42.3)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	165	1,900	29.3	(19.3 - 39.3)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	190	2,600	37.5	(28.0 - 46.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	182	2,300	31.4	(21.4 - 41.3)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 62b. Overweight among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	33.0	(27.4 - 38.6)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	241	37.3	(28.6 - 46.1)	14,502	43.9	(40.1 - 47.6)
Female	400	28.0	(21.5 - 34.5)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	625	34.0	(28.3 - 39.7)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	33.1	(24.2 - 42.0)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	*	*	*	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 63a. Obesity among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	9,700	37.0	(31.2 - 42.8)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	241	5,500	39.6	(30.4 - 48.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	400	4,200	34.1	(27.4 - 40.8)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	123	1,700	34.3	(24.5 - 44.2)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	166	1,400	37.2	(29.0 - 45.3)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	227	1,500	30.1	(23.4 - 36.8)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	625	9,100	36.6	(30.9 - 42.3)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	285	4,500	36.0	(27.1 - 45.0)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	190	2,000	28.5	(19.1 - 37.9)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 63b. Obesity among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	37.5	(31.6 - 43.4)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	241	40.5	(31.6 - 49.5)	14,502	21.5	(19.0 - 24.0)
Female	400	34.1	(26.7 - 41.5)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	625	37.3	(31.4 - 43.1)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	285	37.1	(28.0 - 46.2)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	190	27.8	(18.2 - 37.4)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 64a. Overweight or obesity among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	18,500	70.3	(64.6 - 76.0)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	241	10,800	77.0	(68.2 - 85.8)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	400	7,700	62.6	(55.7 - 69.6)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	75	3,500	76.2	(66.5 - 85.9)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	123	3,300	67.0	(57.0 - 76.9)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	166	2,900	74.5	(67.5 - 81.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	227	3,200	66.1	(59.3 - 72.8)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	625	17,500	70.8	(65.2 - 76.4)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	8,800	69.5	(59.9 - 79.0)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	165	5,000	75.7	(67.9 - 83.5)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	190	4,600	65.9	(56.1 - 75.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	114	3,500	71.7	(62.2 - 81.3)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 64b. Overweight or obesity among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	70.5	(64.8 - 76.2)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	241	77.9	(69.6 - 86.1)	14,502	65.4	(61.3 - 69.4)
Female	400	62.1	(54.4 - 69.8)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	625	71.2	(65.7 - 76.8)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	70.2	(60.7 - 79.7)	15,079	64.6	(59.9 - 69.3)
Some College	165	75.3	(67.0 - 83.6)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	*	*	*	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	114	70.8	(60.9 - 80.7)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 65a. Received advice about weight by a health professional among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	7,400	28.1	(23.1 - 33.1)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	240	3,600	25.5	(18.2 - 32.8)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	399	3,800	31.1	(24.7 - 37.5)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	*	*	*	*	7,490	910,900	33.5	(29.0 - 38.1)
55-64	164	1,500	39.2	(30.8 - 47.5)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	227	1,100	23.4	(17.5 - 29.3)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	623	7,100	28.7	(23.7 - 33.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	2,900	23.3	(16.6 - 30.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	190	2,000	28.3	(19.1 - 37.5)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	166	1,400	25.8	(16.0 - 35.6)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	114	900	19.1	(11.9 - 26.3)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 65b. Received advice about weight by a health professional among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	27.9	(22.8 - 33.0)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	240	25.3	(18.2 - 32.5)	14,499	23.4	(20.5 - 26.3)
Female	399	30.8	(23.8 - 37.9)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	623	28.5	(23.4 - 33.6)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	23.8	(16.7 - 30.9)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	190	26.9	(17.7 - 36.1)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	114	17.6	(10.6 - 24.6)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	193	6,500	88.6	(82.4 - 94.9)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	74	3,200	91.0	(83.9 - 98.0)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	119	3,300	86.4	(76.5 - 96.4)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	59	1,400	92.1	(85.3 - 98.9)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	190	6,500	91.9	(87.9 - 95.8)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	76	2,700	92.0	(85.4 - 98.6)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	193	88.7	(82.0 - 95.4)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	74	91.1	(84.2 - 98.0)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	190	92.3	(88.3 - 96.2)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	76	93.1	(86.9 - 99.3)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 67a. No leisure-time physical activity among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	6,700	24.7	(19.6 - 29.7)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	242	3,400	23.8	(15.7 - 32.0)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	418	3,300	25.5	(19.7 - 31.4)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	127	800	15.8	(8.4 - 23.1)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	172	1,000	24.9	(17.8 - 32.0)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	231	1,600	33.1	(26.4 - 39.8)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	6,300	24.7	(19.5 - 29.8)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	4,300	32.4	(23.8 - 41.0)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	170	1,800	25.8	(15.8 - 35.8)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	196	700	9.7	(5.3 - 14.1)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	187	1,900	24.8	(16.1 - 33.6)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	115	600	12.8	(4.4 - 21.3)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 67b. No leisure-time physical activity among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	24.3	(19.2 - 29.4)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	242	23.5	(15.8 - 31.3)	14,602	20.9	(17.8 - 23.9)
Female	418	25.1	(18.7 - 31.6)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	643	24.1	(19.0 - 29.2)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	32.8	(24.1 - 41.4)	15,683	32.3	(28.3 - 36.4)
Some College	170	25.2	(15.2 - 35.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	196	9.2	(4.7 - 13.7)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	187	25.0	(15.8 - 34.2)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	115	12.2	(4.1 - 20.3)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	7,900	29.0	(23.4 - 34.6)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	241	3,800	26.6	(17.8 - 35.5)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	418	4,100	31.6	(25.0 - 38.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	77	1,000	21.6	(12.1 - 31.1)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	127	1,600	32.3	(22.9 - 41.7)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	172	900	23.2	(16.1 - 30.2)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	230	1,500	30.4	(23.8 - 36.9)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	642	6,700	26.2	(21.1 - 31.4)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	292	3,200	24.4	(15.9 - 32.9)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	170	1,800	26.1	(16.7 - 35.5)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	*	*	*	*	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	115	1,400	29.3	(19.9 - 38.7)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	28.2	(22.7 - 33.8)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	241	25.6	(17.3 - 33.9)	14,634	22.7	(19.6 - 25.9)
Female	418	31.1	(23.9 - 38.4)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	642	25.4	(20.3 - 30.4)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	292	23.6	(15.3 - 31.8)	15,726	23.3	(19.3 - 27.3)
Some College	170	25.4	(16.0 - 34.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	*	*	*	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	115	29.2	(19.5 - 38.9)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 69a. Had a fall within the past 3 months among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	523	2,300	16.6	(12.9 - 20.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	190	1,000	15.4	(9.7 - 21.1)	10,966	489,400	14.4	(11.9 - 16.8)
Female	333	1,300	17.7	(13.0 - 22.4)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	127	800	15.1	(8.2 - 21.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	166	600	16.4	(10.2 - 22.6)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	230	900	18.3	(12.7 - 24.0)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	513	2,300	16.8	(13.1 - 20.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	237	1,100	17.0	(11.2 - 22.7)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	128	400	12.5	(6.2 - 18.8)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	158	800	19.2	(12.4 - 26.0)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	140	700	22.0	(13.2 - 30.8)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	154	600	15.5	(8.5 - 22.5)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	82	400	14.4	(6.5 - 22.4)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	89	400	12.2	(5.5 - 18.8)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 69b. Had a fall within the past 3 months among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	523	16.6	(12.8 - 20.4)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	190	15.6	(9.9 - 21.4)	10,966	15.0	(12.1 - 17.8)
Female	333	17.7	(12.9 - 22.5)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	513	16.9	(13.0 - 20.7)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	237	17.3	(11.3 - 23.4)	12,417	17.4	(13.0 - 21.7)
Some College	128	12.4	(6.0 - 18.8)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	158	18.9	(12.0 - 25.7)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	140	22.5	(13.2 - 31.8)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	154	15.3	(8.3 - 22.4)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	82	14.7	(6.4 - 23.0)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	89	11.4	(5.0 - 17.8)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Seneca County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Seneca County and New York State

	Seneca County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	523	500	3.9	(2.1 - 5.6)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	333	300	4.3	(2.0 - 6.5)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	513	500	3.7	(2.0 - 5.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	158	300	6.8	(2.5 - 11.2)	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Seneca County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Seneca County and New York State - Age-Adjusted²

	Seneca County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	523	3.9	(2.1 - 5.7)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	333	4.3	(2.0 - 6.6)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	513	3.8	(1.9 - 5.6)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	158	7.0	(2.4 - 11.6)	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)