

New York State Expanded Behavioral Risk Factor Surveillance System

Steuben County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Steuben County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Steuben County and New York State	14
Table 2b. Fair or poor general health among adults in Steuben County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Steuben County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Steuben County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Steuben County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Steuben County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Steuben County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Steuben County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Steuben County and New York State	22
Table 6b. Health insurance among adults in Steuben County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Steuben County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Steuben County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Steuben County and New York State	26
Table 8b. No health insurance among adults in Steuben County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Steuben County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Steuben County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Steuben County and New York State	30
Table 10b. Adults with regular health care provider in Steuben County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Steuben County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Steuben County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Steuben County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Steuben County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Steuben County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Steuben County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Steuben County and New York State	38
Table 14b. Dentist visit within the past year among adults in Steuben County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Steuben County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Steuben County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Steuben County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Steuben County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Steuben County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Steuben County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Steuben County and New York State	46
Table 18b. Flu shot within the past 12 months in Steuben County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Steuben County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Steuben County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Steuben County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Steuben County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Steuben County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Steuben County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Steuben County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Steuben County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Steuben County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Steuben County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Steuben County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Steuben County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Steuben County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Steuben County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Steuben County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Steuben County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Steuben County and New York State	64
Table 27b. Ever had a Pap test among women in Steuben County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Steuben County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Steuben County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Steuben County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Steuben County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Steuben County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Steuben County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Steuben County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Steuben County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Steuben County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Steuben County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Steuben County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Steuben County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Steuben County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Steuben County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Steuben County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Steuben County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Steuben County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Steuben County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Steuben County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Steuben County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Steuben County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Steuben County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Steuben County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Steuben County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Steuben County and New York State	90
Table 40b. High blood pressure among adults in Steuben County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Steuben County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Steuben County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Steuben County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Steuben County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Steuben County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Steuben County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Steuben County and New York State	98
Table 44b. Cardiovascular disease among adults in Steuben County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Steuben County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Steuben County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Steuben County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Steuben County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Steuben County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Steuben County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Steuben County and New York State	106
Table 48b. Current asthma among adults in Steuben County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Steuben County and New York State	108
Table 49b. Chronic joint symptoms among adults in Steuben County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Steuben County and New York State	110
Table 50b. Arthritis among adults in Steuben County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Steuben County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Steuben County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Steuben County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Steuben County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Steuben County and New York State	116
Table 53b. Disability among adults in Steuben County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Steuben County and New York State	118
Table 54b. Current smoking among adults in Steuben County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Steuben County and New York State	120
Table 55b. Everyday smoking among adults in Steuben County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Steuben County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Steuben County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Steuben County and New York State	124
Table 57b. Binge drinking within the past month among adults in Steuben County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Steuben County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Steuben County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Steuben County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Steuben County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Steuben County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Steuben County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Steuben County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Steuben County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Steuben County and New York State	134
Table 62b. Overweight among adults in Steuben County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Steuben County and New York State	136
Table 63b. Obesity among adults in Steuben County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Steuben County and New York State	138
Table 64b. Overweight or obesity among adults in Steuben County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Steuben County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Steuben County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Steuben County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Steuben County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Steuben County and New York State	144
Table 67b. No leisure-time physical activity among adults in Steuben County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Steuben County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Steuben County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Steuben County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Steuben County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Steuben County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Steuben County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 1. Steuben County and New York State adult US Census Bureau population estimates,¹ 2007

	Steuben County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	75,073	100	14,884,315	100
Gender				
Male	36,475	48.6	7,103,791	47.7
Female	38,598	51.4	7,780,524	52.3
Age (years)				
18-34	20,976	27.9	4,497,479	30.2
35-44	12,614	16.8	2,844,115	19.1
45-54	14,802	19.7	2,854,316	19.2
55-64	11,783	15.7	2,142,000	14.4
≥ 65	14,898	19.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	72,129	96.1	9,343,884	62.8
Black Non-Hispanic	1,114	1.5	2,156,941	14.5
Hispanic	757	1.0	2,258,717	15.2
Other Non-Hispanic	1,073	1.4	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 2a. Fair or poor general health among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	13,200	17.6	(13.9 - 21.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	256	6,300	17.3	(11.7 - 23.0)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	402	6,900	17.8	(13.2 - 22.5)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	123	2,200	14.9	(7.2 - 22.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	165	2,400	20.7	(13.8 - 27.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	216	4,600	30.8	(24.1 - 37.4)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	635	12,600	17.5	(13.9 - 21.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	283	7,500	23.9	(17.6 - 30.2)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	187	3,500	16.0	(9.2 - 22.8)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	187	2,200	10.1	(4.9 - 15.2)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	183	6,100	36.0	(27.0 - 44.9)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	193	2,600	12.0	(6.6 - 17.4)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	97	1,700	13.6	(3.9 - 23.4)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 2b. Fair or poor general health among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	16.7	(12.9 - 20.6)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	256	16.5	(10.6 - 22.4)	14,599	15.3	(12.6 - 18.0)
Female	402	17.0	(12.0 - 21.9)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	635	16.8	(12.8 - 20.7)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	283	22.9	(16.2 - 29.6)	15,682	25.8	(22.1 - 29.5)
Some College	187	15.3	(7.9 - 22.8)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	187	9.2	(4.4 - 14.1)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	183	34.5	(24.7 - 44.2)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	193	11.1	(5.6 - 16.6)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	9,500	13.0	(9.4 - 16.6)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	247	3,500	10.0	(5.0 - 15.0)	14,325	604,200	8.7	(7.0 - 10.5)
Female	391	6,000	15.9	(10.7 - 21.0)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	71	3,000	14.5	(4.9 - 24.0)	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	122	1,200	8.1	(2.9 - 13.3)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	162	1,000	8.6	(4.7 - 12.5)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	204	2,400	17.3	(11.7 - 22.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	616	9,000	12.9	(9.2 - 16.6)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	267	6,300	21.1	(14.1 - 28.2)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	185	1,700	7.8	(2.4 - 13.2)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	185	1,500	7.1	(3.3 - 11.0)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	173	4,300	26.6	(17.9 - 35.3)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	189	2,000	9.5	(4.6 - 14.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	13.5	(9.5 - 17.5)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	247	10.4	(4.8 - 16.1)	14,325	8.7	(6.9 - 10.5)
Female	391	16.3	(10.6 - 22.0)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	616	13.4	(9.2 - 17.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	267	22.2	(14.3 - 30.0)	15,178	12.7	(10.2 - 15.1)
Some College	185	7.9	(1.6 - 14.2)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	185	7.3	(3.1 - 11.5)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	189	9.4	(4.2 - 14.5)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	8,900	11.9	(8.4 - 15.4)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	254	4,200	11.7	(6.1 - 17.2)	14,407	555,200	7.9	(6.3 - 9.6)
Female	396	4,600	12.2	(7.9 - 16.5)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	80	1,500	12.1	(4.4 - 19.8)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	123	1,900	12.8	(6.4 - 19.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	165	1,000	8.1	(3.9 - 12.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	627	8,700	12.2	(8.6 - 15.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	279	4,800	15.3	(9.1 - 21.4)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	185	2,600	12.3	(5.7 - 19.0)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	185	1,500	6.8	(2.4 - 11.2)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	180	3,200	19.2	(11.9 - 26.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	193	2,700	12.5	(5.4 - 19.5)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	12.6	(8.7 - 16.4)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	254	12.3	(6.3 - 18.4)	14,407	7.9	(6.3 - 9.6)
Female	396	12.8	(8.0 - 17.6)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	627	12.9	(8.9 - 16.9)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	279	16.5	(9.7 - 23.4)	15,335	12.3	(10.0 - 14.6)
Some College	185	12.4	(5.2 - 19.6)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	185	7.1	(2.2 - 11.9)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	180	20.7	(12.6 - 28.8)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	193	13.5	(5.7 - 21.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	15,100	20.9	(16.5 - 25.2)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	247	6,700	19.1	(12.6 - 25.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	389	8,400	22.5	(16.8 - 28.3)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	123	2,800	18.8	(11.2 - 26.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	163	1,700	14.2	(8.9 - 19.6)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	202	2,600	19.0	(13.1 - 24.8)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	614	14,700	21.0	(16.6 - 25.5)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	267	8,700	29.0	(21.3 - 36.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	184	4,100	19.5	(11.3 - 27.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	184	2,400	11.0	(5.8 - 16.2)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	174	5,800	36.2	(26.9 - 45.6)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	189	4,100	19.5	(11.6 - 27.4)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	21.6	(16.8 - 26.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	247	20.1	(12.9 - 27.3)	14,231	13.6	(11.4 - 15.8)
Female	389	23.0	(16.6 - 29.4)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	614	21.8	(16.8 - 26.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	267	30.4	(22.0 - 38.9)	15,018	20.1	(17.1 - 23.1)
Some College	184	19.9	(10.9 - 28.9)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	184	11.2	(5.5 - 16.8)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	189	20.6	(11.9 - 29.3)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 6a. Health insurance among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	64,300	85.7	(82.0 - 89.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	255	30,200	83.0	(76.9 - 89.2)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	402	34,000	88.2	(83.9 - 92.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	73	17,000	80.9	(71.3 - 90.5)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	123	12,900	86.9	(79.6 - 94.1)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	165	11,000	93.5	(89.4 - 97.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	215	14,400	97.3	(95.1 - 99.4)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	634	61,900	85.9	(82.1 - 89.7)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	25,500	81.1	(74.8 - 87.5)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	187	18,600	85.0	(77.4 - 92.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	187	20,000	93.0	(88.6 - 97.4)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	183	13,600	80.5	(73.2 - 87.8)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	193	17,600	82.5	(75.0 - 90.0)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	97	12,000	97.4	(93.2 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	118	16,000	90.8	(83.0 - 98.5)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 6b. Health insurance among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	84.2	(80.0 - 88.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	255	82.1	(75.5 - 88.8)	14,597	83.6	(79.7 - 87.5)
Female	402	86.1	(81.0 - 91.2)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	634	84.5	(80.2 - 88.7)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	79.6	(72.5 - 86.6)	15,673	80.1	(75.4 - 84.7)
Some College	187	83.5	(75.1 - 91.9)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	187	91.6	(86.3 - 96.8)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	183	77.8	(69.2 - 86.5)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	193	80.5	(72.1 - 89.0)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	97	97.0	(92.0 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	118	90.0	(81.7 - 98.4)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 7a. Health insurance among adults aged 18-64¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	49,400	82.9	(78.3 - 87.5)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	176	23,700	80.3	(72.9 - 87.7)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	259	25,800	85.4	(80.1 - 90.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	73	17,000	80.9	(71.3 - 90.5)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	123	12,900	86.9	(79.6 - 94.1)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	158	10,600	94.3	(90.5 - 98.0)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	414	47,200	83.1	(78.4 - 87.8)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	163	18,000	75.8	(67.6 - 84.1)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	131	15,100	83.6	(74.7 - 92.5)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	141	16,300	91.6	(86.3 - 96.8)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	102	9,100	75.7	(65.8 - 85.6)	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	122	12,600	77.7	(68.0 - 87.3)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	73	10,000	96.9	(91.9 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	105	14,800	90.1	(81.8 - 98.4)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 7b. Health insurance among adults aged 18-64¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	81.6	(76.6 - 86.6)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	176	79.4	(71.4 - 87.3)	10,078	80.5	(75.9 - 85.1)
Female	259	83.6	(77.5 - 89.7)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	414	81.8	(76.7 - 86.9)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	163	74.8	(66.0 - 83.6)	9,037	75.1	(69.3 - 80.9)
Some College	131	82.1	(72.5 - 91.8)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	141	90.1	(83.9 - 96.3)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	73	96.5	(90.7 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	105	89.3	(80.5 - 98.2)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 8a. No health insurance among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	10,700	14.3	(10.6 - 18.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	255	6,200	17.0	(10.8 - 23.1)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	402	4,600	11.8	(7.5 - 16.1)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	73	4,000	19.1	(9.5 - 28.7)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	123	1,900	13.1	(5.9 - 20.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	165	800	6.5	(2.4 - 10.6)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	634	10,200	14.1	(10.3 - 17.9)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	5,900	18.9	(12.5 - 25.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	187	3,300	15.0	(7.5 - 22.6)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	187	1,500	7.0	(2.6 - 11.4)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	183	3,300	19.5	(12.2 - 26.8)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	193	3,700	17.5	(10.0 - 25.0)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFS Report: July 2008 - June 2009
Steuben County

Table 8b. No health insurance among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	15.8	(11.6 - 20.0)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	255	17.9	(11.2 - 24.5)	14,597	16.4	(12.5 - 20.3)
Female	402	13.9	(8.8 - 19.0)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	634	15.5	(11.3 - 19.8)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	20.4	(13.4 - 27.5)	15,673	19.9	(15.3 - 24.6)
Some College	187	16.5	(8.1 - 24.9)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	187	8.4	(3.2 - 13.7)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	183	22.2	(13.5 - 30.8)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	193	19.5	(11.0 - 27.9)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 9a. No health insurance among adults aged 18-64¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	10,200	17.1	(12.5 - 21.7)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	176	5,800	19.7	(12.3 - 27.1)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	259	4,400	14.6	(9.2 - 19.9)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	73	4,000	19.1	(9.5 - 28.7)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	123	1,900	13.1	(5.9 - 20.4)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	158	600	5.7	(2.0 - 9.5)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	414	9,600	16.9	(12.2 - 21.6)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	163	5,700	24.2	(15.9 - 32.4)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	131	3,000	16.4	(7.5 - 25.3)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	141	1,500	8.4	(3.2 - 13.7)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	102	2,900	24.3	(14.4 - 34.2)	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	122	3,600	22.3	(12.7 - 32.0)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 9b. No health insurance among adults aged 18-64¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	18.4	(13.4 - 23.4)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	176	20.6	(12.7 - 28.6)	10,078	19.5	(14.9 - 24.1)
Female	259	16.4	(10.3 - 22.5)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	414	18.2	(13.1 - 23.3)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	163	25.2	(16.4 - 34.0)	9,037	24.9	(19.1 - 30.7)
Some College	131	17.9	(8.2 - 27.5)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	141	9.9	(3.7 - 16.1)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 10a. Adults with regular health care provider¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	65,100	86.8	(83.2 - 90.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	256	30,300	83.0	(77.3 - 88.7)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	401	34,900	90.5	(85.7 - 95.2)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	81	10,400	82.6	(73.6 - 91.7)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	123	12,700	85.7	(78.5 - 92.8)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	165	11,300	95.9	(92.7 - 99.1)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	215	14,100	95.2	(91.9 - 98.4)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	634	62,700	87.0	(83.2 - 90.7)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	28,100	89.1	(84.1 - 94.1)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	187	19,000	87.2	(80.8 - 93.5)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	187	18,000	83.7	(75.6 - 91.8)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	183	15,300	90.6	(85.5 - 95.7)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	193	18,100	84.8	(77.9 - 91.6)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	97	11,300	92.4	(84.9 - 99.9)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	118	14,800	83.9	(74.4 - 93.3)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 10b. Adults with regular health care provider¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	85.8	(81.8 - 89.9)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	256	81.9	(75.7 - 88.1)	14,593	78.1	(73.9 - 82.3)
Female	401	89.6	(84.2 - 94.9)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	634	86.0	(81.8 - 90.1)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	88.1	(82.5 - 93.6)	15,692	75.8	(71.0 - 80.6)
Some College	187	87.0	(80.2 - 93.8)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	187	81.9	(72.9 - 90.9)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	183	90.0	(84.4 - 95.7)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	193	83.8	(76.4 - 91.3)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	97	91.3	(82.9 - 99.7)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	*	*	*	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	10,000	13.5	(10.0 - 16.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	256	4,000	11.0	(6.2 - 15.8)	14,607	903,300	12.7	(9.5 - 16.0)
Female	401	6,000	15.8	(11.0 - 20.6)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	72	3,900	19.1	(10.0 - 28.2)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	81	2,700	21.7	(11.9 - 31.5)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	123	2,200	14.7	(7.5 - 21.8)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	165	800	6.5	(2.3 - 10.7)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	634	9,600	13.4	(9.9 - 16.9)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	283	4,100	12.9	(7.7 - 18.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	186	4,200	19.7	(11.9 - 27.4)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	187	1,800	8.3	(3.6 - 12.9)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	183	3,900	22.9	(15.0 - 30.7)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	193	3,500	16.2	(9.0 - 23.4)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	14.7	(10.9 - 18.5)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	256	11.7	(6.4 - 17.0)	14,607	12.5	(9.4 - 15.6)
Female	401	17.6	(12.1 - 23.1)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	634	14.7	(10.7 - 18.6)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	283	13.6	(8.0 - 19.3)	15,696	17.8	(13.8 - 21.7)
Some College	186	21.4	(12.9 - 30.0)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	187	9.5	(4.1 - 14.9)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	183	24.7	(15.9 - 33.5)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	193	17.9	(9.8 - 25.9)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	49,400	66.3	(61.3 - 71.3)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	254	21,400	59.0	(51.2 - 66.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	399	28,000	73.3	(67.2 - 79.4)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	123	10,000	67.4	(57.8 - 76.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	164	9,400	80.2	(73.8 - 86.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	213	12,600	85.6	(79.9 - 91.2)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	630	47,700	66.7	(61.7 - 71.8)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	20,200	64.8	(56.7 - 73.0)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	186	13,400	61.4	(52.0 - 70.8)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	186	15,800	73.5	(65.6 - 81.4)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	183	12,000	71.0	(61.8 - 80.2)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	192	13,000	61.0	(51.9 - 70.1)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	64.5	(59.1 - 69.9)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	254	57.0	(48.8 - 65.3)	14,592	67.1	(63.3 - 70.9)
Female	399	71.6	(64.9 - 78.4)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	630	65.0	(59.4 - 70.5)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	62.6	(53.7 - 71.6)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	186	71.3	(62.7 - 79.9)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	192	58.1	(48.2 - 68.0)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	59,200	79.5	(75.0 - 84.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	254	27,700	76.2	(69.1 - 83.3)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	399	31,600	82.7	(77.2 - 88.2)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	123	11,900	80.6	(72.5 - 88.7)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	164	10,500	90.4	(85.7 - 95.1)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	213	13,800	93.3	(89.4 - 97.3)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	630	56,600	79.1	(74.5 - 83.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	23,600	75.9	(68.0 - 83.7)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	186	18,000	82.6	(75.6 - 89.6)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	186	17,600	81.7	(74.4 - 89.1)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	183	14,900	88.3	(82.9 - 93.8)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	192	15,700	74.0	(65.4 - 82.5)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	118	14,500	81.8	(72.8 - 90.8)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	78.2	(73.3 - 83.1)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	254	74.5	(66.8 - 82.2)	14,592	81.9	(78.4 - 85.3)
Female	399	81.7	(75.6 - 87.8)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	630	77.8	(72.7 - 82.8)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	74.4	(65.7 - 83.2)	15,640	84.6	(81.1 - 88.1)
Some College	186	82.3	(74.8 - 89.7)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	186	79.3	(71.1 - 87.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	183	88.4	(82.6 - 94.3)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	192	71.6	(62.0 - 81.1)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	118	80.6	(70.9 - 90.2)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 14a. Dentist visit within the past year among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	50,500	67.3	(62.5 - 72.1)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	256	24,400	67.0	(59.8 - 74.2)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	402	26,100	67.6	(61.3 - 73.9)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	123	10,700	72.4	(63.0 - 81.8)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	165	8,800	74.7	(67.5 - 82.0)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	216	9,700	64.9	(58.0 - 71.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	635	48,600	67.4	(62.5 - 72.2)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	18,600	58.8	(51.2 - 66.5)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	187	14,600	66.9	(58.0 - 75.9)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	187	17,200	79.9	(71.9 - 88.0)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	183	7,900	46.5	(37.3 - 55.8)	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	193	14,300	67.0	(59.1 - 74.9)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	*	*	*	*	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 14b. Dentist visit within the past year among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	66.8	(61.6 - 72.0)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	256	66.5	(58.7 - 74.2)	14,573	68.3	(64.6 - 72.1)
Female	402	67.1	(60.1 - 74.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	635	66.8	(61.5 - 72.1)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	59.3	(51.0 - 67.7)	15,613	65.3	(60.9 - 69.6)
Some College	187	65.4	(55.6 - 75.1)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	187	78.9	(70.2 - 87.7)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	193	66.8	(58.3 - 75.3)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 15a. Had teeth cleaned within the past year among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	575	47,000	68.0	(62.9 - 73.1)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	225	22,200	65.8	(57.9 - 73.7)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	350	24,800	70.1	(63.7 - 76.5)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	*	*	*	*	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	148	8,400	80.2	(73.4 - 87.0)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	161	8,200	72.6	(65.1 - 80.0)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	552	45,200	68.3	(63.1 - 73.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	220	15,500	57.7	(48.9 - 66.6)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	173	14,000	66.9	(57.6 - 76.1)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	181	17,300	82.0	(75.1 - 88.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	167	12,500	64.6	(55.5 - 73.8)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	118	14,700	83.1	(74.2 - 91.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 15b. Had teeth cleaned within the past year among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	575	66.8	(61.3 - 72.3)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	225	64.7	(56.2 - 73.2)	13,173	69.2	(65.3 - 73.1)
Female	350	68.8	(61.7 - 75.9)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	552	67.0	(61.3 - 72.6)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	220	56.5	(46.9 - 66.0)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	181	81.4	(74.2 - 88.7)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	118	83.0	(74.0 - 92.0)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	42,100	56.6	(51.5 - 61.6)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	253	19,600	54.2	(46.4 - 61.9)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	393	22,400	58.8	(52.2 - 65.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	123	9,100	61.5	(51.8 - 71.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	163	8,700	75.4	(68.1 - 82.8)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	207	12,100	84.1	(78.6 - 89.6)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	623	39,900	55.9	(50.7 - 61.1)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	278	21,500	68.8	(60.4 - 77.1)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	183	11,600	53.6	(44.1 - 63.2)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	184	9,000	42.0	(33.7 - 50.4)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	178	13,400	80.6	(73.0 - 88.2)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	190	12,700	60.3	(51.0 - 69.6)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	53.6	(48.1 - 59.0)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	253	51.9	(43.7 - 60.1)	14,457	47.9	(44.1 - 51.7)
Female	393	55.2	(48.0 - 62.4)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	623	52.9	(47.3 - 58.5)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	278	66.4	(57.2 - 75.6)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	184	38.5	(30.0 - 47.0)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	178	80.1	(71.7 - 88.4)	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	207	3,400	23.5	(17.4 - 29.7)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	73	1,500	24.2	(14.4 - 33.9)	4,352	167,200	16.4	(11.8 - 20.9)
Female	134	1,800	23.0	(15.2 - 30.8)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	207	3,400	23.5	(17.4 - 29.7)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	205	3,400	23.8	(17.6 - 30.0)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	114	2,700	36.1	(26.5 - 45.7)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	207	23.6	(17.4 - 29.8)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	73	24.2	(14.5 - 34.0)	4,352	16.5	(11.5 - 21.4)
Female	134	23.0	(15.2 - 30.8)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	205	23.9	(17.6 - 30.2)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	114	36.6	(26.8 - 46.4)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 18a. Flu shot within the past 12 months¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	31,600	42.3	(37.6 - 47.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	254	14,300	39.4	(32.3 - 46.5)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	401	17,300	45.0	(38.8 - 51.1)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	208	10,300	25.7	(19.0 - 32.4)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	234	9,900	48.9	(41.3 - 56.4)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	213	11,400	78.2	(72.2 - 84.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	633	31,000	43.1	(38.3 - 47.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	12,800	40.9	(33.6 - 48.1)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	186	8,700	40.1	(31.2 - 49.0)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	187	9,900	46.2	(37.6 - 54.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	182	7,700	46.2	(36.9 - 55.6)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	193	8,200	38.4	(30.4 - 46.4)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 18b. Flu shot within the past 12 months¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	39.4	(34.4 - 44.3)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	254	37.6	(30.2 - 45.1)	14,579	40.0	(36.2 - 43.8)
Female	401	41.0	(34.5 - 47.5)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	633	40.1	(35.0 - 45.1)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	37.1	(29.6 - 44.5)	15,663	43.7	(39.1 - 48.2)
Some College	186	37.9	(28.4 - 47.4)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	187	43.9	(35.0 - 52.8)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	193	35.1	(26.9 - 43.3)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	31,700	42.3	(37.6 - 47.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	254	14,300	39.4	(32.3 - 46.5)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	401	17,300	45.1	(38.9 - 51.2)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	208	10,300	25.7	(19.0 - 32.4)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	234	9,900	48.9	(41.3 - 56.4)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	213	11,500	78.4	(72.5 - 84.4)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	633	31,000	43.1	(38.3 - 47.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	12,900	41.0	(33.8 - 48.2)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	186	8,700	40.1	(31.2 - 49.0)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	187	9,900	46.2	(37.6 - 54.7)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	182	7,800	46.5	(37.1 - 55.8)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	193	8,200	38.4	(30.4 - 46.4)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	39.4	(34.5 - 44.3)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	254	37.6	(30.2 - 45.1)	14,568	40.4	(36.6 - 44.2)
Female	401	41.1	(34.6 - 47.6)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	633	40.1	(35.1 - 45.2)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	37.2	(29.7 - 44.6)	15,651	44.1	(39.6 - 48.6)
Some College	186	37.9	(28.4 - 47.4)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	187	43.9	(35.0 - 52.8)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	193	35.1	(26.9 - 43.3)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 21a. Flu shot among adults aged 65 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	213	11,400	78.2	(72.2 - 84.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	73	5,200	80.8	(71.6 - 90.1)	4,417	772,900	74.6	(69.3 - 79.8)
Female	140	6,300	76.1	(68.4 - 83.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	213	11,400	78.2	(72.2 - 84.1)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	212	11,300	78.0	(72.0 - 84.0)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	116	5,700	76.0	(67.5 - 84.5)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 21b. Flu shot among adults aged 65 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	213	78.4	(72.4 - 84.4)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	73	80.8	(71.5 - 90.1)	4,417	74.4	(68.7 - 80.1)
Female	140	76.1	(68.4 - 83.8)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	212	78.2	(72.1 - 84.3)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	116	76.1	(67.6 - 84.7)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	603	19,300	28.8	(24.5 - 33.1)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	227	9,800	30.6	(23.5 - 37.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	376	9,500	27.1	(22.2 - 32.0)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	180	3,600	10.4	(4.5 - 16.3)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	216	5,200	28.4	(21.7 - 35.2)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	207	10,500	73.9	(67.6 - 80.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	582	19,100	29.7	(25.3 - 34.2)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	261	8,500	30.1	(23.5 - 36.6)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	172	6,000	30.5	(21.6 - 39.4)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	170	4,800	25.1	(18.2 - 32.0)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	166	6,200	42.2	(32.6 - 51.9)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	179	6,200	32.2	(24.1 - 40.3)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	91	2,200	19.1	(11.2 - 27.0)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	105	2,900	18.6	(9.3 - 27.9)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	603	25.6	(21.2 - 30.0)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	227	28.9	(21.4 - 36.4)	13,052	25.8	(22.3 - 29.4)
Female	376	22.5	(17.9 - 27.1)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	582	26.5	(21.9 - 31.0)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	261	26.2	(19.7 - 32.7)	14,700	29.5	(25.6 - 33.5)
Some College	172	28.1	(18.5 - 37.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	170	22.0	(15.4 - 28.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	179	28.6	(20.4 - 36.9)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	91	16.4	(9.1 - 23.6)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	105	17.4	(7.8 - 27.0)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	207	10,500	73.9	(67.6 - 80.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	137	6,000	74.1	(66.3 - 81.9)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	207	10,500	73.9	(67.6 - 80.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	205	10,300	73.6	(67.1 - 80.0)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	115	5,500	72.8	(64.0 - 81.7)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	207	73.9	(67.4 - 80.4)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	137	74.1	(66.3 - 81.9)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	205	73.5	(66.9 - 80.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	115	73.0	(64.0 - 82.0)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	332	22,900	95.2	(92.4 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	332	22,900	95.2	(92.4 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	55	5,500	90.3	(81.6 - 99.1)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	137	9,500	96.7	(93.1 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	140	8,000	97.1	(94.1 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	323	22,300	95.1	(92.2 - 98.0)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	150	9,300	92.2	(86.4 - 98.1)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	92	6,500	98.9	(97.3 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	90	7,200	96.0	(91.8 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	105	5,900	93.8	(88.0 - 99.7)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	97	6,700	91.6	(84.3 - 98.8)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	332	94.4	(90.7 - 98.0)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	332	94.4	(90.7 - 98.0)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	323	94.2	(90.4 - 97.9)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	150	90.9	(83.4 - 98.4)	8,266	90.2	(86.1 - 94.2)
Some College	92	99.0	(97.7 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	90	94.6	(88.8 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	105	94.0	(87.8 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	97	88.7	(78.7 - 98.7)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	330	19,500	81.4	(76.2 - 86.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	330	19,500	81.4	(76.2 - 86.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	137	8,400	85.2	(78.6 - 91.8)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	138	7,100	87.2	(81.2 - 93.2)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	321	18,900	80.9	(75.6 - 86.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	149	7,800	78.4	(70.3 - 86.6)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	92	5,500	83.2	(73.7 - 92.7)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	89	6,300	83.8	(74.6 - 93.0)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	96	5,900	80.5	(70.9 - 90.1)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	330	79.9	(74.1 - 85.8)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	330	79.9	(74.1 - 85.8)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	321	79.3	(73.3 - 85.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	149	77.1	(68.0 - 86.2)	8,204	80.1	(75.6 - 84.7)
Some College	92	83.2	(73.4 - 93.1)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	275	15,500	86.1	(81.6 - 90.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	275	15,500	86.1	(81.6 - 90.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	137	8,400	85.2	(78.6 - 91.8)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	138	7,100	87.2	(81.2 - 93.2)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	271	15,300	86.0	(81.4 - 90.5)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	136	7,000	82.0	(74.6 - 89.4)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	77	4,300	86.9	(79.0 - 94.9)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	62	4,200	93.0	(86.6 - 99.4)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	80	4,900	88.9	(81.6 - 96.1)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	275	86.0	(81.4 - 90.6)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	275	86.0	(81.4 - 90.6)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	271	85.9	(81.2 - 90.6)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	136	81.7	(74.0 - 89.4)	7,026	83.6	(80.1 - 87.0)
Some College	77	86.5	(78.3 - 94.8)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	62	93.4	(87.4 - 99.5)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	80	88.9	(81.6 - 96.2)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 27a. Ever had a Pap test among women¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	397	36,100	94.6	(90.0 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	397	36,100	94.6	(90.0 - 99.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	77	7,300	98.4	(95.2 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	97	5,900	98.9	(96.7 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	137	7,700	95.5	(92.4 - 98.7)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	382	34,600	94.3	(89.6 - 99.1)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	170	13,300	92.3	(83.3 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	120	11,400	92.2	(83.0 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	107	11,400	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	124	9,500	96.9	(94.3 - 99.5)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	114	10,100	98.4	(96.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	62	7,900	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 27b. Ever had a Pap test among women¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	397	94.2	(89.0 - 99.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	397	94.2	(89.0 - 99.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	382	94.0	(88.6 - 99.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	107	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	124	97.5	(95.4 - 99.6)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	114	98.5	(96.2 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	62	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	390	29,700	78.3	(72.9 - 83.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	390	29,700	78.3	(72.9 - 83.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	77	6,200	84.0	(74.4 - 93.6)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	95	4,800	83.6	(75.7 - 91.6)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	133	4,100	51.3	(42.1 - 60.5)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	375	28,300	77.8	(72.2 - 83.4)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	167	9,200	64.8	(55.1 - 74.5)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	104	10,600	94.2	(89.9 - 98.5)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	122	7,500	76.8	(69.1 - 84.5)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	111	7,700	75.8	(67.0 - 84.6)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	62	7,400	94.7	(88.8 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 28b. Had a Pap test within the past 3 years among women¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	390	80.2	(74.3 - 86.0)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	390	80.2	(74.3 - 86.0)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	375	79.7	(73.7 - 85.7)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	104	94.4	(89.8 - 99.0)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	122	80.5	(73.4 - 87.7)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	111	77.4	(68.2 - 86.6)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	62	94.7	(88.6 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	213	19,000	78.7	(71.6 - 85.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	213	19,000	78.7	(71.6 - 85.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	67	5,300	92.1	(85.2 - 98.9)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	73	5,600	87.0	(78.9 - 95.1)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	206	18,300	78.8	(71.5 - 86.1)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	53	4,400	86.0	(76.2 - 95.8)	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	69	7,000	86.7	(78.0 - 95.3)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	213	75.6	(67.2 - 84.0)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	213	75.6	(67.2 - 84.0)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	206	75.7	(67.1 - 84.3)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	53	87.0	(77.6 - 96.3)	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	13,800	58.2	(50.2 - 66.2)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	208	13,800	58.2	(50.2 - 66.2)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	64	4,400	82.7	(73.5 - 91.8)	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	201	13,100	57.8	(49.6 - 65.9)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	54.6	(46.0 - 63.2)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	208	54.6	(46.0 - 63.2)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	201	54.2	(45.4 - 63.0)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	13,900	58.7	(50.6 - 66.8)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	208	13,900	58.7	(50.6 - 66.8)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	71	5,800	92.6	(87.0 - 98.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	201	13,500	59.6	(51.3 - 67.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	54.6	(45.9 - 63.3)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	208	54.6	(45.9 - 63.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	201	55.3	(46.4 - 64.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	205	12,700	54.4	(46.3 - 62.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	205	12,700	54.4	(46.3 - 62.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	70	5,300	86.1	(78.3 - 93.9)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	198	12,400	55.4	(47.2 - 63.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	205	50.3	(41.8 - 58.9)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	205	50.3	(41.8 - 58.9)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	198	51.2	(42.4 - 59.9)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 33a. Prostate cancer among men aged 40 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	212	1,400	6.0	(3.0 - 8.9)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	212	1,400	6.0	(3.0 - 8.9)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	73	1,200	18.3	(9.3 - 27.4)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	205	1,300	5.7	(2.8 - 8.5)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFS Report: July 2008 - June 2009
Steuben County

Table 33b. Prostate cancer among men aged 40 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	212	5.7	(2.9 - 8.6)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	212	5.7	(2.9 - 8.6)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	205	5.5	(2.7 - 8.4)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	443	13,300	38.5	(33.4 - 43.6)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	166	6,400	38.7	(30.5 - 46.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	277	6,900	38.3	(32.0 - 44.5)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	231	6,000	30.1	(23.6 - 36.7)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	212	7,300	49.8	(42.5 - 57.1)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	435	13,000	38.6	(33.5 - 43.7)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	204	5,600	36.7	(29.4 - 44.1)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	124	3,100	34.8	(25.6 - 43.9)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	135	3,600	40.7	(31.2 - 50.1)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	134	4,400	42.3	(33.0 - 51.7)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	443	38.0	(32.8 - 43.2)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	166	38.6	(30.4 - 46.9)	9,571	39.4	(35.3 - 43.5)
Female	277	37.4	(31.1 - 43.7)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	435	38.1	(33.0 - 43.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	204	36.1	(28.7 - 43.6)	11,146	35.1	(30.3 - 39.9)
Some College	124	34.5	(25.2 - 43.7)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	135	40.7	(31.1 - 50.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	134	41.6	(32.1 - 51.1)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	4,600	13.3	(9.8 - 16.9)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	165	2,400	14.3	(8.3 - 20.2)	9,508	444,400	16.0	(13.2 - 18.9)
Female	274	2,200	12.5	(8.4 - 16.5)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	230	2,100	10.4	(5.9 - 14.9)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	209	2,500	17.4	(11.8 - 23.0)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	431	4,400	13.2	(9.7 - 16.8)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	2,100	13.5	(8.6 - 18.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	123	1,200	13.6	(7.1 - 20.0)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	112	1,300	13.0	(5.4 - 20.5)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	134	1,400	15.9	(9.4 - 22.3)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	131	1,700	16.5	(9.9 - 23.1)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	13.3	(9.7 - 16.8)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	165	14.4	(8.4 - 20.3)	9,508	16.4	(13.2 - 19.6)
Female	274	12.2	(8.2 - 16.2)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	431	13.1	(9.5 - 16.7)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	13.5	(8.4 - 18.6)	11,026	12.7	(9.2 - 16.1)
Some College	123	13.5	(7.0 - 20.0)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	112	12.8	(5.4 - 20.3)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	134	15.9	(9.2 - 22.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	131	16.5	(9.7 - 23.3)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	6,800	19.7	(15.5 - 23.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	165	3,500	21.1	(14.3 - 27.8)	9,508	593,100	21.4	(18.3 - 24.5)
Female	274	3,300	18.4	(13.4 - 23.4)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	230	3,000	14.9	(9.8 - 20.1)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	209	3,800	26.3	(19.6 - 32.9)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	431	6,600	19.8	(15.6 - 24.0)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	203	2,900	19.3	(13.2 - 25.3)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	123	2,000	22.2	(14.3 - 30.2)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	112	1,800	18.4	(10.1 - 26.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	134	2,000	23.0	(14.8 - 31.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	131	2,400	22.9	(15.2 - 30.6)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	19.5	(15.3 - 23.7)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	165	20.9	(14.2 - 27.7)	9,508	21.7	(18.3 - 25.1)
Female	274	18.0	(13.1 - 23.0)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	431	19.5	(15.3 - 23.7)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	203	19.1	(13.0 - 25.1)	11,026	19.5	(15.4 - 23.7)
Some College	123	21.9	(13.9 - 30.0)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	112	18.2	(9.9 - 26.4)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	134	23.1	(14.8 - 31.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	131	22.5	(14.8 - 30.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	440	23,400	67.8	(62.7 - 72.9)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	163	11,300	68.8	(60.8 - 76.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	277	12,000	66.8	(60.3 - 73.3)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	161	8,300	72.0	(64.6 - 79.5)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	210	11,300	77.9	(72.0 - 83.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	432	22,500	67.0	(61.9 - 72.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	200	9,300	61.6	(53.8 - 69.4)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	124	6,200	69.2	(59.3 - 79.0)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	115	7,700	75.3	(66.0 - 84.6)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	134	5,400	61.1	(51.3 - 70.8)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	134	6,600	63.3	(54.0 - 72.7)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	60	4,300	84.7	(75.4 - 94.0)	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	440	67.3	(62.0 - 72.6)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	163	69.2	(61.2 - 77.3)	9,582	68.5	(64.5 - 72.5)
Female	277	65.5	(58.7 - 72.3)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	432	66.6	(61.2 - 71.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	200	61.3	(53.3 - 69.3)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	115	74.5	(64.8 - 84.2)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	134	63.4	(53.8 - 73.0)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	60	85.5	(76.5 - 94.6)	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	22,400	65.5	(60.3 - 70.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	162	10,800	66.5	(58.4 - 74.6)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	275	11,600	64.6	(58.0 - 71.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	160	7,800	69.1	(61.4 - 76.8)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	208	10,900	76.0	(69.9 - 82.2)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	429	21,500	64.7	(59.4 - 69.9)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	199	8,900	59.4	(51.5 - 67.3)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	115	7,500	73.6	(64.1 - 83.0)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	132	4,800	57.0	(47.1 - 67.0)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	133	6,400	61.5	(52.1 - 70.9)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	60	4,200	82.8	(72.9 - 92.6)	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	65.0	(59.6 - 70.4)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	162	66.8	(58.5 - 75.0)	9,521	66.9	(62.9 - 70.9)
Female	275	63.3	(56.4 - 70.2)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	429	64.2	(58.8 - 69.6)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	199	59.1	(51.0 - 67.2)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	115	72.5	(62.7 - 82.4)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	133	61.3	(51.6 - 71.1)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	60	83.3	(73.5 - 93.1)	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	427	23,300	69.9	(64.7 - 75.1)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	156	11,100	70.7	(62.6 - 78.8)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	271	12,200	69.2	(62.6 - 75.7)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	152	7,900	74.4	(66.9 - 81.9)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	206	11,500	80.8	(75.1 - 86.6)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	419	22,500	69.1	(63.9 - 74.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	196	9,800	66.5	(58.8 - 74.2)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	113	7,700	76.2	(66.9 - 85.6)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	129	5,500	66.4	(56.6 - 76.2)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	131	7,000	67.2	(57.8 - 76.5)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	427	69.4	(64.0 - 74.7)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	156	70.9	(62.7 - 79.1)	9,418	71.5	(67.6 - 75.4)
Female	271	67.9	(61.0 - 74.8)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	419	68.6	(63.2 - 74.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	196	66.2	(58.2 - 74.1)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	113	75.4	(65.6 - 85.2)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	131	67.0	(57.4 - 76.6)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 40a. High blood pressure among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	25,800	34.4	(29.9 - 38.8)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	256	14,400	39.4	(32.2 - 46.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	400	11,400	29.6	(24.5 - 34.7)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	123	4,800	32.2	(22.6 - 41.8)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	165	5,800	49.1	(40.7 - 57.6)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	214	10,000	67.5	(60.7 - 74.4)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	633	24,700	34.3	(29.8 - 38.7)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	10,900	34.6	(28.0 - 41.2)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	186	7,100	32.6	(23.9 - 41.3)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	187	7,600	35.4	(27.3 - 43.4)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	181	7,100	42.1	(33.0 - 51.1)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	193	7,800	36.7	(28.4 - 45.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	118	5,300	30.2	(20.5 - 39.9)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 40b. High blood pressure among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	31.3	(26.8 - 35.9)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	256	37.1	(29.6 - 44.6)	14,611	27.7	(24.7 - 30.7)
Female	400	25.8	(20.7 - 30.9)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	633	31.3	(26.7 - 36.0)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	282	31.5	(24.7 - 38.2)	15,688	32.1	(28.4 - 35.8)
Some College	186	30.4	(21.1 - 39.7)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	187	31.8	(23.8 - 39.8)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	181	38.2	(28.6 - 47.9)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	193	34.5	(25.8 - 43.3)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	118	26.7	(17.3 - 36.2)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	290	19,900	77.3	(70.2 - 84.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	168	8,900	78.7	(69.9 - 87.5)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	83	4,800	83.6	(74.7 - 92.5)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	144	9,200	92.2	(87.3 - 97.0)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	280	19,000	77.2	(69.9 - 84.4)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	100	6,100	86.3	(78.0 - 94.6)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	290	75.1	(67.0 - 83.2)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	280	74.9	(66.6 - 83.2)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 42a. Ever had blood cholesterol checked among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	61,400	82.8	(78.4 - 87.3)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	253	30,200	83.4	(77.1 - 89.6)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	396	31,200	82.3	(76.0 - 88.6)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	79	10,100	82.2	(72.3 - 92.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	123	13,200	89.0	(82.8 - 95.3)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	165	11,200	95.0	(91.5 - 98.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	211	13,900	95.3	(92.1 - 98.5)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	627	58,700	82.4	(77.8 - 87.0)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	277	23,300	75.1	(67.3 - 83.0)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	185	18,100	83.8	(76.5 - 91.1)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	186	19,900	92.9	(86.2 - 99.6)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	180	14,100	84.8	(77.1 - 92.5)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	192	16,900	79.7	(72.0 - 87.4)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	117	15,400	88.1	(78.4 - 97.7)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 42b. Ever had blood cholesterol checked among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	81.1	(76.2 - 86.1)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	253	81.9	(75.0 - 88.8)	14,389	78.0	(73.9 - 82.1)
Female	396	80.4	(73.3 - 87.5)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	627	80.7	(75.5 - 85.8)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	277	72.4	(63.7 - 81.2)	15,342	70.2	(65.2 - 75.1)
Some College	185	83.1	(75.2 - 90.9)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	186	91.6	(83.9 - 99.3)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	180	83.5	(74.7 - 92.4)	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	192	77.7	(69.1 - 86.2)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	58,400	79.2	(74.5 - 83.9)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	252	28,500	79.0	(72.1 - 85.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	392	29,900	79.5	(73.1 - 85.9)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	123	12,400	83.8	(76.5 - 91.1)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	164	10,800	92.8	(88.7 - 96.9)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	208	13,700	94.9	(91.6 - 98.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	622	55,700	78.6	(73.8 - 83.5)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	274	22,000	71.6	(63.4 - 79.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	185	17,500	80.9	(73.3 - 88.5)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	184	18,800	88.5	(81.3 - 95.8)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	177	13,100	80.8	(72.5 - 89.1)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	192	15,900	74.6	(66.2 - 83.1)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	117	14,900	85.1	(75.3 - 95.0)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	77.2	(72.0 - 82.4)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	252	77.1	(69.5 - 84.7)	14,307	74.8	(70.7 - 79.0)
Female	392	77.3	(70.2 - 84.5)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	622	76.6	(71.2 - 81.9)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	274	68.3	(59.2 - 77.4)	15,215	67.8	(62.9 - 72.8)
Some College	185	80.2	(72.1 - 88.3)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	184	86.8	(78.6 - 95.0)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	177	79.0	(69.6 - 88.5)	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	192	72.0	(62.5 - 81.5)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 44a. Cardiovascular disease among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	6,300	8.5	(6.3 - 10.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	252	3,400	9.3	(5.9 - 12.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	391	2,900	7.6	(5.0 - 10.3)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	163	1,600	13.5	(6.8 - 20.3)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	208	3,400	24.0	(17.4 - 30.5)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	620	6,000	8.5	(6.3 - 10.7)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	276	2,800	9.2	(5.8 - 12.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	185	1,200	5.7	(2.7 - 8.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	181	2,200	10.4	(5.6 - 15.2)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	175	2,600	16.4	(10.4 - 22.4)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	188	1,300	6.1	(2.9 - 9.3)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	97	900	7.3	(2.6 - 11.9)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 44b. Cardiovascular disease among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	7.4	(5.4 - 9.3)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	252	8.2	(5.1 - 11.2)	14,477	9.7	(7.8 - 11.7)
Female	391	6.6	(4.2 - 9.0)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	620	7.3	(5.3 - 9.3)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	276	7.8	(4.8 - 10.8)	15,486	10.5	(8.0 - 13.0)
Some College	185	5.0	(2.3 - 7.6)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	181	9.3	(4.9 - 13.6)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	175	14.3	(8.6 - 19.9)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	188	5.4	(2.5 - 8.4)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	97	6.5	(2.2 - 10.7)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 45a. Coronary heart disease among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	4,700	6.4	(4.5 - 8.2)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	251	2,700	7.4	(4.4 - 10.4)	14,479	598,600	8.5	(6.6 - 10.4)
Female	393	2,000	5.4	(3.2 - 7.6)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	164	1,200	10.1	(4.5 - 15.7)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	207	2,800	19.8	(13.6 - 26.0)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	621	4,600	6.4	(4.5 - 8.3)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	275	2,100	6.7	(3.8 - 9.5)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	185	900	4.2	(1.7 - 6.7)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	183	1,700	8.2	(4.1 - 12.4)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	176	2,000	12.3	(7.1 - 17.5)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	189	1,100	5.3	(2.3 - 8.3)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 45b. Coronary heart disease among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	5.5	(3.8 - 7.1)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	251	6.5	(3.8 - 9.1)	14,479	8.8	(6.9 - 10.8)
Female	393	4.6	(2.6 - 6.5)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	621	5.5	(3.8 - 7.2)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	275	5.5	(3.1 - 7.9)	15,485	8.5	(6.2 - 10.7)
Some College	185	3.7	(1.4 - 6.0)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	183	7.4	(3.5 - 11.2)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	176	10.2	(5.7 - 14.7)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	189	4.6	(1.9 - 7.3)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	6,800	9.1	(6.5 - 11.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	255	3,800	10.6	(6.2 - 14.9)	14,626	530,400	7.5	(6.2 - 8.8)
Female	401	2,900	7.6	(5.1 - 10.2)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	165	2,100	17.7	(11.3 - 24.2)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	214	2,800	18.9	(13.4 - 24.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	633	6,100	8.5	(6.1 - 10.9)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	282	3,100	9.9	(6.6 - 13.1)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	186	2,300	10.6	(4.9 - 16.4)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	187	1,400	6.3	(1.9 - 10.7)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	183	3,500	20.5	(12.8 - 28.2)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	192	1,800	8.3	(4.6 - 11.9)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 46b. Ever diagnosed with diabetes among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	7.9	(5.4 - 10.3)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	255	9.7	(5.2 - 14.2)	14,626	7.5	(6.1 - 8.9)
Female	401	6.1	(3.9 - 8.3)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	633	7.4	(5.0 - 9.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	282	8.1	(5.3 - 11.0)	15,709	12.6	(10.0 - 15.2)
Some College	186	9.8	(3.5 - 16.1)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	187	5.5	(1.6 - 9.3)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	183	18.5	(10.1 - 26.9)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	192	7.0	(3.8 - 10.2)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	12,400	16.6	(12.7 - 20.5)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	255	4,400	12.2	(6.7 - 17.8)	14,601	875,800	12.4	(10.1 - 14.7)
Female	401	8,000	20.7	(15.3 - 26.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	80	1,400	11.5	(4.0 - 18.9)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	123	2,300	15.3	(7.5 - 23.1)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	164	1,200	10.2	(5.3 - 15.1)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	216	2,300	15.5	(10.1 - 20.8)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	633	11,800	16.5	(12.5 - 20.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	5,400	17.3	(11.0 - 23.6)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	186	4,000	18.4	(10.8 - 26.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	187	3,000	13.7	(7.9 - 19.6)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	182	4,500	26.6	(18.1 - 35.2)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	192	2,200	10.3	(5.0 - 15.7)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	118	2,200	12.7	(5.1 - 20.3)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFS Report: July 2008 - June 2009
Steuben County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	16.9	(12.8 - 21.1)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	255	12.3	(6.5 - 18.2)	14,601	12.6	(10.3 - 14.9)
Female	401	21.3	(15.4 - 27.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	633	16.8	(12.5 - 21.1)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	17.6	(10.8 - 24.3)	15,675	15.1	(12.1 - 18.0)
Some College	186	18.5	(10.2 - 26.9)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	187	14.5	(8.1 - 20.9)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	182	27.3	(18.0 - 36.7)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	192	10.0	(4.6 - 15.4)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	118	13.5	(5.1 - 21.8)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 48a. Current asthma among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	10,200	13.6	(10.1 - 17.2)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	255	3,100	8.5	(3.9 - 13.1)	14,546	440,700	6.3	(4.8 - 7.7)
Female	399	7,100	18.5	(13.2 - 23.8)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	73	4,200	20.0	(10.2 - 29.8)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	122	1,900	13.0	(5.6 - 20.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	164	900	7.7	(3.5 - 11.9)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	215	1,800	12.0	(7.2 - 16.8)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	631	9,600	13.4	(9.8 - 17.1)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	281	4,400	14.2	(8.3 - 20.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	186	3,100	14.4	(7.6 - 21.2)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	186	2,600	12.2	(6.5 - 17.9)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	181	3,500	21.2	(13.4 - 29.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	191	1,700	7.8	(3.1 - 12.6)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	97	1,500	12.1	(2.1 - 22.1)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	118	1,800	9.9	(3.4 - 16.5)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 48b. Current asthma among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	14.1	(10.2 - 18.0)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	255	8.4	(3.6 - 13.2)	14,546	6.4	(4.9 - 7.9)
Female	399	19.5	(13.6 - 25.4)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	631	13.9	(9.9 - 17.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	281	14.5	(8.2 - 20.8)	15,594	10.8	(8.3 - 13.3)
Some College	186	14.4	(7.0 - 21.9)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	186	13.2	(6.9 - 19.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	181	22.2	(13.6 - 30.7)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	191	7.5	(2.9 - 12.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	118	10.7	(3.4 - 17.9)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 49a. Chronic joint symptoms among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	40,200	53.6	(48.6 - 58.5)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	255	19,700	54.3	(46.7 - 61.9)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	402	20,400	52.9	(46.5 - 59.3)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	123	9,200	62.5	(52.8 - 72.1)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	165	7,700	65.6	(57.8 - 73.4)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	215	9,100	61.4	(54.3 - 68.5)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	634	38,400	53.3	(48.3 - 58.4)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	16,900	53.6	(45.8 - 61.4)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	187	12,400	56.9	(47.6 - 66.2)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	187	10,900	50.5	(41.8 - 59.2)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	182	11,500	68.7	(59.8 - 77.6)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	193	11,300	53.0	(44.1 - 61.9)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFS Report: July 2008 - June 2009
Steuben County

Table 49b. Chronic joint symptoms among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	51.6	(46.2 - 56.9)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	255	52.3	(44.2 - 60.4)	14,595	42.6	(38.8 - 46.3)
Female	402	50.9	(43.9 - 57.8)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	634	51.4	(45.9 - 56.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	51.4	(42.9 - 59.9)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	187	48.1	(39.0 - 57.3)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	182	68.4	(58.6 - 78.3)	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	193	50.6	(41.0 - 60.2)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 50a. Arthritis among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	27,600	37.0	(32.6 - 41.5)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	252	12,700	35.1	(28.3 - 41.9)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	398	14,900	38.9	(33.0 - 44.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	163	6,900	59.0	(50.7 - 67.4)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	212	9,600	65.6	(58.7 - 72.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	627	26,800	37.4	(32.8 - 41.9)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	278	12,500	40.2	(33.1 - 47.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	187	7,500	34.2	(25.8 - 42.5)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	184	7,600	35.5	(27.5 - 43.6)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	182	8,900	52.6	(43.1 - 62.1)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	192	8,500	40.2	(31.8 - 48.6)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	118	4,300	24.5	(16.2 - 32.8)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 50b. Arthritis among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	33.9	(29.2 - 38.5)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	252	32.7	(25.7 - 39.7)	14,555	23.5	(20.9 - 26.1)
Female	398	35.0	(28.9 - 41.1)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	627	34.2	(29.5 - 39.0)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	278	36.8	(29.4 - 44.2)	15,652	30.4	(26.9 - 33.8)
Some College	187	31.2	(22.4 - 39.9)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	184	32.5	(24.4 - 40.7)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	192	37.2	(28.4 - 46.0)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	118	22.0	(14.0 - 30.0)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	17,100	22.8	(19.0 - 26.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	256	8,100	22.2	(16.2 - 28.3)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	400	9,000	23.4	(18.6 - 28.1)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	122	4,200	28.8	(19.6 - 38.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	165	3,700	31.6	(23.8 - 39.4)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	215	5,000	33.6	(26.7 - 40.5)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	633	15,900	22.0	(18.2 - 25.9)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	282	8,200	26.1	(19.7 - 32.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	187	4,300	19.6	(12.9 - 26.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	186	4,600	21.4	(14.7 - 28.1)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	182	7,400	44.1	(34.8 - 53.3)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	192	4,000	19.0	(12.9 - 25.0)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	118	2,000	11.5	(5.2 - 17.9)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	21.5	(17.5 - 25.5)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	256	21.0	(14.7 - 27.3)	14,566	18.6	(15.8 - 21.4)
Female	400	21.9	(16.9 - 27.0)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	633	20.7	(16.7 - 24.8)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	282	25.4	(18.6 - 32.3)	15,626	23.8	(20.1 - 27.4)
Some College	187	17.9	(10.8 - 25.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	186	19.4	(13.0 - 25.9)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	192	16.9	(10.9 - 22.8)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	118	10.1	(4.4 - 15.7)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	6,400	8.6	(6.2 - 10.9)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	254	2,900	8.0	(4.2 - 11.8)	14,617	460,700	6.5	(5.3 - 7.7)
Female	402	3,500	9.1	(6.3 - 11.9)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	123	1,300	9.1	(3.7 - 14.5)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	165	1,400	11.7	(6.5 - 17.0)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	214	2,500	16.8	(11.5 - 22.1)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	633	6,000	8.4	(6.0 - 10.8)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	283	3,400	10.8	(7.1 - 14.5)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	186	1,900	8.5	(3.3 - 13.8)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	186	1,100	5.3	(2.3 - 8.3)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	182	3,900	23.0	(15.0 - 31.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	193	1,400	6.4	(3.1 - 9.7)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	7.8	(5.4 - 10.3)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	254	7.6	(3.4 - 11.8)	14,617	6.8	(5.5 - 8.0)
Female	402	8.1	(5.2 - 10.9)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	633	7.7	(5.1 - 10.2)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	283	9.6	(6.0 - 13.1)	15,711	10.3	(8.3 - 12.3)
Some College	186	7.9	(1.9 - 13.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	186	5.3	(2.0 - 8.6)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	182	22.2	(13.2 - 31.1)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	193	5.4	(2.5 - 8.3)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 53a. Disability among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	18,000	24.0	(20.1 - 27.9)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	255	8,500	23.4	(17.3 - 29.6)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	400	9,500	24.6	(19.7 - 29.5)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	122	4,400	29.8	(20.5 - 39.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	165	3,800	32.7	(24.8 - 40.6)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	214	5,500	37.4	(30.4 - 44.5)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	632	16,800	23.3	(19.4 - 27.2)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	282	8,700	27.8	(21.3 - 34.3)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	187	4,600	20.9	(14.1 - 27.6)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	185	4,700	21.9	(15.1 - 28.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	182	7,900	46.7	(37.4 - 56.1)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	192	4,200	19.9	(13.8 - 26.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	118	2,000	11.5	(5.2 - 17.9)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 53b. Disability among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	22.5	(18.5 - 26.6)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	255	22.1	(15.7 - 28.4)	14,568	20.9	(18.0 - 23.8)
Female	400	22.9	(17.8 - 28.0)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	632	21.8	(17.7 - 25.9)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	282	26.8	(19.9 - 33.8)	15,638	26.8	(23.0 - 30.6)
Some College	187	18.9	(11.7 - 26.1)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	185	20.0	(13.5 - 26.6)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	192	17.8	(11.7 - 23.9)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	118	10.1	(4.4 - 15.7)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 54a. Current smoking among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	15,800	21.1	(17.0 - 25.3)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	255	6,600	18.0	(12.2 - 23.8)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	400	9,300	24.1	(18.3 - 29.8)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	123	3,900	26.3	(17.5 - 35.1)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	165	1,900	16.4	(10.6 - 22.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	213	1,300	8.6	(4.5 - 12.7)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	632	15,500	21.5	(17.3 - 25.7)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	280	8,800	27.9	(20.7 - 35.1)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	187	5,200	24.0	(16.1 - 31.9)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	187	1,800	8.5	(4.0 - 12.9)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	183	5,400	31.8	(23.1 - 40.5)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	192	4,700	22.0	(14.3 - 29.7)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	118	3,100	17.4	(8.8 - 25.9)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 54b. Current smoking among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	22.1	(17.6 - 26.6)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	255	18.8	(12.5 - 25.1)	14,559	19.2	(16.3 - 22.1)
Female	400	25.2	(18.8 - 31.6)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	632	22.5	(17.9 - 27.2)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	280	30.1	(22.1 - 38.1)	15,654	22.8	(19.5 - 26.0)
Some College	187	24.4	(15.9 - 33.0)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	187	8.2	(3.6 - 12.9)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	183	34.8	(25.0 - 44.6)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	192	22.7	(14.3 - 31.1)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	118	17.8	(8.6 - 26.9)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 55a. Everyday smoking among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	12,100	16.1	(12.3 - 19.9)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	255	5,200	14.2	(8.9 - 19.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	400	6,900	17.9	(12.6 - 23.3)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	81	2,400	18.7	(9.3 - 28.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	123	3,000	20.0	(12.0 - 27.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	165	1,500	12.7	(7.6 - 17.9)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	213	800	5.3	(2.3 - 8.2)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	632	11,800	16.3	(12.4 - 20.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	280	6,800	21.8	(15.0 - 28.6)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	187	3,800	17.5	(10.3 - 24.7)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	187	1,400	6.6	(2.5 - 10.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	183	4,200	25.0	(16.7 - 33.3)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	192	3,600	16.8	(9.7 - 24.0)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	118	1,800	9.9	(3.1 - 16.8)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 55b. Everyday smoking among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	16.8	(12.7 - 21.0)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	255	15.1	(9.2 - 20.9)	14,559	12.1	(10.1 - 14.1)
Female	400	18.5	(12.6 - 24.5)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	632	17.1	(12.8 - 21.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	280	23.5	(15.9 - 31.0)	15,654	16.4	(13.8 - 19.0)
Some College	187	17.6	(9.8 - 25.4)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	187	6.5	(2.2 - 10.8)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	183	27.6	(18.2 - 37.0)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	192	17.4	(9.6 - 25.2)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	118	9.9	(2.6 - 17.1)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	56,000	74.9	(70.6 - 79.1)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	256	27,500	75.3	(68.9 - 81.8)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	399	28,500	74.4	(68.7 - 80.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	73	17,200	81.9	(72.2 - 91.6)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	121	10,600	72.5	(63.4 - 81.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	165	8,900	75.4	(68.4 - 82.4)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	216	11,300	75.7	(69.5 - 81.9)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	632	53,600	74.5	(70.2 - 78.9)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	282	21,700	69.2	(62.0 - 76.4)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	186	15,700	72.3	(64.1 - 80.4)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	186	18,400	85.7	(79.6 - 91.7)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	181	10,400	62.8	(53.7 - 71.8)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	193	14,500	68.1	(59.4 - 76.7)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	117	15,100	85.4	(78.3 - 92.5)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	74.5	(69.8 - 79.2)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	256	74.5	(67.5 - 81.6)	14,577	79.4	(76.7 - 82.2)
Female	399	74.5	(68.2 - 80.7)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	632	74.2	(69.4 - 79.1)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	282	67.5	(59.4 - 75.6)	15,647	76.9	(73.8 - 80.0)
Some College	186	73.5	(64.9 - 82.1)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	186	85.5	(78.9 - 92.0)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	193	67.4	(57.9 - 76.9)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	117	85.5	(78.2 - 92.8)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 57a. Binge drinking within the past month among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	12,300	16.6	(12.8 - 20.4)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	248	8,900	24.9	(18.0 - 31.7)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	400	3,400	8.9	(5.6 - 12.2)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	73	4,400	21.0	(11.1 - 30.9)	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	79	2,300	18.4	(8.9 - 27.9)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	123	3,600	24.5	(15.9 - 33.2)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	161	1,400	12.0	(6.7 - 17.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	625	12,100	17.0	(13.0 - 20.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	277	5,500	17.6	(11.4 - 23.7)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	184	3,900	18.0	(10.2 - 25.8)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	187	3,000	13.8	(7.9 - 19.8)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	181	1,300	7.9	(3.3 - 12.4)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	192	4,800	22.8	(14.7 - 30.9)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	95	1,100	9.3	(3.0 - 15.7)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	117	4,300	24.5	(14.7 - 34.4)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 57b. Binge drinking within the past month among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	17.1	(13.0 - 21.2)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	248	25.8	(18.5 - 33.1)	14,420	24.5	(21.0 - 27.9)
Female	400	9.0	(5.5 - 12.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	625	17.5	(13.3 - 21.8)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	277	18.4	(11.7 - 25.1)	15,491	17.5	(13.5 - 21.5)
Some College	184	18.4	(10.1 - 26.8)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	187	13.9	(7.8 - 20.1)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	181	8.4	(3.3 - 13.6)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	192	24.1	(15.1 - 33.0)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	95	8.8	(2.4 - 15.3)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 58a. Heavy drinking within the past month among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	4,600	6.2	(3.9 - 8.5)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	248	3,000	8.4	(4.2 - 12.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	396	1,600	4.1	(2.0 - 6.2)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	119	1,200	8.6	(3.3 - 13.8)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	621	4,600	6.4	(4.0 - 8.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	275	2,300	7.5	(3.5 - 11.6)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	185	1,200	5.5	(1.0 - 10.0)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	184	1,000	4.9	(1.8 - 8.0)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	190	2,400	11.2	(4.9 - 17.6)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 58b. Heavy drinking within the past month among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	6.3	(3.8 - 8.7)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	248	8.7	(4.2 - 13.1)	14,330	4.9	(3.9 - 5.9)
Female	396	4.0	(1.8 - 6.2)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	621	6.5	(3.9 - 9.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	275	8.0	(3.6 - 12.4)	15,411	4.3	(3.2 - 5.3)
Some College	185	5.6	(0.9 - 10.3)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	184	4.4	(1.5 - 7.4)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	190	11.5	(4.7 - 18.3)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	593	48,200	71.2	(66.3 - 76.1)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	228	26,500	81.3	(74.8 - 87.8)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	365	21,700	61.8	(55.0 - 68.6)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	110	10,100	76.1	(67.2 - 85.1)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	154	8,400	76.8	(69.9 - 83.7)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	192	11,200	84.6	(79.0 - 90.1)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	572	46,700	71.9	(66.9 - 76.8)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	21,200	76.1	(69.2 - 83.0)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	166	13,100	66.5	(56.7 - 76.4)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	175	13,900	69.0	(60.2 - 77.8)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	165	10,300	67.4	(57.8 - 76.9)	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	175	14,400	75.2	(67.3 - 83.2)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	92	9,300	79.9	(70.2 - 89.7)	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	593	69.9	(64.6 - 75.2)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	228	81.0	(74.1 - 87.8)	13,299	67.9	(64.0 - 71.9)
Female	365	59.6	(52.2 - 67.1)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	572	70.6	(65.2 - 76.0)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	252	74.8	(67.2 - 82.4)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	175	67.6	(58.0 - 77.2)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	175	74.5	(65.9 - 83.2)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	92	81.6	(71.8 - 91.4)	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	410	41,300	81.5	(76.8 - 86.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	169	22,400	87.6	(81.3 - 94.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	241	18,900	75.2	(68.4 - 82.0)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	82	8,000	80.9	(71.9 - 89.9)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	99	6,300	89.4	(83.7 - 95.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	113	7,800	98.0	(95.6 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	397	40,000	81.5	(76.7 - 86.3)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	170	17,400	88.6	(83.0 - 94.1)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	123	12,900	78.1	(68.6 - 87.6)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	117	11,000	75.8	(66.4 - 85.1)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	118	9,400	79.3	(70.3 - 88.2)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	118	12,300	86.6	(79.6 - 93.5)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	410	80.0	(74.8 - 85.2)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	169	86.9	(80.0 - 93.7)	9,034	81.1	(77.4 - 84.8)
Female	241	72.9	(65.2 - 80.6)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	397	80.0	(74.7 - 85.3)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	170	87.5	(81.2 - 93.8)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	118	85.6	(78.0 - 93.3)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	631	64,400	88.4	(85.5 - 91.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	244	30,600	86.2	(81.2 - 91.1)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	387	33,800	90.5	(87.5 - 93.5)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	72	19,500	93.3	(87.5 - 99.1)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	77	10,300	85.8	(76.5 - 95.0)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	122	14,100	95.6	(92.2 - 98.9)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	163	9,800	85.3	(79.0 - 91.7)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	197	10,700	78.1	(72.0 - 84.2)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	610	62,000	88.3	(85.3 - 91.2)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	265	24,800	82.0	(76.6 - 87.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	181	19,300	90.6	(85.3 - 95.8)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	184	20,100	95.4	(92.1 - 98.7)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	176	12,800	77.8	(70.2 - 85.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	184	17,900	87.3	(82.1 - 92.6)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	97	12,000	97.9	(95.4 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	114	16,400	95.3	(90.8 - 99.9)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	631	88.7	(85.6 - 91.8)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	244	85.9	(80.5 - 91.3)	13,893	89.1	(86.9 - 91.3)
Female	387	91.5	(88.4 - 94.5)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	610	88.6	(85.4 - 91.8)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	265	82.1	(76.2 - 88.0)	14,507	84.6	(81.8 - 87.4)
Some College	181	91.1	(85.6 - 96.5)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	184	95.9	(92.7 - 99.2)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	176	77.5	(68.9 - 86.1)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	184	88.0	(82.5 - 93.6)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	97	98.3	(96.2 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	114	95.3	(90.5 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 62a. Overweight among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	28,200	38.3	(33.5 - 43.2)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	254	14,800	40.7	(33.3 - 48.0)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	383	13,400	36.1	(29.7 - 42.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	121	5,600	38.0	(28.0 - 48.0)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	158	4,300	37.3	(29.1 - 45.5)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	208	6,100	42.5	(35.2 - 49.8)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	617	27,700	39.0	(34.1 - 44.0)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	272	12,400	40.5	(32.6 - 48.3)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	181	7,100	33.2	(24.6 - 41.8)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	183	8,600	40.6	(32.1 - 49.2)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	174	5,600	34.7	(25.4 - 43.9)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	191	7,800	36.9	(28.4 - 45.4)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 62b. Overweight among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	38.3	(33.1 - 43.6)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	254	40.3	(32.5 - 48.1)	14,502	43.9	(40.1 - 47.6)
Female	383	36.4	(29.4 - 43.4)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	617	39.0	(33.6 - 44.3)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	272	41.3	(32.7 - 49.9)	15,079	35.2	(31.1 - 39.4)
Some College	181	31.8	(22.8 - 40.8)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	183	41.0	(32.0 - 50.1)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	191	37.1	(27.9 - 46.3)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 63a. Obesity among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	20,600	28.0	(23.6 - 32.5)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	254	11,500	31.7	(24.4 - 38.9)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	383	9,100	24.5	(19.4 - 29.6)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	71	4,400	21.2	(11.4 - 31.1)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	121	4,600	31.4	(21.7 - 41.2)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	158	4,000	34.8	(26.3 - 43.2)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	208	3,800	26.4	(19.9 - 32.9)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	617	19,400	27.5	(22.9 - 32.0)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	272	9,100	29.6	(22.7 - 36.5)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	181	5,400	25.0	(16.3 - 33.7)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	183	6,200	29.1	(21.1 - 37.1)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	174	5,700	35.1	(25.8 - 44.5)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	191	6,400	30.0	(21.8 - 38.2)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	95	2,500	20.6	(11.4 - 29.8)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	117	4,400	25.3	(15.5 - 35.1)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 63b. Obesity among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	27.6	(22.8 - 32.4)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	254	31.6	(23.8 - 39.4)	14,502	21.5	(19.0 - 24.0)
Female	383	23.7	(18.2 - 29.2)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	617	27.2	(22.4 - 32.1)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	272	29.0	(21.6 - 36.5)	15,079	29.4	(25.4 - 33.3)
Some College	181	26.0	(16.4 - 35.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	183	27.2	(19.2 - 35.3)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	191	30.1	(21.0 - 39.2)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	95	19.2	(9.9 - 28.6)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	117	24.0	(14.1 - 33.9)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 64a. Overweight or obesity among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	48,800	66.4	(61.6 - 71.2)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	254	26,300	72.4	(65.4 - 79.3)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	383	22,600	60.5	(54.1 - 67.0)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	121	10,200	69.4	(60.5 - 78.3)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	158	8,200	72.1	(64.5 - 79.6)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	208	9,900	68.9	(62.1 - 75.8)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	617	47,100	66.5	(61.6 - 71.4)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	272	21,500	70.0	(62.7 - 77.4)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	181	12,500	58.2	(48.7 - 67.6)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	183	14,800	69.7	(61.5 - 77.9)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	174	11,300	69.8	(61.2 - 78.3)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	191	14,200	66.9	(58.4 - 75.4)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 64b. Overweight or obesity among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	65.9	(60.7 - 71.1)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	254	71.9	(64.5 - 79.3)	14,502	65.4	(61.3 - 69.4)
Female	383	60.1	(53.0 - 67.2)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	617	66.2	(61.0 - 71.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	272	70.3	(62.4 - 78.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	183	68.3	(59.3 - 77.2)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	174	70.0	(60.7 - 79.2)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	191	67.2	(58.1 - 76.2)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 65a. Received advice about weight by a health professional among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	19,800	27.0	(22.7 - 31.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	254	9,000	24.7	(18.3 - 31.1)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	382	10,900	29.2	(23.5 - 35.0)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	71	3,700	17.8	(8.9 - 26.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	*	*	*	*	7,490	910,900	33.5	(29.0 - 38.1)
55-64	157	3,900	34.4	(26.0 - 42.7)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	208	3,300	22.8	(16.8 - 28.9)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	616	18,800	26.5	(22.2 - 30.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	272	8,500	27.7	(21.1 - 34.3)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	181	5,400	25.0	(16.7 - 33.3)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	182	6,000	28.2	(20.4 - 36.0)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	174	6,100	37.7	(28.2 - 47.2)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	191	5,800	27.4	(19.5 - 35.3)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	95	2,700	22.4	(12.8 - 31.9)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	116	3,500	19.9	(11.7 - 28.1)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 65b. Received advice about weight by a health professional among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	26.3	(21.8 - 30.9)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	254	23.2	(16.6 - 29.8)	14,499	23.4	(20.5 - 26.3)
Female	382	29.3	(23.0 - 35.6)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	616	26.0	(21.4 - 30.6)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	272	26.9	(19.9 - 33.9)	15,116	27.3	(23.4 - 31.2)
Some College	181	25.1	(16.0 - 34.2)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	182	26.8	(18.9 - 34.7)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	191	26.5	(18.2 - 34.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	95	20.8	(11.2 - 30.5)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	116	18.4	(10.5 - 26.4)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	178	17,400	87.6	(81.9 - 93.4)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	68	8,300	92.6	(86.1 - 99.1)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	110	9,100	83.5	(74.7 - 92.3)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	51	2,900	87.0	(77.2 - 96.7)	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	169	16,300	87.1	(81.0 - 93.1)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	52	5,700	95.0	(89.6 - 100)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	178	87.2	(80.9 - 93.5)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	68	92.9	(86.5 - 99.2)	3,807	88.7	(85.7 - 91.8)
Female	110	82.8	(73.1 - 92.5)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	169	86.8	(80.2 - 93.4)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	52	94.3	(87.9 - 100)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 67a. No leisure-time physical activity among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	19,700	26.3	(21.7 - 30.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	254	9,600	26.4	(19.5 - 33.3)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	402	10,100	26.3	(20.2 - 32.3)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	123	2,400	16.5	(9.2 - 23.7)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	164	2,600	22.2	(15.4 - 28.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	215	5,500	36.8	(29.9 - 43.8)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	633	19,400	26.9	(22.2 - 31.6)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	11,400	36.1	(28.4 - 43.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	186	4,600	21.0	(13.2 - 28.8)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	186	3,800	17.6	(9.9 - 25.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	182	6,500	38.5	(29.4 - 47.5)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	193	4,700	21.8	(15.2 - 28.5)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	118	2,800	16.0	(6.2 - 25.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 67b. No leisure-time physical activity among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	26.3	(21.3 - 31.3)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	254	27.1	(19.7 - 34.6)	14,602	20.9	(17.8 - 23.9)
Female	402	25.5	(18.8 - 32.2)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	633	26.8	(21.7 - 32.0)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	35.8	(27.5 - 44.1)	15,683	32.3	(28.3 - 36.4)
Some College	186	21.3	(12.6 - 29.9)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	186	17.8	(9.3 - 26.3)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	193	20.9	(13.8 - 28.0)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	18,900	25.1	(20.9 - 29.3)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	256	8,400	23.1	(16.4 - 29.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	402	10,400	27.0	(21.8 - 32.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	81	2,300	18.4	(9.5 - 27.2)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	123	3,400	22.8	(14.3 - 31.2)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	165	2,500	21.5	(14.6 - 28.4)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	216	5,000	33.8	(26.9 - 40.6)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	635	18,600	25.8	(21.5 - 30.2)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	283	8,200	25.9	(19.1 - 32.8)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	187	5,400	24.6	(16.4 - 32.7)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	187	5,300	24.7	(17.8 - 31.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	183	4,300	25.5	(17.2 - 33.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	193	6,200	29.1	(20.8 - 37.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	118	3,900	21.9	(14.1 - 29.7)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	24.8	(20.3 - 29.3)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	256	23.3	(16.2 - 30.3)	14,634	22.7	(19.6 - 25.9)
Female	402	26.2	(20.6 - 31.9)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	635	25.5	(20.9 - 30.1)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	283	25.2	(17.9 - 32.5)	15,726	23.3	(19.3 - 27.3)
Some College	187	24.3	(15.6 - 33.0)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	187	24.8	(17.5 - 32.1)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	183	25.6	(16.6 - 34.5)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	193	28.3	(19.6 - 37.1)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	118	21.3	(13.3 - 29.3)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 69a. Had a fall within the past 3 months among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	493	7,100	17.5	(13.8 - 21.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	181	2,800	14.5	(9.1 - 19.9)	10,966	489,400	14.4	(11.9 - 16.8)
Female	312	4,300	20.2	(15.1 - 25.2)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	123	2,600	17.2	(10.2 - 24.3)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	156	1,700	15.1	(9.4 - 20.7)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	214	2,900	19.6	(13.6 - 25.5)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	482	6,700	16.9	(13.2 - 20.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	221	3,300	18.6	(12.9 - 24.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	135	1,400	13.5	(7.6 - 19.5)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	137	2,500	19.1	(11.8 - 26.5)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	140	2,700	28.9	(19.9 - 38.0)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	148	1,500	12.7	(7.2 - 18.2)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	68	800	13.8	(5.6 - 22.1)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	83	1,300	13.6	(5.6 - 21.7)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 69b. Had a fall within the past 3 months among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	493	17.7	(13.8 - 21.5)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	181	14.7	(9.2 - 20.2)	10,966	15.0	(12.1 - 17.8)
Female	312	20.4	(15.1 - 25.7)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	482	17.1	(13.2 - 20.9)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	221	18.4	(12.6 - 24.2)	12,417	17.4	(13.0 - 21.7)
Some College	135	13.6	(7.5 - 19.7)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	137	19.8	(12.2 - 27.5)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	140	29.6	(20.2 - 39.0)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	148	12.3	(6.8 - 17.7)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	68	14.8	(5.9 - 23.7)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	83	14.4	(5.9 - 22.9)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Steuben County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Steuben County and New York State

	Steuben County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	493	1,900	4.6	(2.7 - 6.5)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	312	1,300	6.2	(3.3 - 9.1)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	214	900	6.3	(2.9 - 9.8)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	482	1,800	4.5	(2.5 - 6.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	221	1,100	6.4	(2.9 - 9.8)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	140	800	8.9	(3.8 - 14.0)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Steuben County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Steuben County and New York State - Age-Adjusted²

	Steuben County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	493	4.7	(2.7 - 6.6)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	312	6.3	(3.2 - 9.3)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	482	4.5	(2.5 - 6.5)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	221	6.4	(2.9 - 9.9)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	140	9.2	(3.8 - 14.7)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)