

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Sullivan County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Sullivan County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Sullivan County and New York State	14
Table 2b. Fair or poor general health among adults in Sullivan County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Sullivan County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Sullivan County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Sullivan County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Sullivan County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Sullivan County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Sullivan County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Sullivan County and New York State	22
Table 6b. Health insurance among adults in Sullivan County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Sullivan County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Sullivan County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Sullivan County and New York State	26
Table 8b. No health insurance among adults in Sullivan County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Sullivan County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Sullivan County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Sullivan County and New York State	30
Table 10b. Adults with regular health care provider in Sullivan County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Sullivan County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Sullivan County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Sullivan County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Sullivan County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Sullivan County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Sullivan County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Sullivan County and New York State	38
Table 14b. Dentist visit within the past year among adults in Sullivan County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Sullivan County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Sullivan County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Sullivan County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Sullivan County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Sullivan County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Sullivan County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Sullivan County and New York State	46
Table 18b. Flu shot within the past 12 months in Sullivan County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Sullivan County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Sullivan County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Sullivan County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Sullivan County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Sullivan County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Sullivan County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Sullivan County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Sullivan County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Sullivan County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Sullivan County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Sullivan County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Sullivan County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Sullivan County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Sullivan County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Sullivan County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Sullivan County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Sullivan County and New York State	64
Table 27b. Ever had a Pap test among women in Sullivan County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Sullivan County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Sullivan County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Sullivan County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Sullivan County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Sullivan County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Sullivan County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Sullivan County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Sullivan County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Sullivan County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Sullivan County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Sullivan County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Sullivan County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Sullivan County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Sullivan County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Sullivan County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Sullivan County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Sullivan County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Sullivan County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Sullivan County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Sullivan County and New York State	90
Table 40b. High blood pressure among adults in Sullivan County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Sullivan County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Sullivan County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Sullivan County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Sullivan County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Sullivan County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Sullivan County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Sullivan County and New York State	98
Table 44b. Cardiovascular disease among adults in Sullivan County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Sullivan County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Sullivan County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Sullivan County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Sullivan County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Sullivan County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Sullivan County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Sullivan County and New York State	106
Table 48b. Current asthma among adults in Sullivan County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Sullivan County and New York State	108
Table 49b. Chronic joint symptoms among adults in Sullivan County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Sullivan County and New York State	110
Table 50b. Arthritis among adults in Sullivan County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Sullivan County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Sullivan County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Sullivan County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Sullivan County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Sullivan County and New York State	116
Table 53b. Disability among adults in Sullivan County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Sullivan County and New York State	118
Table 54b. Current smoking among adults in Sullivan County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Sullivan County and New York State	120
Table 55b. Everyday smoking among adults in Sullivan County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Sullivan County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Sullivan County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Sullivan County and New York State	124
Table 57b. Binge drinking within the past month among adults in Sullivan County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Sullivan County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Sullivan County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Sullivan County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Sullivan County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Sullivan County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Sullivan County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Sullivan County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Sullivan County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Sullivan County and New York State	134
Table 62b. Overweight among adults in Sullivan County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Sullivan County and New York State	136
Table 63b. Obesity among adults in Sullivan County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Sullivan County and New York State	138
Table 64b. Overweight or obesity among adults in Sullivan County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Sullivan County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Sullivan County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Sullivan County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Sullivan County and New York State - Age-adjusted	143

### **Physical Activity / Nutrition**

Table 67a. No leisure-time physical activity among adults in Sullivan County and New York State	144
Table 67b. No leisure-time physical activity among adults in Sullivan County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Sullivan County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Sullivan County and New York State - Age-adjusted 147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Sullivan County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Sullivan County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Sullivan County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Sullivan County and New York State - Age-adjusted 151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 1. Sullivan County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Sullivan County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	58,940	100	14,884,315	100
<b>Gender</b>				
Male	29,852	50.6	7,103,791	47.7
Female	29,088	49.4	7,780,524	52.3
<b>Age (years)</b>				
18-34	16,802	28.5	4,497,479	30.2
35-44	10,604	18.0	2,844,115	19.1
45-54	11,376	19.3	2,854,316	19.2
55-64	9,274	15.7	2,142,000	14.4
≥ 65	10,884	18.5	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	46,562	79.0	9,343,884	62.8
Black Non-Hispanic	5,136	8.7	2,156,941	14.5
Hispanic	6,071	10.3	2,258,717	15.2
Other Non-Hispanic	1,171	2.0	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	10,300	17.4	(13.6 - 21.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	232	4,400	14.8	(9.0 - 20.6)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	419	5,800	20.1	(15.4 - 24.9)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	90	1,200	11.5	(3.5 - 19.5)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	*	*	*	*	7,819	507,800	17.9	(14.0 - 21.8)
55-64	153	1,400	15.8	(9.1 - 22.4)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	198	3,300	30.7	(22.8 - 38.6)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	7,100	15.2	(11.9 - 18.4)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	281	7,200	27.8	(20.8 - 34.9)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	165	1,600	10.0	(4.8 - 15.2)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	203	1,300	8.1	(4.0 - 12.2)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	159	2,000	12.8	(7.1 - 18.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	16.6	(12.8 - 20.4)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	232	14.2	(8.5 - 20.0)	14,599	15.3	(12.6 - 18.0)
Female	419	19.1	(14.3 - 24.0)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	14.5	(11.2 - 17.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	281	27.0	(19.8 - 34.1)	15,682	25.8	(22.1 - 29.5)
Some College	165	9.5	(4.4 - 14.5)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	203	7.3	(3.5 - 11.1)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	159	11.8	(6.3 - 17.3)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	7,500	12.9	(9.6 - 16.2)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	229	3,500	12.0	(6.5 - 17.5)	14,325	604,200	8.7	(7.0 - 10.5)
Female	412	4,000	13.8	(10.2 - 17.4)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	89	1,600	15.1	(7.2 - 22.9)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	114	1,300	11.5	(5.2 - 17.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	151	1,100	11.9	(6.2 - 17.6)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	193	2,000	18.7	(12.2 - 25.2)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	584	6,700	14.7	(10.9 - 18.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	276	5,200	20.2	(13.8 - 26.6)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	164	1,500	9.2	(4.7 - 13.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	200	800	5.1	(2.1 - 8.1)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	176	3,300	23.7	(16.2 - 31.2)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	160	1,400	9.0	(3.7 - 14.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	12.8	(9.4 - 16.3)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	229	12.6	(6.7 - 18.4)	14,325	8.7	(6.9 - 10.5)
Female	412	13.1	(9.5 - 16.7)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	584	14.8	(10.7 - 18.9)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	276	20.4	(13.7 - 27.2)	15,178	12.7	(10.2 - 15.1)
Some College	164	8.8	(4.3 - 13.3)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	200	5.0	(1.8 - 8.1)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	176	23.5	(15.7 - 31.3)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	160	8.4	(3.1 - 13.6)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	7,800	13.6	(9.7 - 17.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	225	4,000	14.0	(7.5 - 20.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	414	3,800	13.2	(8.9 - 17.5)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	92	3,200	19.1	(9.3 - 28.9)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	113	1,400	12.3	(5.1 - 19.6)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	152	600	6.5	(2.8 - 10.3)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	195	1,000	9.6	(3.4 - 15.9)	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	583	6,000	13.3	(9.2 - 17.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	273	5,300	21.1	(14.1 - 28.2)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	164	1,700	10.3	(3.4 - 17.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	200	900	5.4	(1.4 - 9.3)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	179	3,000	21.9	(13.6 - 30.2)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	159	1,700	10.7	(4.7 - 16.6)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	14.2	(10.1 - 18.4)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	225	14.6	(7.7 - 21.5)	14,407	7.9	(6.3 - 9.6)
Female	414	13.9	(9.2 - 18.6)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	583	13.9	(9.5 - 18.3)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	273	22.4	(14.8 - 29.9)	15,335	12.3	(10.0 - 14.6)
Some College	164	10.9	(3.5 - 18.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	200	5.2	(1.1 - 9.2)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	179	23.2	(14.2 - 32.1)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	159	10.9	(4.6 - 17.3)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	12,100	21.1	(16.8 - 25.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	224	5,600	19.6	(12.6 - 26.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	409	6,400	22.6	(17.7 - 27.5)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	111	1,900	17.4	(9.5 - 25.4)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	152	1,400	15.2	(9.0 - 21.4)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	191	2,400	23.1	(15.7 - 30.6)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	577	9,900	22.0	(17.4 - 26.5)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	271	7,800	31.2	(23.6 - 38.7)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	163	2,700	16.9	(9.3 - 24.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	198	1,600	9.6	(4.9 - 14.4)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	175	4,700	34.8	(25.4 - 44.3)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	159	2,700	17.1	(9.6 - 24.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	133	1,200	9.1	(1.8 - 16.4)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	21.5	(17.0 - 26.1)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	224	20.5	(13.0 - 27.9)	14,231	13.6	(11.4 - 15.8)
Female	409	22.6	(17.3 - 27.8)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	577	22.4	(17.6 - 27.3)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	271	32.3	(24.3 - 40.2)	15,018	20.1	(17.1 - 23.1)
Some College	163	17.2	(9.1 - 25.2)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	198	9.3	(4.3 - 14.3)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	175	35.4	(25.6 - 45.3)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	159	16.8	(9.0 - 24.5)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	133	9.5	(1.8 - 17.2)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 6a. Health insurance among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	48,600	82.5	(77.6 - 87.4)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	232	24,400	81.7	(73.5 - 89.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	419	24,200	83.3	(78.1 - 88.6)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	*	*	*	*	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	154	8,500	91.6	(86.9 - 96.2)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	198	10,900	99.8	(99.3 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	40,300	86.6	(83.0 - 90.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	281	20,700	79.6	(72.6 - 86.6)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	204	14,900	89.0	(82.9 - 95.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	103	9,300	89.5	(81.8 - 97.2)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	135	12,800	94.3	(87.5 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 6b. Health insurance among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	81.7	(76.5 - 86.8)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	232	81.2	(72.7 - 89.7)	14,597	83.6	(79.7 - 87.5)
Female	419	82.1	(76.5 - 87.8)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	85.9	(82.0 - 89.8)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	281	78.8	(71.6 - 86.0)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	204	88.2	(81.4 - 95.0)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	103	88.6	(80.3 - 96.9)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	135	93.9	(86.5 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	37,500	78.6	(72.7 - 84.4)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	172	19,300	77.9	(68.3 - 87.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	274	18,100	79.3	(72.9 - 85.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	*	*	*	*	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	148	8,400	92.2	(87.6 - 96.8)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	398	30,500	83.3	(78.7 - 87.8)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	183	15,500	74.6	(66.0 - 83.1)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	152	11,800	86.9	(79.4 - 94.3)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	85	8,100	88.1	(79.4 - 96.8)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	110	11,000	93.4	(85.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	77.9	(71.9 - 84.0)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	172	77.3	(67.4 - 87.3)	10,078	80.5	(75.9 - 85.1)
Female	274	78.5	(71.8 - 85.3)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	398	82.7	(77.9 - 87.5)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	183	74.1	(65.5 - 82.8)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	152	85.9	(77.8 - 94.0)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	85	87.2	(77.8 - 96.5)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	110	93.0	(84.6 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 8a. No health insurance among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	10,300	17.5	(12.6 - 22.4)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	232	5,500	18.3	(10.2 - 26.5)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	419	4,800	16.7	(11.4 - 21.9)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	154	800	8.4	(3.8 - 13.1)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	6,200	13.4	(9.8 - 17.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	281	5,300	20.4	(13.4 - 27.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	204	1,800	11.0	(4.8 - 17.1)	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 8b. No health insurance among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	18.3	(13.2 - 23.5)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	232	18.8	(10.3 - 27.3)	14,597	16.4	(12.5 - 20.3)
Female	419	17.9	(12.2 - 23.5)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	14.1	(10.2 - 18.0)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	281	21.2	(14.0 - 28.4)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	204	11.8	(5.0 - 18.6)	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	10,200	21.4	(15.6 - 27.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	172	5,500	22.1	(12.5 - 31.7)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	274	4,700	20.7	(14.2 - 27.1)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	148	700	7.8	(3.2 - 12.4)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	398	6,100	16.7	(12.2 - 21.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	183	5,300	25.4	(16.9 - 34.0)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	152	1,800	13.1	(5.7 - 20.6)	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	22.1	(16.0 - 28.1)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	172	22.7	(12.7 - 32.6)	10,078	19.5	(14.9 - 24.1)
Female	274	21.5	(14.7 - 28.2)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	398	17.3	(12.5 - 22.1)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	183	25.9	(17.2 - 34.5)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	152	14.1	(6.0 - 22.2)	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	47,600	81.0	(76.2 - 85.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	231	22,800	76.6	(68.5 - 84.6)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	419	24,800	85.5	(80.8 - 90.3)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	90	9,000	85.3	(75.3 - 95.3)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	*	*	*	*	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	154	7,900	85.0	(76.7 - 93.4)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	196	10,000	92.9	(89.1 - 96.8)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	593	38,100	82.0	(77.2 - 86.7)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	280	20,500	79.0	(71.3 - 86.6)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	204	14,400	86.4	(80.3 - 92.6)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	159	12,900	82.4	(73.1 - 91.6)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	135	11,700	85.8	(77.1 - 94.5)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	80.9	(76.0 - 85.8)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	231	76.3	(68.0 - 84.6)	14,593	78.1	(73.9 - 82.3)
Female	419	85.5	(80.6 - 90.4)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	593	81.6	(76.5 - 86.6)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	280	78.9	(71.1 - 86.7)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	204	86.3	(79.9 - 92.8)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	159	82.3	(72.6 - 92.0)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	135	86.6	(78.1 - 95.0)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	10,200	17.4	(12.7 - 22.1)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	231	4,000	13.5	(5.7 - 21.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	419	6,200	21.3	(16.1 - 26.5)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	153	900	9.4	(4.4 - 14.5)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	197	500	4.6	(1.7 - 7.6)	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	5,900	12.7	(9.6 - 15.9)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	281	4,500	17.1	(10.7 - 23.5)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	202	1,900	11.2	(5.9 - 16.5)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	*	*	*	*	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	18.1	(13.2 - 23.0)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	231	13.9	(5.8 - 22.0)	14,607	12.5	(9.4 - 15.6)
Female	419	22.4	(16.9 - 28.0)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	13.4	(10.0 - 16.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	281	17.5	(11.0 - 24.0)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	202	11.7	(6.0 - 17.4)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	*	*	*	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	37,300	63.7	(58.2 - 69.2)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	231	18,200	61.3	(52.3 - 70.3)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	415	19,100	66.2	(60.1 - 72.3)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	*	*	*	*	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	153	6,800	73.8	(64.7 - 82.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	196	9,400	87.2	(81.8 - 92.6)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	589	30,600	66.3	(61.1 - 71.4)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	277	15,700	60.8	(52.7 - 68.9)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	202	12,200	73.5	(65.8 - 81.2)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	62.3	(56.6 - 68.1)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	231	60.5	(51.2 - 69.8)	14,592	67.1	(63.3 - 70.9)
Female	415	64.2	(57.7 - 70.7)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	589	65.1	(59.7 - 70.6)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	277	59.4	(51.0 - 67.9)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	202	72.3	(64.0 - 80.6)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	46,500	79.5	(74.6 - 84.3)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	231	23,100	77.7	(69.5 - 85.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	415	23,400	81.2	(76.1 - 86.4)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	*	*	*	*	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	153	8,000	86.4	(80.6 - 92.3)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	196	10,000	93.4	(89.7 - 97.2)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	589	37,700	81.6	(77.7 - 85.6)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	277	19,900	77.0	(70.0 - 83.9)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	202	14,200	85.9	(79.7 - 92.0)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	103	8,300	80.2	(70.6 - 89.7)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	135	11,200	82.2	(73.2 - 91.1)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	78.9	(73.8 - 84.0)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	231	77.2	(68.7 - 85.7)	14,592	81.9	(78.4 - 85.3)
Female	415	80.6	(75.1 - 86.1)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	589	81.3	(77.1 - 85.6)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	277	76.8	(69.6 - 83.9)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	202	85.1	(78.4 - 91.9)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	135	81.7	(72.3 - 91.1)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	37,500	64.0	(58.7 - 69.3)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	232	17,900	60.1	(51.3 - 68.9)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	414	19,600	68.0	(62.4 - 73.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	*	*	*	*	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	151	6,600	72.2	(63.8 - 80.7)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	197	6,900	63.7	(55.7 - 71.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	30,600	66.1	(61.2 - 71.0)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	278	16,000	62.0	(54.5 - 69.5)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	203	12,400	74.3	(66.5 - 82.1)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	135	10,500	77.1	(67.4 - 86.8)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	63.8	(58.3 - 69.3)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	232	59.7	(50.6 - 68.8)	14,573	68.3	(64.6 - 72.1)
Female	414	68.1	(62.1 - 74.0)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	65.8	(60.7 - 71.0)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	278	62.9	(55.3 - 70.6)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	203	73.7	(65.3 - 82.1)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	589	36,000	65.0	(59.7 - 70.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	216	18,400	64.3	(55.8 - 72.8)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	373	17,500	65.8	(59.7 - 72.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	*	*	*	*	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	142	6,100	69.5	(59.5 - 79.4)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	158	6,100	70.3	(61.4 - 79.1)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	539	29,100	66.6	(61.6 - 71.7)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	232	14,700	63.7	(55.6 - 71.8)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	200	11,900	71.8	(63.9 - 79.8)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	*	*	*	*	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	589	64.8	(59.4 - 70.3)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	216	64.2	(55.4 - 72.9)	13,173	69.2	(65.3 - 73.1)
Female	373	65.5	(59.1 - 71.9)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	539	66.0	(60.7 - 71.4)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	232	64.0	(55.7 - 72.2)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	200	71.3	(62.8 - 79.8)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	33,200	57.2	(51.8 - 62.7)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	228	16,500	56.1	(47.2 - 65.1)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	412	16,700	58.4	(52.2 - 64.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	151	6,400	70.6	(60.9 - 80.3)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	194	8,900	84.0	(77.2 - 90.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	585	26,700	58.3	(53.0 - 63.5)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	275	17,500	68.8	(61.1 - 76.5)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	200	6,800	41.7	(33.5 - 49.9)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	176	10,000	75.2	(65.4 - 85.0)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	135	5,300	39.2	(29.5 - 48.9)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	55.2	(49.6 - 60.9)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	228	54.2	(44.9 - 63.4)	14,457	47.9	(44.1 - 51.7)
Female	412	56.3	(49.9 - 62.7)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	585	55.8	(50.3 - 61.3)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	275	67.8	(59.7 - 75.8)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	200	38.9	(30.6 - 47.2)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	135	36.5	(26.8 - 46.2)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	194	2,100	19.9	(13.0 - 26.8)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	135	1,200	21.6	(13.8 - 29.4)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	194	2,100	19.9	(13.0 - 26.8)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	188	1,800	18.6	(12.3 - 24.9)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	194	19.7	(12.6 - 26.8)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	135	21.5	(13.7 - 29.3)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	188	18.4	(12.0 - 24.8)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	21,500	36.9	(32.1 - 41.8)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	229	10,500	35.9	(28.1 - 43.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	418	11,000	37.9	(32.3 - 43.5)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	233	7,300	22.7	(16.1 - 29.3)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	216	5,600	37.1	(29.1 - 45.0)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	198	8,500	78.5	(71.7 - 85.2)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	18,200	39.8	(34.9 - 44.7)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	279	9,800	38.7	(31.3 - 46.2)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	164	4,800	29.8	(20.8 - 38.7)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	202	6,800	41.0	(32.7 - 49.3)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	158	5,100	32.4	(22.6 - 42.3)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	135	5,100	37.4	(27.8 - 47.0)	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	35.0	(30.1 - 39.9)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	229	34.6	(26.8 - 42.5)	14,579	40.0	(36.2 - 43.8)
Female	418	35.4	(29.6 - 41.2)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	37.4	(32.3 - 42.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	279	37.0	(29.4 - 44.5)	15,663	43.7	(39.1 - 48.2)
Some College	164	27.8	(19.0 - 36.7)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	202	39.1	(30.5 - 47.7)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	158	30.7	(20.8 - 40.6)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	102	26.7	(16.8 - 36.5)	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	135	36.5	(26.6 - 46.3)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	21,500	36.9	(32.1 - 41.8)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	229	10,500	35.9	(28.1 - 43.8)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	418	11,000	37.9	(32.3 - 43.5)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	233	7,300	22.7	(16.1 - 29.3)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	216	5,600	37.1	(29.1 - 45.0)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	198	8,500	78.5	(71.7 - 85.2)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	18,200	39.8	(34.9 - 44.7)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	279	9,800	38.7	(31.3 - 46.2)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	164	4,800	29.8	(20.8 - 38.7)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	202	6,800	41.0	(32.7 - 49.3)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	158	5,100	32.4	(22.6 - 42.3)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	135	5,100	37.4	(27.8 - 47.0)	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	35.0	(30.1 - 39.9)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	229	34.6	(26.8 - 42.5)	14,568	40.4	(36.6 - 44.2)
Female	418	35.4	(29.6 - 41.2)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	37.4	(32.3 - 42.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	279	37.0	(29.4 - 44.5)	15,651	44.1	(39.6 - 48.6)
Some College	164	27.8	(19.0 - 36.7)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	202	39.1	(30.5 - 47.7)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	158	30.7	(20.8 - 40.6)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	102	26.7	(16.8 - 36.5)	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	135	36.5	(26.6 - 46.3)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	8,500	78.5	(71.7 - 85.2)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	139	4,700	80.5	(73.6 - 87.4)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	198	8,500	78.5	(71.7 - 85.2)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	190	7,500	78.0	(71.6 - 84.5)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	95	4,000	79.9	(71.3 - 88.4)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	91	3,300	77.2	(68.0 - 86.5)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	78.3	(71.3 - 85.3)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	139	80.4	(73.5 - 87.3)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	190	78.0	(71.3 - 84.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	95	79.7	(70.9 - 88.5)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	91	76.8	(67.3 - 86.3)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	599	14,300	27.0	(22.4 - 31.6)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	201	7,400	28.8	(20.7 - 36.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	398	6,900	25.4	(20.6 - 30.1)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	203	3,700	13.3	(6.9 - 19.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	205	3,100	21.3	(14.2 - 28.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	191	7,500	71.5	(63.6 - 79.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	545	11,900	28.9	(24.1 - 33.6)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	258	6,200	26.6	(19.5 - 33.8)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	151	3,600	25.1	(16.3 - 33.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	188	4,400	29.2	(21.1 - 37.3)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	147	3,300	23.2	(14.8 - 31.6)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	123	2,700	21.3	(12.2 - 30.5)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	599	25.5	(20.8 - 30.2)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	201	28.5	(20.2 - 36.7)	13,052	25.8	(22.3 - 29.4)
Female	398	22.7	(18.1 - 27.3)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	545	27.1	(22.4 - 31.9)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	258	25.5	(18.2 - 32.8)	14,700	29.5	(25.6 - 33.5)
Some College	151	22.7	(14.4 - 31.0)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	188	28.0	(19.6 - 36.5)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	147	21.5	(13.2 - 29.9)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	123	20.4	(11.3 - 29.6)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	191	7,500	71.5	(63.6 - 79.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	137	4,300	75.6	(68.0 - 83.3)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	191	7,500	71.5	(63.6 - 79.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	183	6,700	73.0	(65.9 - 80.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	50	2,300	86.6	(78.0 - 95.3)	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	89	3,100	75.5	(66.2 - 84.9)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	191	71.2	(62.9 - 79.5)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	137	75.6	(67.9 - 83.2)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	183	72.9	(65.6 - 80.3)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	50	87.2	(78.8 - 95.7)	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	89	75.6	(66.2 - 85.0)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	320	16,200	89.8	(85.4 - 94.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	320	16,200	89.8	(85.4 - 94.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	62	4,400	84.3	(74.9 - 93.7)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	120	6,600	93.7	(89.0 - 98.3)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	138	5,200	90.1	(81.0 - 99.2)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	298	13,600	90.7	(87.0 - 94.3)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	139	6,900	86.6	(79.9 - 93.4)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	79	3,900	92.0	(85.6 - 98.4)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	102	5,400	92.6	(83.6 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	69	3,800	93.0	(84.6 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	53	3,300	98.4	(95.4 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	320	89.3	(84.7 - 93.8)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	320	89.3	(84.7 - 93.8)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	298	89.9	(85.8 - 94.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	139	85.6	(78.3 - 93.0)	8,266	90.2	(86.1 - 94.2)
Some College	79	90.9	(83.5 - 98.4)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	102	92.9	(84.5 - 100)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	69	92.6	(83.9 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	53	97.9	(93.8 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	318	12,600	70.5	(64.3 - 76.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	318	12,600	70.5	(64.3 - 76.6)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	119	5,200	74.0	(64.8 - 83.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	297	10,900	72.6	(66.9 - 78.2)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	137	5,200	65.5	(56.0 - 75.1)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	*	*	*	*	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	318	69.8	(63.5 - 76.1)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	318	69.8	(63.5 - 76.1)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	297	71.6	(65.5 - 77.7)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	137	64.7	(54.8 - 74.7)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	256	9,300	73.2	(66.3 - 80.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	256	9,300	73.2	(66.3 - 80.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	119	5,200	74.0	(64.8 - 83.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	*	*	*	*	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	242	8,100	74.8	(68.7 - 80.9)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	115	4,200	71.8	(62.4 - 81.1)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	256	72.7	(65.8 - 79.6)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	256	72.7	(65.8 - 79.6)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	242	74.4	(68.1 - 80.7)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	115	70.9	(61.4 - 80.4)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	27,600	96.5	(94.7 - 98.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	412	27,600	96.5	(94.7 - 98.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	63	7,700	96.7	(93.0 - 100)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	57	5,000	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	69	5,100	93.2	(86.8 - 99.6)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	88	4,500	97.2	(93.9 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	135	5,400	95.6	(92.4 - 98.8)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	373	21,300	96.3	(94.4 - 98.2)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	170	11,400	94.8	(91.2 - 98.3)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	108	7,000	96.6	(93.0 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	133	9,200	98.6	(97.0 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	128	7,400	93.9	(89.9 - 98.0)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	96	7,100	97.1	(92.8 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	64	4,800	98.0	(94.2 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	78	6,100	99.1	(97.4 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	96.7	(94.9 - 98.5)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	412	96.7	(94.9 - 98.5)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	373	96.4	(94.5 - 98.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	170	95.0	(91.6 - 98.5)	9,526	87.8	(83.2 - 92.4)
Some College	108	96.5	(92.7 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	133	98.9	(97.6 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	128	93.9	(89.6 - 98.2)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	96	97.4	(93.7 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	64	97.8	(93.6 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	78	99.3	(97.9 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	22,900	81.1	(76.8 - 85.4)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	404	22,900	81.1	(76.8 - 85.4)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	62	7,200	92.5	(84.0 - 100)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	57	4,800	94.8	(89.6 - 100)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	*	*	*	*	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	130	3,500	65.3	(56.1 - 74.5)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	366	17,600	80.6	(76.5 - 84.8)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	168	9,000	75.2	(67.3 - 83.1)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	106	5,700	81.5	(73.7 - 89.3)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	129	8,100	88.9	(83.4 - 94.4)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	92	6,100	86.1	(78.9 - 93.3)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	78	5,700	92.6	(87.0 - 98.3)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	82.9	(78.7 - 87.1)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	404	82.9	(78.7 - 87.1)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	366	82.5	(78.5 - 86.5)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	168	77.1	(69.1 - 85.0)	9,384	76.4	(71.3 - 81.5)
Some College	106	83.0	(75.5 - 90.6)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	129	90.5	(85.8 - 95.3)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	92	88.2	(81.8 - 94.6)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	78	93.7	(88.7 - 98.7)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	11,700	62.5	(53.1 - 71.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	188	11,700	62.5	(53.1 - 71.8)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	59	4,500	89.3	(81.3 - 97.3)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	178	10,500	65.1	(56.3 - 73.9)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	60.8	(51.1 - 70.5)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	188	60.8	(51.1 - 70.5)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	178	63.4	(54.2 - 72.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	187	7,600	41.1	(32.5 - 49.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	187	7,600	41.1	(32.5 - 49.6)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	177	6,500	40.4	(32.2 - 48.6)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	187	39.2	(30.6 - 47.7)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	187	39.2	(30.6 - 47.7)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	177	38.5	(30.2 - 46.7)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	184	10,900	59.3	(49.9 - 68.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	184	10,900	59.3	(49.9 - 68.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	57	4,400	89.3	(80.3 - 98.3)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	174	9,700	60.9	(51.9 - 69.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	184	57.5	(47.8 - 67.2)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	184	57.5	(47.8 - 67.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	174	59.0	(49.7 - 68.4)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	182	9,100	49.6	(40.5 - 58.7)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	182	9,100	49.6	(40.5 - 58.7)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	172	8,200	51.7	(42.9 - 60.6)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	182	48.0	(38.7 - 57.2)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	182	48.0	(38.7 - 57.2)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	172	49.7	(40.7 - 58.8)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	800	4.1	(1.4 - 6.9)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	188	800	4.1	(1.4 - 6.9)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	179	800	4.7	(1.6 - 7.8)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	188	4.1	(1.4 - 6.8)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	188	4.1	(1.4 - 6.8)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	179	4.6	(1.6 - 7.7)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	7,900	30.1	(24.9 - 35.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	152	3,700	28.2	(20.2 - 36.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	259	4,100	32.1	(25.4 - 38.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	217	3,700	23.9	(17.4 - 30.4)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	193	4,200	39.5	(31.2 - 47.9)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	387	6,900	31.4	(26.3 - 36.6)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	182	2,700	22.9	(16.0 - 29.7)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	129	2,800	34.4	(24.8 - 44.0)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	137	2,200	27.3	(18.4 - 36.1)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	411	30.0	(24.6 - 35.4)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	152	29.0	(20.7 - 37.3)	9,571	39.4	(35.3 - 43.5)
Female	259	31.2	(24.6 - 37.7)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	387	31.5	(26.2 - 36.8)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	182	22.6	(15.7 - 29.6)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	129	33.9	(24.2 - 43.6)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	137	27.3	(18.2 - 36.3)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	2,700	10.3	(6.7 - 13.9)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	151	1,500	11.7	(5.7 - 17.6)	9,508	444,400	16.0	(13.2 - 18.9)
Female	256	1,100	8.9	(4.8 - 12.9)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	216	1,000	6.4	(2.7 - 10.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	190	1,700	16.0	(9.2 - 22.9)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	383	2,300	10.4	(6.9 - 14.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	1,100	9.2	(4.8 - 13.6)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	128	800	10.3	(3.8 - 16.8)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	136	600	7.6	(2.8 - 12.3)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	93	600	11.0	(3.9 - 18.1)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	10.6	(6.8 - 14.4)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	151	12.3	(6.0 - 18.7)	9,508	16.4	(13.2 - 19.6)
Female	256	8.6	(4.7 - 12.6)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	383	10.7	(6.9 - 14.4)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	181	9.3	(4.6 - 13.9)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	128	10.6	(3.8 - 17.4)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	136	7.4	(2.6 - 12.3)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	93	10.8	(3.8 - 17.8)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	3,800	14.7	(10.6 - 18.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	151	2,100	16.3	(9.7 - 22.8)	9,508	593,100	21.4	(18.3 - 24.5)
Female	256	1,700	13.1	(8.1 - 18.2)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	216	1,600	10.5	(5.9 - 15.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	190	2,200	21.0	(13.7 - 28.3)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	383	3,100	14.3	(10.3 - 18.2)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	1,700	14.1	(8.5 - 19.8)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	128	1,200	14.7	(7.5 - 22.0)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	136	1,100	13.1	(6.8 - 19.5)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	93	1,000	17.4	(8.3 - 26.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	14.9	(10.6 - 19.2)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	151	17.0	(10.1 - 23.9)	9,508	21.7	(18.3 - 25.1)
Female	256	12.6	(7.8 - 17.4)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	383	14.6	(10.4 - 18.7)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	181	13.9	(8.3 - 19.6)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	128	14.7	(7.3 - 22.1)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	136	13.3	(6.8 - 19.9)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	93	16.6	(8.0 - 25.2)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	16,500	63.6	(57.4 - 69.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	*	*	*	*	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	261	8,300	63.7	(56.5 - 70.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	153	6,600	71.1	(62.0 - 80.2)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	194	7,000	66.7	(58.9 - 74.6)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	389	14,400	65.3	(59.8 - 70.8)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	179	5,600	48.2	(38.4 - 58.0)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	131	6,400	79.1	(70.9 - 87.2)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	63.2	(56.9 - 69.6)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	*	*	*	9,582	68.5	(64.5 - 72.5)
Female	261	63.6	(56.5 - 70.8)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	389	65.0	(59.3 - 70.7)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	179	48.4	(38.5 - 58.4)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	131	78.9	(70.4 - 87.5)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	409	15,900	61.7	(55.5 - 68.0)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	*	*	*	*	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	260	7,900	61.2	(53.9 - 68.5)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	152	6,500	70.7	(61.5 - 79.8)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	192	6,500	63.2	(55.1 - 71.3)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	387	13,900	63.3	(57.7 - 68.8)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	178	5,200	45.2	(35.6 - 54.9)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	129	6,300	78.8	(70.5 - 87.0)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	409	61.3	(54.9 - 67.7)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	*	*	*	9,521	66.9	(62.9 - 70.9)
Female	260	61.0	(53.8 - 68.3)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	387	62.8	(57.0 - 68.5)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	178	45.2	(35.4 - 55.0)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	129	78.7	(70.0 - 87.3)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	16,400	64.8	(58.5 - 71.1)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	*	*	*	*	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	252	8,100	64.8	(57.5 - 72.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	146	6,600	72.8	(63.6 - 82.0)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	190	7,100	69.0	(61.1 - 76.8)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	379	14,500	67.1	(61.6 - 72.7)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	175	5,500	49.0	(39.0 - 58.9)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	127	6,300	79.9	(71.7 - 88.1)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	64.4	(57.9 - 70.9)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	*	*	*	9,418	71.5	(67.6 - 75.4)
Female	252	64.7	(57.4 - 71.9)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	379	66.7	(61.0 - 72.4)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	127	79.7	(71.1 - 88.4)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	18,000	30.7	(25.9 - 35.5)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	231	10,100	34.2	(26.1 - 42.3)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	418	7,800	27.1	(21.9 - 32.2)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	90	2,300	22.1	(12.2 - 31.9)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	115	3,400	30.3	(20.3 - 40.3)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	*	*	*	*	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	197	5,800	53.6	(45.1 - 62.0)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	13,800	29.9	(25.6 - 34.3)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	278	8,900	34.8	(27.7 - 41.9)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	*	*	*	*	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	204	4,100	24.5	(17.8 - 31.3)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	183	5,200	37.9	(28.3 - 47.4)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	135	2,700	19.7	(12.1 - 27.4)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	28.9	(24.0 - 33.8)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	231	33.0	(24.7 - 41.2)	14,611	27.7	(24.7 - 30.7)
Female	418	24.7	(19.7 - 29.8)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	27.9	(23.6 - 32.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	278	32.9	(25.8 - 40.0)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	204	22.1	(15.6 - 28.6)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	183	35.9	(26.4 - 45.4)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	135	18.0	(10.6 - 25.4)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	103	5,200	90.2	(82.2 - 98.3)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	209	10,400	75.9	(68.4 - 83.3)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	209	75.0	(67.1 - 82.9)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	48,200	83.2	(78.8 - 87.6)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	232	24,900	83.5	(76.6 - 90.5)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	408	23,300	82.9	(77.5 - 88.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	112	9,200	84.4	(76.6 - 92.2)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	153	8,900	96.2	(93.5 - 98.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	196	10,500	97.3	(94.4 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	584	38,100	83.3	(78.4 - 88.1)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	275	19,200	75.5	(68.0 - 83.0)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	161	14,100	88.8	(80.7 - 96.9)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	202	14,800	89.9	(84.0 - 95.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	182	11,400	81.4	(73.4 - 89.4)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	132	12,400	93.4	(88.3 - 98.5)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	82.0	(77.2 - 86.7)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	232	82.3	(74.9 - 89.7)	14,389	78.0	(73.9 - 82.1)
Female	408	81.6	(75.7 - 87.5)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	584	82.1	(76.9 - 87.3)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	275	73.7	(65.6 - 81.7)	15,342	70.2	(65.2 - 75.1)
Some College	161	88.2	(79.7 - 96.7)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	202	88.9	(82.3 - 95.4)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	182	79.8	(71.0 - 88.7)	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	132	93.2	(87.9 - 98.4)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	45,900	79.5	(74.9 - 84.0)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	231	24,400	81.9	(74.9 - 88.8)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	405	21,500	77.0	(71.3 - 82.7)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	112	8,400	77.4	(68.6 - 86.3)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	150	8,600	94.4	(90.9 - 97.8)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	195	10,300	95.4	(92.1 - 98.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	580	36,100	79.2	(74.3 - 84.1)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	273	18,500	72.7	(65.1 - 80.2)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	160	13,300	84.3	(75.6 - 93.0)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	202	14,100	85.6	(79.2 - 91.9)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	181	10,600	76.3	(67.6 - 85.0)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	131	11,900	89.5	(83.8 - 95.3)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	78.0	(73.1 - 82.9)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	231	80.7	(73.2 - 88.2)	14,307	74.8	(70.7 - 79.0)
Female	405	75.2	(69.0 - 81.3)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	580	77.8	(72.5 - 83.0)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	273	70.6	(62.5 - 78.7)	15,215	67.8	(62.9 - 72.8)
Some College	160	83.4	(74.3 - 92.5)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	202	84.4	(77.4 - 91.3)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	181	74.5	(65.1 - 84.0)	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	131	88.8	(82.6 - 94.9)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	4,900	8.5	(5.8 - 11.2)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	228	2,500	8.5	(4.3 - 12.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	412	2,400	8.5	(5.2 - 11.8)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	113	1,200	11.1	(1.9 - 20.2)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	153	700	7.7	(3.1 - 12.4)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	194	2,500	23.2	(15.8 - 30.7)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	584	4,400	9.7	(6.6 - 12.7)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	273	2,700	10.9	(6.1 - 15.6)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	162	1,200	7.6	(3.6 - 11.6)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	203	900	5.6	(1.3 - 9.8)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	179	2,900	21.9	(13.0 - 30.8)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	159	1,100	7.2	(2.8 - 11.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	7.9	(5.4 - 10.5)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	228	7.9	(4.0 - 11.8)	14,477	9.7	(7.8 - 11.7)
Female	412	7.9	(4.7 - 11.2)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	584	9.1	(6.1 - 12.0)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	273	10.3	(5.7 - 14.9)	15,486	10.5	(8.0 - 13.0)
Some College	162	6.7	(3.1 - 10.3)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	203	5.2	(1.1 - 9.3)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	179	21.0	(12.3 - 29.7)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	159	6.8	(2.4 - 11.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	3,900	6.8	(4.7 - 8.9)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	228	1,900	6.4	(3.7 - 9.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	415	2,100	7.2	(4.1 - 10.4)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	153	600	6.8	(2.4 - 11.2)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	197	2,300	20.8	(13.5 - 28.1)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	587	3,400	7.5	(5.3 - 9.8)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	276	2,000	8.0	(4.9 - 11.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	162	1,000	6.3	(2.6 - 10.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	203	900	5.2	(1.0 - 9.4)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	179	2,200	16.2	(9.6 - 22.7)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	160	1,100	6.9	(2.6 - 11.1)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	6.4	(4.4 - 8.4)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	228	6.0	(3.4 - 8.5)	14,479	8.8	(6.9 - 10.8)
Female	415	6.8	(3.7 - 9.9)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	587	7.2	(4.9 - 9.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	276	7.7	(4.6 - 10.8)	15,485	8.5	(6.2 - 10.7)
Some College	162	5.7	(2.3 - 9.1)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	203	4.9	(0.8 - 9.0)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	179	15.7	(9.2 - 22.1)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	160	6.5	(2.2 - 10.9)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	6,600	11.3	(8.0 - 14.7)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	231	3,200	10.7	(5.6 - 15.8)	14,626	530,400	7.5	(6.2 - 8.8)
Female	420	3,500	12.0	(7.7 - 16.3)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	154	1,600	17.5	(8.6 - 26.5)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	198	2,400	21.9	(14.4 - 29.5)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	4,000	8.7	(6.3 - 11.0)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	280	4,300	16.5	(10.1 - 22.9)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	165	1,300	7.8	(3.4 - 12.1)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	204	1,100	6.8	(2.8 - 10.8)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	183	2,900	21.2	(11.5 - 30.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	160	1,100	7.2	(3.1 - 11.3)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	10.4	(7.2 - 13.6)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	231	9.8	(5.0 - 14.6)	14,626	7.5	(6.1 - 8.9)
Female	420	11.0	(6.9 - 15.1)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	8.0	(5.7 - 10.2)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	280	15.1	(9.1 - 21.2)	15,709	12.6	(10.0 - 15.2)
Some College	165	7.4	(3.0 - 11.7)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	204	6.0	(2.2 - 9.8)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	183	20.0	(10.5 - 29.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	160	6.7	(2.8 - 10.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	9,500	16.1	(12.2 - 20.1)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	232	4,400	14.8	(8.5 - 21.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	417	5,100	17.5	(12.9 - 22.2)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	94	3,500	20.6	(10.8 - 30.3)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	90	1,300	12.3	(5.5 - 19.0)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	116	2,000	17.5	(7.9 - 27.1)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	153	900	9.9	(4.0 - 15.9)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	196	1,800	16.8	(9.5 - 24.1)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	7,200	15.4	(11.4 - 19.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	279	4,300	16.7	(10.7 - 22.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	165	2,300	14.5	(7.0 - 22.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	203	2,800	16.8	(9.7 - 24.0)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	183	3,600	26.0	(16.3 - 35.7)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	159	2,700	17.4	(9.5 - 25.2)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	103	1,400	13.1	(3.4 - 22.9)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	135	1,400	10.3	(4.2 - 16.5)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	16.3	(12.3 - 20.3)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	232	14.7	(8.4 - 21.1)	14,601	12.6	(10.3 - 14.9)
Female	417	17.9	(13.0 - 22.7)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	15.8	(11.7 - 19.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	279	16.8	(10.7 - 22.9)	15,675	15.1	(12.1 - 18.0)
Some College	165	15.0	(7.2 - 22.8)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	203	16.7	(9.4 - 24.0)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	183	26.6	(16.7 - 36.6)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	159	18.1	(9.8 - 26.5)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	103	12.9	(3.3 - 22.6)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	135	10.2	(4.0 - 16.4)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 48a. Current asthma among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	5,800	9.8	(6.8 - 12.9)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	231	2,400	8.0	(3.2 - 12.7)	14,546	440,700	6.3	(4.8 - 7.7)
Female	417	3,400	11.7	(8.0 - 15.4)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	94	1,700	10.2	(3.7 - 16.7)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	90	900	8.3	(2.7 - 13.9)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	116	1,500	13.6	(4.3 - 22.9)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	152	400	4.6	(1.6 - 7.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	196	1,200	11.3	(5.7 - 16.8)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	4,600	10.0	(6.7 - 13.4)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	278	3,200	12.5	(7.1 - 18.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	165	1,300	8.1	(3.8 - 12.4)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	203	1,200	7.4	(2.6 - 12.3)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	183	2,700	19.0	(10.1 - 27.8)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	158	1,300	8.2	(3.1 - 13.3)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 48b. Current asthma among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	10.0	(6.9 - 13.1)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	231	7.9	(3.2 - 12.7)	14,546	6.4	(4.9 - 7.9)
Female	417	12.1	(8.1 - 16.1)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	10.2	(6.7 - 13.7)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	278	12.6	(7.1 - 18.1)	15,594	10.8	(8.3 - 13.3)
Some College	165	8.4	(3.8 - 13.0)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	203	7.4	(2.4 - 12.5)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	183	19.3	(10.2 - 28.5)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	158	8.7	(3.1 - 14.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	27,800	47.1	(41.9 - 52.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	232	13,500	45.1	(36.5 - 53.6)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	419	14,300	49.3	(43.3 - 55.3)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	153	6,000	65.0	(55.6 - 74.4)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	198	5,900	54.5	(45.8 - 63.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	22,700	48.8	(43.7 - 54.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	281	14,900	57.1	(49.4 - 64.9)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	203	6,500	39.3	(31.5 - 47.1)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	183	9,100	65.2	(55.5 - 74.8)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	135	5,700	41.9	(31.9 - 51.8)	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	45.4	(40.0 - 50.8)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	232	44.0	(35.2 - 52.8)	14,595	42.6	(38.8 - 46.3)
Female	419	46.8	(40.6 - 53.0)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	47.2	(41.8 - 52.5)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	281	55.5	(47.4 - 63.7)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	203	37.1	(29.1 - 45.0)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 50a. Arthritis among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	18,100	30.7	(26.3 - 35.2)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	231	7,300	24.6	(18.0 - 31.3)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	417	10,700	37.1	(31.5 - 42.6)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	90	2,600	24.7	(14.9 - 34.4)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	*	*	*	*	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	198	5,800	53.1	(44.5 - 61.7)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	591	15,600	33.6	(29.1 - 38.0)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	280	9,000	34.7	(27.4 - 42.0)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	165	4,600	28.4	(20.1 - 36.7)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	201	4,400	26.7	(20.0 - 33.4)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	158	3,900	25.3	(17.3 - 33.3)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	103	2,600	24.9	(15.7 - 34.0)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	133	3,800	28.2	(20.1 - 36.3)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 50b. Arthritis among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	28.7	(24.3 - 33.1)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	231	23.5	(16.9 - 30.1)	14,555	23.5	(20.9 - 26.1)
Female	417	34.0	(28.4 - 39.5)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	591	31.4	(26.9 - 35.9)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	280	32.8	(25.5 - 40.1)	15,652	30.4	(26.9 - 33.8)
Some College	165	25.7	(17.8 - 33.6)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	201	24.9	(18.2 - 31.6)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	158	23.2	(15.5 - 31.0)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	103	24.1	(14.8 - 33.4)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	133	25.8	(17.8 - 33.7)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	14,900	25.3	(21.1 - 29.5)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	232	7,000	23.5	(16.8 - 30.2)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	417	7,900	27.2	(22.3 - 32.1)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	94	2,300	13.8	(6.6 - 21.0)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	*	*	*	*	7,812	620,200	21.7	(18.3 - 25.2)
55-64	154	2,800	29.9	(21.3 - 38.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	197	4,100	37.9	(30.0 - 45.9)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	12,700	27.3	(22.9 - 31.7)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	279	7,900	30.6	(23.8 - 37.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	165	3,600	22.5	(14.1 - 30.9)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	203	3,200	19.6	(13.8 - 25.3)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	160	3,600	23.0	(14.9 - 31.0)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	102	1,800	17.3	(8.7 - 26.0)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	134	2,000	14.5	(7.0 - 21.9)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	24.6	(20.3 - 28.9)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	232	23.4	(16.5 - 30.2)	14,566	18.6	(15.8 - 21.4)
Female	417	25.9	(20.9 - 30.9)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	26.6	(22.1 - 31.1)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	279	30.0	(23.0 - 37.0)	15,626	23.8	(20.1 - 27.4)
Some College	165	21.3	(12.9 - 29.8)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	203	19.2	(13.2 - 25.3)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	160	22.4	(14.1 - 30.6)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	102	17.0	(8.3 - 25.7)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	134	14.0	(6.2 - 21.9)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	5,700	9.7	(7.2 - 12.2)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	232	2,900	9.7	(5.6 - 13.8)	14,617	460,700	6.5	(5.3 - 7.7)
Female	419	2,800	9.7	(6.8 - 12.7)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	116	1,200	10.7	(5.1 - 16.4)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	154	900	9.6	(5.1 - 14.1)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	197	2,300	21.1	(14.2 - 28.0)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	594	5,200	11.1	(8.2 - 14.0)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	280	3,600	14.0	(9.2 - 18.8)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	165	1,300	8.4	(4.1 - 12.6)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	204	700	4.0	(1.6 - 6.4)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	184	2,500	18.1	(12.2 - 24.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	160	1,500	9.5	(3.6 - 15.4)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	9.2	(6.6 - 11.8)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	232	9.5	(5.3 - 13.7)	14,617	6.8	(5.5 - 8.0)
Female	419	8.9	(6.0 - 11.8)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	594	10.5	(7.6 - 13.5)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	280	13.6	(8.7 - 18.6)	15,711	10.3	(8.3 - 12.3)
Some College	165	7.5	(3.5 - 11.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	204	3.7	(1.5 - 6.0)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	184	17.3	(11.3 - 23.2)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	160	9.3	(3.2 - 15.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 53a. Disability among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	16,400	27.9	(23.5 - 32.2)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	232	8,100	27.2	(20.1 - 34.4)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	417	8,200	28.5	(23.6 - 33.5)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	94	2,800	16.8	(8.6 - 25.0)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	*	*	*	*	7,811	643,900	22.6	(19.1 - 26.0)
55-64	154	2,900	31.0	(22.4 - 39.7)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	197	4,600	42.8	(34.5 - 51.2)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	13,900	30.1	(25.5 - 34.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	279	8,800	34.0	(26.8 - 41.2)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	165	4,100	25.2	(16.3 - 34.0)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	203	3,400	20.7	(14.8 - 26.7)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	160	4,300	27.5	(18.5 - 36.6)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	102	1,900	18.5	(9.6 - 27.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	134	2,200	16.2	(8.5 - 23.9)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 53b. Disability among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	27.0	(22.6 - 31.5)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	232	27.1	(19.8 - 34.5)	14,568	20.9	(18.0 - 23.8)
Female	417	27.0	(21.9 - 32.0)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	29.2	(24.5 - 33.9)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	279	33.3	(25.9 - 40.7)	15,638	26.8	(23.0 - 30.6)
Some College	165	23.9	(15.0 - 32.8)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	203	20.3	(14.1 - 26.4)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	160	26.9	(17.6 - 36.2)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	102	18.0	(9.1 - 26.9)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	134	15.6	(7.6 - 23.7)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 54a. Current smoking among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	16,200	27.9	(22.7 - 33.0)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	230	9,100	30.7	(22.1 - 39.3)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	416	7,100	24.9	(19.6 - 30.2)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	*	*	*	*	7,807	508,800	18.3	(15.4 - 21.3)
55-64	152	1,200	13.7	(7.5 - 19.8)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	196	1,000	9.4	(5.0 - 13.8)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	13,000	28.1	(22.9 - 33.4)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	279	9,300	36.1	(28.0 - 44.2)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	201	2,200	13.6	(7.9 - 19.3)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	134	1,700	12.9	(4.9 - 20.8)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 54b. Current smoking among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	28.9	(23.6 - 34.2)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	230	31.6	(22.7 - 40.5)	14,559	19.2	(16.3 - 22.1)
Female	416	26.1	(20.4 - 31.7)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	29.4	(23.8 - 34.9)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	279	37.2	(28.8 - 45.5)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	201	13.8	(7.8 - 19.8)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	134	13.6	(5.2 - 22.1)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	12,800	22.0	(17.1 - 26.9)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	230	7,700	26.1	(17.7 - 34.5)	14,559	848,400	12.0	(10.0 - 14.1)
Female	416	5,100	17.8	(13.2 - 22.5)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	90	2,300	21.8	(12.0 - 31.6)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	*	*	*	*	7,807	377,000	13.6	(11.1 - 16.0)
55-64	152	1,000	10.8	(5.1 - 16.5)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	196	700	6.0	(2.4 - 9.6)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	590	10,500	22.7	(17.5 - 27.9)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	279	7,800	30.3	(22.2 - 38.4)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	201	1,500	9.0	(4.2 - 13.7)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	22.8	(17.7 - 27.9)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	230	26.9	(18.2 - 35.5)	14,559	12.1	(10.1 - 14.1)
Female	416	18.6	(13.5 - 23.6)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	590	23.8	(18.3 - 29.2)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	279	31.3	(23.0 - 39.7)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	201	8.9	(4.0 - 13.9)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	43,500	74.1	(69.6 - 78.7)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	230	22,400	75.6	(68.4 - 82.8)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	420	21,100	72.6	(67.2 - 78.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	94	13,000	77.2	(67.2 - 87.1)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	90	8,500	80.3	(70.9 - 89.7)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	*	*	*	*	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	154	7,100	76.4	(68.8 - 84.1)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	197	7,900	73.6	(65.6 - 81.7)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	593	34,400	74.2	(69.7 - 78.7)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	281	17,000	65.5	(57.9 - 73.1)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	164	13,100	81.4	(74.2 - 88.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	203	13,400	80.6	(73.6 - 87.5)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	158	11,700	75.7	(67.4 - 83.9)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	135	11,700	86.0	(79.0 - 93.0)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	74.4	(69.8 - 79.1)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	230	76.0	(68.7 - 83.4)	14,577	79.4	(76.7 - 82.2)
Female	420	72.8	(67.1 - 78.5)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	593	74.4	(69.7 - 79.2)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	281	65.3	(57.4 - 73.2)	15,647	76.9	(73.8 - 80.0)
Some College	164	81.7	(74.3 - 89.0)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	203	81.6	(74.7 - 88.5)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	158	75.3	(66.7 - 84.0)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	135	86.9	(79.9 - 93.9)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	10,500	18.0	(13.8 - 22.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	230	7,400	25.2	(17.8 - 32.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	410	3,100	10.7	(6.9 - 14.6)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	113	2,000	17.9	(9.3 - 26.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	150	1,500	16.7	(9.5 - 23.9)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	583	9,100	19.8	(15.2 - 24.5)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	273	4,600	17.8	(11.2 - 24.5)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	162	3,000	18.8	(9.9 - 27.7)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	203	3,000	17.7	(11.1 - 24.3)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	181	700	5.2	(1.3 - 9.2)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	157	3,000	19.4	(11.6 - 27.2)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	133	2,500	18.9	(10.9 - 27.0)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	18.6	(14.1 - 23.0)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	230	25.6	(17.9 - 33.3)	14,420	24.5	(21.0 - 27.9)
Female	410	11.4	(7.2 - 15.5)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	583	20.6	(15.7 - 25.6)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	273	18.9	(11.8 - 26.0)	15,491	17.5	(13.5 - 21.5)
Some College	162	19.5	(10.3 - 28.8)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	203	17.2	(10.5 - 24.0)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	181	5.2	(1.1 - 9.4)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	157	19.8	(11.7 - 27.9)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	133	19.2	(10.8 - 27.6)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	4,000	6.9	(4.4 - 9.4)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	230	2,600	8.7	(4.5 - 12.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	411	1,400	5.0	(2.5 - 7.6)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	114	1,000	9.1	(3.0 - 15.3)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	195	800	8.0	(2.3 - 13.7)	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	584	3,200	7.1	(4.4 - 9.8)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	273	1,600	6.4	(3.0 - 9.9)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	202	1,500	8.8	(3.9 - 13.7)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	157	1,200	8.0	(3.2 - 12.9)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	6.9	(4.4 - 9.5)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	230	8.9	(4.4 - 13.3)	14,330	4.9	(3.9 - 5.9)
Female	411	4.9	(2.4 - 7.4)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	584	7.2	(4.3 - 10.0)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	273	6.7	(2.9 - 10.4)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	202	8.3	(3.5 - 13.1)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	157	8.1	(3.2 - 13.0)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	587	35,500	67.6	(62.0 - 73.3)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	203	18,100	70.3	(60.8 - 79.9)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	384	17,400	65.0	(58.8 - 71.2)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	*	*	*	*	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	142	7,300	83.3	(76.6 - 89.9)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	182	8,400	85.1	(78.7 - 91.5)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	533	29,700	72.4	(67.0 - 77.8)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	15,200	66.8	(58.4 - 75.3)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	187	11,100	72.2	(63.7 - 80.6)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	587	66.2	(60.3 - 72.1)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	203	69.0	(59.0 - 79.0)	13,299	67.9	(64.0 - 71.9)
Female	384	63.4	(56.8 - 70.0)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	533	71.3	(65.5 - 77.0)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	65.4	(56.5 - 74.3)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	187	70.6	(61.4 - 79.8)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	376	25,500	72.4	(66.4 - 78.4)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	132	13,500	79.4	(70.2 - 88.6)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	244	12,000	65.9	(58.4 - 73.4)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	78	4,100	86.3	(78.6 - 94.0)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	94	5,000	95.1	(90.1 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	345	22,100	75.8	(70.4 - 81.3)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	161	11,800	77.2	(69.0 - 85.4)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	120	7,700	72.7	(62.9 - 82.5)	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	376	70.5	(64.1 - 76.8)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	132	78.5	(68.9 - 88.2)	9,034	81.1	(77.4 - 84.8)
Female	244	63.0	(55.0 - 71.1)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	345	74.0	(68.1 - 79.9)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	161	75.2	(66.2 - 84.2)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	52,400	92.8	(90.3 - 95.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	222	26,800	92.5	(88.3 - 96.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	394	25,600	93.1	(90.5 - 95.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	92	16,000	96.2	(92.5 - 99.9)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	86	9,700	94.5	(88.2 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	113	10,400	94.1	(89.4 - 98.8)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	148	8,200	92.3	(84.8 - 99.7)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	177	8,100	84.2	(77.6 - 90.8)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	563	41,500	92.7	(90.2 - 95.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	257	21,800	89.7	(85.4 - 94.0)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	157	14,700	93.7	(88.8 - 98.7)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	200	15,900	96.7	(93.5 - 99.9)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	169	11,400	86.8	(81.0 - 92.6)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	150	14,300	97.0	(94.5 - 99.5)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	101	10,200	100	(100 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	135	12,600	93.1	(86.8 - 99.4)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	93.1	(90.6 - 95.6)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	222	92.7	(88.5 - 96.8)	13,893	89.1	(86.9 - 91.3)
Female	394	93.5	(90.8 - 96.2)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	563	92.8	(90.1 - 95.5)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	257	89.8	(85.2 - 94.4)	14,507	84.6	(81.8 - 87.4)
Some College	157	94.3	(89.9 - 98.6)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	200	96.9	(93.8 - 100)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	169	87.2	(81.3 - 93.1)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	150	97.3	(95.0 - 99.7)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	101	100	(100 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	135	93.4	(87.5 - 99.2)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 62a. Overweight among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	20,400	35.9	(30.4 - 41.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	231	12,900	43.2	(34.4 - 52.1)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	395	7,500	27.7	(22.3 - 33.1)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	193	4,600	43.0	(34.4 - 51.5)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	572	14,600	32.3	(27.6 - 37.1)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	266	8,600	35.1	(27.3 - 42.9)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	199	5,200	31.7	(23.9 - 39.4)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 62b. Overweight among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	35.1	(29.4 - 40.7)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	231	42.3	(33.2 - 51.4)	14,502	43.9	(40.1 - 47.6)
Female	395	27.1	(21.4 - 32.8)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	572	31.5	(26.6 - 36.4)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	266	34.9	(26.8 - 43.1)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	199	30.6	(22.6 - 38.5)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 63a. Obesity among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	16,400	28.9	(24.1 - 33.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	231	8,500	28.6	(21.1 - 36.1)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	395	7,900	29.2	(23.4 - 34.9)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	111	3,000	27.3	(17.6 - 37.0)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	145	2,400	28.5	(19.9 - 37.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	193	2,000	18.3	(12.2 - 24.5)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	572	13,600	30.2	(25.2 - 35.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	266	7,500	30.5	(23.2 - 37.9)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	160	4,300	27.0	(17.2 - 36.8)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	199	4,600	28.2	(20.2 - 36.2)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	176	4,100	31.5	(21.8 - 41.2)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	153	3,900	25.7	(16.1 - 35.4)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	131	4,000	30.3	(20.7 - 39.8)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 63b. Obesity among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	29.5	(24.4 - 34.6)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	231	29.3	(21.4 - 37.3)	14,502	21.5	(19.0 - 24.0)
Female	395	29.7	(23.6 - 35.8)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	572	30.7	(25.5 - 36.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	266	31.1	(23.2 - 38.9)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	199	28.9	(20.3 - 37.4)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	36,800	64.7	(59.7 - 69.8)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	231	21,400	71.8	(64.1 - 79.5)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	395	15,300	56.9	(50.8 - 62.9)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	87	7,900	76.7	(67.3 - 86.2)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	*	*	*	*	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	145	6,500	76.0	(68.7 - 83.4)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	193	6,600	61.3	(52.8 - 69.8)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	572	28,300	62.5	(57.4 - 67.7)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	266	16,100	65.7	(58.0 - 73.4)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	199	9,900	59.9	(51.4 - 68.3)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	153	10,200	67.9	(58.2 - 77.6)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	131	9,200	68.7	(59.4 - 78.0)	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	64.6	(59.3 - 69.8)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	231	71.7	(63.7 - 79.6)	14,502	65.4	(61.3 - 69.4)
Female	395	56.8	(50.4 - 63.1)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	572	62.2	(56.8 - 67.6)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	266	66.0	(58.0 - 74.0)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	199	59.5	(50.6 - 68.4)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	131	67.7	(58.0 - 77.4)	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	14,700	25.7	(21.1 - 30.4)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	231	6,800	22.7	(15.6 - 29.8)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	398	8,000	29.0	(23.2 - 34.8)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	112	3,000	27.3	(17.4 - 37.1)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	145	2,300	27.0	(18.5 - 35.5)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	194	2,200	20.4	(13.6 - 27.2)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	573	11,200	24.7	(20.1 - 29.3)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	269	6,600	26.5	(19.2 - 33.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	160	4,000	25.4	(16.1 - 34.8)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	199	4,100	24.8	(17.4 - 32.2)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	178	2,900	21.3	(13.0 - 29.6)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	154	3,500	23.2	(14.5 - 32.0)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	131	3,700	27.6	(18.5 - 36.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	25.8	(20.9 - 30.6)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	231	22.5	(15.2 - 29.8)	14,499	23.4	(20.5 - 26.3)
Female	398	29.3	(23.1 - 35.5)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	573	24.5	(19.7 - 29.4)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	269	26.6	(18.8 - 34.4)	15,116	27.3	(23.4 - 31.2)
Some College	160	25.3	(15.8 - 34.9)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	199	25.0	(17.1 - 32.9)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	178	21.8	(12.9 - 30.6)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	154	23.6	(14.3 - 33.0)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	131	27.3	(17.9 - 36.8)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	110	6,900	86.6	(78.4 - 94.9)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	145	9,500	84.9	(74.9 - 94.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	52	3,600	89.0	(79.9 - 98.2)	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	110	86.7	(78.0 - 95.4)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	52	89.4	(79.9 - 98.9)	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	17,200	29.2	(24.4 - 34.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	232	8,800	29.3	(21.6 - 37.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	418	8,400	29.0	(23.4 - 34.6)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	*	*	*	*	7,827	759,000	26.8	(21.7 - 31.9)
55-64	154	2,500	26.8	(17.7 - 35.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	197	4,000	37.0	(29.1 - 44.9)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	593	13,300	28.5	(23.9 - 33.2)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	279	10,500	40.4	(32.5 - 48.3)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	165	3,600	22.2	(13.4 - 31.1)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	204	3,100	18.3	(11.9 - 24.8)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	158	3,900	25.0	(16.3 - 33.8)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	135	1,500	11.3	(5.6 - 17.1)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	28.6	(23.6 - 33.5)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	232	29.6	(21.7 - 37.5)	14,602	20.9	(17.8 - 23.9)
Female	418	27.5	(21.8 - 33.2)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	593	28.1	(23.3 - 32.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	279	39.9	(31.8 - 48.0)	15,683	32.3	(28.3 - 36.4)
Some College	165	21.2	(12.4 - 30.0)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	204	17.9	(11.2 - 24.5)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	158	24.2	(15.3 - 33.2)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	135	11.1	(5.2 - 16.9)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	16,600	28.2	(23.7 - 32.8)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	232	7,800	26.1	(18.9 - 33.2)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	418	8,800	30.5	(25.0 - 36.0)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	116	2,500	21.6	(13.6 - 29.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	153	3,300	35.7	(25.9 - 45.5)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	198	3,200	29.1	(21.7 - 36.6)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	593	13,100	28.2	(23.7 - 32.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	281	6,800	26.0	(19.3 - 32.7)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	164	4,300	26.7	(17.3 - 36.1)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	204	5,600	33.3	(25.4 - 41.2)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	184	3,500	24.7	(16.8 - 32.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	159	4,200	26.7	(17.2 - 36.2)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	103	2,700	25.8	(16.2 - 35.4)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	27.9	(23.2 - 32.7)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	232	25.8	(18.5 - 33.1)	14,634	22.7	(19.6 - 25.9)
Female	418	30.2	(24.4 - 36.0)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	593	28.0	(23.3 - 32.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	281	26.0	(19.0 - 33.1)	15,726	23.3	(19.3 - 27.3)
Some College	164	26.5	(16.9 - 36.1)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	204	32.4	(24.2 - 40.6)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	184	24.3	(16.0 - 32.6)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	103	24.9	(15.1 - 34.6)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	459	5,200	16.9	(12.9 - 21.0)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	167	2,200	14.5	(8.6 - 20.5)	10,966	489,400	14.4	(11.9 - 16.8)
Female	292	3,000	19.3	(13.8 - 24.8)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	113	1,700	15.7	(8.6 - 22.7)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	148	1,300	13.8	(7.4 - 20.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	198	2,300	20.8	(13.6 - 28.1)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	430	4,400	17.0	(12.9 - 21.0)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	204	2,200	15.1	(9.2 - 20.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	109	1,100	15.4	(8.0 - 22.8)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	146	2,000	20.9	(12.9 - 28.9)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	148	1,500	16.6	(8.7 - 24.6)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	*	*	*	*	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	65	600	12.3	(4.6 - 20.0)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	87	700	9.6	(3.2 - 16.1)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	459	17.1	(12.9 - 21.2)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	167	14.9	(8.7 - 21.0)	10,966	15.0	(12.1 - 17.8)
Female	292	19.3	(13.8 - 24.8)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	430	17.2	(13.0 - 21.4)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	204	15.1	(9.1 - 21.1)	12,417	17.4	(13.0 - 21.7)
Some College	109	15.6	(8.1 - 23.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	146	21.2	(13.0 - 29.4)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	148	16.6	(8.7 - 24.6)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	*	*	*	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	65	12.4	(4.5 - 20.3)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	87	9.8	(3.1 - 16.5)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Sullivan County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Sullivan County and New York State**

	Sullivan County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	459	1,900	6.1	(3.5 - 8.8)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	292	1,300	8.0	(3.8 - 12.3)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	113	600	5.7	(1.8 - 9.7)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	198	900	8.0	(2.4 - 13.6)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	430	1,400	5.3	(3.2 - 7.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	109	400	6.5	(2.4 - 10.6)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	146	900	9.8	(3.0 - 16.5)	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Sullivan County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Sullivan County and New York State - Age-Adjusted<sup>2</sup>**

	Sullivan County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	459	6.1	(3.5 - 8.7)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	292	8.1	(3.8 - 12.3)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	430	5.2	(3.1 - 7.4)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	109	6.4	(2.3 - 10.5)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	146	9.9	(3.1 - 16.6)	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)