

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Warren County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Warren County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Warren County and New York State	14
Table 2b. Fair or poor general health among adults in Warren County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Warren County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Warren County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Warren County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Warren County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Warren County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Warren County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Warren County and New York State	22
Table 6b. Health insurance among adults in Warren County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Warren County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Warren County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Warren County and New York State	26
Table 8b. No health insurance among adults in Warren County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Warren County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Warren County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Warren County and New York State	30
Table 10b. Adults with regular health care provider in Warren County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Warren County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Warren County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Warren County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Warren County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Warren County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Warren County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Warren County and New York State	38
Table 14b. Dentist visit within the past year among adults in Warren County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Warren County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Warren County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Warren County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Warren County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Warren County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Warren County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Warren County and New York State	46
Table 18b. Flu shot within the past 12 months in Warren County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Warren County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Warren County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Warren County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Warren County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Warren County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Warren County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Warren County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Warren County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Warren County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Warren County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Warren County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Warren County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Warren County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Warren County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Warren County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Warren County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Warren County and New York State	64
Table 27b. Ever had a Pap test among women in Warren County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Warren County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Warren County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Warren County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Warren County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Warren County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Warren County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Warren County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Warren County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Warren County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Warren County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Warren County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Warren County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Warren County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Warren County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Warren County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Warren County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Warren County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Warren County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Warren County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Warren County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Warren County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Warren County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Warren County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Warren County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Warren County and New York State	90
Table 40b. High blood pressure among adults in Warren County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Warren County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Warren County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Warren County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Warren County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Warren County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Warren County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Warren County and New York State	98
Table 44b. Cardiovascular disease among adults in Warren County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Warren County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Warren County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Warren County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Warren County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Warren County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Warren County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Warren County and New York State	106
Table 48b. Current asthma among adults in Warren County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Warren County and New York State	108
Table 49b. Chronic joint symptoms among adults in Warren County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Warren County and New York State	110
Table 50b. Arthritis among adults in Warren County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Warren County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Warren County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Warren County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Warren County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Warren County and New York State	116
Table 53b. Disability among adults in Warren County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Warren County and New York State	118
Table 54b. Current smoking among adults in Warren County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Warren County and New York State	120
Table 55b. Everyday smoking among adults in Warren County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Warren County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Warren County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Warren County and New York State	124
Table 57b. Binge drinking within the past month among adults in Warren County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Warren County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Warren County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Warren County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Warren County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Warren County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Warren County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Warren County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Warren County and New York State - Age-adjusted	133

### Overweight / Obesity

Table 62a. Overweight among adults in Warren County and New York State	134
Table 62b. Overweight among adults in Warren County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Warren County and New York State	136
Table 63b. Obesity among adults in Warren County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Warren County and New York State	138
Table 64b. Overweight or obesity among adults in Warren County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Warren County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Warren County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Warren County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Warren County and New York State - Age-adjusted	143

### Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Warren County and New York State	144
Table 67b. No leisure-time physical activity among adults in Warren County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Warren County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Warren County and New York State - Age-adjusted	147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Warren County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Warren County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Warren County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Warren County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 1. Warren County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Warren County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	52,716	100	14,884,315	100
<b>Gender</b>				
Male	25,412	48.2	7,103,791	47.7
Female	27,304	51.8	7,780,524	52.3
<b>Age (years)</b>				
18-34	14,606	27.7	4,497,479	30.2
35-44	9,072	17.2	2,844,115	19.1
45-54	10,002	19.0	2,854,316	19.2
55-64	8,274	15.7	2,142,000	14.4
≥ 65	10,762	20.4	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	50,977	96.7	9,343,884	62.8
Black Non-Hispanic	452	0.9	2,156,941	14.5
Hispanic	744	1.4	2,258,717	15.2
Other Non-Hispanic	543	1.0	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	7,400	14.0	(11.0 - 17.0)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	237	3,100	12.1	(7.5 - 16.6)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	412	4,300	15.8	(11.8 - 19.8)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	119	1,600	15.7	(8.3 - 23.1)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	164	1,700	20.0	(13.2 - 26.7)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	243	2,700	25.5	(19.4 - 31.6)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	7,000	14.2	(11.1 - 17.3)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	251	5,100	26.0	(19.5 - 32.6)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	159	1,400	10.6	(5.0 - 16.2)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	236	800	4.2	(1.8 - 6.5)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	171	2,100	16.9	(10.3 - 23.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	12.8	(9.7 - 15.9)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	237	11.2	(6.6 - 15.8)	14,599	15.3	(12.6 - 18.0)
Female	412	14.4	(10.2 - 18.6)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	13.2	(9.9 - 16.4)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	251	23.6	(16.9 - 30.3)	15,682	25.8	(22.1 - 29.5)
Some College	159	10.9	(4.5 - 17.3)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	236	3.5	(1.5 - 5.6)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	171	16.2	(9.0 - 23.4)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	634	5,700	10.9	(8.3 - 13.5)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	235	2,300	9.0	(5.1 - 12.9)	14,325	604,200	8.7	(7.0 - 10.5)
Female	399	3,400	12.7	(9.2 - 16.3)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	118	1,100	11.5	(5.5 - 17.4)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	160	1,500	18.8	(12.3 - 25.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	234	1,800	16.8	(11.3 - 22.3)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	5,600	11.6	(8.8 - 14.3)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	245	3,500	18.4	(13.0 - 23.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	155	1,100	8.3	(3.8 - 12.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	232	1,000	5.0	(1.8 - 8.1)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	143	1,800	19.4	(12.2 - 26.6)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	168	1,500	12.3	(7.0 - 17.5)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	106	1,000	11.1	(4.8 - 17.4)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	634	10.0	(7.3 - 12.7)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	235	8.5	(4.5 - 12.5)	14,325	8.7	(6.9 - 10.5)
Female	399	11.5	(7.9 - 15.0)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	10.7	(7.8 - 13.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	245	16.7	(11.2 - 22.1)	15,178	12.7	(10.2 - 15.1)
Some College	155	8.1	(3.2 - 12.9)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	232	4.7	(1.4 - 8.0)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	143	16.6	(9.8 - 23.3)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	168	11.2	(6.0 - 16.5)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	106	10.7	(4.2 - 17.1)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	5,900	11.4	(8.0 - 14.8)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	236	2,600	10.1	(5.0 - 15.3)	14,407	555,200	7.9	(6.3 - 9.6)
Female	406	3,400	12.6	(8.2 - 17.0)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	120	1,600	15.6	(8.3 - 22.8)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	162	700	9.1	(4.5 - 13.7)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	240	700	6.1	(2.9 - 9.3)	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	623	5,800	11.8	(8.3 - 15.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	247	3,300	17.6	(10.9 - 24.3)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	157	1,900	13.8	(6.0 - 21.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	235	700	3.7	(1.7 - 5.7)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	144	1,900	20.5	(10.6 - 30.4)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	171	1,900	15.7	(8.3 - 23.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	11.8	(8.1 - 15.5)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	236	10.4	(4.8 - 16.0)	14,407	7.9	(6.3 - 9.6)
Female	406	13.1	(8.2 - 18.1)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	623	12.4	(8.5 - 16.4)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	247	18.6	(11.1 - 26.0)	15,335	12.3	(10.0 - 14.6)
Some College	157	15.0	(6.2 - 23.8)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	235	3.1	(1.4 - 4.8)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	171	16.3	(8.0 - 24.5)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	631	9,900	19.1	(15.2 - 23.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	235	4,400	17.2	(11.2 - 23.2)	14,231	937,700	13.6	(11.4 - 15.8)
Female	396	5,500	21.1	(16.0 - 26.2)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	72	1,600	13.5	(5.0 - 22.1)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	119	2,200	21.8	(13.6 - 30.0)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	160	1,900	23.5	(16.3 - 30.7)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	232	2,000	19.1	(13.4 - 24.7)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	9,700	20.1	(16.0 - 24.2)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	245	5,700	30.1	(22.6 - 37.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	153	2,600	19.9	(11.4 - 28.5)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	231	1,500	7.6	(3.9 - 11.2)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	167	2,800	23.2	(15.0 - 31.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	106	1,700	18.1	(8.7 - 27.4)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	631	18.8	(14.6 - 23.0)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	235	16.9	(10.5 - 23.4)	14,231	13.6	(11.4 - 15.8)
Female	396	20.6	(15.0 - 26.2)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	19.9	(15.5 - 24.4)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	245	29.5	(21.3 - 37.7)	15,018	20.1	(17.1 - 23.1)
Some College	153	20.8	(11.3 - 30.3)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	231	6.9	(3.3 - 10.5)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	167	22.6	(13.7 - 31.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 6a. Health insurance among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	48,500	92.1	(89.0 - 95.2)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	237	22,700	89.4	(83.9 - 95.0)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	412	25,800	94.5	(91.6 - 97.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	50	10,800	91.1	(82.7 - 99.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	73	9,900	83.9	(74.4 - 93.5)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	120	9,100	91.4	(86.5 - 96.3)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	163	7,900	96.2	(93.1 - 99.4)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	243	10,700	99.5	(98.8 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	45,500	92.0	(88.8 - 95.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	17,800	91.2	(85.8 - 96.6)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	158	11,800	86.9	(79.0 - 94.8)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	236	18,800	96.5	(93.6 - 99.4)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	148	7,800	82.1	(72.3 - 92.0)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	172	11,200	89.1	(82.3 - 95.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	108	8,700	91.6	(83.2 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	153	16,200	98.5	(95.7 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 6b. Health insurance among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	91.3	(87.8 - 94.8)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	237	88.6	(82.5 - 94.8)	14,597	83.6	(79.7 - 87.5)
Female	412	93.8	(90.3 - 97.4)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	91.2	(87.5 - 94.8)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	90.1	(83.9 - 96.3)	15,673	80.1	(75.4 - 84.7)
Some College	158	85.7	(76.8 - 94.5)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	236	96.5	(93.4 - 99.6)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	172	87.4	(79.4 - 95.4)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	108	91.4	(82.2 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	153	98.3	(95.3 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	37,600	90.2	(86.3 - 94.1)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	153	18,200	87.3	(80.6 - 94.0)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	247	19,400	93.1	(89.2 - 96.9)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	50	10,800	91.1	(82.7 - 99.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	73	9,900	83.9	(74.4 - 93.5)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	120	9,100	91.4	(86.5 - 96.3)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	157	7,800	96.4	(93.3 - 99.6)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	386	34,900	90.0	(85.9 - 94.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	138	12,700	88.2	(80.9 - 95.5)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	103	9,600	84.5	(75.1 - 93.9)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	158	15,300	96.0	(92.4 - 99.5)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	101	8,000	85.7	(76.6 - 94.7)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	124	14,600	98.3	(95.3 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	89.6	(85.4 - 93.9)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	153	86.4	(79.0 - 93.8)	10,078	80.5	(75.9 - 85.1)
Female	247	92.7	(88.4 - 97.0)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	386	89.4	(85.0 - 93.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	138	87.4	(79.5 - 95.3)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	158	96.0	(92.4 - 99.7)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	124	98.2	(94.8 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 8a. No health insurance among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	4,200	7.9	(4.8 - 11.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	237	2,700	10.6	(5.0 - 16.1)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	412	1,500	5.5	(2.5 - 8.4)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	73	1,900	16.1	(6.5 - 25.6)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	120	900	8.6	(3.7 - 13.5)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	4,000	8.0	(4.8 - 11.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	1,700	8.8	(3.4 - 14.2)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	158	1,800	13.1	(5.2 - 21.0)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	148	1,700	17.9	(8.0 - 27.7)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	172	1,400	10.9	(4.1 - 17.7)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 8b. No health insurance among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	8.7	(5.2 - 12.2)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	237	11.4	(5.2 - 17.5)	14,597	16.4	(12.5 - 20.3)
Female	412	6.2	(2.6 - 9.7)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	8.8	(5.2 - 12.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	9.9	(3.7 - 16.1)	15,673	19.9	(15.3 - 24.6)
Some College	158	14.3	(5.5 - 23.2)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	172	12.6	(4.6 - 20.6)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	4,100	9.8	(5.9 - 13.7)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	153	2,700	12.7	(6.0 - 19.4)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	247	1,400	6.9	(3.1 - 10.8)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	73	1,900	16.1	(6.5 - 25.6)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	120	900	8.6	(3.7 - 13.5)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	386	3,900	10.0	(6.0 - 14.1)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	138	1,700	11.8	(4.5 - 19.1)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	103	1,800	15.5	(6.1 - 24.9)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	101	1,300	14.3	(5.3 - 23.4)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	400	10.4	(6.1 - 14.6)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	153	13.6	(6.2 - 21.0)	10,078	19.5	(14.9 - 24.1)
Female	247	7.3	(3.0 - 11.6)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	386	10.6	(6.2 - 15.0)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	138	12.6	(4.7 - 20.5)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	47,500	90.1	(86.6 - 93.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	237	21,900	86.2	(79.9 - 92.5)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	413	25,600	93.8	(90.4 - 97.2)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	120	9,300	92.6	(87.6 - 97.7)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	164	7,800	94.0	(90.2 - 97.8)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	243	10,400	96.5	(94.0 - 99.0)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	44,500	90.0	(86.3 - 93.7)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	17,500	89.9	(84.4 - 95.4)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	159	12,000	88.1	(78.9 - 97.3)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	236	17,900	91.7	(87.2 - 96.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	148	8,200	86.4	(77.8 - 95.0)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	172	11,200	89.2	(82.5 - 96.0)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	108	8,400	88.7	(79.7 - 97.6)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	154	15,300	92.5	(85.5 - 99.5)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	89.4	(85.4 - 93.4)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	237	85.4	(78.4 - 92.4)	14,593	78.1	(73.9 - 82.3)
Female	413	93.2	(89.2 - 97.1)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	89.2	(85.0 - 93.4)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	89.0	(82.7 - 95.3)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	236	91.3	(86.4 - 96.3)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	148	85.1	(75.3 - 94.9)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	172	88.4	(80.8 - 96.1)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	108	88.5	(78.8 - 98.1)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	154	91.7	(83.9 - 99.5)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	5,600	10.6	(7.3 - 13.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	237	1,800	7.2	(2.7 - 11.7)	14,607	903,300	12.7	(9.5 - 16.0)
Female	413	3,800	13.8	(9.0 - 18.6)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	73	2,000	16.8	(7.3 - 26.3)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	120	1,600	16.1	(8.9 - 23.4)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	*	*	*	*	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	5,400	10.9	(7.4 - 14.3)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	252	2,700	14.0	(7.6 - 20.3)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	159	2,000	14.9	(7.4 - 22.4)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	172	1,600	12.4	(5.1 - 19.7)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	11.5	(7.8 - 15.3)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	237	7.4	(2.5 - 12.3)	14,607	12.5	(9.4 - 15.6)
Female	413	15.4	(9.8 - 21.0)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	11.9	(8.0 - 15.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	252	15.0	(7.9 - 22.1)	15,696	17.8	(13.8 - 21.7)
Some College	159	16.7	(8.1 - 25.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	172	14.4	(5.9 - 22.8)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	35,300	67.2	(62.0 - 72.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	235	15,400	60.8	(52.2 - 69.3)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	410	19,900	73.2	(67.3 - 79.2)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	119	6,700	66.9	(57.0 - 76.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	163	6,600	79.9	(73.2 - 86.6)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	241	9,600	89.4	(85.0 - 93.8)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	32,800	66.5	(61.2 - 71.9)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	249	12,800	66.4	(57.8 - 75.0)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	234	14,200	73.0	(65.7 - 80.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	171	8,600	69.0	(59.2 - 78.9)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	65.0	(59.3 - 70.8)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	235	58.6	(49.3 - 67.8)	14,592	67.1	(63.3 - 70.9)
Female	410	71.1	(64.3 - 77.9)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	64.1	(58.2 - 70.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	249	63.4	(53.9 - 73.0)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	234	72.4	(64.5 - 80.3)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	42,200	80.4	(75.6 - 85.1)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	235	18,900	74.6	(66.6 - 82.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	410	23,300	85.7	(80.7 - 90.7)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	119	8,600	86.3	(78.9 - 93.7)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	163	7,400	90.7	(86.2 - 95.2)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	241	10,200	95.5	(92.5 - 98.4)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	39,600	80.4	(75.6 - 85.3)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	249	15,400	79.8	(72.1 - 87.5)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	234	16,600	85.4	(79.3 - 91.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	171	10,500	84.1	(76.0 - 92.3)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	154	13,200	80.3	(71.0 - 89.6)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	78.6	(73.3 - 83.9)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	235	72.5	(63.6 - 81.3)	14,592	81.9	(78.4 - 85.3)
Female	410	84.3	(78.5 - 90.1)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	78.6	(73.2 - 84.0)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	249	77.5	(68.7 - 86.2)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	234	84.8	(78.2 - 91.5)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	171	82.9	(73.6 - 92.2)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	38,600	73.6	(69.1 - 78.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	237	18,500	72.7	(65.6 - 79.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	407	20,100	74.4	(69.0 - 79.9)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	119	7,600	76.4	(67.5 - 85.4)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	161	5,500	67.4	(59.0 - 75.8)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	242	7,300	68.4	(61.8 - 75.0)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	36,000	73.2	(68.7 - 77.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	248	11,400	58.8	(50.7 - 66.9)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	158	10,200	75.6	(66.5 - 84.7)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	235	17,000	87.4	(81.8 - 92.9)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	171	8,500	67.6	(58.4 - 76.8)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	154	15,100	91.2	(85.7 - 96.8)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	74.3	(69.5 - 79.1)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	237	73.3	(65.7 - 80.9)	14,573	68.3	(64.6 - 72.1)
Female	407	75.3	(69.4 - 81.3)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	73.9	(69.0 - 78.8)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	248	60.3	(51.6 - 69.1)	15,613	65.3	(60.9 - 69.6)
Some College	158	75.2	(65.3 - 85.2)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	235	87.7	(81.7 - 93.6)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	154	91.7	(85.8 - 97.5)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	578	35,600	72.8	(67.8 - 77.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	221	16,900	69.6	(61.5 - 77.6)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	357	18,800	75.9	(70.1 - 81.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	112	7,300	78.1	(69.2 - 87.0)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	145	5,300	72.8	(64.8 - 80.9)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	203	6,500	71.3	(64.2 - 78.4)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	561	33,200	72.3	(67.3 - 77.4)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	190	9,300	57.4	(47.9 - 66.8)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	233	16,800	86.5	(80.8 - 92.2)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	154	8,100	69.6	(60.0 - 79.2)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	154	14,400	87.1	(79.5 - 94.6)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	578	72.8	(67.4 - 78.2)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	221	69.3	(60.6 - 77.9)	13,173	69.2	(65.3 - 73.1)
Female	357	76.2	(69.9 - 82.6)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	561	72.2	(66.7 - 77.7)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	233	86.7	(80.6 - 92.9)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	154	87.0	(78.8 - 95.2)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	27,900	53.5	(48.1 - 58.8)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	232	13,200	52.6	(44.0 - 61.1)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	407	14,700	54.3	(47.7 - 61.0)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	160	5,300	65.7	(57.3 - 74.0)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	238	8,300	78.1	(72.4 - 83.8)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	620	25,800	52.6	(47.2 - 58.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	248	13,400	69.5	(61.2 - 77.8)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	232	7,000	36.1	(27.6 - 44.6)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	169	8,200	65.6	(55.6 - 75.5)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	51.7	(45.9 - 57.6)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	232	51.5	(42.3 - 60.7)	14,457	47.9	(44.1 - 51.7)
Female	407	52.0	(44.5 - 59.4)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	620	50.6	(44.8 - 56.5)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	248	67.5	(58.3 - 76.8)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	232	34.6	(25.3 - 44.0)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	238	1,500	14.2	(9.5 - 18.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	81	500	11.8	(4.4 - 19.2)	4,352	167,200	16.4	(11.8 - 20.9)
Female	157	1,000	15.9	(9.9 - 21.9)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	238	1,500	14.2	(9.5 - 18.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	233	1,400	13.8	(9.2 - 18.4)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	110	1,400	27.2	(18.4 - 36.1)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	238	13.9	(9.2 - 18.7)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	81	11.8	(4.4 - 19.2)	4,352	16.5	(11.5 - 21.4)
Female	157	15.9	(9.9 - 21.9)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	233	13.5	(8.8 - 18.1)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	110	27.1	(18.0 - 36.2)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	21,500	40.9	(35.9 - 45.9)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	237	8,800	34.6	(27.1 - 42.0)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	411	12,700	46.8	(40.3 - 53.3)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	179	6,300	22.5	(15.4 - 29.6)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	228	7,000	49.7	(41.9 - 57.4)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	241	8,300	77.5	(71.6 - 83.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	629	20,100	40.7	(35.7 - 45.6)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	8,600	44.0	(35.7 - 52.2)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	159	4,100	30.0	(21.7 - 38.3)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	235	8,800	45.1	(36.6 - 53.5)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	172	5,400	43.1	(33.4 - 52.8)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	154	5,200	31.4	(23.0 - 39.7)	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	37.7	(32.5 - 43.0)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	237	32.2	(24.5 - 39.9)	14,579	40.0	(36.2 - 43.8)
Female	411	42.9	(35.8 - 49.9)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	629	37.4	(32.2 - 42.7)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	40.9	(32.0 - 49.7)	15,663	43.7	(39.1 - 48.2)
Some College	159	26.4	(18.2 - 34.7)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	235	42.5	(33.4 - 51.5)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	154	27.8	(19.6 - 36.0)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	21,600	41.0	(36.0 - 45.9)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	237	8,800	34.6	(27.1 - 42.0)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	411	12,800	46.9	(40.4 - 53.4)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	179	6,300	22.5	(15.4 - 29.6)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	228	7,000	49.7	(41.9 - 57.4)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	241	8,300	77.7	(71.8 - 83.6)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	629	20,100	40.7	(35.7 - 45.7)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	8,600	44.0	(35.7 - 52.2)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	159	4,100	30.0	(21.7 - 38.3)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	235	8,800	45.2	(36.7 - 53.7)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	172	5,400	43.1	(33.4 - 52.8)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	154	5,200	31.4	(23.0 - 39.7)	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	37.8	(32.5 - 43.0)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	237	32.2	(24.5 - 39.9)	14,568	40.4	(36.6 - 44.2)
Female	411	42.9	(35.9 - 50.0)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	629	37.5	(32.2 - 42.7)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	40.9	(32.0 - 49.7)	15,651	44.1	(39.6 - 48.6)
Some College	159	26.4	(18.2 - 34.7)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	235	42.6	(33.5 - 51.6)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	154	27.8	(19.6 - 36.0)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	241	8,300	77.5	(71.6 - 83.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	84	3,700	81.1	(71.9 - 90.2)	4,417	772,900	74.6	(69.3 - 79.8)
Female	157	4,600	74.8	(67.1 - 82.5)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	241	8,300	77.5	(71.6 - 83.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	236	8,100	77.4	(71.4 - 83.3)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	111	3,600	71.9	(62.5 - 81.2)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	77	2,800	82.7	(73.0 - 92.4)	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	241	77.8	(71.9 - 83.8)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	84	81.1	(72.0 - 90.2)	4,417	74.4	(68.7 - 80.1)
Female	157	74.8	(67.1 - 82.5)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	236	77.8	(71.8 - 83.8)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	111	72.6	(63.2 - 81.9)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	77	82.8	(72.8 - 92.7)	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	606	14,200	29.5	(25.0 - 34.0)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	219	6,100	26.4	(19.9 - 32.9)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	387	8,100	32.4	(26.3 - 38.5)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	159	2,000	8.3	(2.6 - 14.0)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	216	4,400	32.5	(24.7 - 40.3)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	231	7,800	76.0	(69.7 - 82.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	588	13,500	30.1	(25.8 - 34.4)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	239	6,200	35.2	(27.9 - 42.5)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	145	3,000	24.4	(16.6 - 32.3)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	219	4,900	27.1	(19.1 - 35.1)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	142	3,100	34.0	(24.2 - 43.8)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	159	3,600	31.7	(23.4 - 39.9)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	146	3,100	19.9	(11.0 - 28.7)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	606	26.0	(21.4 - 30.6)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	219	24.4	(18.0 - 30.9)	13,052	25.8	(22.3 - 29.4)
Female	387	27.5	(21.1 - 34.0)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	588	26.3	(22.1 - 30.6)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	239	30.5	(23.4 - 37.7)	14,700	29.5	(25.6 - 33.5)
Some College	145	20.9	(13.3 - 28.5)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	219	25.1	(16.4 - 33.7)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	142	28.7	(19.4 - 38.1)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	159	27.5	(19.4 - 35.6)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	146	18.1	(8.7 - 27.4)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	231	7,800	76.0	(69.7 - 82.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	152	4,600	77.5	(69.9 - 85.2)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	231	7,800	76.0	(69.7 - 82.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	226	7,700	77.2	(71.0 - 83.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	108	3,700	74.3	(64.9 - 83.6)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	231	75.8	(69.4 - 82.2)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	152	77.5	(69.9 - 85.2)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	226	77.1	(70.7 - 83.4)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	108	74.8	(65.5 - 84.2)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	349	16,600	94.5	(91.2 - 97.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	349	16,600	94.5	(91.2 - 97.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	64	4,400	88.8	(78.9 - 98.8)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	128	6,300	97.6	(94.5 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	157	5,900	95.8	(92.8 - 98.8)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	342	16,000	94.3	(90.9 - 97.7)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	142	6,200	94.1	(89.9 - 98.4)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	91	4,300	92.1	(82.9 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	113	5,900	96.6	(92.4 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	93	3,400	94.5	(89.6 - 99.3)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	94	4,100	89.7	(79.7 - 99.7)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	55	3,100	94.4	(86.9 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	63	4,100	99.0	(96.9 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	349	93.3	(88.9 - 97.7)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	349	93.3	(88.9 - 97.7)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	342	93.0	(88.5 - 97.6)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	142	93.1	(87.5 - 98.7)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	113	96.0	(91.0 - 100)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	93	93.7	(87.5 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	63	99.2	(97.5 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	346	14,500	83.4	(78.5 - 88.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	346	14,500	83.4	(78.5 - 88.3)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	128	5,600	86.8	(79.1 - 94.4)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	155	5,200	85.9	(79.7 - 92.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	339	13,900	83.0	(77.9 - 88.0)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	139	4,900	75.4	(66.4 - 84.3)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	91	4,000	87.2	(77.5 - 96.8)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	113	5,400	88.6	(81.8 - 95.5)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	55	2,900	86.9	(76.9 - 96.9)	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	63	3,800	93.3	(87.6 - 99.1)	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	346	82.4	(76.8 - 88.0)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	346	82.4	(76.8 - 88.0)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	339	81.8	(76.0 - 87.6)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	139	73.9	(64.4 - 83.5)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	113	88.0	(80.3 - 95.6)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	63	93.1	(86.7 - 99.4)	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	283	10,800	86.3	(81.4 - 91.3)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	283	10,800	86.3	(81.4 - 91.3)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	128	5,600	86.8	(79.1 - 94.4)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	155	5,200	85.9	(79.7 - 92.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	278	10,600	86.3	(81.3 - 91.3)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	126	4,500	79.2	(70.1 - 88.4)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	72	2,800	92.2	(86.7 - 97.8)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	82	3,400	91.9	(85.1 - 98.8)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	283	86.7	(81.8 - 91.6)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	283	86.7	(81.8 - 91.6)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	278	86.7	(81.7 - 91.7)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	126	80.0	(71.0 - 88.9)	7,026	83.6	(80.1 - 87.0)
Some College	72	92.3	(86.8 - 97.8)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	82	91.8	(84.5 - 99.1)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	26,100	96.6	(94.2 - 99.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	407	26,100	96.6	(94.2 - 99.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	77	5,000	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	96	4,100	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	156	5,800	95.0	(91.4 - 98.5)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	396	24,100	96.3	(93.8 - 98.9)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	164	9,400	94.8	(90.5 - 99.0)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	109	6,900	97.1	(92.1 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	131	9,700	98.1	(94.8 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	106	4,800	88.7	(80.0 - 97.5)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	112	7,600	96.2	(91.2 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	63	4,400	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	76	6,600	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	407	96.5	(93.8 - 99.2)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	407	96.5	(93.8 - 99.2)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	396	96.1	(93.2 - 99.1)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	164	94.6	(89.6 - 99.5)	9,526	87.8	(83.2 - 92.4)
Some College	109	96.8	(91.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	131	97.9	(94.2 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	112	95.6	(89.8 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	63	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	76	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	22,100	82.1	(77.4 - 86.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	404	22,100	82.1	(77.4 - 86.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	77	4,500	91.3	(84.7 - 97.9)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	153	4,000	67.1	(59.1 - 75.2)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	393	20,300	81.6	(76.9 - 86.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	162	6,900	70.5	(61.2 - 79.8)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	109	6,300	88.7	(81.0 - 96.5)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	130	8,700	88.5	(82.8 - 94.3)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	62	4,000	91.1	(84.4 - 97.8)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	76	6,300	96.0	(92.0 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	404	83.5	(78.5 - 88.5)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	404	83.5	(78.5 - 88.5)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	393	83.0	(78.0 - 88.0)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	109	89.0	(80.1 - 98.0)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	130	90.4	(85.0 - 95.9)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	62	92.7	(86.8 - 98.6)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	76	96.9	(93.7 - 100)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	210	12,500	69.2	(59.8 - 78.7)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	210	12,500	69.2	(59.8 - 78.7)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	66	3,600	88.7	(80.8 - 96.6)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	84	4,100	90.8	(84.3 - 97.4)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	204	12,000	68.7	(59.0 - 78.3)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	*	*	*	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	8,900	49.5	(40.7 - 58.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	209	8,900	49.5	(40.7 - 58.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	203	8,600	49.1	(40.2 - 58.0)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	46.6	(37.3 - 55.9)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	209	46.6	(37.3 - 55.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	203	46.1	(36.7 - 55.5)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	10,300	60.2	(50.7 - 69.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	198	10,300	60.2	(50.7 - 69.7)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	60	3,000	84.5	(75.3 - 93.7)	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	80	4,000	90.4	(83.9 - 96.9)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	193	9,900	59.6	(49.9 - 69.2)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	*	*	*	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	8,400	49.5	(40.5 - 58.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	198	8,400	49.5	(40.5 - 58.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	80	3,500	80.2	(70.8 - 89.6)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	193	8,100	48.6	(39.5 - 57.7)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	46.7	(37.1 - 56.3)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	198	46.7	(37.1 - 56.3)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	193	45.8	(36.1 - 55.5)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	210	1,000	5.4	(2.7 - 8.2)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	210	1,000	5.4	(2.7 - 8.2)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	84	800	17.4	(9.0 - 25.8)	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	204	1,000	5.6	(2.8 - 8.5)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	210	5.2	(2.6 - 7.9)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	210	5.2	(2.6 - 7.9)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	204	5.4	(2.6 - 8.1)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	462	9,900	40.4	(35.2 - 45.7)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	173	4,100	35.3	(27.2 - 43.4)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	289	5,700	45.2	(38.5 - 51.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	224	4,700	33.5	(26.1 - 40.9)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	238	5,200	49.6	(42.6 - 56.5)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	451	9,700	41.2	(35.8 - 46.5)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	194	3,900	37.8	(29.8 - 45.9)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	161	4,000	44.4	(35.3 - 53.5)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	462	40.2	(34.7 - 45.6)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	173	36.1	(27.7 - 44.4)	9,571	39.4	(35.3 - 43.5)
Female	289	44.2	(37.4 - 51.1)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	451	40.9	(35.4 - 46.4)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	194	37.6	(29.4 - 45.9)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	161	44.2	(34.8 - 53.6)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	457	2,900	12.1	(8.3 - 15.8)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	172	1,400	12.2	(5.8 - 18.5)	9,508	444,400	16.0	(13.2 - 18.9)
Female	285	1,500	12.0	(7.8 - 16.2)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	223	1,500	10.8	(5.3 - 16.3)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	234	1,400	13.8	(8.9 - 18.6)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	446	2,900	12.2	(8.3 - 16.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	193	1,100	11.0	(6.2 - 15.8)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	103	600	12.5	(5.9 - 19.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	158	1,200	13.3	(5.5 - 21.0)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	112	400	9.4	(3.2 - 15.6)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	127	1,100	16.4	(9.5 - 23.2)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	457	12.1	(8.2 - 16.1)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	172	12.7	(6.0 - 19.3)	9,508	16.4	(13.2 - 19.6)
Female	285	11.6	(7.4 - 15.7)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	446	12.2	(8.2 - 16.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	193	11.0	(6.1 - 15.8)	11,026	12.7	(9.2 - 16.1)
Some College	103	12.3	(5.6 - 19.1)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	158	13.5	(5.3 - 21.8)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	112	9.3	(3.0 - 15.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	127	15.9	(9.1 - 22.7)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	457	4,700	19.6	(15.2 - 23.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	172	2,300	20.1	(13.1 - 27.1)	9,508	593,100	21.4	(18.3 - 24.5)
Female	285	2,400	19.1	(13.7 - 24.4)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	223	2,300	16.4	(10.4 - 22.4)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	234	2,500	23.8	(17.6 - 30.0)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	446	4,600	19.9	(15.4 - 24.3)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	193	2,100	20.2	(13.7 - 26.6)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	103	800	16.8	(9.3 - 24.3)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	158	1,800	19.9	(11.7 - 28.1)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	112	800	15.7	(8.1 - 23.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	127	1,600	25.4	(17.0 - 33.9)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	69	600	14.7	(5.8 - 23.6)	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup>  
in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	457	19.4	(14.9 - 23.9)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	172	20.6	(13.3 - 27.9)	9,508	21.7	(18.3 - 25.1)
Female	285	18.3	(13.1 - 23.5)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	446	19.7	(15.1 - 24.3)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	193	20.1	(13.6 - 26.6)	11,026	19.5	(15.4 - 23.7)
Some College	103	16.5	(8.9 - 24.1)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	158	19.8	(11.2 - 28.4)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	112	15.5	(7.8 - 23.1)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	127	25.0	(16.5 - 33.5)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	69	15.5	(6.0 - 25.0)	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	465	17,800	72.5	(67.5 - 77.4)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	174	8,400	70.8	(62.9 - 78.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	291	9,500	74.0	(67.9 - 80.0)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	161	5,900	72.5	(64.4 - 80.6)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	240	8,500	80.1	(74.6 - 85.6)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	454	17,200	72.2	(67.1 - 77.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	194	7,300	70.8	(63.0 - 78.6)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	164	7,100	78.1	(70.6 - 85.7)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	128	4,900	75.2	(66.1 - 84.4)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	94	5,200	83.4	(75.1 - 91.7)	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	465	72.2	(67.0 - 77.3)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	174	70.9	(62.7 - 79.0)	9,582	68.5	(64.5 - 72.5)
Female	291	73.5	(67.2 - 79.8)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	454	71.9	(66.7 - 77.2)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	194	70.9	(62.9 - 78.9)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	164	77.7	(69.8 - 85.5)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	128	75.4	(65.9 - 85.0)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	94	82.7	(74.0 - 91.4)	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	461	16,700	68.6	(63.4 - 73.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	173	7,900	67.6	(59.5 - 75.8)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	288	8,800	69.4	(63.1 - 75.8)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	159	5,500	68.1	(59.6 - 76.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	238	8,000	75.6	(69.6 - 81.5)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	450	16,100	68.2	(62.9 - 73.4)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	192	6,600	64.6	(56.4 - 72.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	162	6,800	75.5	(67.7 - 83.3)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	127	4,500	69.6	(59.8 - 79.3)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	93	5,100	81.2	(72.5 - 89.8)	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	461	68.5	(63.2 - 73.8)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	173	67.7	(59.4 - 76.0)	9,521	66.9	(62.9 - 70.9)
Female	288	69.2	(62.6 - 75.7)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	450	68.1	(62.7 - 73.5)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	192	64.9	(56.6 - 73.2)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	162	75.3	(67.2 - 83.4)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	127	70.4	(60.4 - 80.4)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	93	80.6	(71.5 - 89.6)	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	17,300	71.7	(66.7 - 76.8)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	171	8,200	70.0	(61.9 - 78.1)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	282	9,200	73.3	(67.1 - 79.6)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	153	5,800	73.2	(65.0 - 81.4)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	237	8,200	77.9	(72.1 - 83.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	442	16,700	71.4	(66.3 - 76.6)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	188	6,800	67.1	(59.0 - 75.3)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	161	7,100	79.0	(71.5 - 86.5)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	125	4,700	74.0	(64.4 - 83.5)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	93	5,200	83.7	(75.6 - 91.9)	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	453	71.5	(66.2 - 76.7)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	171	70.1	(61.8 - 78.3)	9,418	71.5	(67.6 - 75.4)
Female	282	72.9	(66.4 - 79.3)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	442	71.2	(65.8 - 76.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	188	67.2	(58.9 - 75.6)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	161	78.6	(70.8 - 86.4)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	125	74.4	(64.5 - 84.2)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	93	82.9	(74.3 - 91.6)	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	17,600	33.4	(28.7 - 38.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	237	8,700	34.3	(26.5 - 42.1)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	412	8,900	32.5	(27.1 - 38.0)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	*	*	*	*	7,825	862,400	30.3	(25.9 - 34.8)
55-64	163	3,800	45.5	(36.8 - 54.1)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	243	7,100	66.1	(59.7 - 72.5)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	17,100	34.6	(29.8 - 39.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	8,300	42.8	(34.6 - 51.0)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	158	3,900	28.8	(19.5 - 38.1)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	236	5,200	26.6	(19.7 - 33.5)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	172	4,000	32.2	(23.9 - 40.5)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	154	4,500	27.1	(18.0 - 36.3)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	30.2	(25.3 - 35.1)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	237	33.2	(24.8 - 41.5)	14,611	27.7	(24.7 - 30.7)
Female	412	27.4	(22.1 - 32.8)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	31.5	(26.4 - 36.6)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	252	39.5	(30.7 - 48.3)	15,688	32.1	(28.4 - 35.8)
Some College	158	26.1	(16.3 - 35.9)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	236	23.6	(16.7 - 30.6)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	172	28.2	(19.9 - 36.5)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	154	24.5	(15.0 - 34.0)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	283	13,000	74.0	(65.3 - 82.7)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	185	7,300	82.2	(74.4 - 89.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	157	6,400	89.8	(84.8 - 94.9)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	278	12,900	75.3	(66.5 - 84.1)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	185	78.6	(68.7 - 88.4)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	40,200	78.3	(73.0 - 83.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	232	18,000	72.4	(63.5 - 81.3)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	405	22,200	83.9	(78.1 - 89.8)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	118	8,800	88.6	(81.2 - 96.0)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	164	8,000	96.8	(94.2 - 99.4)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	238	10,200	97.5	(95.5 - 99.5)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	37,600	78.3	(72.8 - 83.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	246	13,600	72.3	(63.2 - 81.4)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	230	16,600	87.8	(81.6 - 94.1)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	168	9,800	81.6	(72.1 - 91.1)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	75.7	(69.7 - 81.7)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	232	69.5	(59.7 - 79.2)	14,389	78.0	(73.9 - 82.1)
Female	405	81.5	(74.8 - 88.3)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	75.5	(69.3 - 81.7)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	230	86.4	(79.3 - 93.6)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	38,300	74.8	(69.3 - 80.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	231	16,500	66.7	(57.6 - 75.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	404	21,800	82.5	(76.6 - 88.4)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	118	8,500	85.6	(77.8 - 93.5)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	163	7,700	94.2	(90.4 - 98.0)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	237	10,200	96.9	(94.6 - 99.2)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	35,800	74.6	(68.9 - 80.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	245	12,600	67.1	(57.8 - 76.4)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	229	16,000	84.8	(78.2 - 91.3)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	168	9,400	78.3	(68.4 - 88.2)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	71.9	(65.8 - 78.0)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	231	63.4	(53.6 - 73.2)	14,307	74.8	(70.7 - 79.0)
Female	404	79.9	(73.1 - 86.7)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	71.5	(65.2 - 77.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	229	83.5	(76.2 - 90.9)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	5,600	10.6	(8.0 - 13.3)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	233	3,300	13.0	(8.4 - 17.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	411	2,300	8.4	(5.6 - 11.2)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	162	1,400	17.0	(9.9 - 24.2)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	240	3,100	28.8	(22.4 - 35.2)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	5,300	10.9	(8.2 - 13.6)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	248	3,500	18.3	(12.8 - 23.8)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	159	1,000	7.6	(2.0 - 13.1)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	234	1,000	5.2	(2.8 - 7.5)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	144	1,800	19.4	(11.1 - 27.6)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	171	1,400	11.5	(6.9 - 16.1)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	107	500	5.0	(1.7 - 8.3)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	154	1,100	6.5	(1.8 - 11.2)	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	9.3	(6.7 - 11.8)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	233	12.2	(7.5 - 16.9)	14,477	9.7	(7.8 - 11.7)
Female	411	6.5	(4.2 - 8.9)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	9.5	(6.9 - 12.1)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	248	15.9	(10.7 - 21.1)	15,486	10.5	(8.0 - 13.0)
Some College	159	6.9	(1.0 - 12.7)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	234	4.5	(2.4 - 6.6)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	144	16.8	(9.0 - 24.5)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	171	9.7	(5.6 - 13.8)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	107	4.2	(1.3 - 7.1)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	154	6.0	(1.0 - 10.9)	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	4,700	9.0	(6.6 - 11.4)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	234	3,000	12.1	(7.7 - 16.5)	14,479	598,600	8.5	(6.6 - 10.4)
Female	411	1,700	6.1	(3.8 - 8.4)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	163	1,100	13.9	(7.8 - 19.9)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	240	2,600	24.8	(18.6 - 31.0)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	4,500	9.1	(6.7 - 11.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	248	2,700	14.2	(9.5 - 19.0)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	159	1,000	7.6	(2.0 - 13.1)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	235	900	4.8	(2.5 - 7.0)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	145	1,400	14.9	(7.8 - 22.1)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	171	1,300	10.1	(5.8 - 14.5)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	154	1,100	6.5	(1.8 - 11.2)	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	7.9	(5.5 - 10.2)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	234	11.2	(6.8 - 15.6)	14,479	8.8	(6.9 - 10.8)
Female	411	4.8	(2.9 - 6.7)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	8.0	(5.6 - 10.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	248	12.4	(8.0 - 16.8)	15,485	8.5	(6.2 - 10.7)
Some College	159	6.9	(1.0 - 12.7)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	235	4.2	(2.2 - 6.3)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	145	13.3	(6.4 - 20.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	171	8.7	(4.7 - 12.6)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	154	6.0	(1.0 - 10.9)	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	5,800	11.0	(8.3 - 13.7)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	237	2,800	10.9	(6.6 - 15.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	413	3,000	11.0	(7.7 - 14.3)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	120	800	8.0	(3.0 - 13.0)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	164	1,600	19.8	(12.4 - 27.2)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	243	2,500	23.1	(17.1 - 29.0)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	5,700	11.5	(8.6 - 14.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	252	3,000	15.6	(10.8 - 20.5)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	159	1,500	10.8	(4.7 - 16.8)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	236	1,100	5.8	(2.5 - 9.1)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	148	1,500	16.2	(9.1 - 23.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	172	1,600	12.9	(7.9 - 18.0)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	108	1,600	16.3	(7.1 - 25.4)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	154	600	3.5	(1.2 - 5.8)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	9.8	(7.1 - 12.5)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	237	10.3	(5.9 - 14.8)	14,626	7.5	(6.1 - 8.9)
Female	413	9.3	(6.3 - 12.4)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	10.3	(7.5 - 13.2)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	252	13.5	(9.1 - 17.9)	15,709	12.6	(10.0 - 15.2)
Some College	159	10.0	(3.6 - 16.5)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	236	5.5	(2.1 - 8.9)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	148	14.0	(7.5 - 20.6)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	172	11.6	(6.6 - 16.5)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	108	16.0	(6.2 - 25.8)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	154	2.8	(1.0 - 4.7)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	9,500	18.0	(13.7 - 22.3)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	236	4,000	15.9	(8.9 - 23.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	411	5,400	20.0	(14.8 - 25.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	119	900	9.5	(4.6 - 14.4)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	163	1,600	19.5	(12.7 - 26.3)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	243	1,400	13.5	(8.4 - 18.5)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	628	9,100	18.5	(14.1 - 23.0)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	3,900	19.9	(12.6 - 27.1)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	*	*	*	*	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	235	2,200	11.4	(6.4 - 16.5)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	148	2,000	20.7	(10.8 - 30.6)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	171	2,100	16.7	(9.0 - 24.4)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	154	2,200	13.6	(6.1 - 21.0)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	18.7	(13.8 - 23.5)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	236	16.8	(8.9 - 24.6)	14,601	12.6	(10.3 - 14.9)
Female	411	20.4	(14.6 - 26.2)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	628	19.3	(14.3 - 24.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	20.0	(11.9 - 28.1)	15,675	15.1	(12.1 - 18.0)
Some College	*	*	*	9,893	16.9	(13.4 - 20.4)
≥ College Degree	235	12.1	(6.4 - 17.9)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	171	18.0	(9.2 - 26.9)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	154	13.9	(5.7 - 22.1)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 48a. Current asthma among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	6,500	12.5	(9.0 - 16.0)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	236	2,300	9.0	(3.9 - 14.1)	14,546	440,700	6.3	(4.8 - 7.7)
Female	405	4,200	15.9	(11.1 - 20.7)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	119	700	7.3	(3.1 - 11.6)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	161	1,100	14.0	(8.0 - 20.0)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	240	1,000	9.5	(4.9 - 14.0)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	6,200	12.7	(9.1 - 16.3)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	250	2,600	13.6	(8.0 - 19.1)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	156	2,400	18.0	(9.1 - 26.9)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	232	1,400	7.4	(3.1 - 11.6)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	145	1,700	17.9	(8.6 - 27.2)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	170	1,700	13.2	(6.3 - 20.2)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	154	1,200	7.0	(2.4 - 11.7)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 48b. Current asthma among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	13.0	(9.0 - 16.9)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	236	9.3	(3.7 - 14.9)	14,546	6.4	(4.9 - 7.9)
Female	405	16.5	(11.0 - 21.9)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	13.2	(9.2 - 17.3)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	250	13.0	(7.0 - 18.9)	15,594	10.8	(8.3 - 13.3)
Some College	*	*	*	9,861	9.4	(7.2 - 11.6)
≥ College Degree	232	8.0	(3.1 - 12.8)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	170	14.3	(6.3 - 22.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	154	7.3	(2.0 - 12.6)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	27,600	52.3	(47.0 - 57.7)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	236	13,900	55.0	(46.6 - 63.5)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	413	13,600	49.8	(43.2 - 56.4)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	164	5,200	63.1	(54.8 - 71.4)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	243	6,600	61.5	(54.8 - 68.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	26,600	53.9	(48.6 - 59.2)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	11,500	58.8	(50.3 - 67.4)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	235	8,500	43.5	(35.1 - 51.9)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	172	5,700	45.4	(35.6 - 55.2)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	50.7	(44.9 - 56.6)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	236	54.9	(45.7 - 64.0)	14,595	42.6	(38.8 - 46.3)
Female	413	46.9	(39.6 - 54.1)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	52.5	(46.7 - 58.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	57.2	(47.7 - 66.6)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	235	41.0	(32.1 - 50.0)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 50a. Arthritis among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	21,200	40.3	(35.3 - 45.3)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	236	9,300	36.5	(28.6 - 44.4)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	413	12,000	43.9	(37.6 - 50.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	163	4,700	57.7	(49.1 - 66.2)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	243	6,900	64.5	(57.9 - 71.1)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	20,400	41.3	(36.2 - 46.4)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	251	9,100	47.0	(38.7 - 55.3)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	236	5,800	29.8	(22.7 - 36.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	172	4,900	39.4	(30.1 - 48.7)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 50b. Arthritis among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	37.3	(32.0 - 42.6)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	236	35.1	(26.7 - 43.5)	14,555	23.5	(20.9 - 26.1)
Female	413	39.4	(32.7 - 46.1)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	38.2	(32.8 - 43.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	251	42.9	(34.2 - 51.6)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	236	27.1	(19.9 - 34.4)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	172	36.0	(26.2 - 45.9)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	12,800	24.4	(20.1 - 28.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	237	5,700	22.4	(15.5 - 29.3)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	411	7,100	26.2	(21.0 - 31.4)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	120	2,200	21.6	(13.5 - 29.8)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	163	3,400	40.9	(32.2 - 49.6)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	242	3,800	35.0	(28.3 - 41.6)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	629	12,500	25.3	(20.9 - 29.7)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	251	7,100	36.3	(28.4 - 44.3)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	159	3,000	22.0	(13.3 - 30.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	235	2,700	13.8	(9.2 - 18.4)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	171	2,900	23.4	(16.5 - 30.3)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	154	2,100	13.0	(6.1 - 19.9)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	22.7	(18.2 - 27.2)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	237	21.4	(14.0 - 28.7)	14,566	18.6	(15.8 - 21.4)
Female	411	24.0	(18.6 - 29.4)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	629	23.8	(19.1 - 28.5)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	251	34.5	(25.9 - 43.1)	15,626	23.8	(20.1 - 27.4)
Some College	159	21.4	(12.0 - 30.8)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	235	11.9	(7.4 - 16.4)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	171	20.2	(13.6 - 26.9)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	154	12.0	(4.7 - 19.4)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	4,800	9.0	(6.4 - 11.7)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	237	2,600	10.2	(5.5 - 14.9)	14,617	460,700	6.5	(5.3 - 7.7)
Female	413	2,200	8.0	(5.2 - 10.7)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	120	1,200	11.5	(3.9 - 19.1)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	164	1,100	13.8	(7.1 - 20.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	243	1,900	17.7	(12.3 - 23.0)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	4,800	9.6	(6.8 - 12.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	252	2,900	14.8	(9.3 - 20.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	159	600	4.7	(1.9 - 7.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	236	1,200	6.0	(2.1 - 9.9)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	148	1,900	20.3	(11.3 - 29.3)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	172	800	6.4	(3.1 - 9.8)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	108	600	6.5	(2.3 - 10.7)	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	8.0	(5.4 - 10.6)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	237	9.7	(4.9 - 14.5)	14,617	6.8	(5.5 - 8.0)
Female	413	6.3	(4.1 - 8.6)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	8.5	(5.8 - 11.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	252	13.2	(7.5 - 18.9)	15,711	10.3	(8.3 - 12.3)
Some College	159	4.0	(1.5 - 6.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	236	5.4	(1.8 - 9.1)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	148	18.4	(9.0 - 27.7)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	172	5.4	(2.5 - 8.3)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	108	5.6	(1.9 - 9.4)	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 53a. Disability among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	14,700	27.8	(23.3 - 32.4)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	237	7,200	28.2	(20.6 - 35.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	412	7,500	27.5	(22.2 - 32.7)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	120	2,800	27.8	(18.2 - 37.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	163	3,500	42.5	(33.8 - 51.1)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	243	4,200	39.5	(32.7 - 46.2)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	14,300	28.9	(24.2 - 33.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	252	8,000	41.3	(33.0 - 49.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	159	3,100	22.7	(13.9 - 31.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	235	3,400	17.6	(11.9 - 23.3)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	171	3,000	24.1	(17.1 - 31.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	154	2,700	16.2	(8.4 - 24.0)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 53b. Disability among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	26.1	(21.2 - 30.9)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	237	27.2	(19.1 - 35.3)	14,568	20.9	(18.0 - 23.8)
Female	412	25.0	(19.6 - 30.5)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	27.3	(22.3 - 32.4)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	252	39.7	(30.7 - 48.7)	15,638	26.8	(23.0 - 30.6)
Some College	159	21.9	(12.4 - 31.3)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	235	15.5	(9.9 - 21.0)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	171	20.9	(14.1 - 27.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	154	15.0	(6.9 - 23.0)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 54a. Current smoking among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	10,800	20.5	(15.9 - 25.2)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	234	5,600	22.1	(14.7 - 29.5)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	410	5,200	19.1	(13.4 - 24.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	119	2,300	22.9	(14.2 - 31.6)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	162	1,300	15.5	(9.3 - 21.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	241	600	5.6	(2.8 - 8.4)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	10,000	20.3	(15.6 - 24.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	6,900	35.3	(26.7 - 43.9)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	157	2,200	16.2	(7.1 - 25.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	232	1,700	8.8	(4.3 - 13.3)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	171	2,900	23.4	(13.8 - 33.1)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	106	1,400	14.3	(4.6 - 24.1)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	152	1,600	9.6	(3.3 - 16.0)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 54b. Current smoking among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	21.7	(16.5 - 26.8)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	234	23.0	(14.9 - 31.0)	14,559	19.2	(16.3 - 22.1)
Female	410	20.4	(14.0 - 26.9)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	21.3	(16.2 - 26.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	38.2	(28.7 - 47.8)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	232	8.5	(3.7 - 13.2)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	152	9.5	(2.7 - 16.3)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	8,300	15.9	(11.8 - 20.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	234	4,400	17.4	(10.8 - 24.1)	14,559	848,400	12.0	(10.0 - 14.1)
Female	410	3,900	14.5	(9.6 - 19.4)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	119	1,600	16.5	(8.9 - 24.0)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	162	1,000	12.2	(6.6 - 17.8)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	241	500	4.9	(2.2 - 7.6)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	7,900	16.0	(11.8 - 20.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	252	5,900	30.3	(21.9 - 38.7)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	157	1,100	8.1	(2.2 - 14.0)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	232	1,400	7.0	(2.9 - 11.1)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	171	1,700	13.4	(6.6 - 20.2)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	106	1,300	13.7	(3.9 - 23.4)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	152	1,200	7.5	(2.5 - 12.6)	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	16.7	(12.2 - 21.3)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	234	18.1	(10.8 - 25.4)	14,559	12.1	(10.1 - 14.1)
Female	410	15.5	(9.9 - 21.1)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	17.0	(12.3 - 21.7)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	252	33.2	(23.9 - 42.6)	15,654	16.4	(13.8 - 19.0)
Some College	157	8.2	(1.8 - 14.6)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	232	6.7	(2.4 - 10.9)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	171	13.5	(6.1 - 20.9)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	152	7.1	(1.9 - 12.3)	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	42,300	80.4	(76.2 - 84.7)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	236	19,900	78.3	(71.3 - 85.4)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	411	22,400	82.4	(77.5 - 87.3)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	120	8,100	80.5	(72.4 - 88.6)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	162	6,700	81.7	(74.6 - 88.7)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	242	9,000	83.4	(78.5 - 88.2)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	628	39,700	80.5	(76.2 - 84.8)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	251	14,100	72.9	(65.3 - 80.5)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	158	10,300	75.9	(66.0 - 85.9)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	236	17,700	90.9	(86.7 - 95.1)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	172	9,600	76.1	(67.4 - 84.9)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	152	15,500	94.8	(90.2 - 99.4)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	80.1	(75.4 - 84.8)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	236	77.8	(70.2 - 85.5)	14,577	79.4	(76.7 - 82.2)
Female	411	82.3	(76.8 - 87.8)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	628	80.2	(75.5 - 84.9)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	251	72.5	(64.2 - 80.9)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	236	91.4	(87.0 - 95.8)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	152	94.7	(89.7 - 99.8)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	12,500	24.1	(18.9 - 29.2)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	235	8,200	32.5	(24.0 - 41.0)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	405	4,300	16.1	(10.8 - 21.5)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	120	2,100	20.7	(11.7 - 29.7)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	161	1,000	12.1	(6.4 - 17.7)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	239	600	5.5	(2.1 - 8.9)	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	621	12,100	24.9	(19.6 - 30.2)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	247	4,300	22.5	(14.6 - 30.4)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	234	4,400	23.0	(15.3 - 30.7)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	145	1,200	12.5	(4.2 - 20.7)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	169	1,900	15.5	(7.6 - 23.3)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	26.1	(20.4 - 31.8)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	235	34.4	(25.1 - 43.7)	14,420	24.5	(21.0 - 27.9)
Female	405	18.3	(12.2 - 24.5)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	621	27.3	(21.4 - 33.2)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	247	25.8	(16.8 - 34.7)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	234	24.7	(16.1 - 33.3)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	145	13.8	(4.3 - 23.3)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	169	15.9	(7.4 - 24.4)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	4,500	8.7	(5.6 - 11.8)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	234	2,200	8.6	(3.5 - 13.7)	14,330	333,300	4.8	(3.9 - 5.7)
Female	407	2,300	8.7	(5.0 - 12.4)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	120	800	8.3	(2.5 - 14.0)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	161	600	6.8	(2.7 - 11.0)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	622	4,500	9.2	(5.9 - 12.5)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	*	*	*	*	15,411	228,100	4.2	(3.2 - 5.2)
Some College	159	1,600	11.6	(3.7 - 19.5)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	234	2,200	11.1	(5.9 - 16.4)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	108	1,300	13.3	(4.0 - 22.7)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	154	2,300	13.8	(6.9 - 20.8)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	9.1	(5.6 - 12.6)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	234	9.0	(3.4 - 14.6)	14,330	4.9	(3.9 - 5.9)
Female	407	9.2	(5.0 - 13.4)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	622	9.8	(6.1 - 13.5)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	*	*	*	15,411	4.3	(3.2 - 5.3)
Some College	159	12.0	(3.5 - 20.6)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	234	11.5	(5.7 - 17.3)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	154	14.0	(6.5 - 21.4)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	601	33,600	69.5	(64.2 - 74.9)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	219	18,800	81.7	(74.8 - 88.5)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	382	14,800	58.4	(51.2 - 65.6)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	111	6,700	73.4	(64.1 - 82.6)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	158	6,300	79.2	(72.3 - 86.0)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	222	7,900	80.1	(74.4 - 85.9)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	583	31,900	70.4	(65.2 - 75.6)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	230	12,600	71.9	(63.6 - 80.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	220	12,400	67.5	(58.6 - 76.5)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	601	67.6	(61.7 - 73.6)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	219	81.7	(74.2 - 89.2)	13,299	67.9	(64.0 - 71.9)
Female	382	54.8	(46.9 - 62.8)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	583	68.7	(62.8 - 74.5)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	230	69.9	(60.6 - 79.2)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	220	65.8	(55.9 - 75.7)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	370	26,600	74.7	(68.2 - 81.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	153	16,000	85.4	(78.3 - 92.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	217	10,600	62.8	(52.9 - 72.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	78	5,500	81.1	(71.7 - 90.6)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	85	4,100	85.6	(77.1 - 94.2)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	117	5,200	95.2	(91.1 - 99.3)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	355	25,800	78.1	(72.1 - 84.2)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	138	10,600	80.1	(70.7 - 89.4)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	104	8,700	85.7	(76.6 - 94.7)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	370	72.5	(65.3 - 79.7)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	153	85.3	(77.7 - 93.0)	9,034	81.1	(77.4 - 84.8)
Female	*	*	*	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	355	76.4	(69.8 - 83.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	614	46,300	90.6	(87.0 - 94.2)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	226	21,600	87.0	(80.2 - 93.8)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	388	24,700	94.1	(91.6 - 96.5)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	*	*	*	*	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	119	9,500	95.7	(91.7 - 99.7)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	153	7,400	94.0	(90.0 - 97.9)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	221	8,200	82.6	(77.0 - 88.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	595	43,700	91.2	(87.7 - 94.7)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	227	15,700	85.5	(78.9 - 92.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	154	12,200	91.5	(83.7 - 99.2)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	230	18,300	95.1	(90.5 - 99.7)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	164	10,700	88.1	(81.0 - 95.2)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	104	9,100	96.8	(94.0 - 99.6)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	151	15,400	94.4	(88.2 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	614	90.9	(86.9 - 94.8)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	226	86.4	(78.9 - 93.9)	13,893	89.1	(86.9 - 91.3)
Female	388	95.1	(92.8 - 97.4)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	595	91.4	(87.6 - 95.3)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	227	86.0	(78.7 - 93.3)	14,507	84.6	(81.8 - 87.4)
Some College	154	91.5	(83.0 - 99.9)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	230	95.1	(90.1 - 100)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	164	88.4	(80.8 - 96.0)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	104	97.4	(95.1 - 99.7)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	151	94.3	(87.5 - 100)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 62a. Overweight among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	18,100	35.7	(30.5 - 40.8)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	236	12,100	48.0	(39.6 - 56.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	385	6,000	23.5	(18.3 - 28.7)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	153	3,600	45.1	(36.1 - 54.1)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	237	3,800	36.5	(29.7 - 43.2)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	17,200	36.1	(30.9 - 41.3)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	6,200	33.4	(25.2 - 41.5)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	230	7,400	39.0	(30.4 - 47.5)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	161	3,300	27.5	(19.2 - 35.9)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 62b. Overweight among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	34.7	(29.1 - 40.3)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	236	47.3	(38.2 - 56.4)	14,502	43.9	(40.1 - 47.6)
Female	385	22.3	(16.6 - 27.9)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	35.3	(29.7 - 40.9)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	32.9	(23.9 - 41.8)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	230	37.9	(28.7 - 47.1)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	161	25.4	(16.6 - 34.1)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 63a. Obesity among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	14,100	27.7	(22.6 - 32.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	236	6,500	25.9	(18.3 - 33.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	385	7,500	29.4	(22.7 - 36.0)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	114	2,400	25.7	(16.0 - 35.3)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	153	2,200	27.7	(19.7 - 35.7)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	237	3,300	31.1	(24.5 - 37.7)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	13,000	27.3	(22.3 - 32.2)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	237	6,100	33.1	(25.2 - 40.9)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	230	3,300	17.5	(9.7 - 25.2)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	161	4,000	33.6	(23.8 - 43.3)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	107	2,100	22.3	(12.9 - 31.6)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 63b. Obesity among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	27.8	(22.2 - 33.3)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	236	26.3	(18.0 - 34.6)	14,502	21.5	(19.0 - 24.0)
Female	385	29.2	(21.7 - 36.6)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	27.1	(21.8 - 32.5)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	237	32.4	(23.9 - 40.9)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	230	17.4	(8.8 - 25.9)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	32,200	63.3	(58.1 - 68.6)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	236	18,700	74.0	(66.4 - 81.6)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	385	13,500	52.9	(46.0 - 59.7)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	*	*	*	*	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	153	5,700	72.8	(65.3 - 80.4)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	237	7,100	67.6	(61.2 - 73.9)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	30,200	63.3	(58.1 - 68.6)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	12,300	66.4	(57.8 - 75.0)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	230	10,700	56.4	(47.8 - 65.0)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	149	11,000	68.9	(59.8 - 77.9)	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	621	62.5	(56.7 - 68.2)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	236	73.6	(65.3 - 81.9)	14,502	65.4	(61.3 - 69.4)
Female	385	51.4	(43.7 - 59.1)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	62.4	(56.6 - 68.2)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	65.3	(55.7 - 74.8)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	230	55.3	(45.8 - 64.7)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	149	68.2	(58.3 - 78.1)	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	619	13,600	26.7	(21.9 - 31.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	236	6,400	25.2	(18.2 - 32.2)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	383	7,200	28.2	(21.6 - 34.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	*	*	*	*	7,490	910,900	33.5	(29.0 - 38.1)
55-64	153	2,600	32.6	(24.4 - 40.8)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	235	2,900	27.7	(21.4 - 34.0)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	600	12,400	26.1	(21.5 - 30.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	236	6,100	33.0	(25.1 - 41.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	229	3,900	20.4	(12.6 - 28.2)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	160	3,500	29.4	(20.1 - 38.7)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	107	2,400	24.9	(15.3 - 34.6)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	*	*	*	*	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	619	26.2	(20.9 - 31.5)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	236	24.4	(17.0 - 31.8)	14,499	23.4	(20.5 - 26.3)
Female	383	27.9	(20.4 - 35.4)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	600	25.3	(20.3 - 30.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	236	32.3	(23.7 - 41.0)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	229	19.6	(11.2 - 28.1)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	176	11,900	88.0	(82.1 - 93.8)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	69	5,800	90.6	(84.4 - 96.9)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	107	6,200	85.6	(76.2 - 95.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	53	2,400	91.3	(83.4 - 99.2)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	62	2,400	82.2	(72.3 - 92.1)	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	172	10,800	86.8	(80.6 - 93.1)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	51	3,300	92.9	(86.7 - 99.1)	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	176	87.7	(81.1 - 94.3)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	69	91.4	(85.5 - 97.3)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	172	86.4	(79.3 - 93.5)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	51	93.9	(88.1 - 99.6)	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	10,000	18.9	(14.8 - 23.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	237	4,100	16.3	(10.4 - 22.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	413	5,800	21.3	(15.7 - 26.9)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	120	1,500	15.3	(8.5 - 22.0)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	164	2,300	28.3	(20.3 - 36.3)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	243	2,600	24.4	(18.6 - 30.2)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	8,600	17.4	(13.9 - 20.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	252	5,400	27.9	(21.2 - 34.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	159	1,900	13.9	(7.4 - 20.4)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	236	2,500	12.8	(5.1 - 20.4)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	172	1,900	15.1	(8.8 - 21.4)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	108	1,700	18.4	(9.6 - 27.2)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	154	1,200	7.5	(0.0 - 15.1)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	17.8	(13.4 - 22.1)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	237	15.9	(9.6 - 22.2)	14,602	20.9	(17.8 - 23.9)
Female	413	19.5	(13.4 - 25.6)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	16.0	(12.4 - 19.6)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	252	25.4	(18.4 - 32.3)	15,683	32.3	(28.3 - 36.4)
Some College	159	13.3	(6.3 - 20.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	236	13.0	(4.5 - 21.6)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	172	13.7	(7.1 - 20.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	108	17.7	(8.4 - 27.0)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	154	7.9	(0.0 - 16.4)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	13,500	25.6	(21.2 - 30.0)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	237	4,000	15.8	(9.9 - 21.7)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	413	9,500	34.7	(28.6 - 40.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	73	2,200	18.9	(9.6 - 28.2)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	120	2,600	25.6	(16.4 - 34.8)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	164	2,300	27.2	(19.6 - 34.9)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	243	3,600	33.2	(26.6 - 39.8)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	631	12,600	25.4	(21.0 - 29.8)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	252	3,000	15.4	(9.4 - 21.5)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	159	3,700	26.9	(17.9 - 35.8)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	236	6,700	34.6	(26.7 - 42.5)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	148	1,500	16.0	(9.2 - 22.9)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	172	3,500	28.0	(18.5 - 37.4)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	154	4,200	25.2	(17.3 - 33.1)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	25.1	(20.3 - 29.9)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	237	15.2	(9.0 - 21.4)	14,634	22.7	(19.6 - 25.9)
Female	413	34.3	(27.5 - 41.2)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	631	24.9	(20.1 - 29.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	252	14.6	(8.0 - 21.1)	15,726	23.3	(19.3 - 27.3)
Some College	159	26.6	(16.7 - 36.4)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	236	34.2	(25.6 - 42.7)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	148	15.5	(8.2 - 22.8)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	154	23.9	(15.8 - 32.0)	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	516	5,800	20.1	(16.2 - 24.0)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	191	2,900	21.5	(15.2 - 27.9)	10,966	489,400	14.4	(11.9 - 16.8)
Female	325	2,800	18.8	(13.9 - 23.7)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	120	1,700	16.9	(10.0 - 23.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	156	2,000	24.4	(16.4 - 32.4)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	240	2,100	19.8	(14.2 - 25.5)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	505	5,600	20.2	(16.2 - 24.1)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	205	2,200	19.8	(13.3 - 26.4)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	118	900	14.4	(7.7 - 21.2)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	190	2,600	23.7	(17.0 - 30.4)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	141	1,100	15.2	(9.0 - 21.4)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	81	1,100	23.5	(13.5 - 33.4)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	115	1,600	19.8	(12.0 - 27.6)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	516	19.9	(15.9 - 23.9)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	191	21.2	(14.8 - 27.5)	10,966	15.0	(12.1 - 17.8)
Female	325	18.7	(13.8 - 23.7)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	505	20.0	(16.0 - 24.0)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	205	19.4	(12.8 - 26.0)	12,417	17.4	(13.0 - 21.7)
Some College	118	14.7	(7.7 - 21.7)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	190	23.4	(16.6 - 30.2)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	141	14.8	(8.6 - 21.0)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	115	19.5	(11.7 - 27.4)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Warren County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Warren County and New York State**

	Warren County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	515	2,100	7.4	(4.8 - 10.0)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	191	1,100	7.8	(3.5 - 12.1)	10,957	120,000	3.5	(2.5 - 4.6)
Female	324	1,100	7.1	(4.1 - 10.1)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	120	900	8.7	(3.3 - 14.1)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	239	800	7.6	(4.0 - 11.1)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	504	2,100	7.5	(4.9 - 10.2)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	205	1,000	9.1	(4.5 - 13.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	189	800	7.1	(2.9 - 11.2)	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	121	700	12.4	(5.6 - 19.2)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Warren County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Warren County and New York State - Age-Adjusted<sup>2</sup>**

	Warren County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	515	7.5	(4.8 - 10.1)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	191	7.7	(3.4 - 12.1)	10,957	3.6	(2.4 - 4.7)
Female	324	7.2	(4.1 - 10.3)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	504	7.6	(4.8 - 10.3)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	205	8.8	(4.2 - 13.4)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	189	7.1	(2.8 - 11.3)	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	121	12.1	(5.4 - 18.9)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)