

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Yates County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Yates County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Yates County and New York State	14
Table 2b. Fair or poor general health among adults in Yates County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Yates County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Yates County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Yates County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Yates County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Yates County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Yates County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Yates County and New York State	22
Table 6b. Health insurance among adults in Yates County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Yates County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Yates County and New York State - Age-adjusted	25
Table 8a. No health insurance among adults in Yates County and New York State	26

## Contents

Table 8b. No health insurance among adults in Yates County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Yates County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Yates County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Yates County and New York State	30
Table 10b. Adults with regular health care provider in Yates County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Yates County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Yates County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Yates County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Yates County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Yates County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Yates County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Yates County and New York State	38
Table 14b. Dentist visit within the past year among adults in Yates County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Yates County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Yates County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Yates County and New York State	42

## Contents

Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Yates County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Yates County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Yates County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Yates County and New York State	46
Table 18b. Flu shot within the past 12 months in Yates County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Yates County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Yates County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Yates County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Yates County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Yates County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Yates County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Yates County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Yates County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Yates County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Yates County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Yates County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Yates County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Yates County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Yates County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Yates County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Yates County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Yates County and New York State	64
Table 27b. Ever had a Pap test among women in Yates County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Yates County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Yates County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Yates County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Yates County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Yates County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Yates County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Yates County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Yates County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Yates County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Yates County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Yates County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Yates County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Yates County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Yates County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Yates County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Yates County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Yates County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Yates County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Yates County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Yates County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Yates County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Yates County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Yates County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Yates County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Yates County and New York State	90
Table 40b. High blood pressure among adults in Yates County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Yates County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Yates County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Yates County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Yates County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Yates County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Yates County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Yates County and New York State	98
Table 44b. Cardiovascular disease among adults in Yates County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Yates County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Yates County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Yates County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Yates County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Yates County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Yates County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Yates County and New York State	106
Table 48b. Current asthma among adults in Yates County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Yates County and New York State	108
Table 49b. Chronic joint symptoms among adults in Yates County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Yates County and New York State	110
Table 50b. Arthritis among adults in Yates County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Yates County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Yates County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Yates County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Yates County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Yates County and New York State	116
Table 53b. Disability among adults in Yates County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Yates County and New York State	118
Table 54b. Current smoking among adults in Yates County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Yates County and New York State	120
Table 55b. Everyday smoking among adults in Yates County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Yates County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Yates County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Yates County and New York State	124
Table 57b. Binge drinking within the past month among adults in Yates County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Yates County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Yates County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Yates County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Yates County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Yates County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Yates County and New York State - Age-adjusted	131
Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Yates County and New York State	132

## Contents

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Yates County and New York State - Age-adjusted	133
---	-----

### Overweight / Obesity

Table 62a. Overweight among adults in Yates County and New York State	134
---	-----

Table 62b. Overweight among adults in Yates County and New York State - Age-adjusted	135
--	-----

Table 63a. Obesity among adults in Yates County and New York State	136
--	-----

Table 63b. Obesity among adults in Yates County and New York State - Age-adjusted	137
---	-----

Table 64a. Overweight or obesity among adults in Yates County and New York State	138
--	-----

Table 64b. Overweight or obesity among adults in Yates County and New York State - Age-adjusted	139
---	-----

Table 65a. Received advice about weight by a health professional among adults in Yates County and New York State	140
--	-----

Table 65b. Received advice about weight by a health professional among adults in Yates County and New York State - Age-adjusted	141
---	-----

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Yates County and New York State	142
---	-----

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Yates County and New York State - Age-adjusted	143
--	-----

### Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Yates County and New York State	144
--	-----

Table 67b. No leisure-time physical activity among adults in Yates County and New York State - Age-adjusted	145
---	-----

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Yates County and New York State	146
---	-----

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Yates County and New York State - Age-adjusted	147
--	-----

## Contents

### Injury

Table 69a. Had a fall within the past 3 months among adults in Yates County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Yates County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Yates County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Yates County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 1. Yates County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Yates County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	18,766	100	14,884,315	100
<b>Gender</b>				
Male	9,008	48.0	7,103,791	47.7
Female	9,758	52.0	7,780,524	52.3
<b>Age (years)</b>				
18-34	5,509	29.4	4,497,479	30.2
35-44	2,822	15.0	2,844,115	19.1
45-54	3,497	18.6	2,854,316	19.2
55-64	2,937	15.7	2,142,000	14.4
≥ 65	4,001	21.3	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	18,235	97.2	9,343,884	62.8
Black Non-Hispanic	137	0.7	2,156,941	14.5
Hispanic	301	1.6	2,258,717	15.2
Other Non-Hispanic	93	0.5	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	2,800	14.8	(11.5 - 18.0)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	252	1,200	13.9	(9.5 - 18.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	409	1,500	15.7	(10.9 - 20.4)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	130	500	15.6	(9.1 - 22.1)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	150	600	19.1	(11.8 - 26.3)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	219	1,000	24.2	(17.8 - 30.5)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	2,700	15.1	(11.8 - 18.5)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	323	2,200	22.0	(16.5 - 27.5)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	132	400	10.4	(5.5 - 15.3)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	203	200	4.2	(1.4 - 7.0)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	186	1,600	33.6	(24.4 - 42.9)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	184	700	12.5	(7.1 - 17.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	13.7	(10.4 - 17.1)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	252	12.5	(8.3 - 16.7)	14,599	15.3	(12.6 - 18.0)
Female	409	14.9	(9.8 - 20.0)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	14.0	(10.6 - 17.5)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	323	20.5	(14.8 - 26.2)	15,682	25.8	(22.1 - 29.5)
Some College	132	9.1	(4.7 - 13.6)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	203	3.8	(1.2 - 6.4)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	186	31.6	(21.8 - 41.4)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	184	11.6	(6.2 - 17.0)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	1,900	10.2	(7.7 - 12.7)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	248	1,000	10.7	(6.7 - 14.7)	14,325	604,200	8.7	(7.0 - 10.5)
Female	396	900	9.7	(6.7 - 12.7)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	126	500	15.2	(8.3 - 22.1)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	148	400	12.9	(7.0 - 18.7)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	209	500	13.3	(8.5 - 18.1)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	633	1,900	10.6	(8.0 - 13.2)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	312	1,200	12.5	(8.6 - 16.4)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	130	400	10.7	(5.1 - 16.3)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	199	300	5.4	(2.1 - 8.7)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	177	900	19.2	(12.6 - 25.8)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	180	600	10.2	(5.6 - 14.9)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	644	9.8	(7.2 - 12.4)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	248	10.1	(5.9 - 14.2)	14,325	8.7	(6.9 - 10.5)
Female	396	9.5	(6.2 - 12.8)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	633	10.2	(7.5 - 12.9)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	312	11.9	(7.8 - 15.9)	15,178	12.7	(10.2 - 15.1)
Some College	130	10.1	(4.4 - 15.9)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	199	5.5	(1.7 - 9.3)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	177	18.6	(11.6 - 25.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	180	9.7	(5.0 - 14.4)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	1,600	8.5	(6.1 - 11.0)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	250	700	7.5	(3.9 - 11.1)	14,407	555,200	7.9	(6.3 - 9.6)
Female	399	900	9.5	(6.2 - 12.9)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	129	400	12.7	(7.2 - 18.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	146	300	11.0	(5.3 - 16.7)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	213	200	5.8	(2.2 - 9.4)	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	638	1,600	8.9	(6.3 - 11.5)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	317	700	7.3	(4.1 - 10.5)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	131	500	12.1	(6.1 - 18.0)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	198	400	8.4	(3.3 - 13.5)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	179	800	18.1	(11.2 - 24.9)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	183	400	6.5	(1.8 - 11.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	8.6	(5.9 - 11.3)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	250	7.8	(3.6 - 11.9)	14,407	7.9	(6.3 - 9.6)
Female	399	9.4	(5.9 - 12.8)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	638	8.9	(6.2 - 11.7)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	317	6.9	(3.7 - 10.1)	15,335	12.3	(10.0 - 14.6)
Some College	131	12.1	(6.0 - 18.3)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	198	9.5	(3.3 - 15.8)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	179	18.9	(11.1 - 26.7)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	183	7.2	(2.1 - 12.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	3,000	16.3	(13.1 - 19.6)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	249	1,400	15.4	(10.5 - 20.4)	14,231	937,700	13.6	(11.4 - 15.8)
Female	391	1,600	17.2	(12.9 - 21.5)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	78	500	16.1	(6.6 - 25.5)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	127	800	24.4	(16.3 - 32.5)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	147	600	20.4	(13.1 - 27.6)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	206	600	16.1	(10.7 - 21.5)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	629	3,000	17.1	(13.7 - 20.4)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	308	1,600	16.8	(12.2 - 21.4)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	131	700	19.6	(11.9 - 27.2)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	198	700	13.2	(7.4 - 19.1)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	176	1,400	30.6	(22.0 - 39.1)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	179	900	15.4	(9.2 - 21.5)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	104	200	8.5	(3.2 - 13.8)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	16.0	(12.5 - 19.5)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	249	15.3	(9.9 - 20.7)	14,231	13.6	(11.4 - 15.8)
Female	391	16.6	(12.2 - 21.1)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	629	16.6	(13.0 - 20.2)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	308	15.8	(11.1 - 20.6)	15,018	20.1	(17.1 - 23.1)
Some College	131	19.0	(11.2 - 26.8)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	198	14.3	(7.3 - 21.3)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	176	30.6	(21.2 - 40.0)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	179	15.2	(8.7 - 21.6)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	104	8.5	(2.6 - 14.4)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 6a. Health insurance among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	14,000	74.8	(70.2 - 79.5)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	252	6,600	72.9	(66.1 - 79.7)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	408	7,500	76.6	(70.3 - 82.9)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	130	2,800	81.1	(72.6 - 89.7)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	150	2,800	93.9	(89.8 - 98.0)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	218	3,900	97.5	(94.5 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	649	13,300	73.7	(69.0 - 78.5)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	6,000	60.5	(53.6 - 67.4)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	132	3,300	88.4	(80.6 - 96.1)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	203	4,700	92.9	(87.3 - 98.6)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	184	4,400	76.7	(68.6 - 84.8)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	105	2,600	88.0	(79.6 - 96.5)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	*	*	*	*	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 6b. Health insurance among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	72.6	(67.6 - 77.5)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	252	70.8	(63.5 - 78.1)	14,597	83.6	(79.7 - 87.5)
Female	408	74.2	(67.4 - 81.0)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	649	71.5	(66.5 - 76.6)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	57.7	(50.4 - 64.9)	15,673	80.1	(75.4 - 84.7)
Some College	132	86.8	(78.1 - 95.4)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	203	92.3	(86.3 - 98.4)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	184	75.1	(66.5 - 83.7)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	105	87.5	(78.6 - 96.4)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	*	*	*	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	440	10,100	68.6	(63.0 - 74.2)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	182	4,800	67.1	(59.0 - 75.3)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	258	5,300	70.0	(62.3 - 77.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	*	*	*	*	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	129	2,800	80.9	(72.3 - 89.6)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	149	2,700	93.9	(89.7 - 98.0)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	434	9,500	67.4	(61.7 - 73.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	206	3,900	50.8	(42.7 - 58.9)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	90	2,600	86.0	(76.6 - 95.5)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	143	3,500	90.8	(83.5 - 98.0)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	125	3,200	70.9	(61.0 - 80.7)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	84	2,100	85.9	(76.0 - 95.7)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	*	*	*	*	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	440	67.4	(61.6 - 73.2)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	182	65.5	(56.9 - 74.1)	10,078	80.5	(75.9 - 85.1)
Female	258	69.2	(61.2 - 77.1)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	434	66.3	(60.4 - 72.1)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	206	50.0	(41.6 - 58.3)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	143	90.5	(83.1 - 98.0)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	*	*	*	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 8a. No health insurance among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	4,700	25.2	(20.5 - 29.8)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	252	2,400	27.1	(20.3 - 33.9)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	408	2,300	23.4	(17.1 - 29.7)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	130	700	18.9	(10.3 - 27.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	649	4,700	26.3	(21.5 - 31.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	3,900	39.5	(32.6 - 46.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	132	400	11.6	(3.9 - 19.4)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	184	1,300	23.3	(15.2 - 31.4)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 8b. No health insurance among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	27.4	(22.5 - 32.4)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	252	29.2	(21.9 - 36.5)	14,597	16.4	(12.5 - 20.3)
Female	408	25.8	(19.0 - 32.6)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	649	28.5	(23.4 - 33.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	42.3	(35.1 - 49.6)	15,673	19.9	(15.3 - 24.6)
Some College	132	13.2	(4.6 - 21.9)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	184	24.9	(16.3 - 33.5)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	440	4,600	31.4	(25.8 - 37.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	182	2,400	32.9	(24.7 - 41.0)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	258	2,300	30.0	(22.2 - 37.7)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	129	700	19.1	(10.4 - 27.7)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	434	4,600	32.6	(27.0 - 38.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	206	3,800	49.2	(41.1 - 57.3)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	125	1,300	29.1	(19.3 - 39.0)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	440	32.6	(26.8 - 38.4)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	182	34.5	(25.9 - 43.1)	10,078	19.5	(14.9 - 24.1)
Female	258	30.8	(22.9 - 38.8)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	434	33.7	(27.9 - 39.6)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	206	50.0	(41.7 - 58.4)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	17,000	91.2	(88.2 - 94.2)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	251	7,800	87.1	(82.1 - 92.1)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	409	9,300	95.0	(91.7 - 98.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	83	4,600	84.7	(76.6 - 92.8)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	78	2,500	89.4	(80.9 - 97.9)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	130	3,200	91.3	(85.9 - 96.7)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	150	2,900	97.6	(95.2 - 100)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	219	3,900	96.7	(94.1 - 99.2)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	649	16,300	90.8	(87.8 - 93.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	8,700	89.4	(85.1 - 93.8)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	132	3,500	93.9	(88.8 - 99.0)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	203	4,800	93.3	(87.5 - 99.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	186	3,900	84.0	(75.9 - 92.0)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	183	5,200	93.2	(88.7 - 97.7)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	105	2,800	95.5	(91.0 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	98	2,500	93.2	(87.0 - 99.3)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	90.6	(87.3 - 93.9)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	251	85.9	(80.2 - 91.5)	14,593	78.1	(73.9 - 82.3)
Female	409	94.9	(91.3 - 98.4)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	649	90.2	(86.8 - 93.6)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	88.9	(84.3 - 93.6)	15,692	75.8	(71.0 - 80.6)
Some College	132	94.2	(89.0 - 99.4)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	203	91.8	(84.7 - 98.9)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	186	82.0	(72.7 - 91.3)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	183	92.4	(87.2 - 97.5)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	105	95.9	(91.5 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	98	92.2	(85.0 - 99.5)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	1,800	9.7	(6.5 - 12.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	252	700	8.1	(4.2 - 12.1)	14,607	903,300	12.7	(9.5 - 16.0)
Female	409	1,100	11.1	(6.2 - 16.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	130	400	11.2	(4.9 - 17.4)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	150	200	7.3	(2.9 - 11.7)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	1,800	10.1	(6.8 - 13.4)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	323	1,100	10.8	(5.9 - 15.7)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	132	300	8.2	(2.3 - 14.0)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	203	400	8.8	(3.2 - 14.4)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	186	800	17.6	(8.8 - 26.4)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	184	500	8.3	(3.4 - 13.2)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	10.2	(6.7 - 13.6)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	252	8.4	(4.2 - 12.6)	14,607	12.5	(9.4 - 15.6)
Female	409	11.8	(6.5 - 17.1)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	10.6	(7.0 - 14.1)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	323	11.2	(6.0 - 16.4)	15,696	17.8	(13.8 - 21.7)
Some College	132	8.9	(2.5 - 15.4)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	203	9.2	(3.2 - 15.2)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	186	18.3	(8.8 - 27.8)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	184	9.0	(3.5 - 14.6)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	11,000	58.9	(54.0 - 63.8)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	250	4,500	50.4	(43.1 - 57.7)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	405	6,500	66.8	(60.4 - 73.1)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	128	2,100	60.4	(50.4 - 70.3)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	150	2,200	75.5	(66.2 - 84.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	216	3,400	86.7	(81.6 - 91.8)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	644	10,500	58.7	(53.9 - 63.6)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	5,000	51.3	(44.5 - 58.0)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	199	3,300	65.3	(56.7 - 73.8)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	183	3,000	53.5	(44.4 - 62.6)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	55.9	(50.7 - 61.1)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	250	47.4	(39.7 - 55.1)	14,592	67.1	(63.3 - 70.9)
Female	405	63.8	(57.0 - 70.5)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	644	55.6	(50.4 - 60.7)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	47.8	(40.7 - 54.9)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	199	61.9	(52.5 - 71.3)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	183	51.1	(41.7 - 60.4)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	13,300	71.4	(66.8 - 76.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	250	5,800	64.4	(57.2 - 71.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	405	7,500	77.8	(72.0 - 83.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	128	2,700	77.7	(69.1 - 86.3)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	150	2,600	88.7	(83.0 - 94.4)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	216	3,600	92.0	(88.0 - 96.0)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	644	12,600	70.4	(65.7 - 75.1)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	6,000	61.0	(54.1 - 67.8)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	131	3,400	89.8	(83.8 - 95.8)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	199	3,900	78.4	(70.7 - 86.1)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	183	3,900	68.5	(59.7 - 77.2)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	105	2,400	81.4	(72.1 - 90.8)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	*	*	*	*	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	68.6	(63.6 - 73.6)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	250	61.1	(53.3 - 68.8)	14,592	81.9	(78.4 - 85.3)
Female	405	75.5	(69.2 - 81.9)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	644	67.6	(62.4 - 72.7)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	58.1	(50.8 - 65.4)	15,640	84.6	(81.1 - 88.1)
Some College	131	88.2	(81.1 - 95.2)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	199	75.8	(67.0 - 84.6)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	183	65.9	(56.6 - 75.2)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	*	*	*	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	12,900	69.5	(65.1 - 73.9)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	252	5,600	61.9	(54.9 - 68.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	405	7,400	76.7	(71.2 - 82.2)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	129	2,400	67.5	(58.3 - 76.7)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	150	2,300	77.0	(69.4 - 84.6)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	218	2,600	66.4	(59.3 - 73.4)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	12,400	69.5	(65.1 - 73.9)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	320	5,800	59.2	(52.6 - 65.9)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	131	2,700	74.7	(65.2 - 84.2)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	203	4,300	85.4	(79.7 - 91.0)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	184	2,500	54.6	(44.6 - 64.5)	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	183	3,900	70.2	(61.9 - 78.6)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	98	2,300	86.5	(78.7 - 94.2)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	69.3	(64.6 - 74.1)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	252	61.4	(54.0 - 68.8)	14,573	68.3	(64.6 - 72.1)
Female	405	76.8	(70.8 - 82.7)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	69.4	(64.6 - 74.1)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	320	59.7	(52.6 - 66.7)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	203	85.0	(78.3 - 91.6)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	183	70.0	(61.3 - 78.7)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	98	84.8	(75.6 - 94.0)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	599	12,200	70.0	(65.4 - 74.6)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	226	5,300	64.1	(56.9 - 71.3)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	373	6,800	75.4	(69.4 - 81.4)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	126	2,400	70.2	(61.1 - 79.3)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	139	2,100	75.9	(67.8 - 84.1)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	177	2,300	71.8	(64.2 - 79.4)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	592	11,600	69.3	(64.6 - 73.9)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	276	5,300	60.7	(53.5 - 67.9)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	121	2,600	74.3	(64.8 - 83.8)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	200	4,200	83.6	(77.6 - 89.6)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	167	3,600	69.9	(61.4 - 78.3)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	96	2,200	84.9	(76.7 - 93.1)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	599	69.5	(64.6 - 74.5)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	226	63.5	(55.9 - 71.2)	13,173	69.2	(65.3 - 73.1)
Female	373	75.0	(68.6 - 81.4)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	592	68.8	(63.8 - 73.8)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	276	60.6	(53.1 - 68.2)	12,740	67.7	(63.2 - 72.3)
Some College	121	73.6	(63.7 - 83.6)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	200	83.1	(76.2 - 90.1)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	167	69.7	(60.9 - 78.5)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	96	83.5	(74.1 - 92.9)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	11,100	59.7	(54.9 - 64.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	251	5,500	61.6	(54.2 - 68.9)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	403	5,600	57.9	(51.7 - 64.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	130	2,100	58.8	(49.2 - 68.5)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	148	1,900	66.5	(57.3 - 75.7)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	216	3,300	83.0	(77.5 - 88.6)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	10,600	59.6	(54.9 - 64.4)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	318	6,900	70.9	(64.6 - 77.3)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	201	1,900	37.7	(30.2 - 45.3)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	184	3,400	74.0	(64.9 - 83.0)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	184	3,600	63.9	(54.8 - 73.0)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	57.6	(52.5 - 62.7)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	251	59.8	(52.0 - 67.6)	14,457	47.9	(44.1 - 51.7)
Female	403	55.5	(48.8 - 62.2)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	57.5	(52.4 - 62.6)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	318	68.8	(62.0 - 75.6)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	201	35.3	(27.3 - 43.3)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	184	61.8	(52.4 - 71.2)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	216	800	19.6	(12.7 - 26.6)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	147	400	17.3	(8.1 - 26.6)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	216	800	19.6	(12.7 - 26.6)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	211	600	16.1	(10.5 - 21.7)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	114	500	25.3	(16.0 - 34.6)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	216	19.8	(12.8 - 26.7)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	147	17.3	(8.1 - 26.5)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	211	16.4	(10.6 - 22.2)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	114	25.8	(16.1 - 35.4)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	7,600	40.8	(36.3 - 45.3)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	251	2,600	29.1	(23.1 - 35.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	407	5,000	51.4	(45.1 - 57.7)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	227	2,200	21.6	(15.6 - 27.6)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	214	2,300	50.6	(42.7 - 58.4)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	217	3,100	78.2	(72.1 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	7,300	40.9	(36.4 - 45.3)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	321	3,300	33.4	(27.5 - 39.2)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	203	2,800	55.0	(46.7 - 63.3)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	184	1,900	42.6	(33.4 - 51.8)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	184	2,200	38.7	(30.3 - 47.1)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	37.0	(32.4 - 41.5)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	251	25.6	(19.8 - 31.5)	14,579	40.0	(36.2 - 43.8)
Female	407	47.2	(40.6 - 53.8)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	37.0	(32.4 - 41.6)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	321	28.9	(23.1 - 34.7)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	203	52.7	(43.6 - 61.7)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	184	37.9	(28.4 - 47.4)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	184	35.6	(27.1 - 44.1)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	7,600	41.0	(36.5 - 45.5)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	251	2,600	29.5	(23.4 - 35.5)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	407	5,000	51.4	(45.1 - 57.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	227	2,200	21.6	(15.6 - 27.6)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	214	2,300	51.4	(43.5 - 59.2)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	217	3,100	78.2	(72.1 - 84.3)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	7,400	41.1	(36.6 - 45.5)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	321	3,300	33.4	(27.5 - 39.2)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	203	2,800	55.7	(47.3 - 64.0)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	184	1,900	42.6	(33.4 - 51.8)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	184	2,200	38.7	(30.3 - 47.1)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	37.1	(32.5 - 41.7)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	251	26.0	(20.1 - 31.9)	14,568	40.4	(36.6 - 44.2)
Female	407	47.2	(40.6 - 53.8)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	37.2	(32.6 - 41.8)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	321	28.9	(23.1 - 34.7)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	203	53.3	(44.3 - 62.4)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	184	37.9	(28.4 - 47.4)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	184	35.6	(27.1 - 44.1)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	217	3,100	78.2	(72.1 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	148	1,800	81.1	(74.0 - 88.1)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	217	3,100	78.2	(72.1 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	212	3,000	78.6	(72.5 - 84.6)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	115	1,600	77.3	(69.2 - 85.5)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	217	78.0	(71.8 - 84.2)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	148	81.1	(74.0 - 88.1)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	212	78.5	(72.3 - 84.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	115	77.1	(68.7 - 85.5)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	618	4,400	25.5	(21.6 - 29.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	229	1,500	18.0	(13.1 - 22.9)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	389	2,900	32.4	(26.6 - 38.1)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	205	700	7.8	(3.2 - 12.4)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	200	900	21.9	(15.5 - 28.3)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	213	2,700	70.3	(63.4 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	607	4,200	25.6	(21.7 - 29.5)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	299	2,100	24.2	(18.6 - 29.8)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	126	900	24.5	(15.6 - 33.4)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	190	1,400	29.2	(22.2 - 36.2)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	176	1,500	34.8	(25.4 - 44.1)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	169	1,100	22.3	(15.5 - 29.1)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	97	600	24.1	(14.8 - 33.4)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	93	600	26.0	(16.8 - 35.3)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	618	21.6	(17.9 - 25.3)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	229	15.7	(11.2 - 20.1)	13,052	25.8	(22.3 - 29.4)
Female	389	27.0	(21.4 - 32.6)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	607	21.6	(17.9 - 25.4)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	299	20.2	(14.8 - 25.6)	14,700	29.5	(25.6 - 33.5)
Some College	126	20.9	(12.9 - 28.9)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	190	25.1	(18.3 - 31.8)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	176	30.5	(20.8 - 40.2)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	169	18.5	(12.5 - 24.6)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	97	20.6	(11.8 - 29.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	93	23.4	(14.4 - 32.4)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	213	2,700	70.3	(63.4 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	147	1,700	76.8	(69.5 - 84.1)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	213	2,700	70.3	(63.4 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	208	2,600	71.4	(64.6 - 78.1)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	116	1,300	62.1	(52.3 - 72.0)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	213	69.8	(62.7 - 77.0)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	147	76.8	(69.5 - 84.1)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	208	71.0	(64.0 - 78.0)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	340	5,800	92.8	(89.3 - 96.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	340	5,800	92.8	(89.3 - 96.2)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	66	1,500	84.4	(74.6 - 94.3)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	124	2,100	94.6	(90.5 - 98.8)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	150	2,200	97.7	(95.4 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	337	5,600	92.6	(89.1 - 96.1)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	151	2,700	94.2	(89.4 - 99.1)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	81	1,400	92.5	(86.4 - 98.7)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	108	1,700	90.7	(83.7 - 97.8)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	104	1,400	91.8	(86.0 - 97.6)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	90	1,600	89.1	(80.2 - 98.0)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	58	1,100	94.2	(88.4 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	340	91.4	(86.9 - 95.9)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	340	91.4	(86.9 - 95.9)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	337	91.2	(86.6 - 95.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	151	93.2	(86.4 - 100)	8,266	90.2	(86.1 - 94.2)
Some College	81	91.4	(83.7 - 99.1)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	108	88.7	(80.0 - 97.3)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	104	90.4	(83.4 - 97.5)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	58	95.1	(89.9 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	339	5,200	83.6	(79.1 - 88.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	339	5,200	83.6	(79.1 - 88.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	124	1,900	87.5	(81.5 - 93.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	149	2,000	90.4	(85.8 - 95.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	336	5,000	83.3	(78.7 - 88.0)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	150	2,400	86.2	(79.9 - 92.5)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	81	1,300	83.7	(75.0 - 92.4)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	108	1,500	79.7	(70.6 - 88.9)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	103	1,300	83.7	(76.3 - 91.1)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	339	80.7	(74.9 - 86.6)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	339	80.7	(74.9 - 86.6)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	336	80.4	(74.5 - 86.4)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	150	83.9	(75.3 - 92.5)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	*	*	*	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	103	81.1	(72.0 - 90.2)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	273	3,900	89.0	(85.2 - 92.8)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	273	3,900	89.0	(85.2 - 92.8)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	124	1,900	87.5	(81.5 - 93.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	149	2,000	90.4	(85.8 - 95.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	270	3,800	88.8	(84.9 - 92.7)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	122	1,700	89.9	(84.8 - 95.0)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	65	1,000	85.7	(76.4 - 95.0)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	86	1,200	90.3	(83.9 - 96.8)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	91	1,100	88.4	(81.8 - 94.9)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	67	1,000	91.3	(84.7 - 98.0)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	273	89.0	(85.2 - 92.9)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	273	89.0	(85.2 - 92.9)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	270	88.9	(84.9 - 92.8)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	122	90.0	(85.0 - 95.0)	7,026	83.6	(80.1 - 87.0)
Some College	65	85.5	(75.9 - 95.2)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	86	90.5	(84.2 - 96.9)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	91	88.2	(81.5 - 94.8)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	67	91.5	(85.0 - 98.0)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	405	9,400	97.5	(95.4 - 99.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	405	9,400	97.5	(95.4 - 99.7)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	81	1,700	97.8	(93.4 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	86	1,500	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	149	2,200	97.9	(95.7 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	402	9,200	97.5	(95.3 - 99.7)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	187	4,700	96.1	(92.2 - 99.9)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	91	2,000	100	(100 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	127	2,700	98.4	(95.5 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	119	2,400	98.6	(96.2 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	108	2,700	99.3	(98.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	67	1,600	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	*	*	*	*	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	405	97.4	(95.1 - 99.7)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	405	97.4	(95.1 - 99.7)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	402	97.4	(95.0 - 99.7)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	187	95.9	(91.7 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	91	100	(100 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	127	98.4	(95.5 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	119	97.9	(94.0 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	108	99.5	(98.5 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	67	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	*	*	*	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	398	7,700	80.4	(75.5 - 85.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	398	7,700	80.4	(75.5 - 85.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	80	1,600	92.4	(86.3 - 98.5)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	85	1,300	86.3	(78.5 - 94.2)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	144	1,300	60.6	(50.7 - 70.5)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	395	7,600	81.2	(76.6 - 85.8)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	184	3,600	74.3	(66.6 - 82.0)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	127	2,400	90.4	(85.1 - 95.7)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	116	1,800	76.7	(68.0 - 85.5)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	67	1,500	92.2	(86.3 - 98.0)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	398	81.4	(76.3 - 86.4)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	398	81.4	(76.3 - 86.4)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	395	82.0	(77.0 - 86.9)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	184	74.5	(66.2 - 82.9)	9,384	76.4	(71.3 - 81.5)
Some College	87	85.0	(75.6 - 94.4)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	127	91.3	(86.0 - 96.7)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	116	78.4	(69.2 - 87.6)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	67	93.9	(89.2 - 98.6)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	185	3,900	74.7	(67.1 - 82.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	185	3,900	74.7	(67.1 - 82.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	63	1,300	89.6	(81.2 - 98.0)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	66	1,500	88.0	(78.8 - 97.2)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	180	3,700	74.7	(67.0 - 82.5)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	62	1,500	89.3	(80.8 - 97.8)	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	185	71.4	(62.8 - 80.0)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	185	71.4	(62.8 - 80.0)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	180	71.4	(62.6 - 80.2)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	181	2,900	58.2	(50.1 - 66.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	181	2,900	58.2	(50.1 - 66.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	177	2,900	58.4	(50.2 - 66.7)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	181	55.4	(46.6 - 64.1)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	181	55.4	(46.6 - 64.1)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	177	55.5	(46.7 - 64.4)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	176	3,400	68.3	(60.0 - 76.6)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	176	3,400	68.3	(60.0 - 76.6)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	63	1,500	90.2	(83.0 - 97.4)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	171	3,400	70.5	(62.6 - 78.5)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	62	1,500	89.2	(80.7 - 97.7)	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	176	66.5	(57.7 - 75.3)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	176	66.5	(57.7 - 75.3)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	171	68.3	(59.5 - 77.0)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	173	2,800	56.7	(48.1 - 65.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	173	2,800	56.7	(48.1 - 65.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	168	2,700	58.3	(49.9 - 66.7)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	173	55.6	(46.6 - 64.5)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	173	55.6	(46.6 - 64.5)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	168	56.9	(47.9 - 65.9)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	189	300	5.5	(2.2 - 8.8)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	189	300	5.5	(2.2 - 8.8)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	184	300	4.9	(1.8 - 8.0)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	189	5.2	(2.0 - 8.3)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	189	5.2	(2.0 - 8.3)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	184	4.6	(1.7 - 7.6)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	427	3,500	41.1	(35.6 - 46.5)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	156	1,400	34.6	(26.3 - 42.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	271	2,100	47.0	(40.2 - 53.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	213	1,600	35.7	(28.3 - 43.1)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	214	1,900	47.2	(39.4 - 54.9)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	419	3,300	40.8	(35.5 - 46.0)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	199	1,200	32.3	(25.2 - 39.5)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	145	1,300	46.4	(37.2 - 55.6)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	134	800	34.4	(25.4 - 43.3)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	427	40.5	(35.0 - 45.9)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	156	34.6	(26.2 - 43.0)	9,571	39.4	(35.3 - 43.5)
Female	271	46.1	(39.3 - 53.0)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	419	40.2	(34.9 - 45.6)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	199	32.1	(24.8 - 39.3)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	145	45.8	(36.3 - 55.3)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	134	33.9	(24.8 - 42.9)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	1,500	17.5	(13.0 - 22.0)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	156	500	11.2	(5.4 - 17.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	268	1,000	23.3	(16.8 - 29.8)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	213	700	16.2	(10.1 - 22.2)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	211	700	19.0	(12.2 - 25.8)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	416	1,300	16.2	(12.2 - 20.2)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	199	600	14.6	(9.4 - 19.9)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	144	500	18.7	(10.9 - 26.6)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	132	300	12.7	(6.7 - 18.7)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	112	400	16.2	(7.0 - 25.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	71	300	17.6	(8.1 - 27.0)	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	17.4	(12.8 - 21.9)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	156	11.7	(5.4 - 18.0)	9,508	16.4	(13.2 - 19.6)
Female	268	22.9	(16.4 - 29.3)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	416	16.2	(12.0 - 20.4)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	199	14.4	(9.0 - 19.8)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	144	19.1	(10.8 - 27.5)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	132	12.4	(6.5 - 18.4)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	112	15.1	(6.5 - 23.7)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	71	17.9	(7.9 - 27.9)	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	2,000	23.9	(19.1 - 28.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	156	700	18.0	(11.4 - 24.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	268	1,300	29.3	(22.6 - 36.0)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	213	900	21.1	(14.7 - 27.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	211	1,100	27.1	(19.8 - 34.3)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	416	1,800	22.9	(18.4 - 27.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	199	700	19.5	(13.6 - 25.4)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	144	700	24.1	(15.9 - 32.3)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	132	500	20.9	(13.3 - 28.6)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	112	500	21.5	(12.0 - 31.1)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup>  
in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	23.7	(18.8 - 28.6)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	156	18.3	(11.4 - 25.3)	9,508	21.7	(18.3 - 25.1)
Female	268	28.9	(22.2 - 35.6)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	416	22.8	(18.2 - 27.5)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	199	19.1	(13.2 - 25.1)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	144	24.3	(15.6 - 32.9)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	132	20.9	(13.1 - 28.6)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	112	20.3	(11.2 - 29.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	428	5,900	70.1	(65.1 - 75.1)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	156	2,600	64.7	(56.4 - 73.0)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	272	3,300	75.1	(69.4 - 80.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	149	2,200	74.4	(66.6 - 82.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	215	2,900	73.9	(67.1 - 80.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	420	5,600	69.5	(64.5 - 74.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	199	2,400	63.7	(56.1 - 71.3)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	143	2,300	80.1	(72.7 - 87.4)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	134	1,500	65.4	(56.2 - 74.5)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	428	69.3	(64.1 - 74.5)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	156	64.3	(55.8 - 72.8)	9,582	68.5	(64.5 - 72.5)
Female	272	74.1	(68.1 - 80.1)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	420	68.8	(63.5 - 74.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	199	62.9	(55.0 - 70.8)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	143	79.2	(71.4 - 86.9)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	134	64.5	(55.1 - 74.0)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	425	5,700	67.6	(62.5 - 72.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	155	2,500	62.1	(53.7 - 70.6)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	270	3,200	72.6	(66.7 - 78.5)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	149	2,200	73.6	(65.7 - 81.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	212	2,700	69.6	(62.5 - 76.8)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	417	5,300	66.9	(61.7 - 72.0)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	198	2,400	63.0	(55.4 - 70.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	142	2,100	74.5	(66.5 - 82.5)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	133	1,400	63.8	(54.6 - 73.1)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	425	66.7	(61.4 - 72.0)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	155	61.6	(52.9 - 70.2)	9,521	66.9	(62.9 - 70.9)
Female	270	71.6	(65.4 - 77.8)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	417	66.0	(60.7 - 71.4)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	198	62.2	(54.3 - 70.2)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	142	73.6	(65.3 - 82.0)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	133	63.0	(53.5 - 72.5)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	423	5,900	71.0	(66.0 - 76.0)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	154	2,600	64.6	(56.2 - 73.0)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	269	3,400	76.9	(71.3 - 82.4)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	148	2,200	74.0	(66.1 - 82.0)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	212	2,900	74.1	(67.2 - 81.0)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	415	5,600	70.5	(65.4 - 75.5)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	197	2,500	66.9	(59.4 - 74.4)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	142	2,200	76.8	(69.0 - 84.7)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	133	1,400	65.1	(55.9 - 74.3)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	423	70.3	(65.1 - 75.4)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	154	64.2	(55.7 - 72.8)	9,418	71.5	(67.6 - 75.4)
Female	269	76.0	(70.2 - 81.8)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	415	69.8	(64.6 - 75.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	197	66.3	(58.5 - 74.1)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	142	76.0	(67.7 - 84.2)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	133	64.2	(54.7 - 73.6)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	71	80.9	(71.1 - 90.7)	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	5,700	30.5	(26.4 - 34.6)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	251	2,900	32.1	(25.7 - 38.5)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	408	2,800	29.0	(23.8 - 34.1)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	77	500	16.7	(7.1 - 26.3)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	129	800	23.8	(15.9 - 31.7)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	150	1,300	42.9	(33.7 - 52.1)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	219	2,600	64.0	(56.9 - 71.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	5,400	29.9	(25.9 - 33.8)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	323	2,900	29.8	(24.3 - 35.2)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	*	*	*	*	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	202	1,300	25.0	(18.2 - 31.7)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	186	2,000	42.3	(32.9 - 51.6)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	183	1,700	29.8	(22.0 - 37.6)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	105	700	22.5	(13.7 - 31.3)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	98	800	29.1	(19.2 - 39.0)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	27.2	(23.1 - 31.3)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	251	29.6	(23.0 - 36.2)	14,611	27.7	(24.7 - 30.7)
Female	408	25.0	(20.0 - 29.9)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	26.6	(22.6 - 30.6)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	323	26.3	(20.9 - 31.7)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	202	22.7	(15.6 - 29.8)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	186	39.0	(29.2 - 48.8)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	183	26.6	(18.9 - 34.2)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	105	19.9	(11.5 - 28.3)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	256	4,500	79.9	(72.4 - 87.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	156	2,400	86.5	(77.8 - 95.2)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	64	1,100	87.5	(79.2 - 95.8)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	136	2,400	95.2	(90.3 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	251	4,300	80.9	(73.8 - 88.0)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	134	2,500	84.8	(75.8 - 93.8)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	256	76.6	(67.6 - 85.5)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	251	77.8	(69.2 - 86.4)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	13,100	71.0	(66.1 - 76.0)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	246	5,900	67.2	(59.7 - 74.7)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	404	7,200	74.5	(68.0 - 81.0)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	129	3,200	91.8	(86.5 - 97.2)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	150	2,800	93.7	(89.2 - 98.2)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	215	3,800	96.8	(94.7 - 98.9)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	639	12,700	71.9	(67.1 - 76.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	315	6,100	63.4	(56.4 - 70.3)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	202	4,200	84.0	(76.7 - 91.4)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	182	3,800	68.3	(59.2 - 77.4)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	105	2,400	81.5	(72.2 - 90.9)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	67.7	(62.4 - 73.1)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	246	63.8	(55.7 - 71.9)	14,389	78.0	(73.9 - 82.1)
Female	404	71.4	(64.4 - 78.4)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	639	68.7	(63.5 - 74.0)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	315	60.3	(52.9 - 67.7)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	202	80.9	(72.3 - 89.5)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	182	65.0	(55.3 - 74.6)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	12,400	68.0	(63.0 - 73.1)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	246	5,500	62.7	(55.0 - 70.3)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	401	6,900	73.0	(66.5 - 79.5)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	129	3,100	88.2	(81.1 - 95.3)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	150	2,600	88.4	(79.9 - 96.9)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	214	3,700	95.6	(93.2 - 97.9)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	636	12,200	69.5	(64.6 - 74.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	314	5,700	60.3	(53.3 - 67.3)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	200	4,100	82.0	(74.4 - 89.6)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	181	3,600	63.8	(54.4 - 73.2)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	105	2,400	80.0	(70.4 - 89.6)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	64.6	(59.2 - 70.0)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	246	59.1	(51.0 - 67.2)	14,307	74.8	(70.7 - 79.0)
Female	401	69.7	(62.7 - 76.7)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	636	65.9	(60.7 - 71.2)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	314	56.9	(49.5 - 64.4)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	200	78.2	(69.2 - 87.1)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	181	61.3	(51.6 - 71.1)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	1,300	6.8	(5.0 - 8.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	249	800	8.4	(5.2 - 11.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	404	500	5.3	(3.4 - 7.3)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	149	300	8.8	(3.7 - 13.9)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	215	900	21.8	(15.5 - 28.0)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	642	1,300	7.1	(5.2 - 9.0)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	316	700	6.9	(4.3 - 9.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	132	300	7.1	(2.9 - 11.3)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	202	300	6.3	(3.0 - 9.5)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	183	600	13.0	(8.1 - 17.8)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	181	400	6.4	(3.0 - 9.8)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	5.8	(4.1 - 7.5)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	249	7.4	(4.4 - 10.3)	14,477	9.7	(7.8 - 11.7)
Female	404	4.4	(2.6 - 6.1)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	642	6.0	(4.3 - 7.7)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	316	6.1	(3.6 - 8.5)	15,486	10.5	(8.0 - 13.0)
Some College	132	5.7	(2.3 - 9.2)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	202	5.1	(2.4 - 7.9)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	183	11.1	(6.7 - 15.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	181	5.5	(2.4 - 8.6)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	1,100	5.7	(4.0 - 7.3)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	249	600	6.8	(4.0 - 9.5)	14,479	598,600	8.5	(6.6 - 10.4)
Female	405	400	4.6	(2.8 - 6.5)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	149	200	7.1	(2.7 - 11.4)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	215	700	19.0	(13.0 - 24.9)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	1,100	5.9	(4.2 - 7.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	316	600	5.8	(3.5 - 8.2)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	132	200	5.5	(2.0 - 9.0)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	203	300	5.2	(2.2 - 8.2)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	183	500	11.4	(6.8 - 16.0)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	181	300	5.0	(2.1 - 7.8)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	4.7	(3.3 - 6.2)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	249	5.7	(3.4 - 8.1)	14,479	8.8	(6.9 - 10.8)
Female	405	3.8	(2.2 - 5.4)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	4.9	(3.4 - 6.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	316	4.9	(2.9 - 7.0)	15,485	8.5	(6.2 - 10.7)
Some College	132	4.5	(1.6 - 7.5)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	203	4.3	(1.8 - 6.8)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	183	9.9	(5.7 - 14.0)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	181	4.4	(1.6 - 7.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	1,800	9.8	(7.3 - 12.3)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	252	700	7.8	(4.7 - 10.9)	14,626	530,400	7.5	(6.2 - 8.8)
Female	409	1,100	11.6	(7.9 - 15.4)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	130	400	11.5	(5.7 - 17.2)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	150	300	11.3	(5.8 - 16.8)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	219	800	20.0	(13.2 - 26.8)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	1,700	9.7	(7.3 - 12.0)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	323	900	9.6	(6.4 - 12.9)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	132	600	15.0	(7.3 - 22.8)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	203	300	6.5	(3.3 - 9.8)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	186	700	14.8	(9.3 - 20.2)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	184	600	9.8	(4.8 - 14.8)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	98	300	9.5	(3.9 - 15.1)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	9.0	(6.6 - 11.5)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	252	6.9	(4.0 - 9.7)	14,626	7.5	(6.1 - 8.9)
Female	409	11.0	(7.1 - 14.9)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	9.0	(6.5 - 11.4)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	323	8.8	(5.5 - 12.2)	15,709	12.6	(10.0 - 15.2)
Some College	132	13.9	(6.8 - 21.1)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	203	6.0	(2.5 - 9.5)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	186	13.3	(8.1 - 18.6)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	184	8.9	(4.2 - 13.5)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	98	8.8	(3.5 - 14.2)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	2,600	14.0	(10.6 - 17.4)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	252	1,000	11.4	(6.8 - 16.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	406	1,600	16.4	(11.5 - 21.4)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	83	800	14.6	(5.9 - 23.3)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	77	400	13.4	(5.8 - 21.0)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	129	400	10.9	(5.5 - 16.4)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	150	500	16.0	(9.0 - 22.9)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	219	600	14.8	(9.2 - 20.4)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	2,600	14.3	(10.8 - 17.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	321	1,100	11.0	(6.4 - 15.5)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	132	700	19.5	(10.9 - 28.0)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	202	800	16.1	(9.9 - 22.2)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	186	900	19.8	(11.5 - 28.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	182	700	11.6	(5.6 - 17.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	105	300	11.8	(5.0 - 18.5)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	98	400	16.3	(7.6 - 25.0)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	14.1	(10.5 - 17.7)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	252	11.1	(6.4 - 15.8)	14,601	12.6	(10.3 - 14.9)
Female	406	16.8	(11.5 - 22.2)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	14.4	(10.7 - 18.0)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	321	10.8	(5.9 - 15.6)	15,675	15.1	(12.1 - 18.0)
Some College	132	19.2	(10.4 - 27.9)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	202	17.1	(10.3 - 23.9)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	186	20.0	(11.1 - 28.9)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	182	12.1	(5.7 - 18.5)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	105	11.1	(4.4 - 17.7)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	98	16.5	(7.1 - 25.8)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 48a. Current asthma among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	1,800	9.7	(6.9 - 12.5)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	252	500	5.3	(2.6 - 8.0)	14,546	440,700	6.3	(4.8 - 7.7)
Female	405	1,300	13.8	(9.0 - 18.5)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	77	300	12.3	(5.0 - 19.7)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	129	300	9.0	(3.9 - 14.0)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	150	300	10.6	(4.7 - 16.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	218	400	11.0	(6.5 - 15.6)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	1,700	9.8	(6.9 - 12.7)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	320	800	8.0	(3.9 - 12.1)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	132	500	14.1	(6.8 - 21.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	202	500	9.7	(5.5 - 14.0)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	185	700	16.0	(8.1 - 24.0)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	182	300	6.2	(2.2 - 10.2)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	105	200	7.4	(2.6 - 12.1)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 48b. Current asthma among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	657	9.9	(6.8 - 13.0)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	252	5.1	(2.4 - 7.9)	14,546	6.4	(4.9 - 7.9)
Female	405	14.4	(9.2 - 19.5)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	10.0	(6.9 - 13.1)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	320	8.1	(3.7 - 12.5)	15,594	10.8	(8.3 - 13.3)
Some College	132	13.7	(6.3 - 21.1)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	202	10.8	(5.8 - 15.7)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	185	16.7	(8.0 - 25.4)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	182	6.6	(2.2 - 11.1)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	105	6.6	(2.2 - 11.0)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	8,700	46.6	(41.8 - 51.3)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	251	4,200	46.7	(39.4 - 53.9)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	407	4,500	46.5	(40.3 - 52.7)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	129	2,000	58.1	(48.4 - 67.9)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	149	1,900	63.5	(54.7 - 72.3)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	218	2,200	56.2	(48.7 - 63.8)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	8,300	46.3	(41.6 - 51.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	321	4,500	45.8	(39.2 - 52.5)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	202	2,200	44.1	(36.0 - 52.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	184	2,900	51.5	(42.5 - 60.5)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	44.6	(39.6 - 49.6)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	251	44.8	(37.2 - 52.4)	14,595	42.6	(38.8 - 46.3)
Female	407	44.4	(37.9 - 51.0)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	44.4	(39.4 - 49.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	321	43.6	(36.6 - 50.6)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	202	42.9	(34.1 - 51.7)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	184	48.9	(39.6 - 58.2)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 50a. Arthritis among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	6,600	35.8	(31.4 - 40.2)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	248	2,900	32.8	(26.4 - 39.1)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	406	3,700	38.6	(32.6 - 44.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	75	500	19.9	(10.1 - 29.6)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	128	1,500	43.4	(33.6 - 53.3)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	149	1,500	50.9	(41.5 - 60.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	218	2,500	63.5	(56.3 - 70.7)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	6,500	36.4	(32.0 - 40.8)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	317	3,800	39.1	(32.6 - 45.5)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	132	1,200	30.9	(21.3 - 40.5)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	202	1,700	33.8	(26.5 - 41.2)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	180	1,800	32.5	(24.6 - 40.3)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 50b. Arthritis among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	32.5	(28.0 - 37.0)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	248	29.2	(23.0 - 35.4)	14,555	23.5	(20.9 - 26.1)
Female	406	35.5	(29.2 - 41.8)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	33.0	(28.5 - 37.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	317	35.3	(28.7 - 41.9)	15,652	30.4	(26.9 - 33.8)
Some College	132	27.5	(18.4 - 36.7)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	202	31.1	(23.5 - 38.7)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	180	29.5	(21.8 - 37.1)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	4,400	23.3	(19.4 - 27.1)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	252	2,000	22.5	(17.0 - 28.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	409	2,300	24.0	(18.7 - 29.3)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	78	600	19.7	(9.7 - 29.6)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	130	1,000	29.3	(20.3 - 38.4)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	150	900	30.4	(22.1 - 38.7)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	219	1,400	36.1	(28.5 - 43.7)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	4,200	23.4	(19.5 - 27.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	323	2,700	27.4	(21.5 - 33.3)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	132	1,000	26.5	(17.3 - 35.7)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	203	700	13.3	(8.6 - 18.0)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	186	1,700	36.5	(27.2 - 45.8)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	184	1,300	23.0	(15.7 - 30.3)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	105	500	18.6	(10.5 - 26.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	98	400	14.8	(6.9 - 22.7)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	21.8	(17.9 - 25.8)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	252	21.5	(15.7 - 27.3)	14,566	18.6	(15.8 - 21.4)
Female	409	22.1	(16.7 - 27.6)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	22.0	(18.0 - 26.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	323	25.7	(19.6 - 31.8)	15,626	23.8	(20.1 - 27.4)
Some College	132	24.7	(15.8 - 33.7)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	203	12.3	(7.4 - 17.1)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	186	34.6	(24.8 - 44.5)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	184	21.3	(14.1 - 28.6)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	105	17.9	(9.3 - 26.5)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	98	14.4	(5.7 - 23.1)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	1,500	7.9	(5.8 - 10.0)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	252	600	6.5	(3.7 - 9.3)	14,617	460,700	6.5	(5.3 - 7.7)
Female	409	900	9.2	(6.1 - 12.4)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	130	300	9.3	(4.0 - 14.7)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	150	300	8.6	(3.8 - 13.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	219	800	21.0	(14.2 - 27.9)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	1,400	7.6	(5.7 - 9.6)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	323	800	7.7	(4.9 - 10.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	132	500	12.7	(5.9 - 19.6)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	203	300	5.0	(2.2 - 7.8)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	186	800	16.9	(11.2 - 22.6)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	184	500	8.3	(3.7 - 13.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	6.7	(4.9 - 8.6)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	252	5.6	(3.1 - 8.1)	14,617	6.8	(5.5 - 8.0)
Female	409	7.8	(5.1 - 10.5)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	6.5	(4.8 - 8.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	323	6.3	(3.9 - 8.7)	15,711	10.3	(8.3 - 12.3)
Some College	132	11.2	(5.2 - 17.3)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	203	4.4	(1.8 - 7.0)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	186	15.2	(9.7 - 20.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	184	7.1	(3.1 - 11.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 53a. Disability among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	4,700	25.0	(21.1 - 28.9)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	252	2,200	23.9	(18.2 - 29.6)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	409	2,500	26.0	(20.6 - 31.5)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	78	600	19.7	(9.7 - 29.6)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	130	1,000	29.3	(20.3 - 38.4)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	150	900	31.8	(23.4 - 40.2)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	219	1,700	43.2	(35.5 - 50.9)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	650	4,500	25.1	(21.2 - 29.1)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	323	2,900	29.2	(23.3 - 35.1)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	132	1,000	27.6	(18.3 - 36.9)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	203	800	15.4	(10.4 - 20.5)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	186	1,800	39.5	(30.0 - 49.0)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	184	1,400	24.4	(17.0 - 31.7)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	105	600	19.2	(11.1 - 27.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	98	500	17.0	(8.7 - 25.3)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 53b. Disability among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	661	23.2	(19.2 - 27.2)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	252	22.7	(16.8 - 28.6)	14,568	20.9	(18.0 - 23.8)
Female	409	23.7	(18.2 - 29.2)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	650	23.4	(19.3 - 27.4)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	323	27.1	(20.9 - 33.2)	15,638	26.8	(23.0 - 30.6)
Some College	132	25.6	(16.6 - 34.7)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	203	14.1	(9.0 - 19.2)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	184	22.4	(15.1 - 29.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	105	18.4	(9.7 - 27.0)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	98	16.4	(7.4 - 25.4)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 54a. Current smoking among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	3,200	17.1	(13.2 - 20.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	251	1,300	14.4	(9.2 - 19.6)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	407	1,900	19.6	(14.0 - 25.2)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	83	1,000	19.1	(9.5 - 28.7)	3,929	993,500	22.3	(17.5 - 27.1)
35-44	77	500	17.9	(9.1 - 26.7)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	130	800	21.6	(13.5 - 29.7)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	150	500	18.7	(9.8 - 27.6)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	218	300	8.6	(4.7 - 12.4)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	3,100	17.1	(13.2 - 20.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	321	1,900	19.9	(14.2 - 25.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	202	300	6.5	(2.6 - 10.5)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	185	1,400	30.3	(20.5 - 40.0)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	183	1,000	18.7	(11.2 - 26.1)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 54b. Current smoking among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	17.4	(13.4 - 21.5)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	251	14.5	(9.2 - 19.8)	14,559	19.2	(16.3 - 22.1)
Female	407	20.1	(14.1 - 26.1)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	17.5	(13.4 - 21.6)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	321	19.8	(13.8 - 25.8)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	202	7.1	(2.5 - 11.7)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	183	19.2	(11.6 - 26.9)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	2,500	13.4	(9.7 - 17.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	251	1,000	11.3	(6.7 - 16.0)	14,559	848,400	12.0	(10.0 - 14.1)
Female	407	1,500	15.2	(9.8 - 20.6)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	83	800	14.4	(5.5 - 23.4)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	77	400	14.3	(6.1 - 22.5)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	130	600	16.9	(9.3 - 24.5)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	150	500	16.3	(7.5 - 25.1)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	218	200	5.9	(2.6 - 9.3)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	2,400	13.2	(9.6 - 16.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	321	1,700	17.0	(11.5 - 22.5)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	132	600	15.7	(6.7 - 24.8)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	185	1,200	25.4	(15.9 - 34.9)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	183	900	15.4	(8.2 - 22.5)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	658	13.6	(9.8 - 17.3)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	251	11.3	(6.7 - 15.9)	14,559	12.1	(10.1 - 14.1)
Female	407	15.7	(9.9 - 21.5)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	13.5	(9.7 - 17.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	321	17.0	(11.2 - 22.9)	15,654	16.4	(13.8 - 19.0)
Some College	132	15.7	(6.8 - 24.6)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	183	15.9	(8.6 - 23.1)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	14,600	77.8	(73.8 - 81.8)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	252	6,600	73.7	(67.4 - 80.1)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	407	7,900	81.6	(76.7 - 86.4)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	84	4,500	82.2	(73.3 - 91.1)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	130	2,500	72.6	(63.4 - 81.9)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	150	2,300	77.3	(69.8 - 84.8)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	217	3,200	79.4	(73.4 - 85.5)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	13,800	77.0	(72.9 - 81.1)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	7,200	73.4	(67.5 - 79.3)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	131	3,000	80.8	(72.5 - 89.1)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	203	4,300	84.3	(77.7 - 91.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	185	3,100	67.2	(58.1 - 76.4)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	184	4,400	78.3	(70.7 - 85.8)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	105	2,500	83.7	(74.8 - 92.5)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	98	2,200	83.8	(75.0 - 92.7)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	77.7	(73.4 - 82.0)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	252	73.2	(66.4 - 80.0)	14,577	79.4	(76.7 - 82.2)
Female	407	81.9	(76.7 - 87.1)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	77.0	(72.6 - 81.4)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	73.4	(67.0 - 79.7)	15,647	76.9	(73.8 - 80.0)
Some College	131	82.1	(73.9 - 90.4)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	203	83.3	(76.0 - 90.7)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	185	68.0	(58.1 - 77.8)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	184	78.2	(70.4 - 86.0)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	105	83.3	(73.7 - 92.9)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	*	*	*	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	2,200	11.6	(8.4 - 14.8)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	247	1,600	17.9	(12.2 - 23.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	405	600	5.9	(2.8 - 8.9)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	84	700	12.9	(5.5 - 20.4)	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	129	500	13.2	(6.3 - 20.0)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	147	300	8.9	(3.6 - 14.1)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	641	2,200	12.1	(8.8 - 15.5)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	319	800	8.1	(4.4 - 11.8)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	129	400	11.9	(4.7 - 19.2)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	201	900	18.4	(10.9 - 25.9)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	183	700	11.7	(5.9 - 17.5)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	98	400	16.3	(6.8 - 25.7)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	12.5	(8.9 - 16.1)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	247	19.3	(12.9 - 25.7)	14,420	24.5	(21.0 - 27.9)
Female	405	6.2	(2.9 - 9.6)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	641	13.0	(9.3 - 16.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	319	8.9	(4.5 - 13.3)	15,491	17.5	(13.5 - 21.5)
Some College	129	12.3	(4.6 - 20.0)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	201	20.0	(11.8 - 28.2)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	183	13.0	(6.4 - 19.6)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	900	4.6	(2.8 - 6.5)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	242	400	4.9	(1.9 - 7.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	405	400	4.4	(2.2 - 6.6)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	217	200	5.4	(2.2 - 8.6)	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	636	900	4.8	(2.9 - 6.7)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	*	*	*	*	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	198	400	8.6	(4.1 - 13.0)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	96	300	10.6	(4.1 - 17.1)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	4.6	(2.7 - 6.6)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	242	5.1	(1.9 - 8.4)	14,330	4.9	(3.9 - 5.9)
Female	405	4.1	(1.9 - 6.4)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	636	4.8	(2.8 - 6.8)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	*	*	*	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	198	8.8	(3.8 - 13.8)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	96	9.8	(3.3 - 16.2)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	590	11,300	70.7	(66.0 - 75.5)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	215	5,800	78.2	(71.7 - 84.6)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	375	5,500	64.3	(57.7 - 70.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	116	2,200	73.0	(64.6 - 81.4)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	143	1,900	68.0	(59.2 - 76.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	208	3,100	81.3	(75.1 - 87.6)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	579	10,700	70.4	(65.7 - 75.2)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	275	5,900	75.6	(69.0 - 82.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	191	3,100	65.1	(56.9 - 73.2)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	167	3,700	74.6	(66.3 - 83.0)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	99	2,100	76.1	(66.9 - 85.3)	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	590	69.9	(64.8 - 75.0)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	215	78.6	(71.8 - 85.4)	13,299	67.9	(64.0 - 71.9)
Female	375	62.4	(55.3 - 69.5)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	579	69.6	(64.5 - 74.8)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	275	75.4	(68.2 - 82.6)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	191	64.4	(55.6 - 73.2)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	167	74.1	(65.4 - 82.8)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	384	9,600	78.6	(73.0 - 84.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	149	5,100	89.2	(82.9 - 95.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	235	4,500	69.3	(61.0 - 77.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	76	1,600	82.5	(73.3 - 91.7)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	1,700	91.0	(85.0 - 97.1)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	102	1,900	96.3	(93.1 - 99.4)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	376	9,000	77.5	(71.7 - 83.3)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	181	5,300	85.0	(77.4 - 92.6)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	384	77.0	(71.1 - 83.0)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	149	88.0	(81.0 - 95.0)	9,034	81.1	(77.4 - 84.8)
Female	235	67.5	(58.7 - 76.3)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	376	75.9	(69.8 - 82.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	181	83.9	(75.7 - 92.0)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	625	14,200	79.8	(75.7 - 83.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	233	6,500	77.1	(70.6 - 83.6)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	392	7,700	82.2	(77.1 - 87.3)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	78	3,900	75.0	(65.3 - 84.7)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	*	*	*	*	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	122	2,800	88.4	(80.6 - 96.2)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	149	2,700	92.9	(88.5 - 97.3)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	201	2,700	73.3	(65.5 - 81.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	13,500	79.5	(75.3 - 83.6)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	297	6,100	67.7	(61.0 - 74.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	127	3,400	92.0	(85.5 - 98.5)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	199	4,700	93.1	(88.4 - 97.8)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	173	3,300	75.6	(66.7 - 84.5)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	175	4,400	80.3	(72.6 - 87.9)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	101	2,500	88.9	(81.4 - 96.3)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	96	2,200	85.7	(77.0 - 94.5)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	625	79.0	(74.6 - 83.5)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	233	75.5	(68.3 - 82.6)	13,893	89.1	(86.9 - 91.3)
Female	392	82.2	(76.9 - 87.6)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	78.6	(74.1 - 83.1)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	297	66.5	(59.4 - 73.7)	14,507	84.6	(81.8 - 87.4)
Some College	127	93.3	(87.9 - 98.7)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	199	92.3	(86.3 - 98.3)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	173	74.6	(64.7 - 84.6)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	175	80.3	(72.3 - 88.3)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	101	89.5	(81.9 - 97.2)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	*	*	*	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 62a. Overweight among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	7,100	39.5	(34.6 - 44.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	249	3,600	40.1	(32.8 - 47.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	386	3,500	38.9	(32.5 - 45.3)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	122	1,200	35.1	(25.3 - 44.9)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	144	1,000	34.4	(25.6 - 43.3)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	214	1,600	40.4	(32.6 - 48.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	6,700	38.6	(33.9 - 43.4)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	312	3,800	40.3	(33.5 - 47.1)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	198	1,800	36.0	(27.9 - 44.1)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	177	2,300	41.8	(32.5 - 51.0)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 62b. Overweight among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	39.5	(34.3 - 44.7)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	249	41.0	(33.2 - 48.9)	14,502	43.9	(40.1 - 47.6)
Female	386	38.0	(31.2 - 44.7)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	38.6	(33.5 - 43.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	312	41.2	(33.9 - 48.5)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	198	35.5	(26.8 - 44.2)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	177	41.3	(31.8 - 50.9)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 63a. Obesity among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	4,700	26.2	(22.2 - 30.3)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	249	2,500	27.9	(21.7 - 34.0)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	386	2,200	24.6	(19.2 - 30.0)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	83	900	16.3	(8.1 - 24.4)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	122	1,100	33.0	(23.2 - 42.7)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	144	1,000	35.7	(26.8 - 44.5)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	214	1,000	25.0	(18.3 - 31.7)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	4,600	26.8	(22.6 - 30.9)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	312	2,900	30.2	(24.1 - 36.3)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	122	1,000	28.0	(18.5 - 37.6)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	198	900	17.9	(12.0 - 23.8)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	181	1,300	28.6	(20.4 - 36.8)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	177	1,500	26.5	(18.9 - 34.1)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	95	600	22.4	(13.0 - 31.9)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 63b. Obesity among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	26.2	(21.8 - 30.5)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	249	26.3	(20.0 - 32.6)	14,502	21.5	(19.0 - 24.0)
Female	386	26.0	(20.1 - 32.0)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	26.7	(22.3 - 31.1)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	312	29.5	(23.0 - 36.0)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	198	17.9	(11.4 - 24.4)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	181	27.8	(19.1 - 36.5)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	177	26.5	(18.5 - 34.6)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	11,900	65.8	(61.2 - 70.4)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	249	6,100	68.0	(61.2 - 74.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	386	5,800	63.5	(57.4 - 69.7)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	122	2,200	68.1	(58.7 - 77.4)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	144	1,900	70.1	(60.8 - 79.5)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	214	2,500	65.4	(58.2 - 72.5)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	625	11,300	65.4	(60.8 - 70.0)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	312	6,700	70.5	(64.4 - 76.7)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	198	2,700	53.9	(45.5 - 62.3)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	181	3,200	70.0	(60.7 - 79.4)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	177	3,800	68.3	(60.0 - 76.6)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	102	2,100	75.2	(66.3 - 84.1)	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	65.7	(60.8 - 70.6)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	249	67.4	(60.1 - 74.6)	14,502	65.4	(61.3 - 69.4)
Female	386	64.0	(57.4 - 70.6)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	625	65.2	(60.3 - 70.2)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	312	70.7	(64.2 - 77.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	198	53.4	(44.3 - 62.5)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	177	67.9	(59.3 - 76.5)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	102	76.0	(66.6 - 85.4)	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	3,700	20.6	(16.4 - 24.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	249	1,400	15.3	(9.9 - 20.7)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	387	2,300	25.8	(19.6 - 31.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	72	500	18.5	(9.1 - 27.8)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	123	700	19.8	(12.8 - 26.9)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	144	800	28.8	(20.6 - 36.9)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	214	600	15.3	(9.9 - 20.7)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	626	3,500	20.3	(16.3 - 24.3)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	313	2,000	21.4	(15.5 - 27.3)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	198	800	15.1	(9.4 - 20.8)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	177	1,100	19.7	(13.1 - 26.4)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	102	600	20.0	(10.6 - 29.3)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	96	600	23.4	(14.1 - 32.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	20.5	(16.1 - 24.9)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	249	14.3	(8.6 - 20.0)	14,499	23.4	(20.5 - 26.3)
Female	387	26.5	(20.0 - 33.1)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	626	20.1	(15.9 - 24.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	313	20.7	(14.5 - 27.0)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	198	15.2	(9.1 - 21.3)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	177	20.0	(12.9 - 27.1)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	102	18.7	(9.2 - 28.3)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	135	2,900	83.3	(74.0 - 92.6)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	5,300	28.1	(23.7 - 32.5)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	251	3,000	33.5	(26.6 - 40.3)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	409	2,300	23.2	(17.7 - 28.6)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	130	1,100	30.1	(20.5 - 39.7)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	150	600	19.3	(12.2 - 26.5)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	219	1,300	31.5	(24.1 - 39.0)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	649	5,100	28.3	(23.9 - 32.7)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	322	3,800	39.1	(32.5 - 45.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	132	800	21.5	(12.4 - 30.6)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	203	600	11.2	(5.0 - 17.5)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	186	1,900	40.5	(30.9 - 50.2)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	184	1,800	30.9	(22.3 - 39.5)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	104	500	15.7	(6.6 - 24.8)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	*	*	*	*	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	28.4	(23.7 - 33.1)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	251	34.2	(26.8 - 41.6)	14,602	20.9	(17.8 - 23.9)
Female	409	23.0	(17.3 - 28.8)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	649	28.7	(23.9 - 33.4)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	322	39.0	(32.0 - 46.0)	15,683	32.3	(28.3 - 36.4)
Some College	132	19.6	(11.0 - 28.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	203	13.1	(5.6 - 20.5)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	184	31.1	(22.1 - 40.0)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	104	14.6	(5.6 - 23.7)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	6,000	31.9	(27.3 - 36.5)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	252	2,300	25.6	(18.8 - 32.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	407	3,700	37.8	(31.6 - 44.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	130	900	26.3	(17.6 - 35.0)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	149	800	27.7	(19.6 - 35.9)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	218	900	23.8	(17.9 - 29.7)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	5,700	31.6	(27.1 - 36.1)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	322	3,100	31.6	(25.1 - 38.2)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	202	1,800	35.1	(27.2 - 42.9)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	184	1,500	26.3	(18.4 - 34.1)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	33.2	(28.2 - 38.1)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	252	27.5	(20.1 - 34.9)	14,634	22.7	(19.6 - 25.9)
Female	407	38.4	(31.8 - 45.1)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	32.7	(27.9 - 37.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	322	32.9	(25.8 - 39.9)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	202	36.2	(27.5 - 44.9)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	184	28.3	(19.7 - 36.9)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	495	2,100	20.4	(16.3 - 24.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	179	1,100	22.3	(15.6 - 29.1)	10,966	489,400	14.4	(11.9 - 16.8)
Female	316	1,000	18.7	(13.7 - 23.6)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	128	1,000	29.0	(20.1 - 37.8)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	149	600	19.0	(12.1 - 25.9)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	218	600	14.0	(8.8 - 19.3)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	487	2,100	21.2	(17.0 - 25.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	230	1,100	23.3	(16.7 - 29.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	100	500	24.0	(14.3 - 33.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	162	500	14.2	(8.6 - 19.9)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	150	700	27.5	(18.8 - 36.2)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	133	600	18.2	(10.7 - 25.8)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	80	300	14.2	(6.1 - 22.3)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	76	300	17.1	(8.3 - 25.9)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	495	21.1	(16.7 - 25.4)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	179	22.9	(15.9 - 29.9)	10,966	15.0	(12.1 - 17.8)
Female	316	19.3	(14.0 - 24.7)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	487	21.9	(17.4 - 26.3)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	230	24.6	(17.5 - 31.6)	12,417	17.4	(13.0 - 21.7)
Some College	*	*	*	7,232	19.0	(14.7 - 23.2)
≥ College Degree	162	13.9	(8.2 - 19.5)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	150	29.1	(19.9 - 38.4)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	133	18.8	(10.9 - 26.6)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	80	14.2	(5.8 - 22.6)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	76	16.7	(8.0 - 25.4)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Yates County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Yates County and New York State**

	Yates County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	495	500	5.1	(3.0 - 7.2)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	179	300	6.5	(2.7 - 10.3)	10,957	120,000	3.5	(2.5 - 4.6)
Female	316	200	3.8	(1.7 - 6.0)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	128	300	7.9	(2.9 - 12.9)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	149	200	6.9	(2.5 - 11.2)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	487	500	5.3	(3.1 - 7.5)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	230	300	7.0	(3.3 - 10.8)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	150	300	10.3	(4.8 - 15.7)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Yates County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Yates County and New York State - Age-Adjusted<sup>2</sup>**

	Yates County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	495	5.2	(2.9 - 7.4)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	179	6.6	(2.7 - 10.6)	10,957	3.6	(2.4 - 4.7)
Female	316	3.8	(1.6 - 6.1)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	487	5.4	(3.1 - 7.7)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	230	7.2	(3.3 - 11.2)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	150	10.6	(4.9 - 16.4)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)